

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n77(3700-3980)	15	10	647000	25@12	DFT_BPSK	24.77	25.07	33	PASS
n77(3700-3980)	15	10	647000	1@1	DFT_BPSK	24.76	25.06	33	PASS
n77(3700-3980)	15	10	647000	1@50	DFT_BPSK	24.78	25.08	33	PASS
n77(3700-3980)	15	10	647000	25@12	DFT_QPSK	24.79	25.09	33	PASS
n77(3700-3980)	15	10	647000	1@1	DFT_QPSK	24.78	25.08	33	PASS
n77(3700-3980)	15	10	647000	1@50	DFT_QPSK	24.74	25.04	33	PASS
n77(3700-3980)	15	10	647000	25@12	DFT_QAM16	23.82	24.12	33	PASS
n77(3700-3980)	15	10	647000	1@1	DFT_QAM16	24.08	24.38	33	PASS
n77(3700-3980)	15	10	647000	1@50	DFT_QAM16	24.01	24.31	33	PASS
n77(3700-3980)	15	10	647000	25@12	DFT_QAM64	22.32	22.62	33	PASS
n77(3700-3980)	15	10	647000	1@1	DFT_QAM64	22.30	22.6	33	PASS
n77(3700-3980)	15	10	647000	1@50	DFT_QAM64	22.55	22.85	33	PASS
n77(3700-3980)	15	10	647000	25@12	DFT_QAM256	20.33	20.63	33	PASS
n77(3700-3980)	15	10	647000	1@1	DFT_QAM256	20.23	20.53	33	PASS
n77(3700-3980)	15	10	647000	1@50	DFT_QAM256	20.43	20.73	33	PASS
n77(3700-3980)	15	10	647000	26@13	CP_QPSK	23.24	23.54	33	PASS
n77(3700-3980)	15	10	647000	1@1	CP_QPSK	23.38	23.68	33	PASS
n77(3700-3980)	15	10	647000	1@50	CP_QPSK	23.26	23.56	33	PASS
n77(3700-3980)	15	10	647000	26@13	CP_QAM16	22.80	23.1	33	PASS
n77(3700-3980)	15	10	647000	1@1	CP_QAM16	22.85	23.15	33	PASS
n77(3700-3980)	15	10	647000	1@50	CP_QAM16	22.82	23.12	33	PASS
n77(3700-3980)	15	10	647000	26@13	CP_QAM64	21.21	21.51	33	PASS
n77(3700-3980)	15	10	647000	1@1	CP_QAM64	21.73	22.03	33	PASS
n77(3700-3980)	15	10	647000	1@50	CP_QAM64	21.21	21.51	33	PASS
n77(3700-3980)	15	10	647000	26@13	CP_QAM256	18.29	18.59	33	PASS
n77(3700-3980)	15	10	647000	1@1	CP_QAM256	18.29	18.59	33	PASS
n77(3700-3980)	15	10	647000	1@50	CP_QAM256	18.24	18.54	33	PASS
n77(3700-3980)	15	10	656000	25@12	DFT_BPSK	24.29	24.59	33	PASS
n77(3700-3980)	15	10	656000	1@1	DFT_BPSK	24.16	24.46	33	PASS
n77(3700-3980)	15	10	656000	1@50	DFT_BPSK	24.30	24.6	33	PASS
n77(3700-3980)	15	10	656000	25@12	DFT_QPSK	24.22	24.52	33	PASS
n77(3700-3980)	15	10	656000	1@1	DFT_QPSK	24.11	24.41	33	PASS
n77(3700-3980)	15	10	656000	1@50	DFT_QPSK	24.16	24.46	33	PASS
n77(3700-3980)	15	10	656000	25@12	DFT_QAM16	23.28	23.58	33	PASS
n77(3700-3980)	15	10	656000	1@1	DFT_QAM16	23.51	23.81	33	PASS
n77(3700-3980)	15	10	656000	1@50	DFT_QAM16	23.61	23.91	33	PASS
n77(3700-3980)	15	10	656000	25@12	DFT_QAM64	21.73	22.03	33	PASS
n77(3700-3980)	15	10	656000	1@1	DFT_QAM64	21.64	21.94	33	PASS
n77(3700-3980)	15	10	656000	1@50	DFT_QAM64	22.27	22.57	33	PASS

n77(3700-3980)	15	10	656000	25@12	DFT_QAM256	19.89	20.19	33	PASS
n77(3700-3980)	15	10	656000	1@1	DFT_QAM256	19.65	19.95	33	PASS
n77(3700-3980)	15	10	656000	1@50	DFT_QAM256	19.76	20.06	33	PASS
n77(3700-3980)	15	10	656000	26@13	CP_QPSK	22.64	22.94	33	PASS
n77(3700-3980)	15	10	656000	1@1	CP_QPSK	22.63	22.93	33	PASS
n77(3700-3980)	15	10	656000	1@50	CP_QPSK	22.70	23	33	PASS
n77(3700-3980)	15	10	656000	26@13	CP_QAM16	22.23	22.53	33	PASS
n77(3700-3980)	15	10	656000	1@1	CP_QAM16	22.32	22.62	33	PASS
n77(3700-3980)	15	10	656000	1@50	CP_QAM16	22.30	22.6	33	PASS
n77(3700-3980)	15	10	656000	26@13	CP_QAM64	20.73	21.03	33	PASS
n77(3700-3980)	15	10	656000	1@1	CP_QAM64	20.55	20.85	33	PASS
n77(3700-3980)	15	10	656000	1@50	CP_QAM64	20.68	20.98	33	PASS
n77(3700-3980)	15	10	656000	26@13	CP_QAM256	17.70	18	33	PASS
n77(3700-3980)	15	10	656000	1@1	CP_QAM256	17.75	18.05	33	PASS
n77(3700-3980)	15	10	656000	1@50	CP_QAM256	17.86	18.16	33	PASS
n77(3700-3980)	15	10	665000	25@12	DFT_BPSK	25.18	25.48	33	PASS
n77(3700-3980)	15	10	665000	1@1	DFT_BPSK	25.07	25.37	33	PASS
n77(3700-3980)	15	10	665000	1@50	DFT_BPSK	25.31	25.61	33	PASS
n77(3700-3980)	15	10	665000	25@12	DFT_QPSK	25.21	25.51	33	PASS
n77(3700-3980)	15	10	665000	1@1	DFT_QPSK	24.85	25.15	33	PASS
n77(3700-3980)	15	10	665000	1@50	DFT_QPSK	25.14	25.44	33	PASS
n77(3700-3980)	15	10	665000	25@12	DFT_QAM16	24.25	24.55	33	PASS
n77(3700-3980)	15	10	665000	1@1	DFT_QAM16	24.18	24.48	33	PASS
n77(3700-3980)	15	10	665000	1@50	DFT_QAM16	24.55	24.85	33	PASS
n77(3700-3980)	15	10	665000	25@12	DFT_QAM64	22.78	23.08	33	PASS
n77(3700-3980)	15	10	665000	1@1	DFT_QAM64	22.50	22.8	33	PASS
n77(3700-3980)	15	10	665000	1@50	DFT_QAM64	22.73	23.03	33	PASS
n77(3700-3980)	15	10	665000	25@12	DFT_QAM256	20.79	21.09	33	PASS
n77(3700-3980)	15	10	665000	1@1	DFT_QAM256	20.65	20.95	33	PASS
n77(3700-3980)	15	10	665000	1@50	DFT_QAM256	20.75	21.05	33	PASS
n77(3700-3980)	15	10	665000	26@13	CP_QPSK	23.69	23.99	33	PASS
n77(3700-3980)	15	10	665000	1@1	CP_QPSK	23.49	23.79	33	PASS
n77(3700-3980)	15	10	665000	1@50	CP_QPSK	23.72	24.02	33	PASS
n77(3700-3980)	15	10	665000	26@13	CP_QAM16	23.24	23.54	33	PASS
n77(3700-3980)	15	10	665000	1@1	CP_QAM16	23.21	23.51	33	PASS
n77(3700-3980)	15	10	665000	1@50	CP_QAM16	23.35	23.65	33	PASS
n77(3700-3980)	15	10	665000	26@13	CP_QAM64	21.70	22	33	PASS
n77(3700-3980)	15	10	665000	1@1	CP_QAM64	21.37	21.67	33	PASS
n77(3700-3980)	15	10	665000	1@50	CP_QAM64	21.67	21.97	33	PASS
n77(3700-3980)	15	10	665000	26@13	CP_QAM256	18.71	19.01	33	PASS
n77(3700-3980)	15	10	665000	1@1	CP_QAM256	18.68	18.98	33	PASS
n77(3700-3980)	15	10	665000	1@50	CP_QAM256	18.80	19.1	33	PASS
n77(3700-3980)	15	15	647168	36@18	DFT_BPSK	24.89	25.19	33	PASS
n77(3700-3980)	15	15	647168	1@1	DFT_BPSK	24.79	25.09	33	PASS

n77(3700-3980)	15	15	647168	1@77	DFT_BPSK	24.78	25.08	33	PASS
n77(3700-3980)	15	15	647168	36@18	DFT_QPSK	24.82	25.12	33	PASS
n77(3700-3980)	15	15	647168	1@1	DFT_QPSK	24.74	25.04	33	PASS
n77(3700-3980)	15	15	647168	1@77	DFT_QPSK	24.66	24.96	33	PASS
n77(3700-3980)	15	15	647168	36@18	DFT_QAM16	23.79	24.09	33	PASS
n77(3700-3980)	15	15	647168	1@1	DFT_QAM16	24.15	24.45	33	PASS
n77(3700-3980)	15	15	647168	1@77	DFT_QAM16	24.10	24.4	33	PASS
n77(3700-3980)	15	15	647168	36@18	DFT_QAM64	22.39	22.69	33	PASS
n77(3700-3980)	15	15	647168	1@1	DFT_QAM64	22.33	22.63	33	PASS
n77(3700-3980)	15	15	647168	1@77	DFT_QAM64	22.28	22.58	33	PASS
n77(3700-3980)	15	15	647168	36@18	DFT_QAM256	20.31	20.61	33	PASS
n77(3700-3980)	15	15	647168	1@1	DFT_QAM256	20.26	20.56	33	PASS
n77(3700-3980)	15	15	647168	1@77	DFT_QAM256	20.25	20.55	33	PASS
n77(3700-3980)	15	15	647168	39@19	CP_QPSK	23.31	23.61	33	PASS
n77(3700-3980)	15	15	647168	1@1	CP_QPSK	23.31	23.61	33	PASS
n77(3700-3980)	15	15	647168	1@77	CP_QPSK	23.26	23.56	33	PASS
n77(3700-3980)	15	15	647168	39@19	CP_QAM16	22.90	23.2	33	PASS
n77(3700-3980)	15	15	647168	1@1	CP_QAM16	22.92	23.22	33	PASS
n77(3700-3980)	15	15	647168	1@77	CP_QAM16	22.86	23.16	33	PASS
n77(3700-3980)	15	15	647168	39@19	CP_QAM64	21.29	21.59	33	PASS
n77(3700-3980)	15	15	647168	1@1	CP_QAM64	21.23	21.53	33	PASS
n77(3700-3980)	15	15	647168	1@77	CP_QAM64	21.26	21.56	33	PASS
n77(3700-3980)	15	15	647168	39@19	CP_QAM256	18.30	18.6	33	PASS
n77(3700-3980)	15	15	647168	1@1	CP_QAM256	18.40	18.7	33	PASS
n77(3700-3980)	15	15	647168	1@77	CP_QAM256	18.40	18.7	33	PASS
n77(3700-3980)	15	15	656000	36@18	DFT_BPSK	24.29	24.59	33	PASS
n77(3700-3980)	15	15	656000	1@1	DFT_BPSK	24.10	24.4	33	PASS
n77(3700-3980)	15	15	656000	1@77	DFT_BPSK	24.43	24.73	33	PASS
n77(3700-3980)	15	15	656000	36@18	DFT_QPSK	24.31	24.61	33	PASS
n77(3700-3980)	15	15	656000	1@1	DFT_QPSK	24.04	24.34	33	PASS
n77(3700-3980)	15	15	656000	1@77	DFT_QPSK	24.26	24.56	33	PASS
n77(3700-3980)	15	15	656000	36@18	DFT_QAM16	23.22	23.52	33	PASS
n77(3700-3980)	15	15	656000	1@1	DFT_QAM16	23.33	23.63	33	PASS
n77(3700-3980)	15	15	656000	1@77	DFT_QAM16	23.57	23.87	33	PASS
n77(3700-3980)	15	15	656000	36@18	DFT_QAM64	21.81	22.11	33	PASS
n77(3700-3980)	15	15	656000	1@1	DFT_QAM64	21.52	21.82	33	PASS
n77(3700-3980)	15	15	656000	1@77	DFT_QAM64	22.19	22.49	33	PASS
n77(3700-3980)	15	15	656000	36@18	DFT_QAM256	19.77	20.07	33	PASS
n77(3700-3980)	15	15	656000	1@1	DFT_QAM256	19.77	20.07	33	PASS
n77(3700-3980)	15	15	656000	1@77	DFT_QAM256	20.00	20.3	33	PASS
n77(3700-3980)	15	15	656000	39@19	CP_QPSK	22.72	23.02	33	PASS
n77(3700-3980)	15	15	656000	1@1	CP_QPSK	22.63	22.93	33	PASS
n77(3700-3980)	15	15	656000	1@77	CP_QPSK	22.81	23.11	33	PASS
n77(3700-3980)	15	15	656000	39@19	CP_QAM16	22.28	22.58	33	PASS

n77(3700-3980)	15	15	656000	1@1	CP_QAM16	22.36	22.66	33	PASS
n77(3700-3980)	15	15	656000	1@77	CP_QAM16	22.39	22.69	33	PASS
n77(3700-3980)	15	15	656000	39@19	CP_QAM64	20.78	21.08	33	PASS
n77(3700-3980)	15	15	656000	1@1	CP_QAM64	21.01	21.31	33	PASS
n77(3700-3980)	15	15	656000	1@77	CP_QAM64	21.14	21.44	33	PASS
n77(3700-3980)	15	15	656000	39@19	CP_QAM256	17.66	17.96	33	PASS
n77(3700-3980)	15	15	656000	1@1	CP_QAM256	17.67	17.97	33	PASS
n77(3700-3980)	15	15	656000	1@77	CP_QAM256	17.84	18.14	33	PASS
n77(3700-3980)	15	15	664832	36@18	DFT_BPSK	25.14	25.44	33	PASS
n77(3700-3980)	15	15	664832	1@1	DFT_BPSK	24.80	25.1	33	PASS
n77(3700-3980)	15	15	664832	1@77	DFT_BPSK	25.19	25.49	33	PASS
n77(3700-3980)	15	15	664832	36@18	DFT_QPSK	25.05	25.35	33	PASS
n77(3700-3980)	15	15	664832	1@1	DFT_QPSK	24.72	25.02	33	PASS
n77(3700-3980)	15	15	664832	1@77	DFT_QPSK	25.14	25.44	33	PASS
n77(3700-3980)	15	15	664832	36@18	DFT_QAM16	24.11	24.41	33	PASS
n77(3700-3980)	15	15	664832	1@1	DFT_QAM16	24.12	24.42	33	PASS
n77(3700-3980)	15	15	664832	1@77	DFT_QAM16	24.38	24.68	33	PASS
n77(3700-3980)	15	15	664832	36@18	DFT_QAM64	22.70	23	33	PASS
n77(3700-3980)	15	15	664832	1@1	DFT_QAM64	22.62	22.92	33	PASS
n77(3700-3980)	15	15	664832	1@77	DFT_QAM64	22.63	22.93	33	PASS
n77(3700-3980)	15	15	664832	36@18	DFT_QAM256	20.66	20.96	33	PASS
n77(3700-3980)	15	15	664832	1@1	DFT_QAM256	20.50	20.8	33	PASS
n77(3700-3980)	15	15	664832	1@77	DFT_QAM256	20.87	21.17	33	PASS
n77(3700-3980)	15	15	664832	39@19	CP_QPSK	23.66	23.96	33	PASS
n77(3700-3980)	15	15	664832	1@1	CP_QPSK	23.29	23.59	33	PASS
n77(3700-3980)	15	15	664832	1@77	CP_QPSK	23.67	23.97	33	PASS
n77(3700-3980)	15	15	664832	39@19	CP_QAM16	23.08	23.38	33	PASS
n77(3700-3980)	15	15	664832	1@1	CP_QAM16	22.85	23.15	33	PASS
n77(3700-3980)	15	15	664832	1@77	CP_QAM16	23.37	23.67	33	PASS
n77(3700-3980)	15	15	664832	39@19	CP_QAM64	21.67	21.97	33	PASS
n77(3700-3980)	15	15	664832	1@1	CP_QAM64	21.22	21.52	33	PASS
n77(3700-3980)	15	15	664832	1@77	CP_QAM64	22.06	22.36	33	PASS
n77(3700-3980)	15	15	664832	39@19	CP_QAM256	18.62	18.92	33	PASS
n77(3700-3980)	15	15	664832	1@1	CP_QAM256	18.50	18.8	33	PASS
n77(3700-3980)	15	15	664832	1@77	CP_QAM256	18.82	19.12	33	PASS
n77(3700-3980)	15	20	647334	50@25	DFT_BPSK	24.84	25.14	33	PASS
n77(3700-3980)	15	20	647334	1@1	DFT_BPSK	24.90	25.2	33	PASS
n77(3700-3980)	15	20	647334	1@104	DFT_BPSK	24.83	25.13	33	PASS
n77(3700-3980)	15	20	647334	50@25	DFT_QPSK	24.82	25.12	33	PASS
n77(3700-3980)	15	20	647334	1@1	DFT_QPSK	24.78	25.08	33	PASS
n77(3700-3980)	15	20	647334	1@104	DFT_QPSK	24.76	25.06	33	PASS
n77(3700-3980)	15	20	647334	50@25	DFT_QAM16	23.88	24.18	33	PASS
n77(3700-3980)	15	20	647334	1@1	DFT_QAM16	24.17	24.47	33	PASS
n77(3700-3980)	15	20	647334	1@104	DFT_QAM16	24.21	24.51	33	PASS

n77(3700-3980)	15	20	647334	50@25	DFT_QAM64	22.32	22.62	33	PASS
n77(3700-3980)	15	20	647334	1@1	DFT_QAM64	22.90	23.2	33	PASS
n77(3700-3980)	15	20	647334	1@104	DFT_QAM64	22.90	23.2	33	PASS
n77(3700-3980)	15	20	647334	50@25	DFT_QAM256	20.35	20.65	33	PASS
n77(3700-3980)	15	20	647334	1@1	DFT_QAM256	20.29	20.59	33	PASS
n77(3700-3980)	15	20	647334	1@104	DFT_QAM256	20.57	20.87	33	PASS
n77(3700-3980)	15	20	647334	53@26	CP_QPSK	23.27	23.57	33	PASS
n77(3700-3980)	15	20	647334	1@1	CP_QPSK	23.28	23.58	33	PASS
n77(3700-3980)	15	20	647334	1@104	CP_QPSK	23.21	23.51	33	PASS
n77(3700-3980)	15	20	647334	53@26	CP_QAM16	22.80	23.1	33	PASS
n77(3700-3980)	15	20	647334	1@1	CP_QAM16	22.96	23.26	33	PASS
n77(3700-3980)	15	20	647334	1@104	CP_QAM16	22.98	23.28	33	PASS
n77(3700-3980)	15	20	647334	53@26	CP_QAM64	21.33	21.63	33	PASS
n77(3700-3980)	15	20	647334	1@1	CP_QAM64	21.26	21.56	33	PASS
n77(3700-3980)	15	20	647334	1@104	CP_QAM64	21.61	21.91	33	PASS
n77(3700-3980)	15	20	647334	53@26	CP_QAM256	18.25	18.55	33	PASS
n77(3700-3980)	15	20	647334	1@1	CP_QAM256	18.39	18.69	33	PASS
n77(3700-3980)	15	20	647334	1@104	CP_QAM256	18.47	18.77	33	PASS
n77(3700-3980)	15	20	656000	50@25	DFT_BPSK	24.30	24.6	33	PASS
n77(3700-3980)	15	20	656000	1@1	DFT_BPSK	24.21	24.51	33	PASS
n77(3700-3980)	15	20	656000	1@104	DFT_BPSK	24.52	24.82	33	PASS
n77(3700-3980)	15	20	656000	50@25	DFT_QPSK	24.28	24.58	33	PASS
n77(3700-3980)	15	20	656000	1@1	DFT_QPSK	24.06	24.36	33	PASS
n77(3700-3980)	15	20	656000	1@104	DFT_QPSK	24.44	24.74	33	PASS
n77(3700-3980)	15	20	656000	50@25	DFT_QAM16	23.26	23.56	33	PASS
n77(3700-3980)	15	20	656000	1@1	DFT_QAM16	23.49	23.79	33	PASS
n77(3700-3980)	15	20	656000	1@104	DFT_QAM16	23.71	24.01	33	PASS
n77(3700-3980)	15	20	656000	50@25	DFT_QAM64	21.84	22.14	33	PASS
n77(3700-3980)	15	20	656000	1@1	DFT_QAM64	21.70	22	33	PASS
n77(3700-3980)	15	20	656000	1@104	DFT_QAM64	21.96	22.26	33	PASS
n77(3700-3980)	15	20	656000	50@25	DFT_QAM256	19.78	20.08	33	PASS
n77(3700-3980)	15	20	656000	1@1	DFT_QAM256	19.84	20.14	33	PASS
n77(3700-3980)	15	20	656000	1@104	DFT_QAM256	19.89	20.19	33	PASS
n77(3700-3980)	15	20	656000	53@26	CP_QPSK	22.75	23.05	33	PASS
n77(3700-3980)	15	20	656000	1@1	CP_QPSK	22.61	22.91	33	PASS
n77(3700-3980)	15	20	656000	1@104	CP_QPSK	22.87	23.17	33	PASS
n77(3700-3980)	15	20	656000	53@26	CP_QAM16	22.27	22.57	33	PASS
n77(3700-3980)	15	20	656000	1@1	CP_QAM16	22.26	22.56	33	PASS
n77(3700-3980)	15	20	656000	1@104	CP_QAM16	22.51	22.81	33	PASS
n77(3700-3980)	15	20	656000	53@26	CP_QAM64	20.74	21.04	33	PASS
n77(3700-3980)	15	20	656000	1@1	CP_QAM64	20.58	20.88	33	PASS
n77(3700-3980)	15	20	656000	1@104	CP_QAM64	20.92	21.22	33	PASS
n77(3700-3980)	15	20	656000	53@26	CP_QAM256	17.68	17.98	33	PASS
n77(3700-3980)	15	20	656000	1@1	CP_QAM256	17.73	18.03	33	PASS

n77(3700-3980)	15	20	656000	1@104	CP_QAM256	17.98	18.28	33	PASS
n77(3700-3980)	15	20	664666	50@25	DFT_BPSK	25.04	25.34	33	PASS
n77(3700-3980)	15	20	664666	1@1	DFT_BPSK	24.73	25.03	33	PASS
n77(3700-3980)	15	20	664666	1@104	DFT_BPSK	25.18	25.48	33	PASS
n77(3700-3980)	15	20	664666	50@25	DFT_QPSK	25.00	25.3	33	PASS
n77(3700-3980)	15	20	664666	1@1	DFT_QPSK	24.52	24.82	33	PASS
n77(3700-3980)	15	20	664666	1@104	DFT_QPSK	25.25	25.55	33	PASS
n77(3700-3980)	15	20	664666	50@25	DFT_QAM16	24.00	24.3	33	PASS
n77(3700-3980)	15	20	664666	1@1	DFT_QAM16	23.95	24.25	33	PASS
n77(3700-3980)	15	20	664666	1@104	DFT_QAM16	24.53	24.83	33	PASS
n77(3700-3980)	15	20	664666	50@25	DFT_QAM64	22.53	22.83	33	PASS
n77(3700-3980)	15	20	664666	1@1	DFT_QAM64	22.21	22.51	33	PASS
n77(3700-3980)	15	20	664666	1@104	DFT_QAM64	22.69	22.99	33	PASS
n77(3700-3980)	15	20	664666	50@25	DFT_QAM256	20.57	20.87	33	PASS
n77(3700-3980)	15	20	664666	1@1	DFT_QAM256	20.45	20.75	33	PASS
n77(3700-3980)	15	20	664666	1@104	DFT_QAM256	20.88	21.18	33	PASS
n77(3700-3980)	15	20	664666	53@26	CP_QPSK	23.53	23.83	33	PASS
n77(3700-3980)	15	20	664666	1@1	CP_QPSK	23.18	23.48	33	PASS
n77(3700-3980)	15	20	664666	1@104	CP_QPSK	23.59	23.89	33	PASS
n77(3700-3980)	15	20	664666	53@26	CP_QAM16	22.97	23.27	33	PASS
n77(3700-3980)	15	20	664666	1@1	CP_QAM16	22.70	23	33	PASS
n77(3700-3980)	15	20	664666	1@104	CP_QAM16	23.44	23.74	33	PASS
n77(3700-3980)	15	20	664666	53@26	CP_QAM64	21.52	21.82	33	PASS
n77(3700-3980)	15	20	664666	1@1	CP_QAM64	21.10	21.4	33	PASS
n77(3700-3980)	15	20	664666	1@104	CP_QAM64	21.64	21.94	33	PASS
n77(3700-3980)	15	20	664666	53@26	CP_QAM256	18.61	18.91	33	PASS
n77(3700-3980)	15	20	664666	1@1	CP_QAM256	18.37	18.67	33	PASS
n77(3700-3980)	15	20	664666	1@104	CP_QAM256	18.87	19.17	33	PASS
n77(3700-3980)	15	30	647668	80@40	DFT_BPSK	24.88	25.18	33	PASS
n77(3700-3980)	15	30	647668	1@1	DFT_BPSK	24.84	25.14	33	PASS
n77(3700-3980)	15	30	647668	1@158	DFT_BPSK	24.85	25.15	33	PASS
n77(3700-3980)	15	30	647668	80@40	DFT_QPSK	24.85	25.15	33	PASS
n77(3700-3980)	15	30	647668	1@1	DFT_QPSK	24.73	25.03	33	PASS
n77(3700-3980)	15	30	647668	1@158	DFT_QPSK	24.77	25.07	33	PASS
n77(3700-3980)	15	30	647668	80@40	DFT_QAM16	23.84	24.14	33	PASS
n77(3700-3980)	15	30	647668	1@1	DFT_QAM16	23.99	24.29	33	PASS
n77(3700-3980)	15	30	647668	1@158	DFT_QAM16	24.17	24.47	33	PASS
n77(3700-3980)	15	30	647668	80@40	DFT_QAM64	22.43	22.73	33	PASS
n77(3700-3980)	15	30	647668	1@1	DFT_QAM64	22.22	22.52	33	PASS
n77(3700-3980)	15	30	647668	1@158	DFT_QAM64	22.28	22.58	33	PASS
n77(3700-3980)	15	30	647668	80@40	DFT_QAM256	20.43	20.73	33	PASS
n77(3700-3980)	15	30	647668	1@1	DFT_QAM256	20.29	20.59	33	PASS
n77(3700-3980)	15	30	647668	1@158	DFT_QAM256	20.52	20.82	33	PASS
n77(3700-3980)	15	30	647668	80@40	CP_QPSK	23.39	23.69	33	PASS

n77(3700-3980)	15	30	647668	1@1	CP_QPSK	23.25	23.55	33	PASS
n77(3700-3980)	15	30	647668	1@158	CP_QPSK	23.34	23.64	33	PASS
n77(3700-3980)	15	30	647668	80@40	CP_QAM16	22.85	23.15	33	PASS
n77(3700-3980)	15	30	647668	1@1	CP_QAM16	22.87	23.17	33	PASS
n77(3700-3980)	15	30	647668	1@158	CP_QAM16	23.07	23.37	33	PASS
n77(3700-3980)	15	30	647668	80@40	CP_QAM64	21.41	21.71	33	PASS
n77(3700-3980)	15	30	647668	1@1	CP_QAM64	21.17	21.47	33	PASS
n77(3700-3980)	15	30	647668	1@158	CP_QAM64	21.33	21.63	33	PASS
n77(3700-3980)	15	30	647668	80@40	CP_QAM256	18.39	18.69	33	PASS
n77(3700-3980)	15	30	647668	1@1	CP_QAM256	18.42	18.72	33	PASS
n77(3700-3980)	15	30	647668	1@158	CP_QAM256	18.37	18.67	33	PASS
n77(3700-3980)	15	30	656000	80@40	DFT_BPSK	24.36	24.66	33	PASS
n77(3700-3980)	15	30	656000	1@1	DFT_BPSK	24.25	24.55	33	PASS
n77(3700-3980)	15	30	656000	1@158	DFT_BPSK	24.51	24.81	33	PASS
n77(3700-3980)	15	30	656000	80@40	DFT_QPSK	24.28	24.58	33	PASS
n77(3700-3980)	15	30	656000	1@1	DFT_QPSK	24.16	24.46	33	PASS
n77(3700-3980)	15	30	656000	1@158	DFT_QPSK	24.46	24.76	33	PASS
n77(3700-3980)	15	30	656000	80@40	DFT_QAM16	23.31	23.61	33	PASS
n77(3700-3980)	15	30	656000	1@1	DFT_QAM16	23.61	23.91	33	PASS
n77(3700-3980)	15	30	656000	1@158	DFT_QAM16	23.87	24.17	33	PASS
n77(3700-3980)	15	30	656000	80@40	DFT_QAM64	21.83	22.13	33	PASS
n77(3700-3980)	15	30	656000	1@1	DFT_QAM64	21.76	22.06	33	PASS
n77(3700-3980)	15	30	656000	1@158	DFT_QAM64	22.58	22.88	33	PASS
n77(3700-3980)	15	30	656000	80@40	DFT_QAM256	19.90	20.2	33	PASS
n77(3700-3980)	15	30	656000	1@1	DFT_QAM256	19.92	20.22	33	PASS
n77(3700-3980)	15	30	656000	1@158	DFT_QAM256	20.17	20.47	33	PASS
n77(3700-3980)	15	30	656000	80@40	CP_QPSK	22.84	23.14	33	PASS
n77(3700-3980)	15	30	656000	1@1	CP_QPSK	22.77	23.07	33	PASS
n77(3700-3980)	15	30	656000	1@158	CP_QPSK	23.04	23.34	33	PASS
n77(3700-3980)	15	30	656000	80@40	CP_QAM16	22.42	22.72	33	PASS
n77(3700-3980)	15	30	656000	1@1	CP_QAM16	22.30	22.6	33	PASS
n77(3700-3980)	15	30	656000	1@158	CP_QAM16	22.60	22.9	33	PASS
n77(3700-3980)	15	30	656000	80@40	CP_QAM64	20.85	21.15	33	PASS
n77(3700-3980)	15	30	656000	1@1	CP_QAM64	21.18	21.48	33	PASS
n77(3700-3980)	15	30	656000	1@158	CP_QAM64	20.88	21.18	33	PASS
n77(3700-3980)	15	30	656000	80@40	CP_QAM256	17.82	18.12	33	PASS
n77(3700-3980)	15	30	656000	1@1	CP_QAM256	17.79	18.09	33	PASS
n77(3700-3980)	15	30	656000	1@158	CP_QAM256	17.95	18.25	33	PASS
n77(3700-3980)	15	30	664332	80@40	DFT_BPSK	24.91	25.21	33	PASS
n77(3700-3980)	15	30	664332	1@1	DFT_BPSK	24.56	24.86	33	PASS
n77(3700-3980)	15	30	664332	1@158	DFT_BPSK	25.14	25.44	33	PASS
n77(3700-3980)	15	30	664332	80@40	DFT_QPSK	24.93	25.23	33	PASS
n77(3700-3980)	15	30	664332	1@1	DFT_QPSK	24.45	24.75	33	PASS
n77(3700-3980)	15	30	664332	1@158	DFT_QPSK	25.07	25.37	33	PASS

n77(3700-3980)	15	30	664332	80@40	DFT_QAM16	23.91	24.21	33	PASS
n77(3700-3980)	15	30	664332	1@1	DFT_QAM16	23.92	24.22	33	PASS
n77(3700-3980)	15	30	664332	1@158	DFT_QAM16	24.46	24.76	33	PASS
n77(3700-3980)	15	30	664332	80@40	DFT_QAM64	22.46	22.76	33	PASS
n77(3700-3980)	15	30	664332	1@1	DFT_QAM64	22.05	22.35	33	PASS
n77(3700-3980)	15	30	664332	1@158	DFT_QAM64	22.61	22.91	33	PASS
n77(3700-3980)	15	30	664332	80@40	DFT_QAM256	20.48	20.78	33	PASS
n77(3700-3980)	15	30	664332	1@1	DFT_QAM256	20.24	20.54	33	PASS
n77(3700-3980)	15	30	664332	1@158	DFT_QAM256	20.87	21.17	33	PASS
n77(3700-3980)	15	30	664332	80@40	CP_QPSK	23.39	23.69	33	PASS
n77(3700-3980)	15	30	664332	1@1	CP_QPSK	23.03	23.33	33	PASS
n77(3700-3980)	15	30	664332	1@158	CP_QPSK	23.65	23.95	33	PASS
n77(3700-3980)	15	30	664332	80@40	CP_QAM16	22.91	23.21	33	PASS
n77(3700-3980)	15	30	664332	1@1	CP_QAM16	22.62	22.92	33	PASS
n77(3700-3980)	15	30	664332	1@158	CP_QAM16	23.25	23.55	33	PASS
n77(3700-3980)	15	30	664332	80@40	CP_QAM64	21.40	21.7	33	PASS
n77(3700-3980)	15	30	664332	1@1	CP_QAM64	21.07	21.37	33	PASS
n77(3700-3980)	15	30	664332	1@158	CP_QAM64	21.58	21.88	33	PASS
n77(3700-3980)	15	30	664332	80@40	CP_QAM256	18.42	18.72	33	PASS
n77(3700-3980)	15	30	664332	1@1	CP_QAM256	18.07	18.37	33	PASS
n77(3700-3980)	15	30	664332	1@158	CP_QAM256	18.89	19.19	33	PASS
n77(3700-3980)	15	40	648000	108@54	DFT_BPSK	24.87	25.17	33	PASS
n77(3700-3980)	15	40	648000	1@1	DFT_BPSK	24.84	25.14	33	PASS
n77(3700-3980)	15	40	648000	1@214	DFT_BPSK	24.85	25.15	33	PASS
n77(3700-3980)	15	40	648000	108@54	DFT_QPSK	24.89	25.19	33	PASS
n77(3700-3980)	15	40	648000	1@1	DFT_QPSK	24.63	24.93	33	PASS
n77(3700-3980)	15	40	648000	1@214	DFT_QPSK	24.80	25.1	33	PASS
n77(3700-3980)	15	40	648000	108@54	DFT_QAM16	23.92	24.22	33	PASS
n77(3700-3980)	15	40	648000	1@1	DFT_QAM16	24.19	24.49	33	PASS
n77(3700-3980)	15	40	648000	1@214	DFT_QAM16	24.18	24.48	33	PASS
n77(3700-3980)	15	40	648000	108@54	DFT_QAM64	22.44	22.74	33	PASS
n77(3700-3980)	15	40	648000	1@1	DFT_QAM64	22.27	22.57	33	PASS
n77(3700-3980)	15	40	648000	1@214	DFT_QAM64	22.91	23.21	33	PASS
n77(3700-3980)	15	40	648000	108@54	DFT_QAM256	20.45	20.75	33	PASS
n77(3700-3980)	15	40	648000	1@1	DFT_QAM256	20.33	20.63	33	PASS
n77(3700-3980)	15	40	648000	1@214	DFT_QAM256	20.38	20.68	33	PASS
n77(3700-3980)	15	40	648000	108@54	CP_QPSK	23.30	23.6	33	PASS
n77(3700-3980)	15	40	648000	1@1	CP_QPSK	23.29	23.59	33	PASS
n77(3700-3980)	15	40	648000	1@214	CP_QPSK	23.28	23.58	33	PASS
n77(3700-3980)	15	40	648000	108@54	CP_QAM16	22.85	23.15	33	PASS
n77(3700-3980)	15	40	648000	1@1	CP_QAM16	22.83	23.13	33	PASS
n77(3700-3980)	15	40	648000	1@214	CP_QAM16	22.98	23.28	33	PASS
n77(3700-3980)	15	40	648000	108@54	CP_QAM64	21.31	21.61	33	PASS
n77(3700-3980)	15	40	648000	1@1	CP_QAM64	21.19	21.49	33	PASS

n77(3700-3980)	15	40	648000	1@214	CP_QAM64	21.30	21.6	33	PASS
n77(3700-3980)	15	40	648000	108@54	CP_QAM256	18.39	18.69	33	PASS
n77(3700-3980)	15	40	648000	1@1	CP_QAM256	18.35	18.65	33	PASS
n77(3700-3980)	15	40	648000	1@214	CP_QAM256	18.29	18.59	33	PASS
n77(3700-3980)	15	40	656000	108@54	DFT_BPSK	24.34	24.64	33	PASS
n77(3700-3980)	15	40	656000	1@1	DFT_BPSK	24.33	24.63	33	PASS
n77(3700-3980)	15	40	656000	1@214	DFT_BPSK	24.50	24.8	33	PASS
n77(3700-3980)	15	40	656000	108@54	DFT_QPSK	24.29	24.59	33	PASS
n77(3700-3980)	15	40	656000	1@1	DFT_QPSK	24.19	24.49	33	PASS
n77(3700-3980)	15	40	656000	1@214	DFT_QPSK	24.33	24.63	33	PASS
n77(3700-3980)	15	40	656000	108@54	DFT_QAM16	23.32	23.62	33	PASS
n77(3700-3980)	15	40	656000	1@1	DFT_QAM16	23.55	23.85	33	PASS
n77(3700-3980)	15	40	656000	1@214	DFT_QAM16	23.78	24.08	33	PASS
n77(3700-3980)	15	40	656000	108@54	DFT_QAM64	21.87	22.17	33	PASS
n77(3700-3980)	15	40	656000	1@1	DFT_QAM64	22.17	22.47	33	PASS
n77(3700-3980)	15	40	656000	1@214	DFT_QAM64	21.96	22.26	33	PASS
n77(3700-3980)	15	40	656000	108@54	DFT_QAM256	19.91	20.21	33	PASS
n77(3700-3980)	15	40	656000	1@1	DFT_QAM256	20.00	20.3	33	PASS
n77(3700-3980)	15	40	656000	1@214	DFT_QAM256	20.17	20.47	33	PASS
n77(3700-3980)	15	40	656000	108@54	CP_QPSK	22.82	23.12	33	PASS
n77(3700-3980)	15	40	656000	1@1	CP_QPSK	22.82	23.12	33	PASS
n77(3700-3980)	15	40	656000	1@214	CP_QPSK	23.00	23.3	33	PASS
n77(3700-3980)	15	40	656000	108@54	CP_QAM16	22.33	22.63	33	PASS
n77(3700-3980)	15	40	656000	1@1	CP_QAM16	22.44	22.74	33	PASS
n77(3700-3980)	15	40	656000	1@214	CP_QAM16	22.72	23.02	33	PASS
n77(3700-3980)	15	40	656000	108@54	CP_QAM64	20.81	21.11	33	PASS
n77(3700-3980)	15	40	656000	1@1	CP_QAM64	21.25	21.55	33	PASS
n77(3700-3980)	15	40	656000	1@214	CP_QAM64	20.97	21.27	33	PASS
n77(3700-3980)	15	40	656000	108@54	CP_QAM256	17.91	18.21	33	PASS
n77(3700-3980)	15	40	656000	1@1	CP_QAM256	17.84	18.14	33	PASS
n77(3700-3980)	15	40	656000	1@214	CP_QAM256	18.13	18.43	33	PASS
n77(3700-3980)	15	40	664000	108@54	DFT_BPSK	24.78	25.08	33	PASS
n77(3700-3980)	15	40	664000	1@1	DFT_BPSK	24.54	24.84	33	PASS
n77(3700-3980)	15	40	664000	1@214	DFT_BPSK	25.09	25.39	33	PASS
n77(3700-3980)	15	40	664000	108@54	DFT_QPSK	24.71	25.01	33	PASS
n77(3700-3980)	15	40	664000	1@1	DFT_QPSK	24.47	24.77	33	PASS
n77(3700-3980)	15	40	664000	1@214	DFT_QPSK	25.06	25.36	33	PASS
n77(3700-3980)	15	40	664000	108@54	DFT_QAM16	23.77	24.07	33	PASS
n77(3700-3980)	15	40	664000	1@1	DFT_QAM16	23.79	24.09	33	PASS
n77(3700-3980)	15	40	664000	1@214	DFT_QAM16	24.37	24.67	33	PASS
n77(3700-3980)	15	40	664000	108@54	DFT_QAM64	22.33	22.63	33	PASS
n77(3700-3980)	15	40	664000	1@1	DFT_QAM64	22.42	22.72	33	PASS
n77(3700-3980)	15	40	664000	1@214	DFT_QAM64	22.98	23.28	33	PASS
n77(3700-3980)	15	40	664000	108@54	DFT_QAM256	20.31	20.61	33	PASS

n77(3700-3980)	15	40	664000	1@1	DFT_QAM256	20.14	20.44	33	PASS
n77(3700-3980)	15	40	664000	1@214	DFT_QAM256	20.71	21.01	33	PASS
n77(3700-3980)	15	40	664000	108@54	CP_QPSK	23.21	23.51	33	PASS
n77(3700-3980)	15	40	664000	1@1	CP_QPSK	23.09	23.39	33	PASS
n77(3700-3980)	15	40	664000	1@214	CP_QPSK	23.66	23.96	33	PASS
n77(3700-3980)	15	40	664000	108@54	CP_QAM16	22.72	23.02	33	PASS
n77(3700-3980)	15	40	664000	1@1	CP_QAM16	22.75	23.05	33	PASS
n77(3700-3980)	15	40	664000	1@214	CP_QAM16	23.15	23.45	33	PASS
n77(3700-3980)	15	40	664000	108@54	CP_QAM64	21.22	21.52	33	PASS
n77(3700-3980)	15	40	664000	1@1	CP_QAM64	21.06	21.36	33	PASS
n77(3700-3980)	15	40	664000	1@214	CP_QAM64	22.07	22.37	33	PASS
n77(3700-3980)	15	40	664000	108@54	CP_QAM256	18.31	18.61	33	PASS
n77(3700-3980)	15	40	664000	1@1	CP_QAM256	18.10	18.4	33	PASS
n77(3700-3980)	15	40	664000	1@214	CP_QAM256	18.72	19.02	33	PASS
n77(3700-3980)	15	50	648334	135@67	DFT_BPSK	24.89	25.19	33	PASS
n77(3700-3980)	15	50	648334	1@1	DFT_BPSK	24.85	25.15	33	PASS
n77(3700-3980)	15	50	648334	1@268	DFT_BPSK	24.80	25.1	33	PASS
n77(3700-3980)	15	50	648334	135@67	DFT_QPSK	24.90	25.2	33	PASS
n77(3700-3980)	15	50	648334	1@1	DFT_QPSK	24.74	25.04	33	PASS
n77(3700-3980)	15	50	648334	1@268	DFT_QPSK	24.69	24.99	33	PASS
n77(3700-3980)	15	50	648334	135@67	DFT_QAM16	23.83	24.13	33	PASS
n77(3700-3980)	15	50	648334	1@1	DFT_QAM16	23.99	24.29	33	PASS
n77(3700-3980)	15	50	648334	1@268	DFT_QAM16	23.93	24.23	33	PASS
n77(3700-3980)	15	50	648334	135@67	DFT_QAM64	22.44	22.74	33	PASS
n77(3700-3980)	15	50	648334	1@1	DFT_QAM64	22.24	22.54	33	PASS
n77(3700-3980)	15	50	648334	1@268	DFT_QAM64	22.29	22.59	33	PASS
n77(3700-3980)	15	50	648334	135@67	DFT_QAM256	20.46	20.76	33	PASS
n77(3700-3980)	15	50	648334	1@1	DFT_QAM256	20.48	20.78	33	PASS
n77(3700-3980)	15	50	648334	1@268	DFT_QAM256	20.23	20.53	33	PASS
n77(3700-3980)	15	50	648334	135@67	CP_QPSK	23.36	23.66	33	PASS
n77(3700-3980)	15	50	648334	1@1	CP_QPSK	23.29	23.59	33	PASS
n77(3700-3980)	15	50	648334	1@268	CP_QPSK	23.22	23.52	33	PASS
n77(3700-3980)	15	50	648334	135@67	CP_QAM16	22.92	23.22	33	PASS
n77(3700-3980)	15	50	648334	1@1	CP_QAM16	22.79	23.09	33	PASS
n77(3700-3980)	15	50	648334	1@268	CP_QAM16	22.78	23.08	33	PASS
n77(3700-3980)	15	50	648334	135@67	CP_QAM64	21.42	21.72	33	PASS
n77(3700-3980)	15	50	648334	1@1	CP_QAM64	21.65	21.95	33	PASS
n77(3700-3980)	15	50	648334	1@268	CP_QAM64	21.23	21.53	33	PASS
n77(3700-3980)	15	50	648334	135@67	CP_QAM256	18.39	18.69	33	PASS
n77(3700-3980)	15	50	648334	1@1	CP_QAM256	18.42	18.72	33	PASS
n77(3700-3980)	15	50	648334	1@268	CP_QAM256	18.25	18.55	33	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	24.31	24.61	33	PASS
n77(3700-3980)	15	50	656000	1@1	DFT_BPSK	24.45	24.75	33	PASS

n77(3700-3980)	15	50	656000	1@268	DFT_BPSK	24.52	24.82	33	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	24.30	24.6	33	PASS
n77(3700-3980)	15	50	656000	1@1	DFT_QPSK	24.42	24.72	33	PASS
n77(3700-3980)	15	50	656000	1@268	DFT_QPSK	24.38	24.68	33	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QAM16	23.38	23.68	33	PASS
n77(3700-3980)	15	50	656000	1@1	DFT_QAM16	23.71	24.01	33	PASS
n77(3700-3980)	15	50	656000	1@268	DFT_QAM16	23.68	23.98	33	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QAM64	21.84	22.14	33	PASS
n77(3700-3980)	15	50	656000	1@1	DFT_QAM64	21.84	22.14	33	PASS
n77(3700-3980)	15	50	656000	1@268	DFT_QAM64	21.87	22.17	33	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QAM256	20.00	20.3	33	PASS
n77(3700-3980)	15	50	656000	1@1	DFT_QAM256	19.89	20.19	33	PASS
n77(3700-3980)	15	50	656000	1@268	DFT_QAM256	20.12	20.42	33	PASS
n77(3700-3980)	15	50	656000	135@67	CP_QPSK	22.79	23.09	33	PASS
n77(3700-3980)	15	50	656000	1@1	CP_QPSK	22.84	23.14	33	PASS
n77(3700-3980)	15	50	656000	1@268	CP_QPSK	22.93	23.23	33	PASS
n77(3700-3980)	15	50	656000	135@67	CP_QAM16	22.31	22.61	33	PASS
n77(3700-3980)	15	50	656000	1@1	CP_QAM16	22.48	22.78	33	PASS
n77(3700-3980)	15	50	656000	1@268	CP_QAM16	22.64	22.94	33	PASS
n77(3700-3980)	15	50	656000	135@67	CP_QAM64	20.81	21.11	33	PASS
n77(3700-3980)	15	50	656000	1@1	CP_QAM64	20.74	21.04	33	PASS
n77(3700-3980)	15	50	656000	1@268	CP_QAM64	20.91	21.21	33	PASS
n77(3700-3980)	15	50	656000	135@67	CP_QAM256	17.84	18.14	33	PASS
n77(3700-3980)	15	50	656000	1@1	CP_QAM256	18.01	18.31	33	PASS
n77(3700-3980)	15	50	656000	1@268	CP_QAM256	18.09	18.39	33	PASS
n77(3700-3980)	15	50	663666	135@67	DFT_BPSK	24.64	24.94	33	PASS
n77(3700-3980)	15	50	663666	1@1	DFT_BPSK	24.58	24.88	33	PASS
n77(3700-3980)	15	50	663666	1@268	DFT_BPSK	25.11	25.41	33	PASS
n77(3700-3980)	15	50	663666	135@67	DFT_QPSK	24.64	24.94	33	PASS
n77(3700-3980)	15	50	663666	1@1	DFT_QPSK	24.57	24.87	33	PASS
n77(3700-3980)	15	50	663666	1@268	DFT_QPSK	25.11	25.41	33	PASS
n77(3700-3980)	15	50	663666	135@67	DFT_QAM16	23.69	23.99	33	PASS
n77(3700-3980)	15	50	663666	1@1	DFT_QAM16	23.80	24.1	33	PASS
n77(3700-3980)	15	50	663666	1@268	DFT_QAM16	24.38	24.68	33	PASS
n77(3700-3980)	15	50	663666	135@67	DFT_QAM64	22.17	22.47	33	PASS
n77(3700-3980)	15	50	663666	1@1	DFT_QAM64	22.04	22.34	33	PASS
n77(3700-3980)	15	50	663666	1@268	DFT_QAM64	22.67	22.97	33	PASS
n77(3700-3980)	15	50	663666	135@67	DFT_QAM256	20.36	20.66	33	PASS
n77(3700-3980)	15	50	663666	1@1	DFT_QAM256	20.07	20.37	33	PASS
n77(3700-3980)	15	50	663666	1@268	DFT_QAM256	20.89	21.19	33	PASS
n77(3700-3980)	15	50	663666	135@67	CP_QPSK	23.15	23.45	33	PASS
n77(3700-3980)	15	50	663666	1@1	CP_QPSK	23.04	23.34	33	PASS
n77(3700-3980)	15	50	663666	1@268	CP_QPSK	23.65	23.95	33	PASS

n77(3700-3980)	15	50	663666	135@67	CP_QAM16	22.70	23	33	PASS
n77(3700-3980)	15	50	663666	1@1	CP_QAM16	22.78	23.08	33	PASS
n77(3700-3980)	15	50	663666	1@268	CP_QAM16	23.16	23.46	33	PASS
n77(3700-3980)	15	50	663666	135@67	CP_QAM64	21.20	21.5	33	PASS
n77(3700-3980)	15	50	663666	1@1	CP_QAM64	20.94	21.24	33	PASS
n77(3700-3980)	15	50	663666	1@268	CP_QAM64	21.61	21.91	33	PASS
n77(3700-3980)	15	50	663666	135@67	CP_QAM256	18.21	18.51	33	PASS
n77(3700-3980)	15	50	663666	1@1	CP_QAM256	18.19	18.49	33	PASS
n77(3700-3980)	15	50	663666	1@268	CP_QAM256	18.76	19.06	33	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	3.87	-10.58	0.00	Within authorized band for 5G NR n77	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	3.50	-14.64	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	4.45	-13.22	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	3.87	-15.80	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	3.50	-12.43	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	4.45	-11.02	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	-30	-13.77	0.00	Within authorized band for 5G NR n77	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	-20	-12.45	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	-10	-15.76	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	0	-12.56	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	10	-11.36	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	20	-12.81	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	30	-16.14	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	40	-11.37	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	50	-17.03	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	-30	-11.1	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	-20	-13.05	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	-10	-12.53	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	0	-11.86	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	10	-17.06	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	20	-16.09	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	30	-13.29	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	40	-12.97	0.00	PASS	
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	50	-11.86	0.00	PASS	

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n77(3700-3980)	15	10	656000	50@0	DFT_BPSK	4.41	13	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QPSK	5.52	13	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM16	6.26	13	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM64	6.53	13	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM256	7.03	13	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_BPSK	4.51	13	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QPSK	5.50	13	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM16	6.28	13	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM64	6.51	13	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM256	6.92	13	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_BPSK	4.56	13	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QPSK	5.55	13	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM16	6.22	13	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM64	6.60	13	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM256	6.93	13	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_BPSK	4.51	13	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QPSK	5.51	13	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM16	6.24	13	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM64	6.51	13	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM256	6.85	13	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_BPSK	4.95	13	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QPSK	5.53	13	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QAM16	6.35	13	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QAM64	6.55	13	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QAM256	6.94	13	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_BPSK	5.17	13	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QPSK	5.63	13	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM16	6.40	13	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM64	6.59	13	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM256	6.94	13	PASS


n77(3700-3980) SCS=15kHz DFT_BPSK BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=20MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=20MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=20MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=20MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=20MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=30MHz Channel=656000 RB=160@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=30MHz Channel=656000 RB=160@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=30MHz Channel=656000 RB=160@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=30MHz Channel=656000 RB=160@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=30MHz Channel=656000 RB=160@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=40MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=40MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=40MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=40MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=40MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=50MHz Channel=656000 RB=270@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=50MHz Channel=656000 RB=270@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=50MHz Channel=656000 RB=270@0



n77(3700-3980) SCS=15kHz DFT_QAM64 BW=50MHz Channel=656000 RB=270@0



n77(3700-3980) SCS=15kHz DFT_QAM256 BW=50MHz Channel=656000 RB=270@0




4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n77(3700-3980)	15	10	647000	50@0	DFT_BPSK	9.220	9.460	PASS
n77(3700-3980)	15	10	647000	50@0	DFT_QPSK	9.240	9.470	PASS
n77(3700-3980)	15	10	647000	50@0	DFT_QAM16	9.210	9.460	PASS
n77(3700-3980)	15	10	647000	50@0	DFT_QAM64	9.210	9.460	PASS
n77(3700-3980)	15	10	647000	50@0	DFT_QAM256	9.220	9.460	PASS
n77(3700-3980)	15	10	647000	52@0	CP_QPSK	9.330	9.840	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_BPSK	9.200	9.450	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QPSK	9.240	9.460	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM16	9.210	9.460	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM64	9.220	9.460	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM256	9.210	9.460	PASS
n77(3700-3980)	15	10	656000	52@0	CP_QPSK	9.330	9.830	PASS
n77(3700-3980)	15	10	665000	50@0	DFT_BPSK	9.210	9.460	PASS
n77(3700-3980)	15	10	665000	50@0	DFT_QPSK	9.250	9.460	PASS
n77(3700-3980)	15	10	665000	50@0	DFT_QAM16	9.220	9.460	PASS
n77(3700-3980)	15	10	665000	50@0	DFT_QAM64	9.240	9.470	PASS
n77(3700-3980)	15	10	665000	50@0	DFT_QAM256	9.220	9.460	PASS
n77(3700-3980)	15	10	665000	52@0	CP_QPSK	9.330	9.840	PASS
n77(3700-3980)	15	15	647168	75@0	DFT_BPSK	14.010	14.180	PASS
n77(3700-3980)	15	15	647168	75@0	DFT_QPSK	14.010	14.210	PASS
n77(3700-3980)	15	15	647168	75@0	DFT_QAM16	14.000	14.190	PASS
n77(3700-3980)	15	15	647168	75@0	DFT_QAM64	14.000	14.190	PASS
n77(3700-3980)	15	15	647168	75@0	DFT_QAM256	14.000	14.180	PASS
n77(3700-3980)	15	15	647168	79@0	CP_QPSK	14.170	14.940	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_BPSK	13.980	14.180	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QPSK	13.990	14.200	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM16	13.990	14.190	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM64	13.990	14.190	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM256	13.980	14.180	PASS
n77(3700-3980)	15	15	656000	79@0	CP_QPSK	14.170	14.920	PASS
n77(3700-3980)	15	15	664832	75@0	DFT_BPSK	14.000	14.180	PASS
n77(3700-3980)	15	15	664832	75@0	DFT_QPSK	14.000	14.200	PASS
n77(3700-3980)	15	15	664832	75@0	DFT_QAM16	13.990	14.190	PASS
n77(3700-3980)	15	15	664832	75@0	DFT_QAM64	14.000	14.190	PASS
n77(3700-3980)	15	15	664832	75@0	DFT_QAM256	13.990	14.190	PASS
n77(3700-3980)	15	15	664832	79@0	CP_QPSK	14.170	14.920	PASS
n77(3700-3980)	15	20	647334	100@0	DFT_BPSK	18.810	18.890	PASS
n77(3700-3980)	15	20	647334	100@0	DFT_QPSK	18.760	18.900	PASS
n77(3700-3980)	15	20	647334	100@0	DFT_QAM16	18.820	18.890	PASS


n77(3700-3980)	15	20	647334	100@0	DFT_QAM64	18.810	18.890	PASS
n77(3700-3980)	15	20	647334	100@0	DFT_QAM256	18.810	18.880	PASS
n77(3700-3980)	15	20	647334	106@0	CP_QPSK	18.990	20.000	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_BPSK	18.740	18.900	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QPSK	18.740	18.880	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM16	18.760	18.890	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM64	18.750	18.890	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM256	18.740	18.880	PASS
n77(3700-3980)	15	20	656000	106@0	CP_QPSK	18.990	19.980	PASS
n77(3700-3980)	15	20	664666	100@0	DFT_BPSK	18.810	18.900	PASS
n77(3700-3980)	15	20	664666	100@0	DFT_QPSK	18.740	18.890	PASS
n77(3700-3980)	15	20	664666	100@0	DFT_QAM16	18.760	18.890	PASS
n77(3700-3980)	15	20	664666	100@0	DFT_QAM64	18.750	18.890	PASS
n77(3700-3980)	15	20	664666	100@0	DFT_QAM256	18.750	18.880	PASS
n77(3700-3980)	15	20	664666	106@0	CP_QPSK	18.990	19.990	PASS
n77(3700-3980)	15	30	647668	160@0	DFT_BPSK	28.700	30.200	PASS
n77(3700-3980)	15	30	647668	160@0	DFT_QPSK	28.710	30.210	PASS
n77(3700-3980)	15	30	647668	160@0	DFT_QAM16	28.710	30.220	PASS
n77(3700-3980)	15	30	647668	160@0	DFT_QAM64	28.700	30.210	PASS
n77(3700-3980)	15	30	647668	160@0	DFT_QAM256	28.700	30.220	PASS
n77(3700-3980)	15	30	647668	160@0	CP_QPSK	28.710	30.250	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_BPSK	28.690	30.190	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QPSK	28.680	30.190	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM16	28.700	30.210	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM64	28.700	30.210	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM256	28.700	30.210	PASS
n77(3700-3980)	15	30	656000	160@0	CP_QPSK	28.700	30.210	PASS
n77(3700-3980)	15	30	664332	160@0	DFT_BPSK	28.680	30.190	PASS
n77(3700-3980)	15	30	664332	160@0	DFT_QPSK	28.700	30.200	PASS
n77(3700-3980)	15	30	664332	160@0	DFT_QAM16	28.680	30.190	PASS
n77(3700-3980)	15	30	664332	160@0	DFT_QAM64	28.700	30.210	PASS
n77(3700-3980)	15	30	664332	160@0	DFT_QAM256	28.700	30.200	PASS
n77(3700-3980)	15	30	664332	160@0	CP_QPSK	28.690	30.220	PASS
n77(3700-3980)	15	40	648000	216@0	DFT_BPSK	38.750	40.750	PASS
n77(3700-3980)	15	40	648000	216@0	DFT_QPSK	38.760	40.770	PASS
n77(3700-3980)	15	40	648000	216@0	DFT_QAM16	38.740	40.730	PASS
n77(3700-3980)	15	40	648000	216@0	DFT_QAM64	38.770	40.760	PASS
n77(3700-3980)	15	40	648000	216@0	DFT_QAM256	38.740	40.730	PASS
n77(3700-3980)	15	40	648000	216@0	CP_QPSK	38.760	40.800	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_BPSK	38.640	40.720	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QPSK	38.730	40.720	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QAM16	38.640	40.700	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QAM64	38.760	40.740	PASS

n77(3700-3980)	15	40	656000	216@0	DFT_QAM256	38.730	40.720	PASS
n77(3700-3980)	15	40	656000	216@0	CP_QPSK	38.740	40.740	PASS
n77(3700-3980)	15	40	664000	216@0	DFT_BPSK	38.630	40.710	PASS
n77(3700-3980)	15	40	664000	216@0	DFT_QPSK	38.740	40.750	PASS
n77(3700-3980)	15	40	664000	216@0	DFT_QAM16	38.630	40.710	PASS
n77(3700-3980)	15	40	664000	216@0	DFT_QAM64	38.740	40.730	PASS
n77(3700-3980)	15	40	664000	216@0	DFT_QAM256	38.730	40.730	PASS
n77(3700-3980)	15	40	664000	216@0	CP_QPSK	38.730	40.750	PASS
n77(3700-3980)	15	50	648334	270@0	DFT_BPSK	48.440	50.910	PASS
n77(3700-3980)	15	50	648334	270@0	DFT_QPSK	48.420	50.890	PASS
n77(3700-3980)	15	50	648334	270@0	DFT_QAM16	48.430	50.890	PASS
n77(3700-3980)	15	50	648334	270@0	DFT_QAM64	48.420	50.870	PASS
n77(3700-3980)	15	50	648334	270@0	DFT_QAM256	48.420	50.850	PASS
n77(3700-3980)	15	50	648334	270@0	CP_QPSK	48.440	50.940	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_BPSK	48.300	50.820	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QPSK	48.410	50.830	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM16	48.430	50.860	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM64	48.290	50.810	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM256	48.410	50.840	PASS
n77(3700-3980)	15	50	656000	270@0	CP_QPSK	48.410	50.870	PASS
n77(3700-3980)	15	50	663666	270@0	DFT_BPSK	48.430	50.880	PASS
n77(3700-3980)	15	50	663666	270@0	DFT_QPSK	48.420	50.870	PASS
n77(3700-3980)	15	50	663666	270@0	DFT_QAM16	48.420	50.860	PASS
n77(3700-3980)	15	50	663666	270@0	DFT_QAM64	48.410	50.870	PASS
n77(3700-3980)	15	50	663666	270@0	DFT_QAM256	48.420	50.850	PASS
n77(3700-3980)	15	50	663666	270@0	CP_QPSK	48.420	50.890	PASS


n77(3700-3980) SCS=15kHz DFT_BPSK BW=10MHz Channel=647000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=10MHz Channel=647000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=10MHz Channel=647000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=10MHz Channel=647000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=10MHz Channel=647000 RB=50@0




n77(3700-3980) SCS=15kHz CP_QPSK BW=10MHz Channel=647000 RB=52@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz CP_QPSK BW=10MHz Channel=656000 RB=52@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=10MHz Channel=665000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=10MHz Channel=665000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=10MHz Channel=665000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=10MHz Channel=665000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=10MHz Channel=665000 RB=50@0




n77(3700-3980) SCS=15kHz CP_QPSK BW=10MHz Channel=665000 RB=52@0



n77(3700-3980) SCS=15kHz DFT_BPSK BW=15MHz Channel=647168 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=15MHz Channel=647168 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=15MHz Channel=647168 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=15MHz Channel=647168 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=15MHz Channel=647168 RB=75@0




n77(3700-3980) SCS=15kHz CP_QPSK BW=15MHz Channel=647168 RB=79@0



n77(3700-3980) SCS=15kHz DFT_BPSK BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=15MHz Channel=656000 RB=75@0



n77(3700-3980) SCS=15kHz DFT_QAM64 BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz CP_QPSK BW=15MHz Channel=656000 RB=79@0



n77(3700-3980) SCS=15kHz DFT_BPSK BW=15MHz Channel=664832 RB=75@0



n77(3700-3980) SCS=15kHz DFT_QPSK BW=15MHz Channel=664832 RB=75@0



n77(3700-3980) SCS=15kHz DFT_QAM16 BW=15MHz Channel=664832 RB=75 @0



n77(3700-3980) SCS=15kHz DFT_QAM64 BW=15MHz Channel=664832 RB=75 @0

