

### 1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Unflip ERP (dBm)	Flip ERP (dBm)	EIRP Limit (dBm)	Verdict
n5	30	10	165800	12@6	DFT_BPSK	22.99	13.81	9.06	38.45	PASS
n5	30	10	165800	1@1	DFT_BPSK	22.90	13.72	8.97	38.45	PASS
n5	30	10	165800	1@22	DFT_BPSK	22.90	13.72	8.97	38.45	PASS
n5	30	10	165800	12@6	DFT_QPSK	23.01	13.83	9.08	38.45	PASS
n5	30	10	165800	1@1	DFT_QPSK	22.89	13.71	8.96	38.45	PASS
n5	30	10	165800	1@22	DFT_QPSK	22.92	13.74	8.99	38.45	PASS
n5	30	10	165800	12@6	DFT_QAM16	22.05	12.87	8.12	38.45	PASS
n5	30	10	165800	1@1	DFT_QAM16	22.10	12.92	8.17	38.45	PASS
n5	30	10	165800	1@22	DFT_QAM16	22.01	12.83	8.08	38.45	PASS
n5	30	10	165800	12@6	DFT_QAM64	20.52	11.34	6.59	38.45	PASS
n5	30	10	165800	1@1	DFT_QAM64	20.41	11.23	6.48	38.45	PASS
n5	30	10	165800	1@22	DFT_QAM64	20.53	11.35	6.6	38.45	PASS
n5	30	10	165800	12@6	DFT_QAM256	18.67	9.49	4.74	38.45	PASS
n5	30	10	165800	1@1	DFT_QAM256	18.69	9.51	4.76	38.45	PASS
n5	30	10	165800	1@22	DFT_QAM256	18.68	9.50	4.75	38.45	PASS
n5	30	10	165800	12@6	CP_QPSK	21.37	12.19	7.44	38.45	PASS
n5	30	10	165800	1@1	CP_QPSK	21.42	12.24	7.49	38.45	PASS
n5	30	10	165800	1@22	CP_QPSK	21.41	12.23	7.48	38.45	PASS
n5	30	10	165800	12@6	CP_QAM16	21.09	11.91	7.16	38.45	PASS
n5	30	10	165800	1@1	CP_QAM16	21.03	11.85	7.1	38.45	PASS
n5	30	10	165800	1@22	CP_QAM16	21.02	11.84	7.09	38.45	PASS
n5	30	10	165800	12@6	CP_QAM64	19.54	10.36	5.61	38.45	PASS
n5	30	10	165800	1@1	CP_QAM64	19.36	10.18	5.43	38.45	PASS
n5	30	10	165800	1@22	CP_QAM64	19.37	10.19	5.44	38.45	PASS
n5	30	10	165800	12@6	CP_QAM256	16.40	7.22	2.47	38.45	PASS
n5	30	10	165800	1@1	CP_QAM256	16.64	7.46	2.71	38.45	PASS
n5	30	10	165800	1@22	CP_QAM256	16.76	7.58	2.83	38.45	PASS
n5	30	10	167300	12@6	DFT_BPSK	23.04	13.86	9.11	38.45	PASS
n5	30	10	167300	1@1	DFT_BPSK	22.97	13.79	9.04	38.45	PASS
n5	30	10	167300	1@22	DFT_BPSK	22.97	13.79	9.04	38.45	PASS
n5	30	10	167300	12@6	DFT_QPSK	23.00	13.82	9.07	38.45	PASS
n5	30	10	167300	1@1	DFT_QPSK	22.82	13.64	8.89	38.45	PASS
n5	30	10	167300	1@22	DFT_QPSK	22.86	13.68	8.93	38.45	PASS
n5	30	10	167300	12@6	DFT_QAM16	22.13	12.95	8.2	38.45	PASS
n5	30	10	167300	1@1	DFT_QAM16	22.15	12.97	8.22	38.45	PASS
n5	30	10	167300	1@22	DFT_QAM16	22.12	12.94	8.19	38.45	PASS
n5	30	10	167300	12@6	DFT_QAM64	20.53	11.35	6.6	38.45	PASS
n5	30	10	167300	1@1	DFT_QAM64	20.68	11.50	6.75	38.45	PASS

n5	30	10	167300	1@22	DFT_QAM64	20.70	11.52	6.77	38.45	PASS
n5	30	10	167300	12@6	DFT_QAM256	18.74	9.56	4.81	38.45	PASS
n5	30	10	167300	1@1	DFT_QAM256	18.37	9.19	4.44	38.45	PASS
n5	30	10	167300	1@22	DFT_QAM256	18.45	9.27	4.52	38.45	PASS
n5	30	10	167300	12@6	CP_QPSK	21.51	12.33	7.58	38.45	PASS
n5	30	10	167300	1@1	CP_QPSK	21.47	12.29	7.54	38.45	PASS
n5	30	10	167300	1@22	CP_QPSK	21.48	12.30	7.55	38.45	PASS
n5	30	10	167300	12@6	CP_QAM16	21.06	11.88	7.13	38.45	PASS
n5	30	10	167300	1@1	CP_QAM16	21.16	11.98	7.23	38.45	PASS
n5	30	10	167300	1@22	CP_QAM16	21.16	11.98	7.23	38.45	PASS
n5	30	10	167300	12@6	CP_QAM64	19.47	10.29	5.54	38.45	PASS
n5	30	10	167300	1@1	CP_QAM64	19.48	10.30	5.55	38.45	PASS
n5	30	10	167300	1@22	CP_QAM64	19.21	10.03	5.28	38.45	PASS
n5	30	10	167300	12@6	CP_QAM256	16.57	7.39	2.64	38.45	PASS
n5	30	10	167300	1@1	CP_QAM256	16.84	7.66	2.91	38.45	PASS
n5	30	10	167300	1@22	CP_QAM256	16.72	7.54	2.79	38.45	PASS
n5	30	10	168800	12@6	DFT_BPSK	23.11	13.93	9.18	38.45	PASS
n5	30	10	168800	1@1	DFT_BPSK	22.97	13.79	9.04	38.45	PASS
n5	30	10	168800	1@22	DFT_BPSK	23.03	13.85	9.1	38.45	PASS
n5	30	10	168800	12@6	DFT_QPSK	23.13	13.95	9.2	38.45	PASS
n5	30	10	168800	1@1	DFT_QPSK	22.92	13.74	8.99	38.45	PASS
n5	30	10	168800	1@22	DFT_QPSK	23.05	13.87	9.12	38.45	PASS
n5	30	10	168800	12@6	DFT_QAM16	22.14	12.96	8.21	38.45	PASS
n5	30	10	168800	1@1	DFT_QAM16	22.29	13.11	8.36	38.45	PASS
n5	30	10	168800	1@22	DFT_QAM16	22.34	13.16	8.41	38.45	PASS
n5	30	10	168800	12@6	DFT_QAM64	20.59	11.41	6.66	38.45	PASS
n5	30	10	168800	1@1	DFT_QAM64	20.77	11.59	6.84	38.45	PASS
n5	30	10	168800	1@22	DFT_QAM64	20.86	11.68	6.93	38.45	PASS
n5	30	10	168800	12@6	DFT_QAM256	18.79	9.61	4.86	38.45	PASS
n5	30	10	168800	1@1	DFT_QAM256	18.79	9.61	4.86	38.45	PASS
n5	30	10	168800	1@22	DFT_QAM256	18.83	9.65	4.9	38.45	PASS
n5	30	10	168800	12@6	CP_QPSK	21.50	12.32	7.57	38.45	PASS
n5	30	10	168800	1@1	CP_QPSK	21.45	12.27	7.52	38.45	PASS
n5	30	10	168800	1@22	CP_QPSK	21.48	12.30	7.55	38.45	PASS
n5	30	10	168800	12@6	CP_QAM16	21.26	12.08	7.33	38.45	PASS
n5	30	10	168800	1@1	CP_QAM16	21.04	11.86	7.11	38.45	PASS
n5	30	10	168800	1@22	CP_QAM16	20.98	11.80	7.05	38.45	PASS
n5	30	10	168800	12@6	CP_QAM64	19.61	10.43	5.68	38.45	PASS
n5	30	10	168800	1@1	CP_QAM64	19.19	10.01	5.26	38.45	PASS
n5	30	10	168800	1@22	CP_QAM64	19.31	10.13	5.38	38.45	PASS
n5	30	10	168800	12@6	CP_QAM256	16.48	7.30	2.55	38.45	PASS
n5	30	10	168800	1@1	CP_QAM256	16.67	7.49	2.74	38.45	PASS
n5	30	10	168800	1@22	CP_QAM256	16.76	7.58	2.83	38.45	PASS

n5	30	15	166300	18@9	DFT_BPSK	23.01	13.83	9.08	38.45	PASS
n5	30	15	166300	1@1	DFT_BPSK	22.90	13.72	8.97	38.45	PASS
n5	30	15	166300	1@36	DFT_BPSK	22.94	13.76	9.01	38.45	PASS
n5	30	15	166300	18@9	DFT_QPSK	22.99	13.81	9.06	38.45	PASS
n5	30	15	166300	1@1	DFT_QPSK	22.80	13.62	8.87	38.45	PASS
n5	30	15	166300	1@36	DFT_QPSK	22.88	13.70	8.95	38.45	PASS
n5	30	15	166300	18@9	DFT_QAM16	22.02	12.84	8.09	38.45	PASS
n5	30	15	166300	1@1	DFT_QAM16	22.10	12.92	8.17	38.45	PASS
n5	30	15	166300	1@36	DFT_QAM16	22.21	13.03	8.28	38.45	PASS
n5	30	15	166300	18@9	DFT_QAM64	20.39	11.21	6.46	38.45	PASS
n5	30	15	166300	1@1	DFT_QAM64	20.39	11.21	6.46	38.45	PASS
n5	30	15	166300	1@36	DFT_QAM64	20.62	11.44	6.69	38.45	PASS
n5	30	15	166300	18@9	DFT_QAM256	18.55	9.37	4.62	38.45	PASS
n5	30	15	166300	1@1	DFT_QAM256	18.41	9.23	4.48	38.45	PASS
n5	30	15	166300	1@36	DFT_QAM256	18.65	9.47	4.72	38.45	PASS
n5	30	15	166300	19@9	CP_QPSK	21.47	12.29	7.54	38.45	PASS
n5	30	15	166300	1@1	CP_QPSK	21.35	12.17	7.42	38.45	PASS
n5	30	15	166300	1@36	CP_QPSK	21.43	12.25	7.5	38.45	PASS
n5	30	15	166300	19@9	CP_QAM16	21.04	11.86	7.11	38.45	PASS
n5	30	15	166300	1@1	CP_QAM16	21.25	12.07	7.32	38.45	PASS
n5	30	15	166300	1@36	CP_QAM16	21.13	11.95	7.2	38.45	PASS
n5	30	15	166300	19@9	CP_QAM64	19.48	10.30	5.55	38.45	PASS
n5	30	15	166300	1@1	CP_QAM64	19.36	10.18	5.43	38.45	PASS
n5	30	15	166300	1@36	CP_QAM64	19.33	10.15	5.4	38.45	PASS
n5	30	15	166300	19@9	CP_QAM256	16.51	7.33	2.58	38.45	PASS
n5	30	15	166300	1@1	CP_QAM256	16.65	7.47	2.72	38.45	PASS
n5	30	15	166300	1@36	CP_QAM256	16.75	7.57	2.82	38.45	PASS
n5	30	15	167300	18@9	DFT_BPSK	23.01	13.83	9.08	38.45	PASS
n5	30	15	167300	1@1	DFT_BPSK	22.93	13.75	9	38.45	PASS
n5	30	15	167300	1@36	DFT_BPSK	22.99	13.81	9.06	38.45	PASS
n5	30	15	167300	18@9	DFT_QPSK	23.03	13.85	9.1	38.45	PASS
n5	30	15	167300	1@1	DFT_QPSK	22.84	13.66	8.91	38.45	PASS
n5	30	15	167300	1@36	DFT_QPSK	22.85	13.67	8.92	38.45	PASS
n5	30	15	167300	18@9	DFT_QAM16	22.06	12.88	8.13	38.45	PASS
n5	30	15	167300	1@1	DFT_QAM16	22.02	12.84	8.09	38.45	PASS
n5	30	15	167300	1@36	DFT_QAM16	21.95	12.77	8.02	38.45	PASS
n5	30	15	167300	18@9	DFT_QAM64	20.45	11.27	6.52	38.45	PASS
n5	30	15	167300	1@1	DFT_QAM64	20.56	11.38	6.63	38.45	PASS
n5	30	15	167300	1@36	DFT_QAM64	20.63	11.45	6.7	38.45	PASS
n5	30	15	167300	18@9	DFT_QAM256	18.63	9.45	4.7	38.45	PASS
n5	30	15	167300	1@1	DFT_QAM256	18.36	9.18	4.43	38.45	PASS
n5	30	15	167300	1@36	DFT_QAM256	18.39	9.21	4.46	38.45	PASS
n5	30	15	167300	19@9	CP_QPSK	21.56	12.38	7.63	38.45	PASS

n5	30	15	167300	1@1	CP_QPSK	21.46	12.28	7.53	38.45	PASS
n5	30	15	167300	1@36	CP_QPSK	21.39	12.21	7.46	38.45	PASS
n5	30	15	167300	19@9	CP_QAM16	21.06	11.88	7.13	38.45	PASS
n5	30	15	167300	1@1	CP_QAM16	21.07	11.89	7.14	38.45	PASS
n5	30	15	167300	1@36	CP_QAM16	21.22	12.04	7.29	38.45	PASS
n5	30	15	167300	19@9	CP_QAM64	19.51	10.33	5.58	38.45	PASS
n5	30	15	167300	1@1	CP_QAM64	19.38	10.20	5.45	38.45	PASS
n5	30	15	167300	1@36	CP_QAM64	19.40	10.22	5.47	38.45	PASS
n5	30	15	167300	19@9	CP_QAM256	16.59	7.41	2.66	38.45	PASS
n5	30	15	167300	1@1	CP_QAM256	16.75	7.57	2.82	38.45	PASS
n5	30	15	167300	1@36	CP_QAM256	16.70	7.52	2.77	38.45	PASS
n5	30	15	168300	18@9	DFT_BPSK	23.16	13.98	9.23	38.45	PASS
n5	30	15	168300	1@1	DFT_BPSK	22.91	13.73	8.98	38.45	PASS
n5	30	15	168300	1@36	DFT_BPSK	22.94	13.76	9.01	38.45	PASS
n5	30	15	168300	18@9	DFT_QPSK	23.12	13.94	9.19	38.45	PASS
n5	30	15	168300	1@1	DFT_QPSK	22.88	13.70	8.95	38.45	PASS
n5	30	15	168300	1@36	DFT_QPSK	23.00	13.82	9.07	38.45	PASS
n5	30	15	168300	18@9	DFT_QAM16	22.06	12.88	8.13	38.45	PASS
n5	30	15	168300	1@1	DFT_QAM16	21.86	12.68	7.93	38.45	PASS
n5	30	15	168300	1@36	DFT_QAM16	21.97	12.79	8.04	38.45	PASS
n5	30	15	168300	18@9	DFT_QAM64	20.50	11.32	6.57	38.45	PASS
n5	30	15	168300	1@1	DFT_QAM64	20.75	11.57	6.82	38.45	PASS
n5	30	15	168300	1@36	DFT_QAM64	20.66	11.48	6.73	38.45	PASS
n5	30	15	168300	18@9	DFT_QAM256	18.67	9.49	4.74	38.45	PASS
n5	30	15	168300	1@1	DFT_QAM256	18.33	9.15	4.4	38.45	PASS
n5	30	15	168300	1@36	DFT_QAM256	18.42	9.24	4.49	38.45	PASS
n5	30	15	168300	19@9	CP_QPSK	21.58	12.40	7.65	38.45	PASS
n5	30	15	168300	1@1	CP_QPSK	21.46	12.28	7.53	38.45	PASS
n5	30	15	168300	1@36	CP_QPSK	21.38	12.20	7.45	38.45	PASS
n5	30	15	168300	19@9	CP_QAM16	21.13	11.95	7.2	38.45	PASS
n5	30	15	168300	1@1	CP_QAM16	21.12	11.94	7.19	38.45	PASS
n5	30	15	168300	1@36	CP_QAM16	21.20	12.02	7.27	38.45	PASS
n5	30	15	168300	19@9	CP_QAM64	19.62	10.44	5.69	38.45	PASS
n5	30	15	168300	1@1	CP_QAM64	19.30	10.12	5.37	38.45	PASS
n5	30	15	168300	1@36	CP_QAM64	19.41	10.23	5.48	38.45	PASS
n5	30	15	168300	19@9	CP_QAM256	16.65	7.47	2.72	38.45	PASS
n5	30	15	168300	1@1	CP_QAM256	16.67	7.49	2.74	38.45	PASS
n5	30	15	168300	1@36	CP_QAM256	16.73	7.55	2.8	38.45	PASS
n5	30	20	166800	25@12	DFT_BPSK	23.04	13.86	9.11	38.45	PASS
n5	30	20	166800	1@1	DFT_BPSK	22.84	13.66	8.91	38.45	PASS
n5	30	20	166800	1@49	DFT_BPSK	22.89	13.71	8.96	38.45	PASS
n5	30	20	166800	25@12	DFT_QPSK	23.01	13.83	9.08	38.45	PASS
n5	30	20	166800	1@1	DFT_QPSK	22.81	13.63	8.88	38.45	PASS

n5	30	20	166800	1@49	DFT_QPSK	22.90	13.72	8.97	38.45	PASS
n5	30	20	166800	25@12	DFT_QAM16	22.07	12.89	8.14	38.45	PASS
n5	30	20	166800	1@1	DFT_QAM16	21.76	12.58	7.83	38.45	PASS
n5	30	20	166800	1@49	DFT_QAM16	22.09	12.91	8.16	38.45	PASS
n5	30	20	166800	25@12	DFT_QAM64	20.47	11.29	6.54	38.45	PASS
n5	30	20	166800	1@1	DFT_QAM64	20.52	11.34	6.59	38.45	PASS
n5	30	20	166800	1@49	DFT_QAM64	20.57	11.39	6.64	38.45	PASS
n5	30	20	166800	25@12	DFT_QAM256	18.56	9.38	4.63	38.45	PASS
n5	30	20	166800	1@1	DFT_QAM256	18.32	9.14	4.39	38.45	PASS
n5	30	20	166800	1@49	DFT_QAM256	18.38	9.20	4.45	38.45	PASS
n5	30	20	166800	25@12	CP_QPSK	21.38	12.20	7.45	38.45	PASS
n5	30	20	166800	1@1	CP_QPSK	21.37	12.19	7.44	38.45	PASS
n5	30	20	166800	1@49	CP_QPSK	21.42	12.24	7.49	38.45	PASS
n5	30	20	166800	25@12	CP_QAM16	21.07	11.89	7.14	38.45	PASS
n5	30	20	166800	1@1	CP_QAM16	21.11	11.93	7.18	38.45	PASS
n5	30	20	166800	1@49	CP_QAM16	21.24	12.06	7.31	38.45	PASS
n5	30	20	166800	25@12	CP_QAM64	19.48	10.30	5.55	38.45	PASS
n5	30	20	166800	1@1	CP_QAM64	19.29	10.11	5.36	38.45	PASS
n5	30	20	166800	1@49	CP_QAM64	19.30	10.12	5.37	38.45	PASS
n5	30	20	166800	25@12	CP_QAM256	16.52	7.34	2.59	38.45	PASS
n5	30	20	166800	1@1	CP_QAM256	16.58	7.40	2.65	38.45	PASS
n5	30	20	166800	1@49	CP_QAM256	16.69	7.51	2.76	38.45	PASS
n5	30	20	167300	25@12	DFT_BPSK	22.99	13.81	9.06	38.45	PASS
n5	30	20	167300	1@1	DFT_BPSK	22.82	13.64	8.89	38.45	PASS
n5	30	20	167300	1@49	DFT_BPSK	22.90	13.72	8.97	38.45	PASS
n5	30	20	167300	25@12	DFT_QPSK	23.06	13.88	9.13	38.45	PASS
n5	30	20	167300	1@1	DFT_QPSK	22.77	13.59	8.84	38.45	PASS
n5	30	20	167300	1@49	DFT_QPSK	22.89	13.71	8.96	38.45	PASS
n5	30	20	167300	25@12	DFT_QAM16	22.07	12.89	8.14	38.45	PASS
n5	30	20	167300	1@1	DFT_QAM16	22.11	12.93	8.18	38.45	PASS
n5	30	20	167300	1@49	DFT_QAM16	22.14	12.96	8.21	38.45	PASS
n5	30	20	167300	25@12	DFT_QAM64	20.50	11.32	6.57	38.45	PASS
n5	30	20	167300	1@1	DFT_QAM64	20.28	11.10	6.35	38.45	PASS
n5	30	20	167300	1@49	DFT_QAM64	20.60	11.42	6.67	38.45	PASS
n5	30	20	167300	25@12	DFT_QAM256	18.52	9.34	4.59	38.45	PASS
n5	30	20	167300	1@1	DFT_QAM256	18.26	9.08	4.33	38.45	PASS
n5	30	20	167300	1@49	DFT_QAM256	18.57	9.39	4.64	38.45	PASS
n5	30	20	167300	25@12	CP_QPSK	21.38	12.20	7.45	38.45	PASS
n5	30	20	167300	1@1	CP_QPSK	21.25	12.07	7.32	38.45	PASS
n5	30	20	167300	1@49	CP_QPSK	21.28	12.10	7.35	38.45	PASS
n5	30	20	167300	25@12	CP_QAM16	21.03	11.85	7.1	38.45	PASS
n5	30	20	167300	1@1	CP_QAM16	21.10	11.92	7.17	38.45	PASS
n5	30	20	167300	1@49	CP_QAM16	21.04	11.86	7.11	38.45	PASS

n5	30	20	167300	25@12	CP_QAM64	19.42	10.24	5.49	38.45	PASS
n5	30	20	167300	1@1	CP_QAM64	19.29	10.11	5.36	38.45	PASS
n5	30	20	167300	1@49	CP_QAM64	19.25	10.07	5.32	38.45	PASS
n5	30	20	167300	25@12	CP_QAM256	16.59	7.41	2.66	38.45	PASS
n5	30	20	167300	1@1	CP_QAM256	16.69	7.51	2.76	38.45	PASS
n5	30	20	167300	1@49	CP_QAM256	16.78	7.60	2.85	38.45	PASS
n5	30	20	167800	25@12	DFT_BPSK	23.05	13.87	9.12	38.45	PASS
n5	30	20	167800	1@1	DFT_BPSK	22.78	13.60	8.85	38.45	PASS
n5	30	20	167800	1@49	DFT_BPSK	22.92	13.74	8.99	38.45	PASS
n5	30	20	167800	25@12	DFT_QPSK	23.10	13.92	9.17	38.45	PASS
n5	30	20	167800	1@1	DFT_QPSK	22.74	13.56	8.81	38.45	PASS
n5	30	20	167800	1@49	DFT_QPSK	22.89	13.71	8.96	38.45	PASS
n5	30	20	167800	25@12	DFT_QAM16	22.01	12.83	8.08	38.45	PASS
n5	30	20	167800	1@1	DFT_QAM16	22.11	12.93	8.18	38.45	PASS
n5	30	20	167800	1@49	DFT_QAM16	22.19	13.01	8.26	38.45	PASS
n5	30	20	167800	25@12	DFT_QAM64	20.55	11.37	6.62	38.45	PASS
n5	30	20	167800	1@1	DFT_QAM64	20.33	11.15	6.4	38.45	PASS
n5	30	20	167800	1@49	DFT_QAM64	20.38	11.20	6.45	38.45	PASS
n5	30	20	167800	25@12	DFT_QAM256	18.62	9.44	4.69	38.45	PASS
n5	30	20	167800	1@1	DFT_QAM256	18.60	9.42	4.67	38.45	PASS
n5	30	20	167800	1@49	DFT_QAM256	18.40	9.22	4.47	38.45	PASS
n5	30	20	167800	25@12	CP_QPSK	21.42	12.24	7.49	38.45	PASS
n5	30	20	167800	1@1	CP_QPSK	21.25	12.07	7.32	38.45	PASS
n5	30	20	167800	1@49	CP_QPSK	21.30	12.12	7.37	38.45	PASS
n5	30	20	167800	25@12	CP_QAM16	21.14	11.96	7.21	38.45	PASS
n5	30	20	167800	1@1	CP_QAM16	21.00	11.82	7.07	38.45	PASS
n5	30	20	167800	1@49	CP_QAM16	21.09	11.91	7.16	38.45	PASS
n5	30	20	167800	25@12	CP_QAM64	19.49	10.31	5.56	38.45	PASS
n5	30	20	167800	1@1	CP_QAM64	19.15	9.97	5.22	38.45	PASS
n5	30	20	167800	1@49	CP_QAM64	19.22	10.04	5.29	38.45	PASS
n5	30	20	167800	25@12	CP_QAM256	16.61	7.43	2.68	38.45	PASS
n5	30	20	167800	1@1	CP_QAM256	16.58	7.40	2.65	38.45	PASS
n5	30	20	167800	1@49	CP_QAM256	16.80	7.62	2.87	38.45	PASS

## 2 Frequency stability for NR FR1

**NT:**

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n5	30	20	167300	25@12	DFT_BPSK	3.91	-4.23	-0.01	Within authorized band for 5G NR n5	PASS
n5	30	20	167300	25@12	DFT_BPSK	3.45	-3.90	0.00		PASS
n5	30	20	167300	25@12	DFT_BPSK	4.50	-4.94	-0.01		PASS
n5	30	20	167300	25@12	DFT_QPSK	3.91	-1.15	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	3.45	-0.78	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	4.50	-1.46	0.00		PASS

Note: Only the worst case shown in the report.

**NV:**

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n5	30	20	167300	25@12	DFT_BPSK	-30	-3.19	0.00	Within authorized band for 5G NR n5	PASS
n5	30	20	167300	25@12	DFT_BPSK	-20	-4.54	-0.01		PASS
n5	30	20	167300	25@12	DFT_BPSK	-10	-5.47	0.00		PASS
n5	30	20	167300	25@12	DFT_BPSK	0	-3.39	0.00		PASS
n5	30	20	167300	25@12	DFT_BPSK	10	-4.45	-0.01		PASS
n5	30	20	167300	25@12	DFT_BPSK	20	-3.59	0.00		PASS
n5	30	20	167300	25@12	DFT_BPSK	30	-5.89	0.00		PASS
n5	30	20	167300	25@12	DFT_BPSK	40	-4	-0.01		PASS
n5	30	20	167300	25@12	DFT_BPSK	50	-4.67	-0.01		PASS
n5	30	20	167300	25@12	DFT_QPSK	-30	-3.75	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	-20	-3.23	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	-10	-3.43	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	0	-3.54	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	10	-2.27	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	20	-2.71	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	30	-2.12	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	40	-5.63	-0.01		PASS
n5	30	20	167300	25@12	DFT_QPSK	50	-3.18	0.00		PASS

Note: Only the worst case shown in the report.




### 3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n5	30	10	167300	24@0	DFT_BPSK	4.43	13	PASS
n5	30	10	167300	24@0	DFT_QPSK	5.43	13	PASS
n5	30	10	167300	24@0	DFT_QAM16	6.17	13	PASS
n5	30	10	167300	24@0	DFT_QAM64	6.67	13	PASS
n5	30	10	167300	24@0	DFT_QAM256	6.75	13	PASS
n5	30	15	167300	36@0	DFT_BPSK	4.59	13	PASS
n5	30	15	167300	36@0	DFT_QPSK	5.60	13	PASS
n5	30	15	167300	36@0	DFT_QAM16	6.52	13	PASS
n5	30	15	167300	36@0	DFT_QAM64	6.38	13	PASS
n5	30	15	167300	36@0	DFT_QAM256	6.71	13	PASS
n5	30	20	167300	50@0	DFT_BPSK	4.46	13	PASS
n5	30	20	167300	50@0	DFT_QPSK	5.60	13	PASS
n5	30	20	167300	50@0	DFT_QAM16	6.36	13	PASS
n5	30	20	167300	50@0	DFT_QAM64	6.41	13	PASS
n5	30	20	167300	50@0	DFT_QAM256	6.68	13	PASS




n5 SCS=30kHz DFT\_BPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT\_QAM16 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT\_QAM64 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT\_QAM256 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT\_BPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT\_QPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT\_QAM16 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT\_QAM64 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT\_QAM256 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT\_BPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167300 RB=50@0



n5 SCS=30kHz DFT\_QAM16 BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT\_QAM64 BW=20MHz Channel=167300 RB=50@0





n5 SCS=30kHz DFT\_QAM256 BW=20MHz Channel=167300 RB=50@0




### 4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n5	30	10	165800	24@0	DFT_BPSK	8.533	9.392	PASS
n5	30	10	165800	24@0	DFT_QPSK	8.597	9.558	PASS
n5	30	10	165800	24@0	DFT_QAM16	8.612	9.369	PASS
n5	30	10	165800	24@0	DFT_QAM64	8.635	9.345	PASS
n5	30	10	165800	24@0	DFT_QAM256	8.622	9.311	PASS
n5	30	10	165800	24@0	CP_QPSK	8.627	9.621	PASS
n5	30	10	167300	24@0	DFT_BPSK	8.528	9.145	PASS
n5	30	10	167300	24@0	DFT_QPSK	8.570	9.263	PASS
n5	30	10	167300	24@0	DFT_QAM16	8.548	9.299	PASS
n5	30	10	167300	24@0	DFT_QAM64	8.578	9.311	PASS
n5	30	10	167300	24@0	DFT_QAM256	8.631	9.148	PASS
n5	30	10	167300	24@0	CP_QPSK	8.602	9.788	PASS
n5	30	10	168800	24@0	DFT_BPSK	8.608	9.522	PASS
n5	30	10	168800	24@0	DFT_QPSK	8.619	9.172	PASS
n5	30	10	168800	24@0	DFT_QAM16	8.542	9.143	PASS
n5	30	10	168800	24@0	DFT_QAM64	8.569	9.296	PASS
n5	30	10	168800	24@0	DFT_QAM256	8.570	9.072	PASS
n5	30	10	168800	24@0	CP_QPSK	8.649	9.364	PASS
n5	30	15	166300	36@0	DFT_BPSK	12.904	13.775	PASS
n5	30	15	166300	36@0	DFT_QPSK	12.885	13.764	PASS
n5	30	15	166300	36@0	DFT_QAM16	12.907	13.669	PASS
n5	30	15	166300	36@0	DFT_QAM64	12.914	13.791	PASS
n5	30	15	166300	36@0	DFT_QAM256	12.911	13.752	PASS
n5	30	15	166300	38@0	CP_QPSK	13.578	14.503	PASS
n5	30	15	167300	36@0	DFT_BPSK	12.935	14.106	PASS
n5	30	15	167300	36@0	DFT_QPSK	12.918	14.069	PASS
n5	30	15	167300	36@0	DFT_QAM16	12.877	13.729	PASS
n5	30	15	167300	36@0	DFT_QAM64	12.900	13.655	PASS
n5	30	15	167300	36@0	DFT_QAM256	12.976	13.952	PASS
n5	30	15	167300	38@0	CP_QPSK	13.554	14.359	PASS
n5	30	15	168300	36@0	DFT_BPSK	12.942	13.652	PASS
n5	30	15	168300	36@0	DFT_QPSK	12.913	13.929	PASS
n5	30	15	168300	36@0	DFT_QAM16	12.956	13.804	PASS
n5	30	15	168300	36@0	DFT_QAM64	12.924	13.689	PASS
n5	30	15	168300	36@0	DFT_QAM256	12.951	14.001	PASS
n5	30	15	168300	38@0	CP_QPSK	13.543	14.429	PASS
n5	30	20	166800	50@0	DFT_BPSK	17.897	18.870	PASS
n5	30	20	166800	50@0	DFT_QPSK	17.963	19.197	PASS
n5	30	20	166800	50@0	DFT_QAM16	17.968	18.923	PASS

n5	30	20	166800	50@0	DFT_QAM64	17.959	19.065	PASS
n5	30	20	166800	50@0	DFT_QAM256	17.962	19.553	PASS
n5	30	20	166800	51@0	CP_QPSK	18.315	22.664	PASS
n5	30	20	167300	50@0	DFT_BPSK	17.795	19.166	PASS
n5	30	20	167300	50@0	DFT_QPSK	17.943	19.216	PASS
n5	30	20	167300	50@0	DFT_QAM16	17.937	19.255	PASS
n5	30	20	167300	50@0	DFT_QAM64	17.936	19.223	PASS
n5	30	20	167300	50@0	DFT_QAM256	17.843	19.290	PASS
n5	30	20	167300	51@0	CP_QPSK	18.273	19.347	PASS
n5	30	20	167800	50@0	DFT_BPSK	17.839	19.193	PASS
n5	30	20	167800	50@0	DFT_QPSK	17.846	19.138	PASS
n5	30	20	167800	50@0	DFT_QAM16	17.967	19.059	PASS
n5	30	20	167800	50@0	DFT_QAM64	17.938	19.082	PASS
n5	30	20	167800	50@0	DFT_QAM256	17.930	19.246	PASS
n5	30	20	167800	51@0	CP_QPSK	18.288	19.450	PASS


n5 SCS=30kHz DFT\_BPSK BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT\_QAM16 BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT\_QAM64 BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT\_QAM256 BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz CP\_QPSK BW=10MHz Channel=165800 RB=24@0



n5 SCS=30kHz DFT\_BPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=167300 RB=24@0







n5 SCS=30kHz DFT\_QAM16 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT\_QAM64 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT\_QAM256 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz CP\_QPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT\_BPSK BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT\_QAM16 BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT\_QAM64 BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT\_QAM256 BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz CP\_QPSK BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT\_BPSK BW=15MHz Channel=166300 RB=36@0




n5 SCS=30kHz DFT\_QPSK BW=15MHz Channel=166300 RB=36@0



n5 SCS=30kHz DFT\_QAM16 BW=15MHz Channel=166300 RB=36@0




n5 SCS=30kHz DFT\_QAM64 BW=15MHz Channel=166300 RB=36@0







n5 SCS=30kHz DFT\_QAM256 BW=15MHz Channel=166300 RB=36@0




n5 SCS=30kHz CP\_QPSK BW=15MHz Channel=166300 RB=38@0




n5 SCS=30kHz DFT\_BPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT\_QPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT\_QAM16 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT\_QAM64 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT\_QAM256 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz CP\_QPSK BW=15MHz Channel=167300 RB=38@0




n5 SCS=30kHz DFT\_BPSK BW=15MHz Channel=168300 RB=36@0




n5 SCS=30kHz DFT\_QPSK BW=15MHz Channel=168300 RB=36@0




n5 SCS=30kHz DFT\_QAM16 BW=15MHz Channel=168300 RB=36@0




n5 SCS=30kHz DFT\_QAM64 BW=15MHz Channel=168300 RB=36@0



n5 SCS=30kHz DFT\_QAM256 BW=15MHz Channel=168300 RB=36@0




n5 SCS=30kHz CP\_QPSK BW=15MHz Channel=168300 RB=38@0







n5 SCS=30kHz DFT\_BPSK BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT\_QAM16 BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT\_QAM64 BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT\_QAM256 BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz CP\_QPSK BW=20MHz Channel=166800 RB=51@0




n5 SCS=30kHz DFT\_BPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT\_QAM16 BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT\_QAM64 BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT\_QAM256 BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz CP\_QPSK BW=20MHz Channel=167300 RB=51@0




n5 SCS=30kHz DFT\_BPSK BW=20MHz Channel=167800 RB=50@0




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167800 RB=50@0



n5 SCS=30kHz DFT\_QAM16 BW=20MHz Channel=167800 RB=50@0




n5 SCS=30kHz DFT\_QAM64 BW=20MHz Channel=167800 RB=50@0






n5 SCS=30kHz DFT\_QAM256 BW=20MHz Channel=167800 RB=50@0




n5 SCS=30kHz CP\_QPSK BW=20MHz Channel=167800 RB=51@0




### 5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	30	10	165800	24@0	DFT_QPSK	822.18	-43.33	-13	PASS
n5	30	10	165800	1@0	DFT_QPSK	823.98	-27.86	-13	PASS
n5	30	10	168800	24@0	DFT_QPSK	850.10	-42.32	-13	PASS
n5	30	10	168800	1@23	DFT_QPSK	850.00	-33.09	-13	PASS
n5	30	20	166800	50@0	DFT_QPSK	824.00	-45.04	-13	PASS
n5	30	20	166800	1@0	DFT_QPSK	823.44	-41.62	-13	PASS
n5	30	20	167800	50@0	DFT_QPSK	853.48	-43.94	-13	PASS
n5	30	20	167800	1@50	DFT_QPSK	849.56	-40.11	-13	PASS


n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=165800 RB=1@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=168800 RB=1@23




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=166800 RB=1@0



n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167800 RB=50@0




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167800 RB=1@50




## 6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	30	10	165800	24@0	DFT_QPSK	3750.85	-36.97	-13	PASS
n5	30	10	165800	1@0	DFT_QPSK	3754.68	-37.53	-13	PASS
n5	30	10	165800	1@23	DFT_QPSK	3744.55	-37.91	-13	PASS
n5	30	10	167300	24@0	DFT_QPSK	3855.03	-37.78	-13	PASS
n5	30	10	167300	1@0	DFT_QPSK	3721.60	-37.58	-13	PASS
n5	30	10	167300	1@23	DFT_QPSK	3767.95	-37.51	-13	PASS
n5	30	10	168800	24@0	DFT_QPSK	3775.60	-38.52	-13	PASS
n5	30	10	168800	1@0	DFT_QPSK	3752.43	-37.86	-13	PASS
n5	30	10	168800	1@23	DFT_QPSK	3715.98	-37.42	-13	PASS
n5	30	20	166800	50@0	DFT_QPSK	3850.08	-37.51	-13	PASS
n5	30	20	166800	1@0	DFT_QPSK	3699.55	-37.86	-13	PASS
n5	30	20	166800	1@50	DFT_QPSK	3848.73	-38.21	-13	PASS
n5	30	20	167300	50@0	DFT_QPSK	3783.03	-37.69	-13	PASS
n5	30	20	167300	1@0	DFT_QPSK	3750.18	-36.92	-13	PASS
n5	30	20	167300	1@50	DFT_QPSK	3797.20	-37.17	-13	PASS
n5	30	20	167800	50@0	DFT_QPSK	3764.35	-37.98	-13	PASS
n5	30	20	167800	1@0	DFT_QPSK	5107.38	-37.36	-13	PASS
n5	30	20	167800	1@50	DFT_QPSK	577.30	-37.24	-13	PASS

n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=165800 RB=1@0







n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=165800 RB=1@23




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=167300 RB=1@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=167300 RB=1@23




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=168800 RB=1@0




n5 SCS=30kHz DFT\_QPSK BW=10MHz Channel=168800 RB=1@23




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=166800 RB=1@0




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=166800 RB=1@50




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167300 RB=1@0




n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167300 RB=1@50



n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167800 RB=50@0



n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167800 RB=1@0



n5 SCS=30kHz DFT\_QPSK BW=20MHz Channel=167800 RB=1@50

