

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Unflip EIRP (dBm)	Flip EIRP (dBm)	EIRP Limit (dBm)	Verdict
n66	30	10	343000	12@6	DFT_BPSK	22.86	22.56	16.73	30	PASS
n66	30	10	343000	1@1	DFT_BPSK	22.78	22.48	16.65	30	PASS
n66	30	10	343000	1@22	DFT_BPSK	22.81	22.51	16.68	30	PASS
n66	30	10	343000	12@6	DFT_QPSK	22.90	22.60	16.77	30	PASS
n66	30	10	343000	1@1	DFT_QPSK	22.60	22.30	16.47	30	PASS
n66	30	10	343000	1@22	DFT_QPSK	22.68	22.38	16.55	30	PASS
n66	30	10	343000	12@6	DFT_QAM16	22.26	21.96	16.13	30	PASS
n66	30	10	343000	1@1	DFT_QAM16	22.34	22.04	16.21	30	PASS
n66	30	10	343000	1@22	DFT_QAM16	22.23	21.93	16.1	30	PASS
n66	30	10	343000	12@6	DFT_QAM64	20.60	20.30	14.47	30	PASS
n66	30	10	343000	1@1	DFT_QAM64	20.67	20.37	14.54	30	PASS
n66	30	10	343000	1@22	DFT_QAM64	20.56	20.26	14.43	30	PASS
n66	30	10	343000	12@6	DFT_QAM256	18.41	18.11	12.28	30	PASS
n66	30	10	343000	1@1	DFT_QAM256	18.69	18.39	12.56	30	PASS
n66	30	10	343000	1@22	DFT_QAM256	18.69	18.39	12.56	30	PASS
n66	30	10	343000	12@6	CP_QPSK	21.38	21.08	15.25	30	PASS
n66	30	10	343000	1@1	CP_QPSK	21.18	20.88	15.05	30	PASS
n66	30	10	343000	1@22	CP_QPSK	21.42	21.12	15.29	30	PASS
n66	30	10	343000	12@6	CP_QAM16	21.01	20.71	14.88	30	PASS
n66	30	10	343000	1@1	CP_QAM16	21.30	21.00	15.17	30	PASS
n66	30	10	343000	1@22	CP_QAM16	21.32	21.02	15.19	30	PASS
n66	30	10	343000	12@6	CP_QAM64	19.41	19.11	13.28	30	PASS
n66	30	10	343000	1@1	CP_QAM64	19.77	19.47	13.64	30	PASS
n66	30	10	343000	1@22	CP_QAM64	19.65	19.35	13.52	30	PASS
n66	30	10	343000	12@6	CP_QAM256	16.47	16.17	10.34	30	PASS
n66	30	10	343000	1@1	CP_QAM256	16.71	16.41	10.58	30	PASS
n66	30	10	343000	1@22	CP_QAM256	16.65	16.35	10.52	30	PASS
n66	30	10	349000	12@6	DFT_BPSK	22.90	22.60	16.77	30	PASS
n66	30	10	349000	1@1	DFT_BPSK	22.80	22.50	16.67	30	PASS
n66	30	10	349000	1@22	DFT_BPSK	22.83	22.53	16.7	30	PASS
n66	30	10	349000	12@6	DFT_QPSK	22.87	22.57	16.74	30	PASS
n66	30	10	349000	1@1	DFT_QPSK	22.78	22.48	16.65	30	PASS
n66	30	10	349000	1@22	DFT_QPSK	22.54	22.24	16.41	30	PASS
n66	30	10	349000	12@6	DFT_QAM16	22.09	21.79	15.96	30	PASS
n66	30	10	349000	1@1	DFT_QAM16	22.17	21.87	16.04	30	PASS
n66	30	10	349000	1@22	DFT_QAM16	22.16	21.86	16.03	30	PASS
n66	30	10	349000	12@6	DFT_QAM64	20.48	20.18	14.35	30	PASS
n66	30	10	349000	1@1	DFT_QAM64	20.84	20.54	14.71	30	PASS

n66	30	10	349000	1@22	DFT_QAM64	20.66	20.36	14.53	30	PASS
n66	30	10	349000	12@6	DFT_QAM256	18.27	17.97	12.14	30	PASS
n66	30	10	349000	1@1	DFT_QAM256	18.51	18.21	12.38	30	PASS
n66	30	10	349000	1@22	DFT_QAM256	18.52	18.22	12.39	30	PASS
n66	30	10	349000	12@6	CP_QPSK	21.30	21.00	15.17	30	PASS
n66	30	10	349000	1@1	CP_QPSK	21.38	21.08	15.25	30	PASS
n66	30	10	349000	1@22	CP_QPSK	21.26	20.96	15.13	30	PASS
n66	30	10	349000	12@6	CP_QAM16	20.94	20.64	14.81	30	PASS
n66	30	10	349000	1@1	CP_QAM16	21.26	20.96	15.13	30	PASS
n66	30	10	349000	1@22	CP_QAM16	21.38	21.08	15.25	30	PASS
n66	30	10	349000	12@6	CP_QAM64	19.34	19.04	13.21	30	PASS
n66	30	10	349000	1@1	CP_QAM64	19.78	19.48	13.65	30	PASS
n66	30	10	349000	1@22	CP_QAM64	19.54	19.24	13.41	30	PASS
n66	30	10	349000	12@6	CP_QAM256	16.30	16.00	10.17	30	PASS
n66	30	10	349000	1@1	CP_QAM256	16.58	16.28	10.45	30	PASS
n66	30	10	349000	1@22	CP_QAM256	16.46	16.16	10.33	30	PASS
n66	30	10	355000	12@6	DFT_BPSK	22.62	22.32	16.49	30	PASS
n66	30	10	355000	1@1	DFT_BPSK	22.65	22.35	16.52	30	PASS
n66	30	10	355000	1@22	DFT_BPSK	22.51	22.21	16.38	30	PASS
n66	30	10	355000	12@6	DFT_QPSK	22.56	22.26	16.43	30	PASS
n66	30	10	355000	1@1	DFT_QPSK	22.54	22.24	16.41	30	PASS
n66	30	10	355000	1@22	DFT_QPSK	22.43	22.13	16.3	30	PASS
n66	30	10	355000	12@6	DFT_QAM16	21.91	21.61	15.78	30	PASS
n66	30	10	355000	1@1	DFT_QAM16	21.98	21.68	15.85	30	PASS
n66	30	10	355000	1@22	DFT_QAM16	21.85	21.55	15.72	30	PASS
n66	30	10	355000	12@6	DFT_QAM64	20.31	20.01	14.18	30	PASS
n66	30	10	355000	1@1	DFT_QAM64	20.46	20.16	14.33	30	PASS
n66	30	10	355000	1@22	DFT_QAM64	20.56	20.26	14.43	30	PASS
n66	30	10	355000	12@6	DFT_QAM256	18.06	17.76	11.93	30	PASS
n66	30	10	355000	1@1	DFT_QAM256	18.28	17.98	12.15	30	PASS
n66	30	10	355000	1@22	DFT_QAM256	18.21	17.91	12.08	30	PASS
n66	30	10	355000	12@6	CP_QPSK	21.09	20.79	14.96	30	PASS
n66	30	10	355000	1@1	CP_QPSK	21.13	20.83	15	30	PASS
n66	30	10	355000	1@22	CP_QPSK	20.96	20.66	14.83	30	PASS
n66	30	10	355000	12@6	CP_QAM16	20.72	20.42	14.59	30	PASS
n66	30	10	355000	1@1	CP_QAM16	20.88	20.58	14.75	30	PASS
n66	30	10	355000	1@22	CP_QAM16	20.99	20.69	14.86	30	PASS
n66	30	10	355000	12@6	CP_QAM64	19.02	18.72	12.89	30	PASS
n66	30	10	355000	1@1	CP_QAM64	19.44	19.14	13.31	30	PASS
n66	30	10	355000	1@22	CP_QAM64	19.41	19.11	13.28	30	PASS
n66	30	10	355000	12@6	CP_QAM256	16.23	15.93	10.1	30	PASS
n66	30	10	355000	1@1	CP_QAM256	15.85	15.55	9.72	30	PASS
n66	30	10	355000	1@22	CP_QAM256	15.91	15.61	9.78	30	PASS

n66	30	15	343500	18@9	DFT_BPSK	22.88	22.58	16.75	30	PASS
n66	30	15	343500	1@1	DFT_BPSK	22.78	22.48	16.65	30	PASS
n66	30	15	343500	1@36	DFT_BPSK	22.78	22.48	16.65	30	PASS
n66	30	15	343500	18@9	DFT_QPSK	22.89	22.59	16.76	30	PASS
n66	30	15	343500	1@1	DFT_QPSK	22.73	22.43	16.6	30	PASS
n66	30	15	343500	1@36	DFT_QPSK	22.75	22.45	16.62	30	PASS
n66	30	15	343500	18@9	DFT_QAM16	22.08	21.78	15.95	30	PASS
n66	30	15	343500	1@1	DFT_QAM16	22.15	21.85	16.02	30	PASS
n66	30	15	343500	1@36	DFT_QAM16	22.30	22.00	16.17	30	PASS
n66	30	15	343500	18@9	DFT_QAM64	20.60	20.30	14.47	30	PASS
n66	30	15	343500	1@1	DFT_QAM64	20.69	20.39	14.56	30	PASS
n66	30	15	343500	1@36	DFT_QAM64	20.93	20.63	14.8	30	PASS
n66	30	15	343500	18@9	DFT_QAM256	18.39	18.09	12.26	30	PASS
n66	30	15	343500	1@1	DFT_QAM256	18.47	18.17	12.34	30	PASS
n66	30	15	343500	1@36	DFT_QAM256	18.53	18.23	12.4	30	PASS
n66	30	15	343500	19@9	CP_QPSK	21.57	21.27	15.44	30	PASS
n66	30	15	343500	1@1	CP_QPSK	21.25	20.95	15.12	30	PASS
n66	30	15	343500	1@36	CP_QPSK	21.40	21.10	15.27	30	PASS
n66	30	15	343500	19@9	CP_QAM16	21.17	20.87	15.04	30	PASS
n66	30	15	343500	1@1	CP_QAM16	21.37	21.07	15.24	30	PASS
n66	30	15	343500	1@36	CP_QAM16	21.35	21.05	15.22	30	PASS
n66	30	15	343500	19@9	CP_QAM64	19.45	19.15	13.32	30	PASS
n66	30	15	343500	1@1	CP_QAM64	19.67	19.37	13.54	30	PASS
n66	30	15	343500	1@36	CP_QAM64	19.83	19.53	13.7	30	PASS
n66	30	15	343500	19@9	CP_QAM256	16.33	16.03	10.2	30	PASS
n66	30	15	343500	1@1	CP_QAM256	16.61	16.31	10.48	30	PASS
n66	30	15	343500	1@36	CP_QAM256	16.59	16.29	10.46	30	PASS
n66	30	15	349000	18@9	DFT_BPSK	22.88	22.58	16.75	30	PASS
n66	30	15	349000	1@1	DFT_BPSK	22.73	22.43	16.6	30	PASS
n66	30	15	349000	1@36	DFT_BPSK	22.63	22.33	16.5	30	PASS
n66	30	15	349000	18@9	DFT_QPSK	22.76	22.46	16.63	30	PASS
n66	30	15	349000	1@1	DFT_QPSK	22.73	22.43	16.6	30	PASS
n66	30	15	349000	1@36	DFT_QPSK	22.60	22.30	16.47	30	PASS
n66	30	15	349000	18@9	DFT_QAM16	22.00	21.70	15.87	30	PASS
n66	30	15	349000	1@1	DFT_QAM16	22.19	21.89	16.06	30	PASS
n66	30	15	349000	1@36	DFT_QAM16	22.01	21.71	15.88	30	PASS
n66	30	15	349000	18@9	DFT_QAM64	20.51	20.21	14.38	30	PASS
n66	30	15	349000	1@1	DFT_QAM64	20.69	20.39	14.56	30	PASS
n66	30	15	349000	1@36	DFT_QAM64	20.49	20.19	14.36	30	PASS
n66	30	15	349000	18@9	DFT_QAM256	18.36	18.06	12.23	30	PASS
n66	30	15	349000	1@1	DFT_QAM256	18.48	18.18	12.35	30	PASS
n66	30	15	349000	1@36	DFT_QAM256	18.42	18.12	12.29	30	PASS
n66	30	15	349000	19@9	CP_QPSK	21.42	21.12	15.29	30	PASS

n66	30	15	349000	1@1	CP_QPSK	21.24	20.94	15.11	30	PASS
n66	30	15	349000	1@36	CP_QPSK	21.11	20.81	14.98	30	PASS
n66	30	15	349000	19@9	CP_QAM16	21.15	20.85	15.02	30	PASS
n66	30	15	349000	1@1	CP_QAM16	21.52	21.22	15.39	30	PASS
n66	30	15	349000	1@36	CP_QAM16	21.31	21.01	15.18	30	PASS
n66	30	15	349000	19@9	CP_QAM64	19.49	19.19	13.36	30	PASS
n66	30	15	349000	1@1	CP_QAM64	19.79	19.49	13.66	30	PASS
n66	30	15	349000	1@36	CP_QAM64	19.54	19.24	13.41	30	PASS
n66	30	15	349000	19@9	CP_QAM256	16.39	16.09	10.26	30	PASS
n66	30	15	349000	1@1	CP_QAM256	16.38	16.08	10.25	30	PASS
n66	30	15	349000	1@36	CP_QAM256	16.24	15.94	10.11	30	PASS
n66	30	15	354500	18@9	DFT_BPSK	22.58	22.28	16.45	30	PASS
n66	30	15	354500	1@1	DFT_BPSK	22.57	22.27	16.44	30	PASS
n66	30	15	354500	1@36	DFT_BPSK	22.40	22.10	16.27	30	PASS
n66	30	15	354500	18@9	DFT_QPSK	22.61	22.31	16.48	30	PASS
n66	30	15	354500	1@1	DFT_QPSK	22.49	22.19	16.36	30	PASS
n66	30	15	354500	1@36	DFT_QPSK	22.38	22.08	16.25	30	PASS
n66	30	15	354500	18@9	DFT_QAM16	21.79	21.49	15.66	30	PASS
n66	30	15	354500	1@1	DFT_QAM16	21.94	21.64	15.81	30	PASS
n66	30	15	354500	1@36	DFT_QAM16	22.01	21.71	15.88	30	PASS
n66	30	15	354500	18@9	DFT_QAM64	20.34	20.04	14.21	30	PASS
n66	30	15	354500	1@1	DFT_QAM64	20.51	20.21	14.38	30	PASS
n66	30	15	354500	1@36	DFT_QAM64	20.39	20.09	14.26	30	PASS
n66	30	15	354500	18@9	DFT_QAM256	18.18	17.88	12.05	30	PASS
n66	30	15	354500	1@1	DFT_QAM256	18.40	18.10	12.27	30	PASS
n66	30	15	354500	1@36	DFT_QAM256	18.26	17.96	12.13	30	PASS
n66	30	15	354500	19@9	CP_QPSK	21.21	20.91	15.08	30	PASS
n66	30	15	354500	1@1	CP_QPSK	21.09	20.79	14.96	30	PASS
n66	30	15	354500	1@36	CP_QPSK	20.77	20.47	14.64	30	PASS
n66	30	15	354500	19@9	CP_QAM16	20.91	20.61	14.78	30	PASS
n66	30	15	354500	1@1	CP_QAM16	21.22	20.92	15.09	30	PASS
n66	30	15	354500	1@36	CP_QAM16	21.14	20.84	15.01	30	PASS
n66	30	15	354500	19@9	CP_QAM64	19.16	18.86	13.03	30	PASS
n66	30	15	354500	1@1	CP_QAM64	19.57	19.27	13.44	30	PASS
n66	30	15	354500	1@36	CP_QAM64	19.31	19.01	13.18	30	PASS
n66	30	15	354500	19@9	CP_QAM256	16.12	15.82	9.99	30	PASS
n66	30	15	354500	1@1	CP_QAM256	16.05	15.75	9.92	30	PASS
n66	30	15	354500	1@36	CP_QAM256	16.09	15.79	9.96	30	PASS
n66	30	20	344000	25@12	DFT_BPSK	22.88	22.58	16.75	30	PASS
n66	30	20	344000	1@1	DFT_BPSK	22.67	22.37	16.54	30	PASS
n66	30	20	344000	1@49	DFT_BPSK	22.83	22.53	16.7	30	PASS
n66	30	20	344000	25@12	DFT_QPSK	22.91	22.61	16.78	30	PASS
n66	30	20	344000	1@1	DFT_QPSK	22.51	22.21	16.38	30	PASS

n66	30	20	344000	1@49	DFT_QPSK	22.66	22.36	16.53	30	PASS
n66	30	20	344000	25@12	DFT_QAM16	22.06	21.76	15.93	30	PASS
n66	30	20	344000	1@1	DFT_QAM16	22.11	21.81	15.98	30	PASS
n66	30	20	344000	1@49	DFT_QAM16	22.06	21.76	15.93	30	PASS
n66	30	20	344000	25@12	DFT_QAM64	20.43	20.13	14.3	30	PASS
n66	30	20	344000	1@1	DFT_QAM64	20.60	20.30	14.47	30	PASS
n66	30	20	344000	1@49	DFT_QAM64	20.65	20.35	14.52	30	PASS
n66	30	20	344000	25@12	DFT_QAM256	18.41	18.11	12.28	30	PASS
n66	30	20	344000	1@1	DFT_QAM256	18.52	18.22	12.39	30	PASS
n66	30	20	344000	1@49	DFT_QAM256	18.60	18.30	12.47	30	PASS
n66	30	20	344000	25@12	CP_QPSK	21.57	21.27	15.44	30	PASS
n66	30	20	344000	1@1	CP_QPSK	21.21	20.91	15.08	30	PASS
n66	30	20	344000	1@49	CP_QPSK	21.32	21.02	15.19	30	PASS
n66	30	20	344000	25@12	CP_QAM16	21.02	20.72	14.89	30	PASS
n66	30	20	344000	1@1	CP_QAM16	21.12	20.82	14.99	30	PASS
n66	30	20	344000	1@49	CP_QAM16	21.31	21.01	15.18	30	PASS
n66	30	20	344000	25@12	CP_QAM64	19.50	19.20	13.37	30	PASS
n66	30	20	344000	1@1	CP_QAM64	19.66	19.36	13.53	30	PASS
n66	30	20	344000	1@49	CP_QAM64	19.66	19.36	13.53	30	PASS
n66	30	20	344000	25@12	CP_QAM256	16.23	15.93	10.1	30	PASS
n66	30	20	344000	1@1	CP_QAM256	16.19	15.89	10.06	30	PASS
n66	30	20	344000	1@49	CP_QAM256	16.32	16.02	10.19	30	PASS
n66	30	20	349000	25@12	DFT_BPSK	22.92	22.62	16.79	30	PASS
n66	30	20	349000	1@1	DFT_BPSK	22.81	22.51	16.68	30	PASS
n66	30	20	349000	1@49	DFT_BPSK	22.59	22.29	16.46	30	PASS
n66	30	20	349000	25@12	DFT_QPSK	22.92	22.62	16.79	30	PASS
n66	30	20	349000	1@1	DFT_QPSK	22.71	22.41	16.58	30	PASS
n66	30	20	349000	1@49	DFT_QPSK	22.58	22.28	16.45	30	PASS
n66	30	20	349000	25@12	DFT_QAM16	22.02	21.72	15.89	30	PASS
n66	30	20	349000	1@1	DFT_QAM16	22.32	22.02	16.19	30	PASS
n66	30	20	349000	1@49	DFT_QAM16	22.01	21.71	15.88	30	PASS
n66	30	20	349000	25@12	DFT_QAM64	20.41	20.11	14.28	30	PASS
n66	30	20	349000	1@1	DFT_QAM64	20.75	20.45	14.62	30	PASS
n66	30	20	349000	1@49	DFT_QAM64	20.37	20.07	14.24	30	PASS
n66	30	20	349000	25@12	DFT_QAM256	18.42	18.12	12.29	30	PASS
n66	30	20	349000	1@1	DFT_QAM256	18.62	18.32	12.49	30	PASS
n66	30	20	349000	1@49	DFT_QAM256	18.37	18.07	12.24	30	PASS
n66	30	20	349000	25@12	CP_QPSK	21.49	21.19	15.36	30	PASS
n66	30	20	349000	1@1	CP_QPSK	21.29	20.99	15.16	30	PASS
n66	30	20	349000	1@49	CP_QPSK	20.89	20.59	14.76	30	PASS
n66	30	20	349000	25@12	CP_QAM16	20.89	20.59	14.76	30	PASS
n66	30	20	349000	1@1	CP_QAM16	21.28	20.98	15.15	30	PASS
n66	30	20	349000	1@49	CP_QAM16	21.00	20.70	14.87	30	PASS

n66	30	20	349000	25@12	CP_QAM64	19.47	19.17	13.34	30	PASS
n66	30	20	349000	1@1	CP_QAM64	19.82	19.52	13.69	30	PASS
n66	30	20	349000	1@49	CP_QAM64	19.53	19.23	13.4	30	PASS
n66	30	20	349000	25@12	CP_QAM256	16.18	15.88	10.05	30	PASS
n66	30	20	349000	1@1	CP_QAM256	16.61	16.31	10.48	30	PASS
n66	30	20	349000	1@49	CP_QAM256	16.45	16.15	10.32	30	PASS
n66	30	20	354000	25@12	DFT_BPSK	22.69	22.39	16.56	30	PASS
n66	30	20	354000	1@1	DFT_BPSK	22.60	22.30	16.47	30	PASS
n66	30	20	354000	1@49	DFT_BPSK	22.43	22.13	16.3	30	PASS
n66	30	20	354000	25@12	DFT_QPSK	22.63	22.33	16.5	30	PASS
n66	30	20	354000	1@1	DFT_QPSK	22.45	22.15	16.32	30	PASS
n66	30	20	354000	1@49	DFT_QPSK	22.41	22.11	16.28	30	PASS
n66	30	20	354000	25@12	DFT_QAM16	21.87	21.57	15.74	30	PASS
n66	30	20	354000	1@1	DFT_QAM16	21.81	21.51	15.68	30	PASS
n66	30	20	354000	1@49	DFT_QAM16	21.76	21.46	15.63	30	PASS
n66	30	20	354000	25@12	DFT_QAM64	20.17	19.87	14.04	30	PASS
n66	30	20	354000	1@1	DFT_QAM64	20.34	20.04	14.21	30	PASS
n66	30	20	354000	1@49	DFT_QAM64	20.30	20.00	14.17	30	PASS
n66	30	20	354000	25@12	DFT_QAM256	18.14	17.84	12.01	30	PASS
n66	30	20	354000	1@1	DFT_QAM256	18.36	18.06	12.23	30	PASS
n66	30	20	354000	1@49	DFT_QAM256	18.30	18.00	12.17	30	PASS
n66	30	20	354000	25@12	CP_QPSK	21.19	20.89	15.06	30	PASS
n66	30	20	354000	1@1	CP_QPSK	21.02	20.72	14.89	30	PASS
n66	30	20	354000	1@49	CP_QPSK	20.78	20.48	14.65	30	PASS
n66	30	20	354000	25@12	CP_QAM16	20.67	20.37	14.54	30	PASS
n66	30	20	354000	1@1	CP_QAM16	21.04	20.74	14.91	30	PASS
n66	30	20	354000	1@49	CP_QAM16	20.82	20.52	14.69	30	PASS
n66	30	20	354000	25@12	CP_QAM64	19.27	18.97	13.14	30	PASS
n66	30	20	354000	1@1	CP_QAM64	19.30	19.00	13.17	30	PASS
n66	30	20	354000	1@49	CP_QAM64	19.22	18.92	13.09	30	PASS
n66	30	20	354000	25@12	CP_QAM256	15.98	15.68	9.85	30	PASS
n66	30	20	354000	1@1	CP_QAM256	16.35	16.05	10.22	30	PASS
n66	30	20	354000	1@49	CP_QAM256	16.31	16.01	10.18	30	PASS
n66	30	40	346000	50@25	DFT_BPSK	22.88	22.58	16.75	30	PASS
n66	30	40	346000	1@1	DFT_BPSK	22.53	22.23	16.4	30	PASS
n66	30	40	346000	1@104	DFT_BPSK	22.38	22.08	16.25	30	PASS
n66	30	40	346000	50@25	DFT_QPSK	22.82	22.52	16.69	30	PASS
n66	30	40	346000	1@1	DFT_QPSK	22.40	22.10	16.27	30	PASS
n66	30	40	346000	1@104	DFT_QPSK	22.30	22.00	16.17	30	PASS
n66	30	40	346000	50@25	DFT_QAM16	21.98	21.68	15.85	30	PASS
n66	30	40	346000	1@1	DFT_QAM16	21.69	21.39	15.56	30	PASS
n66	30	40	346000	1@104	DFT_QAM16	21.70	21.40	15.57	30	PASS
n66	30	40	346000	50@25	DFT_QAM64	20.45	20.15	14.32	30	PASS

n66	30	40	346000	1@1	DFT_QAM64	20.26	19.96	14.13	30	PASS
n66	30	40	346000	1@104	DFT_QAM64	20.21	19.91	14.08	30	PASS
n66	30	40	346000	50@25	DFT_QAM256	18.48	18.18	12.35	30	PASS
n66	30	40	346000	1@1	DFT_QAM256	18.12	17.82	11.99	30	PASS
n66	30	40	346000	1@104	DFT_QAM256	18.04	17.74	11.91	30	PASS
n66	30	40	346000	53@26	CP_QPSK	21.50	21.20	15.37	30	PASS
n66	30	40	346000	1@1	CP_QPSK	20.82	20.52	14.69	30	PASS
n66	30	40	346000	1@104	CP_QPSK	20.89	20.59	14.76	30	PASS
n66	30	40	346000	53@26	CP_QAM16	20.96	20.66	14.83	30	PASS
n66	30	40	346000	1@1	CP_QAM16	20.88	20.58	14.75	30	PASS
n66	30	40	346000	1@104	CP_QAM16	20.78	20.48	14.65	30	PASS
n66	30	40	346000	53@26	CP_QAM64	19.47	19.17	13.34	30	PASS
n66	30	40	346000	1@1	CP_QAM64	19.24	18.94	13.11	30	PASS
n66	30	40	346000	1@104	CP_QAM64	19.27	18.97	13.14	30	PASS
n66	30	40	346000	53@26	CP_QAM256	16.41	16.11	10.28	30	PASS
n66	30	40	346000	1@1	CP_QAM256	15.90	15.60	9.77	30	PASS
n66	30	40	346000	1@104	CP_QAM256	16.03	15.73	9.9	30	PASS
n66	30	40	349000	50@25	DFT_BPSK	22.85	22.55	16.72	30	PASS
n66	30	40	349000	1@1	DFT_BPSK	22.61	22.31	16.48	30	PASS
n66	30	40	349000	1@104	DFT_BPSK	22.33	22.03	16.2	30	PASS
n66	30	40	349000	50@25	DFT_QPSK	22.84	22.54	16.71	30	PASS
n66	30	40	349000	1@1	DFT_QPSK	22.37	22.07	16.24	30	PASS
n66	30	40	349000	1@104	DFT_QPSK	22.27	21.97	16.14	30	PASS
n66	30	40	349000	50@25	DFT_QAM16	21.97	21.67	15.84	30	PASS
n66	30	40	349000	1@1	DFT_QAM16	21.84	21.54	15.71	30	PASS
n66	30	40	349000	1@104	DFT_QAM16	21.37	21.07	15.24	30	PASS
n66	30	40	349000	50@25	DFT_QAM64	20.36	20.06	14.23	30	PASS
n66	30	40	349000	1@1	DFT_QAM64	20.52	20.22	14.39	30	PASS
n66	30	40	349000	1@104	DFT_QAM64	20.17	19.87	14.04	30	PASS
n66	30	40	349000	50@25	DFT_QAM256	18.26	17.96	12.13	30	PASS
n66	30	40	349000	1@1	DFT_QAM256	18.12	17.82	11.99	30	PASS
n66	30	40	349000	1@104	DFT_QAM256	18.00	17.70	11.87	30	PASS
n66	30	40	349000	53@26	CP_QPSK	21.40	21.10	15.27	30	PASS
n66	30	40	349000	1@1	CP_QPSK	20.99	20.69	14.86	30	PASS
n66	30	40	349000	1@104	CP_QPSK	20.63	20.33	14.5	30	PASS
n66	30	40	349000	53@26	CP_QAM16	20.86	20.56	14.73	30	PASS
n66	30	40	349000	1@1	CP_QAM16	20.89	20.59	14.76	30	PASS
n66	30	40	349000	1@104	CP_QAM16	20.57	20.27	14.44	30	PASS
n66	30	40	349000	53@26	CP_QAM64	19.37	19.07	13.24	30	PASS
n66	30	40	349000	1@1	CP_QAM64	19.47	19.17	13.34	30	PASS
n66	30	40	349000	1@104	CP_QAM64	19.06	18.76	12.93	30	PASS
n66	30	40	349000	53@26	CP_QAM256	16.21	15.91	10.08	30	PASS
n66	30	40	349000	1@1	CP_QAM256	15.73	15.43	9.6	30	PASS

n66	30	40	349000	1@104	CP_QAM256	16.05	15.75	9.92	30	PASS
n66	30	40	352000	50@25	DFT_BPSK	22.72	22.42	16.59	30	PASS
n66	30	40	352000	1@1	DFT_BPSK	22.43	22.13	16.3	30	PASS
n66	30	40	352000	1@104	DFT_BPSK	22.30	22.00	16.17	30	PASS
n66	30	40	352000	50@25	DFT_QPSK	22.75	22.45	16.62	30	PASS
n66	30	40	352000	1@1	DFT_QPSK	22.52	22.22	16.39	30	PASS
n66	30	40	352000	1@104	DFT_QPSK	22.17	21.87	16.04	30	PASS
n66	30	40	352000	50@25	DFT_QAM16	21.73	21.43	15.6	30	PASS
n66	30	40	352000	1@1	DFT_QAM16	21.81	21.51	15.68	30	PASS
n66	30	40	352000	1@104	DFT_QAM16	21.57	21.27	15.44	30	PASS
n66	30	40	352000	50@25	DFT_QAM64	20.22	19.92	14.09	30	PASS
n66	30	40	352000	1@1	DFT_QAM64	20.42	20.12	14.29	30	PASS
n66	30	40	352000	1@104	DFT_QAM64	20.03	19.73	13.9	30	PASS
n66	30	40	352000	50@25	DFT_QAM256	18.16	17.86	12.03	30	PASS
n66	30	40	352000	1@1	DFT_QAM256	18.11	17.81	11.98	30	PASS
n66	30	40	352000	1@104	DFT_QAM256	17.93	17.63	11.8	30	PASS
n66	30	40	352000	53@26	CP_QPSK	21.20	20.90	15.07	30	PASS
n66	30	40	352000	1@1	CP_QPSK	20.68	20.38	14.55	30	PASS
n66	30	40	352000	1@104	CP_QPSK	20.56	20.26	14.43	30	PASS
n66	30	40	352000	53@26	CP_QAM16	20.69	20.39	14.56	30	PASS
n66	30	40	352000	1@1	CP_QAM16	20.97	20.67	14.84	30	PASS
n66	30	40	352000	1@104	CP_QAM16	20.72	20.42	14.59	30	PASS
n66	30	40	352000	53@26	CP_QAM64	19.19	18.89	13.06	30	PASS
n66	30	40	352000	1@1	CP_QAM64	19.38	19.08	13.25	30	PASS
n66	30	40	352000	1@104	CP_QAM64	19.04	18.74	12.91	30	PASS
n66	30	40	352000	53@26	CP_QAM256	16.09	15.79	9.96	30	PASS
n66	30	40	352000	1@1	CP_QAM256	16.20	15.90	10.07	30	PASS
n66	30	40	352000	1@104	CP_QAM256	15.64	15.34	9.51	30	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n66	30	40	349000	50@25	DFT_BPSK	3.91	-2.61	0.00	Within authorized band for 5G NR n66	PASS
n66	30	40	349000	50@25	DFT_BPSK	3.45	-2.59	0.00		PASS
n66	30	40	349000	50@25	DFT_BPSK	4.50	3.56	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	3.91	-5.28	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	3.45	-2.32	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	4.50	2.28	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n66	30	40	349000	50@25	DFT_BPSK	-30	-2.67	0.00	Within authorized band for 5G NR n66	PASS
n66	30	40	349000	50@25	DFT_BPSK	-20	-3.2	0.00		PASS
n66	30	40	349000	50@25	DFT_BPSK	-10	-2.32	0.00		PASS
n66	30	40	349000	50@25	DFT_BPSK	0	-4.31	0.00		PASS
n66	30	40	349000	50@25	DFT_BPSK	10	-5.01	0.00		PASS
n66	30	40	349000	50@25	DFT_BPSK	20	-3.56	0.00		PASS
n66	30	40	349000	50@25	DFT_BPSK	30	-2.59	0.00		PASS
n66	30	40	349000	50@25	DFT_BPSK	40	-6.81	0.00		PASS
n66	30	40	349000	50@25	DFT_BPSK	50	-5.47	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	-30	-3.5	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	-20	-7.18	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	-10	-5.97	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	0	-2.71	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	10	-2.98	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	20	-7.41	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	30	-4.62	0.00		PASS
n66	30	40	349000	50@25	DFT_QPSK	40	-7.42	0.00	PASS	
n66	30	40	349000	50@25	DFT_QPSK	50	-2.85	0.00	PASS	

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n66	30	10	349000	24@0	DFT_BPSK	4.40	13	PASS
n66	30	10	349000	24@0	DFT_QPSK	5.27	13	PASS
n66	30	10	349000	24@0	DFT_QAM16	6.10	13	PASS
n66	30	10	349000	24@0	DFT_QAM64	6.43	13	PASS
n66	30	10	349000	24@0	DFT_QAM256	7.12	13	PASS
n66	30	15	349000	36@0	DFT_BPSK	4.58	13	PASS
n66	30	15	349000	36@0	DFT_QPSK	5.47	13	PASS
n66	30	15	349000	36@0	DFT_QAM16	6.20	13	PASS
n66	30	15	349000	36@0	DFT_QAM64	6.59	13	PASS
n66	30	15	349000	36@0	DFT_QAM256	7.15	13	PASS
n66	30	20	349000	50@0	DFT_BPSK	4.56	13	PASS
n66	30	20	349000	50@0	DFT_QPSK	5.57	13	PASS
n66	30	20	349000	50@0	DFT_QAM16	6.39	13	PASS
n66	30	20	349000	50@0	DFT_QAM64	6.72	13	PASS
n66	30	20	349000	50@0	DFT_QAM256	7.13	13	PASS
n66	30	40	349000	100@0	DFT_BPSK	4.58	13	PASS
n66	30	40	349000	100@0	DFT_QPSK	5.70	13	PASS
n66	30	40	349000	100@0	DFT_QAM16	6.40	13	PASS
n66	30	40	349000	100@0	DFT_QAM64	6.71	13	PASS
n66	30	40	349000	100@0	DFT_QAM256	7.11	13	PASS


n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=349000 RB=100@0



n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=349000 RB=100@0



n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=349000 RB=100@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n66	30	10	343000	24@0	DFT_BPSK	8.620	9.190	PASS
n66	30	10	343000	24@0	DFT_QPSK	8.610	9.210	PASS
n66	30	10	343000	24@0	DFT_QAM16	8.610	9.210	PASS
n66	30	10	343000	24@0	DFT_QAM64	8.620	9.210	PASS
n66	30	10	343000	24@0	DFT_QAM256	8.610	9.180	PASS
n66	30	10	343000	24@0	CP_QPSK	8.610	9.200	PASS
n66	30	10	349000	24@0	DFT_BPSK	8.610	9.160	PASS
n66	30	10	349000	24@0	DFT_QPSK	8.620	9.220	PASS
n66	30	10	349000	24@0	DFT_QAM16	8.620	9.210	PASS
n66	30	10	349000	24@0	DFT_QAM64	8.610	9.250	PASS
n66	30	10	349000	24@0	DFT_QAM256	8.640	9.240	PASS
n66	30	10	349000	24@0	CP_QPSK	8.620	9.200	PASS
n66	30	10	355000	24@0	DFT_BPSK	8.620	9.190	PASS
n66	30	10	355000	24@0	DFT_QPSK	8.620	9.230	PASS
n66	30	10	355000	24@0	DFT_QAM16	8.620	9.190	PASS
n66	30	10	355000	24@0	DFT_QAM64	8.610	9.240	PASS
n66	30	10	355000	24@0	DFT_QAM256	8.640	9.150	PASS
n66	30	10	355000	24@0	CP_QPSK	8.620	9.280	PASS
n66	30	15	343500	36@0	DFT_BPSK	13.530	13.790	PASS
n66	30	15	343500	36@0	DFT_QPSK	13.500	13.760	PASS
n66	30	15	343500	36@0	DFT_QAM16	13.510	13.720	PASS
n66	30	15	343500	36@0	DFT_QAM64	13.510	13.790	PASS
n66	30	15	343500	36@0	DFT_QAM256	13.460	13.720	PASS
n66	30	15	343500	38@0	CP_QPSK	13.640	14.440	PASS
n66	30	15	349000	36@0	DFT_BPSK	13.520	13.800	PASS
n66	30	15	349000	36@0	DFT_QPSK	13.460	13.730	PASS
n66	30	15	349000	36@0	DFT_QAM16	13.470	13.690	PASS
n66	30	15	349000	36@0	DFT_QAM64	13.470	13.810	PASS
n66	30	15	349000	36@0	DFT_QAM256	13.460	13.710	PASS
n66	30	15	349000	38@0	CP_QPSK	13.640	14.440	PASS
n66	30	15	354500	36@0	DFT_BPSK	13.510	13.760	PASS
n66	30	15	354500	36@0	DFT_QPSK	13.520	13.780	PASS
n66	30	15	354500	36@0	DFT_QAM16	13.530	13.740	PASS
n66	30	15	354500	36@0	DFT_QAM64	13.520	13.790	PASS
n66	30	15	354500	36@0	DFT_QAM256	13.520	13.740	PASS
n66	30	15	354500	38@0	CP_QPSK	13.640	14.460	PASS
n66	30	20	344000	50@0	DFT_BPSK	18.100	18.940	PASS
n66	30	20	344000	50@0	DFT_QPSK	18.030	18.940	PASS
n66	30	20	344000	50@0	DFT_QAM16	18.110	18.920	PASS

n66	30	20	344000	50@0	DFT_QAM64	18.090	18.920	PASS
n66	30	20	344000	50@0	DFT_QAM256	18.020	18.920	PASS
n66	30	20	344000	51@0	CP_QPSK	18.280	19.340	PASS
n66	30	20	349000	50@0	DFT_BPSK	18.030	18.920	PASS
n66	30	20	349000	50@0	DFT_QPSK	18.030	18.930	PASS
n66	30	20	349000	50@0	DFT_QAM16	18.100	18.920	PASS
n66	30	20	349000	50@0	DFT_QAM64	18.030	18.930	PASS
n66	30	20	349000	50@0	DFT_QAM256	18.010	18.910	PASS
n66	30	20	349000	51@0	CP_QPSK	18.270	19.320	PASS
n66	30	20	354000	50@0	DFT_BPSK	18.160	18.950	PASS
n66	30	20	354000	50@0	DFT_QPSK	18.110	18.950	PASS
n66	30	20	354000	50@0	DFT_QAM16	18.110	18.940	PASS
n66	30	20	354000	50@0	DFT_QAM64	18.110	18.930	PASS
n66	30	20	354000	50@0	DFT_QAM256	18.080	18.930	PASS
n66	30	20	354000	51@0	CP_QPSK	18.330	19.340	PASS
n66	30	40	346000	100@0	DFT_BPSK	37.510	37.870	PASS
n66	30	40	346000	100@0	DFT_QPSK	37.500	37.890	PASS
n66	30	40	346000	100@0	DFT_QAM16	37.500	37.860	PASS
n66	30	40	346000	100@0	DFT_QAM64	37.500	37.890	PASS
n66	30	40	346000	100@0	DFT_QAM256	37.490	37.880	PASS
n66	30	40	346000	106@0	CP_QPSK	38.080	40.070	PASS
n66	30	40	349000	100@0	DFT_BPSK	37.330	37.840	PASS
n66	30	40	349000	100@0	DFT_QPSK	37.450	37.850	PASS
n66	30	40	349000	100@0	DFT_QAM16	37.460	37.830	PASS
n66	30	40	349000	100@0	DFT_QAM64	37.450	37.850	PASS
n66	30	40	349000	100@0	DFT_QAM256	37.350	37.840	PASS
n66	30	40	349000	106@0	CP_QPSK	37.950	40.020	PASS
n66	30	40	352000	100@0	DFT_BPSK	37.620	37.850	PASS
n66	30	40	352000	100@0	DFT_QPSK	37.610	37.870	PASS
n66	30	40	352000	100@0	DFT_QAM16	37.620	37.850	PASS
n66	30	40	352000	100@0	DFT_QAM64	37.610	37.860	PASS
n66	30	40	352000	100@0	DFT_QAM256	37.610	37.870	PASS
n66	30	40	352000	106@0	CP_QPSK	37.980	40.050	PASS


n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz CP_QPSK BW=10MHz Channel=343000 RB=24@0



n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz CP_QPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz CP_QPSK BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=343500 RB=36@0



n66 SCS=30kHz CP_QPSK BW=15MHz Channel=343500 RB=38@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz CP_QPSK BW=15MHz Channel=349000 RB=38@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=354500 RB=36@0



n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=354500 RB=36@0



n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz CP_QPSK BW=15MHz Channel=354500 RB=38@0



n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz CP_QPSK BW=20MHz Channel=344000 RB=51@0




n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=349000 RB=50@0



n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz CP_QPSK BW=20MHz Channel=349000 RB=51@0



n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz CP_QPSK BW=20MHz Channel=354000 RB=51@0



n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=346000 RB=100@0



n66 SCS=30kHz CP_QPSK BW=40MHz Channel=346000 RB=106@0



n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz CP_QPSK BW=40MHz Channel=349000 RB=106@0




n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=352000 RB=100@0



n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=352000 RB=100@0




n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=352000 RB=100@0



n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=352000 RB=100@0



n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=352000 RB=100@0




n66 SCS=30kHz CP_QPSK BW=40MHz Channel=352000 RB=106@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n66	30	10	343000	24@0	DFT_QPSK	1708.94	-42.32	-13	PASS
n66	30	10	343000	1@0	DFT_QPSK	1709.96	-30.83	-13	PASS
n66	30	10	355000	24@0	DFT_QPSK	1782.88	-38.22	-13	PASS
n66	30	10	355000	1@23	DFT_QPSK	1780.22	-35.45	-13	PASS
n66	30	40	346000	100@0	DFT_QPSK	1704.64	-43.47	-13	PASS
n66	30	40	346000	1@0	DFT_QPSK	1709.60	-37.14	-13	PASS
n66	30	40	352000	100@0	DFT_QPSK	1781.36	-39.93	-13	PASS
n66	30	40	352000	1@105	DFT_QPSK	1780.32	-40.13	-13	PASS


n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=343000 RB=1@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=355000 RB=1@23




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=346000 RB=1@0



n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=352000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=352000 RB=1 @105




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n66	30	10	343000	24@0	DFT_QPSK	19815.70	-35.87	-13	PASS
n66	30	10	343000	1@0	DFT_QPSK	19157.83	-36.92	-13	PASS
n66	30	10	343000	1@23	DFT_QPSK	18992.05	-35.84	-13	PASS
n66	30	10	349000	24@0	DFT_QPSK	19435.70	-35.44	-13	PASS
n66	30	10	349000	1@0	DFT_QPSK	3745.98	-36.67	-13	PASS
n66	30	10	349000	1@23	DFT_QPSK	3790.15	-36.46	-13	PASS
n66	30	10	355000	24@0	DFT_QPSK	19126.95	-36.20	-13	PASS
n66	30	10	355000	1@0	DFT_QPSK	19396.28	-35.90	-13	PASS
n66	30	10	355000	1@23	DFT_QPSK	3720.33	-36.11	-13	PASS
n66	30	40	346000	100@0	DFT_QPSK	19478.93	-35.91	-13	PASS
n66	30	40	346000	1@0	DFT_QPSK	19153.55	-35.50	-13	PASS
n66	30	40	346000	1@105	DFT_QPSK	3709.40	-36.64	-13	PASS
n66	30	40	349000	100@0	DFT_QPSK	3783.03	-36.46	-13	PASS
n66	30	40	349000	1@0	DFT_QPSK	3757.38	-35.40	-13	PASS
n66	30	40	349000	1@105	DFT_QPSK	19037.65	-36.24	-13	PASS
n66	30	40	352000	100@0	DFT_QPSK	5041.78	-35.99	-13	PASS
n66	30	40	352000	1@0	DFT_QPSK	19951.55	-36.29	-13	PASS
n66	30	40	352000	1@105	DFT_QPSK	19893.60	-36.18	-13	PASS


n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=343000 RB=1@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=343000 RB=1 @23




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=349000 RB=24 @0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=349000 RB=1 @0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=349000 RB=1 @23




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=355000 RB=1@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=355000 RB=1@23




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=346000 RB=1 @0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=346000 RB=1 @105




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=349000 RB=1@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=349000 RB=1@105



n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=352000 RB=100@0



n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=352000 RB=1 @0



n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=352000 RB=1 @105

