

## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.48	22.88	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.14	22.54	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.15	22.55	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.69	23.09	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.72	23.12	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	23.72	23.12	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.87	22.27	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.95	22.35	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.90	22.30	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.95	22.35	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.46	22.86	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.47	22.87	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	23.48	22.88	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.46	21.86	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.05	22.45	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.99	22.39	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.03	22.43	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.70	23.10	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.72	23.12	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	23.71	23.11	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.68	22.08	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.15	21.55	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.20	21.60	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.18	21.58	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.79	22.19	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.77	22.17	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	22.76	22.16	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.82	21.22	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.08	21.48	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.14	21.54	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.06	21.46	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.38	21.78	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.35	21.75	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	22.38	21.78	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.52	20.92	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	22.31	21.71	33	PASS

Band2	1.4MHz	16QAM	19193	1RB#2	22.33	21.73	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	22.32	21.72	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.59	21.99	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.60	22.00	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#2	22.58	21.98	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.53	20.93	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	23.88	23.28	33	PASS
Band2	3MHz	QPSK	18615	1RB#7	23.91	23.31	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.98	23.38	33	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.88	22.28	33	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.88	22.28	33	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.83	22.23	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.86	22.26	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.98	22.38	33	PASS
Band2	3MHz	QPSK	18900	1RB#7	23.34	22.74	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.17	22.57	33	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.50	21.90	33	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.52	21.92	33	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.47	21.87	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.47	21.87	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.08	22.48	33	PASS
Band2	3MHz	QPSK	19185	1RB#7	23.04	22.44	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.03	22.43	33	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.68	22.08	33	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.67	22.07	33	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.64	22.04	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.65	22.05	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	23.05	22.45	33	PASS
Band2	3MHz	16QAM	18615	1RB#7	23.04	22.44	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	23.09	22.49	33	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.93	21.33	33	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.93	21.33	33	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.91	21.31	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.88	21.28	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.28	21.68	33	PASS
Band2	3MHz	16QAM	18900	1RB#7	22.15	21.55	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.20	21.60	33	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.57	20.97	33	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.54	20.94	33	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.52	20.92	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.47	20.87	33	PASS
Band2	3MHz	16QAM	19185	1RB#0	22.31	21.71	33	PASS
Band2	3MHz	16QAM	19185	1RB#7	22.25	21.65	33	PASS

Band2	3MHz	16QAM	19185	1RB#14	22.28	21.68	33	PASS
Band2	3MHz	16QAM	19185	8RB#0	21.63	21.03	33	PASS
Band2	3MHz	16QAM	19185	8RB#4	21.63	21.03	33	PASS
Band2	3MHz	16QAM	19185	8RB#7	21.59	20.99	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.60	21.00	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.54	22.94	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.52	22.92	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.51	22.91	33	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.96	22.36	33	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.94	22.34	33	PASS
Band2	5MHz	QPSK	18625	12RB#11	22.94	22.34	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.94	22.34	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	23.17	22.57	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.12	22.52	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.24	22.64	33	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.53	21.93	33	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.57	21.97	33	PASS
Band2	5MHz	QPSK	18900	12RB#11	22.55	21.95	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.57	21.97	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	23.38	22.78	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	23.32	22.72	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.37	22.77	33	PASS
Band2	5MHz	QPSK	19175	12RB#0	22.76	22.16	33	PASS
Band2	5MHz	QPSK	19175	12RB#6	22.75	22.15	33	PASS
Band2	5MHz	QPSK	19175	12RB#11	22.78	22.18	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.72	22.12	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.39	21.79	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.34	21.74	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.42	21.82	33	PASS
Band2	5MHz	16QAM	18625	12RB#0	22.00	21.40	33	PASS
Band2	5MHz	16QAM	18625	12RB#6	22.02	21.42	33	PASS
Band2	5MHz	16QAM	18625	12RB#11	22.03	21.43	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.99	21.39	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.27	21.67	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.29	21.69	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.40	21.80	33	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.61	21.01	33	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.62	21.02	33	PASS
Band2	5MHz	16QAM	18900	12RB#11	21.59	20.99	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.53	20.93	33	PASS
Band2	5MHz	16QAM	19175	1RB#0	22.35	21.75	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	22.28	21.68	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	22.29	21.69	33	PASS

Band2	5MHz	16QAM	19175	12RB#0	21.79	21.19	33	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.79	21.19	33	PASS
Band2	5MHz	16QAM	19175	12RB#11	21.77	21.17	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	21.76	21.16	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.47	22.87	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.46	22.86	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.44	22.84	33	PASS
Band2	10MHz	QPSK	18650	25RB#0	23.02	22.42	33	PASS
Band2	10MHz	QPSK	18650	25RB#12	23.04	22.44	33	PASS
Band2	10MHz	QPSK	18650	25RB#24	23.01	22.41	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.96	22.36	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.00	22.40	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.08	22.48	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.18	22.58	33	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.59	21.99	33	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.54	21.94	33	PASS
Band2	10MHz	QPSK	18900	25RB#24	22.58	21.98	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.62	22.02	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	23.28	22.68	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.20	22.60	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	23.12	22.52	33	PASS
Band2	10MHz	QPSK	19150	25RB#0	22.75	22.15	33	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.77	22.17	33	PASS
Band2	10MHz	QPSK	19150	25RB#24	22.74	22.14	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.76	22.16	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.64	22.04	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.63	22.03	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.58	21.98	33	PASS
Band2	10MHz	16QAM	18650	25RB#0	22.01	21.41	33	PASS
Band2	10MHz	16QAM	18650	25RB#12	22.02	21.42	33	PASS
Band2	10MHz	16QAM	18650	25RB#24	22.02	21.42	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.93	21.33	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.23	21.63	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.26	21.66	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.40	21.80	33	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.59	20.99	33	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.60	21.00	33	PASS
Band2	10MHz	16QAM	18900	25RB#24	21.61	21.01	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.63	21.03	33	PASS
Band2	10MHz	16QAM	19150	1RB#0	22.22	21.62	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	22.15	21.55	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.14	21.54	33	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.81	21.21	33	PASS

Band2	10MHz	16QAM	19150	25RB#12	21.81	21.21	33	PASS
Band2	10MHz	16QAM	19150	25RB#24	21.81	21.21	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.74	21.14	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	23.37	22.77	33	PASS
Band2	15MHz	QPSK	18675	1RB#37	23.45	22.85	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.20	22.60	33	PASS
Band2	15MHz	QPSK	18675	36RB#0	22.91	22.31	33	PASS
Band2	15MHz	QPSK	18675	36RB#16	22.94	22.34	33	PASS
Band2	15MHz	QPSK	18675	36RB#35	22.92	22.32	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.89	22.29	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.85	22.25	33	PASS
Band2	15MHz	QPSK	18900	1RB#37	23.05	22.45	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.14	22.54	33	PASS
Band2	15MHz	QPSK	18900	36RB#0	22.45	21.85	33	PASS
Band2	15MHz	QPSK	18900	36RB#16	22.51	21.91	33	PASS
Band2	15MHz	QPSK	18900	36RB#35	22.45	21.85	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.58	21.98	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	23.25	22.65	33	PASS
Band2	15MHz	QPSK	19125	1RB#37	23.19	22.59	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	23.05	22.45	33	PASS
Band2	15MHz	QPSK	19125	36RB#0	22.80	22.20	33	PASS
Band2	15MHz	QPSK	19125	36RB#16	22.79	22.19	33	PASS
Band2	15MHz	QPSK	19125	36RB#35	22.80	22.20	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.79	22.19	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.56	21.96	33	PASS
Band2	15MHz	16QAM	18675	1RB#37	22.58	21.98	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.36	21.76	33	PASS
Band2	15MHz	16QAM	18675	36RB#0	21.97	21.37	33	PASS
Band2	15MHz	16QAM	18675	36RB#16	21.96	21.36	33	PASS
Band2	15MHz	16QAM	18675	36RB#35	21.96	21.36	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.82	21.22	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.16	21.56	33	PASS
Band2	15MHz	16QAM	18900	1RB#37	22.32	21.72	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.51	21.91	33	PASS
Band2	15MHz	16QAM	18900	36RB#0	21.56	20.96	33	PASS
Band2	15MHz	16QAM	18900	36RB#16	21.56	20.96	33	PASS
Band2	15MHz	16QAM	18900	36RB#35	21.56	20.96	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.56	20.96	33	PASS
Band2	15MHz	16QAM	19125	1RB#0	22.27	21.67	33	PASS
Band2	15MHz	16QAM	19125	1RB#37	22.19	21.59	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.05	21.45	33	PASS
Band2	15MHz	16QAM	19125	36RB#0	21.83	21.23	33	PASS
Band2	15MHz	16QAM	19125	36RB#16	21.81	21.21	33	PASS



Band2	15MHz	16QAM	19125	36RB#35	21.83	21.23	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	21.79	21.19	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	23.52	22.92	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.46	22.86	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.12	22.52	33	PASS
Band2	20MHz	QPSK	18700	50RB#0	22.93	22.33	33	PASS
Band2	20MHz	QPSK	18700	50RB#24	22.98	22.38	33	PASS
Band2	20MHz	QPSK	18700	50RB#49	22.95	22.35	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.89	22.29	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.00	22.40	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.08	22.48	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.25	22.65	33	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.47	21.87	33	PASS
Band2	20MHz	QPSK	18900	50RB#24	22.51	21.91	33	PASS
Band2	20MHz	QPSK	18900	50RB#49	22.50	21.90	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.54	21.94	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.17	22.57	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.19	22.59	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.08	22.48	33	PASS
Band2	20MHz	QPSK	19100	50RB#0	22.97	22.37	33	PASS
Band2	20MHz	QPSK	19100	50RB#24	22.97	22.37	33	PASS
Band2	20MHz	QPSK	19100	50RB#49	22.99	22.39	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.91	22.31	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.41	21.81	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.37	21.77	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.10	21.50	33	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.91	21.31	33	PASS
Band2	20MHz	16QAM	18700	50RB#24	21.92	21.32	33	PASS
Band2	20MHz	16QAM	18700	50RB#49	21.94	21.34	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.88	21.28	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.25	21.65	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.39	21.79	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	22.59	21.99	33	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.51	20.91	33	PASS
Band2	20MHz	16QAM	18900	50RB#24	21.48	20.88	33	PASS
Band2	20MHz	16QAM	18900	50RB#49	21.48	20.88	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.52	20.92	33	PASS
Band2	20MHz	16QAM	19100	1RB#0	22.35	21.75	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.39	21.79	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.24	21.64	33	PASS
Band2	20MHz	16QAM	19100	50RB#0	22.02	21.42	33	PASS
Band2	20MHz	16QAM	19100	50RB#24	22.02	21.42	33	PASS
Band2	20MHz	16QAM	19100	50RB#49	22.00	21.40	33	PASS

Band2	20MHz	16QAM	19100	100RB#0	21.93	21.33	33	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	23.34	18.39	38.5	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.31	18.36	38.5	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.38	18.43	38.5	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.38	18.43	38.5	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.41	18.46	38.5	PASS
Band5	1.4MHz	QPSK	20407	3RB#2	23.40	18.45	38.5	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.37	17.42	38.5	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.47	18.52	38.5	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.39	18.44	38.5	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.40	18.45	38.5	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.45	18.50	38.5	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.44	18.49	38.5	PASS
Band5	1.4MHz	QPSK	20525	3RB#2	23.41	18.46	38.5	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.43	17.48	38.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.15	18.20	38.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	23.15	18.20	38.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.20	18.25	38.5	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	23.20	18.25	38.5	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	23.16	18.21	38.5	PASS
Band5	1.4MHz	QPSK	20643	3RB#2	23.19	18.24	38.5	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.15	17.20	38.5	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	22.54	17.59	38.5	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.57	17.62	38.5	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.59	17.64	38.5	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.28	17.33	38.5	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.27	17.32	38.5	PASS
Band5	1.4MHz	16QAM	20407	3RB#2	22.28	17.33	38.5	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.22	16.27	38.5	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.57	17.62	38.5	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	22.58	17.63	38.5	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	22.53	17.58	38.5	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	22.36	17.41	38.5	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	22.36	17.41	38.5	PASS
Band5	1.4MHz	16QAM	20525	3RB#2	22.39	17.44	38.5	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.49	16.54	38.5	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	22.33	17.38	38.5	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.41	17.46	38.5	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	22.38	17.43	38.5	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	22.07	17.12	38.5	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	22.08	17.13	38.5	PASS
Band5	1.4MHz	16QAM	20643	3RB#2	22.08	17.13	38.5	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	21.01	16.06	38.5	PASS

Band5	3MHz	QPSK	20415	1RB#0	23.35	18.40	38.5	PASS
Band5	3MHz	QPSK	20415	1RB#7	23.39	18.44	38.5	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.44	18.49	38.5	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.32	17.37	38.5	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.33	17.38	38.5	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.37	17.42	38.5	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.35	17.40	38.5	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.43	18.48	38.5	PASS
Band5	3MHz	QPSK	20525	1RB#7	23.42	18.47	38.5	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.43	18.48	38.5	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.39	17.44	38.5	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.41	17.46	38.5	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.41	17.46	38.5	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.43	17.48	38.5	PASS
Band5	3MHz	QPSK	20635	1RB#0	23.21	18.26	38.5	PASS
Band5	3MHz	QPSK	20635	1RB#7	23.16	18.21	38.5	PASS
Band5	3MHz	QPSK	20635	1RB#14	23.24	18.29	38.5	PASS
Band5	3MHz	QPSK	20635	8RB#0	22.17	17.22	38.5	PASS
Band5	3MHz	QPSK	20635	8RB#4	22.18	17.23	38.5	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.14	17.19	38.5	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.14	17.19	38.5	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.51	17.56	38.5	PASS
Band5	3MHz	16QAM	20415	1RB#7	22.51	17.56	38.5	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.59	17.64	38.5	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.41	16.46	38.5	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.38	16.43	38.5	PASS
Band5	3MHz	16QAM	20415	8RB#7	21.45	16.50	38.5	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.35	16.40	38.5	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.63	17.68	38.5	PASS
Band5	3MHz	16QAM	20525	1RB#7	22.60	17.65	38.5	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.57	17.62	38.5	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.41	16.46	38.5	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.39	16.44	38.5	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.43	16.48	38.5	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.35	16.40	38.5	PASS
Band5	3MHz	16QAM	20635	1RB#0	22.09	17.14	38.5	PASS
Band5	3MHz	16QAM	20635	1RB#7	22.06	17.11	38.5	PASS
Band5	3MHz	16QAM	20635	1RB#14	22.14	17.19	38.5	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.19	16.24	38.5	PASS
Band5	3MHz	16QAM	20635	8RB#4	21.18	16.23	38.5	PASS
Band5	3MHz	16QAM	20635	8RB#7	21.17	16.22	38.5	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.08	16.13	38.5	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.48	18.53	38.5	PASS



Band5	5MHz	QPSK	20425	1RB#12	23.50	18.55	38.5	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.61	18.66	38.5	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.33	17.38	38.5	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.32	17.37	38.5	PASS
Band5	5MHz	QPSK	20425	12RB#11	22.34	17.39	38.5	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.41	17.46	38.5	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.61	18.66	38.5	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.56	18.61	38.5	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.58	18.63	38.5	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.44	17.49	38.5	PASS
Band5	5MHz	QPSK	20525	12RB#6	22.50	17.55	38.5	PASS
Band5	5MHz	QPSK	20525	12RB#11	22.50	17.55	38.5	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.48	17.53	38.5	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.44	18.49	38.5	PASS
Band5	5MHz	QPSK	20625	1RB#12	23.29	18.34	38.5	PASS
Band5	5MHz	QPSK	20625	1RB#24	23.36	18.41	38.5	PASS
Band5	5MHz	QPSK	20625	12RB#0	22.24	17.29	38.5	PASS
Band5	5MHz	QPSK	20625	12RB#6	22.25	17.30	38.5	PASS
Band5	5MHz	QPSK	20625	12RB#11	22.20	17.25	38.5	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.18	17.23	38.5	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.39	17.44	38.5	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.41	17.46	38.5	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.52	17.57	38.5	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.33	16.38	38.5	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.33	16.38	38.5	PASS
Band5	5MHz	16QAM	20425	12RB#11	21.35	16.40	38.5	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.43	16.48	38.5	PASS
Band5	5MHz	16QAM	20525	1RB#0	22.76	17.81	38.5	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.70	17.75	38.5	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.71	17.76	38.5	PASS
Band5	5MHz	16QAM	20525	12RB#0	21.53	16.58	38.5	PASS
Band5	5MHz	16QAM	20525	12RB#6	21.52	16.57	38.5	PASS
Band5	5MHz	16QAM	20525	12RB#11	21.52	16.57	38.5	PASS
Band5	5MHz	16QAM	20525	25RB#0	21.44	16.49	38.5	PASS
Band5	5MHz	16QAM	20625	1RB#0	22.39	17.44	38.5	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.20	17.25	38.5	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.32	17.37	38.5	PASS
Band5	5MHz	16QAM	20625	12RB#0	21.26	16.31	38.5	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.20	16.25	38.5	PASS
Band5	5MHz	16QAM	20625	12RB#11	21.21	16.26	38.5	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.22	16.27	38.5	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.32	18.37	38.5	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.49	18.54	38.5	PASS

Band5	10MHz	QPSK	20450	1RB#49	23.48	18.53	38.5	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.36	17.41	38.5	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.35	17.40	38.5	PASS
Band5	10MHz	QPSK	20450	25RB#24	22.36	17.41	38.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.46	17.51	38.5	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.48	18.53	38.5	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.51	18.56	38.5	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.37	18.42	38.5	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.55	17.60	38.5	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.55	17.60	38.5	PASS
Band5	10MHz	QPSK	20525	25RB#24	22.55	17.60	38.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.50	17.55	38.5	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.44	18.49	38.5	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.35	18.40	38.5	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.26	18.31	38.5	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.30	17.35	38.5	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.30	17.35	38.5	PASS
Band5	10MHz	QPSK	20600	25RB#24	22.30	17.35	38.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.30	17.35	38.5	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.47	17.52	38.5	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.65	17.70	38.5	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.64	17.69	38.5	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.37	16.42	38.5	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.35	16.40	38.5	PASS
Band5	10MHz	16QAM	20450	25RB#24	21.36	16.41	38.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.42	16.47	38.5	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.64	17.69	38.5	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.66	17.71	38.5	PASS
Band5	10MHz	16QAM	20525	1RB#49	22.55	17.60	38.5	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.58	16.63	38.5	PASS
Band5	10MHz	16QAM	20525	25RB#12	21.58	16.63	38.5	PASS
Band5	10MHz	16QAM	20525	25RB#24	21.59	16.64	38.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.49	16.54	38.5	PASS
Band5	10MHz	16QAM	20600	1RB#0	22.33	17.38	38.5	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.20	17.25	38.5	PASS
Band5	10MHz	16QAM	20600	1RB#49	22.15	17.20	38.5	PASS
Band5	10MHz	16QAM	20600	25RB#0	21.35	16.40	38.5	PASS
Band5	10MHz	16QAM	20600	25RB#12	21.36	16.41	38.5	PASS
Band5	10MHz	16QAM	20600	25RB#24	21.35	16.40	38.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.30	16.35	38.5	PASS
Band7	5MHz	QPSK	20775	1RB#0	21.78	22.98	38.5	PASS
Band7	5MHz	QPSK	20775	1RB#12	21.82	23.02	38.5	PASS
Band7	5MHz	QPSK	20775	1RB#24	21.82	23.02	38.5	PASS

Band7	5MHz	QPSK	20775	12RB#0	20.65	21.85	38.5	PASS
Band7	5MHz	QPSK	20775	12RB#6	20.65	21.85	38.5	PASS
Band7	5MHz	QPSK	20775	12RB#11	20.64	21.84	38.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	20.69	21.89	38.5	PASS
Band7	5MHz	QPSK	21100	1RB#0	21.99	23.19	38.5	PASS
Band7	5MHz	QPSK	21100	1RB#12	22.05	23.25	38.5	PASS
Band7	5MHz	QPSK	21100	1RB#24	22.12	23.32	38.5	PASS
Band7	5MHz	QPSK	21100	12RB#0	20.89	22.09	38.5	PASS
Band7	5MHz	QPSK	21100	12RB#6	20.94	22.14	38.5	PASS
Band7	5MHz	QPSK	21100	12RB#11	20.91	22.11	38.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	20.87	22.07	38.5	PASS
Band7	5MHz	QPSK	21425	1RB#0	22.14	23.34	38.5	PASS
Band7	5MHz	QPSK	21425	1RB#12	22.16	23.36	38.5	PASS
Band7	5MHz	QPSK	21425	1RB#24	21.97	23.17	38.5	PASS
Band7	5MHz	QPSK	21425	12RB#0	21.15	22.35	38.5	PASS
Band7	5MHz	QPSK	21425	12RB#6	21.17	22.37	38.5	PASS
Band7	5MHz	QPSK	21425	12RB#11	21.20	22.40	38.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	21.15	22.35	38.5	PASS
Band7	5MHz	16QAM	20775	1RB#0	20.67	21.87	38.5	PASS
Band7	5MHz	16QAM	20775	1RB#12	20.68	21.88	38.5	PASS
Band7	5MHz	16QAM	20775	1RB#24	20.65	21.85	38.5	PASS
Band7	5MHz	16QAM	20775	12RB#0	19.73	20.93	38.5	PASS
Band7	5MHz	16QAM	20775	12RB#6	19.74	20.94	38.5	PASS
Band7	5MHz	16QAM	20775	12RB#11	19.76	20.96	38.5	PASS
Band7	5MHz	16QAM	20775	25RB#0	19.78	20.98	38.5	PASS
Band7	5MHz	16QAM	21100	1RB#0	21.10	22.30	38.5	PASS
Band7	5MHz	16QAM	21100	1RB#12	21.12	22.32	38.5	PASS
Band7	5MHz	16QAM	21100	1RB#24	21.16	22.36	38.5	PASS
Band7	5MHz	16QAM	21100	12RB#0	19.97	21.17	38.5	PASS
Band7	5MHz	16QAM	21100	12RB#6	19.98	21.18	38.5	PASS
Band7	5MHz	16QAM	21100	12RB#11	19.99	21.19	38.5	PASS
Band7	5MHz	16QAM	21100	25RB#0	19.86	21.06	38.5	PASS
Band7	5MHz	16QAM	21425	1RB#0	21.13	22.33	38.5	PASS
Band7	5MHz	16QAM	21425	1RB#12	21.06	22.26	38.5	PASS
Band7	5MHz	16QAM	21425	1RB#24	20.87	22.07	38.5	PASS
Band7	5MHz	16QAM	21425	12RB#0	20.13	21.33	38.5	PASS
Band7	5MHz	16QAM	21425	12RB#6	20.14	21.34	38.5	PASS
Band7	5MHz	16QAM	21425	12RB#11	20.13	21.33	38.5	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.16	21.36	38.5	PASS
Band7	10MHz	QPSK	20800	1RB#0	21.70	22.90	38.5	PASS
Band7	10MHz	QPSK	20800	1RB#24	21.72	22.92	38.5	PASS
Band7	10MHz	QPSK	20800	1RB#49	21.66	22.86	38.5	PASS
Band7	10MHz	QPSK	20800	25RB#0	20.69	21.89	38.5	PASS

Band7	10MHz	QPSK	20800	25RB#12	20.69	21.89	38.5	PASS
Band7	10MHz	QPSK	20800	25RB#24	20.67	21.87	38.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	20.73	21.93	38.5	PASS
Band7	10MHz	QPSK	21100	1RB#0	21.75	22.95	38.5	PASS
Band7	10MHz	QPSK	21100	1RB#24	21.85	23.05	38.5	PASS
Band7	10MHz	QPSK	21100	1RB#49	21.84	23.04	38.5	PASS
Band7	10MHz	QPSK	21100	25RB#0	20.94	22.14	38.5	PASS
Band7	10MHz	QPSK	21100	25RB#12	20.92	22.12	38.5	PASS
Band7	10MHz	QPSK	21100	25RB#24	20.89	22.09	38.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	20.97	22.17	38.5	PASS
Band7	10MHz	QPSK	21400	1RB#0	21.87	23.07	38.5	PASS
Band7	10MHz	QPSK	21400	1RB#24	21.99	23.19	38.5	PASS
Band7	10MHz	QPSK	21400	1RB#49	21.85	23.05	38.5	PASS
Band7	10MHz	QPSK	21400	25RB#0	21.10	22.30	38.5	PASS
Band7	10MHz	QPSK	21400	25RB#12	21.09	22.29	38.5	PASS
Band7	10MHz	QPSK	21400	25RB#24	21.09	22.29	38.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	21.18	22.38	38.5	PASS
Band7	10MHz	16QAM	20800	1RB#0	20.81	22.01	38.5	PASS
Band7	10MHz	16QAM	20800	1RB#24	20.91	22.11	38.5	PASS
Band7	10MHz	16QAM	20800	1RB#49	20.83	22.03	38.5	PASS
Band7	10MHz	16QAM	20800	25RB#0	19.68	20.88	38.5	PASS
Band7	10MHz	16QAM	20800	25RB#12	19.68	20.88	38.5	PASS
Band7	10MHz	16QAM	20800	25RB#24	19.70	20.90	38.5	PASS
Band7	10MHz	16QAM	20800	50RB#0	19.72	20.92	38.5	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.05	22.25	38.5	PASS
Band7	10MHz	16QAM	21100	1RB#24	21.11	22.31	38.5	PASS
Band7	10MHz	16QAM	21100	1RB#49	21.11	22.31	38.5	PASS
Band7	10MHz	16QAM	21100	25RB#0	20.00	21.20	38.5	PASS
Band7	10MHz	16QAM	21100	25RB#12	19.96	21.16	38.5	PASS
Band7	10MHz	16QAM	21100	25RB#24	19.96	21.16	38.5	PASS
Band7	10MHz	16QAM	21100	50RB#0	19.99	21.19	38.5	PASS
Band7	10MHz	16QAM	21400	1RB#0	21.00	22.20	38.5	PASS
Band7	10MHz	16QAM	21400	1RB#24	20.90	22.10	38.5	PASS
Band7	10MHz	16QAM	21400	1RB#49	20.76	21.96	38.5	PASS
Band7	10MHz	16QAM	21400	25RB#0	20.19	21.39	38.5	PASS
Band7	10MHz	16QAM	21400	25RB#12	20.20	21.40	38.5	PASS
Band7	10MHz	16QAM	21400	25RB#24	20.19	21.39	38.5	PASS
Band7	10MHz	16QAM	21400	50RB#0	20.17	21.37	38.5	PASS
Band7	15MHz	QPSK	20825	1RB#0	21.63	22.83	38.5	PASS
Band7	15MHz	QPSK	20825	1RB#37	21.70	22.90	38.5	PASS
Band7	15MHz	QPSK	20825	1RB#74	21.61	22.81	38.5	PASS
Band7	15MHz	QPSK	20825	36RB#0	20.65	21.85	38.5	PASS
Band7	15MHz	QPSK	20825	36RB#16	20.63	21.83	38.5	PASS

Band7	15MHz	QPSK	20825	36RB#35	20.65	21.85	38.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	20.66	21.86	38.5	PASS
Band7	15MHz	QPSK	21100	1RB#0	21.67	22.87	38.5	PASS
Band7	15MHz	QPSK	21100	1RB#37	21.86	23.06	38.5	PASS
Band7	15MHz	QPSK	21100	1RB#74	21.84	23.04	38.5	PASS
Band7	15MHz	QPSK	21100	36RB#0	20.81	22.01	38.5	PASS
Band7	15MHz	QPSK	21100	36RB#16	20.80	22.00	38.5	PASS
Band7	15MHz	QPSK	21100	36RB#35	20.81	22.01	38.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	20.85	22.05	38.5	PASS
Band7	15MHz	QPSK	21375	1RB#0	21.73	22.93	38.5	PASS
Band7	15MHz	QPSK	21375	1RB#37	22.00	23.20	38.5	PASS
Band7	15MHz	QPSK	21375	1RB#74	21.92	23.12	38.5	PASS
Band7	15MHz	QPSK	21375	36RB#0	21.07	22.27	38.5	PASS
Band7	15MHz	QPSK	21375	36RB#16	21.07	22.27	38.5	PASS
Band7	15MHz	QPSK	21375	36RB#35	21.06	22.26	38.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	21.10	22.30	38.5	PASS
Band7	15MHz	16QAM	20825	1RB#0	20.75	21.95	38.5	PASS
Band7	15MHz	16QAM	20825	1RB#37	20.82	22.02	38.5	PASS
Band7	15MHz	16QAM	20825	1RB#74	20.74	21.94	38.5	PASS
Band7	15MHz	16QAM	20825	36RB#0	19.66	20.86	38.5	PASS
Band7	15MHz	16QAM	20825	36RB#16	19.66	20.86	38.5	PASS
Band7	15MHz	16QAM	20825	36RB#35	19.65	20.85	38.5	PASS
Band7	15MHz	16QAM	20825	75RB#0	19.63	20.83	38.5	PASS
Band7	15MHz	16QAM	21100	1RB#0	20.96	22.16	38.5	PASS
Band7	15MHz	16QAM	21100	1RB#37	21.16	22.36	38.5	PASS
Band7	15MHz	16QAM	21100	1RB#74	21.14	22.34	38.5	PASS
Band7	15MHz	16QAM	21100	36RB#0	19.94	21.14	38.5	PASS
Band7	15MHz	16QAM	21100	36RB#16	19.90	21.10	38.5	PASS
Band7	15MHz	16QAM	21100	36RB#35	19.90	21.10	38.5	PASS
Band7	15MHz	16QAM	21100	75RB#0	19.88	21.08	38.5	PASS
Band7	15MHz	16QAM	21375	1RB#0	20.78	21.98	38.5	PASS
Band7	15MHz	16QAM	21375	1RB#37	21.10	22.30	38.5	PASS
Band7	15MHz	16QAM	21375	1RB#74	20.95	22.15	38.5	PASS
Band7	15MHz	16QAM	21375	36RB#0	20.12	21.32	38.5	PASS
Band7	15MHz	16QAM	21375	36RB#16	20.12	21.32	38.5	PASS
Band7	15MHz	16QAM	21375	36RB#35	20.15	21.35	38.5	PASS
Band7	15MHz	16QAM	21375	75RB#0	20.10	21.30	38.5	PASS
Band7	20MHz	QPSK	20850	1RB#0	21.61	22.81	38.5	PASS
Band7	20MHz	QPSK	20850	1RB#49	21.66	22.86	38.5	PASS
Band7	20MHz	QPSK	20850	1RB#99	21.66	22.86	38.5	PASS
Band7	20MHz	QPSK	20850	50RB#0	20.72	21.92	38.5	PASS
Band7	20MHz	QPSK	20850	50RB#24	20.71	21.91	38.5	PASS
Band7	20MHz	QPSK	20850	50RB#49	20.72	21.92	38.5	PASS



Band7	20MHz	QPSK	20850	100RB#0	20.65	21.85	38.5	PASS
Band7	20MHz	QPSK	21100	1RB#0	21.60	22.80	38.5	PASS
Band7	20MHz	QPSK	21100	1RB#49	21.92	23.12	38.5	PASS
Band7	20MHz	QPSK	21100	1RB#99	21.84	23.04	38.5	PASS
Band7	20MHz	QPSK	21100	50RB#0	20.80	22.00	38.5	PASS
Band7	20MHz	QPSK	21100	50RB#24	20.87	22.07	38.5	PASS
Band7	20MHz	QPSK	21100	50RB#49	20.78	21.98	38.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	20.90	22.10	38.5	PASS
Band7	20MHz	QPSK	21350	1RB#0	21.57	22.77	38.5	PASS
Band7	20MHz	QPSK	21350	1RB#49	21.82	23.02	38.5	PASS
Band7	20MHz	QPSK	21350	1RB#99	21.82	23.02	38.5	PASS
Band7	20MHz	QPSK	21350	50RB#0	21.16	22.36	38.5	PASS
Band7	20MHz	QPSK	21350	50RB#24	21.14	22.34	38.5	PASS
Band7	20MHz	QPSK	21350	50RB#49	21.15	22.35	38.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	21.08	22.28	38.5	PASS
Band7	20MHz	16QAM	20850	1RB#0	20.58	21.78	38.5	PASS
Band7	20MHz	16QAM	20850	1RB#49	20.62	21.82	38.5	PASS
Band7	20MHz	16QAM	20850	1RB#99	20.61	21.81	38.5	PASS
Band7	20MHz	16QAM	20850	50RB#0	19.68	20.88	38.5	PASS
Band7	20MHz	16QAM	20850	50RB#24	19.71	20.91	38.5	PASS
Band7	20MHz	16QAM	20850	50RB#49	19.68	20.88	38.5	PASS
Band7	20MHz	16QAM	20850	100RB#0	19.66	20.86	38.5	PASS
Band7	20MHz	16QAM	21100	1RB#0	20.97	22.17	38.5	PASS
Band7	20MHz	16QAM	21100	1RB#49	21.24	22.44	38.5	PASS
Band7	20MHz	16QAM	21100	1RB#99	21.18	22.38	38.5	PASS
Band7	20MHz	16QAM	21100	50RB#0	19.81	21.01	38.5	PASS
Band7	20MHz	16QAM	21100	50RB#24	19.82	21.02	38.5	PASS
Band7	20MHz	16QAM	21100	50RB#49	19.82	21.02	38.5	PASS
Band7	20MHz	16QAM	21100	100RB#0	19.92	21.12	38.5	PASS
Band7	20MHz	16QAM	21350	1RB#0	20.92	22.12	38.5	PASS
Band7	20MHz	16QAM	21350	1RB#49	21.13	22.33	38.5	PASS
Band7	20MHz	16QAM	21350	1RB#99	21.14	22.34	38.5	PASS
Band7	20MHz	16QAM	21350	50RB#0	20.21	21.41	38.5	PASS
Band7	20MHz	16QAM	21350	50RB#24	20.20	21.40	38.5	PASS
Band7	20MHz	16QAM	21350	50RB#49	20.16	21.36	38.5	PASS
Band7	20MHz	16QAM	21350	100RB#0	20.11	21.31	38.5	PASS
Band41	5MHz	QPSK	40065	1RB#0	24.42	25.62	33	PASS
Band41	5MHz	QPSK	40065	1RB#12	24.41	25.61	33	PASS
Band41	5MHz	QPSK	40065	1RB#24	24.47	25.67	33	PASS
Band41	5MHz	QPSK	40065	12RB#0	24.37	25.57	33	PASS
Band41	5MHz	QPSK	40065	12RB#6	24.38	25.58	33	PASS
Band41	5MHz	QPSK	40065	12RB#11	24.38	25.58	33	PASS
Band41	5MHz	QPSK	40065	25RB#0	24.33	25.53	33	PASS

Band41	5MHz	QPSK	40640	1RB#0	24.31	25.51	33	PASS
Band41	5MHz	QPSK	40640	1RB#12	24.29	25.49	33	PASS
Band41	5MHz	QPSK	40640	1RB#24	24.31	25.51	33	PASS
Band41	5MHz	QPSK	40640	12RB#0	24.17	25.37	33	PASS
Band41	5MHz	QPSK	40640	12RB#6	24.17	25.37	33	PASS
Band41	5MHz	QPSK	40640	12RB#11	24.16	25.36	33	PASS
Band41	5MHz	QPSK	40640	25RB#0	24.13	25.33	33	PASS
Band41	5MHz	QPSK	41215	1RB#0	24.24	25.44	33	PASS
Band41	5MHz	QPSK	41215	1RB#12	24.23	25.43	33	PASS
Band41	5MHz	QPSK	41215	1RB#24	24.33	25.53	33	PASS
Band41	5MHz	QPSK	41215	12RB#0	24.27	25.47	33	PASS
Band41	5MHz	QPSK	41215	12RB#6	24.28	25.48	33	PASS
Band41	5MHz	QPSK	41215	12RB#11	24.26	25.46	33	PASS
Band41	5MHz	QPSK	41215	25RB#0	24.27	25.47	33	PASS
Band41	5MHz	16QAM	40065	1RB#0	24.70	25.90	33	PASS
Band41	5MHz	16QAM	40065	1RB#12	24.68	25.88	33	PASS
Band41	5MHz	16QAM	40065	1RB#24	24.71	25.91	33	PASS
Band41	5MHz	16QAM	40065	12RB#0	24.39	25.59	33	PASS
Band41	5MHz	16QAM	40065	12RB#6	24.38	25.58	33	PASS
Band41	5MHz	16QAM	40065	12RB#11	24.37	25.57	33	PASS
Band41	5MHz	16QAM	40065	25RB#0	24.34	25.54	33	PASS
Band41	5MHz	16QAM	40640	1RB#0	24.53	25.73	33	PASS
Band41	5MHz	16QAM	40640	1RB#12	24.51	25.71	33	PASS
Band41	5MHz	16QAM	40640	1RB#24	24.48	25.68	33	PASS
Band41	5MHz	16QAM	40640	12RB#0	24.19	25.39	33	PASS
Band41	5MHz	16QAM	40640	12RB#6	24.19	25.39	33	PASS
Band41	5MHz	16QAM	40640	12RB#11	24.19	25.39	33	PASS
Band41	5MHz	16QAM	40640	25RB#0	24.15	25.35	33	PASS
Band41	5MHz	16QAM	41215	1RB#0	24.46	25.66	33	PASS
Band41	5MHz	16QAM	41215	1RB#12	24.45	25.65	33	PASS
Band41	5MHz	16QAM	41215	1RB#24	24.49	25.69	33	PASS
Band41	5MHz	16QAM	41215	12RB#0	24.25	25.45	33	PASS
Band41	5MHz	16QAM	41215	12RB#6	24.26	25.46	33	PASS
Band41	5MHz	16QAM	41215	12RB#11	24.27	25.47	33	PASS
Band41	5MHz	16QAM	41215	25RB#0	24.28	25.48	33	PASS
Band41	10MHz	QPSK	40090	1RB#0	24.35	25.55	33	PASS
Band41	10MHz	QPSK	40090	1RB#24	24.40	25.60	33	PASS
Band41	10MHz	QPSK	40090	1RB#49	24.36	25.56	33	PASS
Band41	10MHz	QPSK	40090	25RB#0	24.40	25.60	33	PASS
Band41	10MHz	QPSK	40090	25RB#12	24.36	25.56	33	PASS
Band41	10MHz	QPSK	40090	25RB#24	24.38	25.58	33	PASS
Band41	10MHz	QPSK	40090	50RB#0	24.41	25.61	33	PASS
Band41	10MHz	QPSK	40640	1RB#0	24.20	25.40	33	PASS

Band41	10MHz	QPSK	40640	1RB#24	24.28	25.48	33	PASS
Band41	10MHz	QPSK	40640	1RB#49	24.17	25.37	33	PASS
Band41	10MHz	QPSK	40640	25RB#0	24.22	25.42	33	PASS
Band41	10MHz	QPSK	40640	25RB#12	24.22	25.42	33	PASS
Band41	10MHz	QPSK	40640	25RB#24	24.22	25.42	33	PASS
Band41	10MHz	QPSK	40640	50RB#0	24.24	25.44	33	PASS
Band41	10MHz	QPSK	41190	1RB#0	24.25	25.45	33	PASS
Band41	10MHz	QPSK	41190	1RB#24	24.29	25.49	33	PASS
Band41	10MHz	QPSK	41190	1RB#49	24.29	25.49	33	PASS
Band41	10MHz	QPSK	41190	25RB#0	24.21	25.41	33	PASS
Band41	10MHz	QPSK	41190	25RB#12	24.21	25.41	33	PASS
Band41	10MHz	QPSK	41190	25RB#24	24.24	25.44	33	PASS
Band41	10MHz	QPSK	41190	50RB#0	24.31	25.51	33	PASS
Band41	10MHz	16QAM	40090	1RB#0	24.74	25.94	33	PASS
Band41	10MHz	16QAM	40090	1RB#24	24.77	25.97	33	PASS
Band41	10MHz	16QAM	40090	1RB#49	24.77	25.97	33	PASS
Band41	10MHz	16QAM	40090	25RB#0	24.49	25.69	33	PASS
Band41	10MHz	16QAM	40090	25RB#12	24.49	25.69	33	PASS
Band41	10MHz	16QAM	40090	25RB#24	24.49	25.69	33	PASS
Band41	10MHz	16QAM	40090	50RB#0	24.39	25.59	33	PASS
Band41	10MHz	16QAM	40640	1RB#0	24.63	25.83	33	PASS
Band41	10MHz	16QAM	40640	1RB#24	24.64	25.84	33	PASS
Band41	10MHz	16QAM	40640	1RB#49	24.57	25.77	33	PASS
Band41	10MHz	16QAM	40640	25RB#0	24.34	25.54	33	PASS
Band41	10MHz	16QAM	40640	25RB#12	24.35	25.55	33	PASS
Band41	10MHz	16QAM	40640	25RB#24	24.38	25.58	33	PASS
Band41	10MHz	16QAM	40640	50RB#0	24.23	25.43	33	PASS
Band41	10MHz	16QAM	41190	1RB#0	24.17	25.37	33	PASS
Band41	10MHz	16QAM	41190	1RB#24	24.20	25.40	33	PASS
Band41	10MHz	16QAM	41190	1RB#49	24.23	25.43	33	PASS
Band41	10MHz	16QAM	41190	25RB#0	24.26	25.46	33	PASS
Band41	10MHz	16QAM	41190	25RB#12	24.25	25.45	33	PASS
Band41	10MHz	16QAM	41190	25RB#24	24.24	25.44	33	PASS
Band41	10MHz	16QAM	41190	50RB#0	24.29	25.49	33	PASS
Band41	15MHz	QPSK	40115	1RB#0	24.29	25.49	33	PASS
Band41	15MHz	QPSK	40115	1RB#37	24.35	25.55	33	PASS
Band41	15MHz	QPSK	40115	1RB#74	24.27	25.47	33	PASS
Band41	15MHz	QPSK	40115	36RB#0	24.33	25.53	33	PASS
Band41	15MHz	QPSK	40115	36RB#16	24.35	25.55	33	PASS
Band41	15MHz	QPSK	40115	36RB#35	24.33	25.53	33	PASS
Band41	15MHz	QPSK	40115	75RB#0	24.38	25.58	33	PASS
Band41	15MHz	QPSK	40640	1RB#0	24.14	25.34	33	PASS
Band41	15MHz	QPSK	40640	1RB#37	24.21	25.41	33	PASS

Band41	15MHz	QPSK	40640	1RB#74	24.09	25.29	33	PASS
Band41	15MHz	QPSK	40640	36RB#0	24.20	25.40	33	PASS
Band41	15MHz	QPSK	40640	36RB#16	24.20	25.40	33	PASS
Band41	15MHz	QPSK	40640	36RB#35	24.19	25.39	33	PASS
Band41	15MHz	QPSK	40640	75RB#0	24.18	25.38	33	PASS
Band41	15MHz	QPSK	41165	1RB#0	24.16	25.36	33	PASS
Band41	15MHz	QPSK	41165	1RB#37	24.29	25.49	33	PASS
Band41	15MHz	QPSK	41165	1RB#74	24.29	25.49	33	PASS
Band41	15MHz	QPSK	41165	36RB#0	24.14	25.34	33	PASS
Band41	15MHz	QPSK	41165	36RB#16	24.14	25.34	33	PASS
Band41	15MHz	QPSK	41165	36RB#35	24.14	25.34	33	PASS
Band41	15MHz	QPSK	41165	75RB#0	24.20	25.40	33	PASS
Band41	15MHz	16QAM	40115	1RB#0	24.69	25.89	33	PASS
Band41	15MHz	16QAM	40115	1RB#37	24.76	25.96	33	PASS
Band41	15MHz	16QAM	40115	1RB#74	24.70	25.90	33	PASS
Band41	15MHz	16QAM	40115	36RB#0	24.38	25.58	33	PASS
Band41	15MHz	16QAM	40115	36RB#16	24.38	25.58	33	PASS
Band41	15MHz	16QAM	40115	36RB#35	24.36	25.56	33	PASS
Band41	15MHz	16QAM	40115	75RB#0	24.40	25.60	33	PASS
Band41	15MHz	16QAM	40640	1RB#0	24.56	25.76	33	PASS
Band41	15MHz	16QAM	40640	1RB#37	24.63	25.83	33	PASS
Band41	15MHz	16QAM	40640	1RB#74	24.52	25.72	33	PASS
Band41	15MHz	16QAM	40640	36RB#0	24.24	25.44	33	PASS
Band41	15MHz	16QAM	40640	36RB#16	24.21	25.41	33	PASS
Band41	15MHz	16QAM	40640	36RB#35	24.21	25.41	33	PASS
Band41	15MHz	16QAM	40640	75RB#0	24.26	25.46	33	PASS
Band41	15MHz	16QAM	41165	1RB#0	24.16	25.36	33	PASS
Band41	15MHz	16QAM	41165	1RB#37	24.31	25.51	33	PASS
Band41	15MHz	16QAM	41165	1RB#74	24.30	25.50	33	PASS
Band41	15MHz	16QAM	41165	36RB#0	24.15	25.35	33	PASS
Band41	15MHz	16QAM	41165	36RB#16	24.18	25.38	33	PASS
Band41	15MHz	16QAM	41165	36RB#35	24.14	25.34	33	PASS
Band41	15MHz	16QAM	41165	75RB#0	24.21	25.41	33	PASS
Band41	20MHz	QPSK	40140	1RB#0	24.24	25.44	33	PASS
Band41	20MHz	QPSK	40140	1RB#49	24.36	25.56	33	PASS
Band41	20MHz	QPSK	40140	1RB#99	24.26	25.46	33	PASS
Band41	20MHz	QPSK	40140	50RB#0	24.38	25.58	33	PASS
Band41	20MHz	QPSK	40140	50RB#24	24.39	25.59	33	PASS
Band41	20MHz	QPSK	40140	50RB#49	24.39	25.59	33	PASS
Band41	20MHz	QPSK	40140	100RB#0	24.40	25.60	33	PASS
Band41	20MHz	QPSK	40640	1RB#0	24.14	25.34	33	PASS
Band41	20MHz	QPSK	40640	1RB#49	24.25	25.45	33	PASS
Band41	20MHz	QPSK	40640	1RB#99	24.08	25.28	33	PASS

Band41	20MHz	QPSK	40640	50RB#0	24.26	25.46	33	PASS
Band41	20MHz	QPSK	40640	50RB#24	24.26	25.46	33	PASS
Band41	20MHz	QPSK	40640	50RB#49	24.22	25.42	33	PASS
Band41	20MHz	QPSK	40640	100RB#0	24.24	25.44	33	PASS
Band41	20MHz	QPSK	41140	1RB#0	24.05	25.25	33	PASS
Band41	20MHz	QPSK	41140	1RB#49	24.24	25.44	33	PASS
Band41	20MHz	QPSK	41140	1RB#99	24.26	25.46	33	PASS
Band41	20MHz	QPSK	41140	50RB#0	24.18	25.38	33	PASS
Band41	20MHz	QPSK	41140	50RB#24	24.20	25.40	33	PASS
Band41	20MHz	QPSK	41140	50RB#49	24.17	25.37	33	PASS
Band41	20MHz	QPSK	41140	100RB#0	24.19	25.39	33	PASS
Band41	20MHz	16QAM	40140	1RB#0	24.43	25.63	33	PASS
Band41	20MHz	16QAM	40140	1RB#49	24.53	25.73	33	PASS
Band41	20MHz	16QAM	40140	1RB#99	24.48	25.68	33	PASS
Band41	20MHz	16QAM	40140	50RB#0	24.40	25.60	33	PASS
Band41	20MHz	16QAM	40140	50RB#24	24.39	25.59	33	PASS
Band41	20MHz	16QAM	40140	50RB#49	24.42	25.62	33	PASS
Band41	20MHz	16QAM	40140	100RB#0	24.40	25.60	33	PASS
Band41	20MHz	16QAM	40640	1RB#0	24.35	25.55	33	PASS
Band41	20MHz	16QAM	40640	1RB#49	24.43	25.63	33	PASS
Band41	20MHz	16QAM	40640	1RB#99	24.28	25.48	33	PASS
Band41	20MHz	16QAM	40640	50RB#0	24.22	25.42	33	PASS
Band41	20MHz	16QAM	40640	50RB#24	24.23	25.43	33	PASS
Band41	20MHz	16QAM	40640	50RB#49	24.23	25.43	33	PASS
Band41	20MHz	16QAM	40640	100RB#0	24.23	25.43	33	PASS
Band41	20MHz	16QAM	41140	1RB#0	23.67	24.87	33	PASS
Band41	20MHz	16QAM	41140	1RB#49	23.90	25.10	33	PASS
Band41	20MHz	16QAM	41140	1RB#99	23.95	25.15	33	PASS
Band41	20MHz	16QAM	41140	50RB#0	24.23	25.43	33	PASS
Band41	20MHz	16QAM	41140	50RB#24	24.24	25.44	33	PASS
Band41	20MHz	16QAM	41140	50RB#49	24.22	25.42	33	PASS
Band41	20MHz	16QAM	41140	100RB#0	24.19	25.39	33	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	25.62	23.62	38.5	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	25.61	23.61	38.5	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	25.67	23.67	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	25.57	23.57	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	25.58	23.58	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	25.58	23.58	38.5	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	25.53	23.53	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	25.51	23.51	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	25.49	23.49	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	25.51	23.51	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	25.37	23.37	38.5	PASS



Band66	1.4MHz	QPSK	132322	3RB#1	25.37	23.37	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	25.36	23.36	38.5	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	25.33	23.33	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	25.44	23.44	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	25.43	23.43	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	25.53	23.53	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	25.47	23.47	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	25.48	23.48	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	25.46	23.46	38.5	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	25.47	23.47	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	25.90	23.90	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	25.88	23.88	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	25.91	23.91	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	25.59	23.59	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	25.58	23.58	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	25.57	23.57	38.5	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	25.54	23.54	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	25.73	23.73	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	25.71	23.71	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	25.68	23.68	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	25.39	23.39	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	25.39	23.39	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	25.39	23.39	38.5	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	25.35	23.35	38.5	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	25.66	23.66	38.5	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	25.65	23.65	38.5	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	25.69	23.69	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	25.45	23.45	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	25.46	23.46	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	25.47	23.47	38.5	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	25.48	23.48	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#0	25.55	23.55	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#7	25.60	23.60	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#14	25.56	23.56	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#0	25.60	23.60	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#4	25.56	23.56	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#7	25.58	23.58	38.5	PASS
Band66	3MHz	QPSK	131987	15RB#0	25.61	23.61	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#0	25.40	23.40	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#7	25.48	23.48	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#14	25.37	23.37	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#0	25.42	23.42	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#4	25.42	23.42	38.5	PASS

Band66	3MHz	QPSK	132322	8RB#7	25.42	23.42	38.5	PASS
Band66	3MHz	QPSK	132322	15RB#0	25.44	23.44	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#0	25.45	23.45	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#7	25.49	23.49	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#14	25.49	23.49	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#0	25.41	23.41	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#4	25.41	23.41	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#7	25.44	23.44	38.5	PASS
Band66	3MHz	QPSK	132657	15RB#0	25.51	23.51	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#0	25.94	23.94	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#7	25.97	23.97	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#14	25.97	23.97	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#0	25.69	23.69	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#4	25.69	23.69	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#7	25.69	23.69	38.5	PASS
Band66	3MHz	16QAM	131987	15RB#0	25.59	23.59	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#0	25.83	23.83	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#7	25.84	23.84	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#14	25.77	23.77	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#0	25.54	23.54	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#4	25.55	23.55	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#7	25.58	23.58	38.5	PASS
Band66	3MHz	16QAM	132322	15RB#0	25.43	23.43	38.5	PASS
Band66	3MHz	16QAM	132657	1RB#0	25.37	23.37	38.5	PASS
Band66	3MHz	16QAM	132657	1RB#7	25.40	23.40	38.5	PASS
Band66	3MHz	16QAM	132657	1RB#14	25.43	23.43	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#0	25.46	23.46	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#4	25.45	23.45	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#7	25.44	23.44	38.5	PASS
Band66	3MHz	16QAM	132657	15RB#0	25.49	23.49	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#0	25.49	23.49	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#12	25.55	23.55	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#24	25.47	23.47	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#0	25.53	23.53	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#6	25.55	23.55	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#11	25.53	23.53	38.5	PASS
Band66	5MHz	QPSK	131997	25RB#0	25.58	23.58	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#0	25.34	23.34	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#12	25.41	23.41	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#24	25.29	23.29	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#0	25.40	23.40	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#6	25.40	23.40	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#11	25.39	23.39	38.5	PASS

Band66	5MHz	QPSK	132322	25RB#0	25.38	23.38	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#0	25.36	23.36	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#12	25.49	23.49	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#24	25.49	23.49	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#0	25.34	23.34	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#6	25.34	23.34	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#11	25.34	23.34	38.5	PASS
Band66	5MHz	QPSK	132647	25RB#0	25.40	23.40	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#0	25.89	23.89	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#12	25.96	23.96	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#24	25.90	23.90	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#0	25.58	23.58	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#6	25.58	23.58	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#11	25.56	23.56	38.5	PASS
Band66	5MHz	16QAM	131997	25RB#0	25.60	23.60	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#0	25.76	23.76	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#12	25.83	23.83	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#24	25.72	23.72	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#0	25.44	23.44	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#6	25.41	23.41	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#11	25.41	23.41	38.5	PASS
Band66	5MHz	16QAM	132322	25RB#0	25.46	23.46	38.5	PASS
Band66	5MHz	16QAM	132647	1RB#0	25.36	23.36	38.5	PASS
Band66	5MHz	16QAM	132647	1RB#12	25.51	23.51	38.5	PASS
Band66	5MHz	16QAM	132647	1RB#24	25.50	23.50	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#0	25.35	23.35	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#6	25.38	23.38	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#11	25.34	23.34	38.5	PASS
Band66	5MHz	16QAM	132647	25RB#0	25.41	23.41	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#0	25.44	23.44	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#24	25.56	23.56	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#49	25.46	23.46	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#0	25.58	23.58	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#12	25.59	23.59	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#24	25.59	23.59	38.5	PASS
Band66	10MHz	QPSK	132022	50RB#0	25.60	23.60	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#0	25.34	23.34	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#24	25.45	23.45	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#49	25.28	23.28	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#0	25.46	23.46	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#12	25.46	23.46	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#24	25.42	23.42	38.5	PASS
Band66	10MHz	QPSK	132322	50RB#0	25.44	23.44	38.5	PASS

Band66	10MHz	QPSK	132622	1RB#0	25.25	23.25	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#24	25.44	23.44	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#49	25.46	23.46	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#0	25.38	23.38	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#12	25.40	23.40	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#24	25.37	23.37	38.5	PASS
Band66	10MHz	QPSK	132622	50RB#0	25.39	23.39	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#0	25.63	23.63	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#24	25.73	23.73	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#49	25.68	23.68	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#0	25.60	23.60	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#12	25.59	23.59	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#24	25.62	23.62	38.5	PASS
Band66	10MHz	16QAM	132022	50RB#0	25.60	23.60	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#0	25.55	23.55	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#24	25.63	23.63	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#49	25.48	23.48	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#0	25.42	23.42	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#12	25.43	23.43	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#24	25.43	23.43	38.5	PASS
Band66	10MHz	16QAM	132322	50RB#0	25.43	23.43	38.5	PASS
Band66	10MHz	16QAM	132622	1RB#0	24.87	22.87	38.5	PASS
Band66	10MHz	16QAM	132622	1RB#24	25.10	23.10	38.5	PASS
Band66	10MHz	16QAM	132622	1RB#49	25.15	23.15	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#0	25.43	23.43	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#12	25.44	23.44	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#24	25.42	23.42	38.5	PASS
Band66	10MHz	16QAM	132622	50RB#0	25.39	23.39	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#0	25.62	23.62	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#37	25.61	23.61	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#74	25.67	23.67	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#0	25.57	23.57	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#16	25.58	23.58	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#35	25.58	23.58	38.5	PASS
Band66	15MHz	QPSK	132047	75RB#0	25.53	23.53	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#0	25.51	23.51	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#37	25.49	23.49	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#74	25.51	23.51	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#0	25.37	23.37	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#16	25.37	23.37	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#35	25.36	23.36	38.5	PASS
Band66	15MHz	QPSK	132322	75RB#0	25.33	23.33	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#0	25.44	23.44	38.5	PASS

Band66	15MHz	QPSK	132597	1RB#37	25.43	23.43	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#74	25.53	23.53	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#0	25.47	23.47	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#16	25.48	23.48	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#35	25.46	23.46	38.5	PASS
Band66	15MHz	QPSK	132597	75RB#0	25.47	23.47	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#0	25.90	23.90	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#37	25.88	23.88	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#74	25.91	23.91	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#0	25.59	23.59	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#16	25.58	23.58	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#35	25.57	23.57	38.5	PASS
Band66	15MHz	16QAM	132047	75RB#0	25.54	23.54	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#0	25.73	23.73	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#37	25.71	23.71	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#74	25.68	23.68	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#0	25.39	23.39	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#16	25.39	23.39	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#35	25.39	23.39	38.5	PASS
Band66	15MHz	16QAM	132322	75RB#0	25.35	23.35	38.5	PASS
Band66	15MHz	16QAM	132597	1RB#0	25.66	23.66	38.5	PASS
Band66	15MHz	16QAM	132597	1RB#37	25.65	23.65	38.5	PASS
Band66	15MHz	16QAM	132597	1RB#74	25.69	23.69	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#0	25.45	23.45	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#16	25.46	23.46	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#35	25.47	23.47	38.5	PASS
Band66	15MHz	16QAM	132597	75RB#0	25.48	23.48	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#0	25.55	23.55	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#49	25.60	23.60	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#99	25.56	23.56	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#0	25.60	23.60	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#24	25.56	23.56	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#49	25.58	23.58	38.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	25.61	23.61	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#0	25.40	23.40	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#49	25.48	23.48	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#99	25.37	23.37	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#0	25.42	23.42	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#24	25.42	23.42	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#49	25.42	23.42	38.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	25.44	23.44	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#0	25.45	23.45	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#49	25.49	23.49	38.5	PASS



Band66	20MHz	QPSK	132572	1RB#99	25.49	23.49	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#0	25.41	23.41	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#24	25.41	23.41	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#49	25.44	23.44	38.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	25.51	23.51	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#0	25.94	23.94	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#49	25.97	23.97	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#99	25.97	23.97	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#0	25.69	23.69	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#24	25.69	23.69	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#49	25.69	23.69	38.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	25.59	23.59	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#0	25.83	23.83	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#49	25.84	23.84	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#99	25.77	23.77	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#0	25.54	23.54	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#24	25.55	23.55	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#49	25.58	23.58	38.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	25.43	23.43	38.5	PASS
Band66	20MHz	16QAM	132572	1RB#0	25.37	23.37	38.5	PASS
Band66	20MHz	16QAM	132572	1RB#49	25.40	23.40	38.5	PASS
Band66	20MHz	16QAM	132572	1RB#99	25.43	23.43	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#0	25.46	23.46	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#24	25.45	23.45	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#49	25.44	23.44	38.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	25.49	23.49	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 7 & 41 & 66)

ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 5)


## Appendix B: Peak-to-Average Ratio(CCDF)

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	5.17	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.06	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.37	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.14	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	4.70	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	5.51	13	PASS
Band41	20MHz	QPSK	40640	100RB#0	5.40	13	PASS
Band41	20MHz	16QAM	40640	100RB#0	5.85	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	4.99	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	5.82	13	PASS

*Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.*


Test Graphs





Band66-20MHz-QPSK-132322-100RB#0

Band66-20MHz-16QAM-132322-100RB#0



## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0959	1.324	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0937	1.285	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.1014	1.290	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1017	1.310	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.0986	1.301	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.0981	1.293	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.6937	2.918	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.6928	2.900	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.6992	2.931	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.6951	2.945	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.6886	2.901	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.6872	2.932	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5113	4.995	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5062	4.971	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.4923	4.962	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5017	4.998	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.4912	4.934	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5090	4.997	PASS
Band2	10MHz	QPSK	18650	50RB#0	9.0243	10.13	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.9989	9.881	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.9755	9.783	PASS
Band2	10MHz	16QAM	18650	50RB#0	9.0031	9.816	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.9911	9.780	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.9676	9.852	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.532	14.83	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.448	14.77	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.449	14.74	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.519	14.81	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.469	14.61	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.456	14.71	PASS
Band2	20MHz	QPSK	18700	100RB#0	18.030	19.59	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.905	19.19	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.972	19.61	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.054	19.49	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.973	19.37	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.949	19.43	PASS






Band5	1.4MHz	QPSK	20407	6RB#0	1.0891	1.286	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.0927	1.285	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.0968	1.282	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.0975	1.308	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.0967	1.299	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.0970	1.289	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.6923	2.912	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.6973	2.920	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.6960	2.927	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.6836	2.927	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.6877	2.947	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.6864	2.925	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5037	4.960	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5118	4.978	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.4900	4.940	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.4857	4.939	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.4921	4.950	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.4994	4.977	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.9810	9.889	PASS
Band5	10MHz	QPSK	20525	50RB#0	8.9887	9.869	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.9809	9.790	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.9822	9.797	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.9857	9.794	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.9633	9.783	PASS
Band7	5MHz	QPSK	20775	25RB#0	4.5369	6.351	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.4955	4.979	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5133	5.397	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5167	5.026	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5113	5.002	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5317	5.025	PASS
Band7	10MHz	QPSK	20800	50RB#0	9.0427	12.85	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.9861	9.835	PASS
Band7	10MHz	QPSK	21400	50RB#0	9.0017	10.84	PASS
Band7	10MHz	16QAM	20800	50RB#0	9.0141	11.35	PASS
Band7	10MHz	16QAM	21100	50RB#0	8.9864	9.854	PASS
Band7	10MHz	16QAM	21400	50RB#0	9.0241	10.07	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.573	19.89	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.467	14.78	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.511	16.13	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.552	18.87	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.494	14.70	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.506	15.33	PASS
Band7	20MHz	QPSK	20850	100RB#0	18.022	23.39	PASS

Band7	20MHz	QPSK	21100	100RB#0	17.993	19.59	PASS
Band7	20MHz	QPSK	21350	100RB#0	18.018	24.64	PASS
Band7	20MHz	16QAM	20850	100RB#0	18.026	22.19	PASS
Band7	20MHz	16QAM	21100	100RB#0	17.982	19.46	PASS
Band7	20MHz	16QAM	21350	100RB#0	18.039	24.73	PASS
Band41	5MHz	QPSK	40065	25RB#0	4.4970	5.047	PASS
Band41	5MHz	QPSK	40640	25RB#0	4.4983	5.187	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.4967	5.030	PASS
Band41	5MHz	16QAM	40065	25RB#0	4.5002	5.016	PASS
Band41	5MHz	16QAM	40640	25RB#0	4.5014	4.982	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.4956	4.991	PASS
Band41	10MHz	QPSK	40090	50RB#0	9.0017	10.19	PASS
Band41	10MHz	QPSK	40640	50RB#0	8.9920	10.27	PASS
Band41	10MHz	QPSK	41190	50RB#0	8.9768	10.20	PASS
Band41	10MHz	16QAM	40090	50RB#0	8.9618	9.703	PASS
Band41	10MHz	16QAM	40640	50RB#0	8.9869	9.729	PASS
Band41	10MHz	16QAM	41190	50RB#0	8.9869	9.767	PASS
Band41	15MHz	QPSK	40115	75RB#0	13.514	15.55	PASS
Band41	15MHz	QPSK	40640	75RB#0	13.493	15.64	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.483	15.64	PASS
Band41	15MHz	16QAM	40115	75RB#0	13.497	15.43	PASS
Band41	15MHz	16QAM	40640	75RB#0	13.487	15.83	PASS
Band41	15MHz	16QAM	41165	75RB#0	13.484	15.65	PASS
Band41	20MHz	QPSK	40140	100RB#0	17.991	19.50	PASS
Band41	20MHz	QPSK	40640	100RB#0	17.953	19.27	PASS
Band41	20MHz	QPSK	41140	100RB#0	17.975	19.36	PASS
Band41	20MHz	16QAM	40140	100RB#0	17.960	20.41	PASS
Band41	20MHz	16QAM	40640	100RB#0	17.960	20.04	PASS
Band41	20MHz	16QAM	41140	100RB#0	17.965	20.38	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.0961	1.307	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0920	1.285	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0975	1.292	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.1000	1.312	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.0992	1.311	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.0967	1.307	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.6948	2.942	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.6871	2.907	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.6973	2.930	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.6921	2.919	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6897	2.932	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.6879	2.943	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5133	4.970	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5070	4.979	PASS


Band66	5MHz	QPSK	132647	25RB#0	4.4954	4.988	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.4904	4.956	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.4911	4.947	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5136	5.001	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.9965	9.865	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9878	9.859	PASS
Band66	10MHz	QPSK	132622	50RB#0	8.9853	9.789	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9870	9.782	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9821	9.766	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.9860	9.871	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.515	14.68	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.477	14.77	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.498	14.81	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.472	14.68	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.499	14.72	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.492	14.67	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.962	19.28	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.926	19.36	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.967	19.59	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.977	19.42	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.945	19.44	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.951	19.48	PASS

Test Graphs









Band2-5MHz-QPSK-19175-25RB#0

Band2-5MHz-16QAM-18625-25RB#0






Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-25RB#0






Band2-10MHz-QPSK-18650-50RB#0

Band2-10MHz-QPSK-18900-50RB#0




















Band5-5MHz-QPSK-20625-25RB#0


Band5-5MHz-16QAM-20425-25RB#0




Band5-5MHz-16QAM-20525-25RB#0



Band5-5MHz-16QAM-20625-25RB#0



Band5-10MHz-QPSK-20450-50RB#0



Band5-10MHz-QPSK-20525-50RB#0