

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	ERP (dBm)	high Limit (dBm)	Verdict
n5	15	5	165300	12@6	DFT_BPSK	24.27	19.32	38.5	PASS
n5	15	5	165300	1@1	DFT_BPSK	24.17	19.22	38.5	PASS
n5	15	5	165300	1@23	DFT_BPSK	24.12	19.17	38.5	PASS
n5	15	5	165300	12@6	DFT_QPSK	24.26	19.31	38.5	PASS
n5	15	5	165300	1@1	DFT_QPSK	24.12	19.17	38.5	PASS
n5	15	5	165300	1@23	DFT_QPSK	23.97	19.02	38.5	PASS
n5	15	5	165300	12@6	DFT_QAM16	23.26	18.31	38.5	PASS
n5	15	5	165300	1@1	DFT_QAM16	22.96	18.01	38.5	PASS
n5	15	5	165300	1@23	DFT_QAM16	23.30	18.35	38.5	PASS
n5	15	5	165300	12@6	DFT_QAM64	21.76	16.81	38.5	PASS
n5	15	5	165300	1@1	DFT_QAM64	22.24	17.29	38.5	PASS
n5	15	5	165300	1@23	DFT_QAM64	22.19	17.24	38.5	PASS
n5	15	5	165300	12@6	DFT_QAM256	19.81	14.86	38.5	PASS
n5	15	5	165300	1@1	DFT_QAM256	19.74	14.79	38.5	PASS
n5	15	5	165300	1@23	DFT_QAM256	19.69	14.74	38.5	PASS
n5	15	5	165300	13@6	CP_QPSK	22.80	17.85	38.5	PASS
n5	15	5	165300	1@1	CP_QPSK	22.56	17.61	38.5	PASS
n5	15	5	165300	1@23	CP_QPSK	22.54	17.59	38.5	PASS
n5	15	5	165300	13@6	CP_QAM16	22.17	17.22	38.5	PASS
n5	15	5	165300	1@1	CP_QAM16	22.15	17.2	38.5	PASS
n5	15	5	165300	1@23	CP_QAM16	22.16	17.21	38.5	PASS
n5	15	5	165300	13@6	CP_QAM64	20.73	15.78	38.5	PASS
n5	15	5	165300	1@1	CP_QAM64	21.15	16.2	38.5	PASS
n5	15	5	165300	1@23	CP_QAM64	21.24	16.29	38.5	PASS
n5	15	5	165300	13@6	CP_QAM256	17.69	12.74	38.5	PASS
n5	15	5	165300	1@1	CP_QAM256	17.75	12.8	38.5	PASS
n5	15	5	165300	1@23	CP_QAM256	17.69	12.74	38.5	PASS
n5	15	5	167300	12@6	DFT_BPSK	23.96	19.01	38.5	PASS
n5	15	5	167300	1@1	DFT_BPSK	24.05	19.1	38.5	PASS
n5	15	5	167300	1@23	DFT_BPSK	23.95	19	38.5	PASS
n5	15	5	167300	12@6	DFT_QPSK	23.95	19	38.5	PASS
n5	15	5	167300	1@1	DFT_QPSK	23.95	19	38.5	PASS
n5	15	5	167300	1@23	DFT_QPSK	23.79	18.84	38.5	PASS
n5	15	5	167300	12@6	DFT_QAM16	22.97	18.02	38.5	PASS
n5	15	5	167300	1@1	DFT_QAM16	22.94	17.99	38.5	PASS
n5	15	5	167300	1@23	DFT_QAM16	22.89	17.94	38.5	PASS
n5	15	5	167300	12@6	DFT_QAM64	21.50	16.55	38.5	PASS
n5	15	5	167300	1@1	DFT_QAM64	21.80	16.85	38.5	PASS

n5	15	5	167300	1@23	DFT_QAM64	21.77	16.82	38.5	PASS
n5	15	5	167300	12@6	DFT_QAM256	19.56	14.61	38.5	PASS
n5	15	5	167300	1@1	DFT_QAM256	19.51	14.56	38.5	PASS
n5	15	5	167300	1@23	DFT_QAM256	19.41	14.46	38.5	PASS
n5	15	5	167300	13@6	CP_QPSK	22.52	17.57	38.5	PASS
n5	15	5	167300	1@1	CP_QPSK	22.48	17.53	38.5	PASS
n5	15	5	167300	1@23	CP_QPSK	22.44	17.49	38.5	PASS
n5	15	5	167300	13@6	CP_QAM16	21.95	17	38.5	PASS
n5	15	5	167300	1@1	CP_QAM16	22.12	17.17	38.5	PASS
n5	15	5	167300	1@23	CP_QAM16	21.78	16.83	38.5	PASS
n5	15	5	167300	13@6	CP_QAM64	20.46	15.51	38.5	PASS
n5	15	5	167300	1@1	CP_QAM64	20.87	15.92	38.5	PASS
n5	15	5	167300	1@23	CP_QAM64	20.84	15.89	38.5	PASS
n5	15	5	167300	13@6	CP_QAM256	17.40	12.45	38.5	PASS
n5	15	5	167300	1@1	CP_QAM256	17.69	12.74	38.5	PASS
n5	15	5	167300	1@23	CP_QAM256	17.52	12.57	38.5	PASS
n5	15	5	169300	12@6	DFT_BPSK	23.94	18.99	38.5	PASS
n5	15	5	169300	1@1	DFT_BPSK	23.90	18.95	38.5	PASS
n5	15	5	169300	1@23	DFT_BPSK	23.91	18.96	38.5	PASS
n5	15	5	169300	12@6	DFT_QPSK	23.89	18.94	38.5	PASS
n5	15	5	169300	1@1	DFT_QPSK	23.83	18.88	38.5	PASS
n5	15	5	169300	1@23	DFT_QPSK	23.76	18.81	38.5	PASS
n5	15	5	169300	12@6	DFT_QAM16	22.85	17.9	38.5	PASS
n5	15	5	169300	1@1	DFT_QAM16	22.91	17.96	38.5	PASS
n5	15	5	169300	1@23	DFT_QAM16	22.86	17.91	38.5	PASS
n5	15	5	169300	12@6	DFT_QAM64	21.39	16.44	38.5	PASS
n5	15	5	169300	1@1	DFT_QAM64	21.72	16.77	38.5	PASS
n5	15	5	169300	1@23	DFT_QAM64	21.38	16.43	38.5	PASS
n5	15	5	169300	12@6	DFT_QAM256	19.42	14.47	38.5	PASS
n5	15	5	169300	1@1	DFT_QAM256	19.49	14.54	38.5	PASS
n5	15	5	169300	1@23	DFT_QAM256	19.44	14.49	38.5	PASS
n5	15	5	169300	13@6	CP_QPSK	22.51	17.56	38.5	PASS
n5	15	5	169300	1@1	CP_QPSK	22.34	17.39	38.5	PASS
n5	15	5	169300	1@23	CP_QPSK	22.38	17.43	38.5	PASS
n5	15	5	169300	13@6	CP_QAM16	21.77	16.82	38.5	PASS
n5	15	5	169300	1@1	CP_QAM16	21.92	16.97	38.5	PASS
n5	15	5	169300	1@23	CP_QAM16	21.92	16.97	38.5	PASS
n5	15	5	169300	13@6	CP_QAM64	20.40	15.45	38.5	PASS
n5	15	5	169300	1@1	CP_QAM64	20.77	15.82	38.5	PASS
n5	15	5	169300	1@23	CP_QAM64	20.70	15.75	38.5	PASS
n5	15	5	169300	13@6	CP_QAM256	17.42	12.47	38.5	PASS
n5	15	5	169300	1@1	CP_QAM256	17.60	12.65	38.5	PASS

n5	15	5	169300	1@23	CP_QAM256	17.58	12.63	38.5	PASS
n5	15	10	165800	25@12	DFT_BPSK	23.97	19.02	38.5	PASS
n5	15	10	165800	1@1	DFT_BPSK	23.97	19.02	38.5	PASS
n5	15	10	165800	1@50	DFT_BPSK	23.79	18.84	38.5	PASS
n5	15	10	165800	25@12	DFT_QPSK	23.99	19.04	38.5	PASS
n5	15	10	165800	1@1	DFT_QPSK	23.82	18.87	38.5	PASS
n5	15	10	165800	1@50	DFT_QPSK	23.68	18.73	38.5	PASS
n5	15	10	165800	25@12	DFT_QAM16	22.97	18.02	38.5	PASS
n5	15	10	165800	1@1	DFT_QAM16	22.90	17.95	38.5	PASS
n5	15	10	165800	1@50	DFT_QAM16	22.75	17.8	38.5	PASS
n5	15	10	165800	25@12	DFT_QAM64	21.47	16.52	38.5	PASS
n5	15	10	165800	1@1	DFT_QAM64	21.44	16.49	38.5	PASS
n5	15	10	165800	1@50	DFT_QAM64	21.33	16.38	38.5	PASS
n5	15	10	165800	25@12	DFT_QAM256	19.44	14.49	38.5	PASS
n5	15	10	165800	1@1	DFT_QAM256	19.50	14.55	38.5	PASS
n5	15	10	165800	1@50	DFT_QAM256	19.30	14.35	38.5	PASS
n5	15	10	165800	26@13	CP_QPSK	22.48	17.53	38.5	PASS
n5	15	10	165800	1@1	CP_QPSK	22.39	17.44	38.5	PASS
n5	15	10	165800	1@50	CP_QPSK	22.26	17.31	38.5	PASS
n5	15	10	165800	26@13	CP_QAM16	22.00	17.05	38.5	PASS
n5	15	10	165800	1@1	CP_QAM16	21.91	16.96	38.5	PASS
n5	15	10	165800	1@50	CP_QAM16	21.83	16.88	38.5	PASS
n5	15	10	165800	26@13	CP_QAM64	20.53	15.58	38.5	PASS
n5	15	10	165800	1@1	CP_QAM64	20.92	15.97	38.5	PASS
n5	15	10	165800	1@50	CP_QAM64	20.79	15.84	38.5	PASS
n5	15	10	165800	26@13	CP_QAM256	17.37	12.42	38.5	PASS
n5	15	10	165800	1@1	CP_QAM256	17.61	12.66	38.5	PASS
n5	15	10	165800	1@50	CP_QAM256	17.36	12.41	38.5	PASS
n5	15	10	167300	25@12	DFT_BPSK	23.79	18.84	38.5	PASS
n5	15	10	167300	1@1	DFT_BPSK	23.77	18.82	38.5	PASS
n5	15	10	167300	1@50	DFT_BPSK	23.75	18.8	38.5	PASS
n5	15	10	167300	25@12	DFT_QPSK	23.80	18.85	38.5	PASS
n5	15	10	167300	1@1	DFT_QPSK	23.63	18.68	38.5	PASS
n5	15	10	167300	1@50	DFT_QPSK	23.52	18.57	38.5	PASS
n5	15	10	167300	25@12	DFT_QAM16	22.79	17.84	38.5	PASS
n5	15	10	167300	1@1	DFT_QAM16	23.01	18.06	38.5	PASS
n5	15	10	167300	1@50	DFT_QAM16	22.47	17.52	38.5	PASS
n5	15	10	167300	25@12	DFT_QAM64	21.30	16.35	38.5	PASS
n5	15	10	167300	1@1	DFT_QAM64	21.84	16.89	38.5	PASS
n5	15	10	167300	1@50	DFT_QAM64	21.74	16.79	38.5	PASS
n5	15	10	167300	25@12	DFT_QAM256	19.29	14.34	38.5	PASS
n5	15	10	167300	1@1	DFT_QAM256	19.35	14.4	38.5	PASS

n5	15	10	167300	1@50	DFT_QAM256	19.28	14.33	38.5	PASS
n5	15	10	167300	26@13	CP_QPSK	22.27	17.32	38.5	PASS
n5	15	10	167300	1@1	CP_QPSK	22.23	17.28	38.5	PASS
n5	15	10	167300	1@50	CP_QPSK	22.16	17.21	38.5	PASS
n5	15	10	167300	26@13	CP_QAM16	21.80	16.85	38.5	PASS
n5	15	10	167300	1@1	CP_QAM16	21.75	16.8	38.5	PASS
n5	15	10	167300	1@50	CP_QAM16	21.77	16.82	38.5	PASS
n5	15	10	167300	26@13	CP_QAM64	20.33	15.38	38.5	PASS
n5	15	10	167300	1@1	CP_QAM64	20.80	15.85	38.5	PASS
n5	15	10	167300	1@50	CP_QAM64	20.78	15.83	38.5	PASS
n5	15	10	167300	26@13	CP_QAM256	17.19	12.24	38.5	PASS
n5	15	10	167300	1@1	CP_QAM256	17.30	12.35	38.5	PASS
n5	15	10	167300	1@50	CP_QAM256	17.49	12.54	38.5	PASS
n5	15	10	168800	25@12	DFT_BPSK	23.75	18.8	38.5	PASS
n5	15	10	168800	1@1	DFT_BPSK	23.67	18.72	38.5	PASS
n5	15	10	168800	1@50	DFT_BPSK	23.66	18.71	38.5	PASS
n5	15	10	168800	25@12	DFT_QPSK	23.81	18.86	38.5	PASS
n5	15	10	168800	1@1	DFT_QPSK	23.66	18.71	38.5	PASS
n5	15	10	168800	1@50	DFT_QPSK	23.60	18.65	38.5	PASS
n5	15	10	168800	25@12	DFT_QAM16	22.85	17.9	38.5	PASS
n5	15	10	168800	1@1	DFT_QAM16	22.61	17.66	38.5	PASS
n5	15	10	168800	1@50	DFT_QAM16	22.61	17.66	38.5	PASS
n5	15	10	168800	25@12	DFT_QAM64	21.31	16.36	38.5	PASS
n5	15	10	168800	1@1	DFT_QAM64	21.26	16.31	38.5	PASS
n5	15	10	168800	1@50	DFT_QAM64	21.14	16.19	38.5	PASS
n5	15	10	168800	25@12	DFT_QAM256	19.19	14.24	38.5	PASS
n5	15	10	168800	1@1	DFT_QAM256	19.17	14.22	38.5	PASS
n5	15	10	168800	1@50	DFT_QAM256	19.24	14.29	38.5	PASS
n5	15	10	168800	26@13	CP_QPSK	22.28	17.33	38.5	PASS
n5	15	10	168800	1@1	CP_QPSK	22.05	17.1	38.5	PASS
n5	15	10	168800	1@50	CP_QPSK	22.20	17.25	38.5	PASS
n5	15	10	168800	26@13	CP_QAM16	21.79	16.84	38.5	PASS
n5	15	10	168800	1@1	CP_QAM16	21.67	16.72	38.5	PASS
n5	15	10	168800	1@50	CP_QAM16	21.61	16.66	38.5	PASS
n5	15	10	168800	26@13	CP_QAM64	20.25	15.3	38.5	PASS
n5	15	10	168800	1@1	CP_QAM64	20.61	15.66	38.5	PASS
n5	15	10	168800	1@50	CP_QAM64	20.59	15.64	38.5	PASS
n5	15	10	168800	26@13	CP_QAM256	17.15	12.2	38.5	PASS
n5	15	10	168800	1@1	CP_QAM256	17.30	12.35	38.5	PASS
n5	15	10	168800	1@50	CP_QAM256	17.18	12.23	38.5	PASS
n5	15	15	166300	36@18	DFT_BPSK	24.08	19.13	38.5	PASS
n5	15	15	166300	1@1	DFT_BPSK	24.01	19.06	38.5	PASS

n5	15	15	166300	1@77	DFT_BPSK	23.85	18.9	38.5	PASS
n5	15	15	166300	36@18	DFT_QPSK	24.12	19.17	38.5	PASS
n5	15	15	166300	1@1	DFT_QPSK	23.95	19	38.5	PASS
n5	15	15	166300	1@77	DFT_QPSK	23.65	18.7	38.5	PASS
n5	15	15	166300	36@18	DFT_QAM16	23.05	18.1	38.5	PASS
n5	15	15	166300	1@1	DFT_QAM16	22.71	17.76	38.5	PASS
n5	15	15	166300	1@77	DFT_QAM16	22.52	17.57	38.5	PASS
n5	15	15	166300	36@18	DFT_QAM64	21.50	16.55	38.5	PASS
n5	15	15	166300	1@1	DFT_QAM64	21.50	16.55	38.5	PASS
n5	15	15	166300	1@77	DFT_QAM64	21.29	16.34	38.5	PASS
n5	15	15	166300	36@18	DFT_QAM256	19.54	14.59	38.5	PASS
n5	15	15	166300	1@1	DFT_QAM256	19.53	14.58	38.5	PASS
n5	15	15	166300	1@77	DFT_QAM256	19.35	14.4	38.5	PASS
n5	15	15	166300	39@19	CP_QPSK	22.58	17.63	38.5	PASS
n5	15	15	166300	1@1	CP_QPSK	22.49	17.54	38.5	PASS
n5	15	15	166300	1@77	CP_QPSK	22.29	17.34	38.5	PASS
n5	15	15	166300	39@19	CP_QAM16	22.12	17.17	38.5	PASS
n5	15	15	166300	1@1	CP_QAM16	21.98	17.03	38.5	PASS
n5	15	15	166300	1@77	CP_QAM16	21.76	16.81	38.5	PASS
n5	15	15	166300	39@19	CP_QAM64	20.49	15.54	38.5	PASS
n5	15	15	166300	1@1	CP_QAM64	21.08	16.13	38.5	PASS
n5	15	15	166300	1@77	CP_QAM64	20.82	15.87	38.5	PASS
n5	15	15	166300	39@19	CP_QAM256	17.43	12.48	38.5	PASS
n5	15	15	166300	1@1	CP_QAM256	17.86	12.91	38.5	PASS
n5	15	15	166300	1@77	CP_QAM256	17.27	12.32	38.5	PASS
n5	15	15	167300	36@18	DFT_BPSK	23.95	19	38.5	PASS
n5	15	15	167300	1@1	DFT_BPSK	23.92	18.97	38.5	PASS
n5	15	15	167300	1@77	DFT_BPSK	23.79	18.84	38.5	PASS
n5	15	15	167300	36@18	DFT_QPSK	24.02	19.07	38.5	PASS
n5	15	15	167300	1@1	DFT_QPSK	23.86	18.91	38.5	PASS
n5	15	15	167300	1@77	DFT_QPSK	23.73	18.78	38.5	PASS
n5	15	15	167300	36@18	DFT_QAM16	23.01	18.06	38.5	PASS
n5	15	15	167300	1@1	DFT_QAM16	22.64	17.69	38.5	PASS
n5	15	15	167300	1@77	DFT_QAM16	22.43	17.48	38.5	PASS
n5	15	15	167300	36@18	DFT_QAM64	21.40	16.45	38.5	PASS
n5	15	15	167300	1@1	DFT_QAM64	21.81	16.86	38.5	PASS
n5	15	15	167300	1@77	DFT_QAM64	21.38	16.43	38.5	PASS
n5	15	15	167300	36@18	DFT_QAM256	19.54	14.59	38.5	PASS
n5	15	15	167300	1@1	DFT_QAM256	19.49	14.54	38.5	PASS
n5	15	15	167300	1@77	DFT_QAM256	19.32	14.37	38.5	PASS
n5	15	15	167300	39@19	CP_QPSK	22.51	17.56	38.5	PASS
n5	15	15	167300	1@1	CP_QPSK	22.45	17.5	38.5	PASS

n5	15	15	167300	1@77	CP_QPSK	22.28	17.33	38.5	PASS
n5	15	15	167300	39@19	CP_QAM16	22.01	17.06	38.5	PASS
n5	15	15	167300	1@1	CP_QAM16	22.13	17.18	38.5	PASS
n5	15	15	167300	1@77	CP_QAM16	21.85	16.9	38.5	PASS
n5	15	15	167300	39@19	CP_QAM64	20.53	15.58	38.5	PASS
n5	15	15	167300	1@1	CP_QAM64	21.02	16.07	38.5	PASS
n5	15	15	167300	1@77	CP_QAM64	20.55	15.6	38.5	PASS
n5	15	15	167300	39@19	CP_QAM256	17.39	12.44	38.5	PASS
n5	15	15	167300	1@1	CP_QAM256	17.51	12.56	38.5	PASS
n5	15	15	167300	1@77	CP_QAM256	17.35	12.4	38.5	PASS
n5	15	15	168300	36@18	DFT_BPSK	23.92	18.97	38.5	PASS
n5	15	15	168300	1@1	DFT_BPSK	23.88	18.93	38.5	PASS
n5	15	15	168300	1@77	DFT_BPSK	23.72	18.77	38.5	PASS
n5	15	15	168300	36@18	DFT_QPSK	23.94	18.99	38.5	PASS
n5	15	15	168300	1@1	DFT_QPSK	23.78	18.83	38.5	PASS
n5	15	15	168300	1@77	DFT_QPSK	23.65	18.7	38.5	PASS
n5	15	15	168300	36@18	DFT_QAM16	23.09	18.14	38.5	PASS
n5	15	15	168300	1@1	DFT_QAM16	22.54	17.59	38.5	PASS
n5	15	15	168300	1@77	DFT_QAM16	22.64	17.69	38.5	PASS
n5	15	15	168300	36@18	DFT_QAM64	21.36	16.41	38.5	PASS
n5	15	15	168300	1@1	DFT_QAM64	21.46	16.51	38.5	PASS
n5	15	15	168300	1@77	DFT_QAM64	21.28	16.33	38.5	PASS
n5	15	15	168300	36@18	DFT_QAM256	19.41	14.46	38.5	PASS
n5	15	15	168300	1@1	DFT_QAM256	19.47	14.52	38.5	PASS
n5	15	15	168300	1@77	DFT_QAM256	19.24	14.29	38.5	PASS
n5	15	15	168300	39@19	CP_QPSK	22.46	17.51	38.5	PASS
n5	15	15	168300	1@1	CP_QPSK	22.33	17.38	38.5	PASS
n5	15	15	168300	1@77	CP_QPSK	22.23	17.28	38.5	PASS
n5	15	15	168300	39@19	CP_QAM16	22.03	17.08	38.5	PASS
n5	15	15	168300	1@1	CP_QAM16	21.94	16.99	38.5	PASS
n5	15	15	168300	1@77	CP_QAM16	21.74	16.79	38.5	PASS
n5	15	15	168300	39@19	CP_QAM64	20.44	15.49	38.5	PASS
n5	15	15	168300	1@1	CP_QAM64	20.86	15.91	38.5	PASS
n5	15	15	168300	1@77	CP_QAM64	20.60	15.65	38.5	PASS
n5	15	15	168300	39@19	CP_QAM256	17.35	12.4	38.5	PASS
n5	15	15	168300	1@1	CP_QAM256	17.49	12.54	38.5	PASS
n5	15	15	168300	1@77	CP_QAM256	17.47	12.52	38.5	PASS
n5	15	20	166800	50@25	DFT_BPSK	24.05	19.1	38.5	PASS
n5	15	20	166800	1@1	DFT_BPSK	23.99	19.04	38.5	PASS
n5	15	20	166800	1@104	DFT_BPSK	23.81	18.86	38.5	PASS
n5	15	20	166800	50@25	DFT_QPSK	24.02	19.07	38.5	PASS
n5	15	20	166800	1@1	DFT_QPSK	23.98	19.03	38.5	PASS

n5	15	20	166800	1@104	DFT_QPSK	23.77	18.82	38.5	PASS
n5	15	20	166800	50@25	DFT_QAM16	22.96	18.01	38.5	PASS
n5	15	20	166800	1@1	DFT_QAM16	23.18	18.23	38.5	PASS
n5	15	20	166800	1@104	DFT_QAM16	22.36	17.41	38.5	PASS
n5	15	20	166800	50@25	DFT_QAM64	21.45	16.5	38.5	PASS
n5	15	20	166800	1@1	DFT_QAM64	21.98	17.03	38.5	PASS
n5	15	20	166800	1@104	DFT_QAM64	21.32	16.37	38.5	PASS
n5	15	20	166800	50@25	DFT_QAM256	19.53	14.58	38.5	PASS
n5	15	20	166800	1@1	DFT_QAM256	19.62	14.67	38.5	PASS
n5	15	20	166800	1@104	DFT_QAM256	19.25	14.3	38.5	PASS
n5	15	20	166800	53@26	CP_QPSK	22.45	17.5	38.5	PASS
n5	15	20	166800	1@1	CP_QPSK	22.51	17.56	38.5	PASS
n5	15	20	166800	1@104	CP_QPSK	22.22	17.27	38.5	PASS
n5	15	20	166800	53@26	CP_QAM16	21.94	16.99	38.5	PASS
n5	15	20	166800	1@1	CP_QAM16	22.06	17.11	38.5	PASS
n5	15	20	166800	1@104	CP_QAM16	21.72	16.77	38.5	PASS
n5	15	20	166800	53@26	CP_QAM64	20.55	15.6	38.5	PASS
n5	15	20	166800	1@1	CP_QAM64	21.11	16.16	38.5	PASS
n5	15	20	166800	1@104	CP_QAM64	20.78	15.83	38.5	PASS
n5	15	20	166800	53@26	CP_QAM256	17.49	12.54	38.5	PASS
n5	15	20	166800	1@1	CP_QAM256	17.60	12.65	38.5	PASS
n5	15	20	166800	1@104	CP_QAM256	17.75	12.8	38.5	PASS
n5	15	20	167300	50@25	DFT_BPSK	23.93	18.98	38.5	PASS
n5	15	20	167300	1@1	DFT_BPSK	24.11	19.16	38.5	PASS
n5	15	20	167300	1@104	DFT_BPSK	23.81	18.86	38.5	PASS
n5	15	20	167300	50@25	DFT_QPSK	24.05	19.1	38.5	PASS
n5	15	20	167300	1@1	DFT_QPSK	23.95	19	38.5	PASS
n5	15	20	167300	1@104	DFT_QPSK	23.69	18.74	38.5	PASS
n5	15	20	167300	50@25	DFT_QAM16	22.97	18.02	38.5	PASS
n5	15	20	167300	1@1	DFT_QAM16	22.66	17.71	38.5	PASS
n5	15	20	167300	1@104	DFT_QAM16	22.41	17.46	38.5	PASS
n5	15	20	167300	50@25	DFT_QAM64	21.42	16.47	38.5	PASS
n5	15	20	167300	1@1	DFT_QAM64	22.11	17.16	38.5	PASS
n5	15	20	167300	1@104	DFT_QAM64	21.80	16.85	38.5	PASS
n5	15	20	167300	50@25	DFT_QAM256	19.41	14.46	38.5	PASS
n5	15	20	167300	1@1	DFT_QAM256	19.62	14.67	38.5	PASS
n5	15	20	167300	1@104	DFT_QAM256	19.38	14.43	38.5	PASS
n5	15	20	167300	53@26	CP_QPSK	22.46	17.51	38.5	PASS
n5	15	20	167300	1@1	CP_QPSK	22.44	17.49	38.5	PASS
n5	15	20	167300	1@104	CP_QPSK	22.31	17.36	38.5	PASS
n5	15	20	167300	53@26	CP_QAM16	21.89	16.94	38.5	PASS
n5	15	20	167300	1@1	CP_QAM16	22.07	17.12	38.5	PASS

n5	15	20	167300	1@104	CP_QAM16	21.81	16.86	38.5	PASS
n5	15	20	167300	53@26	CP_QAM64	20.51	15.56	38.5	PASS
n5	15	20	167300	1@1	CP_QAM64	21.06	16.11	38.5	PASS
n5	15	20	167300	1@104	CP_QAM64	20.72	15.77	38.5	PASS
n5	15	20	167300	53@26	CP_QAM256	17.41	12.46	38.5	PASS
n5	15	20	167300	1@1	CP_QAM256	17.93	12.98	38.5	PASS
n5	15	20	167300	1@104	CP_QAM256	17.61	12.66	38.5	PASS
n5	15	20	167800	50@25	DFT_BPSK	23.97	19.02	38.5	PASS
n5	15	20	167800	1@1	DFT_BPSK	23.90	18.95	38.5	PASS
n5	15	20	167800	1@104	DFT_BPSK	23.77	18.82	38.5	PASS
n5	15	20	167800	50@25	DFT_QPSK	23.96	19.01	38.5	PASS
n5	15	20	167800	1@1	DFT_QPSK	23.91	18.96	38.5	PASS
n5	15	20	167800	1@104	DFT_QPSK	23.62	18.67	38.5	PASS
n5	15	20	167800	50@25	DFT_QAM16	23.03	18.08	38.5	PASS
n5	15	20	167800	1@1	DFT_QAM16	23.15	18.2	38.5	PASS
n5	15	20	167800	1@104	DFT_QAM16	22.37	17.42	38.5	PASS
n5	15	20	167800	50@25	DFT_QAM64	21.41	16.46	38.5	PASS
n5	15	20	167800	1@1	DFT_QAM64	22.00	17.05	38.5	PASS
n5	15	20	167800	1@104	DFT_QAM64	21.20	16.25	38.5	PASS
n5	15	20	167800	50@25	DFT_QAM256	19.52	14.57	38.5	PASS
n5	15	20	167800	1@1	DFT_QAM256	19.54	14.59	38.5	PASS
n5	15	20	167800	1@104	DFT_QAM256	19.28	14.33	38.5	PASS
n5	15	20	167800	53@26	CP_QPSK	22.42	17.47	38.5	PASS
n5	15	20	167800	1@1	CP_QPSK	22.40	17.45	38.5	PASS
n5	15	20	167800	1@104	CP_QPSK	22.25	17.3	38.5	PASS
n5	15	20	167800	53@26	CP_QAM16	21.90	16.95	38.5	PASS
n5	15	20	167800	1@1	CP_QAM16	22.09	17.14	38.5	PASS
n5	15	20	167800	1@104	CP_QAM16	21.76	16.81	38.5	PASS
n5	15	20	167800	53@26	CP_QAM64	20.46	15.51	38.5	PASS
n5	15	20	167800	1@1	CP_QAM64	20.92	15.97	38.5	PASS
n5	15	20	167800	1@104	CP_QAM64	20.77	15.82	38.5	PASS
n5	15	20	167800	53@26	CP_QAM256	17.32	12.37	38.5	PASS
n5	15	20	167800	1@1	CP_QAM256	17.86	12.91	38.5	PASS
n5	15	20	167800	1@104	CP_QAM256	17.68	12.73	38.5	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n5	15	20	167300	50@25	DFT_BPSK	3.87	-2.00	0.00	Within authorized band for 5G NR n5	PASS
n5	15	20	167300	50@25	DFT_BPSK	3.50	-1.73	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	4.45	-2.52	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	3.87	-3.09	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	3.50	-3.99	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	4.45	-3.03	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n5	15	20	167300	50@25	DFT_BPSK	-30	-2.66	0.00	Within authorized band for 5G NR n5	PASS
n5	15	20	167300	50@25	DFT_BPSK	-20	-2.94	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	-10	-6.33	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	0	-4.31	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	10	-2.3	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	20	-1.59	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	30	-3.54	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	40	-2	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	50	-4.93	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	-30	-7.25	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	-20	-3.5	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	-10	-4.15	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	0	-3.58	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	10	-2.7	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	20	-3.09	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	30	-4.28	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	40	-6.9	0.00	PASS	
n5	15	20	167300	50@25	DFT_QPSK	50	-5.69	0.00	PASS	

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n5	15	5	167300	25@0	DFT_BPSK	4.51	13	PASS
n5	15	5	167300	25@0	DFT_QPSK	5.68	13	PASS
n5	15	5	167300	25@0	DFT_QAM16	6.37	13	PASS
n5	15	5	167300	25@0	DFT_QAM64	6.71	13	PASS
n5	15	5	167300	25@0	DFT_QAM256	7.20	13	PASS
n5	15	10	167300	50@0	DFT_BPSK	4.54	13	PASS
n5	15	10	167300	50@0	DFT_QPSK	5.91	13	PASS
n5	15	10	167300	50@0	DFT_QAM16	6.54	13	PASS
n5	15	10	167300	50@0	DFT_QAM64	6.71	13	PASS
n5	15	10	167300	50@0	DFT_QAM256	7.09	13	PASS
n5	15	15	167300	75@0	DFT_BPSK	4.60	13	PASS
n5	15	15	167300	75@0	DFT_QPSK	5.66	13	PASS
n5	15	15	167300	75@0	DFT_QAM16	6.45	13	PASS
n5	15	15	167300	75@0	DFT_QAM64	6.68	13	PASS
n5	15	15	167300	75@0	DFT_QAM256	6.89	13	PASS
n5	15	20	167300	100@0	DFT_BPSK	4.60	13	PASS
n5	15	20	167300	100@0	DFT_QPSK	5.77	13	PASS
n5	15	20	167300	100@0	DFT_QAM16	6.41	13	PASS
n5	15	20	167300	100@0	DFT_QAM64	6.66	13	PASS
n5	15	20	167300	100@0	DFT_QAM256	7.08	13	PASS


n5 SCS=15kHz DFT_BPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QAM16 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QAM64 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QAM256 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_BPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QAM16 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QAM64 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QAM256 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_BPSK BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_QPSK BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_QAM16 BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_QAM64 BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_QAM256 BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QAM16 BW=20MHz Channel=167300 RB=100@0



n5 SCS=15kHz DFT_QAM64 BW=20MHz Channel=167300 RB=100@0



n5 SCS=15kHz DFT_QAM256 BW=20MHz Channel=167300 RB=100@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n5	15	5	165300	25@0	DFT_BPSK	4.490	4.760	PASS
n5	15	5	165300	25@0	DFT_QPSK	4.490	4.770	PASS
n5	15	5	165300	25@0	DFT_QAM16	4.490	4.780	PASS
n5	15	5	165300	25@0	DFT_QAM64	4.490	4.770	PASS
n5	15	5	165300	25@0	DFT_QAM256	4.490	4.760	PASS
n5	15	5	165300	25@0	CP_QPSK	4.490	4.770	PASS
n5	15	5	167300	25@0	DFT_BPSK	4.490	4.780	PASS
n5	15	5	167300	25@0	DFT_QPSK	4.490	4.760	PASS
n5	15	5	167300	25@0	DFT_QAM16	4.490	4.760	PASS
n5	15	5	167300	25@0	DFT_QAM64	4.500	4.770	PASS
n5	15	5	167300	25@0	DFT_QAM256	4.490	4.760	PASS
n5	15	5	167300	25@0	CP_QPSK	4.490	4.760	PASS
n5	15	5	169300	25@0	DFT_BPSK	4.490	4.760	PASS
n5	15	5	169300	25@0	DFT_QPSK	4.480	4.760	PASS
n5	15	5	169300	25@0	DFT_QAM16	4.490	4.770	PASS
n5	15	5	169300	25@0	DFT_QAM64	4.490	4.780	PASS
n5	15	5	169300	25@0	DFT_QAM256	4.490	4.750	PASS
n5	15	5	169300	25@0	CP_QPSK	4.490	4.780	PASS
n5	15	10	165800	50@0	DFT_BPSK	9.210	9.460	PASS
n5	15	10	165800	50@0	DFT_QPSK	9.220	9.460	PASS
n5	15	10	165800	50@0	DFT_QAM16	9.220	9.460	PASS
n5	15	10	165800	50@0	DFT_QAM64	9.260	9.490	PASS
n5	15	10	165800	50@0	DFT_QAM256	9.220	9.490	PASS
n5	15	10	165800	52@0	CP_QPSK	9.330	9.840	PASS
n5	15	10	167300	50@0	DFT_BPSK	9.240	9.460	PASS
n5	15	10	167300	50@0	DFT_QPSK	9.220	9.480	PASS
n5	15	10	167300	50@0	DFT_QAM16	9.250	9.450	PASS
n5	15	10	167300	50@0	DFT_QAM64	9.280	9.480	PASS
n5	15	10	167300	50@0	DFT_QAM256	9.250	9.480	PASS
n5	15	10	167300	52@0	CP_QPSK	9.330	9.830	PASS
n5	15	10	168800	50@0	DFT_BPSK	9.240	9.490	PASS
n5	15	10	168800	50@0	DFT_QPSK	9.240	9.480	PASS
n5	15	10	168800	50@0	DFT_QAM16	9.250	9.490	PASS
n5	15	10	168800	50@0	DFT_QAM64	9.240	9.480	PASS
n5	15	10	168800	50@0	DFT_QAM256	9.210	9.460	PASS
n5	15	10	168800	52@0	CP_QPSK	9.330	9.840	PASS
n5	15	15	166300	75@0	DFT_BPSK	14.000	14.200	PASS
n5	15	15	166300	75@0	DFT_QPSK	14.000	14.190	PASS

n5	15	15	166300	75@0	DFT_QAM16	13.990	14.190	PASS
n5	15	15	166300	75@0	DFT_QAM64	14.010	14.200	PASS
n5	15	15	166300	75@0	DFT_QAM256	13.990	14.200	PASS
n5	15	15	166300	79@0	CP_QPSK	14.160	14.910	PASS
n5	15	15	167300	75@0	DFT_BPSK	14.040	14.190	PASS
n5	15	15	167300	75@0	DFT_QPSK	14.000	14.180	PASS
n5	15	15	167300	75@0	DFT_QAM16	14.000	14.170	PASS
n5	15	15	167300	75@0	DFT_QAM64	14.050	14.210	PASS
n5	15	15	167300	75@0	DFT_QAM256	14.000	14.190	PASS
n5	15	15	167300	79@0	CP_QPSK	14.160	14.910	PASS
n5	15	15	168300	75@0	DFT_BPSK	14.050	14.200	PASS
n5	15	15	168300	75@0	DFT_QPSK	14.040	14.200	PASS
n5	15	15	168300	75@0	DFT_QAM16	14.040	14.210	PASS
n5	15	15	168300	75@0	DFT_QAM64	14.060	14.210	PASS
n5	15	15	168300	75@0	DFT_QAM256	14.040	14.200	PASS
n5	15	15	168300	79@0	CP_QPSK	14.180	14.920	PASS
n5	15	20	166800	100@0	DFT_BPSK	18.750	18.880	PASS
n5	15	20	166800	100@0	DFT_QPSK	18.750	18.900	PASS
n5	15	20	166800	100@0	DFT_QAM16	18.810	18.890	PASS
n5	15	20	166800	100@0	DFT_QAM64	18.820	18.900	PASS
n5	15	20	166800	100@0	DFT_QAM256	18.810	18.900	PASS
n5	15	20	166800	106@0	CP_QPSK	18.980	19.980	PASS
n5	15	20	167300	100@0	DFT_BPSK	18.760	18.890	PASS
n5	15	20	167300	100@0	DFT_QPSK	18.810	18.900	PASS
n5	15	20	167300	100@0	DFT_QAM16	18.810	18.900	PASS
n5	15	20	167300	100@0	DFT_QAM64	18.810	18.890	PASS
n5	15	20	167300	100@0	DFT_QAM256	18.760	18.900	PASS
n5	15	20	167300	106@0	CP_QPSK	18.990	19.980	PASS
n5	15	20	167800	100@0	DFT_BPSK	18.810	18.900	PASS
n5	15	20	167800	100@0	DFT_QPSK	18.820	18.910	PASS
n5	15	20	167800	100@0	DFT_QAM16	18.810	18.910	PASS
n5	15	20	167800	100@0	DFT_QAM64	18.830	18.900	PASS
n5	15	20	167800	100@0	DFT_QAM256	18.810	18.900	PASS
n5	15	20	167800	106@0	CP_QPSK	18.990	19.970	PASS


n5 SCS=15kHz DFT_BPSK BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_QAM16 BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_QAM64 BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_QAM256 BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz CP_QPSK BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_BPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QAM16 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QAM64 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QAM256 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz CP_QPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_BPSK BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_QAM16 BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_QAM64 BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_QAM256 BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz CP_QPSK BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_BPSK BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz DFT_QPSK BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz DFT_QAM16 BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz DFT_QAM64 BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz DFT_QAM256 BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz CP_QPSK BW=10MHz Channel=165800 RB=52@0




n5 SCS=15kHz DFT_BPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QAM16 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QAM64 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT_QAM256 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz CP_QPSK BW=10MHz Channel=167300 RB=52@0




n5 SCS=15kHz DFT_BPSK BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT_QPSK BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT_QAM16 BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT_QAM64 BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT_QAM256 BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz CP_QPSK BW=10MHz Channel=168800 RB=52@0




n5 SCS=15kHz DFT_BPSK BW=15MHz Channel=166300 RB=75@0




n5 SCS=15kHz DFT_QPSK BW=15MHz Channel=166300 RB=75@0




n5 SCS=15kHz DFT_QAM16 BW=15MHz Channel=166300 RB=75 @0




n5 SCS=15kHz DFT_QAM64 BW=15MHz Channel=166300 RB=75 @0




n5 SCS=15kHz DFT_QAM256 BW=15MHz Channel=166300 RB=75@0




n5 SCS=15kHz CP_QPSK BW=15MHz Channel=166300 RB=79@0



n5 SCS=15kHz DFT_BPSK BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_QPSK BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT_QAM16 BW=15MHz Channel=167300 RB=75 @0




n5 SCS=15kHz DFT_QAM64 BW=15MHz Channel=167300 RB=75 @0




n5 SCS=15kHz DFT_QAM256 BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz CP_QPSK BW=15MHz Channel=167300 RB=79@0




n5 SCS=15kHz DFT_BPSK BW=15MHz Channel=168300 RB=75@0




n5 SCS=15kHz DFT_QPSK BW=15MHz Channel=168300 RB=75@0




n5 SCS=15kHz DFT_QAM16 BW=15MHz Channel=168300 RB=75 @0




n5 SCS=15kHz DFT_QAM64 BW=15MHz Channel=168300 RB=75 @0



n5 SCS=15kHz DFT_QAM256 BW=15MHz Channel=168300 RB=75@0




n5 SCS=15kHz CP_QPSK BW=15MHz Channel=168300 RB=79@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT_QAM16 BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT_QAM64 BW=20MHz Channel=166800 RB=100@0



n5 SCS=15kHz DFT_QAM256 BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz CP_QPSK BW=20MHz Channel=166800 RB=106@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QAM16 BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QAM64 BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT_QAM256 BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz CP_QPSK BW=20MHz Channel=167300 RB=106@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz DFT_QAM16 BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz DFT_QAM64 BW=20MHz Channel=167800 RB=100@0



n5 SCS=15kHz DFT_QAM256 BW=20MHz Channel=167800 RB=100@0



n5 SCS=15kHz CP_QPSK BW=20MHz Channel=167800 RB=106@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	15	5	165300	25@0	DFT_QPSK	823.96	-39.48	-13	PASS
n5	15	5	165300	1@0	DFT_QPSK	824.00	-14.20	-13	PASS
n5	15	5	169300	25@0	DFT_QPSK	849.07	-38.18	-13	PASS
n5	15	5	169300	1@24	DFT_QPSK	849.00	-16.04	-13	PASS
n5	15	20	166800	100@0	DFT_QPSK	823.88	-37.10	-13	PASS
n5	15	20	166800	1@0	DFT_QPSK	823.76	-28.52	-13	PASS
n5	15	20	167800	100@0	DFT_QPSK	850.12	-46.50	-13	PASS
n5	15	20	167800	1@105	DFT_QPSK	849.16	-26.78	-13	PASS


n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=165300 RB=1@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=169300 RB=1@24



n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=166800 RB=1@0



n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167800 RB=1 @ 105




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	15	5	165300	25@0	DFT_QPSK	3718.80	-37.53	-13	PASS
n5	15	5	165300	1@0	DFT_QPSK	3743.60	-37.78	-13	PASS
n5	15	5	165300	1@24	DFT_QPSK	2486.40	-37.78	-13	PASS
n5	15	5	167300	25@0	DFT_QPSK	3744.40	-38.06	-13	PASS
n5	15	5	167300	1@0	DFT_QPSK	3782.40	-37.92	-13	PASS
n5	15	5	167300	1@24	DFT_QPSK	3767.80	-37.93	-13	PASS
n5	15	5	169300	25@0	DFT_QPSK	3700.60	-38.13	-13	PASS
n5	15	5	169300	1@0	DFT_QPSK	2533.40	-36.39	-13	PASS
n5	15	5	169300	1@24	DFT_QPSK	3868.80	-37.73	-13	PASS
n5	15	20	166800	100@0	DFT_QPSK	4880.00	-37.95	-13	PASS
n5	15	20	166800	1@0	DFT_QPSK	3764.00	-36.52	-13	PASS
n5	15	20	166800	1@105	DFT_QPSK	3823.60	-38.09	-13	PASS
n5	15	20	167300	100@0	DFT_QPSK	3838.20	-38.01	-13	PASS
n5	15	20	167300	1@0	DFT_QPSK	3720.20	-37.27	-13	PASS
n5	15	20	167300	1@105	DFT_QPSK	2537.60	-37.87	-13	PASS
n5	15	20	167800	100@0	DFT_QPSK	3777.60	-38.03	-13	PASS
n5	15	20	167800	1@0	DFT_QPSK	3928.60	-37.93	-13	PASS
n5	15	20	167800	1@105	DFT_QPSK	2545.60	-34.72	-13	PASS


n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=165300 RB=1@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=165300 RB=1@24




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=167300 RB=1@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=167300 RB=1@24




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=169300 RB=1@0




n5 SCS=15kHz DFT_QPSK BW=5MHz Channel=169300 RB=1@24




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=166800 RB=1@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=166800 RB=1 @105




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167300 RB=100 @0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167300 RB=1@0




n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167300 RB=1@105



n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167800 RB=100@0



n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167800 RB=1@0



n5 SCS=15kHz DFT_QPSK BW=20MHz Channel=167800 RB=1 @105

