

1. Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	high Limit (dBm)	Verdict
n41(2535-2655)	30	10	508002	12@6	DFT_BPSK	22.86	22.76	33	PASS
n41(2535-2655)	30	10	508002	1@1	DFT_BPSK	22.79	22.69	33	PASS
n41(2535-2655)	30	10	508002	1@22	DFT_BPSK	22.78	22.68	33	PASS
n41(2535-2655)	30	10	508002	12@6	DFT_QPSK	22.80	22.7	33	PASS
n41(2535-2655)	30	10	508002	1@1	DFT_QPSK	22.71	22.61	33	PASS
n41(2535-2655)	30	10	508002	1@22	DFT_QPSK	22.72	22.62	33	PASS
n41(2535-2655)	30	10	508002	12@6	DFT_QAM16	21.92	21.82	33	PASS
n41(2535-2655)	30	10	508002	1@1	DFT_QAM16	21.63	21.53	33	PASS
n41(2535-2655)	30	10	508002	1@22	DFT_QAM16	21.67	21.57	33	PASS
n41(2535-2655)	30	10	508002	12@6	DFT_QAM64	20.53	20.43	33	PASS
n41(2535-2655)	30	10	508002	1@1	DFT_QAM64	20.34	20.24	33	PASS
n41(2535-2655)	30	10	508002	1@22	DFT_QAM64	20.27	20.17	33	PASS
n41(2535-2655)	30	10	508002	12@6	DFT_QAM256	18.44	18.34	33	PASS
n41(2535-2655)	30	10	508002	1@1	DFT_QAM256	18.64	18.54	33	PASS
n41(2535-2655)	30	10	508002	1@22	DFT_QAM256	18.64	18.54	33	PASS
n41(2535-2655)	30	10	508002	12@6	CP_QPSK	21.32	21.22	33	PASS
n41(2535-2655)	30	10	508002	1@1	CP_QPSK	21.20	21.1	33	PASS
n41(2535-2655)	30	10	508002	1@22	CP_QPSK	21.25	21.15	33	PASS
n41(2535-2655)	30	10	508002	12@6	CP_QAM16	20.71	20.61	33	PASS
n41(2535-2655)	30	10	508002	1@1	CP_QAM16	21.07	20.97	33	PASS
n41(2535-2655)	30	10	508002	1@22	CP_QAM16	21.08	20.98	33	PASS
n41(2535-2655)	30	10	508002	12@6	CP_QAM64	19.58	19.48	33	PASS
n41(2535-2655)	30	10	508002	1@1	CP_QAM64	19.90	19.8	33	PASS
n41(2535-2655)	30	10	508002	1@22	CP_QAM64	19.91	19.81	33	PASS
n41(2535-2655)	30	10	508002	12@6	CP_QAM256	16.53	16.43	33	PASS
n41(2535-2655)	30	10	508002	1@1	CP_QAM256	16.36	16.26	33	PASS
n41(2535-2655)	30	10	508002	1@22	CP_QAM256	16.56	16.46	33	PASS
n41(2535-2655)	30	10	519000	12@6	DFT_BPSK	22.62	22.52	33	PASS
n41(2535-2655)	30	10	519000	1@1	DFT_BPSK	22.71	22.61	33	PASS
n41(2535-2655)	30	10	519000	1@22	DFT_BPSK	22.68	22.58	33	PASS
n41(2535-2655)	30	10	519000	12@6	DFT_QPSK	22.70	22.6	33	PASS
n41(2535-2655)	30	10	519000	1@1	DFT_QPSK	22.59	22.49	33	PASS
n41(2535-2655)	30	10	519000	1@22	DFT_QPSK	22.49	22.39	33	PASS
n41(2535-2655)	30	10	519000	12@6	DFT_QAM16	21.75	21.65	33	PASS
n41(2535-2655)	30	10	519000	1@1	DFT_QAM16	21.58	21.48	33	PASS
n41(2535-2655)	30	10	519000	1@22	DFT_QAM16	21.77	21.67	33	PASS
n41(2535-2655)	30	10	519000	12@6	DFT_QAM64	20.33	20.23	33	PASS
n41(2535-2655)	30	10	519000	1@1	DFT_QAM64	20.59	20.49	33	PASS
n41(2535-2655)	30	10	519000	1@22	DFT_QAM64	20.82	20.72	33	PASS

n41(2535-2655)	30	10	519000	12@6	DFT_QAM256	18.29	18.19	33	PASS
n41(2535-2655)	30	10	519000	1@1	DFT_QAM256	18.36	18.26	33	PASS
n41(2535-2655)	30	10	519000	1@22	DFT_QAM256	18.25	18.15	33	PASS
n41(2535-2655)	30	10	519000	12@6	CP_QPSK	21.20	21.1	33	PASS
n41(2535-2655)	30	10	519000	1@1	CP_QPSK	21.12	21.02	33	PASS
n41(2535-2655)	30	10	519000	1@22	CP_QPSK	21.18	21.08	33	PASS
n41(2535-2655)	30	10	519000	12@6	CP_QAM16	20.68	20.58	33	PASS
n41(2535-2655)	30	10	519000	1@1	CP_QAM16	20.92	20.82	33	PASS
n41(2535-2655)	30	10	519000	1@22	CP_QAM16	20.76	20.66	33	PASS
n41(2535-2655)	30	10	519000	12@6	CP_QAM64	19.35	19.25	33	PASS
n41(2535-2655)	30	10	519000	1@1	CP_QAM64	19.58	19.48	33	PASS
n41(2535-2655)	30	10	519000	1@22	CP_QAM64	19.11	19.01	33	PASS
n41(2535-2655)	30	10	519000	12@6	CP_QAM256	16.34	16.24	33	PASS
n41(2535-2655)	30	10	519000	1@1	CP_QAM256	16.47	16.37	33	PASS
n41(2535-2655)	30	10	519000	1@22	CP_QAM256	16.50	16.4	33	PASS
n41(2535-2655)	30	10	529998	12@6	DFT_BPSK	25.46	25.36	33	PASS
n41(2535-2655)	30	10	529998	1@1	DFT_BPSK	25.47	25.37	33	PASS
n41(2535-2655)	30	10	529998	1@22	DFT_BPSK	25.42	25.32	33	PASS
n41(2535-2655)	30	10	529998	12@6	DFT_QPSK	25.58	25.48	33	PASS
n41(2535-2655)	30	10	529998	1@1	DFT_QPSK	25.40	25.3	33	PASS
n41(2535-2655)	30	10	529998	1@22	DFT_QPSK	25.28	25.18	33	PASS
n41(2535-2655)	30	10	529998	12@6	DFT_QAM16	24.59	24.49	33	PASS
n41(2535-2655)	30	10	529998	1@1	DFT_QAM16	24.45	24.35	33	PASS
n41(2535-2655)	30	10	529998	1@22	DFT_QAM16	24.44	24.34	33	PASS
n41(2535-2655)	30	10	529998	12@6	DFT_QAM64	23.04	22.94	33	PASS
n41(2535-2655)	30	10	529998	1@1	DFT_QAM64	22.98	22.88	33	PASS
n41(2535-2655)	30	10	529998	1@22	DFT_QAM64	22.98	22.88	33	PASS
n41(2535-2655)	30	10	529998	12@6	DFT_QAM256	21.08	20.98	33	PASS
n41(2535-2655)	30	10	529998	1@1	DFT_QAM256	21.00	20.9	33	PASS
n41(2535-2655)	30	10	529998	1@22	DFT_QAM256	21.26	21.16	33	PASS
n41(2535-2655)	30	10	529998	12@6	CP_QPSK	24.00	23.9	33	PASS
n41(2535-2655)	30	10	529998	1@1	CP_QPSK	23.97	23.87	33	PASS
n41(2535-2655)	30	10	529998	1@22	CP_QPSK	23.89	23.79	33	PASS
n41(2535-2655)	30	10	529998	12@6	CP_QAM16	23.50	23.4	33	PASS
n41(2535-2655)	30	10	529998	1@1	CP_QAM16	24.06	23.96	33	PASS
n41(2535-2655)	30	10	529998	1@22	CP_QAM16	24.07	23.97	33	PASS
n41(2535-2655)	30	10	529998	12@6	CP_QAM64	22.13	22.03	33	PASS
n41(2535-2655)	30	10	529998	1@1	CP_QAM64	21.88	21.78	33	PASS
n41(2535-2655)	30	10	529998	1@22	CP_QAM64	21.76	21.66	33	PASS
n41(2535-2655)	30	10	529998	12@6	CP_QAM256	19.32	19.22	33	PASS
n41(2535-2655)	30	10	529998	1@1	CP_QAM256	19.44	19.34	33	PASS
n41(2535-2655)	30	10	529998	1@22	CP_QAM256	19.32	19.22	33	PASS
n41(2535-2655)	30	15	508500	18@9	DFT_BPSK	25.80	25.7	33	PASS
n41(2535-2655)	30	15	508500	1@1	DFT_BPSK	25.60	25.5	33	PASS

n41(2535-2655)	30	15	508500	1@36	DFT_BPSK	25.64	25.54	33	PASS
n41(2535-2655)	30	15	508500	18@9	DFT_QPSK	25.71	25.61	33	PASS
n41(2535-2655)	30	15	508500	1@1	DFT_QPSK	25.44	25.34	33	PASS
n41(2535-2655)	30	15	508500	1@36	DFT_QPSK	25.52	25.42	33	PASS
n41(2535-2655)	30	15	508500	18@9	DFT_QAM16	24.82	24.72	33	PASS
n41(2535-2655)	30	15	508500	1@1	DFT_QAM16	24.91	24.81	33	PASS
n41(2535-2655)	30	15	508500	1@36	DFT_QAM16	24.65	24.55	33	PASS
n41(2535-2655)	30	15	508500	18@9	DFT_QAM64	23.38	23.28	33	PASS
n41(2535-2655)	30	15	508500	1@1	DFT_QAM64	23.00	22.9	33	PASS
n41(2535-2655)	30	15	508500	1@36	DFT_QAM64	23.16	23.06	33	PASS
n41(2535-2655)	30	15	508500	18@9	DFT_QAM256	21.32	21.22	33	PASS
n41(2535-2655)	30	15	508500	1@1	DFT_QAM256	21.45	21.35	33	PASS
n41(2535-2655)	30	15	508500	1@36	DFT_QAM256	21.49	21.39	33	PASS
n41(2535-2655)	30	15	508500	19@9	CP_QPSK	24.18	24.08	33	PASS
n41(2535-2655)	30	15	508500	1@1	CP_QPSK	24.07	23.97	33	PASS
n41(2535-2655)	30	15	508500	1@36	CP_QPSK	24.08	23.98	33	PASS
n41(2535-2655)	30	15	508500	19@9	CP_QAM16	23.88	23.78	33	PASS
n41(2535-2655)	30	15	508500	1@1	CP_QAM16	24.20	24.1	33	PASS
n41(2535-2655)	30	15	508500	1@36	CP_QAM16	24.20	24.1	33	PASS
n41(2535-2655)	30	15	508500	19@9	CP_QAM64	22.36	22.26	33	PASS
n41(2535-2655)	30	15	508500	1@1	CP_QAM64	21.96	21.86	33	PASS
n41(2535-2655)	30	15	508500	1@36	CP_QAM64	22.32	22.22	33	PASS
n41(2535-2655)	30	15	508500	19@9	CP_QAM256	19.47	19.37	33	PASS
n41(2535-2655)	30	15	508500	1@1	CP_QAM256	19.59	19.49	33	PASS
n41(2535-2655)	30	15	508500	1@36	CP_QAM256	19.56	19.46	33	PASS
n41(2535-2655)	30	15	519000	18@9	DFT_BPSK	25.64	25.54	33	PASS
n41(2535-2655)	30	15	519000	1@1	DFT_BPSK	25.61	25.51	33	PASS
n41(2535-2655)	30	15	519000	1@36	DFT_BPSK	25.52	25.42	33	PASS
n41(2535-2655)	30	15	519000	18@9	DFT_QPSK	25.78	25.68	33	PASS
n41(2535-2655)	30	15	519000	1@1	DFT_QPSK	25.47	25.37	33	PASS
n41(2535-2655)	30	15	519000	1@36	DFT_QPSK	25.40	25.3	33	PASS
n41(2535-2655)	30	15	519000	18@9	DFT_QAM16	24.69	24.59	33	PASS
n41(2535-2655)	30	15	519000	1@1	DFT_QAM16	25.38	25.28	33	PASS
n41(2535-2655)	30	15	519000	1@36	DFT_QAM16	25.25	25.15	33	PASS
n41(2535-2655)	30	15	519000	18@9	DFT_QAM64	23.17	23.07	33	PASS
n41(2535-2655)	30	15	519000	1@1	DFT_QAM64	23.37	23.27	33	PASS
n41(2535-2655)	30	15	519000	1@36	DFT_QAM64	23.10	23	33	PASS
n41(2535-2655)	30	15	519000	18@9	DFT_QAM256	21.11	21.01	33	PASS
n41(2535-2655)	30	15	519000	1@1	DFT_QAM256	21.42	21.32	33	PASS
n41(2535-2655)	30	15	519000	1@36	DFT_QAM256	21.40	21.3	33	PASS
n41(2535-2655)	30	15	519000	19@9	CP_QPSK	24.06	23.96	33	PASS
n41(2535-2655)	30	15	519000	1@1	CP_QPSK	23.86	23.76	33	PASS
n41(2535-2655)	30	15	519000	1@36	CP_QPSK	23.75	23.65	33	PASS
n41(2535-2655)	30	15	519000	19@9	CP_QAM16	23.75	23.65	33	PASS

n41(2535-2655)	30	15	519000	1@1	CP_QAM16	24.12	24.02	33	PASS
n41(2535-2655)	30	15	519000	1@36	CP_QAM16	24.18	24.08	33	PASS
n41(2535-2655)	30	15	519000	19@9	CP_QAM64	22.19	22.09	33	PASS
n41(2535-2655)	30	15	519000	1@1	CP_QAM64	22.74	22.64	33	PASS
n41(2535-2655)	30	15	519000	1@36	CP_QAM64	22.70	22.6	33	PASS
n41(2535-2655)	30	15	519000	19@9	CP_QAM256	19.40	19.3	33	PASS
n41(2535-2655)	30	15	519000	1@1	CP_QAM256	19.53	19.43	33	PASS
n41(2535-2655)	30	15	519000	1@36	CP_QAM256	19.35	19.25	33	PASS
n41(2535-2655)	30	15	529500	18@9	DFT_BPSK	25.49	25.39	33	PASS
n41(2535-2655)	30	15	529500	1@1	DFT_BPSK	25.31	25.21	33	PASS
n41(2535-2655)	30	15	529500	1@36	DFT_BPSK	25.35	25.25	33	PASS
n41(2535-2655)	30	15	529500	18@9	DFT_QPSK	25.56	25.46	33	PASS
n41(2535-2655)	30	15	529500	1@1	DFT_QPSK	25.23	25.13	33	PASS
n41(2535-2655)	30	15	529500	1@36	DFT_QPSK	25.22	25.12	33	PASS
n41(2535-2655)	30	15	529500	18@9	DFT_QAM16	24.59	24.49	33	PASS
n41(2535-2655)	30	15	529500	1@1	DFT_QAM16	25.03	24.93	33	PASS
n41(2535-2655)	30	15	529500	1@36	DFT_QAM16	24.79	24.69	33	PASS
n41(2535-2655)	30	15	529500	18@9	DFT_QAM64	23.08	22.98	33	PASS
n41(2535-2655)	30	15	529500	1@1	DFT_QAM64	23.10	23	33	PASS
n41(2535-2655)	30	15	529500	1@36	DFT_QAM64	23.20	23.1	33	PASS
n41(2535-2655)	30	15	529500	18@9	DFT_QAM256	21.00	20.9	33	PASS
n41(2535-2655)	30	15	529500	1@1	DFT_QAM256	21.17	21.07	33	PASS
n41(2535-2655)	30	15	529500	1@36	DFT_QAM256	21.21	21.11	33	PASS
n41(2535-2655)	30	15	529500	19@9	CP_QPSK	23.99	23.89	33	PASS
n41(2535-2655)	30	15	529500	1@1	CP_QPSK	23.70	23.6	33	PASS
n41(2535-2655)	30	15	529500	1@36	CP_QPSK	23.68	23.58	33	PASS
n41(2535-2655)	30	15	529500	19@9	CP_QAM16	23.57	23.47	33	PASS
n41(2535-2655)	30	15	529500	1@1	CP_QAM16	23.88	23.78	33	PASS
n41(2535-2655)	30	15	529500	1@36	CP_QAM16	23.92	23.82	33	PASS
n41(2535-2655)	30	15	529500	19@9	CP_QAM64	22.08	21.98	33	PASS
n41(2535-2655)	30	15	529500	1@1	CP_QAM64	21.84	21.74	33	PASS
n41(2535-2655)	30	15	529500	1@36	CP_QAM64	22.52	22.42	33	PASS
n41(2535-2655)	30	15	529500	19@9	CP_QAM256	19.23	19.13	33	PASS
n41(2535-2655)	30	15	529500	1@1	CP_QAM256	19.14	19.04	33	PASS
n41(2535-2655)	30	15	529500	1@36	CP_QAM256	19.25	19.15	33	PASS
n41(2535-2655)	30	20	509004	25@12	DFT_BPSK	25.85	25.75	33	PASS
n41(2535-2655)	30	20	509004	1@1	DFT_BPSK	25.52	25.42	33	PASS
n41(2535-2655)	30	20	509004	1@49	DFT_BPSK	25.56	25.46	33	PASS
n41(2535-2655)	30	20	509004	25@12	DFT_QPSK	25.86	25.76	33	PASS
n41(2535-2655)	30	20	509004	1@1	DFT_QPSK	25.45	25.35	33	PASS
n41(2535-2655)	30	20	509004	1@49	DFT_QPSK	25.41	25.31	33	PASS
n41(2535-2655)	30	20	509004	25@12	DFT_QAM16	24.84	24.74	33	PASS
n41(2535-2655)	30	20	509004	1@1	DFT_QAM16	25.00	24.9	33	PASS
n41(2535-2655)	30	20	509004	1@49	DFT_QAM16	25.16	25.06	33	PASS

n41(2535-2655)	30	20	509004	25@12	DFT_QAM64	23.39	23.29	33	PASS
n41(2535-2655)	30	20	509004	1@1	DFT_QAM64	23.40	23.3	33	PASS
n41(2535-2655)	30	20	509004	1@49	DFT_QAM64	23.12	23.02	33	PASS
n41(2535-2655)	30	20	509004	25@12	DFT_QAM256	21.40	21.3	33	PASS
n41(2535-2655)	30	20	509004	1@1	DFT_QAM256	21.27	21.17	33	PASS
n41(2535-2655)	30	20	509004	1@49	DFT_QAM256	21.31	21.21	33	PASS
n41(2535-2655)	30	20	509004	25@12	CP_QPSK	24.27	24.17	33	PASS
n41(2535-2655)	30	20	509004	1@1	CP_QPSK	23.86	23.76	33	PASS
n41(2535-2655)	30	20	509004	1@49	CP_QPSK	23.90	23.8	33	PASS
n41(2535-2655)	30	20	509004	25@12	CP_QAM16	23.76	23.66	33	PASS
n41(2535-2655)	30	20	509004	1@1	CP_QAM16	24.13	24.03	33	PASS
n41(2535-2655)	30	20	509004	1@49	CP_QAM16	24.03	23.93	33	PASS
n41(2535-2655)	30	20	509004	25@12	CP_QAM64	22.36	22.26	33	PASS
n41(2535-2655)	30	20	509004	1@1	CP_QAM64	22.03	21.93	33	PASS
n41(2535-2655)	30	20	509004	1@49	CP_QAM64	22.02	21.92	33	PASS
n41(2535-2655)	30	20	509004	25@12	CP_QAM256	19.45	19.35	33	PASS
n41(2535-2655)	30	20	509004	1@1	CP_QAM256	19.25	19.15	33	PASS
n41(2535-2655)	30	20	509004	1@49	CP_QAM256	19.48	19.38	33	PASS
n41(2535-2655)	30	20	519000	25@12	DFT_BPSK	25.69	25.59	33	PASS
n41(2535-2655)	30	20	519000	1@1	DFT_BPSK	25.56	25.46	33	PASS
n41(2535-2655)	30	20	519000	1@49	DFT_BPSK	25.45	25.35	33	PASS
n41(2535-2655)	30	20	519000	25@12	DFT_QPSK	25.76	25.66	33	PASS
n41(2535-2655)	30	20	519000	1@1	DFT_QPSK	25.37	25.27	33	PASS
n41(2535-2655)	30	20	519000	1@49	DFT_QPSK	25.34	25.24	33	PASS
n41(2535-2655)	30	20	519000	25@12	DFT_QAM16	24.78	24.68	33	PASS
n41(2535-2655)	30	20	519000	1@1	DFT_QAM16	24.87	24.77	33	PASS
n41(2535-2655)	30	20	519000	1@49	DFT_QAM16	24.90	24.8	33	PASS
n41(2535-2655)	30	20	519000	25@12	DFT_QAM64	23.22	23.12	33	PASS
n41(2535-2655)	30	20	519000	1@1	DFT_QAM64	23.28	23.18	33	PASS
n41(2535-2655)	30	20	519000	1@49	DFT_QAM64	23.27	23.17	33	PASS
n41(2535-2655)	30	20	519000	25@12	DFT_QAM256	21.24	21.14	33	PASS
n41(2535-2655)	30	20	519000	1@1	DFT_QAM256	21.33	21.23	33	PASS
n41(2535-2655)	30	20	519000	1@49	DFT_QAM256	21.13	21.03	33	PASS
n41(2535-2655)	30	20	519000	25@12	CP_QPSK	24.19	24.09	33	PASS
n41(2535-2655)	30	20	519000	1@1	CP_QPSK	23.77	23.67	33	PASS
n41(2535-2655)	30	20	519000	1@49	CP_QPSK	23.77	23.67	33	PASS
n41(2535-2655)	30	20	519000	25@12	CP_QAM16	23.62	23.52	33	PASS
n41(2535-2655)	30	20	519000	1@1	CP_QAM16	24.27	24.17	33	PASS
n41(2535-2655)	30	20	519000	1@49	CP_QAM16	24.30	24.2	33	PASS
n41(2535-2655)	30	20	519000	25@12	CP_QAM64	22.19	22.09	33	PASS
n41(2535-2655)	30	20	519000	1@1	CP_QAM64	21.82	21.72	33	PASS
n41(2535-2655)	30	20	519000	1@49	CP_QAM64	22.27	22.17	33	PASS
n41(2535-2655)	30	20	519000	25@12	CP_QAM256	19.33	19.23	33	PASS
n41(2535-2655)	30	20	519000	1@1	CP_QAM256	19.32	19.22	33	PASS

n41(2535-2655)	30	20	519000	1@49	CP_QAM256	19.16	19.06	33	PASS
n41(2535-2655)	30	20	528996	25@12	DFT_BPSK	25.51	25.41	33	PASS
n41(2535-2655)	30	20	528996	1@1	DFT_BPSK	25.30	25.2	33	PASS
n41(2535-2655)	30	20	528996	1@49	DFT_BPSK	25.26	25.16	33	PASS
n41(2535-2655)	30	20	528996	25@12	DFT_QPSK	25.56	25.46	33	PASS
n41(2535-2655)	30	20	528996	1@1	DFT_QPSK	25.08	24.98	33	PASS
n41(2535-2655)	30	20	528996	1@49	DFT_QPSK	25.18	25.08	33	PASS
n41(2535-2655)	30	20	528996	25@12	DFT_QAM16	24.54	24.44	33	PASS
n41(2535-2655)	30	20	528996	1@1	DFT_QAM16	24.48	24.38	33	PASS
n41(2535-2655)	30	20	528996	1@49	DFT_QAM16	24.33	24.23	33	PASS
n41(2535-2655)	30	20	528996	25@12	DFT_QAM64	23.06	22.96	33	PASS
n41(2535-2655)	30	20	528996	1@1	DFT_QAM64	22.46	22.36	33	PASS
n41(2535-2655)	30	20	528996	1@49	DFT_QAM64	22.57	22.47	33	PASS
n41(2535-2655)	30	20	528996	25@12	DFT_QAM256	21.06	20.96	33	PASS
n41(2535-2655)	30	20	528996	1@1	DFT_QAM256	20.72	20.62	33	PASS
n41(2535-2655)	30	20	528996	1@49	DFT_QAM256	20.93	20.83	33	PASS
n41(2535-2655)	30	20	528996	25@12	CP_QPSK	24.06	23.96	33	PASS
n41(2535-2655)	30	20	528996	1@1	CP_QPSK	23.59	23.49	33	PASS
n41(2535-2655)	30	20	528996	1@49	CP_QPSK	23.57	23.47	33	PASS
n41(2535-2655)	30	20	528996	25@12	CP_QAM16	23.50	23.4	33	PASS
n41(2535-2655)	30	20	528996	1@1	CP_QAM16	23.83	23.73	33	PASS
n41(2535-2655)	30	20	528996	1@49	CP_QAM16	23.79	23.69	33	PASS
n41(2535-2655)	30	20	528996	25@12	CP_QAM64	22.06	21.96	33	PASS
n41(2535-2655)	30	20	528996	1@1	CP_QAM64	22.18	22.08	33	PASS
n41(2535-2655)	30	20	528996	1@49	CP_QAM64	21.63	21.53	33	PASS
n41(2535-2655)	30	20	528996	25@12	CP_QAM256	19.15	19.05	33	PASS
n41(2535-2655)	30	20	528996	1@1	CP_QAM256	19.01	18.91	33	PASS
n41(2535-2655)	30	20	528996	1@49	CP_QAM256	19.03	18.93	33	PASS
n41(2535-2655)	30	30	509004	36@18	DFT_BPSK	25.80	25.7	33	PASS
n41(2535-2655)	30	30	509004	1@1	DFT_BPSK	25.37	25.27	33	PASS
n41(2535-2655)	30	30	509004	1@76	DFT_BPSK	25.50	25.4	33	PASS
n41(2535-2655)	30	30	509004	36@18	DFT_QPSK	25.87	25.77	33	PASS
n41(2535-2655)	30	30	509004	1@1	DFT_QPSK	25.34	25.24	33	PASS
n41(2535-2655)	30	30	509004	1@76	DFT_QPSK	25.43	25.33	33	PASS
n41(2535-2655)	30	30	509004	36@18	DFT_QAM16	24.90	24.8	33	PASS
n41(2535-2655)	30	30	509004	1@1	DFT_QAM16	24.74	24.64	33	PASS
n41(2535-2655)	30	30	509004	1@76	DFT_QAM16	24.74	24.64	33	PASS
n41(2535-2655)	30	30	509004	36@18	DFT_QAM64	23.29	23.19	33	PASS
n41(2535-2655)	30	30	509004	1@1	DFT_QAM64	22.70	22.6	33	PASS
n41(2535-2655)	30	30	509004	1@76	DFT_QAM64	23.25	23.15	33	PASS
n41(2535-2655)	30	30	509004	36@18	DFT_QAM256	21.31	21.21	33	PASS
n41(2535-2655)	30	30	509004	1@1	DFT_QAM256	21.09	20.99	33	PASS
n41(2535-2655)	30	30	509004	1@76	DFT_QAM256	21.19	21.09	33	PASS
n41(2535-2655)	30	30	509004	39@19	CP_QPSK	24.31	24.21	33	PASS

n41(2535-2655)	30	30	509004	1@1	CP_QPSK	23.76	23.66	33	PASS
n41(2535-2655)	30	30	509004	1@76	CP_QPSK	23.87	23.77	33	PASS
n41(2535-2655)	30	30	509004	39@19	CP_QAM16	23.83	23.73	33	PASS
n41(2535-2655)	30	30	509004	1@1	CP_QAM16	24.07	23.97	33	PASS
n41(2535-2655)	30	30	509004	1@76	CP_QAM16	24.16	24.06	33	PASS
n41(2535-2655)	30	30	509004	39@19	CP_QAM64	22.23	22.13	33	PASS
n41(2535-2655)	30	30	509004	1@1	CP_QAM64	21.90	21.8	33	PASS
n41(2535-2655)	30	30	509004	1@76	CP_QAM64	22.41	22.31	33	PASS
n41(2535-2655)	30	30	509004	39@19	CP_QAM256	19.48	19.38	33	PASS
n41(2535-2655)	30	30	509004	1@1	CP_QAM256	19.34	19.24	33	PASS
n41(2535-2655)	30	30	509004	1@76	CP_QAM256	19.18	19.08	33	PASS
n41(2535-2655)	30	30	519000	36@18	DFT_BPSK	25.80	25.7	33	PASS
n41(2535-2655)	30	30	519000	1@1	DFT_BPSK	25.55	25.45	33	PASS
n41(2535-2655)	30	30	519000	1@76	DFT_BPSK	25.45	25.35	33	PASS
n41(2535-2655)	30	30	519000	36@18	DFT_QPSK	25.83	25.73	33	PASS
n41(2535-2655)	30	30	519000	1@1	DFT_QPSK	25.43	25.33	33	PASS
n41(2535-2655)	30	30	519000	1@76	DFT_QPSK	25.50	25.4	33	PASS
n41(2535-2655)	30	30	519000	36@18	DFT_QAM16	24.90	24.8	33	PASS
n41(2535-2655)	30	30	519000	1@1	DFT_QAM16	24.81	24.71	33	PASS
n41(2535-2655)	30	30	519000	1@76	DFT_QAM16	24.70	24.6	33	PASS
n41(2535-2655)	30	30	519000	36@18	DFT_QAM64	23.26	23.16	33	PASS
n41(2535-2655)	30	30	519000	1@1	DFT_QAM64	23.09	22.99	33	PASS
n41(2535-2655)	30	30	519000	1@76	DFT_QAM64	23.27	23.17	33	PASS
n41(2535-2655)	30	30	519000	36@18	DFT_QAM256	21.35	21.25	33	PASS
n41(2535-2655)	30	30	519000	1@1	DFT_QAM256	21.31	21.21	33	PASS
n41(2535-2655)	30	30	519000	1@76	DFT_QAM256	21.28	21.18	33	PASS
n41(2535-2655)	30	30	519000	39@19	CP_QPSK	24.26	24.16	33	PASS
n41(2535-2655)	30	30	519000	1@1	CP_QPSK	23.87	23.77	33	PASS
n41(2535-2655)	30	30	519000	1@76	CP_QPSK	23.74	23.64	33	PASS
n41(2535-2655)	30	30	519000	39@19	CP_QAM16	23.74	23.64	33	PASS
n41(2535-2655)	30	30	519000	1@1	CP_QAM16	23.90	23.8	33	PASS
n41(2535-2655)	30	30	519000	1@76	CP_QAM16	23.57	23.47	33	PASS
n41(2535-2655)	30	30	519000	39@19	CP_QAM64	22.22	22.12	33	PASS
n41(2535-2655)	30	30	519000	1@1	CP_QAM64	22.64	22.54	33	PASS
n41(2535-2655)	30	30	519000	1@76	CP_QAM64	22.72	22.62	33	PASS
n41(2535-2655)	30	30	519000	39@19	CP_QAM256	19.35	19.25	33	PASS
n41(2535-2655)	30	30	519000	1@1	CP_QAM256	19.25	19.15	33	PASS
n41(2535-2655)	30	30	519000	1@76	CP_QAM256	19.18	19.08	33	PASS
n41(2535-2655)	30	30	528000	36@18	DFT_BPSK	25.49	25.39	33	PASS
n41(2535-2655)	30	30	528000	1@1	DFT_BPSK	25.12	25.02	33	PASS
n41(2535-2655)	30	30	528000	1@76	DFT_BPSK	25.28	25.18	33	PASS
n41(2535-2655)	30	30	528000	36@18	DFT_QPSK	25.52	25.42	33	PASS
n41(2535-2655)	30	30	528000	1@1	DFT_QPSK	25.21	25.11	33	PASS
n41(2535-2655)	30	30	528000	1@76	DFT_QPSK	25.21	25.11	33	PASS

n41(2535-2655)	30	30	528000	36@18	DFT_QAM16	24.57	24.47	33	PASS
n41(2535-2655)	30	30	528000	1@1	DFT_QAM16	24.35	24.25	33	PASS
n41(2535-2655)	30	30	528000	1@76	DFT_QAM16	24.36	24.26	33	PASS
n41(2535-2655)	30	30	528000	36@18	DFT_QAM64	22.98	22.88	33	PASS
n41(2535-2655)	30	30	528000	1@1	DFT_QAM64	22.58	22.48	33	PASS
n41(2535-2655)	30	30	528000	1@76	DFT_QAM64	22.74	22.64	33	PASS
n41(2535-2655)	30	30	528000	36@18	DFT_QAM256	20.99	20.89	33	PASS
n41(2535-2655)	30	30	528000	1@1	DFT_QAM256	20.93	20.83	33	PASS
n41(2535-2655)	30	30	528000	1@76	DFT_QAM256	20.74	20.64	33	PASS
n41(2535-2655)	30	30	528000	39@19	CP_QPSK	24.00	23.9	33	PASS
n41(2535-2655)	30	30	528000	1@1	CP_QPSK	23.56	23.46	33	PASS
n41(2535-2655)	30	30	528000	1@76	CP_QPSK	23.58	23.48	33	PASS
n41(2535-2655)	30	30	528000	39@19	CP_QAM16	23.48	23.38	33	PASS
n41(2535-2655)	30	30	528000	1@1	CP_QAM16	23.29	23.19	33	PASS
n41(2535-2655)	30	30	528000	1@76	CP_QAM16	23.36	23.26	33	PASS
n41(2535-2655)	30	30	528000	39@19	CP_QAM64	21.99	21.89	33	PASS
n41(2535-2655)	30	30	528000	1@1	CP_QAM64	21.58	21.48	33	PASS
n41(2535-2655)	30	30	528000	1@76	CP_QAM64	21.58	21.48	33	PASS
n41(2535-2655)	30	30	528000	39@19	CP_QAM256	19.16	19.06	33	PASS
n41(2535-2655)	30	30	528000	1@1	CP_QAM256	19.00	18.9	33	PASS
n41(2535-2655)	30	30	528000	1@76	CP_QAM256	19.08	18.98	33	PASS
n41(2535-2655)	30	40	511002	50@25	DFT_BPSK	25.73	25.63	33	PASS
n41(2535-2655)	30	40	511002	1@1	DFT_BPSK	25.34	25.24	33	PASS
n41(2535-2655)	30	40	511002	1@104	DFT_BPSK	25.38	25.28	33	PASS
n41(2535-2655)	30	40	511002	50@25	DFT_QPSK	25.74	25.64	33	PASS
n41(2535-2655)	30	40	511002	1@1	DFT_QPSK	25.25	25.15	33	PASS
n41(2535-2655)	30	40	511002	1@104	DFT_QPSK	25.39	25.29	33	PASS
n41(2535-2655)	30	40	511002	50@25	DFT_QAM16	24.80	24.7	33	PASS
n41(2535-2655)	30	40	511002	1@1	DFT_QAM16	24.47	24.37	33	PASS
n41(2535-2655)	30	40	511002	1@104	DFT_QAM16	24.50	24.4	33	PASS
n41(2535-2655)	30	40	511002	50@25	DFT_QAM64	23.28	23.18	33	PASS
n41(2535-2655)	30	40	511002	1@1	DFT_QAM64	23.05	22.95	33	PASS
n41(2535-2655)	30	40	511002	1@104	DFT_QAM64	23.16	23.06	33	PASS
n41(2535-2655)	30	40	511002	50@25	DFT_QAM256	21.34	21.24	33	PASS
n41(2535-2655)	30	40	511002	1@1	DFT_QAM256	20.84	20.74	33	PASS
n41(2535-2655)	30	40	511002	1@104	DFT_QAM256	20.87	20.77	33	PASS
n41(2535-2655)	30	40	511002	53@26	CP_QPSK	24.27	24.17	33	PASS
n41(2535-2655)	30	40	511002	1@1	CP_QPSK	23.68	23.58	33	PASS
n41(2535-2655)	30	40	511002	1@104	CP_QPSK	23.81	23.71	33	PASS
n41(2535-2655)	30	40	511002	53@26	CP_QAM16	23.76	23.66	33	PASS
n41(2535-2655)	30	40	511002	1@1	CP_QAM16	23.51	23.41	33	PASS
n41(2535-2655)	30	40	511002	1@104	CP_QAM16	23.60	23.5	33	PASS
n41(2535-2655)	30	40	511002	53@26	CP_QAM64	22.20	22.1	33	PASS
n41(2535-2655)	30	40	511002	1@1	CP_QAM64	21.68	21.58	33	PASS

n41(2535-2655)	30	40	511002	1@104	CP_QAM64	22.01	21.91	33	PASS
n41(2535-2655)	30	40	511002	53@26	CP_QAM256	19.45	19.35	33	PASS
n41(2535-2655)	30	40	511002	1@1	CP_QAM256	19.19	19.09	33	PASS
n41(2535-2655)	30	40	511002	1@104	CP_QAM256	19.20	19.1	33	PASS
n41(2535-2655)	30	40	519000	50@25	DFT_BPSK	25.69	25.59	33	PASS
n41(2535-2655)	30	40	519000	1@1	DFT_BPSK	25.31	25.21	33	PASS
n41(2535-2655)	30	40	519000	1@104	DFT_BPSK	25.13	25.03	33	PASS
n41(2535-2655)	30	40	519000	50@25	DFT_QPSK	25.81	25.71	33	PASS
n41(2535-2655)	30	40	519000	1@1	DFT_QPSK	25.22	25.12	33	PASS
n41(2535-2655)	30	40	519000	1@104	DFT_QPSK	25.05	24.95	33	PASS
n41(2535-2655)	30	40	519000	50@25	DFT_QAM16	24.89	24.79	33	PASS
n41(2535-2655)	30	40	519000	1@1	DFT_QAM16	25.10	25	33	PASS
n41(2535-2655)	30	40	519000	1@104	DFT_QAM16	24.80	24.7	33	PASS
n41(2535-2655)	30	40	519000	50@25	DFT_QAM64	23.32	23.22	33	PASS
n41(2535-2655)	30	40	519000	1@1	DFT_QAM64	23.08	22.98	33	PASS
n41(2535-2655)	30	40	519000	1@104	DFT_QAM64	22.92	22.82	33	PASS
n41(2535-2655)	30	40	519000	50@25	DFT_QAM256	21.36	21.26	33	PASS
n41(2535-2655)	30	40	519000	1@1	DFT_QAM256	21.22	21.12	33	PASS
n41(2535-2655)	30	40	519000	1@104	DFT_QAM256	20.74	20.64	33	PASS
n41(2535-2655)	30	40	519000	53@26	CP_QPSK	24.23	24.13	33	PASS
n41(2535-2655)	30	40	519000	1@1	CP_QPSK	23.66	23.56	33	PASS
n41(2535-2655)	30	40	519000	1@104	CP_QPSK	23.61	23.51	33	PASS
n41(2535-2655)	30	40	519000	53@26	CP_QAM16	23.77	23.67	33	PASS
n41(2535-2655)	30	40	519000	1@1	CP_QAM16	23.89	23.79	33	PASS
n41(2535-2655)	30	40	519000	1@104	CP_QAM16	23.67	23.57	33	PASS
n41(2535-2655)	30	40	519000	53@26	CP_QAM64	22.22	22.12	33	PASS
n41(2535-2655)	30	40	519000	1@1	CP_QAM64	22.47	22.37	33	PASS
n41(2535-2655)	30	40	519000	1@104	CP_QAM64	22.30	22.2	33	PASS
n41(2535-2655)	30	40	519000	53@26	CP_QAM256	19.37	19.27	33	PASS
n41(2535-2655)	30	40	519000	1@1	CP_QAM256	19.26	19.16	33	PASS
n41(2535-2655)	30	40	519000	1@104	CP_QAM256	18.93	18.83	33	PASS
n41(2535-2655)	30	40	526998	50@25	DFT_BPSK	25.40	25.3	33	PASS
n41(2535-2655)	30	40	526998	1@1	DFT_BPSK	25.11	25.01	33	PASS
n41(2535-2655)	30	40	526998	1@104	DFT_BPSK	25.02	24.92	33	PASS
n41(2535-2655)	30	40	526998	50@25	DFT_QPSK	25.46	25.36	33	PASS
n41(2535-2655)	30	40	526998	1@1	DFT_QPSK	25.06	24.96	33	PASS
n41(2535-2655)	30	40	526998	1@104	DFT_QPSK	25.05	24.95	33	PASS
n41(2535-2655)	30	40	526998	50@25	DFT_QAM16	24.51	24.41	33	PASS
n41(2535-2655)	30	40	526998	1@1	DFT_QAM16	24.33	24.23	33	PASS
n41(2535-2655)	30	40	526998	1@104	DFT_QAM16	24.24	24.14	33	PASS
n41(2535-2655)	30	40	526998	50@25	DFT_QAM64	22.98	22.88	33	PASS
n41(2535-2655)	30	40	526998	1@1	DFT_QAM64	22.69	22.59	33	PASS
n41(2535-2655)	30	40	526998	1@104	DFT_QAM64	22.88	22.78	33	PASS
n41(2535-2655)	30	40	526998	50@25	DFT_QAM256	20.98	20.88	33	PASS

n41(2535-2655)	30	40	526998	1@1	DFT_QAM256	20.89	20.79	33	PASS
n41(2535-2655)	30	40	526998	1@104	DFT_QAM256	20.83	20.73	33	PASS
n41(2535-2655)	30	40	526998	53@26	CP_QPSK	23.93	23.83	33	PASS
n41(2535-2655)	30	40	526998	1@1	CP_QPSK	23.42	23.32	33	PASS
n41(2535-2655)	30	40	526998	1@104	CP_QPSK	23.35	23.25	33	PASS
n41(2535-2655)	30	40	526998	53@26	CP_QAM16	23.40	23.3	33	PASS
n41(2535-2655)	30	40	526998	1@1	CP_QAM16	23.50	23.4	33	PASS
n41(2535-2655)	30	40	526998	1@104	CP_QAM16	23.14	23.04	33	PASS
n41(2535-2655)	30	40	526998	53@26	CP_QAM64	21.85	21.75	33	PASS
n41(2535-2655)	30	40	526998	1@1	CP_QAM64	22.29	22.19	33	PASS
n41(2535-2655)	30	40	526998	1@104	CP_QAM64	21.44	21.34	33	PASS
n41(2535-2655)	30	40	526998	53@26	CP_QAM256	19.04	18.94	33	PASS
n41(2535-2655)	30	40	526998	1@1	CP_QAM256	18.86	18.76	33	PASS
n41(2535-2655)	30	40	526998	1@104	CP_QAM256	18.84	18.74	33	PASS
n41(2535-2655)	30	50	512004	64@32	DFT_BPSK	25.83	25.73	33	PASS
n41(2535-2655)	30	50	512004	1@1	DFT_BPSK	25.57	25.47	33	PASS
n41(2535-2655)	30	50	512004	1@131	DFT_BPSK	25.40	25.3	33	PASS
n41(2535-2655)	30	50	512004	64@32	DFT_QPSK	25.76	25.66	33	PASS
n41(2535-2655)	30	50	512004	1@1	DFT_QPSK	25.37	25.27	33	PASS
n41(2535-2655)	30	50	512004	1@131	DFT_QPSK	25.42	25.32	33	PASS
n41(2535-2655)	30	50	512004	64@32	DFT_QAM16	24.92	24.82	33	PASS
n41(2535-2655)	30	50	512004	1@1	DFT_QAM16	25.29	25.19	33	PASS
n41(2535-2655)	30	50	512004	1@131	DFT_QAM16	25.38	25.28	33	PASS
n41(2535-2655)	30	50	512004	64@32	DFT_QAM64	23.37	23.27	33	PASS
n41(2535-2655)	30	50	512004	1@1	DFT_QAM64	23.33	23.23	33	PASS
n41(2535-2655)	30	50	512004	1@131	DFT_QAM64	23.30	23.2	33	PASS
n41(2535-2655)	30	50	512004	64@32	DFT_QAM256	21.35	21.25	33	PASS
n41(2535-2655)	30	50	512004	1@1	DFT_QAM256	21.41	21.31	33	PASS
n41(2535-2655)	30	50	512004	1@131	DFT_QAM256	21.12	21.02	33	PASS
n41(2535-2655)	30	50	512004	67@33	CP_QPSK	24.34	24.24	33	PASS
n41(2535-2655)	30	50	512004	1@1	CP_QPSK	23.83	23.73	33	PASS
n41(2535-2655)	30	50	512004	1@131	CP_QPSK	23.78	23.68	33	PASS
n41(2535-2655)	30	50	512004	67@33	CP_QAM16	23.85	23.75	33	PASS
n41(2535-2655)	30	50	512004	1@1	CP_QAM16	24.16	24.06	33	PASS
n41(2535-2655)	30	50	512004	1@131	CP_QAM16	24.05	23.95	33	PASS
n41(2535-2655)	30	50	512004	67@33	CP_QAM64	22.31	22.21	33	PASS
n41(2535-2655)	30	50	512004	1@1	CP_QAM64	22.66	22.56	33	PASS
n41(2535-2655)	30	50	512004	1@131	CP_QAM64	21.99	21.89	33	PASS
n41(2535-2655)	30	50	512004	67@33	CP_QAM256	19.46	19.36	33	PASS
n41(2535-2655)	30	50	512004	1@1	CP_QAM256	19.15	19.05	33	PASS
n41(2535-2655)	30	50	512004	1@131	CP_QAM256	19.20	19.1	33	PASS
n41(2535-2655)	30	50	519000	64@32	DFT_BPSK	25.78	25.68	33	PASS
n41(2535-2655)	30	50	519000	1@1	DFT_BPSK	25.68	25.58	33	PASS
n41(2535-2655)	30	50	519000	1@131	DFT_BPSK	25.33	25.23	33	PASS

n41(2535-2655)	30	50	519000	64@32	DFT_QPSK	25.76	25.66	33	PASS
n41(2535-2655)	30	50	519000	1@1	DFT_QPSK	25.52	25.42	33	PASS
n41(2535-2655)	30	50	519000	1@131	DFT_QPSK	25.18	25.08	33	PASS
n41(2535-2655)	30	50	519000	64@32	DFT_QAM16	24.76	24.66	33	PASS
n41(2535-2655)	30	50	519000	1@1	DFT_QAM16	24.69	24.59	33	PASS
n41(2535-2655)	30	50	519000	1@131	DFT_QAM16	24.36	24.26	33	PASS
n41(2535-2655)	30	50	519000	64@32	DFT_QAM64	23.25	23.15	33	PASS
n41(2535-2655)	30	50	519000	1@1	DFT_QAM64	23.37	23.27	33	PASS
n41(2535-2655)	30	50	519000	1@131	DFT_QAM64	22.57	22.47	33	PASS
n41(2535-2655)	30	50	519000	64@32	DFT_QAM256	21.34	21.24	33	PASS
n41(2535-2655)	30	50	519000	1@1	DFT_QAM256	21.47	21.37	33	PASS
n41(2535-2655)	30	50	519000	1@131	DFT_QAM256	20.96	20.86	33	PASS
n41(2535-2655)	30	50	519000	67@33	CP_QPSK	24.25	24.15	33	PASS
n41(2535-2655)	30	50	519000	1@1	CP_QPSK	23.96	23.86	33	PASS
n41(2535-2655)	30	50	519000	1@131	CP_QPSK	23.74	23.64	33	PASS
n41(2535-2655)	30	50	519000	67@33	CP_QAM16	23.78	23.68	33	PASS
n41(2535-2655)	30	50	519000	1@1	CP_QAM16	24.30	24.2	33	PASS
n41(2535-2655)	30	50	519000	1@131	CP_QAM16	24.02	23.92	33	PASS
n41(2535-2655)	30	50	519000	67@33	CP_QAM64	22.23	22.13	33	PASS
n41(2535-2655)	30	50	519000	1@1	CP_QAM64	22.50	22.4	33	PASS
n41(2535-2655)	30	50	519000	1@131	CP_QAM64	21.62	21.52	33	PASS
n41(2535-2655)	30	50	519000	67@33	CP_QAM256	19.31	19.21	33	PASS
n41(2535-2655)	30	50	519000	1@1	CP_QAM256	19.44	19.34	33	PASS
n41(2535-2655)	30	50	519000	1@131	CP_QAM256	19.04	18.94	33	PASS
n41(2535-2655)	30	50	525996	64@32	DFT_BPSK	25.52	25.42	33	PASS
n41(2535-2655)	30	50	525996	1@1	DFT_BPSK	25.39	25.29	33	PASS
n41(2535-2655)	30	50	525996	1@131	DFT_BPSK	25.24	25.14	33	PASS
n41(2535-2655)	30	50	525996	64@32	DFT_QPSK	25.49	25.39	33	PASS
n41(2535-2655)	30	50	525996	1@1	DFT_QPSK	25.30	25.2	33	PASS
n41(2535-2655)	30	50	525996	1@131	DFT_QPSK	25.14	25.04	33	PASS
n41(2535-2655)	30	50	525996	64@32	DFT_QAM16	24.52	24.42	33	PASS
n41(2535-2655)	30	50	525996	1@1	DFT_QAM16	25.16	25.06	33	PASS
n41(2535-2655)	30	50	525996	1@131	DFT_QAM16	24.64	24.54	33	PASS
n41(2535-2655)	30	50	525996	64@32	DFT_QAM64	23.02	22.92	33	PASS
n41(2535-2655)	30	50	525996	1@1	DFT_QAM64	22.97	22.87	33	PASS
n41(2535-2655)	30	50	525996	1@131	DFT_QAM64	22.85	22.75	33	PASS
n41(2535-2655)	30	50	525996	64@32	DFT_QAM256	21.05	20.95	33	PASS
n41(2535-2655)	30	50	525996	1@1	DFT_QAM256	21.01	20.91	33	PASS
n41(2535-2655)	30	50	525996	1@131	DFT_QAM256	20.81	20.71	33	PASS
n41(2535-2655)	30	50	525996	67@33	CP_QPSK	24.01	23.91	33	PASS
n41(2535-2655)	30	50	525996	1@1	CP_QPSK	23.70	23.6	33	PASS
n41(2535-2655)	30	50	525996	1@131	CP_QPSK	23.56	23.46	33	PASS
n41(2535-2655)	30	50	525996	67@33	CP_QAM16	23.41	23.31	33	PASS
n41(2535-2655)	30	50	525996	1@1	CP_QAM16	24.11	24.01	33	PASS

n41(2535-2655)	30	50	525996	1@131	CP_QAM16	23.78	23.68	33	PASS
n41(2535-2655)	30	50	525996	67@33	CP_QAM64	22.04	21.94	33	PASS
n41(2535-2655)	30	50	525996	1@1	CP_QAM64	22.56	22.46	33	PASS
n41(2535-2655)	30	50	525996	1@131	CP_QAM64	22.29	22.19	33	PASS
n41(2535-2655)	30	50	525996	67@33	CP_QAM256	19.05	18.95	33	PASS
n41(2535-2655)	30	50	525996	1@1	CP_QAM256	19.42	19.32	33	PASS
n41(2535-2655)	30	50	525996	1@131	CP_QAM256	19.15	19.05	33	PASS
n41(2535-2655)	30	60	513000	81@40	DFT_BPSK	25.87	25.77	33	PASS
n41(2535-2655)	30	60	513000	1@1	DFT_BPSK	25.36	25.26	33	PASS
n41(2535-2655)	30	60	513000	1@160	DFT_BPSK	25.28	25.18	33	PASS
n41(2535-2655)	30	60	513000	81@40	DFT_QPSK	25.84	25.74	33	PASS
n41(2535-2655)	30	60	513000	1@1	DFT_QPSK	25.19	25.09	33	PASS
n41(2535-2655)	30	60	513000	1@160	DFT_QPSK	25.19	25.09	33	PASS
n41(2535-2655)	30	60	513000	81@40	DFT_QAM16	24.94	24.84	33	PASS
n41(2535-2655)	30	60	513000	1@1	DFT_QAM16	24.71	24.61	33	PASS
n41(2535-2655)	30	60	513000	1@160	DFT_QAM16	24.62	24.52	33	PASS
n41(2535-2655)	30	60	513000	81@40	DFT_QAM64	23.32	23.22	33	PASS
n41(2535-2655)	30	60	513000	1@1	DFT_QAM64	22.66	22.56	33	PASS
n41(2535-2655)	30	60	513000	1@160	DFT_QAM64	23.03	22.93	33	PASS
n41(2535-2655)	30	60	513000	81@40	DFT_QAM256	21.44	21.34	33	PASS
n41(2535-2655)	30	60	513000	1@1	DFT_QAM256	21.28	21.18	33	PASS
n41(2535-2655)	30	60	513000	1@160	DFT_QAM256	21.12	21.02	33	PASS
n41(2535-2655)	30	60	513000	81@40	CP_QPSK	24.25	24.15	33	PASS
n41(2535-2655)	30	60	513000	1@1	CP_QPSK	23.73	23.63	33	PASS
n41(2535-2655)	30	60	513000	1@160	CP_QPSK	23.77	23.67	33	PASS
n41(2535-2655)	30	60	513000	81@40	CP_QAM16	23.86	23.76	33	PASS
n41(2535-2655)	30	60	513000	1@1	CP_QAM16	23.97	23.87	33	PASS
n41(2535-2655)	30	60	513000	1@160	CP_QAM16	24.05	23.95	33	PASS
n41(2535-2655)	30	60	513000	81@40	CP_QAM64	22.33	22.23	33	PASS
n41(2535-2655)	30	60	513000	1@1	CP_QAM64	21.81	21.71	33	PASS
n41(2535-2655)	30	60	513000	1@160	CP_QAM64	22.16	22.06	33	PASS
n41(2535-2655)	30	60	513000	81@40	CP_QAM256	19.54	19.44	33	PASS
n41(2535-2655)	30	60	513000	1@1	CP_QAM256	19.12	19.02	33	PASS
n41(2535-2655)	30	60	513000	1@160	CP_QAM256	19.21	19.11	33	PASS
n41(2535-2655)	30	60	519000	81@40	DFT_BPSK	25.73	25.63	33	PASS
n41(2535-2655)	30	60	519000	1@1	DFT_BPSK	25.41	25.31	33	PASS
n41(2535-2655)	30	60	519000	1@160	DFT_BPSK	25.06	24.96	33	PASS
n41(2535-2655)	30	60	519000	81@40	DFT_QPSK	25.85	25.75	33	PASS
n41(2535-2655)	30	60	519000	1@1	DFT_QPSK	25.36	25.26	33	PASS
n41(2535-2655)	30	60	519000	1@160	DFT_QPSK	24.94	24.84	33	PASS
n41(2535-2655)	30	60	519000	81@40	DFT_QAM16	24.88	24.78	33	PASS
n41(2535-2655)	30	60	519000	1@1	DFT_QAM16	25.08	24.98	33	PASS
n41(2535-2655)	30	60	519000	1@160	DFT_QAM16	24.84	24.74	33	PASS
n41(2535-2655)	30	60	519000	81@40	DFT_QAM64	23.35	23.25	33	PASS

n41(2535-2655)	30	60	519000	1@1	DFT_QAM64	23.26	23.16	33	PASS
n41(2535-2655)	30	60	519000	1@160	DFT_QAM64	22.84	22.74	33	PASS
n41(2535-2655)	30	60	519000	81@40	DFT_QAM256	21.34	21.24	33	PASS
n41(2535-2655)	30	60	519000	1@1	DFT_QAM256	21.29	21.19	33	PASS
n41(2535-2655)	30	60	519000	1@160	DFT_QAM256	20.93	20.83	33	PASS
n41(2535-2655)	30	60	519000	81@40	CP_QPSK	24.20	24.1	33	PASS
n41(2535-2655)	30	60	519000	1@1	CP_QPSK	23.81	23.71	33	PASS
n41(2535-2655)	30	60	519000	1@160	CP_QPSK	23.40	23.3	33	PASS
n41(2535-2655)	30	60	519000	81@40	CP_QAM16	23.76	23.66	33	PASS
n41(2535-2655)	30	60	519000	1@1	CP_QAM16	23.97	23.87	33	PASS
n41(2535-2655)	30	60	519000	1@160	CP_QAM16	23.73	23.63	33	PASS
n41(2535-2655)	30	60	519000	81@40	CP_QAM64	22.19	22.09	33	PASS
n41(2535-2655)	30	60	519000	1@1	CP_QAM64	21.96	21.86	33	PASS
n41(2535-2655)	30	60	519000	1@160	CP_QAM64	21.51	21.41	33	PASS
n41(2535-2655)	30	60	519000	81@40	CP_QAM256	19.34	19.24	33	PASS
n41(2535-2655)	30	60	519000	1@1	CP_QAM256	19.43	19.33	33	PASS
n41(2535-2655)	30	60	519000	1@160	CP_QAM256	19.04	18.94	33	PASS
n41(2535-2655)	30	60	525000	81@40	DFT_BPSK	25.49	25.39	33	PASS
n41(2535-2655)	30	60	525000	1@1	DFT_BPSK	25.22	25.12	33	PASS
n41(2535-2655)	30	60	525000	1@160	DFT_BPSK	25.11	25.01	33	PASS
n41(2535-2655)	30	60	525000	81@40	DFT_QPSK	25.59	25.49	33	PASS
n41(2535-2655)	30	60	525000	1@1	DFT_QPSK	25.12	25.02	33	PASS
n41(2535-2655)	30	60	525000	1@160	DFT_QPSK	24.96	24.86	33	PASS
n41(2535-2655)	30	60	525000	81@40	DFT_QAM16	24.59	24.49	33	PASS
n41(2535-2655)	30	60	525000	1@1	DFT_QAM16	24.97	24.87	33	PASS
n41(2535-2655)	30	60	525000	1@160	DFT_QAM16	24.77	24.67	33	PASS
n41(2535-2655)	30	60	525000	81@40	DFT_QAM64	23.15	23.05	33	PASS
n41(2535-2655)	30	60	525000	1@1	DFT_QAM64	23.11	23.01	33	PASS
n41(2535-2655)	30	60	525000	1@160	DFT_QAM64	22.68	22.58	33	PASS
n41(2535-2655)	30	60	525000	81@40	DFT_QAM256	21.07	20.97	33	PASS
n41(2535-2655)	30	60	525000	1@1	DFT_QAM256	21.04	20.94	33	PASS
n41(2535-2655)	30	60	525000	1@160	DFT_QAM256	20.92	20.82	33	PASS
n41(2535-2655)	30	60	525000	81@40	CP_QPSK	23.99	23.89	33	PASS
n41(2535-2655)	30	60	525000	1@1	CP_QPSK	23.61	23.51	33	PASS
n41(2535-2655)	30	60	525000	1@160	CP_QPSK	23.38	23.28	33	PASS
n41(2535-2655)	30	60	525000	81@40	CP_QAM16	23.54	23.44	33	PASS
n41(2535-2655)	30	60	525000	1@1	CP_QAM16	23.82	23.72	33	PASS
n41(2535-2655)	30	60	525000	1@160	CP_QAM16	23.63	23.53	33	PASS
n41(2535-2655)	30	60	525000	81@40	CP_QAM64	21.98	21.88	33	PASS
n41(2535-2655)	30	60	525000	1@1	CP_QAM64	22.41	22.31	33	PASS
n41(2535-2655)	30	60	525000	1@160	CP_QAM64	22.19	22.09	33	PASS
n41(2535-2655)	30	60	525000	81@40	CP_QAM256	19.17	19.07	33	PASS
n41(2535-2655)	30	60	525000	1@1	CP_QAM256	19.15	19.05	33	PASS
n41(2535-2655)	30	60	525000	1@160	CP_QAM256	18.83	18.73	33	PASS

n41(2535-2655)	30	80	515004	108@54	DFT_BPSK	25.83	25.73	33	PASS
n41(2535-2655)	30	80	515004	1@1	DFT_BPSK	25.17	25.07	33	PASS
n41(2535-2655)	30	80	515004	1@215	DFT_BPSK	25.01	24.91	33	PASS
n41(2535-2655)	30	80	515004	108@54	DFT_QPSK	25.86	25.76	33	PASS
n41(2535-2655)	30	80	515004	1@1	DFT_QPSK	25.14	25.04	33	PASS
n41(2535-2655)	30	80	515004	1@215	DFT_QPSK	25.04	24.94	33	PASS
n41(2535-2655)	30	80	515004	108@54	DFT_QAM16	24.84	24.74	33	PASS
n41(2535-2655)	30	80	515004	1@1	DFT_QAM16	24.94	24.84	33	PASS
n41(2535-2655)	30	80	515004	1@215	DFT_QAM16	24.79	24.69	33	PASS
n41(2535-2655)	30	80	515004	108@54	DFT_QAM64	23.34	23.24	33	PASS
n41(2535-2655)	30	80	515004	1@1	DFT_QAM64	23.09	22.99	33	PASS
n41(2535-2655)	30	80	515004	1@215	DFT_QAM64	22.71	22.61	33	PASS
n41(2535-2655)	30	80	515004	108@54	DFT_QAM256	21.32	21.22	33	PASS
n41(2535-2655)	30	80	515004	1@1	DFT_QAM256	21.22	21.12	33	PASS
n41(2535-2655)	30	80	515004	1@215	DFT_QAM256	20.90	20.8	33	PASS
n41(2535-2655)	30	80	515004	109@54	CP_QPSK	24.34	24.24	33	PASS
n41(2535-2655)	30	80	515004	1@1	CP_QPSK	23.54	23.44	33	PASS
n41(2535-2655)	30	80	515004	1@215	CP_QPSK	23.23	23.13	33	PASS
n41(2535-2655)	30	80	515004	109@54	CP_QAM16	23.80	23.7	33	PASS
n41(2535-2655)	30	80	515004	1@1	CP_QAM16	23.90	23.8	33	PASS
n41(2535-2655)	30	80	515004	1@215	CP_QAM16	23.73	23.63	33	PASS
n41(2535-2655)	30	80	515004	109@54	CP_QAM64	22.41	22.31	33	PASS
n41(2535-2655)	30	80	515004	1@1	CP_QAM64	22.40	22.3	33	PASS
n41(2535-2655)	30	80	515004	1@215	CP_QAM64	21.55	21.45	33	PASS
n41(2535-2655)	30	80	515004	109@54	CP_QAM256	19.52	19.42	33	PASS
n41(2535-2655)	30	80	515004	1@1	CP_QAM256	19.25	19.15	33	PASS
n41(2535-2655)	30	80	515004	1@215	CP_QAM256	19.14	19.04	33	PASS
n41(2535-2655)	30	80	519000	108@54	DFT_BPSK	25.77	25.67	33	PASS
n41(2535-2655)	30	80	519000	1@1	DFT_BPSK	25.10	25	33	PASS
n41(2535-2655)	30	80	519000	1@215	DFT_BPSK	24.80	24.7	33	PASS
n41(2535-2655)	30	80	519000	108@54	DFT_QPSK	25.79	25.69	33	PASS
n41(2535-2655)	30	80	519000	1@1	DFT_QPSK	25.06	24.96	33	PASS
n41(2535-2655)	30	80	519000	1@215	DFT_QPSK	24.69	24.59	33	PASS
n41(2535-2655)	30	80	519000	108@54	DFT_QAM16	24.91	24.81	33	PASS
n41(2535-2655)	30	80	519000	1@1	DFT_QAM16	24.15	24.05	33	PASS
n41(2535-2655)	30	80	519000	1@215	DFT_QAM16	23.78	23.68	33	PASS
n41(2535-2655)	30	80	519000	108@54	DFT_QAM64	23.19	23.09	33	PASS
n41(2535-2655)	30	80	519000	1@1	DFT_QAM64	22.65	22.55	33	PASS
n41(2535-2655)	30	80	519000	1@215	DFT_QAM64	22.26	22.16	33	PASS
n41(2535-2655)	30	80	519000	108@54	DFT_QAM256	21.32	21.22	33	PASS
n41(2535-2655)	30	80	519000	1@1	DFT_QAM256	20.88	20.78	33	PASS
n41(2535-2655)	30	80	519000	1@215	DFT_QAM256	20.51	20.41	33	PASS
n41(2535-2655)	30	80	519000	109@54	CP_QPSK	24.32	24.22	33	PASS
n41(2535-2655)	30	80	519000	1@1	CP_QPSK	23.52	23.42	33	PASS

n41(2535-2655)	30	80	519000	1@215	CP_QPSK	23.21	23.11	33	PASS
n41(2535-2655)	30	80	519000	109@54	CP_QAM16	23.79	23.69	33	PASS
n41(2535-2655)	30	80	519000	1@1	CP_QAM16	24.04	23.94	33	PASS
n41(2535-2655)	30	80	519000	1@215	CP_QAM16	24.09	23.99	33	PASS
n41(2535-2655)	30	80	519000	109@54	CP_QAM64	22.20	22.1	33	PASS
n41(2535-2655)	30	80	519000	1@1	CP_QAM64	21.65	21.55	33	PASS
n41(2535-2655)	30	80	519000	1@215	CP_QAM64	21.33	21.23	33	PASS
n41(2535-2655)	30	80	519000	109@54	CP_QAM256	19.47	19.37	33	PASS
n41(2535-2655)	30	80	519000	1@1	CP_QAM256	19.20	19.1	33	PASS
n41(2535-2655)	30	80	519000	1@215	CP_QAM256	18.99	18.89	33	PASS
n41(2535-2655)	30	80	522996	108@54	DFT_BPSK	25.68	25.58	33	PASS
n41(2535-2655)	30	80	522996	1@1	DFT_BPSK	25.20	25.1	33	PASS
n41(2535-2655)	30	80	522996	1@215	DFT_BPSK	24.99	24.89	33	PASS
n41(2535-2655)	30	80	522996	108@54	DFT_QPSK	25.64	25.54	33	PASS
n41(2535-2655)	30	80	522996	1@1	DFT_QPSK	25.13	25.03	33	PASS
n41(2535-2655)	30	80	522996	1@215	DFT_QPSK	24.85	24.75	33	PASS
n41(2535-2655)	30	80	522996	108@54	DFT_QAM16	24.64	24.54	33	PASS
n41(2535-2655)	30	80	522996	1@1	DFT_QAM16	24.86	24.76	33	PASS
n41(2535-2655)	30	80	522996	1@215	DFT_QAM16	24.36	24.26	33	PASS
n41(2535-2655)	30	80	522996	108@54	DFT_QAM64	23.10	23	33	PASS
n41(2535-2655)	30	80	522996	1@1	DFT_QAM64	23.09	22.99	33	PASS
n41(2535-2655)	30	80	522996	1@215	DFT_QAM64	22.54	22.44	33	PASS
n41(2535-2655)	30	80	522996	108@54	DFT_QAM256	21.18	21.08	33	PASS
n41(2535-2655)	30	80	522996	1@1	DFT_QAM256	21.15	21.05	33	PASS
n41(2535-2655)	30	80	522996	1@215	DFT_QAM256	20.76	20.66	33	PASS
n41(2535-2655)	30	80	522996	109@54	CP_QPSK	24.13	24.03	33	PASS
n41(2535-2655)	30	80	522996	1@1	CP_QPSK	23.68	23.58	33	PASS
n41(2535-2655)	30	80	522996	1@215	CP_QPSK	23.37	23.27	33	PASS
n41(2535-2655)	30	80	522996	109@54	CP_QAM16	23.59	23.49	33	PASS
n41(2535-2655)	30	80	522996	1@1	CP_QAM16	23.84	23.74	33	PASS
n41(2535-2655)	30	80	522996	1@215	CP_QAM16	23.39	23.29	33	PASS
n41(2535-2655)	30	80	522996	109@54	CP_QAM64	22.08	21.98	33	PASS
n41(2535-2655)	30	80	522996	1@1	CP_QAM64	22.34	22.24	33	PASS
n41(2535-2655)	30	80	522996	1@215	CP_QAM64	21.97	21.87	33	PASS
n41(2535-2655)	30	80	522996	109@54	CP_QAM256	19.41	19.31	33	PASS
n41(2535-2655)	30	80	522996	1@1	CP_QAM256	19.32	19.22	33	PASS
n41(2535-2655)	30	80	522996	1@215	CP_QAM256	18.77	18.67	33	PASS
n41(2535-2655)	30	90	516000	120@60	DFT_BPSK	25.82	25.72	33	PASS
n41(2535-2655)	30	90	516000	1@1	DFT_BPSK	25.14	25.04	33	PASS
n41(2535-2655)	30	90	516000	1@243	DFT_BPSK	24.81	24.71	33	PASS
n41(2535-2655)	30	90	516000	120@60	DFT_QPSK	25.82	25.72	33	PASS
n41(2535-2655)	30	90	516000	1@1	DFT_QPSK	25.00	24.9	33	PASS
n41(2535-2655)	30	90	516000	1@243	DFT_QPSK	24.71	24.61	33	PASS
n41(2535-2655)	30	90	516000	120@60	DFT_QAM16	24.89	24.79	33	PASS

n41(2535-2655)	30	90	516000	1@1	DFT_QAM16	24.69	24.59	33	PASS
n41(2535-2655)	30	90	516000	1@243	DFT_QAM16	24.31	24.21	33	PASS
n41(2535-2655)	30	90	516000	120@60	DFT_QAM64	23.36	23.26	33	PASS
n41(2535-2655)	30	90	516000	1@1	DFT_QAM64	22.60	22.5	33	PASS
n41(2535-2655)	30	90	516000	1@243	DFT_QAM64	22.56	22.46	33	PASS
n41(2535-2655)	30	90	516000	120@60	DFT_QAM256	21.33	21.23	33	PASS
n41(2535-2655)	30	90	516000	1@1	DFT_QAM256	20.63	20.53	33	PASS
n41(2535-2655)	30	90	516000	1@243	DFT_QAM256	20.33	20.23	33	PASS
n41(2535-2655)	30	90	516000	123@61	CP_QPSK	24.33	24.23	33	PASS
n41(2535-2655)	30	90	516000	1@1	CP_QPSK	23.55	23.45	33	PASS
n41(2535-2655)	30	90	516000	1@243	CP_QPSK	23.21	23.11	33	PASS
n41(2535-2655)	30	90	516000	123@61	CP_QAM16	23.78	23.68	33	PASS
n41(2535-2655)	30	90	516000	1@1	CP_QAM16	23.60	23.5	33	PASS
n41(2535-2655)	30	90	516000	1@243	CP_QAM16	23.34	23.24	33	PASS
n41(2535-2655)	30	90	516000	123@61	CP_QAM64	22.30	22.2	33	PASS
n41(2535-2655)	30	90	516000	1@1	CP_QAM64	22.17	22.07	33	PASS
n41(2535-2655)	30	90	516000	1@243	CP_QAM64	21.26	21.16	33	PASS
n41(2535-2655)	30	90	516000	123@61	CP_QAM256	19.46	19.36	33	PASS
n41(2535-2655)	30	90	516000	1@1	CP_QAM256	19.09	18.99	33	PASS
n41(2535-2655)	30	90	516000	1@243	CP_QAM256	18.88	18.78	33	PASS
n41(2535-2655)	30	90	519000	120@60	DFT_BPSK	25.72	25.62	33	PASS
n41(2535-2655)	30	90	519000	1@1	DFT_BPSK	25.00	24.9	33	PASS
n41(2535-2655)	30	90	519000	1@243	DFT_BPSK	24.74	24.64	33	PASS
n41(2535-2655)	30	90	519000	120@60	DFT_QPSK	25.78	25.68	33	PASS
n41(2535-2655)	30	90	519000	1@1	DFT_QPSK	24.84	24.74	33	PASS
n41(2535-2655)	30	90	519000	1@243	DFT_QPSK	24.62	24.52	33	PASS
n41(2535-2655)	30	90	519000	120@60	DFT_QAM16	24.77	24.67	33	PASS
n41(2535-2655)	30	90	519000	1@1	DFT_QAM16	24.23	24.13	33	PASS
n41(2535-2655)	30	90	519000	1@243	DFT_QAM16	23.95	23.85	33	PASS
n41(2535-2655)	30	90	519000	120@60	DFT_QAM64	23.32	23.22	33	PASS
n41(2535-2655)	30	90	519000	1@1	DFT_QAM64	22.52	22.42	33	PASS
n41(2535-2655)	30	90	519000	1@243	DFT_QAM64	22.55	22.45	33	PASS
n41(2535-2655)	30	90	519000	120@60	DFT_QAM256	21.22	21.12	33	PASS
n41(2535-2655)	30	90	519000	1@1	DFT_QAM256	20.48	20.38	33	PASS
n41(2535-2655)	30	90	519000	1@243	DFT_QAM256	20.48	20.38	33	PASS
n41(2535-2655)	30	90	519000	123@61	CP_QPSK	24.18	24.08	33	PASS
n41(2535-2655)	30	90	519000	1@1	CP_QPSK	23.41	23.31	33	PASS
n41(2535-2655)	30	90	519000	1@243	CP_QPSK	23.14	23.04	33	PASS
n41(2535-2655)	30	90	519000	123@61	CP_QAM16	23.74	23.64	33	PASS
n41(2535-2655)	30	90	519000	1@1	CP_QAM16	23.53	23.43	33	PASS
n41(2535-2655)	30	90	519000	1@243	CP_QAM16	23.22	23.12	33	PASS
n41(2535-2655)	30	90	519000	123@61	CP_QAM64	22.18	22.08	33	PASS
n41(2535-2655)	30	90	519000	1@1	CP_QAM64	21.44	21.34	33	PASS
n41(2535-2655)	30	90	519000	1@243	CP_QAM64	21.40	21.3	33	PASS

n41(2535-2655)	30	90	519000	123@61	CP_QAM256	19.40	19.3	33	PASS
n41(2535-2655)	30	90	519000	1@1	CP_QAM256	19.01	18.91	33	PASS
n41(2535-2655)	30	90	519000	1@243	CP_QAM256	18.70	18.6	33	PASS
n41(2535-2655)	30	90	522000	120@60	DFT_BPSK	25.63	25.53	33	PASS
n41(2535-2655)	30	90	522000	1@1	DFT_BPSK	25.08	24.98	33	PASS
n41(2535-2655)	30	90	522000	1@243	DFT_BPSK	24.74	24.64	33	PASS
n41(2535-2655)	30	90	522000	120@60	DFT_QPSK	25.71	25.61	33	PASS
n41(2535-2655)	30	90	522000	1@1	DFT_QPSK	25.08	24.98	33	PASS
n41(2535-2655)	30	90	522000	1@243	DFT_QPSK	24.69	24.59	33	PASS
n41(2535-2655)	30	90	522000	120@60	DFT_QAM16	24.74	24.64	33	PASS
n41(2535-2655)	30	90	522000	1@1	DFT_QAM16	24.13	24.03	33	PASS
n41(2535-2655)	30	90	522000	1@243	DFT_QAM16	23.76	23.66	33	PASS
n41(2535-2655)	30	90	522000	120@60	DFT_QAM64	23.22	23.12	33	PASS
n41(2535-2655)	30	90	522000	1@1	DFT_QAM64	22.93	22.83	33	PASS
n41(2535-2655)	30	90	522000	1@243	DFT_QAM64	22.58	22.48	33	PASS
n41(2535-2655)	30	90	522000	120@60	DFT_QAM256	21.14	21.04	33	PASS
n41(2535-2655)	30	90	522000	1@1	DFT_QAM256	20.94	20.84	33	PASS
n41(2535-2655)	30	90	522000	1@243	DFT_QAM256	20.63	20.53	33	PASS
n41(2535-2655)	30	90	522000	123@61	CP_QPSK	24.10	24	33	PASS
n41(2535-2655)	30	90	522000	1@1	CP_QPSK	23.56	23.46	33	PASS
n41(2535-2655)	30	90	522000	1@243	CP_QPSK	23.23	23.13	33	PASS
n41(2535-2655)	30	90	522000	123@61	CP_QAM16	23.57	23.47	33	PASS
n41(2535-2655)	30	90	522000	1@1	CP_QAM16	23.64	23.54	33	PASS
n41(2535-2655)	30	90	522000	1@243	CP_QAM16	23.33	23.23	33	PASS
n41(2535-2655)	30	90	522000	123@61	CP_QAM64	22.09	21.99	33	PASS
n41(2535-2655)	30	90	522000	1@1	CP_QAM64	21.54	21.44	33	PASS
n41(2535-2655)	30	90	522000	1@243	CP_QAM64	21.22	21.12	33	PASS
n41(2535-2655)	30	90	522000	123@61	CP_QAM256	19.21	19.11	33	PASS
n41(2535-2655)	30	90	522000	1@1	CP_QAM256	19.34	19.24	33	PASS
n41(2535-2655)	30	90	522000	1@243	CP_QAM256	18.86	18.76	33	PASS
n41(2535-2655)	30	100	517002	135@67	DFT_BPSK	25.75	25.65	33	PASS
n41(2535-2655)	30	100	517002	1@1	DFT_BPSK	24.94	24.84	33	PASS
n41(2535-2655)	30	100	517002	1@271	DFT_BPSK	24.47	24.37	33	PASS
n41(2535-2655)	30	100	517002	135@67	DFT_QPSK	25.77	25.67	33	PASS
n41(2535-2655)	30	100	517002	1@1	DFT_QPSK	24.66	24.56	33	PASS
n41(2535-2655)	30	100	517002	1@271	DFT_QPSK	24.42	24.32	33	PASS
n41(2535-2655)	30	100	517002	135@67	DFT_QAM16	24.74	24.64	33	PASS
n41(2535-2655)	30	100	517002	1@1	DFT_QAM16	24.13	24.03	33	PASS
n41(2535-2655)	30	100	517002	1@271	DFT_QAM16	23.49	23.39	33	PASS
n41(2535-2655)	30	100	517002	135@67	DFT_QAM64	23.32	23.22	33	PASS
n41(2535-2655)	30	100	517002	1@1	DFT_QAM64	22.41	22.31	33	PASS
n41(2535-2655)	30	100	517002	1@271	DFT_QAM64	22.04	21.94	33	PASS
n41(2535-2655)	30	100	517002	135@67	DFT_QAM256	21.26	21.16	33	PASS
n41(2535-2655)	30	100	517002	1@1	DFT_QAM256	20.35	20.25	33	PASS

n41(2535-2655)	30	100	517002	1@271	DFT_QAM256	20.07	19.97	33	PASS
n41(2535-2655)	30	100	517002	137@68	CP_QPSK	24.33	24.23	33	PASS
n41(2535-2655)	30	100	517002	1@1	CP_QPSK	23.25	23.15	33	PASS
n41(2535-2655)	30	100	517002	1@271	CP_QPSK	22.89	22.79	33	PASS
n41(2535-2655)	30	100	517002	137@68	CP_QAM16	23.85	23.75	33	PASS
n41(2535-2655)	30	100	517002	1@1	CP_QAM16	23.50	23.4	33	PASS
n41(2535-2655)	30	100	517002	1@271	CP_QAM16	23.09	22.99	33	PASS
n41(2535-2655)	30	100	517002	137@68	CP_QAM64	22.27	22.17	33	PASS
n41(2535-2655)	30	100	517002	1@1	CP_QAM64	21.56	21.46	33	PASS
n41(2535-2655)	30	100	517002	1@271	CP_QAM64	20.87	20.77	33	PASS
n41(2535-2655)	30	100	517002	137@68	CP_QAM256	19.46	19.36	33	PASS
n41(2535-2655)	30	100	517002	1@1	CP_QAM256	18.90	18.8	33	PASS
n41(2535-2655)	30	100	517002	1@271	CP_QAM256	18.56	18.46	33	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	25.64	25.54	33	PASS
n41(2535-2655)	30	100	519000	1@1	DFT_BPSK	24.88	24.78	33	PASS
n41(2535-2655)	30	100	519000	1@271	DFT_BPSK	24.65	24.55	33	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	25.75	25.65	33	PASS
n41(2535-2655)	30	100	519000	1@1	DFT_QPSK	24.88	24.78	33	PASS
n41(2535-2655)	30	100	519000	1@271	DFT_QPSK	24.71	24.61	33	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QAM16	24.72	24.62	33	PASS
n41(2535-2655)	30	100	519000	1@1	DFT_QAM16	24.00	23.9	33	PASS
n41(2535-2655)	30	100	519000	1@271	DFT_QAM16	23.86	23.76	33	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QAM64	23.29	23.19	33	PASS
n41(2535-2655)	30	100	519000	1@1	DFT_QAM64	22.32	22.22	33	PASS
n41(2535-2655)	30	100	519000	1@271	DFT_QAM64	22.11	22.01	33	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QAM256	21.22	21.12	33	PASS
n41(2535-2655)	30	100	519000	1@1	DFT_QAM256	20.36	20.26	33	PASS
n41(2535-2655)	30	100	519000	1@271	DFT_QAM256	20.41	20.31	33	PASS
n41(2535-2655)	30	100	519000	137@68	CP_QPSK	24.19	24.09	33	PASS
n41(2535-2655)	30	100	519000	1@1	CP_QPSK	23.25	23.15	33	PASS
n41(2535-2655)	30	100	519000	1@271	CP_QPSK	23.06	22.96	33	PASS
n41(2535-2655)	30	100	519000	137@68	CP_QAM16	23.67	23.57	33	PASS
n41(2535-2655)	30	100	519000	1@1	CP_QAM16	22.99	22.89	33	PASS
n41(2535-2655)	30	100	519000	1@271	CP_QAM16	22.77	22.67	33	PASS
n41(2535-2655)	30	100	519000	137@68	CP_QAM64	22.18	22.08	33	PASS
n41(2535-2655)	30	100	519000	1@1	CP_QAM64	21.28	21.18	33	PASS
n41(2535-2655)	30	100	519000	1@271	CP_QAM64	21.00	20.9	33	PASS
n41(2535-2655)	30	100	519000	137@68	CP_QAM256	19.32	19.22	33	PASS
n41(2535-2655)	30	100	519000	1@1	CP_QAM256	18.98	18.88	33	PASS
n41(2535-2655)	30	100	519000	1@271	CP_QAM256	18.71	18.61	33	PASS
n41(2535-2655)	30	100	520998	135@67	DFT_BPSK	25.61	25.51	33	PASS
n41(2535-2655)	30	100	520998	1@1	DFT_BPSK	24.84	24.74	33	PASS
n41(2535-2655)	30	100	520998	1@271	DFT_BPSK	24.64	24.54	33	PASS
n41(2535-2655)	30	100	520998	135@67	DFT_QPSK	25.71	25.61	33	PASS

n41(2535-2655)	30	100	520998	1@1	DFT_QPSK	24.75	24.65	33	PASS
n41(2535-2655)	30	100	520998	1@271	DFT_QPSK	24.52	24.42	33	PASS
n41(2535-2655)	30	100	520998	135@67	DFT_QAM16	24.75	24.65	33	PASS
n41(2535-2655)	30	100	520998	1@1	DFT_QAM16	23.99	23.89	33	PASS
n41(2535-2655)	30	100	520998	1@271	DFT_QAM16	23.84	23.74	33	PASS
n41(2535-2655)	30	100	520998	135@67	DFT_QAM64	23.21	23.11	33	PASS
n41(2535-2655)	30	100	520998	1@1	DFT_QAM64	22.64	22.54	33	PASS
n41(2535-2655)	30	100	520998	1@271	DFT_QAM64	22.16	22.06	33	PASS
n41(2535-2655)	30	100	520998	135@67	DFT_QAM256	21.22	21.12	33	PASS
n41(2535-2655)	30	100	520998	1@1	DFT_QAM256	20.66	20.56	33	PASS
n41(2535-2655)	30	100	520998	1@271	DFT_QAM256	20.45	20.35	33	PASS
n41(2535-2655)	30	100	520998	137@68	CP_QPSK	24.18	24.08	33	PASS
n41(2535-2655)	30	100	520998	1@1	CP_QPSK	23.31	23.21	33	PASS
n41(2535-2655)	30	100	520998	1@271	CP_QPSK	23.12	23.02	33	PASS
n41(2535-2655)	30	100	520998	137@68	CP_QAM16	23.73	23.63	33	PASS
n41(2535-2655)	30	100	520998	1@1	CP_QAM16	23.02	22.92	33	PASS
n41(2535-2655)	30	100	520998	1@271	CP_QAM16	22.75	22.65	33	PASS
n41(2535-2655)	30	100	520998	137@68	CP_QAM64	22.21	22.11	33	PASS
n41(2535-2655)	30	100	520998	1@1	CP_QAM64	21.57	21.47	33	PASS
n41(2535-2655)	30	100	520998	1@271	CP_QAM64	21.29	21.19	33	PASS
n41(2535-2655)	30	100	520998	137@68	CP_QAM256	19.24	19.14	33	PASS
n41(2535-2655)	30	100	520998	1@1	CP_QAM256	18.89	18.79	33	PASS
n41(2535-2655)	30	100	520998	1@271	CP_QAM256	18.97	18.87	33	PASS

2. Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	3.87	-5.42	0.00	Within authorized band for 5G NR n41	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	3.50	-9.52	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	4.45	-8.29	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	3.87	-4.20	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	3.50	-1.89	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	4.45	-5.60	0.00		PASS

Note: Only the worst case shown in the report.

NV:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	-30	-2.97	0.00	Within authorized band for 5G NR n41	PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	-20	-5.52	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	-10	2.18	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	0	-7.14	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	10	-5.85	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	20	-6	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	30	-3.87	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	40	-1.09	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_BPSK	50	-4.21	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	-30	-5.39	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	-20	-6.77	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	-10	-7.88	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	0	-6.03	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	10	-5.86	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	20	-3.25	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	30	-4.85	0.00		PASS
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	40	-9.18	0.00	PASS	
n41(2535-2655)	30	100	519000	135@67	DFT_QPSK	50	-5.47	0.00	PASS	


Note: Only the worst case shown in the report.

3. Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n41(2535-2655)	30	10	519000	24@0	DFT_BPSK	4.75	13	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QPSK	5.79	13	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM16	6.61	13	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM64	6.86	13	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM256	6.88	13	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_BPSK	4.17	13	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QPSK	5.02	13	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM16	5.77	13	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM64	6.03	13	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM256	6.66	13	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_BPSK	4.17	13	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QPSK	5.10	13	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM16	5.86	13	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM64	6.26	13	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM256	6.69	13	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_BPSK	4.07	13	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QPSK	4.98	13	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM16	5.74	13	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM64	6.08	13	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM256	6.75	13	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_BPSK	4.25	13	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QPSK	5.18	13	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM16	5.95	13	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM64	6.21	13	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM256	6.66	13	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_BPSK	4.54	13	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QPSK	5.33	13	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM16	6.01	13	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM64	6.30	13	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM256	6.70	13	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_BPSK	4.10	13	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QPSK	5.11	13	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM16	5.87	13	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM64	6.24	13	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM256	6.73	13	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_BPSK	4.74	13	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QPSK	5.33	13	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QAM16	6.01	13	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QAM64	6.33	13	PASS

n41(2535-2655)	30	80	519000	216@0	DFT_QAM256	6.80	13	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_BPSK	4.47	13	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QPSK	5.39	13	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM16	6.14	13	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM64	6.36	13	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM256	6.74	13	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_BPSK	4.88	13	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QPSK	5.44	13	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM16	6.19	13	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM64	6.39	13	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM256	6.78	13	PASS


n41(2535-2655) SCS=30kHz DFT_BPSK BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=30MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=30MHz Channel=519000 RB=75 @0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=30MHz Channel=519000 RB=75 @0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=30MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=30MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=40MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=40MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=40MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=40MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=40MHz Channel=519000 RB=100@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=50MHz Channel=519000 RB=128@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=50MHz Channel=519000 RB=128@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=50MHz Channel=519000 RB=128@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=50MHz Channel=519000 RB=128@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=50MHz Channel=519000 RB=128@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=60MHz Channel=519000 RB=162@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=60MHz Channel=519000 RB=162@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=60MHz Channel=519000 RB=162@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=60MHz Channel=519000 RB=162@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=60MHz Channel=519000 RB=162@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=80MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=80MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=80MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=80MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=80MHz Channel=519000 RB=216@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=90MHz Channel=519000 RB=240@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=90MHz Channel=519000 RB=240@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=90MHz Channel=519000 RB=240@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=90MHz Channel=519000 RB=240@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=90MHz Channel=519000 RB=240@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=100MHz Channel=519000 RB=270@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=100MHz Channel=519000 RB=270@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=100MHz Channel=519000 RB=270@0



n41(2535-2655) SCS=30kHz DFT_QAM64 BW=100MHz Channel=519000 RB=270@0



n41(2535-2655) SCS=30kHz DFT_QAM256 BW=100MHz Channel=519000 RB=270@0



4. Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n41(2535-2655)	30	10	508002	24@0	DFT_BPSK	8.610	9.250	PASS
n41(2535-2655)	30	10	508002	24@0	DFT_QPSK	8.640	9.180	PASS
n41(2535-2655)	30	10	508002	24@0	DFT_QAM16	8.620	9.180	PASS
n41(2535-2655)	30	10	508002	24@0	DFT_QAM64	8.610	9.210	PASS
n41(2535-2655)	30	10	508002	24@0	DFT_QAM256	8.620	9.200	PASS
n41(2535-2655)	30	10	508002	24@0	CP_QPSK	8.610	9.190	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_BPSK	8.620	9.220	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QPSK	8.620	9.240	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM16	8.620	9.230	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM64	8.620	9.270	PASS
n41(2535-2655)	30	10	519000	24@0	DFT_QAM256	8.610	9.210	PASS
n41(2535-2655)	30	10	519000	24@0	CP_QPSK	8.620	9.240	PASS
n41(2535-2655)	30	10	529998	24@0	DFT_BPSK	8.610	9.220	PASS
n41(2535-2655)	30	10	529998	24@0	DFT_QPSK	8.640	9.180	PASS
n41(2535-2655)	30	10	529998	24@0	DFT_QAM16	8.620	9.210	PASS
n41(2535-2655)	30	10	529998	24@0	DFT_QAM64	8.610	9.170	PASS
n41(2535-2655)	30	10	529998	24@0	DFT_QAM256	8.610	9.200	PASS
n41(2535-2655)	30	10	529998	24@0	CP_QPSK	8.620	9.180	PASS
n41(2535-2655)	30	15	508500	36@0	DFT_BPSK	13.520	13.710	PASS
n41(2535-2655)	30	15	508500	36@0	DFT_QPSK	13.470	13.700	PASS
n41(2535-2655)	30	15	508500	36@0	DFT_QAM16	13.500	13.720	PASS
n41(2535-2655)	30	15	508500	36@0	DFT_QAM64	13.560	13.730	PASS
n41(2535-2655)	30	15	508500	36@0	DFT_QAM256	13.460	13.700	PASS
n41(2535-2655)	30	15	508500	38@0	CP_QPSK	13.640	14.420	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_BPSK	13.450	13.730	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QPSK	13.460	13.710	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM16	13.470	13.740	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM64	13.520	13.720	PASS
n41(2535-2655)	30	15	519000	36@0	DFT_QAM256	13.450	13.710	PASS
n41(2535-2655)	30	15	519000	38@0	CP_QPSK	13.630	14.430	PASS
n41(2535-2655)	30	15	529500	36@0	DFT_BPSK	13.460	13.730	PASS
n41(2535-2655)	30	15	529500	36@0	DFT_QPSK	13.510	13.780	PASS
n41(2535-2655)	30	15	529500	36@0	DFT_QAM16	13.500	13.740	PASS
n41(2535-2655)	30	15	529500	36@0	DFT_QAM64	13.560	13.710	PASS
n41(2535-2655)	30	15	529500	36@0	DFT_QAM256	13.500	13.730	PASS
n41(2535-2655)	30	15	529500	38@0	CP_QPSK	13.630	14.420	PASS
n41(2535-2655)	30	20	509004	50@0	DFT_BPSK	18.080	18.930	PASS
n41(2535-2655)	30	20	509004	50@0	DFT_QPSK	18.100	18.930	PASS
n41(2535-2655)	30	20	509004	50@0	DFT_QAM16	18.100	18.940	PASS


n41(2535-2655)	30	20	509004	50@0	DFT_QAM64	18.040	18.950	PASS
n41(2535-2655)	30	20	509004	50@0	DFT_QAM256	18.090	18.920	PASS
n41(2535-2655)	30	20	509004	51@0	CP_QPSK	18.280	19.320	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_BPSK	18.090	18.940	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QPSK	18.100	18.930	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM16	18.090	18.940	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM64	18.030	18.960	PASS
n41(2535-2655)	30	20	519000	50@0	DFT_QAM256	18.080	18.930	PASS
n41(2535-2655)	30	20	519000	51@0	CP_QPSK	18.280	19.370	PASS
n41(2535-2655)	30	20	528996	50@0	DFT_BPSK	18.090	18.930	PASS
n41(2535-2655)	30	20	528996	50@0	DFT_QPSK	18.110	18.930	PASS
n41(2535-2655)	30	20	528996	50@0	DFT_QAM16	18.080	18.900	PASS
n41(2535-2655)	30	20	528996	50@0	DFT_QAM64	18.110	18.940	PASS
n41(2535-2655)	30	20	528996	50@0	DFT_QAM256	18.090	18.930	PASS
n41(2535-2655)	30	20	528996	51@0	CP_QPSK	18.280	19.340	PASS
n41(2535-2655)	30	30	509004	75@0	DFT_BPSK	27.620	28.430	PASS
n41(2535-2655)	30	30	509004	75@0	DFT_QPSK	27.640	28.500	PASS
n41(2535-2655)	30	30	509004	75@0	DFT_QAM16	27.660	28.450	PASS
n41(2535-2655)	30	30	509004	75@0	DFT_QAM64	27.640	28.440	PASS
n41(2535-2655)	30	30	509004	75@0	DFT_QAM256	27.600	28.440	PASS
n41(2535-2655)	30	30	509004	78@0	CP_QPSK	27.990	29.530	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_BPSK	27.540	28.430	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QPSK	27.610	28.450	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM16	27.650	28.440	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM64	27.530	28.420	PASS
n41(2535-2655)	30	30	519000	75@0	DFT_QAM256	27.610	28.420	PASS
n41(2535-2655)	30	30	519000	78@0	CP_QPSK	27.980	29.570	PASS
n41(2535-2655)	30	30	528000	75@0	DFT_BPSK	27.730	28.410	PASS
n41(2535-2655)	30	30	528000	75@0	DFT_QPSK	27.740	28.440	PASS
n41(2535-2655)	30	30	528000	75@0	DFT_QAM16	27.750	28.450	PASS
n41(2535-2655)	30	30	528000	75@0	DFT_QAM64	27.750	28.440	PASS
n41(2535-2655)	30	30	528000	75@0	DFT_QAM256	27.660	28.420	PASS
n41(2535-2655)	30	30	528000	78@0	CP_QPSK	28.000	29.540	PASS
n41(2535-2655)	30	40	511002	100@0	DFT_BPSK	37.610	37.890	PASS
n41(2535-2655)	30	40	511002	100@0	DFT_QPSK	37.470	37.880	PASS
n41(2535-2655)	30	40	511002	100@0	DFT_QAM16	37.520	37.870	PASS
n41(2535-2655)	30	40	511002	100@0	DFT_QAM64	37.490	37.900	PASS
n41(2535-2655)	30	40	511002	100@0	DFT_QAM256	37.480	37.880	PASS
n41(2535-2655)	30	40	511002	106@0	CP_QPSK	37.990	40.050	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_BPSK	37.480	37.850	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QPSK	37.460	37.910	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM16	37.500	37.870	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM64	37.480	37.900	PASS
n41(2535-2655)	30	40	519000	100@0	DFT_QAM256	37.470	37.850	PASS

n41(2535-2655)	30	40	519000	106@0	CP_QPSK	37.960	40.060	PASS
n41(2535-2655)	30	40	526998	100@0	DFT_BPSK	37.660	37.880	PASS
n41(2535-2655)	30	40	526998	100@0	DFT_QPSK	37.660	37.880	PASS
n41(2535-2655)	30	40	526998	100@0	DFT_QAM16	37.670	37.880	PASS
n41(2535-2655)	30	40	526998	100@0	DFT_QAM64	37.660	37.860	PASS
n41(2535-2655)	30	40	526998	100@0	DFT_QAM256	37.660	37.860	PASS
n41(2535-2655)	30	40	526998	106@0	CP_QPSK	37.990	40.040	PASS
n41(2535-2655)	30	50	512004	128@0	DFT_BPSK	46.890	48.350	PASS
n41(2535-2655)	30	50	512004	128@0	DFT_QPSK	47.030	48.380	PASS
n41(2535-2655)	30	50	512004	128@0	DFT_QAM16	47.020	48.380	PASS
n41(2535-2655)	30	50	512004	128@0	DFT_QAM64	47.020	48.360	PASS
n41(2535-2655)	30	50	512004	128@0	DFT_QAM256	47.040	48.370	PASS
n41(2535-2655)	30	50	512004	133@0	CP_QPSK	47.690	50.240	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_BPSK	47.010	48.350	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QPSK	46.890	48.380	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM16	46.860	48.370	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM64	46.850	48.340	PASS
n41(2535-2655)	30	50	519000	128@0	DFT_QAM256	46.880	48.320	PASS
n41(2535-2655)	30	50	519000	133@0	CP_QPSK	47.630	50.260	PASS
n41(2535-2655)	30	50	525996	128@0	DFT_BPSK	47.290	48.370	PASS
n41(2535-2655)	30	50	525996	128@0	DFT_QPSK	47.260	48.390	PASS
n41(2535-2655)	30	50	525996	128@0	DFT_QAM16	47.280	48.380	PASS
n41(2535-2655)	30	50	525996	128@0	DFT_QAM64	47.240	48.350	PASS
n41(2535-2655)	30	50	525996	128@0	DFT_QAM256	47.290	48.330	PASS
n41(2535-2655)	30	50	525996	133@0	CP_QPSK	47.680	50.240	PASS
n41(2535-2655)	30	60	513000	162@0	DFT_BPSK	58.080	60.990	PASS
n41(2535-2655)	30	60	513000	162@0	DFT_QPSK	58.120	61.030	PASS
n41(2535-2655)	30	60	513000	162@0	DFT_QAM16	58.130	61.010	PASS
n41(2535-2655)	30	60	513000	162@0	DFT_QAM64	58.100	60.960	PASS
n41(2535-2655)	30	60	513000	162@0	DFT_QAM256	58.120	60.980	PASS
n41(2535-2655)	30	60	513000	162@0	CP_QPSK	58.110	61.040	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_BPSK	57.900	60.950	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QPSK	57.920	60.970	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM16	57.920	60.950	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM64	57.920	60.950	PASS
n41(2535-2655)	30	60	519000	162@0	DFT_QAM256	57.910	60.930	PASS
n41(2535-2655)	30	60	519000	162@0	CP_QPSK	57.920	61.030	PASS
n41(2535-2655)	30	60	525000	162@0	DFT_BPSK	57.940	60.980	PASS
n41(2535-2655)	30	60	525000	162@0	DFT_QPSK	58.100	61.000	PASS
n41(2535-2655)	30	60	525000	162@0	DFT_QAM16	57.940	60.950	PASS
n41(2535-2655)	30	60	525000	162@0	DFT_QAM64	57.950	60.970	PASS
n41(2535-2655)	30	60	525000	162@0	DFT_QAM256	58.080	60.970	PASS
n41(2535-2655)	30	60	525000	162@0	CP_QPSK	58.090	61.040	PASS
n41(2535-2655)	30	80	515004	216@0	DFT_BPSK	77.230	81.320	PASS


n41(2535-2655)	30	80	515004	216@0	DFT_QPSK	77.240	81.310	PASS
n41(2535-2655)	30	80	515004	216@0	DFT_QAM16	77.250	81.290	PASS
n41(2535-2655)	30	80	515004	216@0	DFT_QAM64	77.240	81.270	PASS
n41(2535-2655)	30	80	515004	216@0	DFT_QAM256	77.240	81.250	PASS
n41(2535-2655)	30	80	515004	217@0	CP_QPSK	77.770	81.720	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_BPSK	77.190	81.270	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QPSK	77.160	81.260	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QAM16	77.180	81.270	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QAM64	77.170	81.260	PASS
n41(2535-2655)	30	80	519000	216@0	DFT_QAM256	77.170	81.250	PASS
n41(2535-2655)	30	80	519000	217@0	CP_QPSK	77.530	81.700	PASS
n41(2535-2655)	30	80	522996	216@0	DFT_BPSK	77.230	81.290	PASS
n41(2535-2655)	30	80	522996	216@0	DFT_QPSK	77.240	81.310	PASS
n41(2535-2655)	30	80	522996	216@0	DFT_QAM16	77.250	81.280	PASS
n41(2535-2655)	30	80	522996	216@0	DFT_QAM64	77.270	81.310	PASS
n41(2535-2655)	30	80	522996	216@0	DFT_QAM256	77.250	81.260	PASS
n41(2535-2655)	30	80	522996	217@0	CP_QPSK	77.580	81.740	PASS
n41(2535-2655)	30	90	516000	240@0	DFT_BPSK	86.400	90.450	PASS
n41(2535-2655)	30	90	516000	240@0	DFT_QPSK	86.410	90.440	PASS
n41(2535-2655)	30	90	516000	240@0	DFT_QAM16	86.440	90.430	PASS
n41(2535-2655)	30	90	516000	240@0	DFT_QAM64	86.190	90.390	PASS
n41(2535-2655)	30	90	516000	240@0	DFT_QAM256	86.200	90.350	PASS
n41(2535-2655)	30	90	516000	245@0	CP_QPSK	87.610	92.280	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_BPSK	86.400	90.390	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QPSK	86.430	90.430	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM16	86.420	90.390	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM64	86.150	90.350	PASS
n41(2535-2655)	30	90	519000	240@0	DFT_QAM256	86.180	90.370	PASS
n41(2535-2655)	30	90	519000	245@0	CP_QPSK	87.540	92.190	PASS
n41(2535-2655)	30	90	522000	240@0	DFT_BPSK	86.480	90.420	PASS
n41(2535-2655)	30	90	522000	240@0	DFT_QPSK	86.460	90.400	PASS
n41(2535-2655)	30	90	522000	240@0	DFT_QAM16	86.520	90.420	PASS
n41(2535-2655)	30	90	522000	240@0	DFT_QAM64	86.430	90.340	PASS
n41(2535-2655)	30	90	522000	240@0	DFT_QAM256	86.460	90.340	PASS
n41(2535-2655)	30	90	522000	245@0	CP_QPSK	87.560	92.250	PASS
n41(2535-2655)	30	100	517002	270@0	DFT_BPSK	96.490	101.620	PASS
n41(2535-2655)	30	100	517002	270@0	DFT_QPSK	96.480	101.600	PASS
n41(2535-2655)	30	100	517002	270@0	DFT_QAM16	96.510	101.580	PASS
n41(2535-2655)	30	100	517002	270@0	DFT_QAM64	96.430	101.510	PASS
n41(2535-2655)	30	100	517002	270@0	DFT_QAM256	96.480	101.530	PASS
n41(2535-2655)	30	100	517002	273@0	CP_QPSK	97.370	102.710	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_BPSK	96.440	101.500	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QPSK	96.450	101.550	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM16	96.470	101.500	PASS

n41(2535-2655)	30	100	519000	270@0	DFT_QAM64	96.190	101.460	PASS
n41(2535-2655)	30	100	519000	270@0	DFT_QAM256	96.430	101.460	PASS
n41(2535-2655)	30	100	519000	273@0	CP_QPSK	97.310	102.660	PASS
n41(2535-2655)	30	100	520998	270@0	DFT_BPSK	96.470	101.470	PASS
n41(2535-2655)	30	100	520998	270@0	DFT_QPSK	96.440	101.490	PASS
n41(2535-2655)	30	100	520998	270@0	DFT_QAM16	96.490	101.500	PASS
n41(2535-2655)	30	100	520998	270@0	DFT_QAM64	96.420	101.470	PASS
n41(2535-2655)	30	100	520998	270@0	DFT_QAM256	96.460	101.500	PASS
n41(2535-2655)	30	100	520998	273@0	CP_QPSK	97.330	102.670	PASS


n41(2535-2655) SCS=30kHz DFT_BPSK BW=10MHz Channel=508002 RB=24@0



n41(2535-2655) SCS=30kHz DFT_QPSK BW=10MHz Channel=508002 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=10MHz Channel=508002 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=10MHz Channel=508002 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=10MHz Channel=508002 RB=24@0




n41(2535-2655) SCS=30kHz CP_QPSK BW=10MHz Channel=508002 RB=24@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz CP_QPSK BW=10MHz Channel=519000 RB=24@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=10MHz Channel=529998 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=10MHz Channel=529998 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=10MHz Channel=529998 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=10MHz Channel=529998 RB=24@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=10MHz Channel=529998 RB=24 @0



n41(2535-2655) SCS=30kHz CP_QPSK BW=10MHz Channel=529998 RB=24 @0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=15MHz Channel=508500 RB=36@0



n41(2535-2655) SCS=30kHz DFT_QPSK BW=15MHz Channel=508500 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=15MHz Channel=508500 RB=36@0



n41(2535-2655) SCS=30kHz DFT_QAM64 BW=15MHz Channel=508500 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=15MHz Channel=508500 RB=36@0




n41(2535-2655) SCS=30kHz CP_QPSK BW=15MHz Channel=508500 RB=38@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=15MHz Channel=519000 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=15MHz Channel=519000 RB=36@0



n41(2535-2655) SCS=30kHz CP_QPSK BW=15MHz Channel=519000 RB=38@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=15MHz Channel=529500 RB=36@0



n41(2535-2655) SCS=30kHz DFT_QPSK BW=15MHz Channel=529500 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=15MHz Channel=529500 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=15MHz Channel=529500 RB=36@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=15MHz Channel=529500 RB=36@0



n41(2535-2655) SCS=30kHz CP_QPSK BW=15MHz Channel=529500 RB=38@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=20MHz Channel=509004 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=20MHz Channel=509004 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=20MHz Channel=509004 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=20MHz Channel=509004 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=20MHz Channel=509004 RB=50@0



n41(2535-2655) SCS=30kHz CP_QPSK BW=20MHz Channel=509004 RB=51@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=20MHz Channel=519000 RB=50@0



n41(2535-2655) SCS=30kHz DFT_QAM64 BW=20MHz Channel=519000 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=20MHz Channel=519000 RB=50@0



n41(2535-2655) SCS=30kHz CP_QPSK BW=20MHz Channel=519000 RB=51@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=20MHz Channel=528996 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=20MHz Channel=528996 RB=50@0



n41(2535-2655) SCS=30kHz DFT_QAM16 BW=20MHz Channel=528996 RB=50@0



n41(2535-2655) SCS=30kHz DFT_QAM64 BW=20MHz Channel=528996 RB=50@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=20MHz Channel=528996 RB=50@0



n41(2535-2655) SCS=30kHz CP_QPSK BW=20MHz Channel=528996 RB=51@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=30MHz Channel=509004 RB=75@0



n41(2535-2655) SCS=30kHz DFT_QPSK BW=30MHz Channel=509004 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=30MHz Channel=509004 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=30MHz Channel=509004 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=30MHz Channel=509004 RB=75@0



n41(2535-2655) SCS=30kHz CP_QPSK BW=30MHz Channel=509004 RB=78@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=30MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QPSK BW=30MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=30MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=30MHz Channel=519000 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=30MHz Channel=519000 RB=75@0



n41(2535-2655) SCS=30kHz CP_QPSK BW=30MHz Channel=519000 RB=78@0




n41(2535-2655) SCS=30kHz DFT_BPSK BW=30MHz Channel=528000 RB=75@0



n41(2535-2655) SCS=30kHz DFT_QPSK BW=30MHz Channel=528000 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QAM16 BW=30MHz Channel=528000 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QAM64 BW=30MHz Channel=528000 RB=75@0




n41(2535-2655) SCS=30kHz DFT_QAM256 BW=30MHz Channel=528000 RB=75@0



n41(2535-2655) SCS=30kHz CP_QPSK BW=30MHz Channel=528000 RB=78@0



n41(2535-2655) SCS=30kHz DFT_BPSK BW=40MHz Channel=511002 RB=100@0



n41(2535-2655) SCS=30kHz DFT_QPSK BW=40MHz Channel=511002 RB=100@0