

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
n66	15	5	342500	12@6	DFT_BPSK	19.38	-0.7	18.68	33	PASS
n66	15	5	342500	1@1	DFT_BPSK	19.01	-0.7	18.31	33	PASS
n66	15	5	342500	1@23	DFT_BPSK	19.71	-0.7	19.01	33	PASS
n66	15	5	342500	12@6	DFT_QPSK	19.35	-0.7	18.65	33	PASS
n66	15	5	342500	1@1	DFT_QPSK	18.91	-0.7	18.21	33	PASS
n66	15	5	342500	1@23	DFT_QPSK	19.51	-0.7	18.81	33	PASS
n66	15	5	342500	12@6	DFT_QAM16	18.32	-0.7	17.62	33	PASS
n66	15	5	342500	1@1	DFT_QAM16	18.10	-0.7	17.40	33	PASS
n66	15	5	342500	1@23	DFT_QAM16	18.81	-0.7	18.11	33	PASS
n66	15	5	342500	12@6	DFT_QAM64	16.74	-0.7	16.04	33	PASS
n66	15	5	342500	1@1	DFT_QAM64	16.88	-0.7	16.18	33	PASS
n66	15	5	342500	1@23	DFT_QAM64	17.53	-0.7	16.83	33	PASS
n66	15	5	342500	12@6	DFT_QAM256	15.03	-0.7	14.33	33	PASS
n66	15	5	342500	1@1	DFT_QAM256	14.77	-0.7	14.07	33	PASS
n66	15	5	342500	1@23	DFT_QAM256	15.47	-0.7	14.77	33	PASS
n66	15	5	342500	13@6	CP_QPSK	17.86	-0.7	17.16	33	PASS
n66	15	5	342500	1@1	CP_QPSK	17.22	-0.7	16.52	33	PASS
n66	15	5	342500	1@23	CP_QPSK	17.97	-0.7	17.27	33	PASS
n66	15	5	342500	13@6	CP_QAM16	17.35	-0.7	16.65	33	PASS
n66	15	5	342500	1@1	CP_QAM16	17.25	-0.7	16.55	33	PASS
n66	15	5	342500	1@23	CP_QAM16	17.84	-0.7	17.14	33	PASS
n66	15	5	342500	13@6	CP_QAM64	15.97	-0.7	15.27	33	PASS
n66	15	5	342500	1@1	CP_QAM64	15.49	-0.7	14.79	33	PASS
n66	15	5	342500	1@23	CP_QAM64	16.13	-0.7	15.43	33	PASS
n66	15	5	342500	13@6	CP_QAM256	12.98	-0.7	12.28	33	PASS
n66	15	5	342500	1@1	CP_QAM256	12.86	-0.7	12.16	33	PASS
n66	15	5	342500	1@23	CP_QAM256	13.56	-0.7	12.86	33	PASS
n66	15	5	349000	12@6	DFT_BPSK	20.40	-0.7	19.70	33	PASS
n66	15	5	349000	1@1	DFT_BPSK	20.20	-0.7	19.50	33	PASS
n66	15	5	349000	1@23	DFT_BPSK	20.70	-0.7	20.00	33	PASS
n66	15	5	349000	12@6	DFT_QPSK	20.40	-0.7	19.70	33	PASS
n66	15	5	349000	1@1	DFT_QPSK	20.06	-0.7	19.36	33	PASS
n66	15	5	349000	1@23	DFT_QPSK	20.59	-0.7	19.89	33	PASS
n66	15	5	349000	12@6	DFT_QAM16	19.37	-0.7	18.67	33	PASS
n66	15	5	349000	1@1	DFT_QAM16	19.22	-0.7	18.52	33	PASS
n66	15	5	349000	1@23	DFT_QAM16	19.67	-0.7	18.97	33	PASS
n66	15	5	349000	12@6	DFT_QAM64	17.94	-0.7	17.24	33	PASS

n66	15	5	349000	1@1	DFT_QAM64	17.94	-0.7	17.24	33	PASS
n66	15	5	349000	1@23	DFT_QAM64	18.09	-0.7	17.39	33	PASS
n66	15	5	349000	12@6	DFT_QAM256	15.92	-0.7	15.22	33	PASS
n66	15	5	349000	1@1	DFT_QAM256	15.91	-0.7	15.21	33	PASS
n66	15	5	349000	1@23	DFT_QAM256	16.51	-0.7	15.81	33	PASS
n66	15	5	349000	13@6	CP_QPSK	18.83	-0.7	18.13	33	PASS
n66	15	5	349000	1@1	CP_QPSK	18.40	-0.7	17.70	33	PASS
n66	15	5	349000	1@23	CP_QPSK	18.87	-0.7	18.17	33	PASS
n66	15	5	349000	13@6	CP_QAM16	18.37	-0.7	17.67	33	PASS
n66	15	5	349000	1@1	CP_QAM16	18.51	-0.7	17.81	33	PASS
n66	15	5	349000	1@23	CP_QAM16	19.10	-0.7	18.40	33	PASS
n66	15	5	349000	13@6	CP_QAM64	17.00	-0.7	16.30	33	PASS
n66	15	5	349000	1@1	CP_QAM64	16.77	-0.7	16.07	33	PASS
n66	15	5	349000	1@23	CP_QAM64	17.42	-0.7	16.72	33	PASS
n66	15	5	349000	13@6	CP_QAM256	14.04	-0.7	13.34	33	PASS
n66	15	5	349000	1@1	CP_QAM256	14.03	-0.7	13.33	33	PASS
n66	15	5	349000	1@23	CP_QAM256	14.33	-0.7	13.63	33	PASS
n66	15	5	355500	12@6	DFT_BPSK	20.88	-0.7	20.18	33	PASS
n66	15	5	355500	1@1	DFT_BPSK	20.85	-0.7	20.15	33	PASS
n66	15	5	355500	1@23	DFT_BPSK	20.89	-0.7	20.19	33	PASS
n66	15	5	355500	12@6	DFT_QPSK	20.92	-0.7	20.22	33	PASS
n66	15	5	355500	1@1	DFT_QPSK	20.66	-0.7	19.96	33	PASS
n66	15	5	355500	1@23	DFT_QPSK	20.84	-0.7	20.14	33	PASS
n66	15	5	355500	12@6	DFT_QAM16	19.80	-0.7	19.10	33	PASS
n66	15	5	355500	1@1	DFT_QAM16	19.89	-0.7	19.19	33	PASS
n66	15	5	355500	1@23	DFT_QAM16	20.23	-0.7	19.53	33	PASS
n66	15	5	355500	12@6	DFT_QAM64	18.34	-0.7	17.64	33	PASS
n66	15	5	355500	1@1	DFT_QAM64	18.52	-0.7	17.82	33	PASS
n66	15	5	355500	1@23	DFT_QAM64	18.68	-0.7	17.98	33	PASS
n66	15	5	355500	12@6	DFT_QAM256	16.53	-0.7	15.83	33	PASS
n66	15	5	355500	1@1	DFT_QAM256	16.67	-0.7	15.97	33	PASS
n66	15	5	355500	1@23	DFT_QAM256	16.90	-0.7	16.20	33	PASS
n66	15	5	355500	13@6	CP_QPSK	19.30	-0.7	18.60	33	PASS
n66	15	5	355500	1@1	CP_QPSK	19.06	-0.7	18.36	33	PASS
n66	15	5	355500	1@23	CP_QPSK	19.35	-0.7	18.65	33	PASS
n66	15	5	355500	13@6	CP_QAM16	18.89	-0.7	18.19	33	PASS
n66	15	5	355500	1@1	CP_QAM16	19.04	-0.7	18.34	33	PASS
n66	15	5	355500	1@23	CP_QAM16	19.19	-0.7	18.49	33	PASS
n66	15	5	355500	13@6	CP_QAM64	17.48	-0.7	16.78	33	PASS
n66	15	5	355500	1@1	CP_QAM64	17.56	-0.7	16.86	33	PASS
n66	15	5	355500	1@23	CP_QAM64	17.51	-0.7	16.81	33	PASS
n66	15	5	355500	13@6	CP_QAM256	14.53	-0.7	13.83	33	PASS
n66	15	5	355500	1@1	CP_QAM256	14.56	-0.7	13.86	33	PASS
n66	15	5	355500	1@23	CP_QAM256	14.57	-0.7	13.87	33	PASS

n66	15	10	343000	25@12	DFT_BPSK	19.68	-0.7	18.98	33	PASS
n66	15	10	343000	1@1	DFT_BPSK	18.94	-0.7	18.24	33	PASS
n66	15	10	343000	1@50	DFT_BPSK	20.05	-0.7	19.35	33	PASS
n66	15	10	343000	25@12	DFT_QPSK	19.74	-0.7	19.04	33	PASS
n66	15	10	343000	1@1	DFT_QPSK	18.75	-0.7	18.05	33	PASS
n66	15	10	343000	1@50	DFT_QPSK	19.98	-0.7	19.28	33	PASS
n66	15	10	343000	25@12	DFT_QAM16	18.67	-0.7	17.97	33	PASS
n66	15	10	343000	1@1	DFT_QAM16	18.01	-0.7	17.31	33	PASS
n66	15	10	343000	1@50	DFT_QAM16	19.28	-0.7	18.58	33	PASS
n66	15	10	343000	25@12	DFT_QAM64	17.09	-0.7	16.39	33	PASS
n66	15	10	343000	1@1	DFT_QAM64	16.65	-0.7	15.95	33	PASS
n66	15	10	343000	1@50	DFT_QAM64	17.76	-0.7	17.06	33	PASS
n66	15	10	343000	25@12	DFT_QAM256	15.30	-0.7	14.60	33	PASS
n66	15	10	343000	1@1	DFT_QAM256	14.76	-0.7	14.06	33	PASS
n66	15	10	343000	1@50	DFT_QAM256	15.96	-0.7	15.26	33	PASS
n66	15	10	343000	26@13	CP_QPSK	18.26	-0.7	17.56	33	PASS
n66	15	10	343000	1@1	CP_QPSK	17.17	-0.7	16.47	33	PASS
n66	15	10	343000	1@50	CP_QPSK	18.29	-0.7	17.59	33	PASS
n66	15	10	343000	26@13	CP_QAM16	17.63	-0.7	16.93	33	PASS
n66	15	10	343000	1@1	CP_QAM16	17.32	-0.7	16.62	33	PASS
n66	15	10	343000	1@50	CP_QAM16	18.60	-0.7	17.90	33	PASS
n66	15	10	343000	26@13	CP_QAM64	16.28	-0.7	15.58	33	PASS
n66	15	10	343000	1@1	CP_QAM64	15.37	-0.7	14.67	33	PASS
n66	15	10	343000	1@50	CP_QAM64	16.53	-0.7	15.83	33	PASS
n66	15	10	343000	26@13	CP_QAM256	13.27	-0.7	12.57	33	PASS
n66	15	10	343000	1@1	CP_QAM256	12.58	-0.7	11.88	33	PASS
n66	15	10	343000	1@50	CP_QAM256	13.72	-0.7	13.02	33	PASS
n66	15	10	349000	25@12	DFT_BPSK	20.34	-0.7	19.64	33	PASS
n66	15	10	349000	1@1	DFT_BPSK	19.74	-0.7	19.04	33	PASS
n66	15	10	349000	1@50	DFT_BPSK	21.05	-0.7	20.35	33	PASS
n66	15	10	349000	25@12	DFT_QPSK	20.35	-0.7	19.65	33	PASS
n66	15	10	349000	1@1	DFT_QPSK	19.64	-0.7	18.94	33	PASS
n66	15	10	349000	1@50	DFT_QPSK	20.93	-0.7	20.23	33	PASS
n66	15	10	349000	25@12	DFT_QAM16	19.26	-0.7	18.56	33	PASS
n66	15	10	349000	1@1	DFT_QAM16	19.07	-0.7	18.37	33	PASS
n66	15	10	349000	1@50	DFT_QAM16	20.00	-0.7	19.30	33	PASS
n66	15	10	349000	25@12	DFT_QAM64	17.75	-0.7	17.05	33	PASS
n66	15	10	349000	1@1	DFT_QAM64	17.48	-0.7	16.78	33	PASS
n66	15	10	349000	1@50	DFT_QAM64	18.64	-0.7	17.94	33	PASS
n66	15	10	349000	25@12	DFT_QAM256	15.97	-0.7	15.27	33	PASS
n66	15	10	349000	1@1	DFT_QAM256	15.52	-0.7	14.82	33	PASS
n66	15	10	349000	1@50	DFT_QAM256	16.73	-0.7	16.03	33	PASS
n66	15	10	349000	26@13	CP_QPSK	18.96	-0.7	18.26	33	PASS
n66	15	10	349000	1@1	CP_QPSK	18.21	-0.7	17.51	33	PASS

n66	15	10	349000	1@50	CP_QPSK	19.22	-0.7	18.52	33	PASS
n66	15	10	349000	26@13	CP_QAM16	18.47	-0.7	17.77	33	PASS
n66	15	10	349000	1@1	CP_QAM16	18.08	-0.7	17.38	33	PASS
n66	15	10	349000	1@50	CP_QAM16	19.60	-0.7	18.90	33	PASS
n66	15	10	349000	26@13	CP_QAM64	16.99	-0.7	16.29	33	PASS
n66	15	10	349000	1@1	CP_QAM64	16.19	-0.7	15.49	33	PASS
n66	15	10	349000	1@50	CP_QAM64	17.48	-0.7	16.78	33	PASS
n66	15	10	349000	26@13	CP_QAM256	13.93	-0.7	13.23	33	PASS
n66	15	10	349000	1@1	CP_QAM256	13.49	-0.7	12.79	33	PASS
n66	15	10	349000	1@50	CP_QAM256	14.81	-0.7	14.11	33	PASS
n66	15	10	355000	25@12	DFT_BPSK	20.89	-0.7	20.19	33	PASS
n66	15	10	355000	1@1	DFT_BPSK	20.90	-0.7	20.20	33	PASS
n66	15	10	355000	1@50	DFT_BPSK	20.98	-0.7	20.28	33	PASS
n66	15	10	355000	25@12	DFT_QPSK	20.96	-0.7	20.26	33	PASS
n66	15	10	355000	1@1	DFT_QPSK	20.89	-0.7	20.19	33	PASS
n66	15	10	355000	1@50	DFT_QPSK	20.77	-0.7	20.07	33	PASS
n66	15	10	355000	25@12	DFT_QAM16	19.82	-0.7	19.12	33	PASS
n66	15	10	355000	1@1	DFT_QAM16	20.14	-0.7	19.44	33	PASS
n66	15	10	355000	1@50	DFT_QAM16	20.10	-0.7	19.40	33	PASS
n66	15	10	355000	25@12	DFT_QAM64	18.39	-0.7	17.69	33	PASS
n66	15	10	355000	1@1	DFT_QAM64	18.69	-0.7	17.99	33	PASS
n66	15	10	355000	1@50	DFT_QAM64	18.61	-0.7	17.91	33	PASS
n66	15	10	355000	25@12	DFT_QAM256	16.55	-0.7	15.85	33	PASS
n66	15	10	355000	1@1	DFT_QAM256	16.85	-0.7	16.15	33	PASS
n66	15	10	355000	1@50	DFT_QAM256	16.81	-0.7	16.11	33	PASS
n66	15	10	355000	26@13	CP_QPSK	19.48	-0.7	18.78	33	PASS
n66	15	10	355000	1@1	CP_QPSK	19.29	-0.7	18.59	33	PASS
n66	15	10	355000	1@50	CP_QPSK	19.23	-0.7	18.53	33	PASS
n66	15	10	355000	26@13	CP_QAM16	18.85	-0.7	18.15	33	PASS
n66	15	10	355000	1@1	CP_QAM16	19.46	-0.7	18.76	33	PASS
n66	15	10	355000	1@50	CP_QAM16	19.17	-0.7	18.47	33	PASS
n66	15	10	355000	26@13	CP_QAM64	17.54	-0.7	16.84	33	PASS
n66	15	10	355000	1@1	CP_QAM64	17.64	-0.7	16.94	33	PASS
n66	15	10	355000	1@50	CP_QAM64	17.40	-0.7	16.70	33	PASS
n66	15	10	355000	26@13	CP_QAM256	14.55	-0.7	13.85	33	PASS
n66	15	10	355000	1@1	CP_QAM256	14.70	-0.7	14.00	33	PASS
n66	15	10	355000	1@50	CP_QAM256	14.76	-0.7	14.06	33	PASS
n66	15	15	343500	36@18	DFT_BPSK	19.92	-0.7	19.22	33	PASS
n66	15	15	343500	1@1	DFT_BPSK	18.84	-0.7	18.14	33	PASS
n66	15	15	343500	1@77	DFT_BPSK	19.88	-0.7	19.18	33	PASS
n66	15	15	343500	36@18	DFT_QPSK	19.90	-0.7	19.20	33	PASS
n66	15	15	343500	1@1	DFT_QPSK	18.74	-0.7	18.04	33	PASS
n66	15	15	343500	1@77	DFT_QPSK	19.70	-0.7	19.00	33	PASS
n66	15	15	343500	36@18	DFT_QAM16	18.90	-0.7	18.20	33	PASS

n66	15	15	343500	1@1	DFT_QAM16	17.87	-0.7	17.17	33	PASS
n66	15	15	343500	1@77	DFT_QAM16	19.12	-0.7	18.42	33	PASS
n66	15	15	343500	36@18	DFT_QAM64	17.38	-0.7	16.68	33	PASS
n66	15	15	343500	1@1	DFT_QAM64	16.65	-0.7	15.95	33	PASS
n66	15	15	343500	1@77	DFT_QAM64	17.64	-0.7	16.94	33	PASS
n66	15	15	343500	36@18	DFT_QAM256	15.49	-0.7	14.79	33	PASS
n66	15	15	343500	1@1	DFT_QAM256	14.75	-0.7	14.05	33	PASS
n66	15	15	343500	1@77	DFT_QAM256	15.62	-0.7	14.92	33	PASS
n66	15	15	343500	39@19	CP_QPSK	18.48	-0.7	17.78	33	PASS
n66	15	15	343500	1@1	CP_QPSK	17.26	-0.7	16.56	33	PASS
n66	15	15	343500	1@77	CP_QPSK	18.28	-0.7	17.58	33	PASS
n66	15	15	343500	39@19	CP_QAM16	17.84	-0.7	17.14	33	PASS
n66	15	15	343500	1@1	CP_QAM16	17.18	-0.7	16.48	33	PASS
n66	15	15	343500	1@77	CP_QAM16	18.31	-0.7	17.61	33	PASS
n66	15	15	343500	39@19	CP_QAM64	16.48	-0.7	15.78	33	PASS
n66	15	15	343500	1@1	CP_QAM64	15.79	-0.7	15.09	33	PASS
n66	15	15	343500	1@77	CP_QAM64	16.39	-0.7	15.69	33	PASS
n66	15	15	343500	39@19	CP_QAM256	13.55	-0.7	12.85	33	PASS
n66	15	15	343500	1@1	CP_QAM256	12.81	-0.7	12.11	33	PASS
n66	15	15	343500	1@77	CP_QAM256	13.80	-0.7	13.10	33	PASS
n66	15	15	349000	36@18	DFT_BPSK	20.30	-0.7	19.60	33	PASS
n66	15	15	349000	1@1	DFT_BPSK	19.51	-0.7	18.81	33	PASS
n66	15	15	349000	1@77	DFT_BPSK	21.20	-0.7	20.50	33	PASS
n66	15	15	349000	36@18	DFT_QPSK	20.36	-0.7	19.66	33	PASS
n66	15	15	349000	1@1	DFT_QPSK	19.33	-0.7	18.63	33	PASS
n66	15	15	349000	1@77	DFT_QPSK	21.04	-0.7	20.34	33	PASS
n66	15	15	349000	36@18	DFT_QAM16	19.36	-0.7	18.66	33	PASS
n66	15	15	349000	1@1	DFT_QAM16	18.57	-0.7	17.87	33	PASS
n66	15	15	349000	1@77	DFT_QAM16	20.34	-0.7	19.64	33	PASS
n66	15	15	349000	36@18	DFT_QAM64	17.84	-0.7	17.14	33	PASS
n66	15	15	349000	1@1	DFT_QAM64	17.28	-0.7	16.58	33	PASS
n66	15	15	349000	1@77	DFT_QAM64	18.74	-0.7	18.04	33	PASS
n66	15	15	349000	36@18	DFT_QAM256	15.98	-0.7	15.28	33	PASS
n66	15	15	349000	1@1	DFT_QAM256	15.36	-0.7	14.66	33	PASS
n66	15	15	349000	1@77	DFT_QAM256	17.04	-0.7	16.34	33	PASS
n66	15	15	349000	39@19	CP_QPSK	18.97	-0.7	18.27	33	PASS
n66	15	15	349000	1@1	CP_QPSK	17.77	-0.7	17.07	33	PASS
n66	15	15	349000	1@77	CP_QPSK	19.55	-0.7	18.85	33	PASS
n66	15	15	349000	39@19	CP_QAM16	18.32	-0.7	17.62	33	PASS
n66	15	15	349000	1@1	CP_QAM16	17.56	-0.7	16.86	33	PASS
n66	15	15	349000	1@77	CP_QAM16	19.47	-0.7	18.77	33	PASS
n66	15	15	349000	39@19	CP_QAM64	16.97	-0.7	16.27	33	PASS
n66	15	15	349000	1@1	CP_QAM64	16.15	-0.7	15.45	33	PASS
n66	15	15	349000	1@77	CP_QAM64	17.96	-0.7	17.26	33	PASS

n66	15	15	349000	39@19	CP_QAM256	13.92	-0.7	13.22	33	PASS
n66	15	15	349000	1@1	CP_QAM256	13.31	-0.7	12.61	33	PASS
n66	15	15	349000	1@77	CP_QAM256	14.95	-0.7	14.25	33	PASS
n66	15	15	354500	36@18	DFT_BPSK	21.00	-0.7	20.30	33	PASS
n66	15	15	354500	1@1	DFT_BPSK	21.28	-0.7	20.58	33	PASS
n66	15	15	354500	1@77	DFT_BPSK	20.78	-0.7	20.08	33	PASS
n66	15	15	354500	36@18	DFT_QPSK	21.07	-0.7	20.37	33	PASS
n66	15	15	354500	1@1	DFT_QPSK	21.12	-0.7	20.42	33	PASS
n66	15	15	354500	1@77	DFT_QPSK	20.70	-0.7	20.00	33	PASS
n66	15	15	354500	36@18	DFT_QAM16	20.08	-0.7	19.38	33	PASS
n66	15	15	354500	1@1	DFT_QAM16	20.47	-0.7	19.77	33	PASS
n66	15	15	354500	1@77	DFT_QAM16	19.94	-0.7	19.24	33	PASS
n66	15	15	354500	36@18	DFT_QAM64	18.46	-0.7	17.76	33	PASS
n66	15	15	354500	1@1	DFT_QAM64	19.01	-0.7	18.31	33	PASS
n66	15	15	354500	1@77	DFT_QAM64	18.49	-0.7	17.79	33	PASS
n66	15	15	354500	36@18	DFT_QAM256	16.70	-0.7	16.00	33	PASS
n66	15	15	354500	1@1	DFT_QAM256	17.20	-0.7	16.50	33	PASS
n66	15	15	354500	1@77	DFT_QAM256	16.74	-0.7	16.04	33	PASS
n66	15	15	354500	39@19	CP_QPSK	19.59	-0.7	18.89	33	PASS
n66	15	15	354500	1@1	CP_QPSK	19.56	-0.7	18.86	33	PASS
n66	15	15	354500	1@77	CP_QPSK	19.26	-0.7	18.56	33	PASS
n66	15	15	354500	39@19	CP_QAM16	19.01	-0.7	18.31	33	PASS
n66	15	15	354500	1@1	CP_QAM16	19.50	-0.7	18.80	33	PASS
n66	15	15	354500	1@77	CP_QAM16	19.04	-0.7	18.34	33	PASS
n66	15	15	354500	39@19	CP_QAM64	17.76	-0.7	17.06	33	PASS
n66	15	15	354500	1@1	CP_QAM64	18.29	-0.7	17.59	33	PASS
n66	15	15	354500	1@77	CP_QAM64	17.30	-0.7	16.60	33	PASS
n66	15	15	354500	39@19	CP_QAM256	14.67	-0.7	13.97	33	PASS
n66	15	15	354500	1@1	CP_QAM256	15.16	-0.7	14.46	33	PASS
n66	15	15	354500	1@77	CP_QAM256	14.79	-0.7	14.09	33	PASS
n66	15	20	344000	50@25	DFT_BPSK	19.92	-0.7	19.22	33	PASS
n66	15	20	344000	1@1	DFT_BPSK	18.93	-0.7	18.23	33	PASS
n66	15	20	344000	1@104	DFT_BPSK	19.54	-0.7	18.84	33	PASS
n66	15	20	344000	50@25	DFT_QPSK	20.01	-0.7	19.31	33	PASS
n66	15	20	344000	1@1	DFT_QPSK	18.80	-0.7	18.10	33	PASS
n66	15	20	344000	1@104	DFT_QPSK	19.42	-0.7	18.72	33	PASS
n66	15	20	344000	50@25	DFT_QAM16	19.02	-0.7	18.32	33	PASS
n66	15	20	344000	1@1	DFT_QAM16	18.08	-0.7	17.38	33	PASS
n66	15	20	344000	1@104	DFT_QAM16	18.73	-0.7	18.03	33	PASS
n66	15	20	344000	50@25	DFT_QAM64	17.43	-0.7	16.73	33	PASS
n66	15	20	344000	1@1	DFT_QAM64	16.10	-0.7	15.40	33	PASS
n66	15	20	344000	1@104	DFT_QAM64	16.84	-0.7	16.14	33	PASS
n66	15	20	344000	50@25	DFT_QAM256	15.58	-0.7	14.88	33	PASS
n66	15	20	344000	1@1	DFT_QAM256	14.83	-0.7	14.13	33	PASS

n66	15	20	344000	1@104	DFT_QAM256	15.50	-0.7	14.80	33	PASS
n66	15	20	344000	53@26	CP_QPSK	18.50	-0.7	17.80	33	PASS
n66	15	20	344000	1@1	CP_QPSK	17.14	-0.7	16.44	33	PASS
n66	15	20	344000	1@104	CP_QPSK	17.97	-0.7	17.27	33	PASS
n66	15	20	344000	53@26	CP_QAM16	18.04	-0.7	17.34	33	PASS
n66	15	20	344000	1@1	CP_QAM16	17.37	-0.7	16.67	33	PASS
n66	15	20	344000	1@104	CP_QAM16	18.13	-0.7	17.43	33	PASS
n66	15	20	344000	53@26	CP_QAM64	16.62	-0.7	15.92	33	PASS
n66	15	20	344000	1@1	CP_QAM64	15.37	-0.7	14.67	33	PASS
n66	15	20	344000	1@104	CP_QAM64	16.74	-0.7	16.04	33	PASS
n66	15	20	344000	53@26	CP_QAM256	13.58	-0.7	12.88	33	PASS
n66	15	20	344000	1@1	CP_QAM256	12.82	-0.7	12.12	33	PASS
n66	15	20	344000	1@104	CP_QAM256	13.38	-0.7	12.68	33	PASS
n66	15	20	349000	50@25	DFT_BPSK	20.33	-0.7	19.63	33	PASS
n66	15	20	349000	1@1	DFT_BPSK	19.40	-0.7	18.70	33	PASS
n66	15	20	349000	1@104	DFT_BPSK	21.53	-0.7	20.83	33	PASS
n66	15	20	349000	50@25	DFT_QPSK	20.34	-0.7	19.64	33	PASS
n66	15	20	349000	1@1	DFT_QPSK	19.38	-0.7	18.68	33	PASS
n66	15	20	349000	1@104	DFT_QPSK	21.49	-0.7	20.79	33	PASS
n66	15	20	349000	50@25	DFT_QAM16	19.35	-0.7	18.65	33	PASS
n66	15	20	349000	1@1	DFT_QAM16	18.74	-0.7	18.04	33	PASS
n66	15	20	349000	1@104	DFT_QAM16	20.59	-0.7	19.89	33	PASS
n66	15	20	349000	50@25	DFT_QAM64	17.82	-0.7	17.12	33	PASS
n66	15	20	349000	1@1	DFT_QAM64	17.13	-0.7	16.43	33	PASS
n66	15	20	349000	1@104	DFT_QAM64	19.44	-0.7	18.74	33	PASS
n66	15	20	349000	50@25	DFT_QAM256	15.84	-0.7	15.14	33	PASS
n66	15	20	349000	1@1	DFT_QAM256	15.17	-0.7	14.47	33	PASS
n66	15	20	349000	1@104	DFT_QAM256	17.30	-0.7	16.60	33	PASS
n66	15	20	349000	53@26	CP_QPSK	18.83	-0.7	18.13	33	PASS
n66	15	20	349000	1@1	CP_QPSK	17.82	-0.7	17.12	33	PASS
n66	15	20	349000	1@104	CP_QPSK	19.94	-0.7	19.24	33	PASS
n66	15	20	349000	53@26	CP_QAM16	18.45	-0.7	17.75	33	PASS
n66	15	20	349000	1@1	CP_QAM16	17.65	-0.7	16.95	33	PASS
n66	15	20	349000	1@104	CP_QAM16	19.85	-0.7	19.15	33	PASS
n66	15	20	349000	53@26	CP_QAM64	16.94	-0.7	16.24	33	PASS
n66	15	20	349000	1@1	CP_QAM64	15.96	-0.7	15.26	33	PASS
n66	15	20	349000	1@104	CP_QAM64	18.17	-0.7	17.47	33	PASS
n66	15	20	349000	53@26	CP_QAM256	14.02	-0.7	13.32	33	PASS
n66	15	20	349000	1@1	CP_QAM256	13.03	-0.7	12.33	33	PASS
n66	15	20	349000	1@104	CP_QAM256	15.28	-0.7	14.58	33	PASS
n66	15	20	354000	50@25	DFT_BPSK	21.24	-0.7	20.54	33	PASS
n66	15	20	354000	1@1	DFT_BPSK	21.70	-0.7	21.00	33	PASS
n66	15	20	354000	1@104	DFT_BPSK	20.86	-0.7	20.16	33	PASS
n66	15	20	354000	50@25	DFT_QPSK	21.18	-0.7	20.48	33	PASS

n66	15	20	354000	1@1	DFT_QPSK	21.55	-0.7	20.85	33	PASS
n66	15	20	354000	1@104	DFT_QPSK	20.73	-0.7	20.03	33	PASS
n66	15	20	354000	50@25	DFT_QAM16	20.26	-0.7	19.56	33	PASS
n66	15	20	354000	1@1	DFT_QAM16	20.77	-0.7	20.07	33	PASS
n66	15	20	354000	1@104	DFT_QAM16	19.91	-0.7	19.21	33	PASS
n66	15	20	354000	50@25	DFT_QAM64	18.75	-0.7	18.05	33	PASS
n66	15	20	354000	1@1	DFT_QAM64	19.11	-0.7	18.41	33	PASS
n66	15	20	354000	1@104	DFT_QAM64	18.38	-0.7	17.68	33	PASS
n66	15	20	354000	50@25	DFT_QAM256	16.86	-0.7	16.16	33	PASS
n66	15	20	354000	1@1	DFT_QAM256	17.41	-0.7	16.71	33	PASS
n66	15	20	354000	1@104	DFT_QAM256	16.82	-0.7	16.12	33	PASS
n66	15	20	354000	53@26	CP_QPSK	19.61	-0.7	18.91	33	PASS
n66	15	20	354000	1@1	CP_QPSK	19.92	-0.7	19.22	33	PASS
n66	15	20	354000	1@104	CP_QPSK	19.16	-0.7	18.46	33	PASS
n66	15	20	354000	53@26	CP_QAM16	19.21	-0.7	18.51	33	PASS
n66	15	20	354000	1@1	CP_QAM16	20.11	-0.7	19.41	33	PASS
n66	15	20	354000	1@104	CP_QAM16	19.27	-0.7	18.57	33	PASS
n66	15	20	354000	53@26	CP_QAM64	17.75	-0.7	17.05	33	PASS
n66	15	20	354000	1@1	CP_QAM64	18.38	-0.7	17.68	33	PASS
n66	15	20	354000	1@104	CP_QAM64	17.54	-0.7	16.84	33	PASS
n66	15	20	354000	53@26	CP_QAM256	14.77	-0.7	14.07	33	PASS
n66	15	20	354000	1@1	CP_QAM256	15.47	-0.7	14.77	33	PASS
n66	15	20	354000	1@104	CP_QAM256	14.61	-0.7	13.91	33	PASS
n66	15	40	346000	108@54	DFT_BPSK	19.79	-0.7	19.09	33	PASS
n66	15	40	346000	1@1	DFT_BPSK	18.52	-0.7	17.82	33	PASS
n66	15	40	346000	1@214	DFT_BPSK	20.52	-0.7	19.82	33	PASS
n66	15	40	346000	108@54	DFT_QPSK	19.76	-0.7	19.06	33	PASS
n66	15	40	346000	1@1	DFT_QPSK	18.38	-0.7	17.68	33	PASS
n66	15	40	346000	1@214	DFT_QPSK	20.46	-0.7	19.76	33	PASS
n66	15	40	346000	108@54	DFT_QAM16	18.72	-0.7	18.02	33	PASS
n66	15	40	346000	1@1	DFT_QAM16	17.61	-0.7	16.91	33	PASS
n66	15	40	346000	1@214	DFT_QAM16	19.59	-0.7	18.89	33	PASS
n66	15	40	346000	108@54	DFT_QAM64	17.32	-0.7	16.62	33	PASS
n66	15	40	346000	1@1	DFT_QAM64	15.94	-0.7	15.24	33	PASS
n66	15	40	346000	1@214	DFT_QAM64	18.31	-0.7	17.61	33	PASS
n66	15	40	346000	108@54	DFT_QAM256	15.36	-0.7	14.66	33	PASS
n66	15	40	346000	1@1	DFT_QAM256	14.36	-0.7	13.66	33	PASS
n66	15	40	346000	1@214	DFT_QAM256	16.31	-0.7	15.61	33	PASS
n66	15	40	346000	108@54	CP_QPSK	18.23	-0.7	17.53	33	PASS
n66	15	40	346000	1@1	CP_QPSK	16.83	-0.7	16.13	33	PASS
n66	15	40	346000	1@214	CP_QPSK	18.81	-0.7	18.11	33	PASS
n66	15	40	346000	108@54	CP_QAM16	17.77	-0.7	17.07	33	PASS
n66	15	40	346000	1@1	CP_QAM16	16.86	-0.7	16.16	33	PASS
n66	15	40	346000	1@214	CP_QAM16	18.70	-0.7	18.00	33	PASS

n66	15	40	346000	108@54	CP_QAM64	16.37	-0.7	15.67	33	PASS
n66	15	40	346000	1@1	CP_QAM64	15.26	-0.7	14.56	33	PASS
n66	15	40	346000	1@214	CP_QAM64	17.14	-0.7	16.44	33	PASS
n66	15	40	346000	108@54	CP_QAM256	13.42	-0.7	12.72	33	PASS
n66	15	40	346000	1@1	CP_QAM256	12.24	-0.7	11.54	33	PASS
n66	15	40	346000	1@214	CP_QAM256	14.27	-0.7	13.57	33	PASS
n66	15	40	349000	108@54	DFT_BPSK	20.32	-0.7	19.62	33	PASS
n66	15	40	349000	1@1	DFT_BPSK	19.38	-0.7	18.68	33	PASS
n66	15	40	349000	1@214	DFT_BPSK	21.14	-0.7	20.44	33	PASS
n66	15	40	349000	108@54	DFT_QPSK	20.41	-0.7	19.71	33	PASS
n66	15	40	349000	1@1	DFT_QPSK	19.28	-0.7	18.58	33	PASS
n66	15	40	349000	1@214	DFT_QPSK	21.05	-0.7	20.35	33	PASS
n66	15	40	349000	108@54	DFT_QAM16	19.36	-0.7	18.66	33	PASS
n66	15	40	349000	1@1	DFT_QAM16	18.37	-0.7	17.67	33	PASS
n66	15	40	349000	1@214	DFT_QAM16	20.26	-0.7	19.56	33	PASS
n66	15	40	349000	108@54	DFT_QAM64	17.91	-0.7	17.21	33	PASS
n66	15	40	349000	1@1	DFT_QAM64	17.25	-0.7	16.55	33	PASS
n66	15	40	349000	1@214	DFT_QAM64	19.07	-0.7	18.37	33	PASS
n66	15	40	349000	108@54	DFT_QAM256	15.95	-0.7	15.25	33	PASS
n66	15	40	349000	1@1	DFT_QAM256	15.16	-0.7	14.46	33	PASS
n66	15	40	349000	1@214	DFT_QAM256	17.14	-0.7	16.44	33	PASS
n66	15	40	349000	108@54	CP_QPSK	18.89	-0.7	18.19	33	PASS
n66	15	40	349000	1@1	CP_QPSK	17.69	-0.7	16.99	33	PASS
n66	15	40	349000	1@214	CP_QPSK	19.54	-0.7	18.84	33	PASS
n66	15	40	349000	108@54	CP_QAM16	18.36	-0.7	17.66	33	PASS
n66	15	40	349000	1@1	CP_QAM16	17.81	-0.7	17.11	33	PASS
n66	15	40	349000	1@214	CP_QAM16	19.53	-0.7	18.83	33	PASS
n66	15	40	349000	108@54	CP_QAM64	16.90	-0.7	16.20	33	PASS
n66	15	40	349000	1@1	CP_QAM64	15.91	-0.7	15.21	33	PASS
n66	15	40	349000	1@214	CP_QAM64	18.08	-0.7	17.38	33	PASS
n66	15	40	349000	108@54	CP_QAM256	13.87	-0.7	13.17	33	PASS
n66	15	40	349000	1@1	CP_QAM256	13.10	-0.7	12.40	33	PASS
n66	15	40	349000	1@214	CP_QAM256	15.08	-0.7	14.38	33	PASS
n66	15	40	352000	108@54	DFT_BPSK	21.53	-0.7	20.83	33	PASS
n66	15	40	352000	1@1	DFT_BPSK	19.30	-0.7	18.60	33	PASS
n66	15	40	352000	1@214	DFT_BPSK	20.43	-0.7	19.73	33	PASS
n66	15	40	352000	108@54	DFT_QPSK	21.58	-0.7	20.88	33	PASS
n66	15	40	352000	1@1	DFT_QPSK	19.22	-0.7	18.52	33	PASS
n66	15	40	352000	1@214	DFT_QPSK	20.34	-0.7	19.64	33	PASS
n66	15	40	352000	108@54	DFT_QAM16	20.54	-0.7	19.84	33	PASS
n66	15	40	352000	1@1	DFT_QAM16	18.42	-0.7	17.72	33	PASS
n66	15	40	352000	1@214	DFT_QAM16	19.50	-0.7	18.80	33	PASS
n66	15	40	352000	108@54	DFT_QAM64	19.09	-0.7	18.39	33	PASS
n66	15	40	352000	1@1	DFT_QAM64	17.25	-0.7	16.55	33	PASS

n66	15	40	352000	1@214	DFT_QAM64	18.33	-0.7	17.63	33	PASS
n66	15	40	352000	108@54	DFT_QAM256	17.16	-0.7	16.46	33	PASS
n66	15	40	352000	1@1	DFT_QAM256	15.26	-0.7	14.56	33	PASS
n66	15	40	352000	1@214	DFT_QAM256	16.22	-0.7	15.52	33	PASS
n66	15	40	352000	108@54	CP_QPSK	20.07	-0.7	19.37	33	PASS
n66	15	40	352000	1@1	CP_QPSK	17.69	-0.7	16.99	33	PASS
n66	15	40	352000	1@214	CP_QPSK	18.84	-0.7	18.14	33	PASS
n66	15	40	352000	108@54	CP_QAM16	19.56	-0.7	18.86	33	PASS
n66	15	40	352000	1@1	CP_QAM16	17.54	-0.7	16.84	33	PASS
n66	15	40	352000	1@214	CP_QAM16	18.90	-0.7	18.20	33	PASS
n66	15	40	352000	108@54	CP_QAM64	18.10	-0.7	17.40	33	PASS
n66	15	40	352000	1@1	CP_QAM64	16.22	-0.7	15.52	33	PASS
n66	15	40	352000	1@214	CP_QAM64	17.03	-0.7	16.33	33	PASS
n66	15	40	352000	108@54	CP_QAM256	15.17	-0.7	14.47	33	PASS
n66	15	40	352000	1@1	CP_QAM256	13.26	-0.7	12.56	33	PASS
n66	15	40	352000	1@214	CP_QAM256	14.13	-0.7	13.43	33	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n66	15	40	349000	108@54	DFT_BPSK	3.87	0.28	0.00	Within authorized band for 5G NR n66	PASS
n66	15	40	349000	108@54	DFT_BPSK	3.45	3.40	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	4.45	0.79	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	3.87	-1.00	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	3.45	-1.95	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	4.45	-4.61	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n66	15	40	349000	108@54	DFT_BPSK	-30	-3.85	0.00	Within authorized band for 5G NR n66	PASS
n66	15	40	349000	108@54	DFT_BPSK	-20	-4.58	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	-10	-2.28	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	0	-6.35	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	10	-1.64	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	20	-2.73	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	30	-3.12	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	40	-2.85	0.00		PASS
n66	15	40	349000	108@54	DFT_BPSK	50	-5.92	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	-30	-6.11	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	-20	-8.45	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	-10	-3.59	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	0	-4.01	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	10	-6.03	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	20	-3.24	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	30	-5.04	0.00		PASS
n66	15	40	349000	108@54	DFT_QPSK	40	-6.7	0.00	PASS	
n66	15	40	349000	108@54	DFT_QPSK	50	-9.58	0.00	PASS	

Note: Only the worst case shown in the report


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n66	15	5	349000	25@0	DFT_BPSK	4.41	13	PASS
n66	15	5	349000	25@0	DFT_QPSK	5.26	13	PASS
n66	15	5	349000	25@0	DFT_QAM16	6.13	13	PASS
n66	15	5	349000	25@0	DFT_QAM64	6.44	13	PASS
n66	15	5	349000	25@0	DFT_QAM256	7.11	13	PASS
n66	15	10	349000	50@0	DFT_BPSK	4.33	13	PASS
n66	15	10	349000	50@0	DFT_QPSK	5.28	13	PASS
n66	15	10	349000	50@0	DFT_QAM16	6.14	13	PASS
n66	15	10	349000	50@0	DFT_QAM64	6.54	13	PASS
n66	15	10	349000	50@0	DFT_QAM256	7.19	13	PASS
n66	15	15	349000	75@0	DFT_BPSK	4.52	13	PASS
n66	15	15	349000	75@0	DFT_QPSK	5.51	13	PASS
n66	15	15	349000	75@0	DFT_QAM16	6.31	13	PASS
n66	15	15	349000	75@0	DFT_QAM64	6.60	13	PASS
n66	15	15	349000	75@0	DFT_QAM256	7.18	13	PASS
n66	15	20	349000	100@0	DFT_BPSK	4.58	13	PASS
n66	15	20	349000	100@0	DFT_QPSK	5.62	13	PASS
n66	15	20	349000	100@0	DFT_QAM16	6.27	13	PASS
n66	15	20	349000	100@0	DFT_QAM64	6.66	13	PASS
n66	15	20	349000	100@0	DFT_QAM256	7.21	13	PASS
n66	15	40	349000	216@0	DFT_BPSK	5.08	13	PASS
n66	15	40	349000	216@0	DFT_QPSK	5.73	13	PASS
n66	15	40	349000	216@0	DFT_QAM16	6.46	13	PASS
n66	15	40	349000	216@0	DFT_QAM64	6.73	13	PASS
n66	15	40	349000	216@0	DFT_QAM256	7.10	13	PASS


n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM256 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_QPSK BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM64 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM256 BW=40MHz Channel=349000 RB=216@0




4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n66	15	5	342500	25@0	DFT_BPSK	4.500	4.770	PASS
n66	15	5	342500	25@0	DFT_QPSK	4.500	4.760	PASS
n66	15	5	342500	25@0	DFT_QAM16	4.490	4.780	PASS
n66	15	5	342500	25@0	DFT_QAM64	4.490	4.790	PASS
n66	15	5	342500	25@0	DFT_QAM256	4.490	4.770	PASS
n66	15	5	342500	25@0	CP_QPSK	4.490	4.780	PASS
n66	15	5	349000	25@0	DFT_BPSK	4.490	4.770	PASS
n66	15	5	349000	25@0	DFT_QPSK	4.500	4.750	PASS
n66	15	5	349000	25@0	DFT_QAM16	4.510	4.770	PASS
n66	15	5	349000	25@0	DFT_QAM64	4.490	4.790	PASS
n66	15	5	349000	25@0	DFT_QAM256	4.480	4.770	PASS
n66	15	5	349000	25@0	CP_QPSK	4.490	4.780	PASS
n66	15	5	355500	25@0	DFT_BPSK	4.480	4.770	PASS
n66	15	5	355500	25@0	DFT_QPSK	4.490	4.780	PASS
n66	15	5	355500	25@0	DFT_QAM16	4.500	4.770	PASS
n66	15	5	355500	25@0	DFT_QAM64	4.490	4.790	PASS
n66	15	5	355500	25@0	DFT_QAM256	4.490	4.770	PASS
n66	15	5	355500	25@0	CP_QPSK	4.490	4.770	PASS
n66	15	10	343000	50@0	DFT_BPSK	9.130	9.460	PASS
n66	15	10	343000	50@0	DFT_QPSK	9.170	9.480	PASS
n66	15	10	343000	50@0	DFT_QAM16	9.160	9.470	PASS
n66	15	10	343000	50@0	DFT_QAM64	9.160	9.460	PASS
n66	15	10	343000	50@0	DFT_QAM256	9.170	9.490	PASS
n66	15	10	343000	52@0	CP_QPSK	9.330	9.830	PASS
n66	15	10	349000	50@0	DFT_BPSK	9.240	9.480	PASS
n66	15	10	349000	50@0	DFT_QPSK	9.220	9.490	PASS
n66	15	10	349000	50@0	DFT_QAM16	9.220	9.480	PASS
n66	15	10	349000	50@0	DFT_QAM64	9.220	9.480	PASS
n66	15	10	349000	50@0	DFT_QAM256	9.210	9.480	PASS
n66	15	10	349000	52@0	CP_QPSK	9.330	9.850	PASS
n66	15	10	355000	50@0	DFT_BPSK	9.210	9.480	PASS
n66	15	10	355000	50@0	DFT_QPSK	9.210	9.490	PASS
n66	15	10	355000	50@0	DFT_QAM16	9.210	9.470	PASS
n66	15	10	355000	50@0	DFT_QAM64	9.210	9.480	PASS
n66	15	10	355000	50@0	DFT_QAM256	9.210	9.490	PASS
n66	15	10	355000	52@0	CP_QPSK	9.330	9.850	PASS
n66	15	15	343500	75@0	DFT_BPSK	13.920	14.190	PASS
n66	15	15	343500	75@0	DFT_QPSK	13.920	14.190	PASS

n66	15	15	343500	75@0	DFT_QAM16	13.880	14.180	PASS
n66	15	15	343500	75@0	DFT_QAM64	13.870	14.190	PASS
n66	15	15	343500	75@0	DFT_QAM256	13.890	14.180	PASS
n66	15	15	343500	79@0	CP_QPSK	14.130	14.920	PASS
n66	15	15	349000	75@0	DFT_BPSK	14.010	14.210	PASS
n66	15	15	349000	75@0	DFT_QPSK	13.980	14.190	PASS
n66	15	15	349000	75@0	DFT_QAM16	13.990	14.190	PASS
n66	15	15	349000	75@0	DFT_QAM64	13.990	14.210	PASS
n66	15	15	349000	75@0	DFT_QAM256	14.000	14.190	PASS
n66	15	15	349000	79@0	CP_QPSK	14.170	14.930	PASS
n66	15	15	354500	75@0	DFT_BPSK	14.050	14.210	PASS
n66	15	15	354500	75@0	DFT_QPSK	13.990	14.200	PASS
n66	15	15	354500	75@0	DFT_QAM16	14.050	14.200	PASS
n66	15	15	354500	75@0	DFT_QAM64	14.000	14.230	PASS
n66	15	15	354500	75@0	DFT_QAM256	14.070	14.230	PASS
n66	15	15	354500	79@0	CP_QPSK	14.180	14.930	PASS
n66	15	20	344000	100@0	DFT_BPSK	18.650	18.890	PASS
n66	15	20	344000	100@0	DFT_QPSK	18.600	18.890	PASS
n66	15	20	344000	100@0	DFT_QAM16	18.670	18.890	PASS
n66	15	20	344000	100@0	DFT_QAM64	18.640	18.870	PASS
n66	15	20	344000	100@0	DFT_QAM256	18.660	18.900	PASS
n66	15	20	344000	106@0	CP_QPSK	18.960	19.980	PASS
n66	15	20	349000	100@0	DFT_BPSK	18.740	18.910	PASS
n66	15	20	349000	100@0	DFT_QPSK	18.730	18.900	PASS
n66	15	20	349000	100@0	DFT_QAM16	18.750	18.890	PASS
n66	15	20	349000	100@0	DFT_QAM64	18.740	18.900	PASS
n66	15	20	349000	100@0	DFT_QAM256	18.680	18.910	PASS
n66	15	20	349000	106@0	CP_QPSK	18.990	19.990	PASS
n66	15	20	354000	100@0	DFT_BPSK	18.830	18.910	PASS
n66	15	20	354000	100@0	DFT_QPSK	18.820	18.910	PASS
n66	15	20	354000	100@0	DFT_QAM16	18.890	18.920	PASS
n66	15	20	354000	100@0	DFT_QAM64	18.820	18.910	PASS
n66	15	20	354000	100@0	DFT_QAM256	18.800	18.920	PASS
n66	15	20	354000	106@0	CP_QPSK	19.040	20.000	PASS
n66	15	40	346000	216@0	DFT_BPSK	38.600	40.660	PASS
n66	15	40	346000	216@0	DFT_QPSK	38.620	40.680	PASS
n66	15	40	346000	216@0	DFT_QAM16	38.620	40.680	PASS
n66	15	40	346000	216@0	DFT_QAM64	38.610	40.670	PASS
n66	15	40	346000	216@0	DFT_QAM256	38.610	40.660	PASS
n66	15	40	346000	216@0	CP_QPSK	38.620	40.710	PASS
n66	15	40	349000	216@0	DFT_BPSK	38.730	40.710	PASS
n66	15	40	349000	216@0	DFT_QPSK	38.720	40.710	PASS
n66	15	40	349000	216@0	DFT_QAM16	38.730	40.710	PASS
n66	15	40	349000	216@0	DFT_QAM64	38.640	40.710	PASS

n66	15	40	349000	216@0	DFT_QAM256	38.720	40.700	PASS
n66	15	40	349000	216@0	CP_QPSK	38.730	40.740	PASS
n66	15	40	352000	216@0	DFT_BPSK	38.740	40.730	PASS
n66	15	40	352000	216@0	DFT_QPSK	38.740	40.730	PASS
n66	15	40	352000	216@0	DFT_QAM16	38.740	40.730	PASS
n66	15	40	352000	216@0	DFT_QAM64	38.730	40.710	PASS
n66	15	40	352000	216@0	DFT_QAM256	38.740	40.710	PASS
n66	15	40	352000	216@0	CP_QPSK	38.750	40.750	PASS


n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=342500 RB=25@0



n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=342500 RB=25@0



n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz CP_QPSK BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz CP_QPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=355500 RB=25@0



n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz CP_QPSK BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz CP_QPSK BW=10MHz Channel=343000 RB=52@0




n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz CP_QPSK BW=10MHz Channel=349000 RB=52@0