

# 1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
n7	15	5	500500	12@6	DFT_BPSK	22.93	-0.12	22.81	33	PASS
n7	15	5	500500	1@1	DFT_BPSK	22.96	-0.12	22.84	33	PASS
n7	15	5	500500	1@23	DFT_BPSK	22.97	-0.12	22.85	33	PASS
n7	15	5	500500	12@6	DFT_QPSK	22.96	-0.12	22.84	33	PASS
n7	15	5	500500	1@1	DFT_QPSK	22.82	-0.12	22.70	33	PASS
n7	15	5	500500	1@23	DFT_QPSK	22.80	-0.12	22.68	33	PASS
n7	15	5	500500	12@6	DFT_QAM16	21.93	-0.12	21.81	33	PASS
n7	15	5	500500	1@1	DFT_QAM16	21.92	-0.12	21.80	33	PASS
n7	15	5	500500	1@23	DFT_QAM16	21.77	-0.12	21.65	33	PASS
n7	15	5	500500	12@6	DFT_QAM64	20.51	-0.12	20.39	33	PASS
n7	15	5	500500	1@1	DFT_QAM64	20.52	-0.12	20.40	33	PASS
n7	15	5	500500	1@23	DFT_QAM64	20.42	-0.12	20.30	33	PASS
n7	15	5	500500	12@6	DFT_QAM256	18.59	-0.12	18.47	33	PASS
n7	15	5	500500	1@1	DFT_QAM256	19.07	-0.12	18.95	33	PASS
n7	15	5	500500	1@23	DFT_QAM256	19.06	-0.12	18.94	33	PASS
n7	15	5	500500	13@6	CP_QPSK	21.38	-0.12	21.26	33	PASS
n7	15	5	500500	1@1	CP_QPSK	21.45	-0.12	21.33	33	PASS
n7	15	5	500500	1@23	CP_QPSK	21.42	-0.12	21.30	33	PASS
n7	15	5	500500	13@6	CP_QAM16	20.87	-0.12	20.75	33	PASS
n7	15	5	500500	1@1	CP_QAM16	21.22	-0.12	21.10	33	PASS
n7	15	5	500500	1@23	CP_QAM16	21.41	-0.12	21.29	33	PASS
n7	15	5	500500	13@6	CP_QAM64	19.42	-0.12	19.30	33	PASS
n7	15	5	500500	1@1	CP_QAM64	19.66	-0.12	19.54	33	PASS
n7	15	5	500500	1@23	CP_QAM64	19.47	-0.12	19.35	33	PASS
n7	15	5	500500	13@6	CP_QAM256	16.33	-0.12	16.21	33	PASS
n7	15	5	500500	1@1	CP_QAM256	16.69	-0.12	16.57	33	PASS
n7	15	5	500500	1@23	CP_QAM256	16.70	-0.12	16.58	33	PASS
n7	15	5	507000	12@6	DFT_BPSK	22.81	-0.12	22.69	33	PASS
n7	15	5	507000	1@1	DFT_BPSK	22.76	-0.12	22.64	33	PASS
n7	15	5	507000	1@23	DFT_BPSK	22.83	-0.12	22.71	33	PASS
n7	15	5	507000	12@6	DFT_QPSK	22.78	-0.12	22.66	33	PASS
n7	15	5	507000	1@1	DFT_QPSK	22.60	-0.12	22.48	33	PASS
n7	15	5	507000	1@23	DFT_QPSK	22.68	-0.12	22.56	33	PASS
n7	15	5	507000	12@6	DFT_QAM16	21.98	-0.12	21.86	33	PASS
n7	15	5	507000	1@1	DFT_QAM16	21.81	-0.12	21.69	33	PASS
n7	15	5	507000	1@23	DFT_QAM16	22.20	-0.12	22.08	33	PASS
n7	15	5	507000	12@6	DFT_QAM64	20.32	-0.12	20.20	33	PASS

n7	15	5	507000	1@1	DFT_QAM64	20.66	-0.12	20.54	33	PASS
n7	15	5	507000	1@23	DFT_QAM64	20.42	-0.12	20.30	33	PASS
n7	15	5	507000	12@6	DFT_QAM256	18.41	-0.12	18.29	33	PASS
n7	15	5	507000	1@1	DFT_QAM256	19.01	-0.12	18.89	33	PASS
n7	15	5	507000	1@23	DFT_QAM256	18.42	-0.12	18.30	33	PASS
n7	15	5	507000	13@6	CP_QPSK	21.22	-0.12	21.10	33	PASS
n7	15	5	507000	1@1	CP_QPSK	21.33	-0.12	21.21	33	PASS
n7	15	5	507000	1@23	CP_QPSK	21.32	-0.12	21.20	33	PASS
n7	15	5	507000	13@6	CP_QAM16	20.74	-0.12	20.62	33	PASS
n7	15	5	507000	1@1	CP_QAM16	21.13	-0.12	21.01	33	PASS
n7	15	5	507000	1@23	CP_QAM16	21.17	-0.12	21.05	33	PASS
n7	15	5	507000	13@6	CP_QAM64	19.23	-0.12	19.11	33	PASS
n7	15	5	507000	1@1	CP_QAM64	19.33	-0.12	19.21	33	PASS
n7	15	5	507000	1@23	CP_QAM64	19.54	-0.12	19.42	33	PASS
n7	15	5	507000	13@6	CP_QAM256	16.23	-0.12	16.11	33	PASS
n7	15	5	507000	1@1	CP_QAM256	16.45	-0.12	16.33	33	PASS
n7	15	5	507000	1@23	CP_QAM256	16.24	-0.12	16.12	33	PASS
n7	15	5	513500	12@6	DFT_BPSK	22.97	-0.12	22.85	33	PASS
n7	15	5	513500	1@1	DFT_BPSK	22.95	-0.12	22.83	33	PASS
n7	15	5	513500	1@23	DFT_BPSK	22.98	-0.12	22.86	33	PASS
n7	15	5	513500	12@6	DFT_QPSK	22.99	-0.12	22.87	33	PASS
n7	15	5	513500	1@1	DFT_QPSK	22.77	-0.12	22.65	33	PASS
n7	15	5	513500	1@23	DFT_QPSK	22.87	-0.12	22.75	33	PASS
n7	15	5	513500	12@6	DFT_QAM16	22.08	-0.12	21.96	33	PASS
n7	15	5	513500	1@1	DFT_QAM16	22.12	-0.12	22.00	33	PASS
n7	15	5	513500	1@23	DFT_QAM16	22.18	-0.12	22.06	33	PASS
n7	15	5	513500	12@6	DFT_QAM64	20.59	-0.12	20.47	33	PASS
n7	15	5	513500	1@1	DFT_QAM64	20.58	-0.12	20.46	33	PASS
n7	15	5	513500	1@23	DFT_QAM64	20.66	-0.12	20.54	33	PASS
n7	15	5	513500	12@6	DFT_QAM256	18.58	-0.12	18.46	33	PASS
n7	15	5	513500	1@1	DFT_QAM256	18.89	-0.12	18.77	33	PASS
n7	15	5	513500	1@23	DFT_QAM256	18.90	-0.12	18.78	33	PASS
n7	15	5	513500	13@6	CP_QPSK	21.46	-0.12	21.34	33	PASS
n7	15	5	513500	1@1	CP_QPSK	21.50	-0.12	21.38	33	PASS
n7	15	5	513500	1@23	CP_QPSK	21.49	-0.12	21.37	33	PASS
n7	15	5	513500	13@6	CP_QAM16	20.95	-0.12	20.83	33	PASS
n7	15	5	513500	1@1	CP_QAM16	21.24	-0.12	21.12	33	PASS
n7	15	5	513500	1@23	CP_QAM16	21.34	-0.12	21.22	33	PASS
n7	15	5	513500	13@6	CP_QAM64	19.45	-0.12	19.33	33	PASS
n7	15	5	513500	1@1	CP_QAM64	19.66	-0.12	19.54	33	PASS
n7	15	5	513500	1@23	CP_QAM64	19.66	-0.12	19.54	33	PASS
n7	15	5	513500	13@6	CP_QAM256	16.46	-0.12	16.34	33	PASS
n7	15	5	513500	1@1	CP_QAM256	16.29	-0.12	16.17	33	PASS
n7	15	5	513500	1@23	CP_QAM256	16.35	-0.12	16.23	33	PASS

n7	15	10	501000	25@12	DFT_BPSK	22.89	-0.12	22.77	33	PASS
n7	15	10	501000	1@1	DFT_BPSK	22.81	-0.12	22.69	33	PASS
n7	15	10	501000	1@50	DFT_BPSK	22.89	-0.12	22.77	33	PASS
n7	15	10	501000	25@12	DFT_QPSK	22.94	-0.12	22.82	33	PASS
n7	15	10	501000	1@1	DFT_QPSK	22.64	-0.12	22.52	33	PASS
n7	15	10	501000	1@50	DFT_QPSK	22.78	-0.12	22.66	33	PASS
n7	15	10	501000	25@12	DFT_QAM16	21.94	-0.12	21.82	33	PASS
n7	15	10	501000	1@1	DFT_QAM16	22.23	-0.12	22.11	33	PASS
n7	15	10	501000	1@50	DFT_QAM16	21.85	-0.12	21.73	33	PASS
n7	15	10	501000	25@12	DFT_QAM64	20.37	-0.12	20.25	33	PASS
n7	15	10	501000	1@1	DFT_QAM64	20.69	-0.12	20.57	33	PASS
n7	15	10	501000	1@50	DFT_QAM64	20.77	-0.12	20.65	33	PASS
n7	15	10	501000	25@12	DFT_QAM256	18.50	-0.12	18.38	33	PASS
n7	15	10	501000	1@1	DFT_QAM256	19.07	-0.12	18.95	33	PASS
n7	15	10	501000	1@50	DFT_QAM256	18.52	-0.12	18.40	33	PASS
n7	15	10	501000	26@13	CP_QPSK	21.31	-0.12	21.19	33	PASS
n7	15	10	501000	1@1	CP_QPSK	21.38	-0.12	21.26	33	PASS
n7	15	10	501000	1@50	CP_QPSK	21.39	-0.12	21.27	33	PASS
n7	15	10	501000	26@13	CP_QAM16	20.80	-0.12	20.68	33	PASS
n7	15	10	501000	1@1	CP_QAM16	21.07	-0.12	20.95	33	PASS
n7	15	10	501000	1@50	CP_QAM16	21.28	-0.12	21.16	33	PASS
n7	15	10	501000	26@13	CP_QAM64	19.34	-0.12	19.22	33	PASS
n7	15	10	501000	1@1	CP_QAM64	19.44	-0.12	19.32	33	PASS
n7	15	10	501000	1@50	CP_QAM64	19.72	-0.12	19.60	33	PASS
n7	15	10	501000	26@13	CP_QAM256	16.47	-0.12	16.35	33	PASS
n7	15	10	501000	1@1	CP_QAM256	16.44	-0.12	16.32	33	PASS
n7	15	10	501000	1@50	CP_QAM256	16.51	-0.12	16.39	33	PASS
n7	15	10	507000	25@12	DFT_BPSK	22.77	-0.12	22.65	33	PASS
n7	15	10	507000	1@1	DFT_BPSK	22.64	-0.12	22.52	33	PASS
n7	15	10	507000	1@50	DFT_BPSK	22.84	-0.12	22.72	33	PASS
n7	15	10	507000	25@12	DFT_QPSK	22.77	-0.12	22.65	33	PASS
n7	15	10	507000	1@1	DFT_QPSK	22.57	-0.12	22.45	33	PASS
n7	15	10	507000	1@50	DFT_QPSK	22.60	-0.12	22.48	33	PASS
n7	15	10	507000	25@12	DFT_QAM16	21.80	-0.12	21.68	33	PASS
n7	15	10	507000	1@1	DFT_QAM16	21.76	-0.12	21.64	33	PASS
n7	15	10	507000	1@50	DFT_QAM16	21.87	-0.12	21.75	33	PASS
n7	15	10	507000	25@12	DFT_QAM64	20.33	-0.12	20.21	33	PASS
n7	15	10	507000	1@1	DFT_QAM64	20.17	-0.12	20.05	33	PASS
n7	15	10	507000	1@50	DFT_QAM64	20.24	-0.12	20.12	33	PASS
n7	15	10	507000	25@12	DFT_QAM256	18.38	-0.12	18.26	33	PASS
n7	15	10	507000	1@1	DFT_QAM256	18.76	-0.12	18.64	33	PASS
n7	15	10	507000	1@50	DFT_QAM256	18.98	-0.12	18.86	33	PASS
n7	15	10	507000	26@13	CP_QPSK	21.30	-0.12	21.18	33	PASS
n7	15	10	507000	1@1	CP_QPSK	21.12	-0.12	21.00	33	PASS

n7	15	10	507000	1@50	CP_QPSK	21.26	-0.12	21.14	33	PASS
n7	15	10	507000	26@13	CP_QAM16	20.81	-0.12	20.69	33	PASS
n7	15	10	507000	1@1	CP_QAM16	20.83	-0.12	20.71	33	PASS
n7	15	10	507000	1@50	CP_QAM16	20.97	-0.12	20.85	33	PASS
n7	15	10	507000	26@13	CP_QAM64	19.30	-0.12	19.18	33	PASS
n7	15	10	507000	1@1	CP_QAM64	19.29	-0.12	19.17	33	PASS
n7	15	10	507000	1@50	CP_QAM64	19.40	-0.12	19.28	33	PASS
n7	15	10	507000	26@13	CP_QAM256	16.33	-0.12	16.21	33	PASS
n7	15	10	507000	1@1	CP_QAM256	16.29	-0.12	16.17	33	PASS
n7	15	10	507000	1@50	CP_QAM256	16.43	-0.12	16.31	33	PASS
n7	15	10	513000	25@12	DFT_BPSK	22.99	-0.12	22.87	33	PASS
n7	15	10	513000	1@1	DFT_BPSK	22.82	-0.12	22.70	33	PASS
n7	15	10	513000	1@50	DFT_BPSK	23.05	-0.12	22.93	33	PASS
n7	15	10	513000	25@12	DFT_QPSK	22.94	-0.12	22.82	33	PASS
n7	15	10	513000	1@1	DFT_QPSK	22.63	-0.12	22.51	33	PASS
n7	15	10	513000	1@50	DFT_QPSK	22.85	-0.12	22.73	33	PASS
n7	15	10	513000	25@12	DFT_QAM16	21.99	-0.12	21.87	33	PASS
n7	15	10	513000	1@1	DFT_QAM16	22.04	-0.12	21.92	33	PASS
n7	15	10	513000	1@50	DFT_QAM16	22.23	-0.12	22.11	33	PASS
n7	15	10	513000	25@12	DFT_QAM64	20.41	-0.12	20.29	33	PASS
n7	15	10	513000	1@1	DFT_QAM64	20.41	-0.12	20.29	33	PASS
n7	15	10	513000	1@50	DFT_QAM64	20.49	-0.12	20.37	33	PASS
n7	15	10	513000	25@12	DFT_QAM256	18.56	-0.12	18.44	33	PASS
n7	15	10	513000	1@1	DFT_QAM256	18.88	-0.12	18.76	33	PASS
n7	15	10	513000	1@50	DFT_QAM256	19.07	-0.12	18.95	33	PASS
n7	15	10	513000	26@13	CP_QPSK	21.45	-0.12	21.33	33	PASS
n7	15	10	513000	1@1	CP_QPSK	21.22	-0.12	21.10	33	PASS
n7	15	10	513000	1@50	CP_QPSK	21.50	-0.12	21.38	33	PASS
n7	15	10	513000	26@13	CP_QAM16	20.89	-0.12	20.77	33	PASS
n7	15	10	513000	1@1	CP_QAM16	20.91	-0.12	20.79	33	PASS
n7	15	10	513000	1@50	CP_QAM16	21.44	-0.12	21.32	33	PASS
n7	15	10	513000	26@13	CP_QAM64	19.42	-0.12	19.30	33	PASS
n7	15	10	513000	1@1	CP_QAM64	19.51	-0.12	19.39	33	PASS
n7	15	10	513000	1@50	CP_QAM64	19.59	-0.12	19.47	33	PASS
n7	15	10	513000	26@13	CP_QAM256	16.51	-0.12	16.39	33	PASS
n7	15	10	513000	1@1	CP_QAM256	16.10	-0.12	15.98	33	PASS
n7	15	10	513000	1@50	CP_QAM256	16.35	-0.12	16.23	33	PASS
n7	15	15	501500	36@18	DFT_BPSK	22.87	-0.12	22.75	33	PASS
n7	15	15	501500	1@1	DFT_BPSK	22.74	-0.12	22.62	33	PASS
n7	15	15	501500	1@77	DFT_BPSK	22.75	-0.12	22.63	33	PASS
n7	15	15	501500	36@18	DFT_QPSK	22.88	-0.12	22.76	33	PASS
n7	15	15	501500	1@1	DFT_QPSK	22.54	-0.12	22.42	33	PASS
n7	15	15	501500	1@77	DFT_QPSK	22.64	-0.12	22.52	33	PASS
n7	15	15	501500	36@18	DFT_QAM16	22.00	-0.12	21.88	33	PASS

n7	15	15	501500	1@1	DFT_QAM16	22.13	-0.12	22.01	33	PASS
n7	15	15	501500	1@77	DFT_QAM16	22.17	-0.12	22.05	33	PASS
n7	15	15	501500	36@18	DFT_QAM64	20.33	-0.12	20.21	33	PASS
n7	15	15	501500	1@1	DFT_QAM64	20.49	-0.12	20.37	33	PASS
n7	15	15	501500	1@77	DFT_QAM64	20.33	-0.12	20.21	33	PASS
n7	15	15	501500	36@18	DFT_QAM256	18.47	-0.12	18.35	33	PASS
n7	15	15	501500	1@1	DFT_QAM256	18.93	-0.12	18.81	33	PASS
n7	15	15	501500	1@77	DFT_QAM256	18.78	-0.12	18.66	33	PASS
n7	15	15	501500	39@19	CP_QPSK	21.35	-0.12	21.23	33	PASS
n7	15	15	501500	1@1	CP_QPSK	21.25	-0.12	21.13	33	PASS
n7	15	15	501500	1@77	CP_QPSK	21.31	-0.12	21.19	33	PASS
n7	15	15	501500	39@19	CP_QAM16	20.91	-0.12	20.79	33	PASS
n7	15	15	501500	1@1	CP_QAM16	20.99	-0.12	20.87	33	PASS
n7	15	15	501500	1@77	CP_QAM16	21.12	-0.12	21.00	33	PASS
n7	15	15	501500	39@19	CP_QAM64	19.30	-0.12	19.18	33	PASS
n7	15	15	501500	1@1	CP_QAM64	19.54	-0.12	19.42	33	PASS
n7	15	15	501500	1@77	CP_QAM64	19.10	-0.12	18.98	33	PASS
n7	15	15	501500	39@19	CP_QAM256	16.48	-0.12	16.36	33	PASS
n7	15	15	501500	1@1	CP_QAM256	16.22	-0.12	16.10	33	PASS
n7	15	15	501500	1@77	CP_QAM256	16.09	-0.12	15.97	33	PASS
n7	15	15	507000	36@18	DFT_BPSK	22.82	-0.12	22.70	33	PASS
n7	15	15	507000	1@1	DFT_BPSK	22.65	-0.12	22.53	33	PASS
n7	15	15	507000	1@77	DFT_BPSK	22.67	-0.12	22.55	33	PASS
n7	15	15	507000	36@18	DFT_QPSK	22.83	-0.12	22.71	33	PASS
n7	15	15	507000	1@1	DFT_QPSK	22.42	-0.12	22.30	33	PASS
n7	15	15	507000	1@77	DFT_QPSK	22.62	-0.12	22.50	33	PASS
n7	15	15	507000	36@18	DFT_QAM16	21.83	-0.12	21.71	33	PASS
n7	15	15	507000	1@1	DFT_QAM16	21.99	-0.12	21.87	33	PASS
n7	15	15	507000	1@77	DFT_QAM16	22.08	-0.12	21.96	33	PASS
n7	15	15	507000	36@18	DFT_QAM64	20.23	-0.12	20.11	33	PASS
n7	15	15	507000	1@1	DFT_QAM64	20.27	-0.12	20.15	33	PASS
n7	15	15	507000	1@77	DFT_QAM64	20.51	-0.12	20.39	33	PASS
n7	15	15	507000	36@18	DFT_QAM256	18.37	-0.12	18.25	33	PASS
n7	15	15	507000	1@1	DFT_QAM256	18.81	-0.12	18.69	33	PASS
n7	15	15	507000	1@77	DFT_QAM256	18.89	-0.12	18.77	33	PASS
n7	15	15	507000	39@19	CP_QPSK	21.20	-0.12	21.08	33	PASS
n7	15	15	507000	1@1	CP_QPSK	21.16	-0.12	21.04	33	PASS
n7	15	15	507000	1@77	CP_QPSK	21.30	-0.12	21.18	33	PASS
n7	15	15	507000	39@19	CP_QAM16	20.81	-0.12	20.69	33	PASS
n7	15	15	507000	1@1	CP_QAM16	20.95	-0.12	20.83	33	PASS
n7	15	15	507000	1@77	CP_QAM16	21.02	-0.12	20.90	33	PASS
n7	15	15	507000	39@19	CP_QAM64	19.28	-0.12	19.16	33	PASS
n7	15	15	507000	1@1	CP_QAM64	19.13	-0.12	19.01	33	PASS
n7	15	15	507000	1@77	CP_QAM64	19.27	-0.12	19.15	33	PASS

n7	15	15	507000	39@19	CP_QAM256	16.32	-0.12	16.20	33	PASS
n7	15	15	507000	1@1	CP_QAM256	16.18	-0.12	16.06	33	PASS
n7	15	15	507000	1@77	CP_QAM256	16.17	-0.12	16.05	33	PASS
n7	15	15	512500	36@18	DFT_BPSK	22.95	-0.12	22.83	33	PASS
n7	15	15	512500	1@1	DFT_BPSK	22.61	-0.12	22.49	33	PASS
n7	15	15	512500	1@77	DFT_BPSK	22.89	-0.12	22.77	33	PASS
n7	15	15	512500	36@18	DFT_QPSK	22.90	-0.12	22.78	33	PASS
n7	15	15	512500	1@1	DFT_QPSK	22.54	-0.12	22.42	33	PASS
n7	15	15	512500	1@77	DFT_QPSK	22.79	-0.12	22.67	33	PASS
n7	15	15	512500	36@18	DFT_QAM16	21.90	-0.12	21.78	33	PASS
n7	15	15	512500	1@1	DFT_QAM16	21.61	-0.12	21.49	33	PASS
n7	15	15	512500	1@77	DFT_QAM16	22.30	-0.12	22.18	33	PASS
n7	15	15	512500	36@18	DFT_QAM64	20.33	-0.12	20.21	33	PASS
n7	15	15	512500	1@1	DFT_QAM64	20.49	-0.12	20.37	33	PASS
n7	15	15	512500	1@77	DFT_QAM64	20.70	-0.12	20.58	33	PASS
n7	15	15	512500	36@18	DFT_QAM256	18.54	-0.12	18.42	33	PASS
n7	15	15	512500	1@1	DFT_QAM256	18.82	-0.12	18.70	33	PASS
n7	15	15	512500	1@77	DFT_QAM256	18.58	-0.12	18.46	33	PASS
n7	15	15	512500	39@19	CP_QPSK	21.37	-0.12	21.25	33	PASS
n7	15	15	512500	1@1	CP_QPSK	21.13	-0.12	21.01	33	PASS
n7	15	15	512500	1@77	CP_QPSK	21.43	-0.12	21.31	33	PASS
n7	15	15	512500	39@19	CP_QAM16	20.82	-0.12	20.70	33	PASS
n7	15	15	512500	1@1	CP_QAM16	20.88	-0.12	20.76	33	PASS
n7	15	15	512500	1@77	CP_QAM16	21.33	-0.12	21.21	33	PASS
n7	15	15	512500	39@19	CP_QAM64	19.37	-0.12	19.25	33	PASS
n7	15	15	512500	1@1	CP_QAM64	19.15	-0.12	19.03	33	PASS
n7	15	15	512500	1@77	CP_QAM64	19.73	-0.12	19.61	33	PASS
n7	15	15	512500	39@19	CP_QAM256	16.52	-0.12	16.40	33	PASS
n7	15	15	512500	1@1	CP_QAM256	16.01	-0.12	15.89	33	PASS
n7	15	15	512500	1@77	CP_QAM256	16.29	-0.12	16.17	33	PASS
n7	15	20	502000	50@25	DFT_BPSK	22.89	-0.12	22.77	33	PASS
n7	15	20	502000	1@1	DFT_BPSK	22.91	-0.12	22.79	33	PASS
n7	15	20	502000	1@104	DFT_BPSK	22.85	-0.12	22.73	33	PASS
n7	15	20	502000	50@25	DFT_QPSK	22.84	-0.12	22.72	33	PASS
n7	15	20	502000	1@1	DFT_QPSK	22.67	-0.12	22.55	33	PASS
n7	15	20	502000	1@104	DFT_QPSK	22.68	-0.12	22.56	33	PASS
n7	15	20	502000	50@25	DFT_QAM16	21.91	-0.12	21.79	33	PASS
n7	15	20	502000	1@1	DFT_QAM16	21.87	-0.12	21.75	33	PASS
n7	15	20	502000	1@104	DFT_QAM16	22.19	-0.12	22.07	33	PASS
n7	15	20	502000	50@25	DFT_QAM64	20.27	-0.12	20.15	33	PASS
n7	15	20	502000	1@1	DFT_QAM64	20.65	-0.12	20.53	33	PASS
n7	15	20	502000	1@104	DFT_QAM64	20.38	-0.12	20.26	33	PASS
n7	15	20	502000	50@25	DFT_QAM256	18.41	-0.12	18.29	33	PASS
n7	15	20	502000	1@1	DFT_QAM256	18.48	-0.12	18.36	33	PASS

n7	15	20	502000	1@104	DFT_QAM256	18.96	-0.12	18.84	33	PASS
n7	15	20	502000	53@26	CP_QPSK	21.29	-0.12	21.17	33	PASS
n7	15	20	502000	1@1	CP_QPSK	21.27	-0.12	21.15	33	PASS
n7	15	20	502000	1@104	CP_QPSK	21.27	-0.12	21.15	33	PASS
n7	15	20	502000	53@26	CP_QAM16	20.91	-0.12	20.79	33	PASS
n7	15	20	502000	1@1	CP_QAM16	21.10	-0.12	20.98	33	PASS
n7	15	20	502000	1@104	CP_QAM16	21.19	-0.12	21.07	33	PASS
n7	15	20	502000	53@26	CP_QAM64	19.26	-0.12	19.14	33	PASS
n7	15	20	502000	1@1	CP_QAM64	19.62	-0.12	19.50	33	PASS
n7	15	20	502000	1@104	CP_QAM64	19.37	-0.12	19.25	33	PASS
n7	15	20	502000	53@26	CP_QAM256	16.47	-0.12	16.35	33	PASS
n7	15	20	502000	1@1	CP_QAM256	16.19	-0.12	16.07	33	PASS
n7	15	20	502000	1@104	CP_QAM256	16.41	-0.12	16.29	33	PASS
n7	15	20	507000	50@25	DFT_BPSK	22.77	-0.12	22.65	33	PASS
n7	15	20	507000	1@1	DFT_BPSK	22.65	-0.12	22.53	33	PASS
n7	15	20	507000	1@104	DFT_BPSK	22.69	-0.12	22.57	33	PASS
n7	15	20	507000	50@25	DFT_QPSK	22.83	-0.12	22.71	33	PASS
n7	15	20	507000	1@1	DFT_QPSK	22.46	-0.12	22.34	33	PASS
n7	15	20	507000	1@104	DFT_QPSK	22.62	-0.12	22.50	33	PASS
n7	15	20	507000	50@25	DFT_QAM16	21.86	-0.12	21.74	33	PASS
n7	15	20	507000	1@1	DFT_QAM16	21.93	-0.12	21.81	33	PASS
n7	15	20	507000	1@104	DFT_QAM16	22.08	-0.12	21.96	33	PASS
n7	15	20	507000	50@25	DFT_QAM64	20.26	-0.12	20.14	33	PASS
n7	15	20	507000	1@1	DFT_QAM64	20.38	-0.12	20.26	33	PASS
n7	15	20	507000	1@104	DFT_QAM64	20.43	-0.12	20.31	33	PASS
n7	15	20	507000	50@25	DFT_QAM256	18.39	-0.12	18.27	33	PASS
n7	15	20	507000	1@1	DFT_QAM256	18.82	-0.12	18.70	33	PASS
n7	15	20	507000	1@104	DFT_QAM256	18.90	-0.12	18.78	33	PASS
n7	15	20	507000	53@26	CP_QPSK	21.25	-0.12	21.13	33	PASS
n7	15	20	507000	1@1	CP_QPSK	21.17	-0.12	21.05	33	PASS
n7	15	20	507000	1@104	CP_QPSK	21.34	-0.12	21.22	33	PASS
n7	15	20	507000	53@26	CP_QAM16	20.75	-0.12	20.63	33	PASS
n7	15	20	507000	1@1	CP_QAM16	20.93	-0.12	20.81	33	PASS
n7	15	20	507000	1@104	CP_QAM16	21.26	-0.12	21.14	33	PASS
n7	15	20	507000	53@26	CP_QAM64	19.26	-0.12	19.14	33	PASS
n7	15	20	507000	1@1	CP_QAM64	19.19	-0.12	19.07	33	PASS
n7	15	20	507000	1@104	CP_QAM64	19.62	-0.12	19.50	33	PASS
n7	15	20	507000	53@26	CP_QAM256	16.38	-0.12	16.26	33	PASS
n7	15	20	507000	1@1	CP_QAM256	16.05	-0.12	15.93	33	PASS
n7	15	20	507000	1@104	CP_QAM256	16.21	-0.12	16.09	33	PASS
n7	15	20	512000	50@25	DFT_BPSK	22.90	-0.12	22.78	33	PASS
n7	15	20	512000	1@1	DFT_BPSK	22.65	-0.12	22.53	33	PASS
n7	15	20	512000	1@104	DFT_BPSK	23.00	-0.12	22.88	33	PASS
n7	15	20	512000	50@25	DFT_QPSK	22.93	-0.12	22.81	33	PASS

n7	15	20	512000	1@1	DFT_QPSK	22.62	-0.12	22.50	33	PASS
n7	15	20	512000	1@104	DFT_QPSK	22.86	-0.12	22.74	33	PASS
n7	15	20	512000	50@25	DFT_QAM16	21.84	-0.12	21.72	33	PASS
n7	15	20	512000	1@1	DFT_QAM16	21.73	-0.12	21.61	33	PASS
n7	15	20	512000	1@104	DFT_QAM16	22.28	-0.12	22.16	33	PASS
n7	15	20	512000	50@25	DFT_QAM64	20.30	-0.12	20.18	33	PASS
n7	15	20	512000	1@1	DFT_QAM64	20.36	-0.12	20.24	33	PASS
n7	15	20	512000	1@104	DFT_QAM64	20.69	-0.12	20.57	33	PASS
n7	15	20	512000	50@25	DFT_QAM256	18.48	-0.12	18.36	33	PASS
n7	15	20	512000	1@1	DFT_QAM256	18.92	-0.12	18.80	33	PASS
n7	15	20	512000	1@104	DFT_QAM256	19.02	-0.12	18.90	33	PASS
n7	15	20	512000	53@26	CP_QPSK	21.35	-0.12	21.23	33	PASS
n7	15	20	512000	1@1	CP_QPSK	21.26	-0.12	21.14	33	PASS
n7	15	20	512000	1@104	CP_QPSK	21.46	-0.12	21.34	33	PASS
n7	15	20	512000	53@26	CP_QAM16	20.90	-0.12	20.78	33	PASS
n7	15	20	512000	1@1	CP_QAM16	21.16	-0.12	21.04	33	PASS
n7	15	20	512000	1@104	CP_QAM16	21.53	-0.12	21.41	33	PASS
n7	15	20	512000	53@26	CP_QAM64	19.36	-0.12	19.24	33	PASS
n7	15	20	512000	1@1	CP_QAM64	19.23	-0.12	19.11	33	PASS
n7	15	20	512000	1@104	CP_QAM64	19.79	-0.12	19.67	33	PASS
n7	15	20	512000	53@26	CP_QAM256	16.51	-0.12	16.39	33	PASS
n7	15	20	512000	1@1	CP_QAM256	16.44	-0.12	16.32	33	PASS
n7	15	20	512000	1@104	CP_QAM256	16.57	-0.12	16.45	33	PASS



## 2 Frequency stability for NR FR1

**NT:**

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n7	15	20	507000	50@25	DFT_BPSK	3.89	-8.28	0.00	Within authorized band for 5G NR n7	PASS
n7	15	20	507000	50@25	DFT_BPSK	3.45	-6.65	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	4.48	-4.43	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	3.89	-4.57	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	3.45	-2.67	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	4.48	-9.13	0.00		PASS

Note: Only the worst case shown in the report.

**NV:**

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n7	15	20	507000	50@25	DFT_BPSK	-30	-2.09	0.00	Within authorized band for 5G NR n7	PASS
n7	15	20	507000	50@25	DFT_BPSK	-20	-1.83	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	-10	-5.04	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	0	-4.17	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	10	-4.38	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	20	-3.07	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	30	-5.8	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	40	-4.04	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	50	-5.25	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	-30	-3.51	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	-20	-2.73	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	-10	-3.42	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	0	-3.39	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	10	-2.16	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	20	-2.84	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	30	-1.47	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	40	-5.24	0.00	PASS	
n7	15	20	507000	50@25	DFT_QPSK	50	-2.62	0.00	PASS	


Note: Only the worst case shown in the report.

### 3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n7	15	5	507000	25@0	DFT_BPSK	4.83	13	PASS
n7	15	5	507000	25@0	DFT_QPSK	6.14	13	PASS
n7	15	5	507000	25@0	DFT_QAM16	6.89	13	PASS
n7	15	5	507000	25@0	DFT_QAM64	7.17	13	PASS
n7	15	5	507000	25@0	DFT_QAM256	7.47	13	PASS
n7	15	10	507000	50@0	DFT_BPSK	4.85	13	PASS
n7	15	10	507000	50@0	DFT_QPSK	5.90	13	PASS
n7	15	10	507000	50@0	DFT_QAM16	6.78	13	PASS
n7	15	10	507000	50@0	DFT_QAM64	7.04	13	PASS
n7	15	10	507000	50@0	DFT_QAM256	7.21	13	PASS
n7	15	15	507000	75@0	DFT_BPSK	4.87	13	PASS
n7	15	15	507000	75@0	DFT_QPSK	5.99	13	PASS
n7	15	15	507000	75@0	DFT_QAM16	6.87	13	PASS
n7	15	15	507000	75@0	DFT_QAM64	7.03	13	PASS
n7	15	15	507000	75@0	DFT_QAM256	7.37	13	PASS
n7	15	20	507000	100@0	DFT_BPSK	4.77	13	PASS
n7	15	20	507000	100@0	DFT_QPSK	6.05	13	PASS
n7	15	20	507000	100@0	DFT_QAM16	6.78	13	PASS
n7	15	20	507000	100@0	DFT_QAM64	7.10	13	PASS
n7	15	20	507000	100@0	DFT_QAM256	7.33	13	PASS
n7	15	5	507000	25@0	DFT_BPSK	4.84	13	PASS
n7	15	5	507000	25@0	DFT_QPSK	5.91	13	PASS
n7	15	5	507000	25@0	DFT_QAM16	6.45	13	PASS
n7	15	5	507000	25@0	DFT_QAM64	6.94	13	PASS
n7	15	5	507000	25@0	DFT_QAM256	7.42	13	PASS
n7	15	10	507000	50@0	DFT_BPSK	4.68	13	PASS
n7	15	10	507000	50@0	DFT_QPSK	5.84	13	PASS
n7	15	10	507000	50@0	DFT_QAM16	6.72	13	PASS
n7	15	10	507000	50@0	DFT_QAM64	6.95	13	PASS
n7	15	10	507000	50@0	DFT_QAM256	7.24	13	PASS
n7	15	15	507000	75@0	DFT_BPSK	4.71	13	PASS
n7	15	15	507000	75@0	DFT_QPSK	5.86	13	PASS
n7	15	15	507000	75@0	DFT_QAM16	6.76	13	PASS
n7	15	15	507000	75@0	DFT_QAM64	7.00	13	PASS
n7	15	15	507000	75@0	DFT_QAM256	7.47	13	PASS
n7	15	20	507000	100@0	DFT_BPSK	4.76	13	PASS
n7	15	20	507000	100@0	DFT_QPSK	5.88	13	PASS
n7	15	20	507000	100@0	DFT_QAM16	6.78	13	PASS
n7	15	20	507000	100@0	DFT_QAM64	7.09	13	PASS

n7	15	20	507000	100@0	DFT_QAM256	7.37	13	PASS
----	----	----	--------	-------	------------	------	----	------


n7 SCS=15kHz DFT\_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_BPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QPSK BW=15MHz Channel=507000 RB=75@0







n7 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT\_QAM16 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT\_QAM64 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT\_QAM256 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT\_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz DFT\_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=507000 RB=50@0







n7 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT\_BPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT\_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT\_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT\_QAM16 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT\_QAM64 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT\_QAM256 BW=20MHz Channel=507000 RB=100@0




## 4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n7	15	5	500500	25@0	DFT_BPSK	4.500	4.790	PASS
n7	15	5	500500	25@0	DFT_QPSK	4.490	4.780	PASS
n7	15	5	500500	25@0	DFT_QAM16	4.490	4.770	PASS
n7	15	5	500500	25@0	DFT_QAM64	4.490	4.760	PASS
n7	15	5	500500	25@0	DFT_QAM256	4.490	4.780	PASS
n7	15	5	500500	25@0	CP_QPSK	4.490	4.770	PASS
n7	15	5	507000	25@0	DFT_BPSK	4.500	4.790	PASS
n7	15	5	507000	25@0	DFT_QPSK	4.490	4.780	PASS
n7	15	5	507000	25@0	DFT_QAM16	4.490	4.760	PASS
n7	15	5	507000	25@0	DFT_QAM64	4.490	4.770	PASS
n7	15	5	507000	25@0	DFT_QAM256	4.490	4.770	PASS
n7	15	5	507000	25@0	CP_QPSK	4.490	4.780	PASS
n7	15	5	513500	25@0	DFT_BPSK	4.500	4.780	PASS
n7	15	5	513500	25@0	DFT_QPSK	4.490	4.780	PASS
n7	15	5	513500	25@0	DFT_QAM16	4.510	4.790	PASS
n7	15	5	513500	25@0	DFT_QAM64	4.490	4.760	PASS
n7	15	5	513500	25@0	DFT_QAM256	4.500	4.770	PASS
n7	15	5	513500	25@0	CP_QPSK	4.490	4.770	PASS
n7	15	10	501000	50@0	DFT_BPSK	9.210	9.470	PASS
n7	15	10	501000	50@0	DFT_QPSK	9.210	9.470	PASS
n7	15	10	501000	50@0	DFT_QAM16	9.180	9.470	PASS
n7	15	10	501000	50@0	DFT_QAM64	9.240	9.500	PASS
n7	15	10	501000	50@0	DFT_QAM256	9.220	9.490	PASS
n7	15	10	501000	52@0	CP_QPSK	9.330	9.840	PASS
n7	15	10	507000	50@0	DFT_BPSK	9.240	9.480	PASS
n7	15	10	507000	50@0	DFT_QPSK	9.210	9.480	PASS
n7	15	10	507000	50@0	DFT_QAM16	9.220	9.470	PASS
n7	15	10	507000	50@0	DFT_QAM64	9.240	9.490	PASS
n7	15	10	507000	50@0	DFT_QAM256	9.220	9.480	PASS
n7	15	10	507000	52@0	CP_QPSK	9.330	9.850	PASS
n7	15	10	513000	50@0	DFT_BPSK	9.240	9.470	PASS
n7	15	10	513000	50@0	DFT_QPSK	9.240	9.460	PASS
n7	15	10	513000	50@0	DFT_QAM16	9.210	9.480	PASS
n7	15	10	513000	50@0	DFT_QAM64	9.250	9.490	PASS
n7	15	10	513000	50@0	DFT_QAM256	9.250	9.490	PASS
n7	15	10	513000	52@0	CP_QPSK	9.330	9.830	PASS
n7	15	15	501500	75@0	DFT_BPSK	13.950	14.210	PASS
n7	15	15	501500	75@0	DFT_QPSK	13.940	14.200	PASS




n7	15	15	501500	75@0	DFT_QAM16	13.990	14.220	PASS
n7	15	15	501500	75@0	DFT_QAM64	13.950	14.200	PASS
n7	15	15	501500	75@0	DFT_QAM256	13.990	14.210	PASS
n7	15	15	501500	79@0	CP_QPSK	14.170	14.910	PASS
n7	15	15	507000	75@0	DFT_BPSK	14.060	14.210	PASS
n7	15	15	507000	75@0	DFT_QPSK	13.950	14.200	PASS
n7	15	15	507000	75@0	DFT_QAM16	14.040	14.220	PASS
n7	15	15	507000	75@0	DFT_QAM64	13.990	14.200	PASS
n7	15	15	507000	75@0	DFT_QAM256	14.040	14.210	PASS
n7	15	15	507000	79@0	CP_QPSK	14.170	14.920	PASS
n7	15	15	512500	75@0	DFT_BPSK	14.000	14.200	PASS
n7	15	15	512500	75@0	DFT_QPSK	13.950	14.200	PASS
n7	15	15	512500	75@0	DFT_QAM16	14.010	14.210	PASS
n7	15	15	512500	75@0	DFT_QAM64	13.980	14.200	PASS
n7	15	15	512500	75@0	DFT_QAM256	14.010	14.210	PASS
n7	15	15	512500	79@0	CP_QPSK	14.160	14.920	PASS
n7	15	20	502000	100@0	DFT_BPSK	18.670	18.890	PASS
n7	15	20	502000	100@0	DFT_QPSK	18.730	18.900	PASS
n7	15	20	502000	100@0	DFT_QAM16	18.740	18.910	PASS
n7	15	20	502000	100@0	DFT_QAM64	18.730	18.890	PASS
n7	15	20	502000	100@0	DFT_QAM256	18.730	18.900	PASS
n7	15	20	502000	106@0	CP_QPSK	18.980	19.980	PASS
n7	15	20	507000	100@0	DFT_BPSK	18.750	18.900	PASS
n7	15	20	507000	100@0	DFT_QPSK	18.810	18.910	PASS
n7	15	20	507000	100@0	DFT_QAM16	18.810	18.910	PASS
n7	15	20	507000	100@0	DFT_QAM64	18.800	18.910	PASS
n7	15	20	507000	100@0	DFT_QAM256	18.810	18.910	PASS
n7	15	20	507000	106@0	CP_QPSK	18.980	19.990	PASS
n7	15	20	512000	100@0	DFT_BPSK	18.810	18.910	PASS
n7	15	20	512000	100@0	DFT_QPSK	18.800	18.910	PASS
n7	15	20	512000	100@0	DFT_QAM16	18.820	18.910	PASS
n7	15	20	512000	100@0	DFT_QAM64	18.800	18.900	PASS
n7	15	20	512000	100@0	DFT_QAM256	18.810	18.910	PASS
n7	15	20	512000	106@0	CP_QPSK	18.980	19.980	PASS


n7 SCS=15kHz DFT\_BPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz CP\_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT\_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz CP\_QPSK BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz DFT\_BPSK BW=5MHz Channel=513500 RB=25@0



n7 SCS=15kHz DFT\_QPSK BW=5MHz Channel=513500 RB=25@0



n7 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=513500 RB=25@0