

# 1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	ERP Limit (dBm)	Verdict
n12	15	5	140300	12@6	DFT_BPSK	23.84	-5.4	16.29	34.77	PASS
n12	15	5	140300	1@1	DFT_BPSK	23.83	-5.4	16.28	34.77	PASS
n12	15	5	140300	1@23	DFT_BPSK	23.75	-5.4	16.20	34.77	PASS
n12	15	5	140300	12@6	DFT_QPSK	23.84	-5.4	16.29	34.77	PASS
n12	15	5	140300	1@1	DFT_QPSK	23.68	-5.4	16.13	34.77	PASS
n12	15	5	140300	1@23	DFT_QPSK	23.64	-5.4	16.09	34.77	PASS
n12	15	5	140300	12@6	DFT_QAM16	22.85	-5.4	15.30	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM16	22.92	-5.4	15.37	34.77	PASS
n12	15	5	140300	1@23	DFT_QAM16	22.79	-5.4	15.24	34.77	PASS
n12	15	5	140300	12@6	DFT_QAM64	21.36	-5.4	13.81	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM64	21.33	-5.4	13.78	34.77	PASS
n12	15	5	140300	1@23	DFT_QAM64	21.28	-5.4	13.73	34.77	PASS
n12	15	5	140300	12@6	DFT_QAM256	19.39	-5.4	11.84	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM256	19.81	-5.4	12.26	34.77	PASS
n12	15	5	140300	1@23	DFT_QAM256	19.39	-5.4	11.84	34.77	PASS
n12	15	5	140300	13@6	CP_QPSK	22.29	-5.4	14.74	34.77	PASS
n12	15	5	140300	1@1	CP_QPSK	22.33	-5.4	14.78	34.77	PASS
n12	15	5	140300	1@23	CP_QPSK	22.22	-5.4	14.67	34.77	PASS
n12	15	5	140300	13@6	CP_QAM16	21.91	-5.4	14.36	34.77	PASS
n12	15	5	140300	1@1	CP_QAM16	22.37	-5.4	14.82	34.77	PASS
n12	15	5	140300	1@23	CP_QAM16	22.24	-5.4	14.69	34.77	PASS
n12	15	5	140300	13@6	CP_QAM64	20.42	-5.4	12.87	34.77	PASS
n12	15	5	140300	1@1	CP_QAM64	20.32	-5.4	12.77	34.77	PASS
n12	15	5	140300	1@23	CP_QAM64	20.22	-5.4	12.67	34.77	PASS
n12	15	5	140300	13@6	CP_QAM256	17.37	-5.4	9.82	34.77	PASS
n12	15	5	140300	1@1	CP_QAM256	17.28	-5.4	9.73	34.77	PASS
n12	15	5	140300	1@23	CP_QAM256	17.24	-5.4	9.69	34.77	PASS
n12	15	5	141500	12@6	DFT_BPSK	22.30	-5.4	14.75	34.77	PASS
n12	15	5	141500	1@1	DFT_BPSK	23.81	-5.4	16.26	34.77	PASS
n12	15	5	141500	1@23	DFT_BPSK	23.80	-5.4	16.25	34.77	PASS
n12	15	5	141500	12@6	DFT_QPSK	23.83	-5.4	16.28	34.77	PASS
n12	15	5	141500	1@1	DFT_QPSK	23.63	-5.4	16.08	34.77	PASS
n12	15	5	141500	1@23	DFT_QPSK	23.66	-5.4	16.11	34.77	PASS
n12	15	5	141500	12@6	DFT_QAM16	22.79	-5.4	15.24	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM16	22.81	-5.4	15.26	34.77	PASS
n12	15	5	141500	1@23	DFT_QAM16	23.00	-5.4	15.45	34.77	PASS

n12	15	5	141500	12@6	DFT_QAM64	21.40	-5.4	13.85	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM64	21.08	-5.4	13.53	34.77	PASS
n12	15	5	141500	1@23	DFT_QAM64	21.54	-5.4	13.99	34.77	PASS
n12	15	5	141500	12@6	DFT_QAM256	19.36	-5.4	11.81	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM256	19.36	-5.4	11.81	34.77	PASS
n12	15	5	141500	1@23	DFT_QAM256	19.31	-5.4	11.76	34.77	PASS
n12	15	5	141500	13@6	CP_QPSK	22.22	-5.4	14.67	34.77	PASS
n12	15	5	141500	1@1	CP_QPSK	22.19	-5.4	14.64	34.77	PASS
n12	15	5	141500	1@23	CP_QPSK	22.23	-5.4	14.68	34.77	PASS
n12	15	5	141500	13@6	CP_QAM16	21.83	-5.4	14.28	34.77	PASS
n12	15	5	141500	1@1	CP_QAM16	22.09	-5.4	14.54	34.77	PASS
n12	15	5	141500	1@23	CP_QAM16	22.07	-5.4	14.52	34.77	PASS
n12	15	5	141500	13@6	CP_QAM64	20.35	-5.4	12.80	34.77	PASS
n12	15	5	141500	1@1	CP_QAM64	20.47	-5.4	12.92	34.77	PASS
n12	15	5	141500	1@23	CP_QAM64	20.27	-5.4	12.72	34.77	PASS
n12	15	5	141500	13@6	CP_QAM256	17.28	-5.4	9.73	34.77	PASS
n12	15	5	141500	1@1	CP_QAM256	17.44	-5.4	9.89	34.77	PASS
n12	15	5	141500	1@23	CP_QAM256	17.49	-5.4	9.94	34.77	PASS
n12	15	5	142700	12@6	DFT_BPSK	23.78	-5.4	16.23	34.77	PASS
n12	15	5	142700	1@1	DFT_BPSK	23.75	-5.4	16.20	34.77	PASS
n12	15	5	142700	1@23	DFT_BPSK	23.84	-5.4	16.29	34.77	PASS
n12	15	5	142700	12@6	DFT_QPSK	23.82	-5.4	16.27	34.77	PASS
n12	15	5	142700	1@1	DFT_QPSK	23.68	-5.4	16.13	34.77	PASS
n12	15	5	142700	1@23	DFT_QPSK	23.66	-5.4	16.11	34.77	PASS
n12	15	5	142700	12@6	DFT_QAM16	22.79	-5.4	15.24	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM16	22.96	-5.4	15.41	34.77	PASS
n12	15	5	142700	1@23	DFT_QAM16	23.03	-5.4	15.48	34.77	PASS
n12	15	5	142700	12@6	DFT_QAM64	21.42	-5.4	13.87	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM64	21.07	-5.4	13.52	34.77	PASS
n12	15	5	142700	1@23	DFT_QAM64	21.16	-5.4	13.61	34.77	PASS
n12	15	5	142700	12@6	DFT_QAM256	19.39	-5.4	11.84	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM256	19.28	-5.4	11.73	34.77	PASS
n12	15	5	142700	1@23	DFT_QAM256	19.73	-5.4	12.18	34.77	PASS
n12	15	5	142700	13@6	CP_QPSK	22.23	-5.4	14.68	34.77	PASS
n12	15	5	142700	1@1	CP_QPSK	22.15	-5.4	14.60	34.77	PASS
n12	15	5	142700	1@23	CP_QPSK	22.14	-5.4	14.59	34.77	PASS
n12	15	5	142700	13@6	CP_QAM16	21.90	-5.4	14.35	34.77	PASS
n12	15	5	142700	1@1	CP_QAM16	22.02	-5.4	14.47	34.77	PASS
n12	15	5	142700	1@23	CP_QAM16	22.11	-5.4	14.56	34.77	PASS
n12	15	5	142700	13@6	CP_QAM64	20.44	-5.4	12.89	34.77	PASS
n12	15	5	142700	1@1	CP_QAM64	20.31	-5.4	12.76	34.77	PASS
n12	15	5	142700	1@23	CP_QAM64	20.41	-5.4	12.86	34.77	PASS
n12	15	5	142700	13@6	CP_QAM256	17.34	-5.4	9.79	34.77	PASS
n12	15	5	142700	1@1	CP_QAM256	17.21	-5.4	9.66	34.77	PASS

n12	15	5	142700	1@23	CP_QAM256	17.20	-5.4	9.65	34.77	PASS
n12	15	10	140800	25@12	DFT_BPSK	23.80	-5.4	16.25	34.77	PASS
n12	15	10	140800	1@1	DFT_BPSK	23.72	-5.4	16.17	34.77	PASS
n12	15	10	140800	1@50	DFT_BPSK	23.70	-5.4	16.15	34.77	PASS
n12	15	10	140800	25@12	DFT_QPSK	23.78	-5.4	16.23	34.77	PASS
n12	15	10	140800	1@1	DFT_QPSK	23.65	-5.4	16.10	34.77	PASS
n12	15	10	140800	1@50	DFT_QPSK	23.58	-5.4	16.03	34.77	PASS
n12	15	10	140800	25@12	DFT_QAM16	22.78	-5.4	15.23	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM16	22.86	-5.4	15.31	34.77	PASS
n12	15	10	140800	1@50	DFT_QAM16	22.82	-5.4	15.27	34.77	PASS
n12	15	10	140800	25@12	DFT_QAM64	21.41	-5.4	13.86	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM64	21.13	-5.4	13.58	34.77	PASS
n12	15	10	140800	1@50	DFT_QAM64	21.39	-5.4	13.84	34.77	PASS
n12	15	10	140800	25@12	DFT_QAM256	19.41	-5.4	11.86	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM256	19.70	-5.4	12.15	34.77	PASS
n12	15	10	140800	1@50	DFT_QAM256	19.67	-5.4	12.12	34.77	PASS
n12	15	10	140800	26@13	CP_QPSK	22.19	-5.4	14.64	34.77	PASS
n12	15	10	140800	1@1	CP_QPSK	22.26	-5.4	14.71	34.77	PASS
n12	15	10	140800	1@50	CP_QPSK	22.24	-5.4	14.69	34.77	PASS
n12	15	10	140800	26@13	CP_QAM16	21.74	-5.4	14.19	34.77	PASS
n12	15	10	140800	1@1	CP_QAM16	21.91	-5.4	14.36	34.77	PASS
n12	15	10	140800	1@50	CP_QAM16	22.01	-5.4	14.46	34.77	PASS
n12	15	10	140800	26@13	CP_QAM64	20.20	-5.4	12.65	34.77	PASS
n12	15	10	140800	1@1	CP_QAM64	20.30	-5.4	12.75	34.77	PASS
n12	15	10	140800	1@50	CP_QAM64	20.46	-5.4	12.91	34.77	PASS
n12	15	10	140800	26@13	CP_QAM256	17.30	-5.4	9.75	34.77	PASS
n12	15	10	140800	1@1	CP_QAM256	17.13	-5.4	9.58	34.77	PASS
n12	15	10	140800	1@50	CP_QAM256	17.13	-5.4	9.58	34.77	PASS
n12	15	10	141500	25@12	DFT_BPSK	23.81	-5.4	16.26	34.77	PASS
n12	15	10	141500	1@1	DFT_BPSK	23.70	-5.4	16.15	34.77	PASS
n12	15	10	141500	1@50	DFT_BPSK	23.73	-5.4	16.18	34.77	PASS
n12	15	10	141500	25@12	DFT_QPSK	23.79	-5.4	16.24	34.77	PASS
n12	15	10	141500	1@1	DFT_QPSK	23.58	-5.4	16.03	34.77	PASS
n12	15	10	141500	1@50	DFT_QPSK	23.61	-5.4	16.06	34.77	PASS
n12	15	10	141500	25@12	DFT_QAM16	22.84	-5.4	15.29	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM16	22.76	-5.4	15.21	34.77	PASS
n12	15	10	141500	1@50	DFT_QAM16	22.96	-5.4	15.41	34.77	PASS
n12	15	10	141500	25@12	DFT_QAM64	21.23	-5.4	13.68	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM64	21.00	-5.4	13.45	34.77	PASS
n12	15	10	141500	1@50	DFT_QAM64	21.33	-5.4	13.78	34.77	PASS
n12	15	10	141500	25@12	DFT_QAM256	19.39	-5.4	11.84	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM256	19.62	-5.4	12.07	34.77	PASS
n12	15	10	141500	1@50	DFT_QAM256	19.18	-5.4	11.63	34.77	PASS
n12	15	10	141500	26@13	CP_QPSK	22.24	-5.4	14.69	34.77	PASS

n12	15	10	141500	1@1	CP_QPSK	22.30	-5.4	14.75	34.77	PASS
n12	15	10	141500	1@50	CP_QPSK	22.32	-5.4	14.77	34.77	PASS
n12	15	10	141500	26@13	CP_QAM16	21.84	-5.4	14.29	34.77	PASS
n12	15	10	141500	1@1	CP_QAM16	21.81	-5.4	14.26	34.77	PASS
n12	15	10	141500	1@50	CP_QAM16	22.00	-5.4	14.45	34.77	PASS
n12	15	10	141500	26@13	CP_QAM64	20.32	-5.4	12.77	34.77	PASS
n12	15	10	141500	1@1	CP_QAM64	20.22	-5.4	12.67	34.77	PASS
n12	15	10	141500	1@50	CP_QAM64	20.46	-5.4	12.91	34.77	PASS
n12	15	10	141500	26@13	CP_QAM256	17.32	-5.4	9.77	34.77	PASS
n12	15	10	141500	1@1	CP_QAM256	17.00	-5.4	9.45	34.77	PASS
n12	15	10	141500	1@50	CP_QAM256	17.41	-5.4	9.86	34.77	PASS
n12	15	10	142200	25@12	DFT_BPSK	23.80	-5.4	16.25	34.77	PASS
n12	15	10	142200	1@1	DFT_BPSK	23.70	-5.4	16.15	34.77	PASS
n12	15	10	142200	1@50	DFT_BPSK	23.83	-5.4	16.28	34.77	PASS
n12	15	10	142200	25@12	DFT_QPSK	23.73	-5.4	16.18	34.77	PASS
n12	15	10	142200	1@1	DFT_QPSK	23.63	-5.4	16.08	34.77	PASS
n12	15	10	142200	1@50	DFT_QPSK	23.67	-5.4	16.12	34.77	PASS
n12	15	10	142200	25@12	DFT_QAM16	22.79	-5.4	15.24	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM16	22.79	-5.4	15.24	34.77	PASS
n12	15	10	142200	1@50	DFT_QAM16	22.83	-5.4	15.28	34.77	PASS
n12	15	10	142200	25@12	DFT_QAM64	21.27	-5.4	13.72	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM64	21.06	-5.4	13.51	34.77	PASS
n12	15	10	142200	1@50	DFT_QAM64	21.17	-5.4	13.62	34.77	PASS
n12	15	10	142200	25@12	DFT_QAM256	19.35	-5.4	11.80	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM256	19.28	-5.4	11.73	34.77	PASS
n12	15	10	142200	1@50	DFT_QAM256	19.37	-5.4	11.82	34.77	PASS
n12	15	10	142200	26@13	CP_QPSK	22.23	-5.4	14.68	34.77	PASS
n12	15	10	142200	1@1	CP_QPSK	22.20	-5.4	14.65	34.77	PASS
n12	15	10	142200	1@50	CP_QPSK	22.32	-5.4	14.77	34.77	PASS
n12	15	10	142200	26@13	CP_QAM16	21.75	-5.4	14.20	34.77	PASS
n12	15	10	142200	1@1	CP_QAM16	21.94	-5.4	14.39	34.77	PASS
n12	15	10	142200	1@50	CP_QAM16	22.32	-5.4	14.77	34.77	PASS
n12	15	10	142200	26@13	CP_QAM64	20.25	-5.4	12.70	34.77	PASS
n12	15	10	142200	1@1	CP_QAM64	20.17	-5.4	12.62	34.77	PASS
n12	15	10	142200	1@50	CP_QAM64	20.31	-5.4	12.76	34.77	PASS
n12	15	10	142200	26@13	CP_QAM256	17.26	-5.4	9.71	34.77	PASS
n12	15	10	142200	1@1	CP_QAM256	17.13	-5.4	9.58	34.77	PASS
n12	15	10	142200	1@50	CP_QAM256	17.21	-5.4	9.66	34.77	PASS
n12	15	15	141300	36@18	DFT_BPSK	23.77	-5.4	16.22	34.77	PASS
n12	15	15	141300	1@1	DFT_BPSK	23.63	-5.4	16.08	34.77	PASS
n12	15	15	141300	1@77	DFT_BPSK	23.73	-5.4	16.18	34.77	PASS
n12	15	15	141300	36@18	DFT_QPSK	23.81	-5.4	16.26	34.77	PASS
n12	15	15	141300	1@1	DFT_QPSK	23.49	-5.4	15.94	34.77	PASS
n12	15	15	141300	1@77	DFT_QPSK	23.53	-5.4	15.98	34.77	PASS

n12	15	15	141300	36@18	DFT_QAM16	22.82	-5.4	15.27	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM16	22.78	-5.4	15.23	34.77	PASS
n12	15	15	141300	1@77	DFT_QAM16	22.71	-5.4	15.16	34.77	PASS
n12	15	15	141300	36@18	DFT_QAM64	21.34	-5.4	13.79	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM64	21.15	-5.4	13.60	34.77	PASS
n12	15	15	141300	1@77	DFT_QAM64	21.00	-5.4	13.45	34.77	PASS
n12	15	15	141300	36@18	DFT_QAM256	19.33	-5.4	11.78	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM256	19.60	-5.4	12.05	34.77	PASS
n12	15	15	141300	1@77	DFT_QAM256	19.33	-5.4	11.78	34.77	PASS
n12	15	15	141300	39@19	CP_QPSK	22.18	-5.4	14.63	34.77	PASS
n12	15	15	141300	1@1	CP_QPSK	22.10	-5.4	14.55	34.77	PASS
n12	15	15	141300	1@77	CP_QPSK	22.16	-5.4	14.61	34.77	PASS
n12	15	15	141300	39@19	CP_QAM16	21.75	-5.4	14.20	34.77	PASS
n12	15	15	141300	1@1	CP_QAM16	22.12	-5.4	14.57	34.77	PASS
n12	15	15	141300	1@77	CP_QAM16	22.20	-5.4	14.65	34.77	PASS
n12	15	15	141300	39@19	CP_QAM64	20.30	-5.4	12.75	34.77	PASS
n12	15	15	141300	1@1	CP_QAM64	20.18	-5.4	12.63	34.77	PASS
n12	15	15	141300	1@77	CP_QAM64	20.19	-5.4	12.64	34.77	PASS
n12	15	15	141300	39@19	CP_QAM256	17.29	-5.4	9.74	34.77	PASS
n12	15	15	141300	1@1	CP_QAM256	17.38	-5.4	9.83	34.77	PASS
n12	15	15	141300	1@77	CP_QAM256	17.40	-5.4	9.85	34.77	PASS
n12	15	15	141500	36@18	DFT_BPSK	23.77	-5.4	16.22	34.77	PASS
n12	15	15	141500	1@1	DFT_BPSK	23.65	-5.4	16.10	34.77	PASS
n12	15	15	141500	1@77	DFT_BPSK	23.65	-5.4	16.10	34.77	PASS
n12	15	15	141500	36@18	DFT_QPSK	23.78	-5.4	16.23	34.77	PASS
n12	15	15	141500	1@1	DFT_QPSK	23.58	-5.4	16.03	34.77	PASS
n12	15	15	141500	1@77	DFT_QPSK	23.62	-5.4	16.07	34.77	PASS
n12	15	15	141500	36@18	DFT_QAM16	22.75	-5.4	15.20	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM16	22.88	-5.4	15.33	34.77	PASS
n12	15	15	141500	1@77	DFT_QAM16	22.70	-5.4	15.15	34.77	PASS
n12	15	15	141500	36@18	DFT_QAM64	21.35	-5.4	13.80	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM64	21.22	-5.4	13.67	34.77	PASS
n12	15	15	141500	1@77	DFT_QAM64	21.33	-5.4	13.78	34.77	PASS
n12	15	15	141500	36@18	DFT_QAM256	19.29	-5.4	11.74	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM256	19.12	-5.4	11.57	34.77	PASS
n12	15	15	141500	1@77	DFT_QAM256	19.59	-5.4	12.04	34.77	PASS
n12	15	15	141500	39@19	CP_QPSK	22.28	-5.4	14.73	34.77	PASS
n12	15	15	141500	1@1	CP_QPSK	22.13	-5.4	14.58	34.77	PASS
n12	15	15	141500	1@77	CP_QPSK	22.12	-5.4	14.57	34.77	PASS
n12	15	15	141500	39@19	CP_QAM16	21.83	-5.4	14.28	34.77	PASS
n12	15	15	141500	1@1	CP_QAM16	21.84	-5.4	14.29	34.77	PASS
n12	15	15	141500	1@77	CP_QAM16	21.93	-5.4	14.38	34.77	PASS
n12	15	15	141500	39@19	CP_QAM64	20.29	-5.4	12.74	34.77	PASS
n12	15	15	141500	1@1	CP_QAM64	20.17	-5.4	12.62	34.77	PASS

n12	15	15	141500	1@77	CP_QAM64	20.38	-5.4	12.83	34.77	PASS
n12	15	15	141500	39@19	CP_QAM256	17.21	-5.4	9.66	34.77	PASS
n12	15	15	141500	1@1	CP_QAM256	17.41	-5.4	9.86	34.77	PASS
n12	15	15	141500	1@77	CP_QAM256	17.11	-5.4	9.56	34.77	PASS
n12	15	15	141700	36@18	DFT_BPSK	23.74	-5.4	16.19	34.77	PASS
n12	15	15	141700	1@1	DFT_BPSK	23.64	-5.4	16.09	34.77	PASS
n12	15	15	141700	1@77	DFT_BPSK	23.77	-5.4	16.22	34.77	PASS
n12	15	15	141700	36@18	DFT_QPSK	23.72	-5.4	16.17	34.77	PASS
n12	15	15	141700	1@1	DFT_QPSK	23.49	-5.4	15.94	34.77	PASS
n12	15	15	141700	1@77	DFT_QPSK	23.61	-5.4	16.06	34.77	PASS
n12	15	15	141700	36@18	DFT_QAM16	22.78	-5.4	15.23	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM16	22.78	-5.4	15.23	34.77	PASS
n12	15	15	141700	1@77	DFT_QAM16	22.83	-5.4	15.28	34.77	PASS
n12	15	15	141700	36@18	DFT_QAM64	21.33	-5.4	13.78	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM64	21.01	-5.4	13.46	34.77	PASS
n12	15	15	141700	1@77	DFT_QAM64	21.38	-5.4	13.83	34.77	PASS
n12	15	15	141700	36@18	DFT_QAM256	19.28	-5.4	11.73	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM256	19.52	-5.4	11.97	34.77	PASS
n12	15	15	141700	1@77	DFT_QAM256	19.60	-5.4	12.05	34.77	PASS
n12	15	15	141700	39@19	CP_QPSK	22.23	-5.4	14.68	34.77	PASS
n12	15	15	141700	1@1	CP_QPSK	22.18	-5.4	14.63	34.77	PASS
n12	15	15	141700	1@77	CP_QPSK	22.17	-5.4	14.62	34.77	PASS
n12	15	15	141700	39@19	CP_QAM16	21.76	-5.4	14.21	34.77	PASS
n12	15	15	141700	1@1	CP_QAM16	21.89	-5.4	14.34	34.77	PASS
n12	15	15	141700	1@77	CP_QAM16	21.83	-5.4	14.28	34.77	PASS
n12	15	15	141700	39@19	CP_QAM64	20.24	-5.4	12.69	34.77	PASS
n12	15	15	141700	1@1	CP_QAM64	20.15	-5.4	12.60	34.77	PASS
n12	15	15	141700	1@77	CP_QAM64	20.43	-5.4	12.88	34.77	PASS
n12	15	15	141700	39@19	CP_QAM256	17.34	-5.4	9.79	34.77	PASS
n12	15	15	141700	1@1	CP_QAM256	17.33	-5.4	9.78	34.77	PASS
n12	15	15	141700	1@77	CP_QAM256	17.09	-5.4	9.54	34.77	PASS

## 2 Frequency stability for NR FR1

**NT:**

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n12	15	15	141500	50@25	DFT_BPSK	3.89	-2.62	0.00	Within authorized band for 5G NR n12	PASS
n12	15	15	141500	50@25	DFT_BPSK	3.45	-2.89	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	4.48	-3.40	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	3.89	-2.10	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	3.45	-3.35	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	4.48	-2.21	0.00		PASS

Note: Only the worst case shown in the report.

**NV:**

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n12	15	15	141500	50@25	DFT_BPSK	-30	-2.51	0.00	Within authorized band for 5G NR n12	PASS
n12	15	15	141500	50@25	DFT_BPSK	-20	-4.69	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	-10	-2.47	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	0	-4.09	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	10	-3.01	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	20	-2.15	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	30	-1.56	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	40	-3.87	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	50	-6.19	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	-30	-3.11	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	-20	-3.29	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	-10	-5.4	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	0	-5.16	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	10	-3.24	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	20	-1.38	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	30	-1.67	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	40	-3.97	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	50	-5.8	0.00		PASS


Note: Only the worst case shown in the report.



### 3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n12	15	5	141500	25@0	DFT_BPSK	4.73	13	PASS
n12	15	5	141500	25@0	DFT_QPSK	5.60	13	PASS
n12	15	5	141500	25@0	DFT_QAM16	6.35	13	PASS
n12	15	5	141500	25@0	DFT_QAM64	6.74	13	PASS
n12	15	5	141500	25@0	DFT_QAM256	6.96	13	PASS
n12	15	10	141500	50@0	DFT_BPSK	4.55	13	PASS
n12	15	10	141500	50@0	DFT_QPSK	5.73	13	PASS
n12	15	10	141500	50@0	DFT_QAM16	6.68	13	PASS
n12	15	10	141500	50@0	DFT_QAM64	6.87	13	PASS
n12	15	10	141500	50@0	DFT_QAM256	6.94	13	PASS
n12	15	15	141500	75@0	DFT_BPSK	4.64	13	PASS
n12	15	15	141500	75@0	DFT_QPSK	5.77	13	PASS
n12	15	15	141500	75@0	DFT_QAM16	6.59	13	PASS
n12	15	15	141500	75@0	DFT_QAM64	6.89	13	PASS
n12	15	15	141500	75@0	DFT_QAM256	7.09	13	PASS

n12 SCS=15kHz DFT\_BPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=141500 RB=25@0







n12 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_BPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_BPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=141500 RB=75@0






## 4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n12	15	5	140300	25@0	DFT_BPSK	4.490	4.780	PASS
n12	15	5	140300	25@0	DFT_QPSK	4.490	4.790	PASS
n12	15	5	140300	25@0	DFT_QAM16	4.500	4.760	PASS
n12	15	5	140300	25@0	DFT_QAM64	4.490	4.760	PASS
n12	15	5	140300	25@0	DFT_QAM256	4.490	4.770	PASS
n12	15	5	140300	25@0	CP_QPSK	4.490	4.780	PASS
n12	15	5	141500	25@0	DFT_BPSK	4.490	4.760	PASS
n12	15	5	141500	25@0	DFT_QPSK	4.480	4.760	PASS
n12	15	5	141500	25@0	DFT_QAM16	4.500	4.760	PASS
n12	15	5	141500	25@0	DFT_QAM64	4.490	4.760	PASS
n12	15	5	141500	25@0	DFT_QAM256	4.490	4.770	PASS
n12	15	5	141500	25@0	CP_QPSK	4.490	4.780	PASS
n12	15	5	142700	25@0	DFT_BPSK	4.490	4.760	PASS
n12	15	5	142700	25@0	DFT_QPSK	4.490	4.770	PASS
n12	15	5	142700	25@0	DFT_QAM16	4.500	4.770	PASS
n12	15	5	142700	25@0	DFT_QAM64	4.490	4.760	PASS
n12	15	5	142700	25@0	DFT_QAM256	4.490	4.770	PASS
n12	15	5	142700	25@0	CP_QPSK	4.490	4.760	PASS
n12	15	10	140800	50@0	DFT_BPSK	9.240	9.470	PASS
n12	15	10	140800	50@0	DFT_QPSK	9.240	9.480	PASS
n12	15	10	140800	50@0	DFT_QAM16	9.210	9.480	PASS
n12	15	10	140800	50@0	DFT_QAM64	9.240	9.480	PASS
n12	15	10	140800	50@0	DFT_QAM256	9.220	9.480	PASS
n12	15	10	140800	52@0	CP_QPSK	9.330	9.850	PASS
n12	15	10	141500	50@0	DFT_BPSK	9.220	9.470	PASS
n12	15	10	141500	50@0	DFT_QPSK	9.220	9.480	PASS
n12	15	10	141500	50@0	DFT_QAM16	9.220	9.470	PASS
n12	15	10	141500	50@0	DFT_QAM64	9.240	9.480	PASS
n12	15	10	141500	50@0	DFT_QAM256	9.220	9.480	PASS
n12	15	10	141500	52@0	CP_QPSK	9.330	9.840	PASS
n12	15	10	142200	50@0	DFT_BPSK	9.240	9.470	PASS
n12	15	10	142200	50@0	DFT_QPSK	9.240	9.480	PASS
n12	15	10	142200	50@0	DFT_QAM16	9.210	9.460	PASS
n12	15	10	142200	50@0	DFT_QAM64	9.240	9.480	PASS
n12	15	10	142200	50@0	DFT_QAM256	9.250	9.490	PASS
n12	15	10	142200	52@0	CP_QPSK	9.320	9.830	PASS
n12	15	15	141300	75@0	DFT_BPSK	14.000	14.210	PASS
n12	15	15	141300	75@0	DFT_QPSK	13.990	14.200	PASS

n12	15	15	141300	75@0	DFT_QAM16	14.010	14.220	PASS
n12	15	15	141300	75@0	DFT_QAM64	14.000	14.200	PASS
n12	15	15	141300	75@0	DFT_QAM256	14.000	14.210	PASS
n12	15	15	141300	79@0	CP_QPSK	14.160	14.910	PASS
n12	15	15	141500	75@0	DFT_BPSK	14.000	14.180	PASS
n12	15	15	141500	75@0	DFT_QPSK	13.980	14.200	PASS
n12	15	15	141500	75@0	DFT_QAM16	14.040	14.210	PASS
n12	15	15	141500	75@0	DFT_QAM64	13.990	14.200	PASS
n12	15	15	141500	75@0	DFT_QAM256	14.050	14.210	PASS
n12	15	15	141500	79@0	CP_QPSK	14.160	14.910	PASS
n12	15	15	141700	75@0	DFT_BPSK	14.000	14.200	PASS
n12	15	15	141700	75@0	DFT_QPSK	13.990	14.190	PASS
n12	15	15	141700	75@0	DFT_QAM16	14.040	14.210	PASS
n12	15	15	141700	75@0	DFT_QAM64	13.990	14.200	PASS
n12	15	15	141700	75@0	DFT_QAM256	14.050	14.210	PASS
n12	15	15	141700	79@0	CP_QPSK	14.160	14.910	PASS


n12 SCS=15kHz DFT\_BPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz CP\_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_BPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz CP\_QPSK BW=5MHz Channel=141500 RB=25@0







n12 SCS=15kHz DFT\_BPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz CP\_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_BPSK BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT\_QPSK BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=140800 RB=50@0



n12 SCS=15kHz CP\_QPSK BW=10MHz Channel=140800 RB=52@0




n12 SCS=15kHz DFT\_BPSK BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT\_QPSK BW=10MHz Channel=141500 RB=50@0







n12 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz CP\_QPSK BW=10MHz Channel=141500 RB=52@0




n12 SCS=15kHz DFT\_BPSK BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT\_QPSK BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz CP\_QPSK BW=10MHz Channel=142200 RB=52@0




n12 SCS=15kHz DFT\_BPSK BW=15MHz Channel=141300 RB=75@0



n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=141300 RB=75@0






n12 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz CP\_QPSK BW=15MHz Channel=141300 RB=79@0




n12 SCS=15kHz DFT\_BPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz CP\_QPSK BW=15MHz Channel=141500 RB=79@0




n12 SCS=15kHz DFT\_BPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=141700 RB=75@0



n12 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=141700 RB=75@0



n12 SCS=15kHz CP\_QPSK BW=15MHz Channel=141700 RB=79@0







### 5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	25@0	DFT_QPSK	695.54	-27.25	-13	PASS
n12	15	5	140300	1@0	DFT_QPSK	697.59	-23.30	-13	PASS
n12	15	5	142700	25@0	DFT_QPSK	717.27	-26.51	-13	PASS
n12	15	5	142700	1@24	DFT_QPSK	717.71	-22.83	-13	PASS
n12	15	15	141300	75@0	DFT_QPSK	697.80	-33.34	-13	PASS
n12	15	15	141300	1@0	DFT_QPSK	697.61	-20.24	-13	PASS
n12	15	15	141700	75@0	DFT_QPSK	717.30	-28.87	-13	PASS
n12	15	15	141700	1@78	DFT_QPSK	717.09	-19.89	-13	PASS


n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=1@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=1@24




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=1@0



n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=1@78




## 6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	25@0	DFT_QPSK	3824.20	-38.54	-13	PASS
n12	15	5	140300	1@0	DFT_QPSK	3765.48	-37.77	-13	PASS
n12	15	5	140300	1@24	DFT_QPSK	3734.43	-38.32	-13	PASS
n12	15	5	141500	25@0	DFT_QPSK	3736.68	-37.78	-13	PASS
n12	15	5	141500	1@0	DFT_QPSK	3776.95	-38.01	-13	PASS
n12	15	5	141500	1@24	DFT_QPSK	4855.38	-37.21	-13	PASS
n12	15	5	142700	25@0	DFT_QPSK	3823.53	-37.12	-13	PASS
n12	15	5	142700	1@0	DFT_QPSK	3783.93	-37.85	-13	PASS
n12	15	5	142700	1@24	DFT_QPSK	3796.30	-37.85	-13	PASS
n12	15	15	141300	75@0	DFT_QPSK	3718.68	-37.38	-13	PASS
n12	15	15	141300	1@0	DFT_QPSK	3801.48	-37.36	-13	PASS
n12	15	15	141300	1@78	DFT_QPSK	3817.45	-38.03	-13	PASS
n12	15	15	141500	75@0	DFT_QPSK	3780.78	-38.38	-13	PASS
n12	15	15	141500	1@0	DFT_QPSK	3720.25	-37.32	-13	PASS
n12	15	15	141500	1@78	DFT_QPSK	3783.93	-37.44	-13	PASS
n12	15	15	141700	75@0	DFT_QPSK	5123.80	-37.55	-13	PASS
n12	15	15	141700	1@0	DFT_QPSK	5032.90	-38.38	-13	PASS
n12	15	15	141700	1@78	DFT_QPSK	3735.55	-37.76	-13	PASS


n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=1@0



n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=140300 RB=1@24




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=141500 RB=1@0







n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=141500 RB=1@24




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=1@0




n12 SCS=15kHz DFT\_QPSK BW=5MHz Channel=142700 RB=1@24




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=1@78




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141300 RB=1@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141500 RB=1@0




n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141500 RB=1@78



n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=75@0



n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=1@0



n12 SCS=15kHz DFT\_QPSK BW=15MHz Channel=141700 RB=1@78

