

FCC Part 27

RF power output

DC 41A n77A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	20.73(20.04 12.39)	21.365	0.137	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	20.37(20.05 8.9)	21.159	0.131	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	20.67(20.06 11.86)	21.316	0.135	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.76(20.17 11.83)	21.409	0.138	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	20.72(20.04 12.33)	21.357	0.137	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	20.73(20.05 12.32)	21.604	0.145	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	20.54(20.05 10.85)	21.197	0.132	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	20.72(20.05 12.25)	21.356	0.137	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.75(20.16 11.75)	21.6	0.145	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67	20.72(20.05 12.27)	21.358	0.137	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.72(20.15 11.62)	21.367	0.137	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	20.71(20.03 12.34)	21.591	0.144	1.00	Pass
10MHz 100MHz_30kHz_2595MHz 3 840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	20.24(19.45 12.46)	20.87	0.122	1.00	Pass
10MHz 100MHz_30kHz_2595MHz 3 840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	19.84(19.47 8.92)	20.502	0.112	1.00	Pass
10MHz 100MHz_30kHz_2595MHz 3 840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	20.13(19.43 11.88)	20.769	0.119	1.00	Pass
10MHz 100MHz_30kHz_2595MHz 3 840MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	20.19(19.41 12.36)	20.821	0.121	1.00	Pass
10MHz 100MHz_30kHz_2595MHz 3 840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	20.19(19.4 12.39)	20.817	0.121	1.00	Pass
10MHz 100MHz_30kHz_2595MHz 3 840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	20.01(19.42 11.03)	20.863	0.122	1.00	Pass
10MHz 100MHz_30kHz_2595MHz 3 840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	20.21(19.42 12.39)	20.834	0.121	1.00	Pass

10MHz 100MHz_30kHz_2595MHz 3 840MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67	20.23(19.46 12.33)	20.859	0.122	1.00	Pass
10MHz 100MHz_30kHz_2595MHz 3 840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	20.2(19.41 12.4)	20.827	0.121	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB137@68	20.82(20.13 12.46)	21.453	0.14	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB137@68	20.43(20.11 9)	21.223	0.133	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB137@68	20.73(20.12 11.91)	21.592	0.144	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@272	20.79(20.17 12.02)	21.432	0.139	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68	20.81(20.12 12.45)	21.443	0.139	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67	20.78(20.09 12.47)	21.419	0.139	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67	20.6(20.08 11.09)	21.434	0.139	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67	20.78(20.08 12.52)	21.665	0.147	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@272	20.73(20.1 12.06)	21.375	0.137	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB135@67	20.77(20.07 12.49)	21.651	0.146	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272	20.76(20.14 11.98)	21.62	0.145	1.00	Pass
10MHz 100MHz_30kHz_2685MHz 3 930MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67	20.73(20.03 12.49)	21.37	0.137	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	20.72(20.01 12.52)	21.608	0.145	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	20.38(20.05 9.04)	21.05	0.127	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	20.7(20.05 12.14)	21.341	0.136	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.86(20.17 12.52)	21.495	0.141	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	20.79(20.07 12.61)	21.673	0.147	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	20.72(20 12.55)	21.353	0.137	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	20.52(20 11.07)	21.174	0.131	1.00	Pass

10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	20.69(19.97 12.5)	21.32	0.136	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.85(20.17 12.45)	21.486	0.141	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	20.75(20.02 12.63)	21.381	0.137	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.81(20.12 12.49)	21.692	0.148	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	20.74(20.02 12.57)	21.625	0.145	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	20.05(19.22 12.45)	20.674	0.117	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	19.65(19.27 8.87)	20.452	0.111	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	19.98(19.24 11.9)	20.608	0.115	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	20.03(19.22 12.34)	20.657	0.116	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	20.06(19.24 12.41)	20.685	0.117	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	19.79(19.2 10.82)	20.434	0.111	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	20.09(19.27 12.46)	21.003	0.126	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	20.02(19.2 12.37)	20.645	0.116	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	20.09(19.27 12.46)	20.718	0.118	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6	20.75(20.02 12.65)	21.384	0.138	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	20.34(20 9.07)	21.005	0.126	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	20.68(20.02 12.16)	21.551	0.143	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	20.83(20.12 12.61)	21.464	0.14	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6	20.75(20.02 12.63)	21.637	0.146	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	20.79(20.07 12.6)	21.42	0.139	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	20.52(20.01 10.96)	21.356	0.137	1.00	Pass

10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	20.73(20.02 12.52)	21.366	0.137	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23	20.78(20.07 12.58)	21.668	0.147	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	20.77(20.05 12.63)	21.407	0.138	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	20.8(20.1 12.5)	21.432	0.139	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 39 75MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	20.78(20.06 12.65)	21.418	0.139	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	20.81(20.12 12.51)	21.696	0.148	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	20.45(20.12 9.08)	21.118	0.129	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	20.75(20.13 12)	21.615	0.145	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.92(20.25 12.47)	21.558	0.143	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	20.82(20.12 12.56)	21.458	0.14	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	20.84(20.14 12.59)	21.479	0.141	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	20.64(20.13 11.05)	21.289	0.135	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	20.84(20.14 12.54)	21.472	0.14	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.93(20.27 12.41)	21.801	0.151	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	20.8(20.09 12.59)	21.436	0.139	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.9(20.24 12.38)	21.771	0.15	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	20.83(20.13 12.56)	21.713	0.148	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	20.09(19.28 12.38)	20.714	0.118	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	19.64(19.26 8.89)	20.446	0.111	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	20.02(19.29 11.89)	20.905	0.123	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	20.15(19.34 12.45)	20.775	0.12	1.00	Pass

10MHz 15MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	20.1(19.29 12.39)	20.724	0.118	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	19.92(19.33 10.92)	20.561	0.114	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	20.09(19.28 12.38)	20.714	0.118	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	20.1(19.3 12.37)	20.729	0.118	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	20.09(19.28 12.38)	20.994	0.126	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	20.78(20.08 12.51)	21.416	0.139	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	20.41(20.08 9.03)	21.077	0.128	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	20.71(20.09 11.97)	21.355	0.137	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	20.8(20.12 12.39)	21.674	0.147	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	20.77(20.06 12.57)	21.658	0.146	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	20.74(20.04 12.49)	21.379	0.137	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	20.57(20.06 11.03)	21.409	0.138	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	20.77(20.05 12.62)	21.659	0.147	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@37	20.79(20.11 12.4)	21.667	0.147	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB18@9	20.74(20.04 12.5)	21.38	0.137	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	20.78(20.11 12.36)	21.422	0.139	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 39 72.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	20.75(20.04 12.52)	21.632	0.146	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	20.88(20.21 12.42)	21.753	0.15	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	20.52(20.2 9)	21.187	0.131	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	20.76(20.15 11.94)	21.404	0.138	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.96(20.32 12.35)	21.604	0.145	1.00	Pass

10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	20.88(20.18 12.58)	21.512	0.142	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	20.87(20.19 12.48)	21.507	0.141	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	20.68(20.17 11.09)	21.329	0.136	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	20.88(20.19 12.54)	21.758	0.15	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.95(20.29 12.43)	21.588	0.144	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	20.9(20.23 12.47)	21.779	0.151	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.94(20.3 12.33)	21.584	0.144	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	20.87(20.19 12.48)	21.507	0.141	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	20.11(19.32 12.31)	20.737	0.118	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	19.7(19.33 8.85)	20.367	0.109	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	20.06(19.35 11.82)	20.692	0.117	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	20.13(19.34 12.31)	20.754	0.119	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	20.12(19.34 12.28)	20.749	0.119	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	19.94(19.36 10.88)	20.789	0.12	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	20.15(19.34 12.43)	21.052	0.127	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	20.14(19.36 12.3)	21.041	0.127	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	20.16(19.36 12.42)	20.788	0.12	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12	20.77(20.07 12.48)	21.649	0.146	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12	20.4(20.08 8.98)	21.074	0.128	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12	20.72(20.08 12.1)	21.59	0.144	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50	20.84(20.15 12.48)	21.715	0.148	1.00	Pass

10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12	20.75(20.05 12.48)	21.386	0.138	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	20.78(20.08 12.52)	21.418	0.139	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	20.59(20.07 11.09)	21.239	0.133	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	20.8(20.1 12.56)	21.688	0.148	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@50	20.85(20.18 12.38)	21.721	0.149	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	20.8(20.1 12.52)	21.681	0.147	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50	20.81(20.15 12.32)	21.452	0.14	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 39 69.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	20.78(20.08 12.51)	21.416	0.139	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	20.82(20.13 12.48)	21.455	0.14	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	20.43(20.11 8.93)	21.217	0.132	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	20.76(20.14 12.01)	21.625	0.145	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.89(20.29 12)	21.535	0.142	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	20.82(20.14 12.44)	21.459	0.14	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	20.83(20.14 12.49)	21.708	0.148	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	20.64(20.14 11.05)	21.48	0.141	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	20.84(20.15 12.51)	21.477	0.14	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.86(20.26 11.98)	21.721	0.149	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	20.82(20.15 12.4)	21.462	0.14	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.85(20.26 11.88)	21.494	0.141	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	20.84(20.16 12.48)	21.723	0.149	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	20.1(19.31 12.3)	20.727	0.118	1.00	Pass

10MHz 40MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	19.69(19.31 8.88)	20.351	0.108	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	20.03(19.32 11.81)	20.914	0.123	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	20.1(19.31 12.32)	20.73	0.118	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	20.13(19.34 12.36)	21.038	0.127	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	19.91(19.33 10.88)	20.556	0.114	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	20.14(19.33 12.44)	20.765	0.119	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	20.12(19.33 12.31)	21.019	0.126	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	20.14(19.33 12.46)	20.768	0.119	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	20.7(20 12.43)	21.336	0.136	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	20.38(20.06 8.93)	21.052	0.127	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	20.7(20.07 12.01)	21.567	0.143	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	20.77(20.13 12.17)	21.415	0.139	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	20.76(20.08 12.4)	21.643	0.146	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	20.79(20.08 12.57)	21.674	0.147	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	20.56(20.05 11.03)	21.4	0.138	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	20.75(20.07 12.39)	21.391	0.138	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	20.77(20.14 12.08)	21.413	0.138	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	20.75(20.05 12.46)	21.383	0.138	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	20.77(20.14 12.06)	21.41	0.138	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 39 60MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	20.73(20.03 12.47)	21.368	0.137	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	20.78(20.1 12.41)	21.42	0.139	1.00	Pass

10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	20.41(20.09 8.99)	21.084	0.128	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	20.72(20.1 11.95)	21.362	0.137	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.86(20.21 12.28)	21.499	0.141	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	20.79(20.1 12.45)	21.668	0.147	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	20.8(20.12 12.44)	21.441	0.139	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	20.59(20.09 10.99)	21.247	0.133	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	20.79(20.11 12.43)	21.673	0.147	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.85(20.21 12.19)	21.488	0.141	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	20.8(20.11 12.48)	21.438	0.139	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.85(20.22 12.15)	21.715	0.148	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	20.81(20.11 12.51)	21.442	0.139	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	20.12(19.31 12.41)	20.744	0.119	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	19.69(19.31 8.87)	20.35	0.108	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	20(19.26 11.94)	20.631	0.116	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	20.1(19.31 12.31)	20.728	0.118	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	20.06(19.26 12.3)	20.685	0.117	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	19.86(19.27 10.92)	20.719	0.118	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	20.1(19.29 12.42)	21.01	0.126	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	20.12(19.33 12.32)	21.021	0.127	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	20.1(19.29 12.39)	21.004	0.126	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	20.74(20.04 12.45)	21.373	0.137	1.00	Pass

10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	20.36(20.03 8.94)	21.024	0.127	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	20.66(20.03 11.96)	21.301	0.135	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	20.79(20.09 12.5)	21.423	0.139	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	20.69(19.99 12.45)	21.33	0.136	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	20.73(20.04 12.43)	21.371	0.137	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	20.51(19.99 11.06)	21.164	0.131	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	20.73(20.03 12.48)	21.369	0.137	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132	20.78(20.1 12.36)	21.413	0.138	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32	20.74(20.04 12.45)	21.373	0.137	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	20.78(20.11 12.33)	21.418	0.139	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 39 54.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	20.73(20.03 12.47)	21.368	0.137	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	20.76(20.06 12.46)	21.392	0.138	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	20.37(20.05 8.93)	21.162	0.131	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	20.69(20.06 11.96)	21.328	0.136	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.84(20.2 12.19)	21.705	0.148	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	20.76(20.06 12.49)	21.396	0.138	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	20.78(20.09 12.46)	21.418	0.139	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	20.58(20.07 11.01)	21.414	0.138	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	20.78(20.09 12.43)	21.656	0.146	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.81(20.18 12.09)	21.449	0.14	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	20.77(20.08 12.44)	21.407	0.138	1.00	Pass

10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.83(20.2 12.11)	21.469	0.14	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	20.78(20.1 12.41)	21.42	0.139	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	20.2(19.42 12.33)	20.825	0.121	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	19.8(19.43 8.91)	20.464	0.111	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	20.13(19.41 11.95)	20.761	0.119	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	20.24(19.45 12.42)	21.137	0.13	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	20.23(19.44 12.44)	20.858	0.122	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	20.01(19.43 10.96)	20.654	0.116	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	20.24(19.46 12.42)	20.872	0.122	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	20.23(19.44 12.41)	21.127	0.13	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	20.22(19.45 12.34)	21.121	0.129	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	20.74(20.04 12.47)	21.376	0.137	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	20.35(20.02 8.99)	21.018	0.126	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	20.67(20.04 11.94)	21.308	0.135	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	20.81(20.12 12.46)	21.444	0.139	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	20.73(20.03 12.44)	21.363	0.137	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40	20.74(20.04 12.44)	21.617	0.145	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40	20.54(20.03 10.99)	21.377	0.137	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40	20.75(20.04 12.54)	21.636	0.146	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@161	20.77(20.09 12.36)	21.644	0.146	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB81@40	20.74(20.04 12.46)	21.375	0.137	1.00	Pass

10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161	20.76(20.09 12.32)	21.399	0.138	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 39 49.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40	20.74(20.04 12.45)	21.373	0.137	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB95@47	20.77(20.06 12.55)	21.404	0.138	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB95@47	20.38(20.05 8.99)	21.046	0.127	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB95@47	20.67(20.04 11.97)	21.311	0.135	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.8(20.16 12.19)	21.444	0.139	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47	20.75(20.05 12.45)	21.382	0.137	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45	20.75(20.06 12.44)	21.634	0.146	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB90@45	20.57(20.06 11.05)	21.226	0.133	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45	20.75(20.06 12.44)	21.389	0.138	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.81(20.19 12.08)	21.678	0.147	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB90@45	20.77(20.08 12.42)	21.404	0.138	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.82(20.19 12.12)	21.461	0.14	1.00	Pass
10MHz 70MHz_30kHz_2505MHz 37 35MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45	20.75(20.06 12.44)	21.389	0.138	1.00	Pass
10MHz 70MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB95@47	20.24(19.45 12.45)	20.868	0.122	1.00	Pass
10MHz 70MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB95@47	19.81(19.45 8.85)	20.478	0.112	1.00	Pass
10MHz 70MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB95@47	20.12(19.42 11.84)	21.001	0.126	1.00	Pass
10MHz 70MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47	20.23(19.44 12.43)	21.131	0.13	1.00	Pass
10MHz 70MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45	20.23(19.42 12.53)	20.855	0.122	1.00	Pass
10MHz 70MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB90@45	20.02(19.44 10.96)	20.663	0.116	1.00	Pass
10MHz 70MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45	20.25(19.47 12.4)	20.878	0.122	1.00	Pass

10MHz 70MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB90@45	20.24(19.45 12.42)	21.137	0.13	1.00	Pass
10MHz 70MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45	20.22(19.43 12.43)	20.848	0.122	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB95@47	20.73(19.99 12.65)	21.358	0.137	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB95@47	20.34(20 9.06)	21.004	0.126	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB95@47	20.62(19.98 12.01)	21.264	0.134	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@188	20.74(20.06 12.34)	21.376	0.137	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK CP-OFDM QPSK_RB12@38 RB95@47	20.71(19.98 12.59)	21.341	0.136	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB90@45	20.68(19.94 12.63)	21.572	0.144	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB90@45	20.55(20.02 11.14)	21.39	0.138	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB90@45	20.72(19.99 12.59)	21.35	0.136	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@188	20.75(20.07 12.33)	21.383	0.138	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB90@45	20.72(20 12.55)	21.353	0.137	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@188	20.75(20.08 12.33)	21.63	0.146	1.00	Pass
10MHz 70MHz_30kHz_2685MHz 39 45MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB90@45	20.74(20.01 12.61)	21.625	0.145	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	20.73(20.03 12.45)	21.365	0.137	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	20.39(20.06 9.01)	21.057	0.128	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	20.65(20.03 11.87)	21.29	0.135	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.78(20.16 11.99)	21.419	0.139	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	20.74(20.04 12.44)	21.372	0.137	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	20.76(20.06 12.47)	21.393	0.138	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	20.55(20.03 11.06)	21.2	0.132	1.00	Pass

10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	20.74(20.03 12.55)	21.63	0.146	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.8(20.19 11.96)	21.442	0.139	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	20.74(20.06 12.35)	21.377	0.137	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.78(20.17 11.96)	21.642	0.146	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	20.74(20.03 12.5)	21.372	0.137	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	20.18(19.4 12.34)	21.081	0.128	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	19.81(19.43 9.08)	20.618	0.115	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	20.1(19.38 11.93)	20.733	0.118	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	20.22(19.44 12.38)	20.849	0.122	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	20.22(19.42 12.45)	20.843	0.121	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	20.03(19.45 11.03)	20.68	0.117	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	20.21(19.41 12.49)	20.841	0.121	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	20.24(19.45 12.43)	20.865	0.122	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	20.18(19.39 12.39)	20.808	0.12	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	20.71(20 12.49)	21.344	0.136	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	20.35(20.01 9.13)	21.019	0.126	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	20.64(19.99 12.09)	21.283	0.134	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	20.75(20.07 12.37)	21.389	0.138	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	20.71(19.99 12.57)	21.347	0.136	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	20.72(20 12.55)	21.353	0.137	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	20.51(19.99 11.07)	21.354	0.137	1.00	Pass

10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	20.71(19.98 12.63)	21.604	0.145	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@216	20.71(20.05 12.18)	21.579	0.144	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	20.7(19.99 12.49)	21.586	0.144	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216	20.72(20.06 12.24)	21.363	0.137	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 39 39.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	20.7(19.99 12.49)	21.336	0.136	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	20.74(20.06 12.37)	21.38	0.137	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	20.38(20.06 8.84)	21.046	0.127	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	20.66(20.05 11.85)	21.306	0.135	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.77(20.17 11.91)	21.418	0.139	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	20.75(20.07 12.39)	21.391	0.138	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	20.76(20.07 12.4)	21.393	0.138	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	20.55(20.04 10.97)	21.383	0.138	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	20.75(20.06 12.44)	21.634	0.146	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.79(20.19 11.89)	21.434	0.139	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	20.74(20.06 12.35)	21.617	0.145	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.77(20.18 11.79)	21.413	0.138	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	20.74(20.06 12.37)	21.621	0.145	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	20.2(19.42 12.38)	21.105	0.129	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	19.8(19.43 8.92)	20.601	0.115	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	20.11(19.4 11.87)	20.742	0.119	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 38 40MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	20.2(19.43 12.31)	20.83	0.121	1.00	Pass

10MHz 90MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	20.23(19.45 12.41)	20.862	0.122	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	19.98(19.41 10.89)	20.628	0.116	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	20.2(19.42 12.35)	21.099	0.129	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	20.21(19.41 12.44)	20.833	0.121	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 38 40MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	20.23(19.46 12.35)	21.131	0.13	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	20.69(19.99 12.42)	21.326	0.136	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	20.31(19.97 9.02)	20.974	0.125	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	20.67(20.04 11.94)	21.53	0.142	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	20.73(20.09 12.13)	21.375	0.137	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	20.7(20 12.41)	21.333	0.136	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60	20.65(19.95 12.41)	21.29	0.135	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60	20.5(19.98 10.99)	21.148	0.13	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60	20.7(20 12.4)	21.332	0.136	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@244	20.72(20.08 12.06)	21.584	0.144	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB120@60	20.69(19.99 12.4)	21.323	0.136	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244	20.71(20.08 12.02)	21.353	0.137	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 39 34.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60	20.69(19.99 12.41)	21.325	0.136	1.00	Pass

Note:**P_Total(P_LTE | P_NR);****EIRP = P + Ant Gain – CL;****ERP = EIRP -2.15;****EIRP_NSA = EIRP_LTE + EIRP_NR;****ERP_NSA = ERP_LTE + ERP_NR****DC_41A_n77A:****n77:****1.Ant Gain =0.25 dBi;****2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;****41A:****1.Ant Gain =0.7 dBi;****2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB;****DC 5A n41A**

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	21.58(20.95 12.85)	16.56	0.045	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	21.23(20.93 9.48)	15.181	0.033	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	21.52(20.94 12.5)	16.384	0.043	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.51(20.94 12.41)	16.341	0.043	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	21.56(20.94 12.83)	16.545	0.045	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	21.57(20.94 12.86)	16.56	0.045	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	21.42(20.95 11.49)	15.933	0.039	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	21.56(20.93 12.86)	16.555	0.045	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.45(20.88 12.36)	16.285	0.043	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67	21.57(20.94 12.87)	16.565	0.045	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.57(21.03 12.27)	16.323	0.043	2.00	Pass
10MHz 100MHz_30kHz_829MHz 25 46.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	21.55(20.92 12.84)	16.54	0.045	2.00	Pass
10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	21.48(20.87 12.63)	16.411	0.044	2.00	Pass
10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	21.16(20.87 9.28)	15.077	0.032	2.00	Pass

10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	21.43(20.87 12.23)	16.219	0.042	2.00	Pass
10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	21.48(20.88 12.61)	16.406	0.044	2.00	Pass
10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	21.47(20.87 12.57)	16.381	0.043	2.00	Pass
10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	21.37(20.93 11.26)	15.826	0.038	2.00	Pass
10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	21.45(20.85 12.56)	16.366	0.043	2.00	Pass
10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67	21.54(20.95 12.58)	16.427	0.044	2.00	Pass
10MHz 100MHz_30kHz_836.5MHz 2 592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	21.53(20.94 12.53)	16.398	0.044	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB137@68	21.38(20.76 12.61)	16.345	0.043	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB137@68	21.07(20.77 9.3)	15.014	0.032	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB137@68	21.37(20.81 12.18)	16.163	0.041	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@272	21.28(20.7 12.26)	16.144	0.041	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68	21.39(20.77 12.6)	16.345	0.043	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67	21.4(20.78 12.65)	16.375	0.043	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67	21.24(20.78 11.31)	15.759	0.038	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67	21.4(20.79 12.58)	16.346	0.043	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@272	21.33(20.75 12.31)	16.194	0.042	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB135@67	21.39(20.77 12.65)	16.37	0.043	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272	21.26(20.68 12.21)	16.109	0.041	2.00	Pass
10MHz 100MHz_30kHz_844MHz 26 40MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67	21.39(20.77 12.64)	16.365	0.043	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	21.5(20.89 12.67)	16.441	0.044	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.16(20.87 9.25)	15.068	0.032	2.00	Pass

10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	21.47(20.9 12.34)	16.286	0.043	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.19(20.74 11.16)	15.673	0.037	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	21.5(20.9 12.58)	16.402	0.044	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	21.4(20.95 11.33)	15.866	0.039	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.22(20.88 10.02)	15.326	0.034	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.28(20.81 11.37)	15.802	0.038	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.38(20.94 11.22)	15.815	0.038	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.45(21 11.35)	15.904	0.039	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.29(20.83 11.29)	15.78	0.038	2.00	Pass
10MHz 10MHz_15kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.36(20.9 11.35)	15.846	0.038	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	21.41(20.86 12.16)	16.181	0.042	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	21.14(20.87 8.87)	14.954	0.031	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	21.36(20.84 11.89)	16.046	0.04	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	21.47(20.91 12.27)	16.259	0.042	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	21.41(20.85 12.26)	16.222	0.042	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.27(20.84 11.01)	15.671	0.037	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.43(20.86 12.34)	16.265	0.042	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.44(20.89 12.23)	16.229	0.042	2.00	Pass
10MHz 10MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.4(20.83 12.3)	16.231	0.042	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	21.34(20.74 12.46)	16.261	0.042	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21(20.71 9.17)	14.932	0.031	2.00	Pass

10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	21.3(20.74 12.09)	16.084	0.041	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	21.12(20.52 12.26)	16.051	0.04	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	21.34(20.73 12.5)	16.276	0.042	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	21.34(20.73 12.48)	16.266	0.042	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	21.14(20.68 11.17)	15.642	0.037	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	21.34(20.73 12.55)	16.3	0.043	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51	21.41(20.82 12.42)	16.283	0.042	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	21.32(20.72 12.44)	16.241	0.042	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	21.25(20.63 12.46)	16.205	0.042	2.00	Pass
10MHz 10MHz_15kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	21.3(20.69 12.46)	16.236	0.042	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	21.61(20.98 12.93)	16.615	0.046	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	21.21(20.9 9.55)	15.182	0.033	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	21.48(20.9 12.47)	16.348	0.043	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.44(20.78 12.91)	16.507	0.045	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	21.61(20.97 12.98)	16.636	0.046	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	21.54(20.91 12.88)	16.555	0.045	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.38(20.9 11.57)	15.939	0.039	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	21.59(20.95 12.95)	16.611	0.046	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.44(20.79 12.85)	16.481	0.044	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	21.55(20.91 12.9)	16.566	0.045	2.00	Pass
10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.7(21.1 12.77)	16.597	0.046	2.00	Pass

10MHz 10MHz_30kHz_829MHz 250 1.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	21.55(20.92 12.87)	16.555	0.045	2.00	Pass
10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	21.46(20.87 12.46)	16.328	0.043	2.00	Pass
10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	21.16(20.88 9.13)	15.038	0.032	2.00	Pass
10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	21.43(20.89 12.1)	16.169	0.041	2.00	Pass
10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	21.45(20.87 12.4)	16.299	0.043	2.00	Pass
10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	21.48(20.89 12.52)	16.367	0.043	2.00	Pass
10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	21.31(20.87 11.2)	15.766	0.038	2.00	Pass
10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	21.48(20.9 12.41)	16.32	0.043	2.00	Pass
10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	21.43(20.84 12.46)	16.313	0.043	2.00	Pass
10MHz 10MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	21.48(20.89 12.49)	16.353	0.043	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6	21.38(20.75 12.68)	16.375	0.043	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	21.07(20.77 9.26)	15.002	0.032	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	21.33(20.74 12.34)	16.203	0.042	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	21.25(20.61 12.61)	16.271	0.042	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6	21.39(20.75 12.77)	16.421	0.044	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	21.37(20.75 12.64)	16.355	0.043	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	21.22(20.77 11.2)	15.707	0.037	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	21.41(20.78 12.7)	16.4	0.044	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23	21.26(20.62 12.62)	16.281	0.042	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	21.4(20.77 12.69)	16.39	0.044	2.00	Pass
10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	21.54(20.95 12.55)	16.413	0.044	2.00	Pass

10MHz 10MHz_30kHz_844MHz 268 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	21.38(20.75 12.71)	16.39	0.044	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	21.53(20.88 12.95)	16.576	0.045	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.18(20.87 9.52)	15.152	0.033	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	21.47(20.87 12.56)	16.377	0.043	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.4(20.76 12.79)	16.436	0.044	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	21.52(20.88 12.92)	16.561	0.045	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	21.54(20.91 12.83)	16.53	0.045	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.39(20.91 11.58)	15.949	0.039	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	21.53(20.89 12.91)	16.561	0.045	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.34(20.7 12.74)	16.381	0.043	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	21.53(20.89 12.89)	16.551	0.045	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.55(20.93 12.81)	16.53	0.045	2.00	Pass
10MHz 15MHz_15kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	21.54(20.91 12.85)	16.54	0.045	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	21.45(20.85 12.56)	16.366	0.043	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.11(20.82 9.16)	15.005	0.032	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	21.39(20.84 12.17)	16.175	0.041	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	21.49(20.9 12.55)	16.387	0.044	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	21.43(20.83 12.56)	16.356	0.043	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.3(20.86 11.19)	15.756	0.038	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	21.44(20.84 12.52)	16.342	0.043	2.00	Pass
10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	21.48(20.89 12.54)	16.377	0.043	2.00	Pass

10MHz 15MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	21.43(20.83 12.53)	16.341	0.043	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	21.34(20.71 12.62)	16.325	0.043	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.03(20.74 9.2)	14.962	0.031	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	21.29(20.71 12.26)	16.149	0.041	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	21.42(20.79 12.7)	16.405	0.044	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	21.32(20.7 12.57)	16.295	0.043	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	21.32(20.7 12.55)	16.285	0.043	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	21.17(20.71 11.2)	15.672	0.037	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	21.35(20.73 12.6)	16.325	0.043	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78	21.46(20.85 12.61)	16.391	0.044	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	21.32(20.7 12.55)	16.285	0.043	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	21.22(20.58 12.57)	16.236	0.042	2.00	Pass
10MHz 15MHz_15kHz_844MHz 268 2.495MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	21.36(20.74 12.59)	16.325	0.043	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	21.57(20.92 13.01)	16.626	0.046	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	21.22(20.91 9.59)	15.202	0.033	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	21.52(20.92 12.6)	16.422	0.044	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.56(20.93 12.87)	16.56	0.045	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	21.57(20.92 13.01)	16.626	0.046	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	21.57(20.93 12.96)	16.606	0.046	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	21.43(20.95 11.61)	15.984	0.04	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	21.57(20.94 12.91)	16.585	0.046	2.00	Pass

10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.66(21.05 12.81)	16.591	0.046	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	21.55(20.9 12.95)	16.586	0.046	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.51(20.88 12.79)	16.495	0.045	2.00	Pass
10MHz 15MHz_30kHz_829MHz 250 3.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	21.58(20.94 12.94)	16.601	0.046	2.00	Pass
10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	21.45(20.84 12.59)	16.376	0.043	2.00	Pass
10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	21.13(20.85 9.16)	15.026	0.032	2.00	Pass
10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	21.38(20.82 12.21)	16.183	0.042	2.00	Pass
10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	21.45(20.85 12.55)	16.361	0.043	2.00	Pass
10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	21.47(20.88 12.53)	16.367	0.043	2.00	Pass
10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	21.32(20.88 11.18)	15.764	0.038	2.00	Pass
10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	21.48(20.88 12.58)	16.391	0.044	2.00	Pass
10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	21.49(20.89 12.57)	16.392	0.044	2.00	Pass
10MHz 15MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	21.5(20.9 12.61)	16.416	0.044	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	21.36(20.75 12.57)	16.32	0.043	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	21.04(20.74 9.21)	14.965	0.031	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	21.33(20.75 12.3)	16.189	0.042	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	21.45(20.84 12.6)	16.381	0.043	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	21.41(20.79 12.62)	16.365	0.043	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	21.41(20.79 12.68)	16.395	0.044	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	21.26(20.8 11.24)	15.741	0.038	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	21.42(20.79 12.73)	16.42	0.044	2.00	Pass

10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@37	21.27(20.64 12.6)	16.28	0.042	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB18@9	21.36(20.75 12.56)	16.316	0.043	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	21.53(20.94 12.54)	16.403	0.044	2.00	Pass
10MHz 15MHz_30kHz_844MHz 268 2.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	21.38(20.76 12.61)	16.345	0.043	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.51(20.87 12.91)	16.551	0.045	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.21(20.9 9.57)	15.189	0.033	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	21.46(20.87 12.52)	16.357	0.043	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.53(20.91 12.74)	16.485	0.045	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	21.51(20.86 12.91)	16.546	0.045	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	21.5(20.86 12.9)	16.541	0.045	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.36(20.89 11.49)	15.899	0.039	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	21.53(20.89 12.93)	16.571	0.045	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.49(20.87 12.71)	16.45	0.044	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	21.54(20.9 12.92)	16.571	0.045	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.56(20.95 12.71)	16.491	0.045	2.00	Pass
10MHz 20MHz_15kHz_829MHz 250 6.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	21.57(20.94 12.91)	16.585	0.046	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.44(20.84 12.51)	16.337	0.043	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.14(20.87 9)	14.992	0.032	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	21.4(20.85 12.19)	16.189	0.042	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	21.47(20.88 12.48)	16.343	0.043	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	21.43(20.83 12.51)	16.332	0.043	2.00	Pass

10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.25(20.8 11.18)	15.716	0.037	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	21.41(20.81 12.54)	16.336	0.043	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	21.43(20.84 12.49)	16.327	0.043	2.00	Pass
10MHz 20MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	21.45(20.85 12.55)	16.361	0.043	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	21.33(20.71 12.59)	16.31	0.043	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.01(20.72 9.15)	14.933	0.031	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	21.28(20.71 12.17)	16.106	0.041	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	21.41(20.8 12.55)	16.336	0.043	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	21.34(20.72 12.56)	16.3	0.043	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	21.34(20.72 12.61)	16.325	0.043	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	21.18(20.72 11.2)	15.678	0.037	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	21.33(20.7 12.61)	16.315	0.043	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	21.35(20.73 12.6)	16.325	0.043	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	21.32(20.7 12.59)	16.305	0.043	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	21.42(20.82 12.54)	16.341	0.043	2.00	Pass
10MHz 20MHz_15kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	21.33(20.71 12.55)	16.29	0.043	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	21.54(20.89 12.94)	16.576	0.045	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	21.23(20.92 9.61)	15.215	0.033	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	21.5(20.91 12.5)	16.368	0.043	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.65(21.04 12.84)	16.601	0.046	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	21.56(20.92 12.95)	16.596	0.046	2.00	Pass

10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	21.55(20.91 12.9)	16.566	0.045	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.4(20.92 11.58)	15.954	0.039	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.56(20.91 13.02)	16.627	0.046	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.46(20.82 12.8)	16.47	0.044	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.56(20.92 12.96)	16.601	0.046	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.47(20.85 12.72)	16.445	0.044	2.00	Pass
10MHz 20MHz_30kHz_829MHz 250 6.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.55(20.91 12.95)	16.591	0.046	2.00	Pass
10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	21.43(20.83 12.55)	16.351	0.043	2.00	Pass
10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	21.19(20.91 9.16)	15.068	0.032	2.00	Pass
10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	21.4(20.85 12.12)	16.157	0.041	2.00	Pass
10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	21.46(20.87 12.48)	16.338	0.043	2.00	Pass
10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	21.46(20.87 12.47)	16.333	0.043	2.00	Pass
10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	21.31(20.86 11.21)	15.764	0.038	2.00	Pass
10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	21.5(20.9 12.6)	16.411	0.044	2.00	Pass
10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	21.45(20.85 12.54)	16.357	0.043	2.00	Pass
10MHz 20MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	21.48(20.88 12.56)	16.382	0.043	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12	21.36(20.74 12.6)	16.33	0.043	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12	21.03(20.74 9.16)	14.95	0.031	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12	21.34(20.78 12.18)	16.147	0.041	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50	21.34(20.69 12.8)	16.407	0.044	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12	21.38(20.75 12.66)	16.365	0.043	2.00	Pass

10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	21.33(20.71 12.56)	16.295	0.043	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	21.22(20.76 11.25)	15.722	0.037	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	21.37(20.74 12.7)	16.38	0.043	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@50	21.3(20.67 12.59)	16.29	0.043	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	21.38(20.76 12.59)	16.335	0.043	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50	21.53(20.94 12.56)	16.413	0.044	2.00	Pass
10MHz 20MHz_30kHz_844MHz 267 9.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	21.4(20.78 12.61)	16.355	0.043	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	21.5(20.86 12.84)	16.51	0.045	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	21.2(20.9 9.44)	15.147	0.033	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	21.47(20.89 12.45)	16.334	0.043	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.41(20.79 12.64)	16.375	0.043	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	21.52(20.89 12.86)	16.535	0.045	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	21.53(20.9 12.86)	16.54	0.045	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	21.36(20.89 11.5)	15.903	0.039	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	21.5(20.86 12.9)	16.541	0.045	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.5(20.9 12.63)	16.426	0.044	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40	21.53(20.89 12.88)	16.546	0.045	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.53(20.95 12.49)	16.384	0.043	2.00	Pass
10MHz 30MHz_15kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	21.54(20.9 12.92)	16.571	0.045	2.00	Pass
10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	21.45(20.84 12.59)	16.376	0.043	2.00	Pass
10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	21.17(20.89 9.13)	15.045	0.032	2.00	Pass

10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	21.39(20.83 12.21)	16.188	0.042	2.00	Pass
10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	21.46(20.86 12.57)	16.376	0.043	2.00	Pass
10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	21.42(20.82 12.56)	16.351	0.043	2.00	Pass
10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	21.29(20.85 11.17)	15.742	0.038	2.00	Pass
10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	21.44(20.83 12.61)	16.381	0.043	2.00	Pass
10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40	21.46(20.86 12.58)	16.381	0.043	2.00	Pass
10MHz 30MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	21.42(20.82 12.55)	16.346	0.043	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB80@40	21.35(20.74 12.49)	16.276	0.042	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB80@40	21.01(20.72 9.08)	14.911	0.031	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB80@40	21.33(20.78 12.12)	16.119	0.041	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@159	21.39(20.8 12.45)	16.287	0.043	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK CP-OFDM QPSK_RB12@38 RB80@40	21.33(20.72 12.47)	16.256	0.042	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB80@40	21.34(20.74 12.44)	16.251	0.042	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB80@40	21.19(20.74 11.09)	15.644	0.037	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB80@40	21.36(20.75 12.5)	16.286	0.043	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@159	21.41(20.85 12.25)	16.217	0.042	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB80@40	21.36(20.75 12.52)	16.296	0.043	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@159	21.3(20.72 12.23)	16.14	0.041	2.00	Pass
10MHz 30MHz_15kHz_844MHz 267 4.995MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB80@40	21.35(20.75 12.45)	16.261	0.042	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	21.56(20.92 12.92)	16.581	0.046	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.23(20.92 9.57)	15.202	0.033	2.00	Pass

10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	21.51(20.92 12.55)	16.397	0.044	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.44(20.81 12.72)	16.425	0.044	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	21.57(20.93 12.95)	16.601	0.046	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	21.54(20.9 12.9)	16.561	0.045	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.4(20.92 11.6)	15.963	0.039	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	21.57(20.91 13.03)	16.632	0.046	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.51(20.9 12.69)	16.456	0.044	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	21.54(20.91 12.88)	16.555	0.045	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.44(20.83 12.6)	16.376	0.043	2.00	Pass
10MHz 30MHz_30kHz_829MHz 251 1MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	21.54(20.9 12.88)	16.55	0.045	2.00	Pass
10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	21.53(20.93 12.64)	16.446	0.044	2.00	Pass
10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	21.19(20.9 9.25)	15.088	0.032	2.00	Pass
10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	21.4(20.85 12.12)	16.157	0.041	2.00	Pass
10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	21.46(20.86 12.57)	16.376	0.043	2.00	Pass
10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	21.46(20.86 12.59)	16.386	0.044	2.00	Pass
10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	21.34(20.89 11.23)	15.79	0.038	2.00	Pass
10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	21.47(20.87 12.56)	16.377	0.043	2.00	Pass
10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	21.48(20.89 12.55)	16.382	0.043	2.00	Pass
10MHz 30MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	21.53(20.93 12.64)	16.446	0.044	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	21.36(20.76 12.47)	16.276	0.042	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.06(20.77 9.15)	14.968	0.031	2.00	Pass

10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	21.32(20.76 12.15)	16.123	0.041	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77	21.32(20.72 12.4)	16.222	0.042	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	21.36(20.76 12.5)	16.291	0.043	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	21.4(20.78 12.63)	16.365	0.043	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	21.24(20.8 11.13)	15.696	0.037	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	21.38(20.77 12.59)	16.34	0.043	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@77	21.43(20.85 12.37)	16.274	0.042	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	21.41(20.8 12.57)	16.346	0.043	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77	21.46(20.9 12.31)	16.272	0.042	2.00	Pass
10MHz 30MHz_30kHz_844MHz 267 4.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	21.38(20.77 12.55)	16.321	0.043	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	21.54(20.9 12.91)	16.566	0.045	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	21.21(20.91 9.48)	15.167	0.033	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	21.49(20.91 12.47)	16.354	0.043	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.51(20.93 12.48)	16.369	0.043	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	21.54(20.89 12.94)	16.576	0.045	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	21.52(20.87 12.95)	16.571	0.045	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	21.38(20.9 11.53)	15.922	0.039	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	21.53(20.88 12.98)	16.591	0.046	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.31(20.72 12.36)	16.202	0.042	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	21.55(20.92 12.89)	16.565	0.045	2.00	Pass
10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.36(20.77 12.36)	16.228	0.042	2.00	Pass

10MHz 40MHz_15kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	21.55(20.92 12.88)	16.56	0.045	2.00	Pass
10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	21.46(20.86 12.54)	16.362	0.043	2.00	Pass
10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	21.15(20.86 9.2)	15.045	0.032	2.00	Pass
10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	21.4(20.85 12.15)	16.171	0.041	2.00	Pass
10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	21.51(20.91 12.58)	16.407	0.044	2.00	Pass
10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	21.47(20.87 12.54)	16.367	0.043	2.00	Pass
10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	21.31(20.86 11.23)	15.772	0.038	2.00	Pass
10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	21.45(20.84 12.6)	16.381	0.043	2.00	Pass
10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	21.45(20.84 12.63)	16.396	0.044	2.00	Pass
10MHz 40MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	21.49(20.89 12.6)	16.406	0.044	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB108@54	21.34(20.73 12.53)	16.291	0.043	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB108@54	21.01(20.72 9.13)	14.927	0.031	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB108@54	21.3(20.74 12.14)	16.107	0.041	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@215	21.44(20.89 12.2)	16.215	0.042	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB108@54	21.35(20.74 12.54)	16.301	0.043	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	21.36(20.75 12.55)	16.311	0.043	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	21.2(20.75 11.18)	15.687	0.037	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	21.36(20.74 12.57)	16.315	0.043	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@215	21.22(20.64 12.17)	16.069	0.04	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	21.36(20.75 12.57)	16.32	0.043	2.00	Pass
10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@215	21.49(20.96 12.09)	16.202	0.042	2.00	Pass

10MHz 40MHz_15kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	21.3(20.68 12.53)	16.265	0.042	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.56(20.91 12.99)	16.611	0.046	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.22(20.91 9.53)	15.183	0.033	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	21.5(20.91 12.57)	16.402	0.044	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.42(20.82 12.5)	16.322	0.043	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	21.55(20.91 12.89)	16.56	0.045	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	21.55(20.91 12.93)	16.581	0.046	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.39(20.92 11.52)	15.929	0.039	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	21.55(20.91 12.94)	16.586	0.046	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.46(20.88 12.46)	16.333	0.043	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	21.54(20.92 12.81)	16.525	0.045	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.4(20.82 12.39)	16.268	0.042	2.00	Pass
10MHz 40MHz_30kHz_829MHz 251 6.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	21.54(20.9 12.9)	16.561	0.045	2.00	Pass
10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	21.48(20.88 12.58)	16.391	0.044	2.00	Pass
10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	21.18(20.9 9.13)	15.052	0.032	2.00	Pass
10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	21.43(20.89 12.15)	16.192	0.042	2.00	Pass
10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	21.49(20.9 12.54)	16.382	0.043	2.00	Pass
10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	21.48(20.88 12.57)	16.387	0.044	2.00	Pass
10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	21.3(20.86 11.19)	15.756	0.038	2.00	Pass
10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	21.49(20.89 12.61)	16.411	0.044	2.00	Pass
10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	21.47(20.87 12.58)	16.386	0.044	2.00	Pass

10MHz 40MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	21.48(20.89 12.53)	16.372	0.043	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	21.38(20.77 12.57)	16.331	0.043	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.06(20.77 9.16)	14.971	0.031	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	21.28(20.71 12.2)	16.12	0.041	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	21.43(20.87 12.26)	16.233	0.042	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	21.37(20.77 12.51)	16.301	0.043	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	21.35(20.74 12.56)	16.31	0.043	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	21.21(20.76 11.17)	15.689	0.037	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	21.35(20.73 12.62)	16.335	0.043	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	21.3(20.73 12.22)	16.14	0.041	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	21.39(20.79 12.53)	16.321	0.043	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	21.29(20.73 12.11)	16.088	0.041	2.00	Pass
10MHz 40MHz_30kHz_844MHz 267 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	21.38(20.77 12.58)	16.336	0.043	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB135@67	21.54(20.9 12.93)	16.576	0.045	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB135@67	21.23(20.93 9.53)	15.196	0.033	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB135@67	21.49(20.91 12.49)	16.363	0.043	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.57(20.95 12.84)	16.555	0.045	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB135@67	21.55(20.9 12.97)	16.596	0.046	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	21.54(20.9 12.9)	16.561	0.045	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	21.4(20.92 11.59)	15.959	0.039	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	21.55(20.9 12.97)	16.596	0.046	2.00	Pass

10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.59(20.98 12.78)	16.541	0.045	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67	21.53(20.89 12.93)	16.571	0.045	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.38(20.75 12.69)	16.38	0.043	2.00	Pass
10MHz 50MHz_15kHz_829MHz 252 1.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	21.54(20.89 12.95)	16.581	0.046	2.00	Pass
10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB135@67	21.44(20.84 12.53)	16.347	0.043	2.00	Pass
10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB135@67	21.17(20.89 9.14)	15.048	0.032	2.00	Pass
10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB135@67	21.39(20.84 12.14)	16.161	0.041	2.00	Pass
10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK CP-OFDM QPSK_RB12@0 RB135@67	21.47(20.87 12.56)	16.377	0.043	2.00	Pass
10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	21.48(20.88 12.56)	16.382	0.043	2.00	Pass
10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	21.31(20.87 11.19)	15.762	0.038	2.00	Pass
10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	21.48(20.88 12.58)	16.391	0.044	2.00	Pass
10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67	21.47(20.86 12.61)	16.396	0.044	2.00	Pass
10MHz 50MHz_15kHz_836.5MHz 25 93.005MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	21.42(20.81 12.57)	16.351	0.043	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB135@67	21.36(20.75 12.53)	16.301	0.043	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB135@67	21.01(20.72 9.12)	14.924	0.031	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB135@67	21.34(20.78 12.19)	16.152	0.041	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@269	21.28(20.65 12.57)	16.27	0.042	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB135@67	21.35(20.74 12.51)	16.286	0.043	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67	21.36(20.75 12.56)	16.316	0.043	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67	21.18(20.72 11.16)	15.661	0.037	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67	21.36(20.74 12.6)	16.33	0.043	2.00	Pass

10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@269	21.35(20.75 12.48)	16.276	0.042	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB135@67	21.34(20.73 12.54)	16.296	0.043	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@269	21.28(20.67 12.47)	16.231	0.042	2.00	Pass
10MHz 50MHz_15kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67	21.36(20.74 12.58)	16.32	0.043	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	21.58(20.94 12.96)	16.611	0.046	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.28(20.97 9.59)	15.243	0.033	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	21.54(20.95 12.6)	16.437	0.044	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.44(20.8 12.82)	16.471	0.044	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	21.58(20.94 12.97)	16.616	0.046	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	21.56(20.91 12.97)	16.601	0.046	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	21.4(20.92 11.59)	15.959	0.039	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	21.56(20.91 12.97)	16.601	0.046	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.69(21.1 12.75)	16.587	0.046	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	21.58(20.94 12.93)	16.596	0.046	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.62(21.02 12.7)	16.522	0.045	2.00	Pass
10MHz 50MHz_30kHz_829MHz 252 1.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	21.55(20.9 12.96)	16.591	0.046	2.00	Pass
10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	21.48(20.88 12.59)	16.396	0.044	2.00	Pass
10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.18(20.9 9.12)	15.049	0.032	2.00	Pass
10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	21.37(20.81 12.21)	16.177	0.041	2.00	Pass
10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	21.46(20.86 12.56)	16.371	0.043	2.00	Pass
10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	21.49(20.89 12.6)	16.406	0.044	2.00	Pass

10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	21.31(20.87 11.19)	15.762	0.038	2.00	Pass
10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	21.48(20.87 12.62)	16.406	0.044	2.00	Pass
10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	21.46(20.86 12.59)	16.386	0.044	2.00	Pass
10MHz 50MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	21.47(20.87 12.54)	16.367	0.043	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	21.38(20.77 12.53)	16.311	0.043	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	21.07(20.78 9.13)	14.968	0.031	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	21.33(20.77 12.18)	16.142	0.041	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	21.37(20.75 12.62)	16.345	0.043	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	21.39(20.78 12.55)	16.326	0.043	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	21.4(20.8 12.54)	16.331	0.043	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	21.22(20.76 11.22)	15.71	0.037	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	21.39(20.78 12.59)	16.346	0.043	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132	21.29(20.68 12.44)	16.221	0.042	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32	21.4(20.79 12.55)	16.331	0.043	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	21.37(20.78 12.41)	16.257	0.042	2.00	Pass
10MHz 50MHz_30kHz_844MHz 266 4.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	21.4(20.78 12.62)	16.36	0.043	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	21.58(20.94 12.95)	16.606	0.046	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	21.23(20.92 9.55)	15.196	0.033	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	21.52(20.92 12.65)	16.446	0.044	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.53(20.92 12.67)	16.456	0.044	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	21.58(20.94 12.98)	16.621	0.046	2.00	Pass

10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	21.6(20.95 13.01)	16.641	0.046	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	21.38(20.91 11.51)	15.919	0.039	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	21.57(20.92 13.03)	16.637	0.046	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.46(20.84 12.69)	16.425	0.044	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	21.56(20.91 12.98)	16.606	0.046	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.4(20.79 12.58)	16.346	0.043	2.00	Pass
10MHz 60MHz_30kHz_829MHz 252 6MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	21.59(20.95 12.98)	16.626	0.046	2.00	Pass
10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	21.47(20.88 12.54)	16.372	0.043	2.00	Pass
10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	21.11(20.83 9.13)	15.003	0.032	2.00	Pass
10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	21.43(20.87 12.27)	16.237	0.042	2.00	Pass
10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	21.51(20.93 12.49)	16.374	0.043	2.00	Pass
10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	21.48(20.88 12.56)	16.382	0.043	2.00	Pass
10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	21.28(20.84 11.16)	15.732	0.037	2.00	Pass
10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	21.45(20.85 12.56)	16.366	0.043	2.00	Pass
10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	21.5(20.9 12.59)	16.407	0.044	2.00	Pass
10MHz 60MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	21.49(20.89 12.58)	16.397	0.044	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	21.37(20.76 12.58)	16.33	0.043	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	21.05(20.76 9.15)	14.961	0.031	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	21.33(20.76 12.24)	16.165	0.041	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	21.51(20.93 12.51)	16.383	0.043	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	21.31(20.68 12.6)	16.3	0.043	2.00	Pass

10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40	21.38(20.75 12.67)	16.37	0.043	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40	21.24(20.78 11.23)	15.726	0.037	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40	21.39(20.77 12.64)	16.365	0.043	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@161	21.24(20.63 12.45)	16.2	0.042	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB81@40	21.38(20.76 12.6)	16.34	0.043	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161	21.49(20.92 12.41)	16.33	0.043	2.00	Pass
10MHz 60MHz_30kHz_844MHz 265 9.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40	21.36(20.75 12.54)	16.306	0.043	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	21.56(20.92 12.91)	16.576	0.045	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	21.21(20.91 9.52)	15.18	0.033	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	21.51(20.91 12.6)	16.417	0.044	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.37(20.76 12.54)	16.311	0.043	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	21.55(20.92 12.89)	16.565	0.045	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	21.58(20.94 12.97)	16.616	0.046	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	21.4(20.92 11.58)	15.954	0.039	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	21.57(20.92 13.01)	16.626	0.046	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.42(20.83 12.48)	16.317	0.043	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	21.55(20.92 12.87)	16.555	0.045	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.51(20.93 12.46)	16.359	0.043	2.00	Pass
10MHz 80MHz_30kHz_829MHz 253 6.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	21.56(20.92 12.92)	16.581	0.046	2.00	Pass
10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	21.5(20.88 12.73)	16.465	0.044	2.00	Pass
10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	21.2(20.91 9.32)	15.117	0.032	2.00	Pass

10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	21.41(20.85 12.26)	16.222	0.042	2.00	Pass
10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	21.49(20.89 12.61)	16.411	0.044	2.00	Pass
10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	21.48(20.89 12.52)	16.367	0.043	2.00	Pass
10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	21.28(20.83 11.24)	15.759	0.038	2.00	Pass
10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	21.48(20.88 12.62)	16.411	0.044	2.00	Pass
10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	21.47(20.87 12.58)	16.386	0.044	2.00	Pass
10MHz 80MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	21.48(20.88 12.61)	16.406	0.044	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	21.35(20.74 12.56)	16.31	0.043	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	21.06(20.76 9.32)	15.014	0.032	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	21.34(20.77 12.26)	16.18	0.041	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	21.23(20.6 12.53)	16.225	0.042	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	21.39(20.77 12.62)	16.355	0.043	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	21.36(20.74 12.62)	16.34	0.043	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	21.28(20.82 11.32)	15.786	0.038	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	21.37(20.75 12.64)	16.355	0.043	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@216	21.51(20.94 12.41)	16.341	0.043	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	21.38(20.75 12.68)	16.375	0.043	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216	21.55(20.98 12.43)	16.371	0.043	2.00	Pass
10MHz 80MHz_30kHz_844MHz 264 9.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	21.4(20.77 12.68)	16.385	0.044	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	21.54(20.91 12.86)	16.545	0.045	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	21.23(20.93 9.47)	15.177	0.033	2.00	Pass

10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	21.48(20.9 12.46)	16.344	0.043	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	21.31(20.7 12.5)	16.261	0.042	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	21.55(20.93 12.81)	16.53	0.045	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	21.57(20.94 12.91)	16.585	0.046	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	21.38(20.91 11.52)	15.923	0.039	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	21.58(20.95 12.86)	16.565	0.045	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	21.56(20.99 12.44)	16.381	0.043	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	21.57(20.94 12.85)	16.555	0.045	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.51(20.95 12.37)	16.327	0.043	2.00	Pass
10MHz 90MHz_30kHz_829MHz 254 1MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	21.56(20.93 12.9)	16.575	0.045	2.00	Pass
10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	21.49(20.88 12.66)	16.431	0.044	2.00	Pass
10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	21.13(20.84 9.23)	15.041	0.032	2.00	Pass
10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	21.44(20.89 12.21)	16.22	0.042	2.00	Pass
10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	21.54(20.95 12.59)	16.432	0.044	2.00	Pass
10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	21.44(20.83 12.64)	16.396	0.044	2.00	Pass
10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	21.33(20.89 11.2)	15.778	0.038	2.00	Pass
10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	21.52(20.92 12.64)	16.441	0.044	2.00	Pass
10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	21.5(20.9 12.62)	16.421	0.044	2.00	Pass
10MHz 90MHz_30kHz_836.5MHz 25 92.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	21.51(20.92 12.58)	16.412	0.044	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	21.39(20.76 12.66)	16.37	0.043	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	21.04(20.75 9.21)	14.972	0.031	2.00	Pass

10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	21.32(20.76 12.18)	16.137	0.041	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	21.37(20.78 12.44)	16.272	0.042	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	21.35(20.72 12.62)	16.33	0.043	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60	21.43(20.82 12.63)	16.386	0.044	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60	21.21(20.74 11.3)	15.732	0.037	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60	21.37(20.75 12.63)	16.35	0.043	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@244	21.26(20.67 12.3)	16.147	0.041	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB120@60	21.39(20.78 12.6)	16.35	0.043	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244	21.4(20.84 12.22)	16.198	0.042	2.00	Pass
10MHz 90MHz_30kHz_844MHz 264 4.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60	21.39(20.77 12.64)	16.365	0.043	2.00	Pass

Note:**P_Total(P_LTE | P_NR);****EIRP = P + Ant Gain – CL;****ERP = EIRP -2.15;****EIRP_NSA = EIRP_LTE + EIRP_NR;****ERP_NSA = ERP_LTE + ERP_NR****DC_5A_n41A:****n41:****1.Ant Gain =0.7 dBi;****2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0dB;****5A:****1.Ant Gain =-6.9 dBi;****2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0.5dB;**