

## FCC Part 27

## RF power output

## DC 5A n66A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	23.6(21.25 19.82)	17.835	0.061	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	22.47(21.27 16.31)	16.089	0.041	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	23.41(21.28 19.3)	17.543	0.057	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.7(21.35 19.92)	17.935	0.062	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	23.68(21.33 19.9)	17.915	0.062	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.61(21.26 19.81)	17.833	0.061	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.99(21.27 18.14)	16.915	0.049	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.64(21.29 19.84)	17.863	0.061	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.71(21.37 19.9)	17.931	0.062	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	23.61(21.29 19.79)	17.833	0.061	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.69(21.43 19.77)	17.878	0.061	1.00	Pass
10MHz 10MHz_15kHz_829MHz 171 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.61(21.28 19.8)	17.835	0.061	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	23.34(20.79 19.81)	17.651	0.058	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	22.08(20.77 16.24)	15.766	0.038	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	23.14(20.77 19.37)	17.373	0.055	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	23.34(20.8 19.8)	17.648	0.058	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.28(20.78 19.68)	17.566	0.057	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.77(20.86 18.29)	16.797	0.048	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.3(20.79 19.73)	17.601	0.058	1.00	Pass

10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	23.28(20.76 19.72)	17.583	0.057	1.00	Pass
10MHz 10MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.3(20.8 19.71)	17.592	0.057	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	22.96(20.27 19.61)	17.333	0.054	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21.75(20.33 16.2)	15.5	0.035	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	22.76(20.34 19.06)	17.016	0.05	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	23.07(20.29 19.81)	17.47	0.056	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	22.99(20.28 19.65)	17.363	0.054	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	22.96(20.34 19.51)	17.295	0.054	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	22.39(20.27 18.25)	16.51	0.045	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	22.96(20.27 19.61)	17.333	0.054	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@51	22.96(20.2 19.68)	17.354	0.054	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	22.95(20.3 19.55)	17.306	0.054	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	22.87(20.08 19.63)	17.279	0.053	1.00	Pass
10MHz 10MHz_15kHz_844MHz 177 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	22.97(20.32 19.56)	17.319	0.054	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	23.51(21.01 19.93)	17.808	0.06	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.25(20.94 16.4)	15.932	0.039	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	23.33(21.02 19.48)	17.539	0.057	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.41(20.71 20.06)	17.78	0.06	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	23.5(21 19.92)	17.798	0.06	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	23.51(21.01 19.92)	17.802	0.06	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.94(21 18.51)	16.98	0.05	1.00	Pass

10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	23.54(21.02 19.98)	17.843	0.061	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.57(21.17 19.85)	17.821	0.061	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	23.49(20.99 19.9)	17.782	0.06	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.57(21.13 19.91)	17.842	0.061	1.00	Pass
10MHz 15MHz_15kHz_829MHz 171 7.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	23.51(21.01 19.91)	17.796	0.06	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	23.37(20.77 19.9)	17.7	0.059	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.17(20.82 16.42)	15.872	0.039	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	23.15(20.76 19.41)	17.393	0.055	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	23.37(20.78 19.89)	17.697	0.059	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	23.42(20.85 19.91)	17.736	0.059	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.79(20.8 18.44)	16.851	0.048	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	23.4(20.79 19.95)	17.739	0.059	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB36@18	23.39(20.78 19.93)	17.722	0.059	1.00	Pass
10MHz 15MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	23.4(20.84 19.89)	17.719	0.059	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	23(20.22 19.75)	17.406	0.055	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.77(20.3 16.36)	15.556	0.036	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	22.88(20.28 19.41)	17.21	0.053	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	23.14(20.35 19.9)	17.549	0.057	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	23.01(20.24 19.74)	17.407	0.055	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	23.03(20.3 19.73)	17.421	0.055	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	22.47(20.27 18.47)	16.636	0.046	1.00	Pass

10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	23.07(20.33 19.78)	17.464	0.056	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@78	23.04(20.33 19.71)	17.419	0.055	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB36@18	23.04(20.32 19.72)	17.422	0.055	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	23.04(20.28 19.77)	17.44	0.055	1.00	Pass
10MHz 15MHz_15kHz_844MHz 177 2.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	23(20.26 19.7)	17.388	0.055	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.55(21.03 19.98)	17.847	0.061	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.28(20.99 16.39)	15.956	0.039	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.31(20.98 19.49)	17.529	0.057	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.54(20.99 20.01)	17.851	0.061	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.5(21 19.92)	17.798	0.06	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.49(20.98 19.91)	17.785	0.06	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.92(21.01 18.42)	16.936	0.049	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.5(21 19.91)	17.792	0.06	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.48(21.05 19.8)	17.744	0.059	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	23.5(21 19.92)	17.798	0.06	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.51(21.08 19.82)	17.768	0.06	1.00	Pass
10MHz 20MHz_15kHz_829MHz 172 0MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.46(20.96 19.88)	17.758	0.06	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.38(20.81 19.87)	17.696	0.059	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.17(20.84 16.4)	15.874	0.039	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.22(20.88 19.41)	17.441	0.055	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.38(20.77 19.93)	17.719	0.059	1.00	Pass

10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.41(20.83 19.92)	17.735	0.059	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.82(20.86 18.41)	16.861	0.049	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.38(20.79 19.91)	17.713	0.059	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	23.38(20.81 19.88)	17.702	0.059	1.00	Pass
10MHz 20MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.38(20.79 19.9)	17.707	0.059	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	23.01(20.28 19.71)	17.401	0.055	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.77(20.29 16.38)	15.56	0.036	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	22.87(20.28 19.4)	17.203	0.053	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	23.2(20.39 19.99)	17.622	0.058	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	23.04(20.29 19.76)	17.437	0.055	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	23.04(20.28 19.77)	17.44	0.055	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	22.45(20.29 18.39)	16.599	0.046	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	23.04(20.3 19.75)	17.434	0.055	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	22.94(20.18 19.67)	17.34	0.054	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	23.03(20.3 19.72)	17.415	0.055	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	23.01(20.27 19.71)	17.398	0.055	1.00	Pass
10MHz 20MHz_15kHz_844MHz 177 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	23.03(20.29 19.73)	17.418	0.055	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.18(20.55 19.76)	17.53	0.057	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.9(20.56 16.14)	15.603	0.036	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.96(20.56 19.25)	17.217	0.053	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.33(20.83 19.75)	17.628	0.058	1.00	Pass

10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.22(20.58 19.81)	17.573	0.057	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.23(20.6 19.8)	17.574	0.057	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	22.59(20.58 18.29)	16.669	0.046	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.23(20.58 19.82)	17.579	0.057	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.42(20.95 19.79)	17.699	0.059	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	23.66(20.97 20.31)	18.033	0.064	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.58(21.28 19.73)	17.793	0.06	1.00	Pass
10MHz 25MHz_15kHz_829MHz 172 2.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.23(20.58 19.82)	17.579	0.057	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.12(20.35 19.86)	17.523	0.057	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	21.84(20.4 16.34)	15.602	0.036	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.9(20.4 19.31)	17.192	0.052	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.1(20.35 19.82)	17.497	0.056	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.15(20.38 19.89)	17.553	0.057	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	22.51(20.41 18.34)	16.622	0.046	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.17(20.41 19.89)	17.564	0.057	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	23.12(20.37 19.83)	17.511	0.056	1.00	Pass
10MHz 25MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.14(20.35 19.9)	17.549	0.057	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	22.84(19.9 19.76)	17.304	0.054	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	21.48(19.88 16.37)	15.338	0.034	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	22.61(19.83 19.35)	17.01	0.05	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	22.91(19.91 19.89)	17.395	0.055	1.00	Pass

10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	22.84(19.86 19.79)	17.311	0.054	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	22.87(19.86 19.85)	17.352	0.054	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	22.19(19.83 18.42)	16.427	0.044	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	22.87(19.87 19.84)	17.348	0.054	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132	22.84(20.03 19.63)	17.262	0.053	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32	22.86(19.88 19.81)	17.331	0.054	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	22.87(19.99 19.72)	17.308	0.054	1.00	Pass
10MHz 25MHz_15kHz_844MHz 176 7.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	22.84(19.86 19.8)	17.318	0.054	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	23.2(20.58 19.75)	17.535	0.057	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	21.94(20.57 16.28)	15.669	0.037	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	23.02(20.59 19.33)	17.278	0.053	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.15(20.69 19.51)	17.427	0.055	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	23.23(20.59 19.81)	17.577	0.057	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	23.21(20.56 19.81)	17.566	0.057	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	22.61(20.58 18.34)	16.697	0.047	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	23.19(20.53 19.8)	17.549	0.057	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.09(20.63 19.45)	17.367	0.055	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40	23.36(20.58 20.1)	17.76	0.06	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.95(20.38 19.44)	17.266	0.053	1.00	Pass
10MHz 30MHz_15kHz_829MHz 172 5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	23.2(20.53 19.81)	17.555	0.057	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	23.1(20.35 19.82)	17.497	0.056	1.00	Pass

10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	21.81(20.38 16.3)	15.573	0.036	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	22.89(20.4 19.28)	17.174	0.052	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	23.11(20.38 19.8)	17.495	0.056	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	23.14(20.41 19.84)	17.531	0.057	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	22.42(20.3 18.29)	16.546	0.045	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	23.12(20.37 19.84)	17.517	0.056	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB80@40	23.21(20.33 20.06)	17.648	0.058	1.00	Pass
10MHz 30MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	23.15(20.39 19.87)	17.544	0.057	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB80@40	22.83(19.85 19.78)	17.301	0.054	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB80@40	21.46(19.85 16.38)	15.327	0.034	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB80@40	22.65(19.86 19.41)	17.059	0.051	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@159	22.86(19.85 19.84)	17.342	0.054	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK CP-OFDM QPSK_RB12@38 RB80@40	22.78(19.8 19.74)	17.258	0.053	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB80@40	22.86(19.9 19.8)	17.331	0.054	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB80@40	22.18(19.82 18.41)	16.417	0.044	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB80@40	22.84(19.85 19.81)	17.322	0.054	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@159	22.77(19.97 19.54)	17.182	0.052	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB80@40	22.74(19.85 19.61)	17.188	0.052	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@159	22.81(20.03 19.55)	17.21	0.053	1.00	Pass
10MHz 30MHz_15kHz_844MHz 176 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB80@40	22.82(19.85 19.77)	17.295	0.054	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	23.24(20.62 19.79)	17.575	0.057	1.00	Pass



10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	21.92(20.53 16.29)	15.651	0.037	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	22.97(20.49 19.36)	17.257	0.053	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.02(20.59 19.34)	17.284	0.054	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	23.21(20.53 19.85)	17.581	0.057	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.28(20.65 19.85)	17.624	0.058	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.66(20.65 18.34)	16.728	0.047	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.22(20.56 19.83)	17.579	0.057	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.04(20.69 19.24)	17.263	0.053	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	23.27(20.56 19.94)	17.649	0.058	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.83(20.4 19.16)	17.1	0.051	1.00	Pass
10MHz 40MHz_15kHz_829MHz 173 0MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.21(20.57 19.8)	17.563	0.057	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	23.13(20.36 19.86)	17.527	0.057	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	21.79(20.35 16.31)	15.561	0.036	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	22.9(20.33 19.4)	17.222	0.053	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	23.12(20.34 19.86)	17.52	0.056	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.1(20.3 19.86)	17.506	0.056	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.51(20.39 18.38)	16.636	0.046	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.1(20.3 19.86)	17.506	0.056	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	23(20.33 19.62)	17.361	0.054	1.00	Pass
10MHz 40MHz_15kHz_836.5MHz 17 45MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.11(20.35 19.84)	17.51	0.056	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB108@54	22.84(19.82 19.84)	17.332	0.054	1.00	Pass

10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB108@54	21.46(19.88 16.31)	15.309	0.034	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB108@54	22.61(19.85 19.33)	17.004	0.05	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@215	22.65(19.69 19.59)	17.121	0.052	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK CP-OFDM QPSK_RB12@38 RB108@54	22.87(19.85 19.87)	17.362	0.054	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	22.85(19.84 19.83)	17.332	0.054	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	22.18(19.86 18.35)	16.397	0.044	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	22.83(19.85 19.78)	17.301	0.054	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@215	22.54(19.71 19.34)	16.962	0.05	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	22.77(19.83 19.69)	17.234	0.053	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@215	22.52(19.66 19.36)	16.958	0.05	1.00	Pass
10MHz 40MHz_15kHz_844MHz 176 0MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	22.82(19.83 19.79)	17.302	0.054	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	23.67(21.25 19.98)	17.932	0.062	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.5(21.26 16.46)	16.144	0.041	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	23.42(21.21 19.43)	17.588	0.057	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.74(21.18 20.22)	18.053	0.064	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	23.66(21.26 19.95)	17.917	0.062	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.68(21.25 20)	17.944	0.062	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	23.11(21.26 18.51)	17.101	0.051	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.68(21.25 20.01)	17.95	0.062	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	23.8(21.45 20.02)	18.035	0.064	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712. 5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.68(21.28 19.97)	17.937	0.062	1.00	Pass

10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.8(21.46 20)	18.027	0.063	1.00	Pass
10MHz 5MHz_15kHz_829MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.65(21.24 19.95)	17.909	0.062	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	23.38(20.8 19.9)	17.711	0.059	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.09(20.77 16.28)	15.783	0.038	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	23.13(20.74 19.4)	17.379	0.055	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	23.37(20.77 19.9)	17.7	0.059	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.41(20.82 19.94)	17.743	0.059	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.77(20.75 18.48)	16.85	0.048	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.39(20.79 19.92)	17.72	0.059	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	23.35(20.77 19.86)	17.675	0.059	1.00	Pass
10MHz 5MHz_15kHz_836.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.36(20.77 19.89)	17.693	0.059	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6	23.04(20.24 19.8)	17.446	0.056	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6	21.76(20.28 16.38)	15.554	0.036	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6	22.77(20.27 19.19)	17.068	0.051	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24	23.29(20.42 20.13)	17.725	0.059	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6	23.02(20.27 19.74)	17.417	0.055	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	23.04(20.3 19.74)	17.428	0.055	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	22.43(20.28 18.35)	16.572	0.045	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	23.04(20.28 19.77)	17.44	0.055	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@24	23.13(20.41 19.8)	17.506	0.056	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777.5MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	23.04(20.3 19.75)	17.434	0.055	1.00	Pass

10MHz 5MHz_15kHz_844MHz 1777. 5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24	23.01(20.2 19.78)	17.419	0.055	1.00	Pass
10MHz 5MHz_15kHz_844MHz 1777. 5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	23.05(20.29 19.78)	17.45	0.056	1.00	Pass

**Note:**

**$P_{Total}(P_{LTE} | P_{NR});$**

**$EIRP = P + Ant\ Gain - CL;$**

**$ERP = EIRP - 2.15;$**

**$EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};$**

**$ERP_{NSA} = ERP_{LTE} + ERP_{NR}$**

**DC\_5A\_n66A:**

**n66:**

**1.Ant Gain =-4.2 dBi;**

**2.CL = signal attenuation in the connecting cable  
between the transmitter and antenna in 0dB;**

**5A:**

**1.Ant Gain =-6.9 dBi;**

**2.CL = signal attenuation in the connecting cable  
between the transmitter and antenna in 0.5dB;**