

RF power output

DC 41A n78A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	20.83(20.16 12.35)	21.7	0.148	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	20.52(20.22 8.83)	21.308	0.135	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	20.75(20.15 11.86)	21.609	0.145	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.87(20.3 11.8)	21.726	0.149	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	20.83(20.16 12.38)	21.705	0.148	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	20.81(20.16 12.27)	21.686	0.147	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	20.63(20.15 10.86)	21.463	0.14	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	20.83(20.16 12.39)	21.707	0.148	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.82(20.24 11.77)	21.671	0.147	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB135@67	20.82(20.16 12.34)	21.698	0.148	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.86(20.3 11.65)	21.703	0.148	1.00	Pass
10MHz 100MHz_30kHz_2505MHz 3 750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	20.81(20.15 12.29)	21.681	0.147	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	20.84(20.14 12.56)	21.721	0.149	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	20.44(20.12 8.93)	21.226	0.133	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	20.75(20.14 11.94)	21.614	0.145	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.91(20.25 12.43)	21.788	0.151	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	20.84(20.15 12.54)	21.726	0.149	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	20.83(20.15 12.47)	21.713	0.148	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	20.64(20.14 11.04)	21.479	0.141	1.00	Pass

10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	20.82(20.15 12.38)	21.697	0.148	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.96(20.3 12.43)	21.829	0.152	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	20.85(20.16 12.55)	21.736	0.149	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.93(20.27 12.41)	21.801	0.151	1.00	Pass
10MHz 10MHz_30kHz_2505MHz 37 05MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	20.83(20.13 12.54)	21.709	0.148	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	20.17(19.39 12.3)	21.065	0.128	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	19.72(19.37 8.67)	20.522	0.113	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	20.02(19.33 11.68)	20.898	0.123	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	20.15(19.38 12.25)	21.047	0.127	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	20.11(19.34 12.2)	21.005	0.126	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	19.94(19.38 10.73)	20.783	0.12	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	20.1(19.33 12.22)	21.001	0.126	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB12@6	20.11(19.33 12.28)	21.013	0.126	1.00	Pass
10MHz 10MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	20.16(19.38 12.29)	21.055	0.128	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6	20.78(20.08 12.52)	21.665	0.147	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	20.4(20.09 8.85)	21.191	0.132	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	20.68(20.06 11.92)	21.543	0.143	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	20.84(20.17 12.42)	21.72	0.149	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6	20.76(20.08 12.35)	21.634	0.146	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	20.77(20.07 12.47)	21.647	0.146	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	20.6(20.1 10.94)	21.431	0.139	1.00	Pass

10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	20.77(20.09 12.36)	21.644	0.146	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@23	20.82(20.15 12.38)	21.697	0.148	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB12@6	20.78(20.1 12.4)	21.659	0.147	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	20.83(20.16 12.35)	21.7	0.148	1.00	Pass
10MHz 10MHz_30kHz_2685MHz 37 95MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	20.77(20.08 12.43)	21.648	0.146	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	20.85(20.15 12.55)	21.727	0.149	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	20.5(20.17 9.08)	21.285	0.134	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	20.77(20.15 11.98)	21.629	0.145	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.94(20.29 12.34)	21.805	0.152	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	20.84(20.16 12.44)	21.716	0.148	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	20.87(20.17 12.6)	21.753	0.15	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	20.67(20.16 11.12)	21.507	0.141	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	20.84(20.16 12.48)	21.723	0.149	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.93(20.29 12.29)	21.797	0.151	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	20.85(20.17 12.48)	21.731	0.149	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.93(20.3 12.2)	21.79	0.151	1.00	Pass
10MHz 15MHz_30kHz_2505MHz 37 07.52MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	20.83(20.16 12.41)	21.71	0.148	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	20.14(19.36 12.3)	21.041	0.127	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	19.72(19.36 8.78)	20.524	0.113	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	20.05(19.36 11.69)	20.925	0.124	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	20.13(19.36 12.22)	21.025	0.127	1.00	Pass

10MHz 15MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	20.18(19.37 12.47)	21.084	0.128	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	19.94(19.37 10.81)	20.787	0.12	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	20.17(19.37 12.42)	21.074	0.128	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB18@9	20.14(19.36 12.32)	21.045	0.127	1.00	Pass
10MHz 15MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	20.14(19.36 12.28)	21.037	0.127	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	20.76(20.07 12.43)	21.64	0.146	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	20.4(20.08 8.94)	21.19	0.132	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	20.66(20.06 11.76)	21.517	0.142	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	20.8(20.13 12.32)	21.67	0.147	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	20.75(20.06 12.39)	21.625	0.145	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	20.73(20.05 12.37)	21.613	0.145	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	20.56(20.06 10.95)	21.398	0.138	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	20.73(20.05 12.34)	21.607	0.145	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@37	20.78(20.13 12.24)	21.656	0.146	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB18@9	20.77(20.09 12.36)	21.644	0.146	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	20.78(20.13 12.2)	21.649	0.146	1.00	Pass
10MHz 15MHz_30kHz_2685MHz 37 92.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	20.75(20.06 12.42)	21.63	0.146	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	20.82(20.13 12.52)	21.706	0.148	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	20.46(20.14 9.02)	21.252	0.133	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	20.73(20.11 11.98)	21.595	0.144	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.92(20.26 12.41)	21.793	0.151	1.00	Pass

10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	20.83(20.13 12.54)	21.709	0.148	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	20.81(20.14 12.39)	21.69	0.148	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	20.67(20.16 11.08)	21.502	0.141	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	20.82(20.14 12.4)	21.692	0.148	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.91(20.26 12.35)	21.782	0.151	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	20.82(20.13 12.49)	21.7	0.148	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.9(20.27 12.24)	21.772	0.15	1.00	Pass
10MHz 20MHz_30kHz_2505MHz 37 10.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	20.83(20.14 12.47)	21.705	0.148	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	20.12(19.34 12.29)	21.023	0.127	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	19.72(19.35 8.82)	20.519	0.113	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	20.03(19.34 11.7)	20.91	0.123	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	20.11(19.32 12.34)	21.018	0.126	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	20.11(19.33 12.28)	21.013	0.126	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	19.9(19.32 10.9)	20.758	0.119	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	20.11(19.33 12.26)	21.009	0.126	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB25@12	20.14(19.36 12.29)	21.039	0.127	1.00	Pass
10MHz 20MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	20.14(19.36 12.3)	21.041	0.127	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12	20.73(20.04 12.39)	21.608	0.145	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12	20.4(20.08 8.94)	21.19	0.132	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12	20.65(20.03 11.89)	21.513	0.142	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50	20.8(20.13 12.38)	21.68	0.147	1.00	Pass

10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12	20.73(20.04 12.37)	21.605	0.145	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	20.72(20.04 12.36)	21.603	0.145	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	20.58(20.08 10.97)	21.418	0.139	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	20.73(20.05 12.35)	21.609	0.145	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@50	20.8(20.15 12.25)	21.674	0.147	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB25@12	20.72(20.05 12.24)	21.59	0.144	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50	20.8(20.15 12.26)	21.676	0.147	1.00	Pass
10MHz 20MHz_30kHz_2685MHz 37 89.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	20.77(20.1 12.31)	21.643	0.146	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	20.81(20.11 12.53)	21.691	0.148	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	20.45(20.12 9.06)	21.238	0.133	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	20.73(20.09 12.07)	21.594	0.144	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.84(20.23 11.99)	21.697	0.148	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	20.8(20.11 12.48)	21.682	0.147	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	20.81(20.11 12.53)	21.691	0.148	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	20.61(20.1 11.09)	21.451	0.14	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	20.81(20.11 12.51)	21.687	0.147	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.85(20.25 11.99)	21.714	0.148	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	20.79(20.1 12.45)	21.668	0.147	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.84(20.24 11.92)	21.694	0.148	1.00	Pass
10MHz 40MHz_30kHz_2505MHz 37 20MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	20.82(20.11 12.59)	21.702	0.148	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	20.1(19.31 12.3)	21.001	0.126	1.00	Pass

10MHz 40MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	19.72(19.35 8.86)	20.523	0.113	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	20.07(19.36 11.84)	20.952	0.125	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	20.1(19.31 12.28)	20.997	0.126	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	20.12(19.32 12.35)	21.02	0.126	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	19.89(19.31 10.84)	20.741	0.119	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	20.14(19.33 12.44)	21.046	0.127	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB50@25	20.14(19.36 12.31)	21.043	0.127	1.00	Pass
10MHz 40MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	20.11(19.32 12.3)	21.009	0.126	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	20.75(20.07 12.34)	21.624	0.145	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	20.38(20.06 8.9)	21.169	0.131	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	20.68(20.06 11.89)	21.539	0.143	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	20.73(20.11 11.99)	21.597	0.144	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	20.7(20.02 12.34)	21.583	0.144	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	20.74(20.07 12.3)	21.617	0.145	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	20.55(20.06 10.87)	21.387	0.138	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	20.68(20 12.32)	21.563	0.143	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@105	20.72(20.11 11.87)	21.577	0.144	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB50@25	20.75(20.07 12.36)	21.627	0.145	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	20.73(20.12 11.89)	21.589	0.144	1.00	Pass
10MHz 40MHz_30kHz_2685MHz 37 80MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	20.75(20.07 12.33)	21.622	0.145	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	20.82(20.12 12.54)	21.701	0.148	1.00	Pass

10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	20.46(20.13 9.11)	21.251	0.133	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	20.77(20.14 12.04)	21.63	0.146	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.9(20.26 12.3)	21.774	0.15	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	20.81(20.12 12.45)	21.685	0.147	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	20.8(20.1 12.55)	21.687	0.147	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	20.62(20.11 11.07)	21.457	0.14	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	20.8(20.09 12.57)	21.682	0.147	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.86(20.21 12.29)	21.731	0.149	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	20.79(20.1 12.47)	21.672	0.147	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.86(20.22 12.24)	21.73	0.149	1.00	Pass
10MHz 50MHz_30kHz_2505MHz 37 25.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	20.81(20.09 12.62)	21.691	0.148	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	20.32(19.57 12.32)	21.214	0.132	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	19.9(19.55 8.76)	20.693	0.117	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	20.22(19.55 11.8)	21.1	0.129	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	20.28(19.54 12.23)	21.172	0.131	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	20.28(19.52 12.33)	21.175	0.131	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	20.09(19.53 10.88)	20.933	0.124	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	20.3(19.53 12.4)	21.197	0.132	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB64@32	20.3(19.53 12.42)	21.201	0.132	1.00	Pass
10MHz 50MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	20.3(19.55 12.33)	21.199	0.132	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	20.77(20.1 12.34)	21.649	0.146	1.00	Pass

10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	20.41(20.1 8.8)	21.196	0.132	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	20.69(20.09 11.81)	21.551	0.143	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	20.83(20.16 12.35)	21.7	0.148	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	20.78(20.11 12.35)	21.659	0.147	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	20.77(20.1 12.33)	21.647	0.146	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	20.58(20.09 10.87)	21.413	0.138	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	20.79(20.11 12.39)	21.666	0.147	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@132	20.78(20.13 12.2)	21.649	0.146	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB64@32	20.77(20.09 12.35)	21.642	0.146	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	20.85(20.22 12.19)	21.722	0.149	1.00	Pass
10MHz 50MHz_30kHz_2685MHz 37 74.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	20.77(20.09 12.39)	21.649	0.146	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	20.85(20.17 12.49)	21.733	0.149	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	20.49(20.17 9.01)	21.279	0.134	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	20.77(20.14 12.06)	21.633	0.146	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.97(20.36 12.16)	21.834	0.153	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	20.86(20.18 12.46)	21.736	0.149	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	20.85(20.16 12.49)	21.725	0.149	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	20.64(20.14 11.04)	21.479	0.141	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	20.86(20.19 12.44)	21.74	0.149	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.91(20.29 12.15)	21.773	0.15	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	20.83(20.16 12.41)	21.71	0.148	1.00	Pass

10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.9(20.3 12.03)	21.762	0.15	1.00	Pass
10MHz 60MHz_30kHz_2505MHz 37 30.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	20.83(20.15 12.43)	21.706	0.148	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	20.29(19.54 12.28)	21.182	0.131	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	19.88(19.53 8.77)	20.676	0.117	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	20.25(19.57 11.86)	21.127	0.13	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	20.28(19.54 12.22)	21.17	0.131	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	20.3(19.56 12.24)	21.19	0.132	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	20.1(19.55 10.83)	20.943	0.124	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	20.3(19.55 12.33)	21.199	0.132	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB81@40	20.31(19.57 12.27)	21.204	0.132	1.00	Pass
10MHz 60MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	20.3(19.55 12.32)	21.197	0.132	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	20.79(20.13 12.27)	21.661	0.147	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	20.42(20.11 8.83)	21.208	0.132	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	20.7(20.11 11.76)	21.559	0.143	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	20.8(20.16 12.16)	21.667	0.147	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	20.79(20.14 12.19)	21.655	0.146	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40	20.76(20.09 12.3)	21.633	0.146	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40	20.61(20.13 10.8)	21.438	0.139	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40	20.8(20.14 12.29)	21.673	0.147	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@161	20.82(20.2 12.06)	21.683	0.147	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB81@40	20.76(20.09 12.3)	21.633	0.146	1.00	Pass

10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161	20.8(20.19 11.99)	21.664	0.147	1.00	Pass
10MHz 60MHz_30kHz_2685MHz 37 69.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40	20.78(20.13 12.21)	21.651	0.146	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	20.83(20.14 12.49)	21.708	0.148	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	20.46(20.14 8.93)	21.244	0.133	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	20.75(20.14 11.9)	21.607	0.145	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.89(20.27 12.1)	21.749	0.15	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	20.83(20.15 12.47)	21.713	0.148	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	20.82(20.15 12.35)	21.691	0.148	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	20.7(20.21 10.97)	21.53	0.142	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	20.82(20.13 12.5)	21.702	0.148	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.87(20.27 12)	21.732	0.149	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	20.85(20.17 12.48)	21.731	0.149	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.87(20.28 11.88)	21.722	0.149	1.00	Pass
10MHz 80MHz_30kHz_2505MHz 37 40.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	20.86(20.18 12.47)	21.737	0.149	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	20.29(19.54 12.31)	21.187	0.131	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	19.92(19.56 8.93)	20.719	0.118	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	20.22(19.54 11.84)	21.099	0.129	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	20.25(19.49 12.3)	21.145	0.13	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	20.27(19.51 12.31)	21.163	0.131	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	20.11(19.55 10.94)	20.959	0.125	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	20.29(19.51 12.44)	21.189	0.132	1.00	Pass

10MHz 80MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB108@54	20.3(19.55 12.32)	21.197	0.132	1.00	Pass
10MHz 80MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	20.28(19.51 12.39)	21.179	0.131	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	20.77(20.09 12.35)	21.642	0.146	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	20.38(20.06 8.83)	21.162	0.131	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	20.68(20.08 11.81)	21.542	0.143	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	20.77(20.15 12)	21.632	0.146	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	20.76(20.08 12.39)	21.641	0.146	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	20.77(20.09 12.41)	21.653	0.146	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	20.58(20.08 10.92)	21.411	0.138	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	20.77(20.09 12.39)	21.649	0.146	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@216	20.77(20.17 11.89)	21.631	0.146	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB108@54	20.75(20.08 12.32)	21.629	0.145	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216	20.74(20.14 11.86)	21.601	0.145	1.00	Pass
10MHz 80MHz_30kHz_2685MHz 37 59.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	20.76(20.09 12.32)	21.637	0.146	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	20.77(20.1 12.32)	21.645	0.146	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	20.39(20.07 8.95)	21.182	0.131	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	20.7(20.09 11.85)	21.557	0.143	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.87(20.27 11.95)	21.724	0.149	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	20.77(20.09 12.36)	21.644	0.146	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	20.78(20.1 12.38)	21.656	0.146	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	20.59(20.09 10.92)	21.419	0.139	1.00	Pass

10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	20.78(20.1 12.38)	21.656	0.146	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@0 RB1@0	20.83(20.23 11.91)	21.684	0.147	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	20.8(20.13 12.35)	21.675	0.147	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.81(20.22 11.85)	21.666	0.147	1.00	Pass
10MHz 90MHz_30kHz_2505MHz 37 45.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	20.81(20.15 12.33)	21.688	0.148	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	20.31(19.56 12.31)	21.204	0.132	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	19.92(19.56 8.88)	20.714	0.118	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	20.24(19.57 11.77)	21.111	0.129	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 37 50MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	20.3(19.55 12.31)	21.195	0.132	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	20.21(19.44 12.34)	21.113	0.129	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	20.11(19.55 10.9)	20.953	0.125	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	20.28(19.53 12.27)	21.172	0.131	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@0 RB120@60	20.24(19.49 12.23)	21.132	0.13	1.00	Pass
10MHz 90MHz_30kHz_2595MHz 37 50MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	20.26(19.5 12.33)	21.159	0.131	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	20.8(20.13 12.35)	21.675	0.147	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	20.44(20.13 8.79)	21.223	0.133	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	20.67(20.07 11.77)	21.527	0.142	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	20.77(20.18 11.82)	21.628	0.145	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	20.76(20.08 12.35)	21.634	0.146	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60	20.76(20.09 12.32)	21.637	0.146	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60	20.58(20.09 10.86)	21.411	0.138	1.00	Pass

10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60	20.78(20.11 12.34)	21.657	0.146	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB1@49 RB1@244	20.73(20.15 11.73)	21.588	0.144	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK DFT-s-OFDM PI/2 BPSK_RB12@38 RB120@60	20.76(20.09 12.32)	21.637	0.146	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244	20.75(20.17 11.73)	21.605	0.145	1.00	Pass
10MHz 90MHz_30kHz_2685MHz 37 54.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60	20.78(20.12 12.28)	21.654	0.146	1.00	Pass

Note:

$P_{Total}(P_{LTE} | P_{NR});$

$EIRP = P + Ant\ Gain - CL;$

$ERP = EIRP - 2.15;$

$EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};$

$ERP_{NSA} = ERP_{LTE} + ERP_{NR}$

DC_41A_n78A:

n78:

1.Ant Gain =1.8 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0dB;**

41A:

1.Ant Gain =0.7 dBi;

**2.CL = signal attenuation in the connecting cable
between the transmitter and antenna in 0dB;**