

FCC Part 27

RF power output

n12

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	19.87	9.72	0.009	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	16.39	6.24	0.004	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	19.36	9.21	0.008	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	21.39	11.24	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	21.24	11.09	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	21.45	11.3	0.013	3.00	Pass
5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	19.78	9.63	0.009	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 16 QAM_RB25@0	20.90	10.75	0.012	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 256 QAM_RB25@0	18.43	8.28	0.007	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM 64 QAM_RB25@0	20.44	10.29	0.011	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	22.86	12.71	0.019	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@23	22.82	12.67	0.018	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB12@6	22.86	12.71	0.019	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM PI/2 BPSK_RB25@0	22.37	12.22	0.017	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB1@1	22.99	12.84	0.019	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB1@23	22.92	12.77	0.019	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB12@6	22.93	12.78	0.019	3.00	Pass
5MHz_15kHz_701.5MHz_DFT-s- OFDM QPSK_RB25@0	21.89	11.74	0.015	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	19.85	9.7	0.009	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	16.40	6.25	0.004	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	19.34	9.19	0.008	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.20	11.05	0.013	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	21.23	11.08	0.013	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	21.46	11.31	0.014	3.00	Pass
5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	19.77	9.62	0.009	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 16 QAM_RB25@0	20.85	10.7	0.012	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 256 QAM_RB25@0	18.38	8.23	0.007	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s- OFDM 64 QAM_RB25@0	20.40	10.25	0.011	3.00	Pass

5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.84	12.69	0.019	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.72	12.57	0.018	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.82	12.67	0.018	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.35	12.2	0.017	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	22.88	12.73	0.019	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	22.95	12.8	0.019	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	22.78	12.63	0.018	3.00	Pass
5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	21.93	11.78	0.015	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	19.75	9.6	0.009	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	16.23	6.08	0.004	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	19.26	9.11	0.008	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	21.17	11.02	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	21.04	10.89	0.012	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	21.32	11.17	0.013	3.00	Pass
5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	19.65	9.5	0.009	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.74	10.59	0.011	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.25	8.1	0.006	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.31	10.16	0.01	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.77	12.62	0.018	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	22.58	12.43	0.017	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	22.78	12.63	0.018	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.25	12.1	0.016	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	22.97	12.82	0.019	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	22.73	12.58	0.018	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	22.78	12.63	0.018	3.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	21.72	11.57	0.014	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	19.61	9.46	0.009	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	16.16	6.01	0.004	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	19.07	8.92	0.008	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	21.13	10.98	0.013	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	20.96	10.81	0.012	3.00	Pass

10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	21.05	10.9	0.012	3.00	Pass
10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	19.64	9.49	0.009	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	20.68	10.53	0.011	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	18.18	8.03	0.006	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	20.08	9.93	0.01	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.70	12.55	0.018	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.61	12.46	0.018	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.79	12.64	0.018	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.19	12.04	0.016	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	22.86	12.71	0.019	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	22.73	12.58	0.018	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	22.80	12.65	0.018	3.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	21.67	11.52	0.014	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	20.54	10.39	0.011	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	17.06	6.91	0.005	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	20.08	9.93	0.01	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	21.01	10.86	0.012	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	21.09	10.94	0.012	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	21.21	11.06	0.013	3.00	Pass
10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	19.72	9.57	0.009	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	20.59	10.44	0.011	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	18.23	8.08	0.006	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	20.06	9.91	0.01	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	22.58	12.43	0.017	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	22.47	12.32	0.017	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	22.59	12.44	0.018	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.09	11.94	0.016	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	22.62	12.47	0.018	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	22.55	12.4	0.017	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@12	22.61	12.46	0.018	3.00	Pass
10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB50@0	21.59	11.44	0.014	3.00	Pass

10MHz_15kHz_711MHz_CP-OFDM 16 QAM_RB52@0	20.22	10.07	0.01	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 256 QAM_RB52@0	16.77	6.62	0.005	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM 64 QAM_RB52@0	19.75	9.6	0.009	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@1	22.18	12.03	0.016	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@50	22.23	12.08	0.016	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB26@13	21.88	11.73	0.015	3.00	Pass
10MHz_15kHz_711MHz_CP-OFDM QPSK_RB52@0	20.25	10.1	0.01	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM 16 QAM_RB50@0	21.31	11.16	0.013	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM 256 QAM_RB50@0	18.84	8.69	0.007	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM 64 QAM_RB50@0	20.82	10.67	0.012	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.34	13.19	0.021	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM PI/2 BPSK_RB1@50	23.09	12.94	0.02	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM PI/2 BPSK_RB25@12	23.52	13.37	0.022	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM PI/2 BPSK_RB50@0	22.80	12.65	0.018	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM QPSK_RB1@1	23.26	13.11	0.02	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM QPSK_RB1@50	22.99	12.84	0.019	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM QPSK_RB25@12	23.54	13.39	0.022	3.00	Pass
10MHz_15kHz_711MHz_DFT-s- OFDM QPSK_RB50@0	22.29	12.14	0.016	3.00	Pass
15MHz_15kHz_706.5MHz_CP- OFDM 16 QAM_RB79@0	20.57	10.42	0.011	3.00	Pass
15MHz_15kHz_706.5MHz_CP- OFDM 256 QAM_RB79@0	17.09	6.94	0.005	3.00	Pass
15MHz_15kHz_706.5MHz_CP- OFDM 64 QAM_RB79@0	20.09	9.94	0.01	3.00	Pass
15MHz_15kHz_706.5MHz_CP- OFDM QPSK_RB1@1	22.06	11.91	0.016	3.00	Pass
15MHz_15kHz_706.5MHz_CP- OFDM QPSK_RB1@77	22.21	12.06	0.016	3.00	Pass
15MHz_15kHz_706.5MHz_CP- OFDM QPSK_RB39@19	22.01	11.86	0.015	3.00	Pass
15MHz_15kHz_706.5MHz_CP- OFDM QPSK_RB79@0	20.57	10.42	0.011	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s- OFDM 16 QAM_RB75@0	21.54	11.39	0.014	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s- OFDM 256 QAM_RB75@0	19.04	8.89	0.008	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s- OFDM 64 QAM_RB75@0	21.16	11.01	0.013	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@1	23.23	13.08	0.02	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s- OFDM PI/2 BPSK_RB1@77	23.38	13.23	0.021	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s- OFDM PI/2 BPSK_RB36@18	23.51	13.36	0.022	3.00	Pass

15MHz_15kHz_706.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.05	12.9	0.019	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	23.12	12.97	0.02	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	23.27	13.12	0.021	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	23.58	13.43	0.022	3.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	22.60	12.45	0.018	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	20.59	10.44	0.011	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	17.07	6.92	0.005	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	20.07	9.92	0.01	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.11	11.96	0.016	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	22.45	12.3	0.017	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	22.06	11.91	0.016	3.00	Pass
15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	20.59	10.44	0.011	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.54	11.39	0.014	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.08	8.93	0.008	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.18	11.03	0.013	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.27	13.12	0.021	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.22	13.07	0.02	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.53	13.38	0.022	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.03	12.88	0.019	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.23	13.08	0.02	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.21	13.06	0.02	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	23.60	13.45	0.022	3.00	Pass
15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	22.61	12.46	0.018	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM_RB79@0	20.55	10.4	0.011	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM_RB79@0	17.11	6.96	0.005	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM_RB79@0	20.06	9.91	0.01	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@1	22.04	11.89	0.015	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@77	22.48	12.33	0.017	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB39@19	22.09	11.94	0.016	3.00	Pass
15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB79@0	20.56	10.41	0.011	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.48	11.33	0.014	3.00	Pass

15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.04	8.89	0.008	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.13	10.98	0.013	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.31	13.16	0.021	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.10	12.95	0.02	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.52	13.37	0.022	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	22.97	12.82	0.019	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@1	23.26	13.11	0.02	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@77	23.06	12.91	0.02	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB36@18	23.63	13.48	0.022	3.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB75@0	22.52	12.37	0.017	3.00	Pass

Note:

ERP = Conducted Power(dBm) - LC(dB) + GT(dBd)

GT(dBd) = GT(dBi) - 2.15

n12:

1.Ant Gain = -8 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	18.06	13.86	0.024	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	14.59	10.39	0.011	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	17.53	13.33	0.022	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	19.67	15.47	0.035	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	19.65	15.45	0.035	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	19.57	15.37	0.034	1.00	Pass
5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	17.99	13.79	0.024	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	19.04	14.84	0.03	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.65	12.45	0.018	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	18.54	14.34	0.027	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.06	16.86	0.049	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	21.03	16.83	0.048	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	21.06	16.86	0.049	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	20.59	16.39	0.044	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	20.96	16.76	0.047	1.00	Pass

5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	20.85	16.65	0.046	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	21.05	16.85	0.048	1.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	20.07	15.87	0.039	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	17.61	13.41	0.022	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	14.17	9.97	0.01	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	17.08	12.88	0.019	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.23	15.03	0.032	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	19.33	15.13	0.033	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	19.14	14.94	0.031	1.00	Pass
5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	17.54	13.34	0.022	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	18.61	14.41	0.028	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	16.19	11.99	0.016	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	18.10	13.9	0.025	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.59	16.39	0.044	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	20.66	16.46	0.044	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	20.66	16.46	0.044	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	20.15	15.95	0.039	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.55	16.35	0.043	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	20.47	16.27	0.042	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	20.64	16.44	0.044	1.00	Pass
5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	19.59	15.39	0.035	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	17.59	13.39	0.022	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	14.21	10.01	0.01	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	17.12	12.92	0.02	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	19.60	15.4	0.035	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	19.43	15.23	0.033	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	19.21	15.01	0.032	1.00	Pass
5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	17.57	13.37	0.022	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	18.68	14.48	0.028	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.24	12.04	0.016	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	18.16	13.96	0.025	1.00	Pass

5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.59	16.39	0.044	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	20.53	16.33	0.043	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	20.63	16.43	0.044	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	20.14	15.94	0.039	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	20.47	16.27	0.042	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	20.37	16.17	0.041	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	20.63	16.43	0.044	1.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	19.71	15.51	0.036	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	17.83	13.63	0.023	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	14.40	10.2	0.01	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	17.32	13.12	0.021	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	19.40	15.2	0.033	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	19.41	15.21	0.033	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	19.32	15.12	0.033	1.00	Pass
10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	17.82	13.62	0.023	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	18.86	14.66	0.029	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	16.47	12.27	0.017	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	18.29	14.09	0.026	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.94	16.74	0.047	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	20.70	16.5	0.045	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	20.93	16.73	0.047	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	20.36	16.16	0.041	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	20.81	16.61	0.046	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	20.56	16.36	0.043	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	20.93	16.73	0.047	1.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	19.88	15.68	0.037	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	17.45	13.25	0.021	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	14.14	9.94	0.01	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	16.96	12.76	0.019	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	18.96	14.76	0.03	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	19.13	14.93	0.031	1.00	Pass

10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	18.99	14.79	0.03	1.00	Pass
10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	17.45	13.25	0.021	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	18.45	14.25	0.027	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	16.10	11.9	0.015	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	17.96	13.76	0.024	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.46	16.26	0.042	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	20.48	16.28	0.042	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	20.49	16.29	0.043	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	19.97	15.77	0.038	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.36	16.16	0.041	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	20.28	16.08	0.041	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	20.53	16.33	0.043	1.00	Pass
10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	19.48	15.28	0.034	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	17.42	13.22	0.021	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	14.09	9.89	0.01	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	16.91	12.71	0.019	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	19.00	14.8	0.03	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	19.12	14.92	0.031	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	18.94	14.74	0.03	1.00	Pass
10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	17.45	13.25	0.021	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	18.46	14.26	0.027	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	16.12	11.92	0.016	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	17.96	13.76	0.024	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.41	16.21	0.042	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	20.35	16.15	0.041	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	20.57	16.37	0.043	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	19.96	15.76	0.038	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	20.36	16.16	0.041	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	20.23	16.03	0.04	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	20.63	16.43	0.044	1.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	19.49	15.29	0.034	1.00	Pass

15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	17.93	13.73	0.024	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	14.50	10.3	0.011	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	17.42	13.22	0.021	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	19.63	15.43	0.035	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	19.37	15.17	0.033	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	19.44	15.24	0.033	1.00	Pass
15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	17.93	13.73	0.024	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	18.90	14.7	0.03	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	16.55	12.35	0.017	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	18.48	14.28	0.027	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	21.02	16.82	0.048	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	20.64	16.44	0.044	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	20.98	16.78	0.048	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	20.45	16.25	0.042	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	20.91	16.71	0.047	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	20.50	16.3	0.043	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	21.02	16.82	0.048	1.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	19.98	15.78	0.038	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	17.64	13.44	0.022	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	14.26	10.06	0.01	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	17.11	12.91	0.02	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.07	14.87	0.031	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	19.38	15.18	0.033	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	19.18	14.98	0.031	1.00	Pass
15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	17.65	13.45	0.022	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	18.61	14.41	0.028	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	16.27	12.07	0.016	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	18.18	13.98	0.025	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.54	16.34	0.043	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	20.52	16.32	0.043	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	20.71	16.51	0.045	1.00	Pass

15MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	20.10	15.9	0.039	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.45	16.25	0.042	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	20.42	16.22	0.042	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	20.72	16.52	0.045	1.00	Pass
15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	19.63	15.43	0.035	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	17.60	13.4	0.022	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	14.30	10.1	0.01	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	17.13	12.93	0.02	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	19.17	14.97	0.031	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	19.34	15.14	0.033	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	19.18	14.98	0.031	1.00	Pass
15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	17.65	13.45	0.022	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	18.64	14.44	0.028	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	16.28	12.08	0.016	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	18.19	13.99	0.025	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.55	16.35	0.043	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	20.48	16.28	0.042	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	20.73	16.53	0.045	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	20.13	15.93	0.039	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	20.45	16.25	0.042	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	20.47	16.27	0.042	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	20.72	16.52	0.045	1.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	19.70	15.5	0.035	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	17.73	13.53	0.023	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	14.37	10.17	0.01	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	17.20	13	0.02	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	19.57	15.37	0.034	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	19.29	15.09	0.032	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	17.74	13.54	0.023	1.00	Pass
20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	19.40	15.2	0.033	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	18.79	14.59	0.029	1.00	Pass

20MHz_15kHz_1720MHz_DFT-s-OFDM_256_QAM_RB100@0	16.37	12.17	0.016	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM_64_QAM_RB100@0	18.29	14.09	0.026	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	20.97	16.77	0.048	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM_PI/2_BPSK_RB1@104	20.60	16.4	0.044	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM_PI/2_BPSK_RB100@0	20.29	16.09	0.041	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM_PI/2_BPSK_RB50@25	20.95	16.75	0.047	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM_QPSK_RB1@1	20.85	16.65	0.046	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM_QPSK_RB1@104	20.45	16.25	0.042	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM_QPSK_RB100@0	19.81	15.61	0.036	1.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM_QPSK_RB50@25	21.00	16.8	0.048	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM_16_QAM_RB106@0	17.61	13.41	0.022	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM_256_QAM_RB106@0	14.25	10.05	0.01	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM_64_QAM_RB106@0	17.11	12.91	0.02	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB1@1	19.04	14.84	0.03	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB1@104	19.14	14.94	0.031	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB106@0	17.61	13.41	0.022	1.00	Pass
20MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB53@26	19.20	15	0.032	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_16_QAM_RB100@0	18.64	14.44	0.028	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_256_QAM_RB100@0	16.25	12.05	0.016	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_64_QAM_RB100@0	18.15	13.95	0.025	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	20.56	16.36	0.043	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB1@104	20.43	16.23	0.042	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB100@0	20.15	15.95	0.039	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB50@25	20.73	16.53	0.045	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_QPSK_RB1@1	20.39	16.19	0.042	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_QPSK_RB1@104	20.36	16.16	0.041	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_QPSK_RB100@0	19.62	15.42	0.035	1.00	Pass
20MHz_15kHz_1745MHz_DFT-s-OFDM_QPSK_RB50@25	20.74	16.54	0.045	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM_16_QAM_RB106@0	17.64	13.44	0.022	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM_256_QAM_RB106@0	14.28	10.08	0.01	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM_64_QAM_RB106@0	17.12	12.92	0.02	1.00	Pass

20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	19.10	14.9	0.031	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	19.44	15.24	0.033	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	17.62	13.42	0.022	1.00	Pass
20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	19.15	14.95	0.031	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	18.67	14.47	0.028	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	16.29	12.09	0.016	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	18.18	13.98	0.025	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.45	16.25	0.042	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	20.45	16.25	0.042	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	20.15	15.95	0.039	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	20.68	16.48	0.044	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	20.31	16.11	0.041	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	20.36	16.16	0.041	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	19.70	15.5	0.035	1.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	20.68	16.48	0.044	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	17.76	13.56	0.023	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	14.32	10.12	0.01	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	17.27	13.07	0.02	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	19.56	15.36	0.034	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	19.16	14.96	0.031	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	17.75	13.55	0.023	1.00	Pass
25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	19.38	15.18	0.033	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	18.81	14.61	0.029	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	16.33	12.13	0.016	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	18.25	14.05	0.025	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.93	16.73	0.047	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	20.54	16.34	0.043	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	20.29	16.09	0.041	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	20.94	16.74	0.047	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	20.82	16.62	0.046	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	20.51	16.31	0.043	1.00	Pass

25MHz_15kHz_1722.5MHz_DFT-s-OFDM_QPSK_RB128@0	19.80	15.6	0.036	1.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM_QPSK_RB64@32	20.92	16.72	0.047	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM_16_QAM_RB133@0	17.60	13.4	0.022	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM_256_QAM_RB133@0	14.19	9.99	0.01	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM_64_QAM_RB133@0	17.07	12.87	0.019	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB1@1	18.89	14.69	0.029	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB1@131	19.13	14.93	0.031	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB133@0	17.60	13.4	0.022	1.00	Pass
25MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB67@33	19.20	15	0.032	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_16_QAM_RB128@0	18.66	14.46	0.028	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_256_QAM_RB128@0	16.20	12	0.016	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_64_QAM_RB128@0	18.09	13.89	0.024	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	20.43	16.23	0.042	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB1@131	20.46	16.26	0.042	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB128@0	20.17	15.97	0.04	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB64@32	20.71	16.51	0.045	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_QPSK_RB1@1	20.41	16.21	0.042	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_QPSK_RB1@131	20.24	16.04	0.04	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_QPSK_RB128@0	19.65	15.45	0.035	1.00	Pass
25MHz_15kHz_1745MHz_DFT-s-OFDM_QPSK_RB64@32	20.74	16.54	0.045	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM_16_QAM_RB133@0	17.67	13.47	0.022	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM_256_QAM_RB133@0	14.27	10.07	0.01	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM_64_QAM_RB133@0	17.20	13	0.02	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM_QPSK_RB1@1	19.04	14.84	0.03	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM_QPSK_RB1@131	19.44	15.24	0.033	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM_QPSK_RB133@0	17.67	13.47	0.022	1.00	Pass
25MHz_15kHz_1767.5MHz_CP-OFDM_QPSK_RB67@33	19.27	15.07	0.032	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM_16_QAM_RB128@0	18.74	14.54	0.028	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM_256_QAM_RB128@0	16.30	12.1	0.016	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM_64_QAM_RB128@0	18.21	14.01	0.025	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	20.36	16.16	0.041	1.00	Pass

25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@131	20.44	16.24	0.042	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB128@0	20.18	15.98	0.04	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM PI/2 BPSK_RB64@32	20.72	16.52	0.045	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	20.23	16.03	0.04	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	20.39	16.19	0.042	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	19.71	15.51	0.036	1.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	20.77	16.57	0.045	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	17.70	13.5	0.022	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	14.28	10.08	0.01	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	17.17	12.97	0.02	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	19.37	15.17	0.033	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	19.01	14.81	0.03	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	17.70	13.5	0.022	1.00	Pass
30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	19.29	15.09	0.032	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	18.78	14.58	0.029	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	16.30	12.1	0.016	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	18.20	14	0.025	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.88	16.68	0.047	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	20.51	16.31	0.043	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.22	16.02	0.04	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	20.86	16.66	0.046	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	20.77	16.57	0.045	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	20.38	16.18	0.041	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	19.67	15.47	0.035	1.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	20.87	16.67	0.046	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	17.57	13.37	0.022	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	14.13	9.93	0.01	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	17.01	12.81	0.019	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.03	14.83	0.03	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	19.14	14.94	0.031	1.00	Pass
30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	17.50	13.3	0.021	1.00	Pass

30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	19.13	14.93	0.031	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	18.60	14.4	0.028	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	16.15	11.95	0.016	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	18.05	13.85	0.024	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.34	16.14	0.041	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	20.34	16.14	0.041	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.08	15.88	0.039	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	20.71	16.51	0.045	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.26	16.06	0.04	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	20.30	16.1	0.041	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	19.61	15.41	0.035	1.00	Pass
30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	20.74	16.54	0.045	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	17.71	13.51	0.022	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	14.23	10.03	0.01	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	17.16	12.96	0.02	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	18.99	14.79	0.03	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	19.25	15.05	0.032	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	17.64	13.44	0.022	1.00	Pass
30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	19.19	14.99	0.032	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	18.73	14.53	0.028	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	16.29	12.09	0.016	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	18.20	14	0.025	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.30	16.1	0.041	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB1@158	20.39	16.19	0.042	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB160@0	20.20	16	0.04	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM PI/2 BPSK_RB80@40	20.73	16.53	0.045	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	20.26	16.06	0.04	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	20.28	16.08	0.041	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	19.73	15.53	0.036	1.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	20.74	16.54	0.045	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	17.72	13.52	0.022	1.00	Pass

40MHz_15kHz_1730MHz_CP-OFDM_256_QAM_RB216@0	14.33	10.13	0.01	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM_64_QAM_RB216@0	17.30	13.1	0.02	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM_QPSK_RB1@1	19.13	14.93	0.031	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM_QPSK_RB1@214	18.89	14.69	0.029	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM_QPSK_RB108@54	19.31	15.11	0.032	1.00	Pass
40MHz_15kHz_1730MHz_CP-OFDM_QPSK_RB216@0	17.73	13.53	0.023	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_16_QAM_RB216@0	18.80	14.6	0.029	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_256_QAM_RB216@0	16.34	12.14	0.016	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_64_QAM_RB216@0	18.25	14.05	0.025	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	20.59	16.39	0.044	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_PI/2_BPSK_RB1@214	20.32	16.12	0.041	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_PI/2_BPSK_RB108@54	20.80	16.6	0.046	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_PI/2_BPSK_RB216@0	20.27	16.07	0.04	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_QPSK_RB1@1	20.50	16.3	0.043	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_QPSK_RB1@214	20.15	15.95	0.039	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_QPSK_RB108@54	20.80	16.6	0.046	1.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM_QPSK_RB216@0	19.80	15.6	0.036	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM_16_QAM_RB216@0	17.50	13.3	0.021	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM_256_QAM_RB216@0	14.11	9.91	0.01	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM_64_QAM_RB216@0	17.00	12.8	0.019	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB1@1	18.94	14.74	0.03	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB1@214	18.79	14.59	0.029	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB108@54	19.19	14.99	0.032	1.00	Pass
40MHz_15kHz_1745MHz_CP-OFDM_QPSK_RB216@0	17.51	13.31	0.021	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM_16_QAM_RB216@0	18.58	14.38	0.027	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM_256_QAM_RB216@0	16.18	11.98	0.016	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM_64_QAM_RB216@0	17.98	13.78	0.024	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB1@1	20.12	15.92	0.039	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB1@214	20.17	15.97	0.04	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB108@54	20.70	16.5	0.045	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM_PI/2_BPSK_RB216@0	20.00	15.8	0.038	1.00	Pass

40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.00	15.8	0.038	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	20.06	15.86	0.039	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	20.72	16.52	0.045	1.00	Pass
40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	19.55	15.35	0.034	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	17.58	13.38	0.022	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	14.21	10.01	0.01	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	17.10	12.9	0.019	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	18.56	14.36	0.027	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	18.91	14.71	0.03	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	19.17	14.97	0.031	1.00	Pass
40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	17.58	13.38	0.022	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	18.59	14.39	0.027	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	16.17	11.97	0.016	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	18.12	13.92	0.025	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	20.08	15.88	0.039	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB1@214	20.15	15.95	0.039	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB108@54	20.68	16.48	0.044	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM PI/2 BPSK_RB216@0	20.07	15.87	0.039	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	19.90	15.7	0.037	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	20.03	15.83	0.038	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	20.69	16.49	0.045	1.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	19.64	15.44	0.035	1.00	Pass

Note:

EIRP = Conducted Power(dBm) - LC(dB) + GT(dBi)

n66:

1.Ant Gain =-4.2 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0dB