

FCC Part 27

Band edge

n12

Mode	Value (dBm)	Limit (dBm)	Result
5MHz_15kHz_701.5MHz_DFT-s-OFDM_QPSK_RB1@0	-33.04	-13.00	Pass
5MHz_15kHz_701.5MHz_DFT-s-OFDM_QPSK_RB25@0	-44.54	-13.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM_QPSK_RB1@24	-36.47	-13.00	Pass
5MHz_15kHz_713.5MHz_DFT-s-OFDM_QPSK_RB25@0	-43.75	-13.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM_QPSK_RB1@0	-37.73	-13.00	Pass
10MHz_15kHz_704MHz_DFT-s-OFDM_QPSK_RB50@0	-48.62	-13.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_QPSK_RB1@51	-39.91	-13.00	Pass
10MHz_15kHz_711MHz_DFT-s-OFDM_QPSK_RB50@0	-48.26	-13.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM_QPSK_RB1@0	-30.32	-13.00	Pass
15MHz_15kHz_706.5MHz_DFT-s-OFDM_QPSK_RB75@0	-47.03	-13.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM_QPSK_RB1@78	-29.87	-13.00	Pass
15MHz_15kHz_708.5MHz_DFT-s-OFDM_QPSK_RB75@0	-46.64	-13.00	Pass

n38

Mode	Value (dBm)	Limit (dBm)	Result
10MHz_30kHz_2575MHz_DFT-s-OFDM_QPSK_RB1@0	-39.19	-25.00	Pass
10MHz_30kHz_2575MHz_DFT-s-OFDM_QPSK_RB24@0	-39.19	-25.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM_QPSK_RB1@23	-39.89	-25.00	Pass
10MHz_30kHz_2615MHz_DFT-s-OFDM_QPSK_RB24@0	-39.89	-25.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM_QPSK_RB1@0	-39.12	-25.00	Pass
15MHz_30kHz_2577.5MHz_DFT-s-OFDM_QPSK_RB36@0	-39.01	-25.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM_QPSK_RB1@37	-39.92	-25.00	Pass
15MHz_30kHz_2612.5MHz_DFT-s-OFDM_QPSK_RB36@0	-39.92	-25.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM_QPSK_RB1@0	-39.20	-25.00	Pass
20MHz_30kHz_2580MHz_DFT-s-OFDM_QPSK_RB50@0	-38.98	-25.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM_QPSK_RB1@50	-39.97	-25.00	Pass
20MHz_30kHz_2610MHz_DFT-s-OFDM_QPSK_RB50@0	-39.85	-25.00	Pass

n41

Mode	Value (dBm)	Limit (dBm)	Result
------	-------------	-------------	--------

Mode	Value (dBm)	Limit (dBm)	Result
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@0	-39.22	-25.00	Pass
10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	-38.85	-25.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@23	-40.07	-25.00	Pass
10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	-39.94	-25.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@0	-39.18	-25.00	Pass
15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	-38.43	-25.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@37	-39.82	-25.00	Pass
15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	-39.71	-25.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@0	-38.83	-25.00	Pass
20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	-38.97	-25.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@50	-40.03	-25.00	Pass
20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	-40.00	-25.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@0	-38.83	-25.00	Pass
40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	-38.71	-25.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@105	-39.84	-25.00	Pass
40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	-39.80	-25.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@0	-38.94	-25.00	Pass
50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	-38.79	-25.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@132	-39.84	-25.00	Pass
50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	-39.81	-25.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@0	-38.77	-25.00	Pass
60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	-38.70	-25.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@161	-39.80	-25.00	Pass
60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	-39.80	-25.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@0	-13.52	-13.00	Pass
80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	-38.44	-25.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@216	-10.41	-10.00	Pass
80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	-39.91	-25.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@0	-15.39	-13.00	Pass
90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	-38.68	-25.00	Pass

Mode	Value (dBm)	Limit (dBm)	Result
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@244	-13.44	-10.00	Pass
90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	-39.92	-25.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@0	-14.74	-13.00	Pass
100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	-38.45	-25.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@272	-13.39	-10.00	Pass
100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	-39.92	-25.00	Pass

n66

Mode	Value (dBm)	Limit (dBm)	Result
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@0	-32.50	-13.00	Pass
5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	-45.69	-13.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@24	-38.70	-13.00	Pass
5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	-45.38	-13.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@0	-38.26	-13.00	Pass
10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	-44.73	-13.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@51	-37.53	-13.00	Pass
10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	-45.75	-13.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@0	-29.40	-13.00	Pass
15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	-43.31	-13.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@78	-30.00	-13.00	Pass
15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	-45.26	-13.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@0	-31.54	-13.00	Pass
20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	-43.54	-13.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@105	-34.08	-13.00	Pass
20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	-46.93	-13.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@0	-20.64	-13.00	Pass
25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	-36.90	-13.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@132	-19.69	-13.00	Pass
25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	-43.79	-13.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@0	-26.20	-13.00	Pass
30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	-41.33	-13.00	Pass


Mode	Value (dBm)	Limit (dBm)	Result
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@159	-24.93	-13.00	Pass
30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	-44.77	-13.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@0	-13.80	-13.00	Pass
40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	-30.23	-13.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@215	-19.48	-13.00	Pass
40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	-32.69	-13.00	Pass

n7

Mode	Value (dBm)	Limit (dBm)	Result
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@0	-10.80	-10.00	Pass
5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB25@0	-23.60	-10.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@24	-10.99	-10.00	Pass
5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB25@0	-21.97	-10.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@0	-12.17	-10.00	Pass
10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB50@0	-39.03	-25.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@51	-15.23	-10.00	Pass
10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0	-39.54	-25.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@0	-13.88	-10.00	Pass
15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0	-37.16	-25.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@78	-14.99	-10.00	Pass
15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB75@0	-39.47	-25.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@0	-17.88	-10.00	Pass
20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB100@0	-38.00	-25.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@105	-19.00	-10.00	Pass
20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB100@0	-40.03	-25.00	Pass


n12

5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@0
-33.04 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:18:33

5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB25@0
-44.54 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:19:07

5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@24
-36.47 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:19:56

5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0
-43.75 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:20:30

10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@0
-37.73 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:21:27

10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0
-48.62 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:30:19

10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@51
-39.91 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:22:58

10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB50@0
-48.26 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:23:34

15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@0
-30.32 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:24:33

15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0
-47.03 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:31:56

15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@78
-29.87 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:26:05

15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB75@0
-46.64 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 15:26:38

10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@0
-39.19 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:34:06

10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB24@0
-39.19 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:34:38

10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@23
-39.89 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:35:28

10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB24@0
-39.89 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:36:02

15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@0
-39.12 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:36:58

15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB36@0
-39.01 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:37:54

15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@37
-39.92 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:39:43

15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB36@0
-39.92 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:39:20

20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@0
-39.20 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:40:17

20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB50@0
-38.98 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:41:15

20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@50
-39.97 dBm



ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:42:05


20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB50@0
-39.85 dBm



ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:42:40


n41

100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@0
-14.74 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 17:24:00

100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0
-38.45 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 17:14:18

100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@272
-13.39 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 17:25:44

100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0
-39.92 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 17:26:18

10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@0
-39.22 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:43:10

10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0
-38.85 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:45:14

10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@23
-40.07 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:46:35

10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0
-39.94 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:47:35

15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@0
-39.18 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:48:34

15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0
-38.43 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 15:59:50

15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@37
-39.82 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:02:23

15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0
-39.71 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:02:55

20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@0
-38.83 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:04:11

20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0
-38.97 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:52:18

20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@50
-40.03 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:53:08

20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0
-40.00 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:53:44

40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@0
-38.83 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:05:03

40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0
-38.71 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:19:57

40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@105
-39.84 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:07:19

40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0
-39.80 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:07:52

50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@0
-38.94 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:09:03

50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0
-38.79 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:09:34

50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@132
-39.84 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:10:22

50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0
-39.81 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:10:58

60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@0
-38.77 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:11:51

60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0
-38.70 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:21:08

60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@161
-39.80 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:11:55

60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0
-39.80 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:15:27

80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@0
-13.52 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:28:51

80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0
-38.44 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:29:23

80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@216
-10.41 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:30:37

80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0
-39.91 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 16:31:10

90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@0
-15.39 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 17:05:27

90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0
-38.68 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 17:05:58

90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@244
-13.44 dBm



ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 17:10:26


90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0
-39.92 dBm



ProjectNo.:CR231165634-RF Tester:One Luo
Date: 16.DEC.2023 17:21:13


n66

5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@0
-32.50 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:41:49

5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0
-45.69 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:35:29

5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@24
-38.70 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:44:11

5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0
-45.38 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:44:40

10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@0
-38.26 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 11:20:34

10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0
-44.73 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 18:24:44

10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@51
-37.53 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 11:21:48

10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0
-45.75 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:49:05

15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@0
-29.40 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:50:44

15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0
-43.31 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:51:14

15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@78
-30.00 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:51:59

15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0
-45.26 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:52:30

20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@0
-31.54 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:53:23

20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0
-43.54 dBm



ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:54:18

20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@105
-34.08 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:55:04

20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0
-46.93 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:55:35

25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@0
-20.64 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:56:27

25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0
-36.90 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:57:19

25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@132
-19.69 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:58:03

25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0
-43.79 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:58:33

30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@0
-26.20 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 10:59:25

30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0
-41.33 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 11:22:46

30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@159
-24.93 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 11:00:37

30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0
-44.77 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 11:01:06

40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@0
-13.80 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 17:32:19

40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0
-30.23 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 11:05:05

40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@215
-19.48 dBm



ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 17:39:18


40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0
-32.69 dBm



ProjectNo.:CR231165634-RF Tester:One Luo
Date: 22.DEC.2023 11:08:17


n7

5MHz_15kHz_2502.5MHz_DFT-s-OFDM_QPSK_RB1@0
-10.80 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:20:22

5MHz_15kHz_2502.5MHz_DFT-s-OFDM_QPSK_RB25@0
-23.60 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:21:06

5MHz_15kHz_2567.5MHz_DFT-s-OFDM_QPSK_RB1@24
-10.99 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:22:15

5MHz_15kHz_2567.5MHz_DFT-s-OFDM_QPSK_RB25@0
-21.97 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:23:07

10MHz_15kHz_2505MHz_DFT-s-OFDM_QPSK_RB1@0
-12.17 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:24:09

10MHz_15kHz_2505MHz_DFT-s-OFDM_QPSK_RB50@0
-39.03 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:25:04

10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@51
-15.23 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:25:51

10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0
-39.54 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:26:23

15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@0
-13.88 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:27:19

15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0
-37.16 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 8.DEC.2023 23:10:38

15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@78
-14.99 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 8.DEC.2023 23:17:14

15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB75@0
-39.47 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 8.DEC.2023 23:19:29

20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@0
-17.88 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:30:27

20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB100@0
-38.00 dBm




ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:31:00

20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@105
-19.00 dBm



ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:32:12

20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB100@0
-40.03 dBm



ProjectNo.:CR231165634-RF Tester:One Luo
Date: 2.DEC.2023 17:32:45