

# Annex C. LTE Transmitter Spurious Emissions

# 1. LTE\_Band7


## 1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.63	-25	Pass	2985
30	1000	0.1	RMS	994.099	-54.93	-25	Pass	9700
1000	2490	1	RMS	2456.978	-40.76	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.28	60	Pass	601
2580	3000	1	RMS	2659.8	-39.51	-25	Pass	601
3000	12000	1	RMS	11903.989	-47.89	-25	Pass	9000
12000	26000	1	RMS	25957.997	-29.86	-25	Pass	14000




**1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.3	-25	Pass	2985
30	1000	0.1	RMS	971.497	-55	-25	Pass	9700
1000	2490	1	RMS	2464.983	-40.29	-25	Pass	1490
2490	2580	1	RMS	2504.7	23.25	60	Pass	601
2580	3000	1	RMS	2659.8	-39.56	-25	Pass	601
3000	12000	1	RMS	11916.991	-47.91	-25	Pass	9000
12000	26000	1	RMS	25948.996	-29.61	-25	Pass	14000




**1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.14	-25	Pass	2985
30	1000	0.1	RMS	890.989	-55.13	-25	Pass	9700
1000	2490	1	RMS	2466.985	-40.79	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.37	60	Pass	601
2580	3000	1	RMS	2659.8	-39.55	-25	Pass	601
3000	12000	1	RMS	11909.99	-47.86	-25	Pass	9000
12000	26000	1	RMS	25957.997	-29.82	-25	Pass	14000




**1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.49	-25	Pass	2985
30	1000	0.1	RMS	970.997	-55.03	-25	Pass	9700
1000	2490	1	RMS	2466.985	-40.81	-25	Pass	1490
2490	2580	1	RMS	2504.7	22.33	60	Pass	601
2580	3000	1	RMS	2659.1	-39.55	-25	Pass	601
3000	12000	1	RMS	11918.991	-47.91	-25	Pass	9000
12000	26000	1	RMS	25954.997	-29.8	-25	Pass	14000




**1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-25	Pass	601
0.15	30	0.01	RMS	0.16	-50.63	-25	Pass	2985
30	1000	0.1	RMS	896.689	-54.76	-25	Pass	9700
1000	2490	1	RMS	2463.983	-40.62	-25	Pass	1490
2490	2580	1	RMS	2532.9	23.23	60	Pass	601
2580	3000	1	RMS	2659.8	-39.57	-25	Pass	601
3000	12000	1	RMS	11910.99	-47.79	-25	Pass	9000
12000	26000	1	RMS	25931.995	-33.11	-25	Pass	14000




**1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-25	Pass	601
0.15	30	0.01	RMS	0.16	-51.45	-25	Pass	2985
30	1000	0.1	RMS	895.689	-55.08	-25	Pass	9700
1000	2490	1	RMS	2463.983	-40.53	-25	Pass	1490
2490	2580	1	RMS	2537.1	23.22	60	Pass	601
2580	3000	1	RMS	2659.1	-39.55	-25	Pass	601
3000	12000	1	RMS	11927.992	-47.79	-25	Pass	9000
12000	26000	1	RMS	25967.998	-29.81	-25	Pass	14000



**1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.23	-25	Pass	2985
30	1000	0.1	RMS	949.595	-54.96	-25	Pass	9700
1000	2490	1	RMS	2450.974	-40.86	-25	Pass	1490
2490	2580	1	RMS	2532.9	22.43	60	Pass	601
2580	3000	1	RMS	2660.5	-39.57	-25	Pass	601
3000	12000	1	RMS	11901.989	-47.91	-25	Pass	9000
12000	26000	1	RMS	25963.997	-29.87	-25	Pass	14000






**1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.13	-25	Pass	2985
30	1000	0.1	RMS	911.491	-54.98	-25	Pass	9700
1000	2490	1	RMS	2466.985	-40.86	-25	Pass	1490
2490	2580	1	RMS	2537.1	22.45	60	Pass	601
2580	3000	1	RMS	2659.8	-39.56	-25	Pass	601
3000	12000	1	RMS	11899.989	-47.9	-25	Pass	9000
12000	26000	1	RMS	25932.995	-29.79	-25	Pass	14000




**1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.24	-25	Pass	2985
30	1000	0.1	RMS	899.19	-54.97	-25	Pass	9700
1000	2490	1	RMS	2467.985	-40.75	-25	Pass	1490
2490	2580	1	RMS	2565.3	23.4	60	Pass	601
2580	3000	1	RMS	2659.8	-39.55	-25	Pass	601
3000	12000	1	RMS	11914.991	-47.86	-25	Pass	9000
12000	26000	1	RMS	25918.994	-29.73	-25	Pass	14000




**1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.96	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.14	-25	Pass	2985
30	1000	0.1	RMS	926.492	-54.95	-25	Pass	9700
1000	2490	1	RMS	2458.979	-40.52	-25	Pass	1490
2490	2580	1	RMS	2569.65	23.37	60	Pass	601
2580	3000	1	RMS	2660.5	-39.54	-25	Pass	601
3000	12000	1	RMS	11918.991	-47.75	-25	Pass	9000
12000	26000	1	RMS	25908.994	-29.93	-25	Pass	14000




**1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.32	-25	Pass	2985
30	1000	0.1	RMS	898.089	-55.01	-25	Pass	9700
1000	2490	1	RMS	2465.984	-40.11	-25	Pass	1490
2490	2580	1	RMS	2565.3	22.64	60	Pass	601
2580	3000	1	RMS	2659.8	-39.53	-25	Pass	601
3000	12000	1	RMS	11912.99	-47.87	-25	Pass	9000
12000	26000	1	RMS	25920.994	-29.86	-25	Pass	14000




**1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.5	-25	Pass	2985
30	1000	0.1	RMS	914.191	-54.98	-25	Pass	9700
1000	2490	1	RMS	2425.957	-40.86	-25	Pass	1490
2490	2580	1	RMS	2569.65	22.61	60	Pass	601
2580	3000	1	RMS	2659.8	-39.52	-25	Pass	601
3000	12000	1	RMS	11915.991	-47.89	-25	Pass	9000
12000	26000	1	RMS	25940.996	-29.72	-25	Pass	14000




**1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.61	-25	Pass	2985
30	1000	0.1	RMS	939.194	-54.95	-25	Pass	9700
1000	2490	1	RMS	2482.995	-39.37	-25	Pass	1490
2490	2580	1	RMS	2500.65	23.31	60	Pass	601
2580	3000	1	RMS	2659.1	-39.55	-25	Pass	601
3000	12000	1	RMS	11914.991	-47.91	-25	Pass	9000
12000	26000	1	RMS	25978.999	-29.79	-25	Pass	14000




**1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-48.75	-25	Pass	2985
30	1000	0.1	RMS	931.193	-55.03	-25	Pass	9700
1000	2490	1	RMS	2490	-40.67	-25	Pass	1490
2490	2580	1	RMS	2509.35	23.27	60	Pass	601
2580	3000	1	RMS	2660.5	-39.56	-25	Pass	601
3000	12000	1	RMS	11916.991	-47.92	-25	Pass	9000
12000	26000	1	RMS	25946.996	-29.79	-25	Pass	14000



**1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.3	-25	Pass	2985
30	1000	0.1	RMS	894.989	-54.77	-25	Pass	9700
1000	2490	1	RMS	2482.995	-40.04	-25	Pass	1490
2490	2580	1	RMS	2500.65	22.52	60	Pass	601
2580	3000	1	RMS	2660.5	-39.52	-25	Pass	601
3000	12000	1	RMS	11919.991	-47.81	-25	Pass	9000
12000	26000	1	RMS	25944.996	-29.7	-25	Pass	14000






**1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.33	-25	Pass	2985
30	1000	0.1	RMS	889.889	-54.93	-25	Pass	9700
1000	2490	1	RMS	2490	-40.75	-25	Pass	1490
2490	2580	1	RMS	2509.35	22.49	60	Pass	601
2580	3000	1	RMS	2660.5	-39.55	-25	Pass	601
3000	12000	1	RMS	11914.991	-47.88	-25	Pass	9000
12000	26000	1	RMS	25956.997	-29.84	-25	Pass	14000




**1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.05	-25	Pass	2985
30	1000	0.1	RMS	994.199	-54.97	-25	Pass	9700
1000	2490	1	RMS	2451.974	-40.8	-25	Pass	1490
2490	2580	1	RMS	2530.65	23.36	60	Pass	601
2580	3000	1	RMS	2660.5	-39.53	-25	Pass	601
3000	12000	1	RMS	11907.99	-47.85	-25	Pass	9000
12000	26000	1	RMS	25982.999	-29.74	-25	Pass	14000




**1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.91	-25	Pass	2985
30	1000	0.1	RMS	896.189	-54.77	-25	Pass	9700
1000	2490	1	RMS	2422.955	-40.86	-25	Pass	1490
2490	2580	1	RMS	2539.35	23.37	60	Pass	601
2580	3000	1	RMS	2660.5	-39.53	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.9	-25	Pass	9000
12000	26000	1	RMS	25962.997	-29.82	-25	Pass	14000




**1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.27	-25	Pass	2985
30	1000	0.1	RMS	967.697	-54.92	-25	Pass	9700
1000	2490	1	RMS	2453.976	-40.83	-25	Pass	1490
2490	2580	1	RMS	2530.65	22.39	60	Pass	601
2580	3000	1	RMS	2659.8	-39.52	-25	Pass	601
3000	12000	1	RMS	11905.99	-47.84	-25	Pass	9000
12000	26000	1	RMS	25909.994	-29.72	-25	Pass	14000




**1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.62	-25	Pass	2985
30	1000	0.1	RMS	928.693	-54.87	-25	Pass	9700
1000	2490	1	RMS	2428.959	-40.84	-25	Pass	1490
2490	2580	1	RMS	2539.35	22.4	60	Pass	601
2580	3000	1	RMS	2661.2	-39.53	-25	Pass	601
3000	12000	1	RMS	11906.99	-47.77	-25	Pass	9000
12000	26000	1	RMS	25952.997	-29.72	-25	Pass	14000




**1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.57	-25	Pass	2985
30	1000	0.1	RMS	963.396	-55.06	-25	Pass	9700
1000	2490	1	RMS	2429.96	-40.84	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.58	60	Pass	601
2580	3000	1	RMS	2657.7	-39.57	-25	Pass	601
3000	12000	1	RMS	11912.99	-47.86	-25	Pass	9000
12000	26000	1	RMS	25955.997	-29.77	-25	Pass	14000




**1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.96	-25	Pass	2985
30	1000	0.1	RMS	897.989	-54.86	-25	Pass	9700
1000	2490	1	RMS	2451.974	-40.85	-25	Pass	1490
2490	2580	1	RMS	2569.35	23.46	60	Pass	601
2580	3000	1	RMS	2587	-39.37	-25	Pass	601
3000	12000	1	RMS	11910.99	-47.84	-25	Pass	9000
12000	26000	1	RMS	25961.997	-29.78	-25	Pass	14000



**1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.93	-25	Pass	2985
30	1000	0.1	RMS	979.398	-54.78	-25	Pass	9700
1000	2490	1	RMS	2449.973	-40.84	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.6	60	Pass	601
2580	3000	1	RMS	2659.1	-39.56	-25	Pass	601
3000	12000	1	RMS	11912.99	-47.85	-25	Pass	9000
12000	26000	1	RMS	25933.995	-29.77	-25	Pass	14000






**1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.27	-25	Pass	2985
30	1000	0.1	RMS	896.689	-54.99	-25	Pass	9700
1000	2490	1	RMS	2419.953	-40.85	-25	Pass	1490
2490	2580	1	RMS	2569.35	22.58	60	Pass	601
2580	3000	1	RMS	2659.8	-39.51	-25	Pass	601
3000	12000	1	RMS	11907.99	-47.89	-25	Pass	9000
12000	26000	1	RMS	25982.999	-29.56	-25	Pass	14000




**1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.48	-25	Pass	2985
30	1000	0.1	RMS	921.592	-55.02	-25	Pass	9700
1000	2490	1	RMS	2487.999	-39.04	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.27	60	Pass	601
2580	3000	1	RMS	2659.8	-39.53	-25	Pass	601
3000	12000	1	RMS	11900.989	-47.83	-25	Pass	9000
12000	26000	1	RMS	25947.996	-29.85	-25	Pass	14000




**1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.61	-25	Pass	2985
30	1000	0.1	RMS	906.29	-54.97	-25	Pass	9700
1000	2490	1	RMS	2487.999	-31.19	-25	Pass	1490
2490	2580	1	RMS	2514.15	23.28	60	Pass	601
2580	3000	1	RMS	2659.8	-39.52	-25	Pass	601
3000	12000	1	RMS	11899.989	-47.87	-25	Pass	9000
12000	26000	1	RMS	25947.996	-29.86	-25	Pass	14000




**1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.4	-25	Pass	2985
30	1000	0.1	RMS	986.199	-54.9	-25	Pass	9700
1000	2490	1	RMS	2487.999	-39.4	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.45	60	Pass	601
2580	3000	1	RMS	2661.2	-39.53	-25	Pass	601
3000	12000	1	RMS	11905.99	-47.93	-25	Pass	9000
12000	26000	1	RMS	25929.995	-29.82	-25	Pass	14000




**1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.4	-25	Pass	2985
30	1000	0.1	RMS	981.598	-55.01	-25	Pass	9700
1000	2490	1	RMS	2487.999	-32.31	-25	Pass	1490
2490	2580	1	RMS	2514.15	22.46	60	Pass	601
2580	3000	1	RMS	2659.1	-39.55	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.93	-25	Pass	9000
12000	26000	1	RMS	25942.996	-29.79	-25	Pass	14000




**1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.79	-25	Pass	2985
30	1000	0.1	RMS	943.694	-55.07	-25	Pass	9700
1000	2490	1	RMS	2454.976	-40.83	-25	Pass	1490
2490	2580	1	RMS	2528.4	23.27	60	Pass	601
2580	3000	1	RMS	2660.5	-39.54	-25	Pass	601
3000	12000	1	RMS	11926.992	-47.85	-25	Pass	9000
12000	26000	1	RMS	25941.996	-29.77	-25	Pass	14000




**1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-25	Pass	601
0.15	30	0.01	RMS	0.16	-50.64	-25	Pass	2985
30	1000	0.1	RMS	900.39	-54.87	-25	Pass	9700
1000	2490	1	RMS	2430.96	-40.84	-25	Pass	1490
2490	2580	1	RMS	2541.6	23.27	60	Pass	601
2580	3000	1	RMS	2659.8	-39.54	-25	Pass	601
3000	12000	1	RMS	11902.989	-47.88	-25	Pass	9000
12000	26000	1	RMS	25945.996	-33.12	-25	Pass	14000



**1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.41	-25	Pass	2985
30	1000	0.1	RMS	932.093	-54.76	-25	Pass	9700
1000	2490	1	RMS	2423.956	-40.81	-25	Pass	1490
2490	2580	1	RMS	2528.4	22.28	60	Pass	601
2580	3000	1	RMS	2660.5	-39.56	-25	Pass	601
3000	12000	1	RMS	11903.989	-47.9	-25	Pass	9000
12000	26000	1	RMS	25965.998	-29.82	-25	Pass	14000






**1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.91	-25	Pass	2985
30	1000	0.1	RMS	935.793	-55.02	-25	Pass	9700
1000	2490	1	RMS	2429.96	-40.87	-25	Pass	1490
2490	2580	1	RMS	2541.6	22.34	60	Pass	601
2580	3000	1	RMS	2660.5	-39.55	-25	Pass	601
3000	12000	1	RMS	11908.99	-47.84	-25	Pass	9000
12000	26000	1	RMS	25937.996	-29.7	-25	Pass	14000




**1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.4	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.23	-25	Pass	2985
30	1000	0.1	RMS	901.49	-54.96	-25	Pass	9700
1000	2490	1	RMS	2452.975	-40.86	-25	Pass	1490
2490	2580	1	RMS	2555.85	23.41	60	Pass	601
2580	3000	1	RMS	2582.8	-26.7	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.71	-25	Pass	9000
12000	26000	1	RMS	25968.998	-29.75	-25	Pass	14000




**1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.71	-25	Pass	2985
30	1000	0.1	RMS	921.992	-54.82	-25	Pass	9700
1000	2490	1	RMS	2419.953	-40.86	-25	Pass	1490
2490	2580	1	RMS	2569.2	23.38	60	Pass	601
2580	3000	1	RMS	2582.8	-38.48	-25	Pass	601
3000	12000	1	RMS	11912.99	-47.83	-25	Pass	9000
12000	26000	1	RMS	25961.997	-29.64	-25	Pass	14000




**1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.21	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.74	-25	Pass	2985
30	1000	0.1	RMS	935.493	-55.07	-25	Pass	9700
1000	2490	1	RMS	2420.954	-40.85	-25	Pass	1490
2490	2580	1	RMS	2555.85	22.55	60	Pass	601
2580	3000	1	RMS	2582.8	-27.62	-25	Pass	601
3000	12000	1	RMS	11910.99	-47.9	-25	Pass	9000
12000	26000	1	RMS	25919.994	-29.75	-25	Pass	14000




**1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.59	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.65	-25	Pass	2985
30	1000	0.1	RMS	997.6	-55.14	-25	Pass	9700
1000	2490	1	RMS	2414.95	-40.86	-25	Pass	1490
2490	2580	1	RMS	2569.2	22.57	60	Pass	601
2580	3000	1	RMS	2582.8	-39.05	-25	Pass	601
3000	12000	1	RMS	11917.991	-47.82	-25	Pass	9000
12000	26000	1	RMS	25959.997	-29.69	-25	Pass	14000




**1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.73	-25	Pass	2985
30	1000	0.1	RMS	894.889	-55.03	-25	Pass	9700
1000	2490	1	RMS	2482.995	-40.21	-25	Pass	1490
2490	2580	1	RMS	2501.1	23.14	60	Pass	601
2580	3000	1	RMS	2661.2	-39.54	-25	Pass	601
3000	12000	1	RMS	11925.992	-47.86	-25	Pass	9000
12000	26000	1	RMS	25974.998	-29.84	-25	Pass	14000




**1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.98	-25	Pass	2985
30	1000	0.1	RMS	984.798	-54.7	-25	Pass	9700
1000	2490	1	RMS	2482.995	-34.31	-25	Pass	1490
2490	2580	1	RMS	2518.95	23.05	60	Pass	601
2580	3000	1	RMS	2659.1	-39.55	-25	Pass	601
3000	12000	1	RMS	11916.991	-47.86	-25	Pass	9000
12000	26000	1	RMS	25961.997	-29.76	-25	Pass	14000



**1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-25	Pass	601
0.15	30	0.01	RMS	0.16	-50.99	-25	Pass	2985
30	1000	0.1	RMS	900.29	-54.96	-25	Pass	9700
1000	2490	1	RMS	2482.995	-40.48	-25	Pass	1490
2490	2580	1	RMS	2501.1	22.3	60	Pass	601
2580	3000	1	RMS	2661.2	-39.55	-25	Pass	601
3000	12000	1	RMS	11916.991	-47.75	-25	Pass	9000
12000	26000	1	RMS	25950.997	-29.75	-25	Pass	14000






**1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.5	-25	Pass	2985
30	1000	0.1	RMS	993.099	-54.8	-25	Pass	9700
1000	2490	1	RMS	2482.995	-35.59	-25	Pass	1490
2490	2580	1	RMS	2518.95	22.24	60	Pass	601
2580	3000	1	RMS	2659.8	-39.52	-25	Pass	601
3000	12000	1	RMS	11922.991	-47.94	-25	Pass	9000
12000	26000	1	RMS	25968.998	-29.85	-25	Pass	14000




**1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.34	-25	Pass	2985
30	1000	0.1	RMS	995.3	-54.87	-25	Pass	9700
1000	2490	1	RMS	2490	-39.17	-25	Pass	1490
2490	2580	1	RMS	2526.15	23.05	60	Pass	601
2580	3000	1	RMS	2659.8	-39.46	-25	Pass	601
3000	12000	1	RMS	11919.991	-47.89	-25	Pass	9000
12000	26000	1	RMS	25967.998	-29.78	-25	Pass	14000




**1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.59	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.99	-25	Pass	2985
30	1000	0.1	RMS	891.289	-54.96	-25	Pass	9700
1000	2490	1	RMS	2451.974	-40.85	-25	Pass	1490
2490	2580	1	RMS	2543.85	23.1	60	Pass	601
2580	3000	1	RMS	2659.8	-39.46	-25	Pass	601
3000	12000	1	RMS	11919.991	-47.88	-25	Pass	9000
12000	26000	1	RMS	25964.998	-29.68	-25	Pass	14000




**1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.16	-25	Pass	2985
30	1000	0.1	RMS	932.293	-54.84	-25	Pass	9700
1000	2490	1	RMS	2490	-40.01	-25	Pass	1490
2490	2580	1	RMS	2526.15	22.1	60	Pass	601
2580	3000	1	RMS	2657.7	-39.53	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.88	-25	Pass	9000
12000	26000	1	RMS	25920.994	-29.81	-25	Pass	14000




**1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.67	-25	Pass	2985
30	1000	0.1	RMS	998.2	-54.94	-25	Pass	9700
1000	2490	1	RMS	2451.974	-40.85	-25	Pass	1490
2490	2580	1	RMS	2543.85	22.2	60	Pass	601
2580	3000	1	RMS	2660.5	-39.5	-25	Pass	601
3000	12000	1	RMS	11909.99	-47.89	-25	Pass	9000
12000	26000	1	RMS	25958.997	-29.72	-25	Pass	14000




**1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.57	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.03	-25	Pass	2985
30	1000	0.1	RMS	878.387	-55.15	-25	Pass	9700
1000	2490	1	RMS	2419.953	-40.82	-25	Pass	1490
2490	2580	1	RMS	2551.05	23.14	60	Pass	601
2580	3000	1	RMS	2587	-28.04	-25	Pass	601
3000	12000	1	RMS	11915.991	-47.77	-25	Pass	9000
12000	26000	1	RMS	25981.999	-29.87	-25	Pass	14000




**1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.9	-25	Pass	2985
30	1000	0.1	RMS	938.094	-54.95	-25	Pass	9700
1000	2490	1	RMS	2456.978	-40.81	-25	Pass	1490
2490	2580	1	RMS	2568.9	23.22	60	Pass	601
2580	3000	1	RMS	2662.6	-39.57	-25	Pass	601
3000	12000	1	RMS	11924.992	-47.8	-25	Pass	9000
12000	26000	1	RMS	25942.996	-29.79	-25	Pass	14000



**1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.13	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50	-25	Pass	2985
30	1000	0.1	RMS	927.593	-54.97	-25	Pass	9700
1000	2490	1	RMS	2419.953	-40.87	-25	Pass	1490
2490	2580	1	RMS	2551.05	22.2	60	Pass	601
2580	3000	1	RMS	2587	-29.26	-25	Pass	601
3000	12000	1	RMS	11921.991	-47.92	-25	Pass	9000
12000	26000	1	RMS	25953.997	-29.72	-25	Pass	14000





**1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.4	-25	Pass	2985
30	1000	0.1	RMS	902.99	-55.02	-25	Pass	9700
1000	2490	1	RMS	2458.979	-40.83	-25	Pass	1490
2490	2580	1	RMS	2568.9	22.29	60	Pass	601
2580	3000	1	RMS	2659.8	-39.51	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.87	-25	Pass	9000
12000	26000	1	RMS	25914.994	-29.72	-25	Pass	14000



END