

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n7	15	5	500500	12@6	DFT_BPSK	22.80	22.4	33	PASS
n7	15	5	500500	1@1	DFT_BPSK	22.91	22.51	33	PASS
n7	15	5	500500	1@23	DFT_BPSK	22.93	22.53	33	PASS
n7	15	5	500500	12@6	DFT_QPSK	22.88	22.48	33	PASS
n7	15	5	500500	1@1	DFT_QPSK	22.69	22.29	33	PASS
n7	15	5	500500	1@23	DFT_QPSK	22.73	22.33	33	PASS
n7	15	5	500500	12@6	DFT_QAM16	21.86	21.46	33	PASS
n7	15	5	500500	1@1	DFT_QAM16	22.02	21.62	33	PASS
n7	15	5	500500	1@23	DFT_QAM16	22.11	21.71	33	PASS
n7	15	5	500500	12@6	DFT_QAM64	20.38	19.98	33	PASS
n7	15	5	500500	1@1	DFT_QAM64	20.64	20.24	33	PASS
n7	15	5	500500	1@23	DFT_QAM64	20.50	20.1	33	PASS
n7	15	5	500500	12@6	DFT_QAM256	18.36	17.96	33	PASS
n7	15	5	500500	1@1	DFT_QAM256	18.82	18.42	33	PASS
n7	15	5	500500	1@23	DFT_QAM256	18.55	18.15	33	PASS
n7	15	5	500500	13@6	CP_QPSK	21.29	20.89	33	PASS
n7	15	5	500500	1@1	CP_QPSK	21.35	20.95	33	PASS
n7	15	5	500500	1@23	CP_QPSK	21.43	21.03	33	PASS
n7	15	5	500500	13@6	CP_QAM16	20.94	20.54	33	PASS
n7	15	5	500500	1@1	CP_QAM16	20.74	20.34	33	PASS
n7	15	5	500500	1@23	CP_QAM16	20.77	20.37	33	PASS
n7	15	5	500500	13@6	CP_QAM64	19.31	18.91	33	PASS
n7	15	5	500500	1@1	CP_QAM64	19.27	18.87	33	PASS
n7	15	5	500500	1@23	CP_QAM64	19.41	19.01	33	PASS
n7	15	5	500500	13@6	CP_QAM256	16.36	15.96	33	PASS
n7	15	5	500500	1@1	CP_QAM256	16.67	16.27	33	PASS
n7	15	5	500500	1@23	CP_QAM256	16.34	15.94	33	PASS
n7	15	5	507000	12@6	DFT_BPSK	22.87	22.47	33	PASS
n7	15	5	507000	1@1	DFT_BPSK	22.90	22.5	33	PASS
n7	15	5	507000	1@23	DFT_BPSK	22.81	22.41	33	PASS
n7	15	5	507000	12@6	DFT_QPSK	22.90	22.5	33	PASS
n7	15	5	507000	1@1	DFT_QPSK	22.76	22.36	33	PASS
n7	15	5	507000	1@23	DFT_QPSK	22.78	22.38	33	PASS
n7	15	5	507000	12@6	DFT_QAM16	21.99	21.59	33	PASS
n7	15	5	507000	1@1	DFT_QAM16	21.74	21.34	33	PASS
n7	15	5	507000	1@23	DFT_QAM16	22.08	21.68	33	PASS

n7	15	5	507000	12@6	DFT_QAM64	20.46	20.06	33	PASS
n7	15	5	507000	1@1	DFT_QAM64	20.96	20.56	33	PASS
n7	15	5	507000	1@23	DFT_QAM64	20.94	20.54	33	PASS
n7	15	5	507000	12@6	DFT_QAM256	18.39	17.99	33	PASS
n7	15	5	507000	1@1	DFT_QAM256	18.57	18.17	33	PASS
n7	15	5	507000	1@23	DFT_QAM256	18.75	18.35	33	PASS
n7	15	5	507000	13@6	CP_QPSK	21.25	20.85	33	PASS
n7	15	5	507000	1@1	CP_QPSK	21.40	21	33	PASS
n7	15	5	507000	1@23	CP_QPSK	21.43	21.03	33	PASS
n7	15	5	507000	13@6	CP_QAM16	20.84	20.44	33	PASS
n7	15	5	507000	1@1	CP_QAM16	20.68	20.28	33	PASS
n7	15	5	507000	1@23	CP_QAM16	20.78	20.38	33	PASS
n7	15	5	507000	13@6	CP_QAM64	19.17	18.77	33	PASS
n7	15	5	507000	1@1	CP_QAM64	19.31	18.91	33	PASS
n7	15	5	507000	1@23	CP_QAM64	19.29	18.89	33	PASS
n7	15	5	507000	13@6	CP_QAM256	16.39	15.99	33	PASS
n7	15	5	507000	1@1	CP_QAM256	16.32	15.92	33	PASS
n7	15	5	507000	1@23	CP_QAM256	16.25	15.85	33	PASS
n7	15	5	513500	12@6	DFT_BPSK	22.93	22.53	33	PASS
n7	15	5	513500	1@1	DFT_BPSK	22.98	22.58	33	PASS
n7	15	5	513500	1@23	DFT_BPSK	22.93	22.53	33	PASS
n7	15	5	513500	12@6	DFT_QPSK	22.90	22.5	33	PASS
n7	15	5	513500	1@1	DFT_QPSK	22.73	22.33	33	PASS
n7	15	5	513500	1@23	DFT_QPSK	22.85	22.45	33	PASS
n7	15	5	513500	12@6	DFT_QAM16	22.03	21.63	33	PASS
n7	15	5	513500	1@1	DFT_QAM16	22.18	21.78	33	PASS
n7	15	5	513500	1@23	DFT_QAM16	22.14	21.74	33	PASS
n7	15	5	513500	12@6	DFT_QAM64	20.48	20.08	33	PASS
n7	15	5	513500	1@1	DFT_QAM64	20.70	20.3	33	PASS
n7	15	5	513500	1@23	DFT_QAM64	20.72	20.32	33	PASS
n7	15	5	513500	12@6	DFT_QAM256	18.49	18.09	33	PASS
n7	15	5	513500	1@1	DFT_QAM256	18.69	18.29	33	PASS
n7	15	5	513500	1@23	DFT_QAM256	18.55	18.15	33	PASS
n7	15	5	513500	13@6	CP_QPSK	21.31	20.91	33	PASS
n7	15	5	513500	1@1	CP_QPSK	21.39	20.99	33	PASS
n7	15	5	513500	1@23	CP_QPSK	21.39	20.99	33	PASS
n7	15	5	513500	13@6	CP_QAM16	21.06	20.66	33	PASS
n7	15	5	513500	1@1	CP_QAM16	21.32	20.92	33	PASS
n7	15	5	513500	1@23	CP_QAM16	21.38	20.98	33	PASS
n7	15	5	513500	13@6	CP_QAM64	19.38	18.98	33	PASS
n7	15	5	513500	1@1	CP_QAM64	19.54	19.14	33	PASS
n7	15	5	513500	1@23	CP_QAM64	19.37	18.97	33	PASS
n7	15	5	513500	13@6	CP_QAM256	16.54	16.14	33	PASS
n7	15	5	513500	1@1	CP_QAM256	16.54	16.14	33	PASS

n7	15	5	513500	1@23	CP_QAM256	16.60	16.2	33	PASS
n7	15	10	501000	25@12	DFT_BPSK	22.59	22.19	33	PASS
n7	15	10	501000	1@1	DFT_BPSK	22.63	22.23	33	PASS
n7	15	10	501000	1@50	DFT_BPSK	22.61	22.21	33	PASS
n7	15	10	501000	25@12	DFT_QPSK	22.61	22.21	33	PASS
n7	15	10	501000	1@1	DFT_QPSK	22.51	22.11	33	PASS
n7	15	10	501000	1@50	DFT_QPSK	22.43	22.03	33	PASS
n7	15	10	501000	25@12	DFT_QAM16	21.73	21.33	33	PASS
n7	15	10	501000	1@1	DFT_QAM16	21.81	21.41	33	PASS
n7	15	10	501000	1@50	DFT_QAM16	21.86	21.46	33	PASS
n7	15	10	501000	25@12	DFT_QAM64	20.06	19.66	33	PASS
n7	15	10	501000	1@1	DFT_QAM64	20.24	19.84	33	PASS
n7	15	10	501000	1@50	DFT_QAM64	20.22	19.82	33	PASS
n7	15	10	501000	25@12	DFT_QAM256	18.09	17.69	33	PASS
n7	15	10	501000	1@1	DFT_QAM256	18.26	17.86	33	PASS
n7	15	10	501000	1@50	DFT_QAM256	18.30	17.9	33	PASS
n7	15	10	501000	26@13	CP_QPSK	21.05	20.65	33	PASS
n7	15	10	501000	1@1	CP_QPSK	21.05	20.65	33	PASS
n7	15	10	501000	1@50	CP_QPSK	21.09	20.69	33	PASS
n7	15	10	501000	26@13	CP_QAM16	20.53	20.13	33	PASS
n7	15	10	501000	1@1	CP_QAM16	21.08	20.68	33	PASS
n7	15	10	501000	1@50	CP_QAM16	20.52	20.12	33	PASS
n7	15	10	501000	26@13	CP_QAM64	19.06	18.66	33	PASS
n7	15	10	501000	1@1	CP_QAM64	19.21	18.81	33	PASS
n7	15	10	501000	1@50	CP_QAM64	19.25	18.85	33	PASS
n7	15	10	501000	26@13	CP_QAM256	16.22	15.82	33	PASS
n7	15	10	501000	1@1	CP_QAM256	16.21	15.81	33	PASS
n7	15	10	501000	1@50	CP_QAM256	16.23	15.83	33	PASS
n7	15	10	507000	25@12	DFT_BPSK	22.64	22.24	33	PASS
n7	15	10	507000	1@1	DFT_BPSK	22.62	22.22	33	PASS
n7	15	10	507000	1@50	DFT_BPSK	22.62	22.22	33	PASS
n7	15	10	507000	25@12	DFT_QPSK	22.70	22.3	33	PASS
n7	15	10	507000	1@1	DFT_QPSK	22.51	22.11	33	PASS
n7	15	10	507000	1@50	DFT_QPSK	22.45	22.05	33	PASS
n7	15	10	507000	25@12	DFT_QAM16	21.72	21.32	33	PASS
n7	15	10	507000	1@1	DFT_QAM16	21.91	21.51	33	PASS
n7	15	10	507000	1@50	DFT_QAM16	21.90	21.5	33	PASS
n7	15	10	507000	25@12	DFT_QAM64	20.12	19.72	33	PASS
n7	15	10	507000	1@1	DFT_QAM64	20.20	19.8	33	PASS
n7	15	10	507000	1@50	DFT_QAM64	20.44	20.04	33	PASS
n7	15	10	507000	25@12	DFT_QAM256	18.23	17.83	33	PASS
n7	15	10	507000	1@1	DFT_QAM256	18.22	17.82	33	PASS
n7	15	10	507000	1@50	DFT_QAM256	18.29	17.89	33	PASS
n7	15	10	507000	26@13	CP_QPSK	21.11	20.71	33	PASS

n7	15	10	507000	1@1	CP_QPSK	21.09	20.69	33	PASS
n7	15	10	507000	1@50	CP_QPSK	21.01	20.61	33	PASS
n7	15	10	507000	26@13	CP_QAM16	20.59	20.19	33	PASS
n7	15	10	507000	1@1	CP_QAM16	21.12	20.72	33	PASS
n7	15	10	507000	1@50	CP_QAM16	21.06	20.66	33	PASS
n7	15	10	507000	26@13	CP_QAM64	19.11	18.71	33	PASS
n7	15	10	507000	1@1	CP_QAM64	19.22	18.82	33	PASS
n7	15	10	507000	1@50	CP_QAM64	19.31	18.91	33	PASS
n7	15	10	507000	26@13	CP_QAM256	16.29	15.89	33	PASS
n7	15	10	507000	1@1	CP_QAM256	16.24	15.84	33	PASS
n7	15	10	507000	1@50	CP_QAM256	16.37	15.97	33	PASS
n7	15	10	513000	25@12	DFT_BPSK	22.78	22.38	33	PASS
n7	15	10	513000	1@1	DFT_BPSK	22.65	22.25	33	PASS
n7	15	10	513000	1@50	DFT_BPSK	22.72	22.32	33	PASS
n7	15	10	513000	25@12	DFT_QPSK	22.77	22.37	33	PASS
n7	15	10	513000	1@1	DFT_QPSK	22.46	22.06	33	PASS
n7	15	10	513000	1@50	DFT_QPSK	22.59	22.19	33	PASS
n7	15	10	513000	25@12	DFT_QAM16	21.74	21.34	33	PASS
n7	15	10	513000	1@1	DFT_QAM16	21.99	21.59	33	PASS
n7	15	10	513000	1@50	DFT_QAM16	22.08	21.68	33	PASS
n7	15	10	513000	25@12	DFT_QAM64	20.20	19.8	33	PASS
n7	15	10	513000	1@1	DFT_QAM64	20.29	19.89	33	PASS
n7	15	10	513000	1@50	DFT_QAM64	20.34	19.94	33	PASS
n7	15	10	513000	25@12	DFT_QAM256	18.22	17.82	33	PASS
n7	15	10	513000	1@1	DFT_QAM256	18.48	18.08	33	PASS
n7	15	10	513000	1@50	DFT_QAM256	18.38	17.98	33	PASS
n7	15	10	513000	26@13	CP_QPSK	21.26	20.86	33	PASS
n7	15	10	513000	1@1	CP_QPSK	21.10	20.7	33	PASS
n7	15	10	513000	1@50	CP_QPSK	21.19	20.79	33	PASS
n7	15	10	513000	26@13	CP_QAM16	20.67	20.27	33	PASS
n7	15	10	513000	1@1	CP_QAM16	20.50	20.1	33	PASS
n7	15	10	513000	1@50	CP_QAM16	20.64	20.24	33	PASS
n7	15	10	513000	26@13	CP_QAM64	19.22	18.82	33	PASS
n7	15	10	513000	1@1	CP_QAM64	19.16	18.76	33	PASS
n7	15	10	513000	1@50	CP_QAM64	19.04	18.64	33	PASS
n7	15	10	513000	26@13	CP_QAM256	16.34	15.94	33	PASS
n7	15	10	513000	1@1	CP_QAM256	16.10	15.7	33	PASS
n7	15	10	513000	1@50	CP_QAM256	16.25	15.85	33	PASS
n7	15	15	501500	36@18	DFT_BPSK	22.81	22.41	33	PASS
n7	15	15	501500	1@1	DFT_BPSK	22.66	22.26	33	PASS
n7	15	15	501500	1@77	DFT_BPSK	22.73	22.33	33	PASS
n7	15	15	501500	36@18	DFT_QPSK	22.82	22.42	33	PASS
n7	15	15	501500	1@1	DFT_QPSK	22.53	22.13	33	PASS
n7	15	15	501500	1@77	DFT_QPSK	22.62	22.22	33	PASS

n7	15	15	501500	36@18	DFT_QAM16	21.81	21.41	33	PASS
n7	15	15	501500	1@1	DFT_QAM16	21.92	21.52	33	PASS
n7	15	15	501500	1@77	DFT_QAM16	21.93	21.53	33	PASS
n7	15	15	501500	36@18	DFT_QAM64	20.29	19.89	33	PASS
n7	15	15	501500	1@1	DFT_QAM64	20.48	20.08	33	PASS
n7	15	15	501500	1@77	DFT_QAM64	20.26	19.86	33	PASS
n7	15	15	501500	36@18	DFT_QAM256	18.24	17.84	33	PASS
n7	15	15	501500	1@1	DFT_QAM256	18.36	17.96	33	PASS
n7	15	15	501500	1@77	DFT_QAM256	18.48	18.08	33	PASS
n7	15	15	501500	39@19	CP_QPSK	21.27	20.87	33	PASS
n7	15	15	501500	1@1	CP_QPSK	21.08	20.68	33	PASS
n7	15	15	501500	1@77	CP_QPSK	21.17	20.77	33	PASS
n7	15	15	501500	39@19	CP_QAM16	20.81	20.41	33	PASS
n7	15	15	501500	1@1	CP_QAM16	20.49	20.09	33	PASS
n7	15	15	501500	1@77	CP_QAM16	20.51	20.11	33	PASS
n7	15	15	501500	39@19	CP_QAM64	19.26	18.86	33	PASS
n7	15	15	501500	1@1	CP_QAM64	19.08	18.68	33	PASS
n7	15	15	501500	1@77	CP_QAM64	19.35	18.95	33	PASS
n7	15	15	501500	39@19	CP_QAM256	16.45	16.05	33	PASS
n7	15	15	501500	1@1	CP_QAM256	16.44	16.04	33	PASS
n7	15	15	501500	1@77	CP_QAM256	16.43	16.03	33	PASS
n7	15	15	507000	36@18	DFT_BPSK	22.79	22.39	33	PASS
n7	15	15	507000	1@1	DFT_BPSK	22.64	22.24	33	PASS
n7	15	15	507000	1@77	DFT_BPSK	22.66	22.26	33	PASS
n7	15	15	507000	36@18	DFT_QPSK	22.86	22.46	33	PASS
n7	15	15	507000	1@1	DFT_QPSK	22.63	22.23	33	PASS
n7	15	15	507000	1@77	DFT_QPSK	22.59	22.19	33	PASS
n7	15	15	507000	36@18	DFT_QAM16	21.84	21.44	33	PASS
n7	15	15	507000	1@1	DFT_QAM16	21.93	21.53	33	PASS
n7	15	15	507000	1@77	DFT_QAM16	21.62	21.22	33	PASS
n7	15	15	507000	36@18	DFT_QAM64	20.29	19.89	33	PASS
n7	15	15	507000	1@1	DFT_QAM64	20.73	20.33	33	PASS
n7	15	15	507000	1@77	DFT_QAM64	20.21	19.81	33	PASS
n7	15	15	507000	36@18	DFT_QAM256	18.25	17.85	33	PASS
n7	15	15	507000	1@1	DFT_QAM256	18.38	17.98	33	PASS
n7	15	15	507000	1@77	DFT_QAM256	18.43	18.03	33	PASS
n7	15	15	507000	39@19	CP_QPSK	21.32	20.92	33	PASS
n7	15	15	507000	1@1	CP_QPSK	21.23	20.83	33	PASS
n7	15	15	507000	1@77	CP_QPSK	21.24	20.84	33	PASS
n7	15	15	507000	39@19	CP_QAM16	20.82	20.42	33	PASS
n7	15	15	507000	1@1	CP_QAM16	20.55	20.15	33	PASS
n7	15	15	507000	1@77	CP_QAM16	20.62	20.22	33	PASS
n7	15	15	507000	39@19	CP_QAM64	19.24	18.84	33	PASS
n7	15	15	507000	1@1	CP_QAM64	19.19	18.79	33	PASS

n7	15	15	507000	1@77	CP_QAM64	19.60	19.2	33	PASS
n7	15	15	507000	39@19	CP_QAM256	16.45	16.05	33	PASS
n7	15	15	507000	1@1	CP_QAM256	16.11	15.71	33	PASS
n7	15	15	507000	1@77	CP_QAM256	16.40	16	33	PASS
n7	15	15	512500	36@18	DFT_BPSK	22.84	22.44	33	PASS
n7	15	15	512500	1@1	DFT_BPSK	22.63	22.23	33	PASS
n7	15	15	512500	1@77	DFT_BPSK	22.85	22.45	33	PASS
n7	15	15	512500	36@18	DFT_QPSK	22.96	22.56	33	PASS
n7	15	15	512500	1@1	DFT_QPSK	22.63	22.23	33	PASS
n7	15	15	512500	1@77	DFT_QPSK	22.71	22.31	33	PASS
n7	15	15	512500	36@18	DFT_QAM16	21.88	21.48	33	PASS
n7	15	15	512500	1@1	DFT_QAM16	21.95	21.55	33	PASS
n7	15	15	512500	1@77	DFT_QAM16	22.05	21.65	33	PASS
n7	15	15	512500	36@18	DFT_QAM64	20.39	19.99	33	PASS
n7	15	15	512500	1@1	DFT_QAM64	20.20	19.8	33	PASS
n7	15	15	512500	1@77	DFT_QAM64	20.32	19.92	33	PASS
n7	15	15	512500	36@18	DFT_QAM256	18.27	17.87	33	PASS
n7	15	15	512500	1@1	DFT_QAM256	18.37	17.97	33	PASS
n7	15	15	512500	1@77	DFT_QAM256	18.72	18.32	33	PASS
n7	15	15	512500	39@19	CP_QPSK	21.40	21	33	PASS
n7	15	15	512500	1@1	CP_QPSK	21.20	20.8	33	PASS
n7	15	15	512500	1@77	CP_QPSK	21.34	20.94	33	PASS
n7	15	15	512500	39@19	CP_QAM16	20.91	20.51	33	PASS
n7	15	15	512500	1@1	CP_QAM16	21.01	20.61	33	PASS
n7	15	15	512500	1@77	CP_QAM16	20.65	20.25	33	PASS
n7	15	15	512500	39@19	CP_QAM64	19.32	18.92	33	PASS
n7	15	15	512500	1@1	CP_QAM64	19.61	19.21	33	PASS
n7	15	15	512500	1@77	CP_QAM64	19.29	18.89	33	PASS
n7	15	15	512500	39@19	CP_QAM256	16.62	16.22	33	PASS
n7	15	15	512500	1@1	CP_QAM256	16.45	16.05	33	PASS
n7	15	15	512500	1@77	CP_QAM256	16.28	15.88	33	PASS
n7	15	20	502000	50@25	DFT_BPSK	22.75	22.35	33	PASS
n7	15	20	502000	1@1	DFT_BPSK	22.63	22.23	33	PASS
n7	15	20	502000	1@104	DFT_BPSK	22.70	22.3	33	PASS
n7	15	20	502000	50@25	DFT_QPSK	22.84	22.44	33	PASS
n7	15	20	502000	1@1	DFT_QPSK	22.52	22.12	33	PASS
n7	15	20	502000	1@104	DFT_QPSK	22.57	22.17	33	PASS
n7	15	20	502000	50@25	DFT_QAM16	21.79	21.39	33	PASS
n7	15	20	502000	1@1	DFT_QAM16	21.58	21.18	33	PASS
n7	15	20	502000	1@104	DFT_QAM16	21.85	21.45	33	PASS
n7	15	20	502000	50@25	DFT_QAM64	20.26	19.86	33	PASS
n7	15	20	502000	1@1	DFT_QAM64	20.24	19.84	33	PASS
n7	15	20	502000	1@104	DFT_QAM64	20.71	20.31	33	PASS
n7	15	20	502000	50@25	DFT_QAM256	18.27	17.87	33	PASS

n7	15	20	502000	1@1	DFT_QAM256	18.62	18.22	33	PASS
n7	15	20	502000	1@104	DFT_QAM256	18.62	18.22	33	PASS
n7	15	20	502000	53@26	CP_QPSK	21.29	20.89	33	PASS
n7	15	20	502000	1@1	CP_QPSK	21.17	20.77	33	PASS
n7	15	20	502000	1@104	CP_QPSK	21.18	20.78	33	PASS
n7	15	20	502000	53@26	CP_QAM16	20.74	20.34	33	PASS
n7	15	20	502000	1@1	CP_QAM16	21.05	20.65	33	PASS
n7	15	20	502000	1@104	CP_QAM16	20.60	20.2	33	PASS
n7	15	20	502000	53@26	CP_QAM64	19.31	18.91	33	PASS
n7	15	20	502000	1@1	CP_QAM64	19.09	18.69	33	PASS
n7	15	20	502000	1@104	CP_QAM64	19.13	18.73	33	PASS
n7	15	20	502000	53@26	CP_QAM256	16.35	15.95	33	PASS
n7	15	20	502000	1@1	CP_QAM256	16.15	15.75	33	PASS
n7	15	20	502000	1@104	CP_QAM256	16.41	16.01	33	PASS
n7	15	20	507000	50@25	DFT_BPSK	22.83	22.43	33	PASS
n7	15	20	507000	1@1	DFT_BPSK	22.67	22.27	33	PASS
n7	15	20	507000	1@104	DFT_BPSK	22.67	22.27	33	PASS
n7	15	20	507000	50@25	DFT_QPSK	22.85	22.45	33	PASS
n7	15	20	507000	1@1	DFT_QPSK	22.51	22.11	33	PASS
n7	15	20	507000	1@104	DFT_QPSK	22.50	22.1	33	PASS
n7	15	20	507000	50@25	DFT_QAM16	21.79	21.39	33	PASS
n7	15	20	507000	1@1	DFT_QAM16	21.55	21.15	33	PASS
n7	15	20	507000	1@104	DFT_QAM16	21.60	21.2	33	PASS
n7	15	20	507000	50@25	DFT_QAM64	20.26	19.86	33	PASS
n7	15	20	507000	1@1	DFT_QAM64	20.21	19.81	33	PASS
n7	15	20	507000	1@104	DFT_QAM64	20.20	19.8	33	PASS
n7	15	20	507000	50@25	DFT_QAM256	18.29	17.89	33	PASS
n7	15	20	507000	1@1	DFT_QAM256	18.29	17.89	33	PASS
n7	15	20	507000	1@104	DFT_QAM256	18.33	17.93	33	PASS
n7	15	20	507000	53@26	CP_QPSK	21.32	20.92	33	PASS
n7	15	20	507000	1@1	CP_QPSK	21.14	20.74	33	PASS
n7	15	20	507000	1@104	CP_QPSK	21.16	20.76	33	PASS
n7	15	20	507000	53@26	CP_QAM16	20.83	20.43	33	PASS
n7	15	20	507000	1@1	CP_QAM16	21.06	20.66	33	PASS
n7	15	20	507000	1@104	CP_QAM16	20.59	20.19	33	PASS
n7	15	20	507000	53@26	CP_QAM64	19.30	18.9	33	PASS
n7	15	20	507000	1@1	CP_QAM64	19.19	18.79	33	PASS
n7	15	20	507000	1@104	CP_QAM64	18.97	18.57	33	PASS
n7	15	20	507000	53@26	CP_QAM256	16.44	16.04	33	PASS
n7	15	20	507000	1@1	CP_QAM256	16.47	16.07	33	PASS
n7	15	20	507000	1@104	CP_QAM256	16.43	16.03	33	PASS
n7	15	20	512000	50@25	DFT_BPSK	22.80	22.4	33	PASS
n7	15	20	512000	1@1	DFT_BPSK	22.67	22.27	33	PASS
n7	15	20	512000	1@104	DFT_BPSK	22.73	22.33	33	PASS

n7	15	20	512000	50@25	DFT_QPSK	22.83	22.43	33	PASS
n7	15	20	512000	1@1	DFT_QPSK	22.50	22.1	33	PASS
n7	15	20	512000	1@104	DFT_QPSK	22.61	22.21	33	PASS
n7	15	20	512000	50@25	DFT_QAM16	21.81	21.41	33	PASS
n7	15	20	512000	1@1	DFT_QAM16	21.58	21.18	33	PASS
n7	15	20	512000	1@104	DFT_QAM16	21.98	21.58	33	PASS
n7	15	20	512000	50@25	DFT_QAM64	20.29	19.89	33	PASS
n7	15	20	512000	1@1	DFT_QAM64	20.25	19.85	33	PASS
n7	15	20	512000	1@104	DFT_QAM64	20.50	20.1	33	PASS
n7	15	20	512000	50@25	DFT_QAM256	18.29	17.89	33	PASS
n7	15	20	512000	1@1	DFT_QAM256	18.59	18.19	33	PASS
n7	15	20	512000	1@104	DFT_QAM256	18.38	17.98	33	PASS
n7	15	20	512000	53@26	CP_QPSK	21.32	20.92	33	PASS
n7	15	20	512000	1@1	CP_QPSK	21.04	20.64	33	PASS
n7	15	20	512000	1@104	CP_QPSK	21.27	20.87	33	PASS
n7	15	20	512000	53@26	CP_QAM16	20.87	20.47	33	PASS
n7	15	20	512000	1@1	CP_QAM16	20.52	20.12	33	PASS
n7	15	20	512000	1@104	CP_QAM16	20.67	20.27	33	PASS
n7	15	20	512000	53@26	CP_QAM64	19.39	18.99	33	PASS
n7	15	20	512000	1@1	CP_QAM64	19.07	18.67	33	PASS
n7	15	20	512000	1@104	CP_QAM64	19.20	18.8	33	PASS
n7	15	20	512000	53@26	CP_QAM256	16.48	16.08	33	PASS
n7	15	20	512000	1@1	CP_QAM256	16.43	16.03	33	PASS
n7	15	20	512000	1@104	CP_QAM256	16.56	16.16	33	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n7	15	20	507000	50@25	DFT_BPSK	3.85	-2.05	0.00	Within authorized band for 5G NR n7	PASS
n7	15	20	507000	50@25	DFT_BPSK	3.45	-1.86	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	4.40	-2.80	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	3.85	-5.79	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	3.45	-8.64	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	4.40	-5.53	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n7	15	20	507000	50@25	DFT_BPSK	-30	-3.20	0.00	Within authorized band for 5G NR n7	PASS
n7	15	20	507000	50@25	DFT_BPSK	-20	-7.15	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	-10	-5.06	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	0	-2.26	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	10	-5.17	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	20	-2.19	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	30	-4.88	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	40	-2.98	0.00		PASS
n7	15	20	507000	50@25	DFT_BPSK	50	-3.99	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	-30	-0.85	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	-20	-4.33	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	-10	-6.84	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	0	-4.26	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	10	-3.35	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	20	-4.52	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	30	-3.20	0.00		PASS
n7	15	20	507000	50@25	DFT_QPSK	40	-7.15	0.00	PASS	
n7	15	20	507000	50@25	DFT_QPSK	50	-5.06	0.00	PASS	

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n7	15	5	507000	25@0	DFT_BPSK	5.02	13	PASS
n7	15	5	507000	25@0	DFT_QPSK	6.12	13	PASS
n7	15	5	507000	25@0	DFT_QAM16	6.46	13	PASS
n7	15	5	507000	25@0	DFT_QAM64	6.83	13	PASS
n7	15	5	507000	25@0	DFT_QAM256	7.41	13	PASS
n7	15	10	507000	50@0	DFT_BPSK	4.83	13	PASS
n7	15	10	507000	50@0	DFT_QPSK	6.01	13	PASS
n7	15	10	507000	50@0	DFT_QAM16	6.82	13	PASS
n7	15	10	507000	50@0	DFT_QAM64	7.03	13	PASS
n7	15	10	507000	50@0	DFT_QAM256	7.36	13	PASS
n7	15	15	507000	75@0	DFT_BPSK	4.81	13	PASS
n7	15	15	507000	75@0	DFT_QPSK	5.99	13	PASS
n7	15	15	507000	75@0	DFT_QAM16	6.82	13	PASS
n7	15	15	507000	75@0	DFT_QAM64	7.01	13	PASS
n7	15	15	507000	75@0	DFT_QAM256	7.23	13	PASS
n7	15	20	507000	100@0	DFT_BPSK	4.89	13	PASS
n7	15	20	507000	100@0	DFT_QPSK	5.96	13	PASS
n7	15	20	507000	100@0	DFT_QAM16	6.70	13	PASS
n7	15	20	507000	100@0	DFT_QAM64	7.07	13	PASS
n7	15	20	507000	100@0	DFT_QAM256	7.43	13	PASS


n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=507000 RB=100@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n7	15	5	500500	25@0	DFT_BPSK	4.480	4.760	PASS
n7	15	5	500500	25@0	DFT_QPSK	4.480	4.780	PASS
n7	15	5	500500	25@0	DFT_QAM16	4.490	4.780	PASS
n7	15	5	500500	25@0	DFT_QAM64	4.480	4.760	PASS
n7	15	5	500500	25@0	DFT_QAM256	4.490	4.750	PASS
n7	15	5	500500	25@0	CP_QPSK	4.490	4.790	PASS
n7	15	5	507000	25@0	DFT_BPSK	4.490	4.770	PASS
n7	15	5	507000	25@0	DFT_QPSK	4.490	4.770	PASS
n7	15	5	507000	25@0	DFT_QAM16	4.490	4.780	PASS
n7	15	5	507000	25@0	DFT_QAM64	4.480	4.760	PASS
n7	15	5	507000	25@0	DFT_QAM256	4.490	4.770	PASS
n7	15	5	507000	25@0	CP_QPSK	4.490	4.770	PASS
n7	15	5	513500	25@0	DFT_BPSK	4.490	4.770	PASS
n7	15	5	513500	25@0	DFT_QPSK	4.490	4.770	PASS
n7	15	5	513500	25@0	DFT_QAM16	4.490	4.760	PASS
n7	15	5	513500	25@0	DFT_QAM64	4.490	4.760	PASS
n7	15	5	513500	25@0	DFT_QAM256	4.490	4.750	PASS
n7	15	5	513500	25@0	CP_QPSK	4.490	4.770	PASS
n7	15	10	501000	50@0	DFT_BPSK	9.210	9.490	PASS
n7	15	10	501000	50@0	DFT_QPSK	9.180	9.470	PASS
n7	15	10	501000	50@0	DFT_QAM16	9.200	9.500	PASS
n7	15	10	501000	50@0	DFT_QAM64	9.210	9.480	PASS
n7	15	10	501000	50@0	DFT_QAM256	9.170	9.480	PASS
n7	15	10	501000	52@0	CP_QPSK	9.330	9.830	PASS
n7	15	10	507000	50@0	DFT_BPSK	9.220	9.490	PASS
n7	15	10	507000	50@0	DFT_QPSK	9.250	9.480	PASS
n7	15	10	507000	50@0	DFT_QAM16	9.210	9.480	PASS
n7	15	10	507000	50@0	DFT_QAM64	9.210	9.480	PASS
n7	15	10	507000	50@0	DFT_QAM256	9.240	9.480	PASS
n7	15	10	507000	52@0	CP_QPSK	9.330	9.840	PASS
n7	15	10	513000	50@0	DFT_BPSK	9.250	9.490	PASS
n7	15	10	513000	50@0	DFT_QPSK	9.210	9.480	PASS
n7	15	10	513000	50@0	DFT_QAM16	9.250	9.470	PASS
n7	15	10	513000	50@0	DFT_QAM64	9.250	9.470	PASS
n7	15	10	513000	50@0	DFT_QAM256	9.250	9.470	PASS
n7	15	10	513000	52@0	CP_QPSK	9.330	9.830	PASS
n7	15	15	501500	75@0	DFT_BPSK	13.950	14.200	PASS
n7	15	15	501500	75@0	DFT_QPSK	13.940	14.200	PASS

n7	15	15	501500	75@0	DFT_QAM16	13.990	14.200	PASS
n7	15	15	501500	75@0	DFT_QAM64	13.980	14.190	PASS
n7	15	15	501500	75@0	DFT_QAM256	14.000	14.210	PASS
n7	15	15	501500	79@0	CP_QPSK	14.160	14.920	PASS
n7	15	15	507000	75@0	DFT_BPSK	14.010	14.210	PASS
n7	15	15	507000	75@0	DFT_QPSK	14.000	14.190	PASS
n7	15	15	507000	75@0	DFT_QAM16	14.000	14.190	PASS
n7	15	15	507000	75@0	DFT_QAM64	14.010	14.200	PASS
n7	15	15	507000	75@0	DFT_QAM256	14.060	14.220	PASS
n7	15	15	507000	79@0	CP_QPSK	14.170	14.930	PASS
n7	15	15	512500	75@0	DFT_BPSK	14.050	14.210	PASS
n7	15	15	512500	75@0	DFT_QPSK	14.000	14.180	PASS
n7	15	15	512500	75@0	DFT_QAM16	14.060	14.190	PASS
n7	15	15	512500	75@0	DFT_QAM64	14.050	14.190	PASS
n7	15	15	512500	75@0	DFT_QAM256	14.070	14.200	PASS
n7	15	15	512500	79@0	CP_QPSK	14.170	14.910	PASS
n7	15	20	502000	100@0	DFT_BPSK	18.670	18.900	PASS
n7	15	20	502000	100@0	DFT_QPSK	18.730	18.900	PASS
n7	15	20	502000	100@0	DFT_QAM16	18.660	18.900	PASS
n7	15	20	502000	100@0	DFT_QAM64	18.730	18.910	PASS
n7	15	20	502000	100@0	DFT_QAM256	18.730	18.900	PASS
n7	15	20	502000	106@0	CP_QPSK	18.980	19.990	PASS
n7	15	20	507000	100@0	DFT_BPSK	18.750	18.910	PASS
n7	15	20	507000	100@0	DFT_QPSK	18.810	18.910	PASS
n7	15	20	507000	100@0	DFT_QAM16	18.810	18.920	PASS
n7	15	20	507000	100@0	DFT_QAM64	18.810	18.910	PASS
n7	15	20	507000	100@0	DFT_QAM256	18.750	18.910	PASS
n7	15	20	507000	106@0	CP_QPSK	18.980	20.000	PASS
n7	15	20	512000	100@0	DFT_BPSK	18.800	18.910	PASS
n7	15	20	512000	100@0	DFT_QPSK	18.810	18.890	PASS
n7	15	20	512000	100@0	DFT_QAM16	18.750	18.900	PASS
n7	15	20	512000	100@0	DFT_QAM64	18.830	18.910	PASS
n7	15	20	512000	100@0	DFT_QAM256	18.820	18.880	PASS
n7	15	20	512000	106@0	CP_QPSK	18.980	19.980	PASS


n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=501000 RB=50 @0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=501000 RB=50 @0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz CP_QPSK BW=10MHz Channel=501000 RB=52@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz CP_QPSK BW=10MHz Channel=507000 RB=52@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz CP_QPSK BW=10MHz Channel=513000 RB=52@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=501500 RB=75 @0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=501500 RB=75 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz CP_QPSK BW=15MHz Channel=501500 RB=79@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=507000 RB=75 @0



n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz CP_QPSK BW=15MHz Channel=507000 RB=79@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=512500 RB=75 @0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=512500 RB=75 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz CP_QPSK BW=15MHz Channel=512500 RB=79@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz CP_QPSK BW=20MHz Channel=502000 RB=106@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz CP_QPSK BW=20MHz Channel=507000 RB=106@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz CP_QPSK BW=20MHz Channel=512000 RB=106@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n7	15	5	500500	25@0	DFT_QPSK	2490.11	-36.52	-25	PASS
n7	15	5	500500	1@0	DFT_QPSK	2498.53	-18.89	-10	PASS
n7	15	5	513500	25@0	DFT_QPSK	2576.92	-33.95	-25	PASS
n7	15	5	513500	1@24	DFT_QPSK	2571.40	-17.53	-10	PASS
n7	15	20	502000	100@0	DFT_QPSK	2475.00	-41.11	-25	PASS
n7	15	20	502000	1@0	DFT_QPSK	2498.41	-22.40	-10	PASS
n7	15	20	512000	100@0	DFT_QPSK	2590.77	-40.90	-25	PASS
n7	15	20	512000	1@105	DFT_QPSK	2570.02	-25.48	-10	PASS


n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=1@24




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@0



n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@105




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n7	15	5	500500	25@0	DFT_QPSK	26223.48	-31.99	-25	PASS
n7	15	5	500500	1@0	DFT_QPSK	26275.68	-31.87	-25	PASS
n7	15	5	500500	1@24	DFT_QPSK	26325.70	-32.22	-25	PASS
n7	15	5	507000	25@0	DFT_QPSK	26213.33	-32.23	-25	PASS
n7	15	5	507000	1@0	DFT_QPSK	26375.73	-32.88	-25	PASS
n7	15	5	507000	1@24	DFT_QPSK	26264.80	-32.55	-25	PASS
n7	15	5	513500	25@0	DFT_QPSK	25729.03	-32.19	-25	PASS
n7	15	5	513500	1@0	DFT_QPSK	2595.00	-31.08	-25	PASS
n7	15	5	513500	1@24	DFT_QPSK	25742.08	-32.82	-25	PASS
n7	15	20	502000	100@0	DFT_QPSK	26321.35	-32.22	-25	PASS
n7	15	20	502000	1@0	DFT_QPSK	26268.43	-31.61	-25	PASS
n7	15	20	502000	1@105	DFT_QPSK	27897.50	-32.74	-25	PASS
n7	15	20	507000	100@0	DFT_QPSK	26179.25	-31.75	-25	PASS
n7	15	20	507000	1@0	DFT_QPSK	26301.05	-32.42	-25	PASS
n7	15	20	507000	1@105	DFT_QPSK	29335.18	-32.46	-25	PASS
n7	15	20	512000	100@0	DFT_QPSK	26480.85	-32.14	-25	PASS
n7	15	20	512000	1@0	DFT_QPSK	26280.75	-32.55	-25	PASS
n7	15	20	512000	1@105	DFT_QPSK	26216.23	-32.01	-25	PASS


n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=1@24




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=1@24




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=1 @24




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=100 @0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=1 @ 105




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=1 @ 0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=1 @105



n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=100 @0



n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@0



n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@105

