

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	ERP Limit (dBm)	Verdict
n12	15	5	140300	12@6	DFT_BPSK	24.07	-7.25	14.67	34.77	PASS
n12	15	5	140300	1@1	DFT_BPSK	23.99	-7.25	14.59	34.77	PASS
n12	15	5	140300	1@23	DFT_BPSK	23.99	-7.25	14.59	34.77	PASS
n12	15	5	140300	12@6	DFT_QPSK	24.12	-7.25	14.72	34.77	PASS
n12	15	5	140300	1@1	DFT_QPSK	23.82	-7.25	14.42	34.77	PASS
n12	15	5	140300	1@23	DFT_QPSK	23.90	-7.25	14.50	34.77	PASS
n12	15	5	140300	12@6	DFT_QAM16	23.03	-7.25	13.63	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM16	23.03	-7.25	13.63	34.77	PASS
n12	15	5	140300	1@23	DFT_QAM16	22.99	-7.25	13.59	34.77	PASS
n12	15	5	140300	12@6	DFT_QAM64	21.62	-7.25	12.22	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM64	21.81	-7.25	12.41	34.77	PASS
n12	15	5	140300	1@23	DFT_QAM64	21.48	-7.25	12.08	34.77	PASS
n12	15	5	140300	12@6	DFT_QAM256	19.68	-7.25	10.28	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM256	19.65	-7.25	10.25	34.77	PASS
n12	15	5	140300	1@23	DFT_QAM256	19.90	-7.25	10.50	34.77	PASS
n12	15	5	140300	13@6	CP_QPSK	22.55	-7.25	13.15	34.77	PASS
n12	15	5	140300	1@1	CP_QPSK	22.51	-7.25	13.11	34.77	PASS
n12	15	5	140300	1@23	CP_QPSK	22.49	-7.25	13.09	34.77	PASS
n12	15	5	140300	13@6	CP_QAM16	22.09	-7.25	12.69	34.77	PASS
n12	15	5	140300	1@1	CP_QAM16	22.11	-7.25	12.71	34.77	PASS
n12	15	5	140300	1@23	CP_QAM16	22.11	-7.25	12.71	34.77	PASS
n12	15	5	140300	13@6	CP_QAM64	20.47	-7.25	11.07	34.77	PASS
n12	15	5	140300	1@1	CP_QAM64	20.57	-7.25	11.17	34.77	PASS
n12	15	5	140300	1@23	CP_QAM64	20.58	-7.25	11.18	34.77	PASS
n12	15	5	140300	13@6	CP_QAM256	17.64	-7.25	8.24	34.77	PASS
n12	15	5	140300	1@1	CP_QAM256	17.47	-7.25	8.07	34.77	PASS
n12	15	5	140300	1@23	CP_QAM256	17.46	-7.25	8.06	34.77	PASS
n12	15	5	141500	12@6	DFT_BPSK	24.03	-7.25	14.63	34.77	PASS
n12	15	5	141500	1@1	DFT_BPSK	23.97	-7.25	14.57	34.77	PASS
n12	15	5	141500	1@23	DFT_BPSK	24.08	-7.25	14.68	34.77	PASS
n12	15	5	141500	12@6	DFT_QPSK	24.11	-7.25	14.71	34.77	PASS
n12	15	5	141500	1@1	DFT_QPSK	23.87	-7.25	14.47	34.77	PASS
n12	15	5	141500	1@23	DFT_QPSK	23.89	-7.25	14.49	34.77	PASS
n12	15	5	141500	12@6	DFT_QAM16	22.99	-7.25	13.59	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM16	23.02	-7.25	13.62	34.77	PASS
n12	15	5	141500	1@23	DFT_QAM16	23.26	-7.25	13.86	34.77	PASS
n12	15	5	141500	12@6	DFT_QAM64	21.57	-7.25	12.17	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM64	21.53	-7.25	12.13	34.77	PASS
n12	15	5	141500	1@23	DFT_QAM64	21.87	-7.25	12.47	34.77	PASS

n12	15	5	141500	12@6	DFT_QAM256	19.63	-7.25	10.23	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM256	19.68	-7.25	10.28	34.77	PASS
n12	15	5	141500	1@23	DFT_QAM256	19.88	-7.25	10.48	34.77	PASS
n12	15	5	141500	13@6	CP_QPSK	22.57	-7.25	13.17	34.77	PASS
n12	15	5	141500	1@1	CP_QPSK	22.60	-7.25	13.20	34.77	PASS
n12	15	5	141500	1@23	CP_QPSK	22.67	-7.25	13.27	34.77	PASS
n12	15	5	141500	13@6	CP_QAM16	21.94	-7.25	12.54	34.77	PASS
n12	15	5	141500	1@1	CP_QAM16	21.89	-7.25	12.49	34.77	PASS
n12	15	5	141500	1@23	CP_QAM16	22.20	-7.25	12.80	34.77	PASS
n12	15	5	141500	13@6	CP_QAM64	20.41	-7.25	11.01	34.77	PASS
n12	15	5	141500	1@1	CP_QAM64	20.59	-7.25	11.19	34.77	PASS
n12	15	5	141500	1@23	CP_QAM64	20.58	-7.25	11.18	34.77	PASS
n12	15	5	141500	13@6	CP_QAM256	17.60	-7.25	8.20	34.77	PASS
n12	15	5	141500	1@1	CP_QAM256	17.45	-7.25	8.05	34.77	PASS
n12	15	5	141500	1@23	CP_QAM256	17.52	-7.25	8.12	34.77	PASS
n12	15	5	142700	12@6	DFT_BPSK	24.04	-7.25	14.64	34.77	PASS
n12	15	5	142700	1@1	DFT_BPSK	24.02	-7.25	14.62	34.77	PASS
n12	15	5	142700	1@23	DFT_BPSK	24.08	-7.25	14.68	34.77	PASS
n12	15	5	142700	12@6	DFT_QPSK	24.12	-7.25	14.72	34.77	PASS
n12	15	5	142700	1@1	DFT_QPSK	23.87	-7.25	14.47	34.77	PASS
n12	15	5	142700	1@23	DFT_QPSK	23.89	-7.25	14.49	34.77	PASS
n12	15	5	142700	12@6	DFT_QAM16	23.07	-7.25	13.67	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM16	23.27	-7.25	13.87	34.77	PASS
n12	15	5	142700	1@23	DFT_QAM16	23.23	-7.25	13.83	34.77	PASS
n12	15	5	142700	12@6	DFT_QAM64	21.62	-7.25	12.22	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM64	21.66	-7.25	12.26	34.77	PASS
n12	15	5	142700	1@23	DFT_QAM64	21.61	-7.25	12.21	34.77	PASS
n12	15	5	142700	12@6	DFT_QAM256	19.64	-7.25	10.24	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM256	19.74	-7.25	10.34	34.77	PASS
n12	15	5	142700	1@23	DFT_QAM256	19.82	-7.25	10.42	34.77	PASS
n12	15	5	142700	13@6	CP_QPSK	22.54	-7.25	13.14	34.77	PASS
n12	15	5	142700	1@1	CP_QPSK	22.56	-7.25	13.16	34.77	PASS
n12	15	5	142700	1@23	CP_QPSK	22.61	-7.25	13.21	34.77	PASS
n12	15	5	142700	13@6	CP_QAM16	21.98	-7.25	12.58	34.77	PASS
n12	15	5	142700	1@1	CP_QAM16	22.16	-7.25	12.76	34.77	PASS
n12	15	5	142700	1@23	CP_QAM16	22.01	-7.25	12.61	34.77	PASS
n12	15	5	142700	13@6	CP_QAM64	20.50	-7.25	11.10	34.77	PASS
n12	15	5	142700	1@1	CP_QAM64	20.62	-7.25	11.22	34.77	PASS
n12	15	5	142700	1@23	CP_QAM64	20.60	-7.25	11.20	34.77	PASS
n12	15	5	142700	13@6	CP_QAM256	17.58	-7.25	8.18	34.77	PASS
n12	15	5	142700	1@1	CP_QAM256	17.44	-7.25	8.04	34.77	PASS
n12	15	5	142700	1@23	CP_QAM256	17.59	-7.25	8.19	34.77	PASS
n12	15	10	140800	25@12	DFT_BPSK	23.92	-7.25	14.52	34.77	PASS

n12	15	10	140800	1@1	DFT_BPSK	23.87	-7.25	14.47	34.77	PASS
n12	15	10	140800	1@50	DFT_BPSK	23.84	-7.25	14.44	34.77	PASS
n12	15	10	140800	25@12	DFT_QPSK	23.88	-7.25	14.48	34.77	PASS
n12	15	10	140800	1@1	DFT_QPSK	23.70	-7.25	14.30	34.77	PASS
n12	15	10	140800	1@50	DFT_QPSK	23.67	-7.25	14.27	34.77	PASS
n12	15	10	140800	25@12	DFT_QAM16	22.89	-7.25	13.49	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM16	22.91	-7.25	13.51	34.77	PASS
n12	15	10	140800	1@50	DFT_QAM16	22.83	-7.25	13.43	34.77	PASS
n12	15	10	140800	25@12	DFT_QAM64	21.41	-7.25	12.01	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM64	21.60	-7.25	12.20	34.77	PASS
n12	15	10	140800	1@50	DFT_QAM64	21.56	-7.25	12.16	34.77	PASS
n12	15	10	140800	25@12	DFT_QAM256	19.41	-7.25	10.01	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM256	19.41	-7.25	10.01	34.77	PASS
n12	15	10	140800	1@50	DFT_QAM256	19.73	-7.25	10.33	34.77	PASS
n12	15	10	140800	26@13	CP_QPSK	22.33	-7.25	12.93	34.77	PASS
n12	15	10	140800	1@1	CP_QPSK	22.34	-7.25	12.94	34.77	PASS
n12	15	10	140800	1@50	CP_QPSK	22.37	-7.25	12.97	34.77	PASS
n12	15	10	140800	26@13	CP_QAM16	21.83	-7.25	12.43	34.77	PASS
n12	15	10	140800	1@1	CP_QAM16	21.82	-7.25	12.42	34.77	PASS
n12	15	10	140800	1@50	CP_QAM16	21.83	-7.25	12.43	34.77	PASS
n12	15	10	140800	26@13	CP_QAM64	20.29	-7.25	10.89	34.77	PASS
n12	15	10	140800	1@1	CP_QAM64	20.29	-7.25	10.89	34.77	PASS
n12	15	10	140800	1@50	CP_QAM64	20.44	-7.25	11.04	34.77	PASS
n12	15	10	140800	26@13	CP_QAM256	17.42	-7.25	8.02	34.77	PASS
n12	15	10	140800	1@1	CP_QAM256	17.44	-7.25	8.04	34.77	PASS
n12	15	10	140800	1@50	CP_QAM256	17.31	-7.25	7.91	34.77	PASS
n12	15	10	141500	25@12	DFT_BPSK	23.90	-7.25	14.50	34.77	PASS
n12	15	10	141500	1@1	DFT_BPSK	23.83	-7.25	14.43	34.77	PASS
n12	15	10	141500	1@50	DFT_BPSK	23.83	-7.25	14.43	34.77	PASS
n12	15	10	141500	25@12	DFT_QPSK	23.89	-7.25	14.49	34.77	PASS
n12	15	10	141500	1@1	DFT_QPSK	23.68	-7.25	14.28	34.77	PASS
n12	15	10	141500	1@50	DFT_QPSK	23.64	-7.25	14.24	34.77	PASS
n12	15	10	141500	25@12	DFT_QAM16	22.91	-7.25	13.51	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM16	22.81	-7.25	13.41	34.77	PASS
n12	15	10	141500	1@50	DFT_QAM16	22.83	-7.25	13.43	34.77	PASS
n12	15	10	141500	25@12	DFT_QAM64	21.34	-7.25	11.94	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM64	21.49	-7.25	12.09	34.77	PASS
n12	15	10	141500	1@50	DFT_QAM64	21.69	-7.25	12.29	34.77	PASS
n12	15	10	141500	25@12	DFT_QAM256	19.34	-7.25	9.94	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM256	19.48	-7.25	10.08	34.77	PASS
n12	15	10	141500	1@50	DFT_QAM256	19.48	-7.25	10.08	34.77	PASS
n12	15	10	141500	26@13	CP_QPSK	22.43	-7.25	13.03	34.77	PASS
n12	15	10	141500	1@1	CP_QPSK	22.40	-7.25	13.00	34.77	PASS

n12	15	10	141500	1@50	CP_QPSK	22.40	-7.25	13.00	34.77	PASS
n12	15	10	141500	26@13	CP_QAM16	21.80	-7.25	12.40	34.77	PASS
n12	15	10	141500	1@1	CP_QAM16	21.80	-7.25	12.40	34.77	PASS
n12	15	10	141500	1@50	CP_QAM16	22.00	-7.25	12.60	34.77	PASS
n12	15	10	141500	26@13	CP_QAM64	20.39	-7.25	10.99	34.77	PASS
n12	15	10	141500	1@1	CP_QAM64	20.63	-7.25	11.23	34.77	PASS
n12	15	10	141500	1@50	CP_QAM64	20.45	-7.25	11.05	34.77	PASS
n12	15	10	141500	26@13	CP_QAM256	17.37	-7.25	7.97	34.77	PASS
n12	15	10	141500	1@1	CP_QAM256	17.27	-7.25	7.87	34.77	PASS
n12	15	10	141500	1@50	CP_QAM256	17.26	-7.25	7.86	34.77	PASS
n12	15	10	142200	25@12	DFT_BPSK	23.96	-7.25	14.56	34.77	PASS
n12	15	10	142200	1@1	DFT_BPSK	23.74	-7.25	14.34	34.77	PASS
n12	15	10	142200	1@50	DFT_BPSK	23.78	-7.25	14.38	34.77	PASS
n12	15	10	142200	25@12	DFT_QPSK	23.99	-7.25	14.59	34.77	PASS
n12	15	10	142200	1@1	DFT_QPSK	23.65	-7.25	14.25	34.77	PASS
n12	15	10	142200	1@50	DFT_QPSK	23.61	-7.25	14.21	34.77	PASS
n12	15	10	142200	25@12	DFT_QAM16	22.95	-7.25	13.55	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM16	22.81	-7.25	13.41	34.77	PASS
n12	15	10	142200	1@50	DFT_QAM16	22.81	-7.25	13.41	34.77	PASS
n12	15	10	142200	25@12	DFT_QAM64	21.39	-7.25	11.99	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM64	21.69	-7.25	12.29	34.77	PASS
n12	15	10	142200	1@50	DFT_QAM64	21.52	-7.25	12.12	34.77	PASS
n12	15	10	142200	25@12	DFT_QAM256	19.37	-7.25	9.97	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM256	19.39	-7.25	9.99	34.77	PASS
n12	15	10	142200	1@50	DFT_QAM256	19.79	-7.25	10.39	34.77	PASS
n12	15	10	142200	26@13	CP_QPSK	22.39	-7.25	12.99	34.77	PASS
n12	15	10	142200	1@1	CP_QPSK	22.37	-7.25	12.97	34.77	PASS
n12	15	10	142200	1@50	CP_QPSK	22.40	-7.25	13.00	34.77	PASS
n12	15	10	142200	26@13	CP_QAM16	21.81	-7.25	12.41	34.77	PASS
n12	15	10	142200	1@1	CP_QAM16	21.86	-7.25	12.46	34.77	PASS
n12	15	10	142200	1@50	CP_QAM16	22.01	-7.25	12.61	34.77	PASS
n12	15	10	142200	26@13	CP_QAM64	20.38	-7.25	10.98	34.77	PASS
n12	15	10	142200	1@1	CP_QAM64	20.41	-7.25	11.01	34.77	PASS
n12	15	10	142200	1@50	CP_QAM64	20.68	-7.25	11.28	34.77	PASS
n12	15	10	142200	26@13	CP_QAM256	17.31	-7.25	7.91	34.77	PASS
n12	15	10	142200	1@1	CP_QAM256	17.25	-7.25	7.85	34.77	PASS
n12	15	10	142200	1@50	CP_QAM256	17.32	-7.25	7.92	34.77	PASS
n12	15	15	141300	36@18	DFT_BPSK	24.02	-7.25	14.62	34.77	PASS
n12	15	15	141300	1@1	DFT_BPSK	23.84	-7.25	14.44	34.77	PASS
n12	15	15	141300	1@77	DFT_BPSK	23.97	-7.25	14.57	34.77	PASS
n12	15	15	141300	36@18	DFT_QPSK	23.98	-7.25	14.58	34.77	PASS
n12	15	15	141300	1@1	DFT_QPSK	23.72	-7.25	14.32	34.77	PASS
n12	15	15	141300	1@77	DFT_QPSK	23.76	-7.25	14.36	34.77	PASS

n12	15	15	141300	36@18	DFT_QAM16	23.02	-7.25	13.62	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM16	22.87	-7.25	13.47	34.77	PASS
n12	15	15	141300	1@77	DFT_QAM16	22.86	-7.25	13.46	34.77	PASS
n12	15	15	141300	36@18	DFT_QAM64	21.48	-7.25	12.08	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM64	21.70	-7.25	12.30	34.77	PASS
n12	15	15	141300	1@77	DFT_QAM64	21.62	-7.25	12.22	34.77	PASS
n12	15	15	141300	36@18	DFT_QAM256	19.49	-7.25	10.09	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM256	19.56	-7.25	10.16	34.77	PASS
n12	15	15	141300	1@77	DFT_QAM256	19.57	-7.25	10.17	34.77	PASS
n12	15	15	141300	39@19	CP_QPSK	22.46	-7.25	13.06	34.77	PASS
n12	15	15	141300	1@1	CP_QPSK	22.39	-7.25	12.99	34.77	PASS
n12	15	15	141300	1@77	CP_QPSK	22.43	-7.25	13.03	34.77	PASS
n12	15	15	141300	39@19	CP_QAM16	22.01	-7.25	12.61	34.77	PASS
n12	15	15	141300	1@1	CP_QAM16	21.97	-7.25	12.57	34.77	PASS
n12	15	15	141300	1@77	CP_QAM16	22.16	-7.25	12.76	34.77	PASS
n12	15	15	141300	39@19	CP_QAM64	20.56	-7.25	11.16	34.77	PASS
n12	15	15	141300	1@1	CP_QAM64	20.52	-7.25	11.12	34.77	PASS
n12	15	15	141300	1@77	CP_QAM64	20.53	-7.25	11.13	34.77	PASS
n12	15	15	141300	39@19	CP_QAM256	17.45	-7.25	8.05	34.77	PASS
n12	15	15	141300	1@1	CP_QAM256	17.34	-7.25	7.94	34.77	PASS
n12	15	15	141300	1@77	CP_QAM256	17.62	-7.25	8.22	34.77	PASS
n12	15	15	141500	36@18	DFT_BPSK	24.06	-7.25	14.66	34.77	PASS
n12	15	15	141500	1@1	DFT_BPSK	23.90	-7.25	14.50	34.77	PASS
n12	15	15	141500	1@77	DFT_BPSK	23.99	-7.25	14.59	34.77	PASS
n12	15	15	141500	36@18	DFT_QPSK	24.04	-7.25	14.64	34.77	PASS
n12	15	15	141500	1@1	DFT_QPSK	23.76	-7.25	14.36	34.77	PASS
n12	15	15	141500	1@77	DFT_QPSK	23.77	-7.25	14.37	34.77	PASS
n12	15	15	141500	36@18	DFT_QAM16	23.09	-7.25	13.69	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM16	22.85	-7.25	13.45	34.77	PASS
n12	15	15	141500	1@77	DFT_QAM16	22.84	-7.25	13.44	34.77	PASS
n12	15	15	141500	36@18	DFT_QAM64	21.50	-7.25	12.10	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM64	21.55	-7.25	12.15	34.77	PASS
n12	15	15	141500	1@77	DFT_QAM64	21.69	-7.25	12.29	34.77	PASS
n12	15	15	141500	36@18	DFT_QAM256	19.58	-7.25	10.18	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM256	19.55	-7.25	10.15	34.77	PASS
n12	15	15	141500	1@77	DFT_QAM256	19.46	-7.25	10.06	34.77	PASS
n12	15	15	141500	39@19	CP_QPSK	22.59	-7.25	13.19	34.77	PASS
n12	15	15	141500	1@1	CP_QPSK	22.41	-7.25	13.01	34.77	PASS
n12	15	15	141500	1@77	CP_QPSK	22.43	-7.25	13.03	34.77	PASS
n12	15	15	141500	39@19	CP_QAM16	22.02	-7.25	12.62	34.77	PASS
n12	15	15	141500	1@1	CP_QAM16	21.90	-7.25	12.50	34.77	PASS
n12	15	15	141500	1@77	CP_QAM16	21.98	-7.25	12.58	34.77	PASS
n12	15	15	141500	39@19	CP_QAM64	20.45	-7.25	11.05	34.77	PASS

n12	15	15	141500	1@1	CP_QAM64	20.54	-7.25	11.14	34.77	PASS
n12	15	15	141500	1@77	CP_QAM64	20.53	-7.25	11.13	34.77	PASS
n12	15	15	141500	39@19	CP_QAM256	17.54	-7.25	8.14	34.77	PASS
n12	15	15	141500	1@1	CP_QAM256	17.57	-7.25	8.17	34.77	PASS
n12	15	15	141500	1@77	CP_QAM256	17.36	-7.25	7.96	34.77	PASS
n12	15	15	141700	36@18	DFT_BPSK	24.06	-7.25	14.66	34.77	PASS
n12	15	15	141700	1@1	DFT_BPSK	23.92	-7.25	14.52	34.77	PASS
n12	15	15	141700	1@77	DFT_BPSK	23.87	-7.25	14.47	34.77	PASS
n12	15	15	141700	36@18	DFT_QPSK	24.07	-7.25	14.67	34.77	PASS
n12	15	15	141700	1@1	DFT_QPSK	23.82	-7.25	14.42	34.77	PASS
n12	15	15	141700	1@77	DFT_QPSK	23.77	-7.25	14.37	34.77	PASS
n12	15	15	141700	36@18	DFT_QAM16	23.07	-7.25	13.67	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM16	22.92	-7.25	13.52	34.77	PASS
n12	15	15	141700	1@77	DFT_QAM16	22.76	-7.25	13.36	34.77	PASS
n12	15	15	141700	36@18	DFT_QAM64	21.54	-7.25	12.14	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM64	21.67	-7.25	12.27	34.77	PASS
n12	15	15	141700	1@77	DFT_QAM64	21.55	-7.25	12.15	34.77	PASS
n12	15	15	141700	36@18	DFT_QAM256	19.65	-7.25	10.25	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM256	19.74	-7.25	10.34	34.77	PASS
n12	15	15	141700	1@77	DFT_QAM256	19.58	-7.25	10.18	34.77	PASS
n12	15	15	141700	39@19	CP_QPSK	22.58	-7.25	13.18	34.77	PASS
n12	15	15	141700	1@1	CP_QPSK	22.39	-7.25	12.99	34.77	PASS
n12	15	15	141700	1@77	CP_QPSK	22.40	-7.25	13.00	34.77	PASS
n12	15	15	141700	39@19	CP_QAM16	22.05	-7.25	12.65	34.77	PASS
n12	15	15	141700	1@1	CP_QAM16	21.92	-7.25	12.52	34.77	PASS
n12	15	15	141700	1@77	CP_QAM16	21.98	-7.25	12.58	34.77	PASS
n12	15	15	141700	39@19	CP_QAM64	20.44	-7.25	11.04	34.77	PASS
n12	15	15	141700	1@1	CP_QAM64	20.52	-7.25	11.12	34.77	PASS
n12	15	15	141700	1@77	CP_QAM64	20.47	-7.25	11.07	34.77	PASS
n12	15	15	141700	39@19	CP_QAM256	17.64	-7.25	8.24	34.77	PASS
n12	15	15	141700	1@1	CP_QAM256	17.34	-7.25	7.94	34.77	PASS
n12	15	15	141700	1@77	CP_QAM256	17.36	-7.25	7.96	34.77	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n12	15	15	141500	50@25	DFT_BPSK	3.87	-3.03	0.00	Within authorized band for 5G NR n12	PASS
n12	15	15	141500	50@25	DFT_BPSK	3.45	-4.49	-0.01		PASS
n12	15	15	141500	50@25	DFT_BPSK	4.45	-4.33	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	3.87	-2.88	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	3.45	-1.33	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	4.45	-3.35	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n12	15	15	141500	50@25	DFT_BPSK	-30	-3.14	0.00	Within authorized band for 5G NR n12	PASS
n12	15	15	141500	50@25	DFT_BPSK	-20	-2.65	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	-10	-5.55	-0.01		PASS
n12	15	15	141500	50@25	DFT_BPSK	0	-2.12	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	10	-4.17	-0.01		PASS
n12	15	15	141500	50@25	DFT_BPSK	20	-3.71	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	30	-2.07	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	40	-0.36	0.00		PASS
n12	15	15	141500	50@25	DFT_BPSK	50	-4.22	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	-30	-5.78	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	-20	-3.95	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	-10	-4.88	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	0	-4.78	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	10	-3.97	-0.01		PASS
n12	15	15	141500	50@25	DFT_QPSK	20	-3.33	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	30	-1.79	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	40	-0.67	0.00		PASS
n12	15	15	141500	50@25	DFT_QPSK	50	-4.19	-0.01		PASS

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n12	15	5	141500	25@0	DFT_BPSK	4.36	13	PASS
n12	15	5	141500	25@0	DFT_QPSK	5.37	13	PASS
n12	15	5	141500	25@0	DFT_QAM16	6.20	13	PASS
n12	15	5	141500	25@0	DFT_QAM64	6.34	13	PASS
n12	15	5	141500	25@0	DFT_QAM256	6.93	13	PASS
n12	15	10	141500	50@0	DFT_BPSK	4.41	13	PASS
n12	15	10	141500	50@0	DFT_QPSK	5.46	13	PASS
n12	15	10	141500	50@0	DFT_QAM16	6.25	13	PASS
n12	15	10	141500	50@0	DFT_QAM64	6.55	13	PASS
n12	15	10	141500	50@0	DFT_QAM256	6.87	13	PASS
n12	15	15	141500	75@0	DFT_BPSK	4.46	13	PASS
n12	15	15	141500	75@0	DFT_QPSK	5.42	13	PASS
n12	15	15	141500	75@0	DFT_QAM16	6.28	13	PASS
n12	15	15	141500	75@0	DFT_QAM64	6.60	13	PASS
n12	15	15	141500	75@0	DFT_QAM256	6.72	13	PASS


n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141500 RB=75@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n12	15	5	140300	25@0	DFT_BPSK	4.480	4.780	PASS
n12	15	5	140300	25@0	DFT_QPSK	4.500	4.790	PASS
n12	15	5	140300	25@0	DFT_QAM16	4.480	4.770	PASS
n12	15	5	140300	25@0	DFT_QAM64	4.490	4.780	PASS
n12	15	5	140300	25@0	DFT_QAM256	4.480	4.760	PASS
n12	15	5	140300	25@0	CP_QPSK	4.490	4.770	PASS
n12	15	5	141500	25@0	DFT_BPSK	4.490	4.750	PASS
n12	15	5	141500	25@0	DFT_QPSK	4.500	4.780	PASS
n12	15	5	141500	25@0	DFT_QAM16	4.480	4.750	PASS
n12	15	5	141500	25@0	DFT_QAM64	4.490	4.780	PASS
n12	15	5	141500	25@0	DFT_QAM256	4.490	4.770	PASS
n12	15	5	141500	25@0	CP_QPSK	4.490	4.770	PASS
n12	15	5	142700	25@0	DFT_BPSK	4.490	4.760	PASS
n12	15	5	142700	25@0	DFT_QPSK	4.480	4.750	PASS
n12	15	5	142700	25@0	DFT_QAM16	4.490	4.770	PASS
n12	15	5	142700	25@0	DFT_QAM64	4.490	4.760	PASS
n12	15	5	142700	25@0	DFT_QAM256	4.480	4.760	PASS
n12	15	5	142700	25@0	CP_QPSK	4.490	4.770	PASS
n12	15	10	140800	50@0	DFT_BPSK	9.210	9.470	PASS
n12	15	10	140800	50@0	DFT_QPSK	9.210	9.480	PASS
n12	15	10	140800	50@0	DFT_QAM16	9.220	9.470	PASS
n12	15	10	140800	50@0	DFT_QAM64	9.250	9.480	PASS
n12	15	10	140800	50@0	DFT_QAM256	9.180	9.480	PASS
n12	15	10	140800	52@0	CP_QPSK	9.330	9.830	PASS
n12	15	10	141500	50@0	DFT_BPSK	9.220	9.470	PASS
n12	15	10	141500	50@0	DFT_QPSK	9.210	9.470	PASS
n12	15	10	141500	50@0	DFT_QAM16	9.240	9.470	PASS
n12	15	10	141500	50@0	DFT_QAM64	9.210	9.460	PASS
n12	15	10	141500	50@0	DFT_QAM256	9.240	9.450	PASS
n12	15	10	141500	52@0	CP_QPSK	9.330	9.840	PASS
n12	15	10	142200	50@0	DFT_BPSK	9.250	9.470	PASS
n12	15	10	142200	50@0	DFT_QPSK	9.240	9.480	PASS
n12	15	10	142200	50@0	DFT_QAM16	9.250	9.480	PASS
n12	15	10	142200	50@0	DFT_QAM64	9.260	9.480	PASS
n12	15	10	142200	50@0	DFT_QAM256	9.250	9.460	PASS
n12	15	10	142200	52@0	CP_QPSK	9.330	9.840	PASS
n12	15	15	141300	75@0	DFT_BPSK	14.010	14.200	PASS
n12	15	15	141300	75@0	DFT_QPSK	14.000	14.190	PASS
n12	15	15	141300	75@0	DFT_QAM16	14.000	14.210	PASS

n12	15	15	141300	75@0	DFT_QAM64	13.990	14.180	PASS
n12	15	15	141300	75@0	DFT_QAM256	13.990	14.190	PASS
n12	15	15	141300	79@0	CP_QPSK	14.160	14.910	PASS
n12	15	15	141500	75@0	DFT_BPSK	14.000	14.200	PASS
n12	15	15	141500	75@0	DFT_QPSK	14.010	14.210	PASS
n12	15	15	141500	75@0	DFT_QAM16	14.010	14.190	PASS
n12	15	15	141500	75@0	DFT_QAM64	13.990	14.180	PASS
n12	15	15	141500	75@0	DFT_QAM256	14.000	14.200	PASS
n12	15	15	141500	79@0	CP_QPSK	14.170	14.920	PASS
n12	15	15	141700	75@0	DFT_BPSK	14.000	14.190	PASS
n12	15	15	141700	75@0	DFT_QPSK	14.040	14.210	PASS
n12	15	15	141700	75@0	DFT_QAM16	14.010	14.200	PASS
n12	15	15	141700	75@0	DFT_QAM64	14.000	14.180	PASS
n12	15	15	141700	75@0	DFT_QAM256	14.000	14.190	PASS
n12	15	15	141700	79@0	CP_QPSK	14.160	14.920	PASS


n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=52@0




n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=141500 RB=52@0




n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=142200 RB=50@0



n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=52@0




n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=79@0




n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141500 RB=79@0



n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141700 RB=75@0



n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141700 RB=75@0



n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141700 RB=75@0



n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=79@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	25@0	DFT_QPSK	696.26	-27.35	-13	PASS
n12	15	5	140300	1@0	DFT_QPSK	697.78	-20.77	-13	PASS
n12	15	5	142700	25@0	DFT_QPSK	717.77	-25.71	-13	PASS
n12	15	5	142700	1@24	DFT_QPSK	718.10	-23.96	-13	PASS
n12	15	15	141300	75@0	DFT_QPSK	697.96	-30.09	-13	PASS
n12	15	15	141300	1@0	DFT_QPSK	699.00	-21.89	-13	PASS
n12	15	15	141700	75@0	DFT_QPSK	717.41	-30.70	-13	PASS
n12	15	15	141700	1@78	DFT_QPSK	716.01	-25.13	-13	PASS


n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=140300 RB=1@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=142700 RB=1@24




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141300 RB=1@0



n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141700 RB=1@78




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	25@0	DFT_QPSK	3844.23	-38.22	-13	PASS
n12	15	5	140300	1@0	DFT_QPSK	3766.83	-37.46	-13	PASS
n12	15	5	140300	1@24	DFT_QPSK	3702.03	-37.54	-13	PASS
n12	15	5	141500	25@0	DFT_QPSK	3773.58	-37.72	-13	PASS
n12	15	5	141500	1@0	DFT_QPSK	3731.95	-37.45	-13	PASS
n12	15	5	141500	1@24	DFT_QPSK	3724.08	-37.46	-13	PASS
n12	15	5	142700	25@0	DFT_QPSK	4856.95	-36.87	-13	PASS
n12	15	5	142700	1@0	DFT_QPSK	3775.60	-37.73	-13	PASS
n12	15	5	142700	1@24	DFT_QPSK	3738.03	-38.25	-13	PASS
n12	15	15	141300	75@0	DFT_QPSK	3815.88	-37.54	-13	PASS
n12	15	15	141300	1@0	DFT_QPSK	3789.78	-38.06	-13	PASS
n12	15	15	141300	1@78	DFT_QPSK	3702.03	-37.83	-13	PASS
n12	15	15	141500	75@0	DFT_QPSK	3672.33	-38.20	-13	PASS
n12	15	15	141500	1@0	DFT_QPSK	3692.80	-38.09	-13	PASS
n12	15	15	141500	1@78	DFT_QPSK	5085.78	-37.92	-13	PASS
n12	15	15	141700	75@0	DFT_QPSK	3857.73	-37.60	-13	PASS
n12	15	15	141700	1@0	DFT_QPSK	3882.93	-37.31	-13	PASS
n12	15	15	141700	1@78	DFT_QPSK	3748.15	-38.01	-13	PASS


n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=140300 RB=1@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=140300 RB=1@24




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=141500 RB=1@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=141500 RB=1@24




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=142700 RB=1@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=142700 RB=1@24




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141300 RB=1@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141300 RB=1@78




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141500 RB=1@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141500 RB=1@78



n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141700 RB=75@0



n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141700 RB=1@0



n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141700 RB=1@78

