

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limt (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	23.40	-4.95	-7.1	16.30	38.45	Pass
Band5	1.4	20407	1	#Mid	QPSK	23.43	-4.95	-7.1	16.33	38.45	Pass
Band5	1.4	20407	1	#Max	QPSK	23.36	-4.95	-7.1	16.26	38.45	Pass
Band5	1.4	20407	3	#0	QPSK	23.38	-4.95	-7.1	16.28	38.45	Pass
Band5	1.4	20407	3	#Mid	QPSK	23.38	-4.95	-7.1	16.28	38.45	Pass
Band5	1.4	20407	3	#Max	QPSK	23.33	-4.95	-7.1	16.23	38.45	Pass
Band5	1.4	20407	6	#0	QPSK	22.34	-4.95	-7.1	15.24	38.45	Pass
Band5	1.4	20407	1	#0	QAM16	22.58	-4.95	-7.1	15.48	38.45	Pass
Band5	1.4	20407	1	#Mid	QAM16	22.59	-4.95	-7.1	15.49	38.45	Pass
Band5	1.4	20407	1	#Max	QAM16	22.62	-4.95	-7.1	15.52	38.45	Pass
Band5	1.4	20407	3	#0	QAM16	22.55	-4.95	-7.1	15.45	38.45	Pass
Band5	1.4	20407	3	#Mid	QAM16	22.57	-4.95	-7.1	15.47	38.45	Pass
Band5	1.4	20407	3	#Max	QAM16	22.55	-4.95	-7.1	15.45	38.45	Pass
Band5	1.4	20407	6	#0	QAM16	21.48	-4.95	-7.1	14.38	38.45	Pass
Band5	1.4	20525	1	#0	QPSK	23.63	-4.95	-7.1	16.53	38.45	Pass
Band5	1.4	20525	1	#Mid	QPSK	23.67	-4.95	-7.1	16.57	38.45	Pass
Band5	1.4	20525	1	#Max	QPSK	23.65	-4.95	-7.1	16.55	38.45	Pass
Band5	1.4	20525	3	#0	QPSK	23.59	-4.95	-7.1	16.49	38.45	Pass
Band5	1.4	20525	3	#Mid	QPSK	23.57	-4.95	-7.1	16.47	38.45	Pass
Band5	1.4	20525	3	#Max	QPSK	23.58	-4.95	-7.1	16.48	38.45	Pass
Band5	1.4	20525	6	#0	QPSK	22.66	-4.95	-7.1	15.56	38.45	Pass
Band5	1.4	20525	1	#0	QAM16	22.54	-4.95	-7.1	15.44	38.45	Pass
Band5	1.4	20525	1	#Mid	QAM16	22.56	-4.95	-7.1	15.46	38.45	Pass
Band5	1.4	20525	1	#Max	QAM16	22.58	-4.95	-7.1	15.48	38.45	Pass
Band5	1.4	20525	3	#0	QAM16	22.74	-4.95	-7.1	15.64	38.45	Pass
Band5	1.4	20525	3	#Mid	QAM16	22.73	-4.95	-7.1	15.63	38.45	Pass
Band5	1.4	20525	3	#Max	QAM16	22.76	-4.95	-7.1	15.66	38.45	Pass
Band5	1.4	20525	6	#0	QAM16	21.77	-4.95	-7.1	14.67	38.45	Pass
Band5	1.4	20643	1	#0	QPSK	23.47	-4.95	-7.1	16.37	38.45	Pass
Band5	1.4	20643	1	#Mid	QPSK	23.52	-4.95	-7.1	16.42	38.45	Pass
Band5	1.4	20643	1	#Max	QPSK	23.46	-4.95	-7.1	16.36	38.45	Pass
Band5	1.4	20643	3	#0	QPSK	23.41	-4.95	-7.1	16.31	38.45	Pass
Band5	1.4	20643	3	#Mid	QPSK	23.39	-4.95	-7.1	16.29	38.45	Pass
Band5	1.4	20643	3	#Max	QPSK	23.43	-4.95	-7.1	16.33	38.45	Pass
Band5	1.4	20643	6	#0	QPSK	22.41	-4.95	-7.1	15.31	38.45	Pass
Band5	1.4	20643	1	#0	QAM16	22.68	-4.95	-7.1	15.58	38.45	Pass
Band5	1.4	20643	1	#Mid	QAM16	22.66	-4.95	-7.1	15.56	38.45	Pass

Band5	1.4	20643	1	#Max	QAM16	22.63	-4.95	-7.1	15.53	38.45	Pass
Band5	1.4	20643	3	#0	QAM16	22.63	-4.95	-7.1	15.53	38.45	Pass
Band5	1.4	20643	3	#Mid	QAM16	22.64	-4.95	-7.1	15.54	38.45	Pass
Band5	1.4	20643	3	#Max	QAM16	22.63	-4.95	-7.1	15.53	38.45	Pass
Band5	1.4	20643	6	#0	QAM16	21.59	-4.95	-7.1	14.49	38.45	Pass
Band5	3	20415	1	#0	QPSK	23.25	-4.95	-7.1	16.15	38.45	Pass
Band5	3	20415	1	#Mid	QPSK	23.35	-4.95	-7.1	16.25	38.45	Pass
Band5	3	20415	1	#Max	QPSK	23.36	-4.95	-7.1	16.26	38.45	Pass
Band5	3	20415	8	#0	QPSK	22.31	-4.95	-7.1	15.21	38.45	Pass
Band5	3	20415	8	#Mid	QPSK	22.30	-4.95	-7.1	15.20	38.45	Pass
Band5	3	20415	8	#Max	QPSK	22.38	-4.95	-7.1	15.28	38.45	Pass
Band5	3	20415	15	#0	QPSK	22.35	-4.95	-7.1	15.25	38.45	Pass
Band5	3	20415	1	#0	QAM16	22.77	-4.95	-7.1	15.67	38.45	Pass
Band5	3	20415	1	#Mid	QAM16	22.81	-4.95	-7.1	15.71	38.45	Pass
Band5	3	20415	1	#Max	QAM16	22.82	-4.95	-7.1	15.72	38.45	Pass
Band5	3	20415	8	#0	QAM16	21.35	-4.95	-7.1	14.25	38.45	Pass
Band5	3	20415	8	#Mid	QAM16	21.37	-4.95	-7.1	14.27	38.45	Pass
Band5	3	20415	8	#Max	QAM16	21.37	-4.95	-7.1	14.27	38.45	Pass
Band5	3	20415	15	#0	QAM16	21.39	-4.95	-7.1	14.29	38.45	Pass
Band5	3	20525	1	#0	QPSK	23.55	-4.95	-7.1	16.45	38.45	Pass
Band5	3	20525	1	#Mid	QPSK	23.59	-4.95	-7.1	16.49	38.45	Pass
Band5	3	20525	1	#Max	QPSK	23.57	-4.95	-7.1	16.47	38.45	Pass
Band5	3	20525	8	#0	QPSK	22.58	-4.95	-7.1	15.48	38.45	Pass
Band5	3	20525	8	#Mid	QPSK	22.63	-4.95	-7.1	15.53	38.45	Pass
Band5	3	20525	8	#Max	QPSK	22.59	-4.95	-7.1	15.49	38.45	Pass
Band5	3	20525	15	#0	QPSK	22.60	-4.95	-7.1	15.50	38.45	Pass
Band5	3	20525	1	#0	QAM16	22.86	-4.95	-7.1	15.76	38.45	Pass
Band5	3	20525	1	#Mid	QAM16	22.91	-4.95	-7.1	15.81	38.45	Pass
Band5	3	20525	1	#Max	QAM16	22.89	-4.95	-7.1	15.79	38.45	Pass
Band5	3	20525	8	#0	QAM16	21.64	-4.95	-7.1	14.54	38.45	Pass
Band5	3	20525	8	#Mid	QAM16	21.65	-4.95	-7.1	14.55	38.45	Pass
Band5	3	20525	8	#Max	QAM16	21.62	-4.95	-7.1	14.52	38.45	Pass
Band5	3	20525	15	#0	QAM16	21.57	-4.95	-7.1	14.47	38.45	Pass
Band5	3	20635	1	#0	QPSK	23.58	-4.95	-7.1	16.48	38.45	Pass
Band5	3	20635	1	#Mid	QPSK	23.54	-4.95	-7.1	16.44	38.45	Pass
Band5	3	20635	1	#Max	QPSK	23.46	-4.95	-7.1	16.36	38.45	Pass
Band5	3	20635	8	#0	QPSK	22.48	-4.95	-7.1	15.38	38.45	Pass
Band5	3	20635	8	#Mid	QPSK	22.47	-4.95	-7.1	15.37	38.45	Pass
Band5	3	20635	8	#Max	QPSK	22.41	-4.95	-7.1	15.31	38.45	Pass
Band5	3	20635	15	#0	QPSK	22.49	-4.95	-7.1	15.39	38.45	Pass
Band5	3	20635	1	#0	QAM16	22.52	-4.95	-7.1	15.42	38.45	Pass
Band5	3	20635	1	#Mid	QAM16	22.41	-4.95	-7.1	15.31	38.45	Pass
Band5	3	20635	1	#Max	QAM16	22.35	-4.95	-7.1	15.25	38.45	Pass
Band5	3	20635	8	#0	QAM16	21.53	-4.95	-7.1	14.43	38.45	Pass

Band5	3	20635	8	#Mid	QAM16	21.47	-4.95	-7.1	14.37	38.45	Pass
Band5	3	20635	8	#Max	QAM16	21.43	-4.95	-7.1	14.33	38.45	Pass
Band5	3	20635	15	#0	QAM16	21.53	-4.95	-7.1	14.43	38.45	Pass
Band5	5	20425	1	#0	QPSK	23.41	-4.95	-7.1	16.31	38.45	Pass
Band5	5	20425	1	#Mid	QPSK	23.47	-4.95	-7.1	16.37	38.45	Pass
Band5	5	20425	1	#Max	QPSK	23.55	-4.95	-7.1	16.45	38.45	Pass
Band5	5	20425	12	#0	QPSK	22.37	-4.95	-7.1	15.27	38.45	Pass
Band5	5	20425	12	#Mid	QPSK	22.42	-4.95	-7.1	15.32	38.45	Pass
Band5	5	20425	12	#Max	QPSK	22.42	-4.95	-7.1	15.32	38.45	Pass
Band5	5	20425	25	#0	QPSK	22.42	-4.95	-7.1	15.32	38.45	Pass
Band5	5	20425	1	#0	QAM16	22.82	-4.95	-7.1	15.72	38.45	Pass
Band5	5	20425	1	#Mid	QAM16	22.89	-4.95	-7.1	15.79	38.45	Pass
Band5	5	20425	1	#Max	QAM16	22.99	-4.95	-7.1	15.89	38.45	Pass
Band5	5	20425	12	#0	QAM16	21.35	-4.95	-7.1	14.25	38.45	Pass
Band5	5	20425	12	#Mid	QAM16	21.40	-4.95	-7.1	14.30	38.45	Pass
Band5	5	20425	12	#Max	QAM16	21.41	-4.95	-7.1	14.31	38.45	Pass
Band5	5	20425	25	#0	QAM16	21.38	-4.95	-7.1	14.28	38.45	Pass
Band5	5	20525	1	#0	QPSK	23.68	-4.95	-7.1	16.58	38.45	Pass
Band5	5	20525	1	#Mid	QPSK	23.78	-4.95	-7.1	16.68	38.45	Pass
Band5	5	20525	1	#Max	QPSK	23.83	-4.95	-7.1	16.73	38.45	Pass
Band5	5	20525	12	#0	QPSK	22.63	-4.95	-7.1	15.53	38.45	Pass
Band5	5	20525	12	#Mid	QPSK	22.62	-4.95	-7.1	15.52	38.45	Pass
Band5	5	20525	12	#Max	QPSK	22.59	-4.95	-7.1	15.49	38.45	Pass
Band5	5	20525	25	#0	QPSK	22.64	-4.95	-7.1	15.54	38.45	Pass
Band5	5	20525	1	#0	QAM16	23.09	-4.95	-7.1	15.99	38.45	Pass
Band5	5	20525	1	#Mid	QAM16	23.18	-4.95	-7.1	16.08	38.45	Pass
Band5	5	20525	1	#Max	QAM16	23.18	-4.95	-7.1	16.08	38.45	Pass
Band5	5	20525	12	#0	QAM16	21.54	-4.95	-7.1	14.44	38.45	Pass
Band5	5	20525	12	#Mid	QAM16	21.53	-4.95	-7.1	14.43	38.45	Pass
Band5	5	20525	12	#Max	QAM16	21.53	-4.95	-7.1	14.43	38.45	Pass
Band5	5	20525	25	#0	QAM16	21.66	-4.95	-7.1	14.56	38.45	Pass
Band5	5	20625	1	#0	QPSK	23.58	-4.95	-7.1	16.48	38.45	Pass
Band5	5	20625	1	#Mid	QPSK	23.57	-4.95	-7.1	16.47	38.45	Pass
Band5	5	20625	1	#Max	QPSK	23.44	-4.95	-7.1	16.34	38.45	Pass
Band5	5	20625	12	#0	QPSK	22.56	-4.95	-7.1	15.46	38.45	Pass
Band5	5	20625	12	#Mid	QPSK	22.54	-4.95	-7.1	15.44	38.45	Pass
Band5	5	20625	12	#Max	QPSK	22.41	-4.95	-7.1	15.31	38.45	Pass
Band5	5	20625	25	#0	QPSK	22.51	-4.95	-7.1	15.41	38.45	Pass
Band5	5	20625	1	#0	QAM16	22.94	-4.95	-7.1	15.84	38.45	Pass
Band5	5	20625	1	#Mid	QAM16	22.90	-4.95	-7.1	15.80	38.45	Pass
Band5	5	20625	1	#Max	QAM16	22.82	-4.95	-7.1	15.72	38.45	Pass
Band5	5	20625	12	#0	QAM16	21.57	-4.95	-7.1	14.47	38.45	Pass
Band5	5	20625	12	#Mid	QAM16	21.54	-4.95	-7.1	14.44	38.45	Pass
Band5	5	20625	12	#Max	QAM16	21.40	-4.95	-7.1	14.30	38.45	Pass

Band5	5	20625	25	#0	QAM16	21.49	-4.95	-7.1	14.39	38.45	Pass
Band5	10	20450	1	#0	QPSK	23.37	-4.95	-7.1	16.27	38.45	Pass
Band5	10	20450	1	#Mid	QPSK	23.52	-4.95	-7.1	16.42	38.45	Pass
Band5	10	20450	1	#Max	QPSK	23.67	-4.95	-7.1	16.57	38.45	Pass
Band5	10	20450	25	#0	QPSK	22.39	-4.95	-7.1	15.29	38.45	Pass
Band5	10	20450	25	#Mid	QPSK	22.47	-4.95	-7.1	15.37	38.45	Pass
Band5	10	20450	25	#Max	QPSK	22.54	-4.95	-7.1	15.44	38.45	Pass
Band5	10	20450	50	#0	QPSK	22.47	-4.95	-7.1	15.37	38.45	Pass
Band5	10	20450	1	#0	QAM16	22.77	-4.95	-7.1	15.67	38.45	Pass
Band5	10	20450	1	#Mid	QAM16	22.93	-4.95	-7.1	15.83	38.45	Pass
Band5	10	20450	1	#Max	QAM16	23.02	-4.95	-7.1	15.92	38.45	Pass
Band5	10	20450	25	#0	QAM16	21.45	-4.95	-7.1	14.35	38.45	Pass
Band5	10	20450	25	#Mid	QAM16	21.51	-4.95	-7.1	14.41	38.45	Pass
Band5	10	20450	25	#Max	QAM16	21.52	-4.95	-7.1	14.42	38.45	Pass
Band5	10	20450	50	#0	QAM16	21.42	-4.95	-7.1	14.32	38.45	Pass
Band5	10	20525	1	#0	QPSK	23.48	-4.95	-7.1	16.38	38.45	Pass
Band5	10	20525	1	#Mid	QPSK	23.65	-4.95	-7.1	16.55	38.45	Pass
Band5	10	20525	1	#Max	QPSK	23.62	-4.95	-7.1	16.52	38.45	Pass
Band5	10	20525	25	#0	QPSK	22.63	-4.95	-7.1	15.53	38.45	Pass
Band5	10	20525	25	#Mid	QPSK	22.64	-4.95	-7.1	15.54	38.45	Pass
Band5	10	20525	25	#Max	QPSK	22.64	-4.95	-7.1	15.54	38.45	Pass
Band5	10	20525	50	#0	QPSK	22.69	-4.95	-7.1	15.59	38.45	Pass
Band5	10	20525	1	#0	QAM16	22.70	-4.95	-7.1	15.60	38.45	Pass
Band5	10	20525	1	#Mid	QAM16	22.87	-4.95	-7.1	15.77	38.45	Pass
Band5	10	20525	1	#Max	QAM16	22.83	-4.95	-7.1	15.73	38.45	Pass
Band5	10	20525	25	#0	QAM16	21.65	-4.95	-7.1	14.55	38.45	Pass
Band5	10	20525	25	#Mid	QAM16	21.66	-4.95	-7.1	14.56	38.45	Pass
Band5	10	20525	25	#Max	QAM16	21.67	-4.95	-7.1	14.57	38.45	Pass
Band5	10	20525	50	#0	QAM16	21.68	-4.95	-7.1	14.58	38.45	Pass
Band5	10	20600	1	#0	QPSK	23.77	-4.95	-7.1	16.67	38.45	Pass
Band5	10	20600	1	#Mid	QPSK	23.69	-4.95	-7.1	16.59	38.45	Pass
Band5	10	20600	1	#Max	QPSK	23.52	-4.95	-7.1	16.42	38.45	Pass
Band5	10	20600	25	#0	QPSK	22.63	-4.95	-7.1	15.53	38.45	Pass
Band5	10	20600	25	#Mid	QPSK	22.60	-4.95	-7.1	15.50	38.45	Pass
Band5	10	20600	25	#Max	QPSK	22.53	-4.95	-7.1	15.43	38.45	Pass
Band5	10	20600	50	#0	QPSK	22.58	-4.95	-7.1	15.48	38.45	Pass
Band5	10	20600	1	#0	QAM16	23.13	-4.95	-7.1	16.03	38.45	Pass
Band5	10	20600	1	#Mid	QAM16	23.07	-4.95	-7.1	15.97	38.45	Pass
Band5	10	20600	1	#Max	QAM16	22.92	-4.95	-7.1	15.82	38.45	Pass
Band5	10	20600	25	#0	QAM16	21.65	-4.95	-7.1	14.55	38.45	Pass
Band5	10	20600	25	#Mid	QAM16	22.01	-4.95	-7.1	14.91	38.45	Pass
Band5	10	20600	25	#Max	QAM16	21.89	-4.95	-7.1	14.79	38.45	Pass
Band5	10	20600	50	#0	QAM16	21.87	-4.95	-7.1	14.77	38.45	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band5	10	20450	50	#0	QPSK	0.68	0.001	-2.5	2.5	PASS
Band5	10	20450	50	#0	QAM16	0.08	0.000	-2.5	2.5	PASS
Band5	10	20525	50	#0	QPSK	-1.04	-0.001	-2.5	2.5	PASS
Band5	10	20525	50	#0	QAM16	-1.93	-0.002	-2.5	2.5	PASS
Band5	10	20600	50	#0	QPSK	-0.20	0.000	-2.5	2.5	PASS
Band5	10	20600	50	#0	QAM16	1.54	0.002	-2.5	2.5	PASS

Note: (Voltage: 3.78V, Temperature: 25°C) only reflect the worst mode.


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band5	1.4	20525	1	#0	QPSK	3.96	13	PASS
Band5	1.4	20525	1	#0	QAM16	4.90	13	PASS
Band5	3	20525	1	#0	QPSK	3.91	13	PASS
Band5	3	20525	1	#0	QAM16	4.76	13	PASS
Band5	5	20525	1	#0	QPSK	3.98	13	PASS
Band5	5	20525	1	#0	QAM16	4.83	13	PASS
Band5	10	20525	1	#0	QPSK	4.21	13	PASS
Band5	10	20525	1	#0	QAM16	5.07	13	PASS


Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band5	1.4	20407	6	#0	QPSK	1.103	1.271	PASS
Band5	1.4	20407	6	#0	QAM16	1.096	1.273	PASS
Band5	1.4	20525	6	#0	QPSK	1.101	1.287	PASS
Band5	1.4	20525	6	#0	QAM16	1.097	1.309	PASS
Band5	1.4	20643	6	#0	QPSK	1.097	1.303	PASS
Band5	1.4	20643	6	#0	QAM16	1.098	1.270	PASS
Band5	3	20415	15	#0	QPSK	2.698	2.937	PASS
Band5	3	20415	15	#0	QAM16	2.689	2.945	PASS
Band5	3	20525	15	#0	QPSK	2.702	2.938	PASS
Band5	3	20525	15	#0	QAM16	2.700	2.966	PASS
Band5	3	20635	15	#0	QPSK	2.693	2.931	PASS
Band5	3	20635	15	#0	QAM16	2.695	2.952	PASS
Band5	5	20425	25	#0	QPSK	4.524	4.938	PASS
Band5	5	20425	25	#0	QAM16	4.496	4.931	PASS
Band5	5	20525	25	#0	QPSK	4.518	4.920	PASS
Band5	5	20525	25	#0	QAM16	4.519	4.913	PASS
Band5	5	20625	25	#0	QPSK	4.516	4.974	PASS
Band5	5	20625	25	#0	QAM16	4.512	4.951	PASS
Band5	10	20450	50	#0	QPSK	8.993	9.711	PASS
Band5	10	20450	50	#0	QAM16	8.990	9.636	PASS
Band5	10	20525	50	#0	QPSK	8.980	9.671	PASS
Band5	10	20525	50	#0	QAM16	9.028	9.738	PASS
Band5	10	20600	50	#0	QPSK	8.981	9.646	PASS
Band5	10	20600	50	#0	QAM16	8.986	9.643	PASS


Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	823.99	-30.70	-13	PASS
Band5	1.4	20407	6	#0	QAM16	824.00	-31.29	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.00	-29.61	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.00	-31.98	-13	PASS
Band5	3	20415	15	#0	QPSK	823.99	-31.11	-13	PASS
Band5	3	20415	15	#0	QAM16	824.00	-31.99	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-31.20	-13	PASS
Band5	3	20635	15	#0	QAM16	849.00	-33.57	-13	PASS
Band5	5	20425	25	#0	QPSK	823.98	-30.86	-13	PASS
Band5	5	20425	25	#0	QAM16	824.00	-30.60	-13	PASS
Band5	5	20625	25	#0	QPSK	849.00	-30.32	-13	PASS
Band5	5	20625	25	#0	QAM16	849.04	-31.32	-13	PASS
Band5	10	20450	50	#0	QPSK	823.96	-33.16	-13	PASS
Band5	10	20450	50	#0	QAM16	823.96	-35.40	-13	PASS
Band5	10	20600	50	#0	QPSK	849.00	-33.19	-13	PASS
Band5	10	20600	50	#0	QAM16	849.00	-33.84	-13	PASS

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	2450.58	-33.79	-13	PASS
Band5	1.4	20407	6	#0	QAM16	2447.43	-33.65	-13	PASS
Band5	1.4	20643	6	#0	QPSK	4945.60	-36.72	-13	PASS
Band5	1.4	20643	6	#0	QAM16	2449.90	-34.95	-13	PASS
Band5	3	20415	15	#0	QPSK	2453.73	-36.72	-13	PASS
Band5	3	20415	15	#0	QAM16	2453.73	-36.13	-13	PASS
Band5	3	20635	15	#0	QPSK	2453.50	-33.33	-13	PASS
Band5	3	20635	15	#0	QAM16	3813.63	-36.01	-13	PASS
Band5	5	20425	25	#0	QPSK	2453.95	-35.65	-13	PASS
Band5	5	20425	25	#0	QAM16	2458.45	-35.48	-13	PASS
Band5	5	20625	25	#0	QPSK	3763.45	-37.07	-13	PASS
Band5	5	20625	25	#0	QAM16	9777.48	-37.24	-13	PASS
Band5	10	20450	50	#0	QPSK	3903.18	-37.10	-13	PASS
Band5	10	20450	50	#0	QAM16	2453.28	-36.43	-13	PASS
Band5	10	20600	50	#0	QPSK	3767.05	-37.21	-13	PASS
Band5	10	20600	50	#0	QAM16	3841.98	-36.24	-13	PASS


Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0

