

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Conducted Output AV Power (dBm)</i>	<i>Antenna Gain (dBi)</i>	<i>EIRP (dBm)</i>	<i>Limt (dBm)</i>	<i>Verdict</i>
Band38	5	37775	1	#0	QPSK	22.29	-1.12	21.17	33.01	Pass
Band38	5	37775	1	#Mid	QPSK	22.27	-1.12	21.15	33.01	Pass
Band38	5	37775	1	#Max	QPSK	22.43	-1.12	21.31	33.01	Pass
Band38	5	37775	12	#0	QPSK	21.26	-1.12	20.14	33.01	Pass
Band38	5	37775	12	#Mid	QPSK	21.23	-1.12	20.11	33.01	Pass
Band38	5	37775	12	#Max	QPSK	21.28	-1.12	20.16	33.01	Pass
Band38	5	37775	25	#0	QPSK	21.27	-1.12	20.15	33.01	Pass
Band38	5	37775	1	#0	QAM16	21.71	-1.12	20.59	33.01	Pass
Band38	5	37775	1	#Mid	QAM16	21.58	-1.12	20.46	33.01	Pass
Band38	5	37775	1	#Max	QAM16	21.81	-1.12	20.69	33.01	Pass
Band38	5	37775	12	#0	QAM16	20.23	-1.12	19.11	33.01	Pass
Band38	5	37775	12	#Mid	QAM16	20.15	-1.12	19.03	33.01	Pass
Band38	5	37775	12	#Max	QAM16	20.24	-1.12	19.12	33.01	Pass
Band38	5	37775	25	#0	QAM16	20.26	-1.12	19.14	33.01	Pass
Band38	5	38000	1	#0	QPSK	22.51	-1.12	21.39	33.01	Pass
Band38	5	38000	1	#Mid	QPSK	22.42	-1.12	21.30	33.01	Pass
Band38	5	38000	1	#Max	QPSK	22.58	-1.12	21.46	33.01	Pass
Band38	5	38000	12	#0	QPSK	21.44	-1.12	20.32	33.01	Pass
Band38	5	38000	12	#Mid	QPSK	21.38	-1.12	20.26	33.01	Pass
Band38	5	38000	12	#Max	QPSK	21.49	-1.12	20.37	33.01	Pass
Band38	5	38000	25	#0	QPSK	21.45	-1.12	20.33	33.01	Pass
Band38	5	38000	1	#0	QAM16	21.87	-1.12	20.75	33.01	Pass
Band38	5	38000	1	#Mid	QAM16	21.77	-1.12	20.65	33.01	Pass
Band38	5	38000	1	#Max	QAM16	21.94	-1.12	20.82	33.01	Pass
Band38	5	38000	12	#0	QAM16	20.47	-1.12	19.35	33.01	Pass
Band38	5	38000	12	#Mid	QAM16	20.46	-1.12	19.34	33.01	Pass
Band38	5	38000	12	#Max	QAM16	20.48	-1.12	19.36	33.01	Pass
Band38	5	38000	25	#0	QAM16	20.41	-1.12	19.29	33.01	Pass
Band38	5	38225	1	#0	QPSK	22.71	-1.12	21.59	33.01	Pass
Band38	5	38225	1	#Mid	QPSK	22.57	-1.12	21.45	33.01	Pass
Band38	5	38225	1	#Max	QPSK	22.73	-1.12	21.61	33.01	Pass
Band38	5	38225	12	#0	QPSK	21.61	-1.12	20.49	33.01	Pass
Band38	5	38225	12	#Mid	QPSK	21.54	-1.12	20.42	33.01	Pass
Band38	5	38225	12	#Max	QPSK	21.59	-1.12	20.47	33.01	Pass
Band38	5	38225	25	#0	QPSK	21.62	-1.12	20.50	33.01	Pass
Band38	5	38225	1	#0	QAM16	22.06	-1.12	20.94	33.01	Pass
Band38	5	38225	1	#Mid	QAM16	21.89	-1.12	20.77	33.01	Pass

Band38	5	38225	1	#Max	QAM16	22.03	-1.12	20.91	33.01	Pass
Band38	5	38225	12	#0	QAM16	20.52	-1.12	19.40	33.01	Pass
Band38	5	38225	12	#Mid	QAM16	20.50	-1.12	19.38	33.01	Pass
Band38	5	38225	12	#Max	QAM16	20.56	-1.12	19.44	33.01	Pass
Band38	5	38225	25	#0	QAM16	0.00	-1.12	-1.12	33.01	Pass
Band38	10	37800	1	#0	QPSK	22.31	-1.12	21.19	33.01	Pass
Band38	10	37800	1	#Mid	QPSK	22.32	-1.12	21.20	33.01	Pass
Band38	10	37800	1	#Max	QPSK	22.43	-1.12	21.31	33.01	Pass
Band38	10	37800	25	#0	QPSK	21.27	-1.12	20.15	33.01	Pass
Band38	10	37800	25	#Mid	QPSK	21.26	-1.12	20.14	33.01	Pass
Band38	10	37800	25	#Max	QPSK	21.20	-1.12	20.08	33.01	Pass
Band38	10	37800	50	#0	QPSK	21.26	-1.12	20.14	33.01	Pass
Band38	10	37800	1	#0	QAM16	21.91	-1.12	20.79	33.01	Pass
Band38	10	37800	1	#Mid	QAM16	21.83	-1.12	20.71	33.01	Pass
Band38	10	37800	1	#Max	QAM16	22.00	-1.12	20.88	33.01	Pass
Band38	10	37800	25	#0	QAM16	20.33	-1.12	19.21	33.01	Pass
Band38	10	37800	25	#Mid	QAM16	20.33	-1.12	19.21	33.01	Pass
Band38	10	37800	25	#Max	QAM16	20.28	-1.12	19.16	33.01	Pass
Band38	10	37800	50	#0	QAM16	20.32	-1.12	19.20	33.01	Pass
Band38	10	38000	1	#0	QPSK	22.50	-1.12	21.38	33.01	Pass
Band38	10	38000	1	#Mid	QPSK	22.54	-1.12	21.42	33.01	Pass
Band38	10	38000	1	#Max	QPSK	22.60	-1.12	21.48	33.01	Pass
Band38	10	38000	25	#0	QPSK	21.41	-1.12	20.29	33.01	Pass
Band38	10	38000	25	#Mid	QPSK	21.44	-1.12	20.32	33.01	Pass
Band38	10	38000	25	#Max	QPSK	21.36	-1.12	20.24	33.01	Pass
Band38	10	38000	50	#0	QPSK	21.41	-1.12	20.29	33.01	Pass
Band38	10	38000	1	#0	QAM16	21.54	-1.12	20.42	33.01	Pass
Band38	10	38000	1	#Mid	QAM16	21.48	-1.12	20.36	33.01	Pass
Band38	10	38000	1	#Max	QAM16	21.61	-1.12	20.49	33.01	Pass
Band38	10	38000	25	#0	QAM16	20.43	-1.12	19.31	33.01	Pass
Band38	10	38000	25	#Mid	QAM16	20.44	-1.12	19.32	33.01	Pass
Band38	10	38000	25	#Max	QAM16	20.41	-1.12	19.29	33.01	Pass
Band38	10	38000	50	#0	QAM16	20.38	-1.12	19.26	33.01	Pass
Band38	10	38200	1	#0	QPSK	22.72	-1.12	21.60	33.01	Pass
Band38	10	38200	1	#Mid	QPSK	22.62	-1.12	21.50	33.01	Pass
Band38	10	38200	1	#Max	QPSK	22.72	-1.12	21.60	33.01	Pass
Band38	10	38200	25	#0	QPSK	21.60	-1.12	20.48	33.01	Pass
Band38	10	38200	25	#Mid	QPSK	21.61	-1.12	20.49	33.01	Pass
Band38	10	38200	25	#Max	QPSK	21.56	-1.12	20.44	33.01	Pass
Band38	10	38200	50	#0	QPSK	21.61	-1.12	20.49	33.01	Pass
Band38	10	38200	1	#0	QAM16	22.28	-1.12	21.16	33.01	Pass
Band38	10	38200	1	#Mid	QAM16	22.13	-1.12	21.01	33.01	Pass
Band38	10	38200	1	#Max	QAM16	22.25	-1.12	21.13	33.01	Pass
Band38	10	38200	25	#0	QAM16	20.65	-1.12	19.53	33.01	Pass

Band38	10	38200	25	#Mid	QAM16	20.63	-1.12	19.51	33.01	Pass
Band38	10	38200	25	#Max	QAM16	20.58	-1.12	19.46	33.01	Pass
Band38	10	38200	50	#0	QAM16	20.58	-1.12	19.46	33.01	Pass
Band38	15	37825	1	#0	QPSK	22.22	-1.12	21.10	33.01	Pass
Band38	15	37825	1	#Mid	QPSK	22.23	-1.12	21.11	33.01	Pass
Band38	15	37825	1	#Max	QPSK	22.38	-1.12	21.26	33.01	Pass
Band38	15	37825	36	#0	QPSK	21.28	-1.12	20.16	33.01	Pass
Band38	15	37825	36	#Mid	QPSK	21.28	-1.12	20.16	33.01	Pass
Band38	15	37825	36	#Max	QPSK	21.32	-1.12	20.20	33.01	Pass
Band38	15	37825	75	#0	QPSK	21.32	-1.12	20.20	33.01	Pass
Band38	15	37825	1	#0	QAM16	21.79	-1.12	20.67	33.01	Pass
Band38	15	37825	1	#Mid	QAM16	21.77	-1.12	20.65	33.01	Pass
Band38	15	37825	1	#Max	QAM16	21.96	-1.12	20.84	33.01	Pass
Band38	15	37825	36	#0	QAM16	20.33	-1.12	19.21	33.01	Pass
Band38	15	37825	36	#Mid	QAM16	20.34	-1.12	19.22	33.01	Pass
Band38	15	37825	36	#Max	QAM16	20.37	-1.12	19.25	33.01	Pass
Band38	15	37825	75	#0	QAM16	20.30	-1.12	19.18	33.01	Pass
Band38	15	38000	1	#0	QPSK	22.45	-1.12	21.33	33.01	Pass
Band38	15	38000	1	#Mid	QPSK	22.41	-1.12	21.29	33.01	Pass
Band38	15	38000	1	#Max	QPSK	22.52	-1.12	21.40	33.01	Pass
Band38	15	38000	36	#0	QPSK	21.40	-1.12	20.28	33.01	Pass
Band38	15	38000	36	#Mid	QPSK	21.42	-1.12	20.30	33.01	Pass
Band38	15	38000	36	#Max	QPSK	21.41	-1.12	20.29	33.01	Pass
Band38	15	38000	75	#0	QPSK	21.45	-1.12	20.33	33.01	Pass
Band38	15	38000	1	#0	QAM16	21.62	-1.12	20.50	33.01	Pass
Band38	15	38000	1	#Mid	QAM16	21.63	-1.12	20.51	33.01	Pass
Band38	15	38000	1	#Max	QAM16	21.69	-1.12	20.57	33.01	Pass
Band38	15	38000	36	#0	QAM16	20.48	-1.12	19.36	33.01	Pass
Band38	15	38000	36	#Mid	QAM16	20.49	-1.12	19.37	33.01	Pass
Band38	15	38000	36	#Max	QAM16	20.49	-1.12	19.37	33.01	Pass
Band38	15	38000	75	#0	QAM16	20.39	-1.12	19.27	33.01	Pass
Band38	15	38175	1	#0	QPSK	22.68	-1.12	21.56	33.01	Pass
Band38	15	38175	1	#Mid	QPSK	22.67	-1.12	21.55	33.01	Pass
Band38	15	38175	1	#Max	QPSK	22.66	-1.12	21.54	33.01	Pass
Band38	15	38175	36	#0	QPSK	21.61	-1.12	20.49	33.01	Pass
Band38	15	38175	36	#Mid	QPSK	21.55	-1.12	20.43	33.01	Pass
Band38	15	38175	36	#Max	QPSK	21.52	-1.12	20.40	33.01	Pass
Band38	15	38175	75	#0	QPSK	21.55	-1.12	20.43	33.01	Pass
Band38	15	38175	1	#0	QAM16	21.83	-1.12	20.71	33.01	Pass
Band38	15	38175	1	#Mid	QAM16	21.80	-1.12	20.68	33.01	Pass
Band38	15	38175	1	#Max	QAM16	21.79	-1.12	20.67	33.01	Pass
Band38	15	38175	36	#0	QAM16	20.62	-1.12	19.50	33.01	Pass
Band38	15	38175	36	#Mid	QAM16	20.54	-1.12	19.42	33.01	Pass
Band38	15	38175	36	#Max	QAM16	20.50	-1.12	19.38	33.01	Pass

Band38	15	38175	75	#0	QAM16	20.63	-1.12	19.51	33.01	Pass
Band38	20	37850	1	#0	QPSK	22.29	-1.12	21.17	33.01	Pass
Band38	20	37850	1	#Mid	QPSK	22.38	-1.12	21.26	33.01	Pass
Band38	20	37850	1	#Max	QPSK	22.49	-1.12	21.37	33.01	Pass
Band38	20	37850	50	#0	QPSK	21.31	-1.12	20.19	33.01	Pass
Band38	20	37850	50	#Mid	QPSK	21.34	-1.12	20.22	33.01	Pass
Band38	20	37850	50	#Max	QPSK	21.28	-1.12	20.16	33.01	Pass
Band38	20	37850	100	#0	QPSK	21.24	-1.12	20.12	33.01	Pass
Band38	20	37850	1	#0	QAM16	21.64	-1.12	20.52	33.01	Pass
Band38	20	37850	1	#Mid	QAM16	21.70	-1.12	20.58	33.01	Pass
Band38	20	37850	1	#Max	QAM16	21.83	-1.12	20.71	33.01	Pass
Band38	20	37850	50	#0	QAM16	20.36	-1.12	19.24	33.01	Pass
Band38	20	37850	50	#Mid	QAM16	20.40	-1.12	19.28	33.01	Pass
Band38	20	37850	50	#Max	QAM16	20.38	-1.12	19.26	33.01	Pass
Band38	20	37850	100	#0	QAM16	20.32	-1.12	19.20	33.01	Pass
Band38	20	38000	1	#0	QPSK	22.53	-1.12	21.41	33.01	Pass
Band38	20	38000	1	#Mid	QPSK	22.50	-1.12	21.38	33.01	Pass
Band38	20	38000	1	#Max	QPSK	22.67	-1.12	21.55	33.01	Pass
Band38	20	38000	50	#0	QPSK	21.46	-1.12	20.34	33.01	Pass
Band38	20	38000	50	#Mid	QPSK	21.44	-1.12	20.32	33.01	Pass
Band38	20	38000	50	#Max	QPSK	21.37	-1.12	20.25	33.01	Pass
Band38	20	38000	100	#0	QPSK	21.42	-1.12	20.30	33.01	Pass
Band38	20	38000	1	#0	QAM16	21.73	-1.12	20.61	33.01	Pass
Band38	20	38000	1	#Mid	QAM16	21.66	-1.12	20.54	33.01	Pass
Band38	20	38000	1	#Max	QAM16	21.84	-1.12	20.72	33.01	Pass
Band38	20	38000	50	#0	QAM16	20.46	-1.12	19.34	33.01	Pass
Band38	20	38000	50	#Mid	QAM16	20.45	-1.12	19.33	33.01	Pass
Band38	20	38000	50	#Max	QAM16	20.37	-1.12	19.25	33.01	Pass
Band38	20	38000	100	#0	QAM16	20.43	-1.12	19.31	33.01	Pass
Band38	20	38150	1	#0	QPSK	22.58	-1.12	21.46	33.01	Pass
Band38	20	38150	1	#Mid	QPSK	22.61	-1.12	21.49	33.01	Pass
Band38	20	38150	1	#Max	QPSK	22.69	-1.12	21.57	33.01	Pass
Band38	20	38150	50	#0	QPSK	21.67	-1.12	20.55	33.01	Pass
Band38	20	38150	50	#Mid	QPSK	21.58	-1.12	20.46	33.01	Pass
Band38	20	38150	50	#Max	QPSK	21.49	-1.12	20.37	33.01	Pass
Band38	20	38150	100	#0	QPSK	21.54	-1.12	20.42	33.01	Pass
Band38	20	38150	1	#0	QAM16	21.82	-1.12	20.70	33.01	Pass
Band38	20	38150	1	#Mid	QAM16	21.78	-1.12	20.66	33.01	Pass
Band38	20	38150	1	#Max	QAM16	21.89	-1.12	20.77	33.01	Pass
Band38	20	38150	50	#0	QAM16	20.65	-1.12	19.53	33.01	Pass
Band38	20	38150	50	#Mid	QAM16	20.59	-1.12	19.47	33.01	Pass
Band38	20	38150	50	#Max	QAM16	20.48	-1.12	19.36	33.01	Pass
Band38	20	38150	100	#0	QAM16	20.54	-1.12	19.42	33.01	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band38	20	37850	100	#0	QPSK	3.50	0.001	-2.5	2.5	PASS
Band38	20	37850	100	#0	QAM16	-0.54	0.000	-2.5	2.5	PASS
Band38	20	38000	100	#0	QPSK	-0.34	0.000	-2.5	2.5	PASS
Band38	20	38000	100	#0	QAM16	-1.11	0.000	-2.5	2.5	PASS
Band38	20	38150	100	#0	QPSK	-0.70	0.000	-2.5	2.5	PASS
Band38	20	38150	100	#0	QAM16	4.42	0.002	-2.5	2.5	PASS

Note: (Voltage: 3.87V, Temperature: 25°C) only reflect the worst mode.


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band38	5	38000	1	#0	QPSK	9.34	13	PASS
Band38	5	38000	1	#0	QAM16	8.32	13	PASS
Band38	10	38000	1	#0	QPSK	8.01	13	PASS
Band38	10	38000	1	#0	QAM16	8.63	13	PASS
Band38	15	38000	1	#0	QPSK	9.61	13	PASS
Band38	15	38000	1	#0	QAM16	10.45	13	PASS
Band38	20	38000	1	#0	QPSK	9.67	13	PASS
Band38	20	38000	1	#0	QAM16	9.35	13	PASS


Band38 QAM16 BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QAM16 BW=20MHz Channel=38000 RB Size=1 Position=#0




Band38 QAM16 BW=15MHz Channel=38000 RB Size=1 Position=#0




Band38 QAM16 BW=5MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0



Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band38	5	37775	25	#0	QPSK	4.507	4.931	PASS
Band38	5	37775	25	#0	QAM16	4.504	4.885	PASS
Band38	5	38000	25	#0	QPSK	4.511	4.922	PASS
Band38	5	38000	25	#0	QAM16	4.495	4.868	PASS
Band38	5	38225	25	#0	QPSK	4.511	4.979	PASS
Band38	5	38225	25	#0	QAM16	4.498	4.882	PASS
Band38	10	37800	50	#0	QPSK	8.988	9.857	PASS
Band38	10	37800	50	#0	QAM16	8.977	9.552	PASS
Band38	10	38000	50	#0	QPSK	8.949	10.445	PASS
Band38	10	38000	50	#0	QAM16	8.972	9.747	PASS
Band38	10	38200	50	#0	QPSK	8.963	9.663	PASS
Band38	10	38200	50	#0	QAM16	8.987	9.593	PASS
Band38	15	37825	75	#0	QPSK	13.507	15.606	PASS
Band38	15	37825	75	#0	QAM16	13.487	14.614	PASS
Band38	15	38000	75	#0	QPSK	13.482	14.555	PASS
Band38	15	38000	75	#0	QAM16	13.487	14.977	PASS
Band38	15	38175	75	#0	QPSK	13.432	14.910	PASS
Band38	15	38175	75	#0	QAM16	13.449	14.711	PASS
Band38	20	37850	100	#0	QPSK	17.968	19.726	PASS
Band38	20	37850	100	#0	QAM16	17.967	19.435	PASS
Band38	20	38000	100	#0	QPSK	17.925	18.937	PASS
Band38	20	38000	100	#0	QAM16	17.883	20.078	PASS
Band38	20	38150	100	#0	QPSK	17.956	20.300	PASS
Band38	20	38150	100	#0	QAM16	17.925	19.103	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0



Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	2568.98	-15.40	-10	PASS
Band38	5	37775	25	#0	QAM16	2569.00	-17.78	-10	PASS
Band38	5	38225	25	#0	QPSK	2621.00	-19.09	-10	PASS
Band38	5	38225	25	#0	QAM16	2621.00	-18.98	-10	PASS
Band38	10	37800	50	#0	QPSK	2559.92	-35.55	-25	PASS
Band38	10	37800	50	#0	QAM16	2558.29	-36.64	-25	PASS
Band38	10	38200	50	#0	QPSK	2630.02	-33.36	-25	PASS
Band38	10	38200	50	#0	QAM16	2631.98	-37.02	-25	PASS
Band38	15	37825	75	#0	QPSK	2553.72	-38.06	-25	PASS
Band38	15	37825	75	#0	QAM16	2552.53	-36.81	-25	PASS
Band38	15	38175	75	#0	QPSK	2635.66	-36.47	-25	PASS
Band38	15	38175	75	#0	QAM16	2635.38	-37.60	-25	PASS
Band38	20	37850	100	#0	QPSK	2549.97	-39.58	-25	PASS
Band38	20	37850	100	#0	QAM16	2547.58	-38.31	-25	PASS
Band38	20	38150	100	#0	QPSK	2642.62	-37.93	-25	PASS
Band38	20	38150	100	#0	QAM16	2640.82	-38.31	-25	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	4263.40	-37.04	-25	PASS
Band38	5	37775	25	#0	QAM16	3781.90	-36.34	-25	PASS
Band38	5	38225	25	#0	QPSK	7741.45	-36.67	-25	PASS
Band38	5	38225	25	#0	QAM16	3800.35	-36.12	-25	PASS
Band38	10	37800	50	#0	QPSK	2661.85	-32.06	-25	PASS
Band38	10	37800	50	#0	QAM16	3850.53	-36.66	-25	PASS
Band38	10	38200	50	#0	QPSK	2660.95	-25.28	-25	PASS
Band38	10	38200	50	#0	QAM16	3848.73	-37.33	-25	PASS
Band38	15	37825	75	#0	QPSK	2698.08	-31.09	-25	PASS
Band38	15	37825	75	#0	QAM16	2486.80	-29.03	-25	PASS
Band38	15	38175	75	#0	QPSK	2704.38	-30.06	-25	PASS
Band38	15	38175	75	#0	QAM16	3916.23	-37.00	-25	PASS
Band38	20	37850	100	#0	QPSK	3851.88	-36.50	-25	PASS
Band38	20	37850	100	#0	QAM16	5151.93	-37.24	-25	PASS
Band38	20	38150	100	#0	QPSK	3781.90	-36.44	-25	PASS
Band38	20	38150	100	#0	QAM16	2700.10	-27.32	-25	PASS


Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0



Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0

