

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Conducted Output AV Power (dBm)</i>	<i>Antenna Gain (dBi)</i>	<i>EIRP (dBm)</i>	<i>Limt (dBm)</i>	<i>Verdict</i>
Band41	5	39675	1	#0	QPSK	22.05	-1.12	20.93	33.01	Pass
Band41	5	39675	1	#Mid	QPSK	21.93	-1.12	20.81	33.01	Pass
Band41	5	39675	1	#Max	QPSK	22.04	-1.12	20.92	33.01	Pass
Band41	5	39675	12	#0	QPSK	20.99	-1.12	19.87	33.01	Pass
Band41	5	39675	12	#Mid	QPSK	20.92	-1.12	19.80	33.01	Pass
Band41	5	39675	12	#Max	QPSK	20.92	-1.12	19.80	33.01	Pass
Band41	5	39675	25	#0	QPSK	20.94	-1.12	19.82	33.01	Pass
Band41	5	39675	1	#0	QAM16	21.36	-1.12	20.24	33.01	Pass
Band41	5	39675	1	#Mid	QAM16	21.23	-1.12	20.11	33.01	Pass
Band41	5	39675	1	#Max	QAM16	21.37	-1.12	20.25	33.01	Pass
Band41	5	39675	12	#0	QAM16	19.95	-1.12	18.83	33.01	Pass
Band41	5	39675	12	#Mid	QAM16	19.85	-1.12	18.73	33.01	Pass
Band41	5	39675	12	#Max	QAM16	19.85	-1.12	18.73	33.01	Pass
Band41	5	39675	25	#0	QAM16	19.95	-1.12	18.83	33.01	Pass
Band41	5	40620	1	#0	QPSK	22.54	-1.12	21.42	33.01	Pass
Band41	5	40620	1	#Mid	QPSK	22.39	-1.12	21.27	33.01	Pass
Band41	5	40620	1	#Max	QPSK	22.54	-1.12	21.42	33.01	Pass
Band41	5	40620	12	#0	QPSK	21.43	-1.12	20.31	33.01	Pass
Band41	5	40620	12	#Mid	QPSK	21.37	-1.12	20.25	33.01	Pass
Band41	5	40620	12	#Max	QPSK	21.42	-1.12	20.30	33.01	Pass
Band41	5	40620	25	#0	QPSK	21.43	-1.12	20.31	33.01	Pass
Band41	5	40620	1	#0	QAM16	21.89	-1.12	20.77	33.01	Pass
Band41	5	40620	1	#Mid	QAM16	21.78	-1.12	20.66	33.01	Pass
Band41	5	40620	1	#Max	QAM16	21.96	-1.12	20.84	33.01	Pass
Band41	5	40620	12	#0	QAM16	20.47	-1.12	19.35	33.01	Pass
Band41	5	40620	12	#Mid	QAM16	20.39	-1.12	19.27	33.01	Pass
Band41	5	40620	12	#Max	QAM16	20.41	-1.12	19.29	33.01	Pass
Band41	5	40620	25	#0	QAM16	20.41	-1.12	19.29	33.01	Pass
Band41	5	41565	1	#0	QPSK	22.77	-1.12	21.65	33.01	Pass
Band41	5	41565	1	#Mid	QPSK	22.66	-1.12	21.54	33.01	Pass
Band41	5	41565	1	#Max	QPSK	22.81	-1.12	21.69	33.01	Pass
Band41	5	41565	12	#0	QPSK	21.58	-1.12	20.46	33.01	Pass
Band41	5	41565	12	#Mid	QPSK	21.52	-1.12	20.40	33.01	Pass
Band41	5	41565	12	#Max	QPSK	21.53	-1.12	20.41	33.01	Pass
Band41	5	41565	25	#0	QPSK	21.56	-1.12	20.44	33.01	Pass
Band41	5	41565	1	#0	QAM16	22.25	-1.12	21.13	33.01	Pass
Band41	5	41565	1	#Mid	QAM16	22.10	-1.12	20.98	33.01	Pass

Band41	5	41565	1	#Max	QAM16	22.22	-1.12	21.10	33.01	Pass
Band41	5	41565	12	#0	QAM16	20.58	-1.12	19.46	33.01	Pass
Band41	5	41565	12	#Mid	QAM16	20.56	-1.12	19.44	33.01	Pass
Band41	5	41565	12	#Max	QAM16	20.55	-1.12	19.43	33.01	Pass
Band41	5	41565	25	#0	QAM16	20.56	-1.12	19.44	33.01	Pass
Band41	10	39700	1	#0	QPSK	22.09	-1.12	20.97	33.01	Pass
Band41	10	39700	1	#Mid	QPSK	21.94	-1.12	20.82	33.01	Pass
Band41	10	39700	1	#Max	QPSK	21.97	-1.12	20.85	33.01	Pass
Band41	10	39700	25	#0	QPSK	20.96	-1.12	19.84	33.01	Pass
Band41	10	39700	25	#Mid	QPSK	20.95	-1.12	19.83	33.01	Pass
Band41	10	39700	25	#Max	QPSK	20.80	-1.12	19.68	33.01	Pass
Band41	10	39700	50	#0	QPSK	20.90	-1.12	19.78	33.01	Pass
Band41	10	39700	1	#0	QAM16	21.61	-1.12	20.49	33.01	Pass
Band41	10	39700	1	#Mid	QAM16	21.42	-1.12	20.30	33.01	Pass
Band41	10	39700	1	#Max	QAM16	21.52	-1.12	20.40	33.01	Pass
Band41	10	39700	25	#0	QAM16	20.01	-1.12	18.89	33.01	Pass
Band41	10	39700	25	#Mid	QAM16	19.93	-1.12	18.81	33.01	Pass
Band41	10	39700	25	#Max	QAM16	19.87	-1.12	18.75	33.01	Pass
Band41	10	39700	50	#0	QAM16	19.92	-1.12	18.80	33.01	Pass
Band41	10	40620	1	#0	QPSK	22.60	-1.12	21.48	33.01	Pass
Band41	10	40620	1	#Mid	QPSK	22.50	-1.12	21.38	33.01	Pass
Band41	10	40620	1	#Max	QPSK	22.60	-1.12	21.48	33.01	Pass
Band41	10	40620	25	#0	QPSK	21.42	-1.12	20.30	33.01	Pass
Band41	10	40620	25	#Mid	QPSK	21.41	-1.12	20.29	33.01	Pass
Band41	10	40620	25	#Max	QPSK	21.40	-1.12	20.28	33.01	Pass
Band41	10	40620	50	#0	QPSK	21.46	-1.12	20.34	33.01	Pass
Band41	10	40620	1	#0	QAM16	21.76	-1.12	20.64	33.01	Pass
Band41	10	40620	1	#Mid	QAM16	21.63	-1.12	20.51	33.01	Pass
Band41	10	40620	1	#Max	QAM16	21.78	-1.12	20.66	33.01	Pass
Band41	10	40620	25	#0	QAM16	20.45	-1.12	19.33	33.01	Pass
Band41	10	40620	25	#Mid	QAM16	20.43	-1.12	19.31	33.01	Pass
Band41	10	40620	25	#Max	QAM16	20.39	-1.12	19.27	33.01	Pass
Band41	10	40620	50	#0	QAM16	20.48	-1.12	19.36	33.01	Pass
Band41	10	41540	1	#0	QPSK	22.70	-1.12	21.58	33.01	Pass
Band41	10	41540	1	#Mid	QPSK	22.51	-1.12	21.39	33.01	Pass
Band41	10	41540	1	#Max	QPSK	22.61	-1.12	21.49	33.01	Pass
Band41	10	41540	25	#0	QPSK	21.54	-1.12	20.42	33.01	Pass
Band41	10	41540	25	#Mid	QPSK	21.55	-1.12	20.43	33.01	Pass
Band41	10	41540	25	#Max	QPSK	21.48	-1.12	20.36	33.01	Pass
Band41	10	41540	50	#0	QPSK	21.54	-1.12	20.42	33.01	Pass
Band41	10	41540	1	#0	QAM16	21.74	-1.12	20.62	33.01	Pass
Band41	10	41540	1	#Mid	QAM16	21.57	-1.12	20.45	33.01	Pass
Band41	10	41540	1	#Max	QAM16	21.69	-1.12	20.57	33.01	Pass
Band41	10	41540	25	#0	QAM16	20.57	-1.12	19.45	33.01	Pass

Band41	10	41540	25	#Mid	QAM16	20.56	-1.12	19.44	33.01	Pass
Band41	10	41540	25	#Max	QAM16	20.52	-1.12	19.40	33.01	Pass
Band41	10	41540	50	#0	QAM16	20.55	-1.12	19.43	33.01	Pass
Band41	15	39725	1	#0	QPSK	21.92	-1.12	20.80	33.01	Pass
Band41	15	39725	1	#Mid	QPSK	21.82	-1.12	20.70	33.01	Pass
Band41	15	39725	1	#Max	QPSK	21.89	-1.12	20.77	33.01	Pass
Band41	15	39725	36	#0	QPSK	20.94	-1.12	19.82	33.01	Pass
Band41	15	39725	36	#Mid	QPSK	20.90	-1.12	19.78	33.01	Pass
Band41	15	39725	36	#Max	QPSK	20.86	-1.12	19.74	33.01	Pass
Band41	15	39725	75	#0	QPSK	20.92	-1.12	19.80	33.01	Pass
Band41	15	39725	1	#0	QAM16	21.49	-1.12	20.37	33.01	Pass
Band41	15	39725	1	#Mid	QAM16	21.40	-1.12	20.28	33.01	Pass
Band41	15	39725	1	#Max	QAM16	21.44	-1.12	20.32	33.01	Pass
Band41	15	39725	36	#0	QAM16	20.02	-1.12	18.90	33.01	Pass
Band41	15	39725	36	#Mid	QAM16	19.98	-1.12	18.86	33.01	Pass
Band41	15	39725	36	#Max	QAM16	19.90	-1.12	18.78	33.01	Pass
Band41	15	39725	75	#0	QAM16	19.90	-1.12	18.78	33.01	Pass
Band41	15	40620	1	#0	QPSK	22.42	-1.12	21.30	33.01	Pass
Band41	15	40620	1	#Mid	QPSK	22.42	-1.12	21.30	33.01	Pass
Band41	15	40620	1	#Max	QPSK	22.48	-1.12	21.36	33.01	Pass
Band41	15	40620	36	#0	QPSK	21.43	-1.12	20.31	33.01	Pass
Band41	15	40620	36	#Mid	QPSK	21.38	-1.12	20.26	33.01	Pass
Band41	15	40620	36	#Max	QPSK	21.39	-1.12	20.27	33.01	Pass
Band41	15	40620	75	#0	QPSK	21.45	-1.12	20.33	33.01	Pass
Band41	15	40620	1	#0	QAM16	21.62	-1.12	20.50	33.01	Pass
Band41	15	40620	1	#Mid	QAM16	21.63	-1.12	20.51	33.01	Pass
Band41	15	40620	1	#Max	QAM16	21.65	-1.12	20.53	33.01	Pass
Band41	15	40620	36	#0	QAM16	20.51	-1.12	19.39	33.01	Pass
Band41	15	40620	36	#Mid	QAM16	20.45	-1.12	19.33	33.01	Pass
Band41	15	40620	36	#Max	QAM16	20.49	-1.12	19.37	33.01	Pass
Band41	15	40620	75	#0	QAM16	20.39	-1.12	19.27	33.01	Pass
Band41	15	41515	1	#0	QPSK	22.74	-1.12	21.62	33.01	Pass
Band41	15	41515	1	#Mid	QPSK	22.60	-1.12	21.48	33.01	Pass
Band41	15	41515	1	#Max	QPSK	22.60	-1.12	21.48	33.01	Pass
Band41	15	41515	36	#0	QPSK	21.62	-1.12	20.50	33.01	Pass
Band41	15	41515	36	#Mid	QPSK	21.52	-1.12	20.40	33.01	Pass
Band41	15	41515	36	#Max	QPSK	21.49	-1.12	20.37	33.01	Pass
Band41	15	41515	75	#0	QPSK	21.53	-1.12	20.41	33.01	Pass
Band41	15	41515	1	#0	QAM16	21.84	-1.12	20.72	33.01	Pass
Band41	15	41515	1	#Mid	QAM16	21.72	-1.12	20.60	33.01	Pass
Band41	15	41515	1	#Max	QAM16	21.73	-1.12	20.61	33.01	Pass
Band41	15	41515	36	#0	QAM16	20.60	-1.12	19.48	33.01	Pass
Band41	15	41515	36	#Mid	QAM16	20.56	-1.12	19.44	33.01	Pass
Band41	15	41515	36	#Max	QAM16	20.51	-1.12	19.39	33.01	Pass

Band41	15	41515	75	#0	QAM16	20.57	-1.12	19.45	33.01	Pass
Band41	20	39750	1	#0	QPSK	21.96	-1.12	20.84	33.01	Pass
Band41	20	39750	1	#Mid	QPSK	21.88	-1.12	20.76	33.01	Pass
Band41	20	39750	1	#Max	QPSK	22.02	-1.12	20.90	33.01	Pass
Band41	20	39750	50	#0	QPSK	21.01	-1.12	19.89	33.01	Pass
Band41	20	39750	50	#Mid	QPSK	20.95	-1.12	19.83	33.01	Pass
Band41	20	39750	50	#Max	QPSK	20.82	-1.12	19.70	33.01	Pass
Band41	20	39750	100	#0	QPSK	20.88	-1.12	19.76	33.01	Pass
Band41	20	39750	1	#0	QAM16	21.29	-1.12	20.17	33.01	Pass
Band41	20	39750	1	#Mid	QAM16	21.18	-1.12	20.06	33.01	Pass
Band41	20	39750	1	#Max	QAM16	21.38	-1.12	20.26	33.01	Pass
Band41	20	39750	50	#0	QAM16	20.07	-1.12	18.95	33.01	Pass
Band41	20	39750	50	#Mid	QAM16	19.99	-1.12	18.87	33.01	Pass
Band41	20	39750	50	#Max	QAM16	19.90	-1.12	18.78	33.01	Pass
Band41	20	39750	100	#0	QAM16	19.91	-1.12	18.79	33.01	Pass
Band41	20	40620	1	#0	QPSK	22.46	-1.12	21.34	33.01	Pass
Band41	20	40620	1	#Mid	QPSK	22.48	-1.12	21.36	33.01	Pass
Band41	20	40620	1	#Max	QPSK	22.58	-1.12	21.46	33.01	Pass
Band41	20	40620	50	#0	QPSK	21.47	-1.12	20.35	33.01	Pass
Band41	20	40620	50	#Mid	QPSK	21.46	-1.12	20.34	33.01	Pass
Band41	20	40620	50	#Max	QPSK	21.35	-1.12	20.23	33.01	Pass
Band41	20	40620	100	#0	QPSK	21.41	-1.12	20.29	33.01	Pass
Band41	20	40620	1	#0	QAM16	21.67	-1.12	20.55	33.01	Pass
Band41	20	40620	1	#Mid	QAM16	21.68	-1.12	20.56	33.01	Pass
Band41	20	40620	1	#Max	QAM16	21.81	-1.12	20.69	33.01	Pass
Band41	20	40620	50	#0	QAM16	20.44	-1.12	19.32	33.01	Pass
Band41	20	40620	50	#Mid	QAM16	20.46	-1.12	19.34	33.01	Pass
Band41	20	40620	50	#Max	QAM16	20.36	-1.12	19.24	33.01	Pass
Band41	20	40620	100	#0	QAM16	20.37	-1.12	19.25	33.01	Pass
Band41	20	41490	1	#0	QPSK	22.67	-1.12	21.55	33.01	Pass
Band41	20	41490	1	#Mid	QPSK	22.59	-1.12	21.47	33.01	Pass
Band41	20	41490	1	#Max	QPSK	22.52	-1.12	21.40	33.01	Pass
Band41	20	41490	50	#0	QPSK	21.66	-1.12	20.54	33.01	Pass
Band41	20	41490	50	#Mid	QPSK	21.65	-1.12	20.53	33.01	Pass
Band41	20	41490	50	#Max	QPSK	21.52	-1.12	20.40	33.01	Pass
Band41	20	41490	100	#0	QPSK	21.58	-1.12	20.46	33.01	Pass
Band41	20	41490	1	#0	QAM16	21.95	-1.12	20.83	33.01	Pass
Band41	20	41490	1	#Mid	QAM16	21.83	-1.12	20.71	33.01	Pass
Band41	20	41490	1	#Max	QAM16	21.85	-1.12	20.73	33.01	Pass
Band41	20	41490	50	#0	QAM16	20.68	-1.12	19.56	33.01	Pass
Band41	20	41490	50	#Mid	QAM16	20.64	-1.12	19.52	33.01	Pass
Band41	20	41490	50	#Max	QAM16	20.53	-1.12	19.41	33.01	Pass
Band41	20	41490	100	#0	QAM16	20.62	-1.12	19.50	33.01	Pass

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41	20	39750	100	#0	QPSK	-0.97	0.000	-2.5	2.5	PASS
Band41	20	39750	100	#0	QAM16	-3.73	-0.001	-2.5	2.5	PASS
Band41	20	40620	100	#0	QPSK	-1.98	-0.001	-2.5	2.5	PASS
Band41	20	40620	100	#0	QAM16	-3.49	-0.001	-2.5	2.5	PASS
Band41	20	41490	100	#0	QPSK	2.73	0.001	-2.5	2.5	PASS
Band41	20	41490	100	#0	QAM16	-3.13	-0.001	-2.5	2.5	PASS

Note: (Voltage: 3.87V, Temperature: 25°C) only reflect the worst mode.


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	40620	1	#0	QPSK	8.40	13	PASS
Band41	5	40620	1	#0	QAM16	8.53	13	PASS
Band41	10	40620	1	#0	QPSK	7.68	13	PASS
Band41	10	40620	1	#0	QAM16	9.59	13	PASS
Band41	15	40620	1	#0	QPSK	7.34	13	PASS
Band41	15	40620	1	#0	QAM16	8.27	13	PASS
Band41	20	40620	1	#0	QPSK	8.07	13	PASS
Band41	20	40620	1	#0	QAM16	9.53	13	PASS


Band41 QAM16 BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0



Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band41	5	39675	25	#0	QPSK	4.506	4.904	PASS
Band41	5	39675	25	#0	QAM16	4.497	4.875	PASS
Band41	5	40620	25	#0	QPSK	4.504	4.932	PASS
Band41	5	40620	25	#0	QAM16	4.498	4.936	PASS
Band41	5	41565	25	#0	QPSK	4.483	5.101	PASS
Band41	5	41565	25	#0	QAM16	4.511	4.900	PASS
Band41	10	39700	50	#0	QPSK	8.975	9.782	PASS
Band41	10	39700	50	#0	QAM16	8.979	9.626	PASS
Band41	10	40620	50	#0	QPSK	8.979	10.304	PASS
Band41	10	40620	50	#0	QAM16	8.992	9.639	PASS
Band41	10	41540	50	#0	QPSK	8.980	9.669	PASS
Band41	10	41540	50	#0	QAM16	8.964	9.901	PASS
Band41	15	39725	75	#0	QPSK	13.441	15.056	PASS
Band41	15	39725	75	#0	QAM16	13.462	14.945	PASS
Band41	15	40620	75	#0	QPSK	13.480	14.396	PASS
Band41	15	40620	75	#0	QAM16	13.442	14.738	PASS
Band41	15	41515	75	#0	QPSK	13.438	15.040	PASS
Band41	15	41515	75	#0	QAM16	13.453	14.860	PASS
Band41	20	39750	100	#0	QPSK	17.852	19.138	PASS
Band41	20	39750	100	#0	QAM16	17.913	19.555	PASS
Band41	20	40620	100	#0	QPSK	17.934	19.423	PASS
Band41	20	40620	100	#0	QAM16	17.948	19.090	PASS
Band41	20	41490	100	#0	QPSK	17.980	19.212	PASS
Band41	20	41490	100	#0	QAM16	17.881	19.725	PASS


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0



Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	2494.97	-18.23	-13	PASS
Band41	5	39675	25	#0	QAM16	2495.00	-20.24	-13	PASS
Band41	5	41565	25	#0	QPSK	2696.01	-31.96	-25	PASS
Band41	5	41565	25	#0	QAM16	2691.00	-18.22	-10	PASS
Band41	10	39700	50	#0	QPSK	2485.91	-37.00	-25	PASS
Band41	10	39700	50	#0	QAM16	2485.95	-36.09	-25	PASS
Band41	10	41540	50	#0	QPSK	2700.13	-35.61	-25	PASS
Band41	10	41540	50	#0	QAM16	2701.39	-36.95	-25	PASS
Band41	15	39725	75	#0	QPSK	2479.85	-40.09	-25	PASS
Band41	15	39725	75	#0	QAM16	2479.13	-38.09	-25	PASS
Band41	15	41515	75	#0	QPSK	2706.51	-37.28	-25	PASS
Band41	15	41515	75	#0	QAM16	2706.01	-37.99	-25	PASS
Band41	20	39750	100	#0	QPSK	2475.14	-40.99	-25	PASS
Band41	20	39750	100	#0	QAM16	2493.67	-28.74	-13	PASS
Band41	20	41490	100	#0	QPSK	2711.69	-37.78	-25	PASS
Band41	20	41490	100	#0	QAM16	2710.34	-38.10	-25	PASS


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0



Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	9783.33	-37.24	-25	PASS
Band41	5	39675	25	#0	QAM16	3833.88	-36.95	-25	PASS
Band41	5	41565	25	#0	QPSK	5375.13	-36.47	-25	PASS
Band41	5	41565	25	#0	QAM16	5374.45	-35.47	-25	PASS
Band41	10	39700	50	#0	QPSK	3820.60	-37.41	-25	PASS
Band41	10	39700	50	#0	QAM16	3813.85	-36.75	-25	PASS
Band41	10	41540	50	#0	QPSK	5369.50	-36.30	-25	PASS
Band41	10	41540	50	#0	QAM16	2733.40	-34.02	-25	PASS
Band41	15	39725	75	#0	QPSK	4904.65	-37.49	-25	PASS
Band41	15	39725	75	#0	QAM16	3738.03	-36.44	-25	PASS
Band41	15	41515	75	#0	QPSK	3740.28	-36.71	-25	PASS
Band41	15	41515	75	#0	QAM16	3736.90	-37.06	-25	PASS
Band41	20	39750	100	#0	QPSK	5051.35	-37.16	-25	PASS
Band41	20	39750	100	#0	QAM16	3780.10	-37.62	-25	PASS
Band41	20	41490	100	#0	QPSK	3830.50	-36.94	-25	PASS
Band41	20	41490	100	#0	QAM16	3864.48	-36.11	-25	PASS


Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0



Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0



Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0



Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0

