

TABLE OF CONTENTS

1 Conducted output power for NR FR12

2 Frequency stability for NR FR14

3 Peak-to-Average Ratio for NR FR16

4 Occupied bandwidth for NR FR138

5 Band edge for NR FR1.....49

6 Out-of-band emissions for NR FR159

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
n7	15	5	500500	1@1	DFT_BPSK	20.34	-1.12	19.22	33.01	Pass
n7	15	5	500500	25@0	DFT_QPSK	19.77	-1.12	18.65	33.01	Pass
n7	15	5	500500	12@6	DFT_QPSK	20.71	-1.12	19.59	33.01	Pass
n7	15	5	500500	1@1	DFT_QPSK	20.72	-1.12	19.60	33.01	Pass
n7	15	5	500500	1@23	DFT_QPSK	20.73	-1.12	19.61	33.01	Pass
n7	15	5	500500	1@1	DFT_QAM16	19.77	-1.12	18.65	33.01	Pass
n7	15	5	500500	1@1	DFT_QAM64	18.23	-1.12	17.11	33.01	Pass
n7	15	5	500500	1@1	DFT_QAM256	16.27	-1.12	15.15	33.01	Pass
n7	15	5	500500	1@1	CP_QPSK	19.18	-1.12	18.06	33.01	Pass
n7	15	5	507000	1@1	DFT_BPSK	20.57	-1.12	19.45	33.01	Pass
n7	15	5	507000	25@0	DFT_QPSK	19.89	-1.12	18.77	33.01	Pass
n7	15	5	507000	12@6	DFT_QPSK	20.90	-1.12	19.78	33.01	Pass
n7	15	5	507000	1@1	DFT_QPSK	21.14	-1.12	20.02	33.01	Pass
n7	15	5	507000	1@23	DFT_QPSK	21.33	-1.12	20.21	33.01	Pass
n7	15	5	507000	1@1	DFT_QAM16	20.24	-1.12	19.12	33.01	Pass
n7	15	5	507000	1@1	DFT_QAM64	18.19	-1.12	17.07	33.01	Pass
n7	15	5	507000	1@1	DFT_QAM256	16.47	-1.12	15.35	33.01	Pass
n7	15	5	507000	1@1	CP_QPSK	19.81	-1.12	18.69	33.01	Pass
n7	15	5	513500	1@1	DFT_BPSK	21.34	-1.12	20.22	33.01	Pass
n7	15	5	513500	25@0	DFT_QPSK	20.12	-1.12	19.00	33.01	Pass
n7	15	5	513500	12@6	DFT_QPSK	21.09	-1.12	19.97	33.01	Pass
n7	15	5	513500	1@1	DFT_QPSK	20.75	-1.12	19.63	33.01	Pass
n7	15	5	513500	1@23	DFT_QPSK	20.93	-1.12	19.81	33.01	Pass
n7	15	5	513500	1@1	DFT_QAM16	20.62	-1.12	19.50	33.01	Pass
n7	15	5	513500	1@1	DFT_QAM64	18.57	-1.12	17.45	33.01	Pass
n7	15	5	513500	1@1	DFT_QAM256	17.09	-1.12	15.97	33.01	Pass
n7	15	5	513500	1@1	CP_QPSK	19.96	-1.12	18.84	33.01	Pass
n7	15	15	501500	1@1	DFT_BPSK	20.72	-1.12	19.60	33.01	Pass
n7	15	15	501500	75@0	DFT_QPSK	19.79	-1.12	18.67	33.01	Pass
n7	15	15	501500	36@18	DFT_QPSK	20.79	-1.12	19.67	33.01	Pass
n7	15	15	501500	1@1	DFT_QPSK	20.60	-1.12	19.48	33.01	Pass
n7	15	15	501500	1@77	DFT_QPSK	20.61	-1.12	19.49	33.01	Pass
n7	15	15	501500	1@1	DFT_QAM16	20.15	-1.12	19.03	33.01	Pass
n7	15	15	501500	1@1	DFT_QAM64	18.60	-1.12	17.48	33.01	Pass
n7	15	15	501500	1@1	DFT_QAM256	16.14	-1.12	15.02	33.01	Pass
n7	15	15	501500	1@1	CP_QPSK	19.27	-1.12	18.15	33.01	Pass
n7	15	15	507000	1@1	DFT_BPSK	20.88	-1.12	19.76	33.01	Pass

n7	15	15	507000	75@0	DFT_QPSK	19.96	-1.12	18.84	33.01	Pass
n7	15	15	507000	36@18	DFT_QPSK	20.86	-1.12	19.74	33.01	Pass
n7	15	15	507000	1@1	DFT_QPSK	20.78	-1.12	19.66	33.01	Pass
n7	15	15	507000	1@77	DFT_QPSK	21.17	-1.12	20.05	33.01	Pass
n7	15	15	507000	1@1	DFT_QAM16	20.17	-1.12	19.05	33.01	Pass
n7	15	15	507000	1@1	DFT_QAM64	18.01	-1.12	16.89	33.01	Pass
n7	15	15	507000	1@1	DFT_QAM256	16.51	-1.12	15.39	33.01	Pass
n7	15	15	507000	1@1	CP_QPSK	19.08	-1.12	17.96	33.01	Pass
n7	15	15	512500	1@1	DFT_BPSK	21.02	-1.12	19.90	33.01	Pass
n7	15	15	512500	75@0	DFT_QPSK	20.00	-1.12	18.88	33.01	Pass
n7	15	15	512500	36@18	DFT_QPSK	21.06	-1.12	19.94	33.01	Pass
n7	15	15	512500	1@1	DFT_QPSK	21.02	-1.12	19.90	33.01	Pass
n7	15	15	512500	1@77	DFT_QPSK	21.16	-1.12	20.04	33.01	Pass
n7	15	15	512500	1@1	DFT_QAM16	20.11	-1.12	18.99	33.01	Pass
n7	15	15	512500	1@1	DFT_QAM64	18.37	-1.12	17.25	33.01	Pass
n7	15	15	512500	1@1	DFT_QAM256	16.92	-1.12	15.80	33.01	Pass
n7	15	15	512500	1@1	CP_QPSK	19.65	-1.12	18.53	33.01	Pass
n7	15	20	502000	1@1	DFT_BPSK	20.77	-1.12	19.65	33.01	Pass
n7	15	20	502000	100@0	DFT_QPSK	19.72	-1.12	18.60	33.01	Pass
n7	15	20	502000	50@25	DFT_QPSK	20.81	-1.12	19.69	33.01	Pass
n7	15	20	502000	1@1	DFT_QPSK	21.02	-1.12	19.90	33.01	Pass
n7	15	20	502000	1@104	DFT_QPSK	20.99	-1.12	19.87	33.01	Pass
n7	15	20	502000	1@1	DFT_QAM16	20.13	-1.12	19.01	33.01	Pass
n7	15	20	502000	1@1	DFT_QAM64	18.60	-1.12	17.48	33.01	Pass
n7	15	20	502000	1@1	DFT_QAM256	16.50	-1.12	15.38	33.01	Pass
n7	15	20	502000	1@1	CP_QPSK	19.52	-1.12	18.40	33.01	Pass
n7	15	20	507000	1@1	DFT_BPSK	20.64	-1.12	19.52	33.01	Pass
n7	15	20	507000	100@0	DFT_QPSK	19.92	-1.12	18.80	33.01	Pass
n7	15	20	507000	50@25	DFT_QPSK	20.91	-1.12	19.79	33.01	Pass
n7	15	20	507000	1@1	DFT_QPSK	20.62	-1.12	19.50	33.01	Pass
n7	15	20	507000	1@104	DFT_QPSK	21.00	-1.12	19.88	33.01	Pass
n7	15	20	507000	1@1	DFT_QAM16	19.68	-1.12	18.56	33.01	Pass
n7	15	20	507000	1@1	DFT_QAM64	18.49	-1.12	17.37	33.01	Pass
n7	15	20	507000	1@1	DFT_QAM256	16.21	-1.12	15.09	33.01	Pass
n7	15	20	507000	1@1	CP_QPSK	19.51	-1.12	18.39	33.01	Pass
n7	15	20	512000	1@1	DFT_BPSK	21.07	-1.12	19.95	33.01	Pass
n7	15	20	512000	100@0	DFT_QPSK	19.97	-1.12	18.85	33.01	Pass
n7	15	20	512000	50@25	DFT_QPSK	21.00	-1.12	19.88	33.01	Pass
n7	15	20	512000	1@1	DFT_QPSK	21.17	-1.12	20.05	33.01	Pass
n7	15	20	512000	1@104	DFT_QPSK	21.11	-1.12	19.99	33.01	Pass
n7	15	20	512000	1@1	DFT_QAM16	20.06	-1.12	18.94	33.01	Pass
n7	15	20	512000	1@1	DFT_QAM64	18.92	-1.12	17.80	33.01	Pass
n7	15	20	512000	1@1	DFT_QAM256	16.86	-1.12	15.74	33.01	Pass
n7	15	20	512000	1@1	CP_QPSK	19.75	-1.12	18.63	33.01	Pass

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n7	15	5	500500	12@6	DFT_BPSK	-0.49	-0.00020	-2.5	2.5	PASS
n7	15	5	500500	1@1	DFT_BPSK	-2.29	-0.00092	-2.5	2.5	PASS
n7	15	5	500500	1@23	DFT_BPSK	-2.73	-0.00109	-2.5	2.5	PASS
n7	15	5	500500	12@6	DFT_QPSK	-4.72	-0.00189	-2.5	2.5	PASS
n7	15	5	500500	1@1	DFT_QPSK	-4.59	-0.00183	-2.5	2.5	PASS
n7	15	5	500500	1@23	DFT_QPSK	-5.39	-0.00215	-2.5	2.5	PASS
n7	15	5	507000	12@6	DFT_BPSK	-6.95	-0.00274	-2.5	2.5	PASS
n7	15	5	507000	1@1	DFT_BPSK	-6.00	-0.00237	-2.5	2.5	PASS
n7	15	5	507000	1@23	DFT_BPSK	-6.37	-0.00251	-2.5	2.5	PASS
n7	15	5	507000	12@6	DFT_QPSK	-4.90	-0.00193	-2.5	2.5	PASS
n7	15	5	507000	1@1	DFT_QPSK	-3.86	-0.00152	-2.5	2.5	PASS
n7	15	5	507000	1@23	DFT_QPSK	-4.96	-0.00196	-2.5	2.5	PASS
n7	15	5	513500	12@6	DFT_BPSK	-5.36	-0.00209	-2.5	2.5	PASS
n7	15	5	513500	1@1	DFT_BPSK	-5.74	-0.00224	-2.5	2.5	PASS
n7	15	5	513500	1@23	DFT_BPSK	-6.09	-0.00237	-2.5	2.5	PASS
n7	15	5	513500	12@6	DFT_QPSK	-7.81	-0.00304	-2.5	2.5	PASS
n7	15	5	513500	1@1	DFT_QPSK	-5.63	-0.00219	-2.5	2.5	PASS
n7	15	5	513500	1@23	DFT_QPSK	-7.11	-0.00277	-2.5	2.5	PASS
n7	15	15	501500	36@18	DFT_BPSK	-3.03	-0.00121	-2.5	2.5	PASS
n7	15	15	501500	1@1	DFT_BPSK	-1.61	-0.00064	-2.5	2.5	PASS
n7	15	15	501500	1@77	DFT_BPSK	-2.69	-0.00107	-2.5	2.5	PASS
n7	15	15	501500	36@18	DFT_QPSK	0.86	0.00034	-2.5	2.5	PASS
n7	15	15	501500	1@1	DFT_QPSK	0.87	0.00035	-2.5	2.5	PASS
n7	15	15	501500	1@77	DFT_QPSK	0.20	0.00008	-2.5	2.5	PASS
n7	15	15	507000	36@18	DFT_BPSK	-2.89	-0.00114	-2.5	2.5	PASS
n7	15	15	507000	1@1	DFT_BPSK	-3.29	-0.00130	-2.5	2.5	PASS
n7	15	15	507000	1@77	DFT_BPSK	-3.10	-0.00122	-2.5	2.5	PASS
n7	15	15	507000	36@18	DFT_QPSK	-6.29	-0.00248	-2.5	2.5	PASS
n7	15	15	507000	1@1	DFT_QPSK	-6.78	-0.00267	-2.5	2.5	PASS
n7	15	15	507000	1@77	DFT_QPSK	-6.41	-0.00253	-2.5	2.5	PASS
n7	15	15	512500	36@18	DFT_BPSK	-6.58	-0.00257	-2.5	2.5	PASS
n7	15	15	512500	1@1	DFT_BPSK	-7.45	-0.00291	-2.5	2.5	PASS
n7	15	15	512500	1@77	DFT_BPSK	-2.11	-0.00082	-2.5	2.5	PASS
n7	15	15	512500	36@18	DFT_QPSK	-4.87	-0.00190	-2.5	2.5	PASS
n7	15	15	512500	1@1	DFT_QPSK	-4.87	-0.00190	-2.5	2.5	PASS
n7	15	15	512500	1@77	DFT_QPSK	-6.72	-0.00262	-2.5	2.5	PASS
n7	15	20	502000	50@25	DFT_BPSK	2.20	0.00088	-2.5	2.5	PASS
n7	15	20	502000	1@1	DFT_BPSK	0.88	0.00035	-2.5	2.5	PASS

n7	15	20	502000	1@104	DFT_BPSK	2.84	0.00113	-2.5	2.5	PASS
n7	15	20	502000	50@25	DFT_QPSK	-1.05	-0.00042	-2.5	2.5	PASS
n7	15	20	502000	1@1	DFT_QPSK	-3.46	-0.00138	-2.5	2.5	PASS
n7	15	20	502000	1@104	DFT_QPSK	-1.70	-0.00068	-2.5	2.5	PASS
n7	15	20	507000	50@25	DFT_BPSK	-6.15	-0.00243	-2.5	2.5	PASS
n7	15	20	507000	1@1	DFT_BPSK	-7.56	-0.00298	-2.5	2.5	PASS
n7	15	20	507000	1@104	DFT_BPSK	-7.86	-0.00310	-2.5	2.5	PASS
n7	15	20	507000	50@25	DFT_QPSK	-5.76	-0.00227	-2.5	2.5	PASS
n7	15	20	507000	1@1	DFT_QPSK	-3.95	-0.00156	-2.5	2.5	PASS
n7	15	20	507000	1@104	DFT_QPSK	-4.87	-0.00192	-2.5	2.5	PASS
n7	15	20	512000	50@25	DFT_BPSK	0.96	0.00038	-2.5	2.5	PASS
n7	15	20	512000	1@1	DFT_BPSK	-1.92	-0.00075	-2.5	2.5	PASS
n7	15	20	512000	1@104	DFT_BPSK	-2.95	-0.00115	-2.5	2.5	PASS
n7	15	20	512000	50@25	DFT_QPSK	-7.05	-0.00275	-2.5	2.5	PASS
n7	15	20	512000	1@1	DFT_QPSK	-7.51	-0.00293	-2.5	2.5	PASS
n7	15	20	512000	1@104	DFT_QPSK	-6.39	-0.00250	-2.5	2.5	PASS


Note: (Voltage: 3.87V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n7	15	5	500500	25@0	DFT_BPSK	4.57	13	PASS
n7	15	5	500500	25@0	DFT_QPSK	5.22	13	PASS
n7	15	5	500500	25@0	DFT_QAM16	5.71	13	PASS
n7	15	5	500500	25@0	DFT_QAM64	6.12	13	PASS
n7	15	5	500500	25@0	DFT_QAM256	6.52	13	PASS
n7	15	5	507000	25@0	DFT_BPSK	3.75	13	PASS
n7	15	5	507000	25@0	DFT_QPSK	4.65	13	PASS
n7	15	5	507000	25@0	DFT_QAM16	5.55	13	PASS
n7	15	5	507000	25@0	DFT_QAM64	5.82	13	PASS
n7	15	5	507000	25@0	DFT_QAM256	6.41	13	PASS
n7	15	5	513500	25@0	DFT_BPSK	3.91	13	PASS
n7	15	5	513500	25@0	DFT_QPSK	4.81	13	PASS
n7	15	5	513500	25@0	DFT_QAM16	5.64	13	PASS
n7	15	5	513500	25@0	DFT_QAM64	5.96	13	PASS
n7	15	5	513500	25@0	DFT_QAM256	6.67	13	PASS
n7	15	10	501000	50@0	DFT_BPSK	5.02	13	PASS
n7	15	10	501000	50@0	DFT_QPSK	5.24	13	PASS
n7	15	10	501000	50@0	DFT_QAM16	6.06	13	PASS
n7	15	10	501000	50@0	DFT_QAM64	6.26	13	PASS
n7	15	10	501000	50@0	DFT_QAM256	6.64	13	PASS
n7	15	10	507000	50@0	DFT_BPSK	3.78	13	PASS
n7	15	10	507000	50@0	DFT_QPSK	4.49	13	PASS
n7	15	10	507000	50@0	DFT_QAM16	5.45	13	PASS
n7	15	10	507000	50@0	DFT_QAM64	5.81	13	PASS
n7	15	10	507000	50@0	DFT_QAM256	6.61	13	PASS
n7	15	10	513000	50@0	DFT_BPSK	3.93	13	PASS
n7	15	10	513000	50@0	DFT_QPSK	4.88	13	PASS
n7	15	10	513000	50@0	DFT_QAM16	5.62	13	PASS
n7	15	10	513000	50@0	DFT_QAM64	6.02	13	PASS
n7	15	10	513000	50@0	DFT_QAM256	6.51	13	PASS
n7	15	15	501500	75@0	DFT_BPSK	4.26	13	PASS
n7	15	15	501500	75@0	DFT_QPSK	5.17	13	PASS
n7	15	15	501500	75@0	DFT_QAM16	6.00	13	PASS
n7	15	15	501500	75@0	DFT_QAM64	6.28	13	PASS
n7	15	15	501500	75@0	DFT_QAM256	6.61	13	PASS
n7	15	15	507000	75@0	DFT_BPSK	3.81	13	PASS
n7	15	15	507000	75@0	DFT_QPSK	4.77	13	PASS
n7	15	15	507000	75@0	DFT_QAM16	5.63	13	PASS
n7	15	15	507000	75@0	DFT_QAM64	5.82	13	PASS
n7	15	15	507000	75@0	DFT_QAM256	6.59	13	PASS

n7	15	15	512500	75@0	DFT_BPSK	4.26	13	PASS
n7	15	15	512500	75@0	DFT_QPSK	4.95	13	PASS
n7	15	15	512500	75@0	DFT_QAM16	5.80	13	PASS
n7	15	15	512500	75@0	DFT_QAM64	6.04	13	PASS
n7	15	15	512500	75@0	DFT_QAM256	6.54	13	PASS
n7	15	20	502000	100@0	DFT_BPSK	5.32	13	PASS
n7	15	20	502000	100@0	DFT_QPSK	5.58	13	PASS
n7	15	20	502000	100@0	DFT_QAM16	6.22	13	PASS
n7	15	20	502000	100@0	DFT_QAM64	6.34	13	PASS
n7	15	20	502000	100@0	DFT_QAM256	6.73	13	PASS
n7	15	20	507000	100@0	DFT_BPSK	4.31	13	PASS
n7	15	20	507000	100@0	DFT_QPSK	4.99	13	PASS
n7	15	20	507000	100@0	DFT_QAM16	5.72	13	PASS
n7	15	20	507000	100@0	DFT_QAM64	6.05	13	PASS
n7	15	20	507000	100@0	DFT_QAM256	6.51	13	PASS
n7	15	20	512000	100@0	DFT_BPSK	4.18	13	PASS
n7	15	20	512000	100@0	DFT_QPSK	5.16	13	PASS
n7	15	20	512000	100@0	DFT_QAM16	5.95	13	PASS
n7	15	20	512000	100@0	DFT_QAM64	6.33	13	PASS
n7	15	20	512000	100@0	DFT_QAM256	6.66	13	PASS


n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=512000 RB=100@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n7	15	5	507000	25@0	DFT_BPSK	4.460	4.620	PASS
n7	15	5	507000	25@0	DFT_QPSK	4.440	4.630	PASS
n7	15	5	507000	25@0	DFT_QAM16	4.450	4.640	PASS
n7	15	5	507000	25@0	DFT_QAM64	4.450	4.650	PASS
n7	15	5	507000	25@0	DFT_QAM256	4.460	4.630	PASS
n7	15	10	507000	50@0	DFT_BPSK	9.240	9.160	PASS
n7	15	10	507000	50@0	DFT_QPSK	9.190	9.130	PASS
n7	15	10	507000	50@0	DFT_QAM16	9.260	9.130	PASS
n7	15	10	507000	50@0	DFT_QAM64	9.190	9.100	PASS
n7	15	10	507000	50@0	DFT_QAM256	9.210	9.160	PASS
n7	15	15	507000	75@0	DFT_BPSK	13.980	13.650	PASS
n7	15	15	507000	75@0	DFT_QPSK	13.980	13.620	PASS
n7	15	15	507000	75@0	DFT_QAM16	14.050	13.670	PASS
n7	15	15	507000	75@0	DFT_QAM64	13.990	13.620	PASS
n7	15	15	507000	75@0	DFT_QAM256	13.990	13.630	PASS
n7	15	20	507000	100@0	DFT_BPSK	18.800	18.090	PASS
n7	15	20	507000	100@0	DFT_QPSK	18.800	18.150	PASS
n7	15	20	507000	100@0	DFT_QAM16	18.830	18.130	PASS
n7	15	20	507000	100@0	DFT_QAM64	18.730	18.110	PASS
n7	15	20	507000	100@0	DFT_QAM256	18.870	18.240	PASS

n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=507000 RB=75@0



n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=75@0



n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=507000 RB=75@0



n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=507000 RB=75@0



n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=507000 RB=75@0



n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0