

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth h	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	24.83	22.53	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	24.89	22.59	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	24.90	22.6	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.93	21.63	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.84	21.54	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	23.83	21.53	33.01	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.86	20.56	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	24.70	22.4	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	24.69	22.39	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	24.93	22.63	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.82	21.52	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.72	21.42	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	23.73	21.43	33.01	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.68	20.38	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	24.83	22.53	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	24.72	22.42	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	24.43	22.13	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	24.02	21.72	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.97	21.67	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	23.98	21.68	33.01	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.91	20.61	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	24.49	22.19	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	24.53	22.23	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	24.56	22.26	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.60	20.3	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.66	20.36	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	22.62	20.32	33.01	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	22.08	19.78	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	23.65	21.35	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	23.59	21.29	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	24.06	21.76	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.54	20.24	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.56	20.26	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	22.57	20.27	33.01	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.56	19.26	33.01	PASS

Band2	1.4MHz	16QAM	19193	1RB#0	23.94	21.64	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	23.98	21.68	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	23.92	21.62	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.87	20.57	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.89	20.59	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#2	22.87	20.57	33.01	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	22.08	19.78	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	24.47	22.17	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#2	24.54	22.24	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	24.55	22.25	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#0	22.61	20.31	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#1	22.63	20.33	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#2	22.63	20.33	33.01	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	22.10	19.8	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	23.61	21.31	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#2	23.56	21.26	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	24.06	21.76	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#0	22.57	20.27	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#1	22.58	20.28	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#2	22.58	20.28	33.01	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	21.61	19.31	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	23.90	21.6	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#2	23.91	21.61	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	23.92	21.62	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#0	22.90	20.6	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#1	22.87	20.57	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#2	22.89	20.59	33.01	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	22.02	19.72	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#0	24.84	22.54	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#7	24.87	22.57	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	24.82	22.52	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.77	20.47	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.82	20.52	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.79	20.49	33.01	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.91	20.61	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#0	24.78	22.48	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#7	24.93	22.63	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#14	24.93	22.63	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.79	20.49	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.76	20.46	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.86	20.56	33.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.78	20.48	33.01	PASS

Band2	3MHz	QPSK	19185	1RB#0	24.58	22.28	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#7	24.74	22.44	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#14	24.39	22.09	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.96	20.66	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.84	20.54	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.93	20.63	33.01	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.96	20.66	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#0	23.79	21.49	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#7	23.94	21.64	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#14	23.86	21.56	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#0	22.07	19.77	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#4	22.01	19.71	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#7	22.02	19.72	33.01	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.85	19.55	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#0	23.91	21.61	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#7	24.12	21.82	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#14	24.11	21.81	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.85	19.55	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.89	19.59	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.90	19.6	33.01	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.81	19.51	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#0	23.91	21.61	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#7	23.95	21.65	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#14	23.99	21.69	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#0	22.06	19.76	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#4	22.01	19.71	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#7	22.10	19.8	33.01	PASS
Band2	3MHz	16QAM	19185	15RB#0	22.02	19.72	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#0	23.84	21.54	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#7	23.88	21.58	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#14	23.89	21.59	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#0	22.00	19.7	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#4	22.04	19.74	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#7	22.00	19.7	33.01	PASS
Band2	3MHz	64QAM	18615	15RB#0	21.86	19.56	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#0	23.81	21.51	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#7	24.01	21.71	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#14	24.12	21.82	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#0	21.89	19.59	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#4	21.80	19.5	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#7	22.03	19.73	33.01	PASS
Band2	3MHz	64QAM	18900	15RB#0	21.81	19.51	33.01	PASS

Band2	3MHz	64QAM	19185	1RB#0	23.90	21.6	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#7	23.98	21.68	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#14	23.97	21.67	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#0	22.04	19.74	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#4	22.02	19.72	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#7	22.12	19.82	33.01	PASS
Band2	3MHz	64QAM	19185	15RB#0	22.04	19.74	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#0	24.70	22.4	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#12	24.89	22.59	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#24	24.70	22.4	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.86	20.56	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.80	20.5	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#11	22.83	20.53	33.01	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.74	20.44	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#0	24.82	22.52	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#12	25.13	22.83	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#24	25.14	22.84	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.77	20.47	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.74	20.44	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#11	22.77	20.47	33.01	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.77	20.47	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#0	24.98	22.68	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#12	24.96	22.66	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#24	24.36	22.06	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#0	22.95	20.65	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#6	23.02	20.72	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#11	23.03	20.73	33.01	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.98	20.68	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#0	23.79	21.49	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#12	23.81	21.51	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#24	23.86	21.56	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.88	19.58	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#6	22.00	19.7	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#11	21.98	19.68	33.01	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.88	19.58	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#0	23.73	21.43	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#12	23.95	21.65	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#24	24.07	21.77	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.84	19.54	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.76	19.46	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#11	21.78	19.48	33.01	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.90	19.6	33.01	PASS

Band2	5MHz	16QAM	19175	1RB#0	23.42	21.12	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#12	23.48	21.18	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#24	23.51	21.21	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#0	22.01	19.71	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.99	19.69	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#11	22.07	19.77	33.01	PASS
Band2	5MHz	16QAM	19175	25RB#0	22.13	19.83	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#0	23.79	21.49	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#12	23.85	21.55	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#24	23.81	21.51	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#0	21.90	19.6	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#6	21.96	19.66	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#11	21.99	19.69	33.01	PASS
Band2	5MHz	64QAM	18625	25RB#0	21.88	19.58	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#0	23.76	21.46	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#12	23.96	21.66	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#24	24.02	21.72	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#0	21.82	19.52	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#6	21.78	19.48	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#11	21.80	19.5	33.01	PASS
Band2	5MHz	64QAM	18900	25RB#0	21.85	19.55	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#0	23.48	21.18	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#12	23.43	21.13	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#24	23.48	21.18	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#0	22.02	19.72	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#6	21.96	19.66	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#11	22.06	19.76	33.01	PASS
Band2	5MHz	64QAM	19175	25RB#0	22.06	19.76	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#0	24.76	22.46	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#24	24.88	22.58	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#49	24.91	22.61	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#0	22.83	20.53	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#12	22.90	20.6	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#24	22.92	20.62	33.01	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.91	20.61	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#0	24.91	22.61	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#24	24.75	22.45	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#49	25.02	22.72	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.78	20.48	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.76	20.46	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#24	22.79	20.49	33.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.83	20.53	33.01	PASS

Band2	10MHz	QPSK	19150	1RB#0	24.90	22.6	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#24	24.86	22.56	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#49	24.72	22.42	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#0	23.03	20.73	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#12	23.03	20.73	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#24	23.06	20.76	33.01	PASS
Band2	10MHz	QPSK	19150	50RB#0	23.02	20.72	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#0	23.53	21.23	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#24	23.55	21.25	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	23.48	21.18	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.98	19.68	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.97	19.67	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#24	21.99	19.69	33.01	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.94	19.64	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#0	24.31	22.01	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#24	24.32	22.02	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#49	24.58	22.28	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.88	19.58	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.90	19.6	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#24	21.92	19.62	33.01	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.91	19.61	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#0	24.07	21.77	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#24	24.10	21.8	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#49	23.99	21.69	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.94	19.64	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.99	19.69	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#24	22.01	19.71	33.01	PASS
Band2	10MHz	16QAM	19150	50RB#0	22.02	19.72	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#0	23.53	21.23	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#24	23.50	21.2	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#49	23.49	21.19	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#0	21.99	19.69	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#12	22.00	19.7	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#24	22.02	19.72	33.01	PASS
Band2	10MHz	64QAM	18650	50RB#0	21.93	19.63	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#0	24.35	22.05	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#24	24.33	22.03	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#49	24.58	22.28	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#0	21.88	19.58	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#12	21.92	19.62	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#24	21.92	19.62	33.01	PASS
Band2	10MHz	64QAM	18900	50RB#0	21.85	19.55	33.01	PASS

Band2	10MHz	64QAM	19150	1RB#0	24.06	21.76	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#24	24.17	21.87	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#49	23.98	21.68	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#0	21.98	19.68	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#12	22.01	19.71	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#24	21.95	19.65	33.01	PASS
Band2	10MHz	64QAM	19150	50RB#0	22.04	19.74	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	24.74	22.44	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#37	24.73	22.43	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#74	24.73	22.43	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#0	22.89	20.59	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#16	22.95	20.65	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#35	22.89	20.59	33.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.88	20.58	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.83	21.53	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#37	24.98	22.68	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#74	25.01	22.71	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#0	22.85	20.55	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#16	22.84	20.54	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#35	22.70	20.4	33.01	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.80	20.5	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#0	24.95	22.65	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#37	24.92	22.62	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#74	24.67	22.37	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#0	23.09	20.79	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#16	23.06	20.76	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#35	22.97	20.67	33.01	PASS
Band2	15MHz	QPSK	19125	75RB#0	23.06	20.76	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#0	24.03	21.73	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#37	23.94	21.64	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#74	23.95	21.65	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#0	22.08	19.78	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#16	22.07	19.77	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#35	22.09	19.79	33.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	22.02	19.72	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#0	24.36	22.06	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#37	24.55	22.25	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#74	24.55	22.25	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#0	21.75	19.45	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#16	21.79	19.49	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#35	21.82	19.52	33.01	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.89	19.59	33.01	PASS

Band2	15MHz	16QAM	19125	1RB#0	24.09	21.79	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#37	24.22	21.92	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#74	24.05	21.75	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#0	22.01	19.71	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#16	22.09	19.79	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#35	22.01	19.71	33.01	PASS
Band2	15MHz	16QAM	19125	75RB#0	22.04	19.74	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#0	24.07	21.77	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#37	23.92	21.62	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#74	23.97	21.67	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#0	22.08	19.78	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#16	22.11	19.81	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#35	22.08	19.78	33.01	PASS
Band2	15MHz	64QAM	18675	75RB#0	22.05	19.75	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#0	24.38	22.08	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#37	24.51	22.21	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#74	24.58	22.28	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#0	21.79	19.49	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#16	21.83	19.53	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#35	21.83	19.53	33.01	PASS
Band2	15MHz	64QAM	18900	75RB#0	21.80	19.5	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#0	24.12	21.82	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#37	24.13	21.83	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#74	24.07	21.77	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#0	22.06	19.76	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#16	22.01	19.71	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#35	22.04	19.74	33.01	PASS
Band2	15MHz	64QAM	19125	75RB#0	22.07	19.77	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#0	25.17	22.87	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#49	25.14	22.84	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#99	25.15	22.85	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#0	22.93	20.63	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#24	22.87	20.57	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#49	22.90	20.6	33.01	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.84	20.54	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#0	24.86	22.56	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#49	24.77	22.47	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#99	25.03	22.73	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.90	20.6	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#24	22.85	20.55	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#49	22.87	20.57	33.01	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.78	20.48	33.01	PASS

Band2	20MHz	QPSK	19100	1RB#0	22.99	20.69	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#49	25.25	22.95	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#99	25.04	22.74	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#0	23.11	20.81	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#24	23.08	20.78	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#49	23.02	20.72	33.01	PASS
Band2	20MHz	QPSK	19100	100RB#0	23.00	20.7	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#0	24.27	21.97	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#49	24.28	21.98	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#99	24.31	22.01	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.99	19.69	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#24	21.95	19.65	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#49	21.95	19.65	33.01	PASS
Band2	20MHz	16QAM	18700	100RB#0	22.00	19.7	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#0	23.62	21.32	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#49	23.72	21.42	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#99	23.95	21.65	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#0	22.00	19.7	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#24	22.04	19.74	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#49	21.92	19.62	33.01	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.81	19.51	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#0	24.08	21.78	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#49	24.12	21.82	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#99	24.08	21.78	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#0	22.15	19.85	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#24	22.20	19.9	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#49	22.13	19.83	33.01	PASS
Band2	20MHz	16QAM	19100	100RB#0	22.10	19.8	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#0	24.23	21.93	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#49	24.30	22	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#99	24.23	21.93	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#0	21.95	19.65	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#24	21.97	19.67	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#49	21.98	19.68	33.01	PASS
Band2	20MHz	64QAM	18700	100RB#0	22.03	19.73	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#0	23.64	21.34	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#49	23.62	21.32	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#99	23.97	21.67	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#0	22.02	19.72	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#24	22.06	19.76	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#49	22.05	19.75	33.01	PASS
Band2	20MHz	64QAM	18900	100RB#0	21.85	19.55	33.01	PASS

Band2	20MHz	64QAM	19100	1RB#0	24.07	21.77	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#49	24.09	21.79	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#99	24.10	21.8	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#0	22.20	19.9	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#24	22.13	19.83	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#49	22.15	19.85	33.01	PASS
Band2	20MHz	64QAM	19100	100RB#0	22.09	22.53	33.01	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	24.47	12.92	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	24.49	12.94	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	24.48	12.93	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	24.56	13.01	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	24.55	13	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#2	24.57	13.02	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	23.49	11.94	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	24.64	13.09	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	24.51	12.96	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	24.55	13	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	24.68	13.13	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	24.69	13.14	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#2	24.69	13.14	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	23.69	12.14	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	24.72	13.17	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	24.62	13.07	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	24.55	13	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	24.71	13.16	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	24.76	13.21	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#2	24.69	13.14	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	23.74	12.19	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	24.62	13.07	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	24.60	13.05	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	24.56	13.01	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	23.31	11.76	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	23.34	11.79	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#2	23.27	11.72	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	22.81	11.26	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	23.78	12.23	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	24.11	12.56	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	24.05	12.5	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	23.65	12.1	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	23.65	12.1	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#2	23.66	12.11	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	22.85	11.3	38.45	PASS

Band5	1.4MHz	16QAM	20643	1RB#0	24.55	13	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	24.82	13.27	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	24.72	13.17	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	23.47	11.92	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	23.45	11.9	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#2	23.46	11.91	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	22.63	11.08	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	24.62	13.07	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#2	24.65	13.1	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#5	24.55	13	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#0	23.23	11.68	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#1	23.25	11.7	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#2	23.35	11.8	38.45	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	22.83	11.28	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	23.78	12.23	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#2	24.12	12.57	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#5	24.05	12.5	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#0	23.67	12.12	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#1	23.68	12.13	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#2	23.67	12.12	38.45	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	22.88	11.33	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	24.53	12.98	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#2	24.81	13.26	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#5	24.73	13.18	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#0	23.46	11.91	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#1	23.42	11.87	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#2	23.48	11.93	38.45	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	22.58	11.03	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	24.52	12.97	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#7	24.55	13	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	24.64	13.09	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#0	23.45	11.9	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#4	23.61	12.06	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#7	23.62	12.07	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	23.63	12.08	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	24.71	13.16	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#7	24.69	13.14	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	24.69	13.14	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	23.66	12.11	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#4	23.85	12.3	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#7	23.75	12.2	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	23.56	12.01	38.45	PASS

Band5	3MHz	QPSK	20635	1RB#0	24.64	13.09	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#7	24.57	13.02	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	24.54	12.99	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#0	23.76	12.21	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#4	23.78	12.23	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#7	23.63	12.08	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	23.71	12.16	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	23.69	12.14	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#7	23.68	12.13	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	23.70	12.15	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#0	22.71	11.16	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#4	22.74	11.19	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#7	22.84	11.29	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	22.57	11.02	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	24.06	12.51	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#7	24.71	13.16	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	24.62	13.07	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#0	22.99	11.44	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#4	22.99	11.44	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#7	22.86	11.31	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	22.83	11.28	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#0	24.10	12.55	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#7	24.26	12.71	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	24.11	12.56	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#0	22.98	11.43	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#4	23.00	11.45	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#7	22.83	11.28	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	22.82	11.27	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#0	23.71	12.16	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#7	23.73	12.18	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#14	23.71	12.16	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#0	22.73	11.18	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#4	22.82	11.27	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#7	22.86	11.31	38.45	PASS
Band5	3MHz	64QAM	20415	15RB#0	22.36	10.81	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#0	24.05	12.5	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#7	24.70	13.15	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#14	24.65	13.1	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#0	22.92	11.37	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#4	22.96	11.41	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#7	22.88	11.33	38.45	PASS
Band5	3MHz	64QAM	20525	15RB#0	22.81	11.26	38.45	PASS

Band5	3MHz	64QAM	20635	1RB#0	24.12	12.57	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#7	24.29	12.74	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#14	24.08	12.53	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#0	22.90	11.35	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#4	22.88	11.33	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#7	22.92	11.37	38.45	PASS
Band5	3MHz	64QAM	20635	15RB#0	22.78	11.23	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	24.36	12.81	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	24.53	12.98	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	24.50	12.95	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#0	23.48	11.93	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#6	23.55	12	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#11	23.45	11.9	38.45	PASS
Band5	5MHz	QPSK	20425	25RB#0	23.53	11.98	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	24.80	13.25	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	24.76	13.21	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	24.89	13.34	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#0	23.70	12.15	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#6	23.63	12.08	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#11	23.64	12.09	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	23.67	12.12	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	24.67	13.12	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	24.74	13.19	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	24.58	13.03	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#0	23.67	12.12	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	23.72	12.17	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#11	23.61	12.06	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	23.82	12.27	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	24.25	12.7	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	24.36	12.81	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	24.44	12.89	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	22.68	11.13	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	22.69	11.14	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#11	22.72	11.17	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	22.72	11.17	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	23.90	12.35	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	24.15	12.6	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	24.24	12.69	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#0	22.71	11.16	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#6	22.73	11.18	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#11	22.75	11.2	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	22.86	11.31	38.45	PASS

Band5	5MHz	16QAM	20625	1RB#0	23.61	12.06	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	23.63	12.08	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	23.65	12.1	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#0	22.65	11.1	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#6	22.68	11.13	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#11	22.68	11.13	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	22.84	11.29	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#0	24.36	12.81	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#12	24.37	12.82	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#24	24.43	12.88	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#0	22.72	11.17	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#6	22.65	11.1	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#11	22.65	11.1	38.45	PASS
Band5	5MHz	64QAM	20425	25RB#0	22.73	11.18	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#0	23.94	12.39	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#12	24.17	12.62	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#24	24.21	12.66	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#0	22.74	11.19	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#6	22.76	11.21	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#11	22.77	11.22	38.45	PASS
Band5	5MHz	64QAM	20525	25RB#0	22.77	11.22	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#0	23.62	12.07	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#12	23.58	12.03	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#24	23.48	11.93	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#0	22.68	11.13	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#6	22.70	11.15	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#11	22.70	11.15	38.45	PASS
Band5	5MHz	64QAM	20625	25RB#0	22.86	11.31	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	24.33	12.78	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	24.56	13.01	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	24.53	12.98	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#0	23.57	12.02	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#12	23.52	11.97	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#24	23.53	11.98	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	23.73	12.18	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	24.83	13.28	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	24.68	13.13	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	24.84	13.29	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#0	23.64	12.09	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#12	23.70	12.15	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#24	23.80	12.25	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	23.63	12.08	38.45	PASS

Band5	10MHz	QPSK	20600	1RB#0	24.58	13.03	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	24.62	13.07	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	24.54	12.99	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#0	23.64	12.09	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#12	23.71	12.16	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#24	23.73	12.18	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	23.60	12.05	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	23.98	12.43	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	24.09	12.54	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	24.03	12.48	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#0	22.67	11.12	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#12	22.72	11.17	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#24	22.72	11.17	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	22.80	11.25	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	24.10	12.55	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	24.05	12.5	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	24.19	12.64	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#0	22.78	11.23	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#12	22.92	11.37	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#24	22.93	11.38	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	22.70	11.15	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#0	24.30	12.75	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	24.46	12.91	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#49	24.21	12.66	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#0	22.62	11.07	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	22.64	11.09	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#24	22.66	11.11	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	22.69	11.14	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#0	23.96	12.41	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#24	24.10	12.55	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#49	24.04	12.49	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#0	22.73	11.18	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#12	22.73	11.18	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#24	22.74	11.19	38.45	PASS
Band5	10MHz	64QAM	20450	50RB#0	22.81	11.26	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#0	24.11	12.56	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#24	24.13	12.58	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#49	24.72	13.17	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#0	22.80	11.25	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#12	22.98	11.43	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#24	22.95	11.4	38.45	PASS
Band5	10MHz	64QAM	20525	50RB#0	22.72	11.17	38.45	PASS

Band5	10MHz	64QAM	20600	1RB#0	24.28	12.73	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#24	24.37	12.82	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#49	24.20	12.65	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#0	22.65	11.1	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#12	22.63	11.08	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#24	22.65	11.1	38.45	PASS
Band5	10MHz	64QAM	20600	50RB#0	22.68	11.13	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#0	23.39	21.79	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#12	23.31	21.71	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#24	23.36	21.76	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#0	22.43	20.83	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#6	22.32	20.72	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#11	22.34	20.74	38.45	PASS
Band7	5MHz	QPSK	20775	25RB#0	22.49	20.89	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#0	23.36	21.76	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#12	23.59	21.99	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#24	23.52	21.92	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#0	22.57	20.97	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#6	22.63	21.03	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#11	22.52	20.92	38.45	PASS
Band7	5MHz	QPSK	21100	25RB#0	22.53	20.93	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#0	23.90	22.3	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#12	23.88	22.28	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#24	23.87	22.27	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#0	22.75	21.15	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#6	22.83	21.23	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#11	22.70	21.1	38.45	PASS
Band7	5MHz	QPSK	21425	25RB#0	22.75	21.15	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#0	22.39	20.79	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#12	22.39	20.79	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#24	22.40	20.8	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#0	21.48	19.88	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#6	21.45	19.85	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#11	21.36	19.76	38.45	PASS
Band7	5MHz	16QAM	20775	25RB#0	21.59	19.99	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#0	22.87	21.27	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#12	22.94	21.34	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#24	22.91	21.31	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#0	21.54	19.94	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#6	21.57	19.97	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#11	21.59	19.99	38.45	PASS
Band7	5MHz	16QAM	21100	25RB#0	21.49	19.89	38.45	PASS

Band7	5MHz	16QAM	21425	1RB#0	23.14	21.54	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#12	22.97	21.37	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#24	22.90	21.3	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#0	21.76	20.16	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#6	21.70	20.1	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#11	21.64	20.04	38.45	PASS
Band7	5MHz	16QAM	21425	25RB#0	21.71	20.11	38.45	PASS
Band7	5MHz	64QAM	20775	1RB#0	22.23	20.63	38.45	PASS
Band7	5MHz	64QAM	20775	1RB#12	22.41	20.81	38.45	PASS
Band7	5MHz	64QAM	20775	1RB#24	22.39	20.79	38.45	PASS
Band7	5MHz	64QAM	20775	12RB#0	21.36	19.76	38.45	PASS
Band7	5MHz	64QAM	20775	12RB#6	21.39	19.79	38.45	PASS
Band7	5MHz	64QAM	20775	12RB#11	21.39	19.79	38.45	PASS
Band7	5MHz	64QAM	20775	25RB#0	21.59	19.99	38.45	PASS
Band7	5MHz	64QAM	21100	1RB#0	22.88	21.28	38.45	PASS
Band7	5MHz	64QAM	21100	1RB#12	22.95	21.35	38.45	PASS
Band7	5MHz	64QAM	21100	1RB#24	22.92	21.32	38.45	PASS
Band7	5MHz	64QAM	21100	12RB#0	21.59	19.99	38.45	PASS
Band7	5MHz	64QAM	21100	12RB#6	21.61	20.01	38.45	PASS
Band7	5MHz	64QAM	21100	12RB#11	21.51	19.91	38.45	PASS
Band7	5MHz	64QAM	21100	25RB#0	21.52	19.92	38.45	PASS
Band7	5MHz	64QAM	21425	1RB#0	22.87	21.27	38.45	PASS
Band7	5MHz	64QAM	21425	1RB#12	22.98	21.38	38.45	PASS
Band7	5MHz	64QAM	21425	1RB#24	22.92	21.32	38.45	PASS
Band7	5MHz	64QAM	21425	12RB#0	21.66	20.06	38.45	PASS
Band7	5MHz	64QAM	21425	12RB#6	21.68	20.08	38.45	PASS
Band7	5MHz	64QAM	21425	12RB#11	21.69	20.09	38.45	PASS
Band7	5MHz	64QAM	21425	25RB#0	21.75	20.15	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#0	23.36	21.76	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#24	23.39	21.79	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#49	23.46	21.86	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#0	22.46	20.86	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#12	22.49	20.89	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#24	22.46	20.86	38.45	PASS
Band7	10MHz	QPSK	20800	50RB#0	22.46	20.86	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#0	22.99	21.39	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#24	23.55	21.95	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#49	23.51	21.91	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#0	22.54	20.94	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#12	22.52	20.92	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#24	22.55	20.95	38.45	PASS
Band7	10MHz	QPSK	21100	50RB#0	22.49	20.89	38.45	PASS

Band7	10MHz	QPSK	21400	1RB#0	23.66	22.06	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#24	23.69	22.09	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#49	23.67	22.07	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#0	22.76	21.16	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#12	22.74	21.14	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#24	22.76	21.16	38.45	PASS
Band7	10MHz	QPSK	21400	50RB#0	22.70	21.1	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#0	22.42	20.82	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#24	22.65	21.05	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#49	22.59	20.99	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#0	21.60	20	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#12	21.61	20.01	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#24	21.60	20	38.45	PASS
Band7	10MHz	16QAM	20800	50RB#0	21.57	19.97	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#0	22.89	21.29	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#24	23.60	22	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#49	23.57	21.97	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#0	21.69	20.09	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#12	21.64	20.04	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#24	21.63	20.03	38.45	PASS
Band7	10MHz	16QAM	21100	50RB#0	21.67	20.07	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#0	23.28	21.68	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#24	23.18	21.58	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#49	23.08	21.48	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#0	21.80	20.2	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#12	21.79	20.19	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#24	21.72	20.12	38.45	PASS
Band7	10MHz	16QAM	21400	50RB#0	21.94	20.34	38.45	PASS
Band7	10MHz	64QAM	20800	1RB#0	22.47	20.87	38.45	PASS
Band7	10MHz	64QAM	20800	1RB#24	22.68	21.08	38.45	PASS
Band7	10MHz	64QAM	20800	1RB#49	22.63	21.03	38.45	PASS
Band7	10MHz	64QAM	20800	25RB#0	21.61	20.01	38.45	PASS
Band7	10MHz	64QAM	20800	25RB#12	21.58	19.98	38.45	PASS
Band7	10MHz	64QAM	20800	25RB#24	21.57	19.97	38.45	PASS
Band7	10MHz	64QAM	20800	50RB#0	21.54	19.94	38.45	PASS
Band7	10MHz	64QAM	21100	1RB#0	22.88	21.28	38.45	PASS
Band7	10MHz	64QAM	21100	1RB#24	23.52	21.92	38.45	PASS
Band7	10MHz	64QAM	21100	1RB#49	23.55	21.95	38.45	PASS
Band7	10MHz	64QAM	21100	25RB#0	21.67	20.07	38.45	PASS
Band7	10MHz	64QAM	21100	25RB#12	21.64	20.04	38.45	PASS
Band7	10MHz	64QAM	21100	25RB#24	21.63	20.03	38.45	PASS
Band7	10MHz	64QAM	21100	50RB#0	21.70	20.1	38.45	PASS

Band7	10MHz	64QAM	21400	1RB#0	23.06	21.46	38.45	PASS
Band7	10MHz	64QAM	21400	1RB#24	23.19	21.59	38.45	PASS
Band7	10MHz	64QAM	21400	1RB#49	23.10	21.5	38.45	PASS
Band7	10MHz	64QAM	21400	25RB#0	21.71	20.11	38.45	PASS
Band7	10MHz	64QAM	21400	25RB#12	21.75	20.15	38.45	PASS
Band7	10MHz	64QAM	21400	25RB#24	21.77	20.17	38.45	PASS
Band7	10MHz	64QAM	21400	50RB#0	21.82	20.22	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#0	23.25	21.65	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#37	23.44	21.84	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#74	23.39	21.79	38.45	PASS
Band7	15MHz	QPSK	20825	36RB#0	22.28	20.68	38.45	PASS
Band7	15MHz	QPSK	20825	36RB#16	22.36	20.76	38.45	PASS
Band7	15MHz	QPSK	20825	36RB#35	22.39	20.79	38.45	PASS
Band7	15MHz	QPSK	20825	75RB#0	22.41	20.81	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#0	23.45	21.85	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#37	23.47	21.87	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#74	23.59	21.99	38.45	PASS
Band7	15MHz	QPSK	21100	36RB#0	22.61	21.01	38.45	PASS
Band7	15MHz	QPSK	21100	36RB#16	22.63	21.03	38.45	PASS
Band7	15MHz	QPSK	21100	36RB#35	22.62	21.02	38.45	PASS
Band7	15MHz	QPSK	21100	75RB#0	22.49	20.89	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#0	20.88	19.28	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#37	23.62	22.02	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#74	23.59	21.99	38.45	PASS
Band7	15MHz	QPSK	21375	36RB#0	22.70	21.1	38.45	PASS
Band7	15MHz	QPSK	21375	36RB#16	22.70	21.1	38.45	PASS
Band7	15MHz	QPSK	21375	36RB#35	22.73	21.13	38.45	PASS
Band7	15MHz	QPSK	21375	75RB#0	22.70	21.1	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#0	23.15	21.55	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#37	23.07	21.47	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#74	23.26	21.66	38.45	PASS
Band7	15MHz	16QAM	20825	36RB#0	21.78	20.18	38.45	PASS
Band7	15MHz	16QAM	20825	36RB#16	21.62	20.02	38.45	PASS
Band7	15MHz	16QAM	20825	36RB#35	21.61	20.01	38.45	PASS
Band7	15MHz	16QAM	20825	75RB#0	21.63	20.03	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#0	23.58	21.98	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#37	23.61	22.01	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#74	23.71	22.11	38.45	PASS
Band7	15MHz	16QAM	21100	36RB#0	21.52	19.92	38.45	PASS
Band7	15MHz	16QAM	21100	36RB#16	21.57	19.97	38.45	PASS
Band7	15MHz	16QAM	21100	36RB#35	21.60	20	38.45	PASS
Band7	15MHz	16QAM	21100	75RB#0	21.69	20.09	38.45	PASS

Band7	15MHz	16QAM	21375	1RB#0	23.03	21.43	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#37	23.14	21.54	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#74	23.17	21.57	38.45	PASS
Band7	15MHz	16QAM	21375	36RB#0	21.92	20.32	38.45	PASS
Band7	15MHz	16QAM	21375	36RB#16	21.84	20.24	38.45	PASS
Band7	15MHz	16QAM	21375	36RB#35	21.85	20.25	38.45	PASS
Band7	15MHz	16QAM	21375	75RB#0	21.78	20.18	38.45	PASS
Band7	15MHz	64QAM	20825	1RB#0	23.29	21.69	38.45	PASS
Band7	15MHz	64QAM	20825	1RB#37	23.41	21.81	38.45	PASS
Band7	15MHz	64QAM	20825	1RB#74	23.31	21.71	38.45	PASS
Band7	15MHz	64QAM	20825	36RB#0	21.61	20.01	38.45	PASS
Band7	15MHz	64QAM	20825	36RB#16	21.61	20.01	38.45	PASS
Band7	15MHz	64QAM	20825	36RB#35	21.64	20.04	38.45	PASS
Band7	15MHz	64QAM	20825	75RB#0	21.65	20.05	38.45	PASS
Band7	15MHz	64QAM	21100	1RB#0	23.55	21.95	38.45	PASS
Band7	15MHz	64QAM	21100	1RB#37	23.67	22.07	38.45	PASS
Band7	15MHz	64QAM	21100	1RB#74	23.64	22.04	38.45	PASS
Band7	15MHz	64QAM	21100	36RB#0	21.58	19.98	38.45	PASS
Band7	15MHz	64QAM	21100	36RB#16	21.62	20.02	38.45	PASS
Band7	15MHz	64QAM	21100	36RB#35	21.52	19.92	38.45	PASS
Band7	15MHz	64QAM	21100	75RB#0	21.66	20.06	38.45	PASS
Band7	15MHz	64QAM	21375	1RB#0	23.12	21.52	38.45	PASS
Band7	15MHz	64QAM	21375	1RB#37	23.12	21.52	38.45	PASS
Band7	15MHz	64QAM	21375	1RB#74	23.17	21.57	38.45	PASS
Band7	15MHz	64QAM	21375	36RB#0	21.85	20.25	38.45	PASS
Band7	15MHz	64QAM	21375	36RB#16	21.89	20.29	38.45	PASS
Band7	15MHz	64QAM	21375	36RB#35	21.89	20.29	38.45	PASS
Band7	15MHz	64QAM	21375	75RB#0	21.82	20.22	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#0	23.53	21.93	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#49	23.65	22.05	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#99	23.72	22.12	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#0	22.47	20.87	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#24	22.54	20.94	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#49	22.53	20.93	38.45	PASS
Band7	20MHz	QPSK	20850	100RB#0	22.55	20.95	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#0	23.51	21.91	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#49	23.76	22.16	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#99	23.80	22.2	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#0	22.50	20.9	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#24	22.58	20.98	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#49	22.60	21	38.45	PASS
Band7	20MHz	QPSK	21100	100RB#0	22.62	21.02	38.45	PASS

Band7	20MHz	QPSK	21350	1RB#0	23.71	22.11	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#49	23.80	22.2	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#99	23.89	22.29	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#0	22.64	21.04	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#24	22.65	21.05	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#49	22.69	21.09	38.45	PASS
Band7	20MHz	QPSK	21350	100RB#0	22.69	21.09	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#0	19.55	17.95	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#49	19.52	17.92	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#99	19.60	18	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#0	20.21	18.61	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#24	21.51	19.91	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#49	21.55	19.95	38.45	PASS
Band7	20MHz	16QAM	20850	100RB#0	21.54	19.94	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#0	22.97	21.37	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#49	23.04	21.44	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#99	23.09	21.49	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#0	21.71	20.11	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#24	21.60	20	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#49	21.62	20.02	38.45	PASS
Band7	20MHz	16QAM	21100	100RB#0	21.67	20.07	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#0	22.83	21.23	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#49	22.92	21.32	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#99	22.98	21.38	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#0	21.82	20.22	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#24	21.90	20.3	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#49	21.93	20.33	38.45	PASS
Band7	20MHz	16QAM	21350	100RB#0	21.82	20.22	38.45	PASS
Band7	20MHz	64QAM	20850	1RB#0	16.34	14.74	38.45	PASS
Band7	20MHz	64QAM	20850	1RB#49	16.55	14.95	38.45	PASS
Band7	20MHz	64QAM	20850	1RB#99	16.28	14.68	38.45	PASS
Band7	20MHz	64QAM	20850	50RB#0	21.50	19.9	38.45	PASS
Band7	20MHz	64QAM	20850	50RB#24	21.55	19.95	38.45	PASS
Band7	20MHz	64QAM	20850	50RB#49	21.44	19.84	38.45	PASS
Band7	20MHz	64QAM	20850	100RB#0	21.57	19.97	38.45	PASS
Band7	20MHz	64QAM	21100	1RB#0	22.98	21.38	38.45	PASS
Band7	20MHz	64QAM	21100	1RB#49	23.06	21.46	38.45	PASS
Band7	20MHz	64QAM	21100	1RB#99	23.05	23.05	38.45	PASS
Band7	20MHz	64QAM	21100	50RB#0	21.61	21.61	38.45	PASS
Band7	20MHz	64QAM	21100	50RB#24	21.64	21.64	38.45	PASS
Band7	20MHz	64QAM	21100	50RB#49	21.65	21.65	38.45	PASS
Band7	20MHz	64QAM	21100	100RB#0	21.65	21.65	38.45	PASS

Band7	20MHz	64QAM	21350	1RB#0	22.94	22.94	38.45	PASS
Band7	20MHz	64QAM	21350	1RB#49	23.22	23.22	38.45	PASS
Band7	20MHz	64QAM	21350	1RB#99	22.97	22.97	38.45	PASS
Band7	20MHz	64QAM	21350	50RB#0	21.89	21.89	38.45	PASS
Band7	20MHz	64QAM	21350	50RB#24	21.94	21.94	38.45	PASS
Band7	20MHz	64QAM	21350	50RB#49	21.89	21.89	38.45	PASS
Band7	20MHz	64QAM	21350	100RB#0	21.86	21.86	38.45	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	25.01	13.66	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	24.99	13.64	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	25.01	13.66	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	24.06	12.71	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	24.11	12.76	34.77	PASS
Band12	1.4MHz	QPSK	23017	3RB#2	24.12	12.77	34.77	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	22.92	11.57	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	24.84	13.49	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	24.82	13.47	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	24.81	13.46	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	23.83	12.48	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	23.86	12.51	34.77	PASS
Band12	1.4MHz	QPSK	23095	3RB#2	23.87	12.52	34.77	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	22.79	11.44	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	25.07	13.72	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	25.14	13.79	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	25.12	13.77	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	24.25	12.9	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	24.20	12.85	34.77	PASS
Band12	1.4MHz	QPSK	23173	3RB#2	24.22	12.87	34.77	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	23.29	11.94	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	24.53	13.18	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	24.58	13.23	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	24.53	13.18	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	22.64	11.29	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	22.66	11.31	34.77	PASS
Band12	1.4MHz	16QAM	23017	3RB#2	22.64	11.29	34.77	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	22.15	10.8	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	23.47	12.12	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	23.45	12.1	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	23.37	12.02	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	22.43	11.08	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#1	22.47	11.12	34.77	PASS
Band12	1.4MHz	16QAM	23095	3RB#2	22.48	11.13	34.77	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	21.70	10.35	34.77	PASS

Band12	1.4MHz	16QAM	23173	1RB#0	24.58	13.23	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	24.70	13.35	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	24.68	13.33	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	22.87	11.52	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	22.91	11.56	34.77	PASS
Band12	1.4MHz	16QAM	23173	3RB#2	22.91	11.56	34.77	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	22.30	10.95	34.77	PASS
Band12	1.4MHz	64QAM	23017	1RB#0	24.53	13.18	34.77	PASS
Band12	1.4MHz	64QAM	23017	1RB#2	24.58	13.23	34.77	PASS
Band12	1.4MHz	64QAM	23017	1RB#5	24.54	13.19	34.77	PASS
Band12	1.4MHz	64QAM	23017	3RB#0	22.67	11.32	34.77	PASS
Band12	1.4MHz	64QAM	23017	3RB#1	22.62	11.27	34.77	PASS
Band12	1.4MHz	64QAM	23017	3RB#2	22.64	11.29	34.77	PASS
Band12	1.4MHz	64QAM	23017	6RB#0	22.11	10.76	34.77	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	23.38	12.03	34.77	PASS
Band12	1.4MHz	64QAM	23095	1RB#2	23.44	12.09	34.77	PASS
Band12	1.4MHz	64QAM	23095	1RB#5	23.38	12.03	34.77	PASS
Band12	1.4MHz	64QAM	23095	3RB#0	22.50	11.15	34.77	PASS
Band12	1.4MHz	64QAM	23095	3RB#1	22.48	11.13	34.77	PASS
Band12	1.4MHz	64QAM	23095	3RB#2	22.42	11.07	34.77	PASS
Band12	1.4MHz	64QAM	23095	6RB#0	21.71	10.36	34.77	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	24.58	13.23	34.77	PASS
Band12	1.4MHz	64QAM	23173	1RB#2	24.70	13.35	34.77	PASS
Band12	1.4MHz	64QAM	23173	1RB#5	24.68	13.33	34.77	PASS
Band12	1.4MHz	64QAM	23173	3RB#0	22.90	11.55	34.77	PASS
Band12	1.4MHz	64QAM	23173	3RB#1	22.79	11.44	34.77	PASS
Band12	1.4MHz	64QAM	23173	3RB#2	23.10	11.75	34.77	PASS
Band12	1.4MHz	64QAM	23173	6RB#0	22.29	10.94	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#0	25.12	13.77	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#7	25.15	13.8	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#14	24.96	13.61	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#0	22.89	11.54	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#4	22.90	11.55	34.77	PASS
Band12	3MHz	QPSK	23025	8RB#7	22.67	11.32	34.77	PASS
Band12	3MHz	QPSK	23025	15RB#0	23.06	11.71	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#0	25.03	13.68	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#7	24.85	13.5	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#14	24.88	13.53	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#0	22.83	11.48	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#4	22.72	11.37	34.77	PASS
Band12	3MHz	QPSK	23095	8RB#7	22.69	11.34	34.77	PASS
Band12	3MHz	QPSK	23095	15RB#0	22.71	11.36	34.77	PASS

Band12	3MHz	QPSK	23165	1RB#0	25.04	13.69	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#7	25.03	13.68	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#14	25.09	13.74	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#0	23.18	11.83	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#4	23.04	11.69	34.77	PASS
Band12	3MHz	QPSK	23165	8RB#7	23.16	11.81	34.77	PASS
Band12	3MHz	QPSK	23165	15RB#0	23.15	11.8	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#0	23.71	12.36	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#7	23.68	12.33	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#14	23.39	12.04	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#0	22.03	10.68	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#4	22.09	10.74	34.77	PASS
Band12	3MHz	16QAM	23025	8RB#7	21.87	10.52	34.77	PASS
Band12	3MHz	16QAM	23025	15RB#0	21.79	10.44	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#0	23.80	12.45	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#7	24.30	12.95	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#14	24.41	13.06	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#0	21.93	10.58	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#4	21.92	10.57	34.77	PASS
Band12	3MHz	16QAM	23095	8RB#7	21.90	10.55	34.77	PASS
Band12	3MHz	16QAM	23095	15RB#0	21.86	10.51	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#0	24.00	12.65	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#7	24.19	12.84	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#14	24.25	12.9	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#0	22.14	10.79	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#4	22.18	10.83	34.77	PASS
Band12	3MHz	16QAM	23165	8RB#7	22.23	10.88	34.77	PASS
Band12	3MHz	16QAM	23165	15RB#0	22.13	10.78	34.77	PASS
Band12	3MHz	64QAM	23025	1RB#0	23.58	12.23	34.77	PASS
Band12	3MHz	64QAM	23025	1RB#7	23.74	12.39	34.77	PASS
Band12	3MHz	64QAM	23025	1RB#14	23.42	12.07	34.77	PASS
Band12	3MHz	64QAM	23025	8RB#0	22.06	10.71	34.77	PASS
Band12	3MHz	64QAM	23025	8RB#4	22.09	10.74	34.77	PASS
Band12	3MHz	64QAM	23025	8RB#7	21.87	10.52	34.77	PASS
Band12	3MHz	64QAM	23025	15RB#0	21.83	10.48	34.77	PASS
Band12	3MHz	64QAM	23095	1RB#0	24.23	12.88	34.77	PASS
Band12	3MHz	64QAM	23095	1RB#7	24.29	12.94	34.77	PASS
Band12	3MHz	64QAM	23095	1RB#14	24.39	13.04	34.77	PASS
Band12	3MHz	64QAM	23095	8RB#0	21.91	10.56	34.77	PASS
Band12	3MHz	64QAM	23095	8RB#4	21.89	10.54	34.77	PASS
Band12	3MHz	64QAM	23095	8RB#7	21.92	10.57	34.77	PASS
Band12	3MHz	64QAM	23095	15RB#0	21.85	10.5	34.77	PASS

Band12	3MHz	64QAM	23165	1RB#0	24.13	12.78	34.77	PASS
Band12	3MHz	64QAM	23165	1RB#7	24.07	12.72	34.77	PASS
Band12	3MHz	64QAM	23165	1RB#14	24.20	12.85	34.77	PASS
Band12	3MHz	64QAM	23165	8RB#0	22.18	10.83	34.77	PASS
Band12	3MHz	64QAM	23165	8RB#4	22.21	10.86	34.77	PASS
Band12	3MHz	64QAM	23165	8RB#7	22.29	10.94	34.77	PASS
Band12	3MHz	64QAM	23165	15RB#0	22.13	10.78	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#0	25.08	13.73	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#12	24.89	13.54	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#24	24.86	13.51	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#0	23.07	11.72	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#6	22.97	11.62	34.77	PASS
Band12	5MHz	QPSK	23035	12RB#11	23.23	11.88	34.77	PASS
Band12	5MHz	QPSK	23035	25RB#0	22.85	11.5	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#0	25.34	13.99	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#12	25.03	13.68	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#24	25.05	13.7	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#0	22.78	11.43	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#6	22.82	11.47	34.77	PASS
Band12	5MHz	QPSK	23095	12RB#11	22.68	11.33	34.77	PASS
Band12	5MHz	QPSK	23095	25RB#0	22.85	11.5	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#0	25.13	13.78	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#12	25.24	13.89	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#24	25.23	13.88	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#0	22.96	11.61	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#6	23.03	11.68	34.77	PASS
Band12	5MHz	QPSK	23155	12RB#11	23.09	11.74	34.77	PASS
Band12	5MHz	QPSK	23155	25RB#0	23.14	11.79	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#0	23.87	12.52	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#12	23.63	12.28	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#24	23.72	12.37	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#0	21.94	10.59	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#6	21.96	10.61	34.77	PASS
Band12	5MHz	16QAM	23035	12RB#11	21.97	10.62	34.77	PASS
Band12	5MHz	16QAM	23035	25RB#0	21.57	10.22	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#0	23.67	12.32	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#12	23.66	12.31	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#24	23.74	12.39	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#0	21.80	10.45	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#6	21.78	10.43	34.77	PASS
Band12	5MHz	16QAM	23095	12RB#11	21.63	10.28	34.77	PASS
Band12	5MHz	16QAM	23095	25RB#0	21.81	10.46	34.77	PASS

Band12	5MHz	16QAM	23155	1RB#0	23.51	12.16	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#12	23.61	12.26	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#24	23.70	12.35	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#0	22.05	10.7	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#6	22.06	10.71	34.77	PASS
Band12	5MHz	16QAM	23155	12RB#11	22.07	10.72	34.77	PASS
Band12	5MHz	16QAM	23155	25RB#0	22.37	11.02	34.77	PASS
Band12	5MHz	64QAM	23035	1RB#0	23.90	12.55	34.77	PASS
Band12	5MHz	64QAM	23035	1RB#12	23.68	12.33	34.77	PASS
Band12	5MHz	64QAM	23035	1RB#24	23.66	12.31	34.77	PASS
Band12	5MHz	64QAM	23035	12RB#0	21.97	10.62	34.77	PASS
Band12	5MHz	64QAM	23035	12RB#6	21.98	10.63	34.77	PASS
Band12	5MHz	64QAM	23035	12RB#11	21.97	10.62	34.77	PASS
Band12	5MHz	64QAM	23035	25RB#0	21.59	10.24	34.77	PASS
Band12	5MHz	64QAM	23095	1RB#0	23.61	12.26	34.77	PASS
Band12	5MHz	64QAM	23095	1RB#12	23.69	12.34	34.77	PASS
Band12	5MHz	64QAM	23095	1RB#24	23.76	12.41	34.77	PASS
Band12	5MHz	64QAM	23095	12RB#0	21.69	10.34	34.77	PASS
Band12	5MHz	64QAM	23095	12RB#6	21.70	10.35	34.77	PASS
Band12	5MHz	64QAM	23095	12RB#11	21.66	10.31	34.77	PASS
Band12	5MHz	64QAM	23095	25RB#0	21.72	10.37	34.77	PASS
Band12	5MHz	64QAM	23155	1RB#0	23.52	12.17	34.77	PASS
Band12	5MHz	64QAM	23155	1RB#12	23.63	12.28	34.77	PASS
Band12	5MHz	64QAM	23155	1RB#24	23.74	12.39	34.77	PASS
Band12	5MHz	64QAM	23155	12RB#0	21.95	10.6	34.77	PASS
Band12	5MHz	64QAM	23155	12RB#6	21.98	10.63	34.77	PASS
Band12	5MHz	64QAM	23155	12RB#11	22.13	10.78	34.77	PASS
Band12	5MHz	64QAM	23155	25RB#0	22.30	10.95	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#0	24.92	13.57	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#24	24.77	13.42	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#49	24.95	13.6	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#0	22.99	11.64	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#12	22.99	11.64	34.77	PASS
Band12	10MHz	QPSK	23060	25RB#24	22.99	11.64	34.77	PASS
Band12	10MHz	QPSK	23060	50RB#0	22.83	11.48	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#0	24.81	13.46	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#24	24.98	13.63	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#49	25.15	13.8	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#0	22.87	11.52	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#12	22.81	11.46	34.77	PASS
Band12	10MHz	QPSK	23095	25RB#24	22.88	11.53	34.77	PASS
Band12	10MHz	QPSK	23095	50RB#0	22.97	11.62	34.77	PASS

Band12	10MHz	QPSK	23130	1RB#0	24.85	13.5	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#24	24.93	13.58	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#49	25.18	13.83	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#0	22.97	11.62	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#12	22.97	11.62	34.77	PASS
Band12	10MHz	QPSK	23130	25RB#24	22.95	11.6	34.77	PASS
Band12	10MHz	QPSK	23130	50RB#0	22.97	11.62	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#0	23.72	12.37	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#24	23.50	12.15	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#49	23.84	12.49	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#0	22.11	10.76	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#12	22.10	10.75	34.77	PASS
Band12	10MHz	16QAM	23060	25RB#24	22.12	10.77	34.77	PASS
Band12	10MHz	16QAM	23060	50RB#0	21.83	10.48	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#0	23.60	12.25	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#24	23.78	12.43	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#49	24.04	12.69	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#0	21.95	10.6	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#12	21.89	10.54	34.77	PASS
Band12	10MHz	16QAM	23095	25RB#24	21.93	10.58	34.77	PASS
Band12	10MHz	16QAM	23095	50RB#0	22.07	10.72	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#0	23.53	12.18	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#24	23.67	12.32	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#49	24.10	12.75	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#0	21.79	10.44	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#12	21.92	10.57	34.77	PASS
Band12	10MHz	16QAM	23130	25RB#24	21.86	10.51	34.77	PASS
Band12	10MHz	16QAM	23130	50RB#0	21.88	10.53	34.77	PASS
Band12	10MHz	64QAM	23060	1RB#0	23.59	12.24	34.77	PASS
Band12	10MHz	64QAM	23060	1RB#24	23.23	11.88	34.77	PASS
Band12	10MHz	64QAM	23060	1RB#49	23.49	12.14	34.77	PASS
Band12	10MHz	64QAM	23060	25RB#0	22.03	10.68	34.77	PASS
Band12	10MHz	64QAM	23060	25RB#12	22.02	10.67	34.77	PASS
Band12	10MHz	64QAM	23060	25RB#24	21.96	10.61	34.77	PASS
Band12	10MHz	64QAM	23060	50RB#0	21.96	10.61	34.77	PASS
Band12	10MHz	64QAM	23095	1RB#0	22.69	11.34	34.77	PASS
Band12	10MHz	64QAM	23095	1RB#24	22.80	11.45	34.77	PASS
Band12	10MHz	64QAM	23095	1RB#49	23.04	11.69	34.77	PASS
Band12	10MHz	64QAM	23095	25RB#0	22.43	11.08	34.77	PASS
Band12	10MHz	64QAM	23095	25RB#12	22.38	11.03	34.77	PASS
Band12	10MHz	64QAM	23095	25RB#24	22.42	11.07	34.77	PASS
Band12	10MHz	64QAM	23095	50RB#0	22.57	11.22	34.77	PASS

Band12	10MHz	64QAM	23130	1RB#0	23.25	11.9	34.77	PASS
Band12	10MHz	64QAM	23130	1RB#24	23.33	11.98	34.77	PASS
Band12	10MHz	64QAM	23130	1RB#49	23.54	12.19	34.77	PASS
Band12	10MHz	64QAM	23130	25RB#0	22.53	11.18	34.77	PASS
Band12	10MHz	64QAM	23130	25RB#12	22.47	11.12	34.77	PASS
Band12	10MHz	64QAM	23130	25RB#24	22.55	11.2	34.77	PASS
Band12	10MHz	64QAM	23130	50RB#0	22.63	11.28	34.77	PASS
Band41	5MHz	QPSK	40065	1RB#0	23.24	21.64	33.01	PASS
Band41	5MHz	QPSK	40065	1RB#12	23.28	21.68	33.01	PASS
Band41	5MHz	QPSK	40065	1RB#24	23.27	21.67	33.01	PASS
Band41	5MHz	QPSK	40065	12RB#0	23.08	21.48	33.01	PASS
Band41	5MHz	QPSK	40065	12RB#6	22.98	21.38	33.01	PASS
Band41	5MHz	QPSK	40065	12RB#11	22.99	21.39	33.01	PASS
Band41	5MHz	QPSK	40065	25RB#0	23.03	21.43	33.01	PASS
Band41	5MHz	QPSK	40640	1RB#0	23.55	21.95	33.01	PASS
Band41	5MHz	QPSK	40640	1RB#12	23.56	21.96	33.01	PASS
Band41	5MHz	QPSK	40640	1RB#24	23.48	21.88	33.01	PASS
Band41	5MHz	QPSK	40640	12RB#0	23.17	21.57	33.01	PASS
Band41	5MHz	QPSK	40640	12RB#6	23.20	21.6	33.01	PASS
Band41	5MHz	QPSK	40640	12RB#11	23.22	21.62	33.01	PASS
Band41	5MHz	QPSK	40640	25RB#0	23.11	21.51	33.01	PASS
Band41	5MHz	QPSK	41215	1RB#0	23.21	21.61	33.01	PASS
Band41	5MHz	QPSK	41215	1RB#12	23.20	21.6	33.01	PASS
Band41	5MHz	QPSK	41215	1RB#24	23.17	21.57	33.01	PASS
Band41	5MHz	QPSK	41215	12RB#0	22.86	21.26	33.01	PASS
Band41	5MHz	QPSK	41215	12RB#6	22.89	21.29	33.01	PASS
Band41	5MHz	QPSK	41215	12RB#11	22.91	21.31	33.01	PASS
Band41	5MHz	QPSK	41215	25RB#0	22.85	21.25	33.01	PASS
Band41	5MHz	16QAM	40065	1RB#0	23.60	22	33.01	PASS
Band41	5MHz	16QAM	40065	1RB#12	23.61	22.01	33.01	PASS
Band41	5MHz	16QAM	40065	1RB#24	23.65	22.05	33.01	PASS
Band41	5MHz	16QAM	40065	12RB#0	21.99	20.39	33.01	PASS
Band41	5MHz	16QAM	40065	12RB#6	22.02	20.42	33.01	PASS
Band41	5MHz	16QAM	40065	12RB#11	22.04	20.44	33.01	PASS
Band41	5MHz	16QAM	40065	25RB#0	22.08	20.48	33.01	PASS
Band41	5MHz	16QAM	40640	1RB#0	23.42	21.82	33.01	PASS
Band41	5MHz	16QAM	40640	1RB#12	23.49	21.89	33.01	PASS
Band41	5MHz	16QAM	40640	1RB#24	23.42	21.82	33.01	PASS
Band41	5MHz	16QAM	40640	12RB#0	22.23	20.63	33.01	PASS
Band41	5MHz	16QAM	40640	12RB#6	22.24	20.64	33.01	PASS
Band41	5MHz	16QAM	40640	12RB#11	22.23	20.63	33.01	PASS
Band41	5MHz	16QAM	40640	25RB#0	22.34	20.74	33.01	PASS

Band41	5MHz	16QAM	41215	1RB#0	23.23	21.63	33.01	PASS
Band41	5MHz	16QAM	41215	1RB#12	23.28	21.68	33.01	PASS
Band41	5MHz	16QAM	41215	1RB#24	23.30	21.7	33.01	PASS
Band41	5MHz	16QAM	41215	12RB#0	21.94	20.34	33.01	PASS
Band41	5MHz	16QAM	41215	12RB#6	21.82	20.22	33.01	PASS
Band41	5MHz	16QAM	41215	12RB#11	21.83	20.23	33.01	PASS
Band41	5MHz	16QAM	41215	25RB#0	21.96	20.36	33.01	PASS
Band41	5MHz	64QAM	40065	1RB#0	22.51	20.91	33.01	PASS
Band41	5MHz	64QAM	40065	1RB#12	22.52	20.92	33.01	PASS
Band41	5MHz	64QAM	40065	1RB#24	22.56	20.96	33.01	PASS
Band41	5MHz	64QAM	40065	12RB#0	20.65	19.05	33.01	PASS
Band41	5MHz	64QAM	40065	12RB#6	20.67	19.07	33.01	PASS
Band41	5MHz	64QAM	40065	12RB#11	20.68	19.08	33.01	PASS
Band41	5MHz	64QAM	40065	25RB#0	20.75	19.15	33.01	PASS
Band41	5MHz	64QAM	40640	1RB#0	22.27	20.67	33.01	PASS
Band41	5MHz	64QAM	40640	1RB#12	22.23	20.63	33.01	PASS
Band41	5MHz	64QAM	40640	1RB#24	22.12	20.52	33.01	PASS
Band41	5MHz	64QAM	40640	12RB#0	20.80	19.2	33.01	PASS
Band41	5MHz	64QAM	40640	12RB#6	20.77	19.17	33.01	PASS
Band41	5MHz	64QAM	40640	12RB#11	20.79	19.19	33.01	PASS
Band41	5MHz	64QAM	40640	25RB#0	20.84	19.24	33.01	PASS
Band41	5MHz	64QAM	41215	1RB#0	21.55	19.95	33.01	PASS
Band41	5MHz	64QAM	41215	1RB#12	21.53	19.93	33.01	PASS
Band41	5MHz	64QAM	41215	1RB#24	21.54	19.94	33.01	PASS
Band41	5MHz	64QAM	41215	12RB#0	20.44	18.84	33.01	PASS
Band41	5MHz	64QAM	41215	12RB#6	20.40	18.8	33.01	PASS
Band41	5MHz	64QAM	41215	12RB#11	20.35	18.75	33.01	PASS
Band41	5MHz	64QAM	41215	25RB#0	20.53	18.93	33.01	PASS
Band41	10MHz	QPSK	40090	1RB#0	23.45	21.85	33.01	PASS
Band41	10MHz	QPSK	40090	1RB#24	23.49	21.89	33.01	PASS
Band41	10MHz	QPSK	40090	1RB#49	23.40	21.8	33.01	PASS
Band41	10MHz	QPSK	40090	25RB#0	23.05	21.45	33.01	PASS
Band41	10MHz	QPSK	40090	25RB#12	23.06	21.46	33.01	PASS
Band41	10MHz	QPSK	40090	25RB#24	23.06	21.46	33.01	PASS
Band41	10MHz	QPSK	40090	50RB#0	23.11	21.51	33.01	PASS
Band41	10MHz	QPSK	40640	1RB#0	23.29	21.69	33.01	PASS
Band41	10MHz	QPSK	40640	1RB#24	23.31	21.71	33.01	PASS
Band41	10MHz	QPSK	40640	1RB#49	23.33	21.73	33.01	PASS
Band41	10MHz	QPSK	40640	25RB#0	23.13	21.53	33.01	PASS
Band41	10MHz	QPSK	40640	25RB#12	23.05	21.45	33.01	PASS
Band41	10MHz	QPSK	40640	25RB#24	23.03	21.43	33.01	PASS
Band41	10MHz	QPSK	40640	50RB#0	23.03	21.43	33.01	PASS

Band41	10MHz	QPSK	41190	1RB#0	23.34	21.74	33.01	PASS
Band41	10MHz	QPSK	41190	1RB#24	23.33	21.73	33.01	PASS
Band41	10MHz	QPSK	41190	1RB#49	23.39	21.79	33.01	PASS
Band41	10MHz	QPSK	41190	25RB#0	23.05	21.45	33.01	PASS
Band41	10MHz	QPSK	41190	25RB#12	22.94	21.34	33.01	PASS
Band41	10MHz	QPSK	41190	25RB#24	22.94	21.34	33.01	PASS
Band41	10MHz	QPSK	41190	50RB#0	22.93	21.33	33.01	PASS
Band41	10MHz	16QAM	40090	1RB#0	22.80	21.2	33.01	PASS
Band41	10MHz	16QAM	40090	1RB#24	22.89	21.29	33.01	PASS
Band41	10MHz	16QAM	40090	1RB#49	22.77	21.17	33.01	PASS
Band41	10MHz	16QAM	40090	25RB#0	22.31	20.71	33.01	PASS
Band41	10MHz	16QAM	40090	25RB#12	22.31	20.71	33.01	PASS
Band41	10MHz	16QAM	40090	25RB#24	22.31	20.71	33.01	PASS
Band41	10MHz	16QAM	40090	50RB#0	22.19	20.59	33.01	PASS
Band41	10MHz	16QAM	40640	1RB#0	23.16	21.56	33.01	PASS
Band41	10MHz	16QAM	40640	1RB#24	23.15	21.55	33.01	PASS
Band41	10MHz	16QAM	40640	1RB#49	23.03	21.43	33.01	PASS
Band41	10MHz	16QAM	40640	25RB#0	22.19	20.59	33.01	PASS
Band41	10MHz	16QAM	40640	25RB#12	22.21	20.61	33.01	PASS
Band41	10MHz	16QAM	40640	25RB#24	22.19	20.59	33.01	PASS
Band41	10MHz	16QAM	40640	50RB#0	22.13	20.53	33.01	PASS
Band41	10MHz	16QAM	41190	1RB#0	22.66	21.06	33.01	PASS
Band41	10MHz	16QAM	41190	1RB#24	22.70	21.1	33.01	PASS
Band41	10MHz	16QAM	41190	1RB#49	22.82	21.22	33.01	PASS
Band41	10MHz	16QAM	41190	25RB#0	22.34	20.74	33.01	PASS
Band41	10MHz	16QAM	41190	25RB#12	22.31	20.71	33.01	PASS
Band41	10MHz	16QAM	41190	25RB#24	22.20	20.6	33.01	PASS
Band41	10MHz	16QAM	41190	50RB#0	22.00	20.4	33.01	PASS
Band41	10MHz	64QAM	40090	1RB#0	21.72	20.12	33.01	PASS
Band41	10MHz	64QAM	40090	1RB#24	21.65	20.05	33.01	PASS
Band41	10MHz	64QAM	40090	1RB#49	21.51	19.91	33.01	PASS
Band41	10MHz	64QAM	40090	25RB#0	20.73	19.13	33.01	PASS
Band41	10MHz	64QAM	40090	25RB#12	20.69	19.09	33.01	PASS
Band41	10MHz	64QAM	40090	25RB#24	20.69	19.09	33.01	PASS
Band41	10MHz	64QAM	40090	50RB#0	20.68	19.08	33.01	PASS
Band41	10MHz	64QAM	40640	1RB#0	23.28	21.68	33.01	PASS
Band41	10MHz	64QAM	40640	1RB#24	23.32	21.72	33.01	PASS
Band41	10MHz	64QAM	40640	1RB#49	23.20	21.6	33.01	PASS
Band41	10MHz	64QAM	40640	25RB#0	20.77	19.17	33.01	PASS
Band41	10MHz	64QAM	40640	25RB#12	20.78	19.18	33.01	PASS
Band41	10MHz	64QAM	40640	25RB#24	20.79	19.19	33.01	PASS
Band41	10MHz	64QAM	40640	50RB#0	20.82	19.22	33.01	PASS

Band41	10MHz	64QAM	41190	1RB#0	21.31	19.71	33.01	PASS
Band41	10MHz	64QAM	41190	1RB#24	21.54	19.94	33.01	PASS
Band41	10MHz	64QAM	41190	1RB#49	21.75	20.15	33.01	PASS
Band41	10MHz	64QAM	41190	25RB#0	20.65	19.05	33.01	PASS
Band41	10MHz	64QAM	41190	25RB#12	20.66	19.06	33.01	PASS
Band41	10MHz	64QAM	41190	25RB#24	20.67	19.07	33.01	PASS
Band41	10MHz	64QAM	41190	50RB#0	20.72	19.12	33.01	PASS
Band41	15MHz	QPSK	40115	1RB#0	23.44	21.84	33.01	PASS
Band41	15MHz	QPSK	40115	1RB#37	23.49	21.89	33.01	PASS
Band41	15MHz	QPSK	40115	1RB#74	23.56	21.96	33.01	PASS
Band41	15MHz	QPSK	40115	36RB#0	23.01	21.41	33.01	PASS
Band41	15MHz	QPSK	40115	36RB#16	23.05	21.45	33.01	PASS
Band41	15MHz	QPSK	40115	36RB#35	23.05	21.45	33.01	PASS
Band41	15MHz	QPSK	40115	75RB#0	23.14	21.54	33.01	PASS
Band41	15MHz	QPSK	40640	1RB#0	23.27	21.67	33.01	PASS
Band41	15MHz	QPSK	40640	1RB#37	23.30	21.7	33.01	PASS
Band41	15MHz	QPSK	40640	1RB#74	23.22	21.62	33.01	PASS
Band41	15MHz	QPSK	40640	36RB#0	23.01	21.41	33.01	PASS
Band41	15MHz	QPSK	40640	36RB#16	23.17	21.57	33.01	PASS
Band41	15MHz	QPSK	40640	36RB#35	23.05	21.45	33.01	PASS
Band41	15MHz	QPSK	40640	75RB#0	23.07	21.47	33.01	PASS
Band41	15MHz	QPSK	41165	1RB#0	23.19	21.59	33.01	PASS
Band41	15MHz	QPSK	41165	1RB#37	23.42	21.82	33.01	PASS
Band41	15MHz	QPSK	41165	1RB#74	23.57	21.97	33.01	PASS
Band41	15MHz	QPSK	41165	36RB#0	22.90	21.3	33.01	PASS
Band41	15MHz	QPSK	41165	36RB#16	22.85	21.25	33.01	PASS
Band41	15MHz	QPSK	41165	36RB#35	22.86	21.26	33.01	PASS
Band41	15MHz	QPSK	41165	75RB#0	22.97	21.37	33.01	PASS
Band41	15MHz	16QAM	40115	1RB#0	22.13	20.53	33.01	PASS
Band41	15MHz	16QAM	40115	1RB#37	22.40	20.8	33.01	PASS
Band41	15MHz	16QAM	40115	1RB#74	22.38	20.78	33.01	PASS
Band41	15MHz	16QAM	40115	36RB#0	22.21	20.61	33.01	PASS
Band41	15MHz	16QAM	40115	36RB#16	22.24	20.64	33.01	PASS
Band41	15MHz	16QAM	40115	36RB#35	22.20	20.6	33.01	PASS
Band41	15MHz	16QAM	40115	75RB#0	22.17	20.57	33.01	PASS
Band41	15MHz	16QAM	40640	1RB#0	23.18	21.58	33.01	PASS
Band41	15MHz	16QAM	40640	1RB#37	23.14	21.54	33.01	PASS
Band41	15MHz	16QAM	40640	1RB#74	23.06	21.46	33.01	PASS
Band41	15MHz	16QAM	40640	36RB#0	22.15	20.55	33.01	PASS
Band41	15MHz	16QAM	40640	36RB#16	22.10	20.5	33.01	PASS
Band41	15MHz	16QAM	40640	36RB#35	22.18	20.58	33.01	PASS
Band41	15MHz	16QAM	40640	75RB#0	22.22	20.62	33.01	PASS

Band41	15MHz	16QAM	41165	1RB#0	22.32	20.72	33.01	PASS
Band41	15MHz	16QAM	41165	1RB#37	22.08	20.48	33.01	PASS
Band41	15MHz	16QAM	41165	1RB#74	22.68	21.08	33.01	PASS
Band41	15MHz	16QAM	41165	36RB#0	22.07	20.47	33.01	PASS
Band41	15MHz	16QAM	41165	36RB#16	22.07	20.47	33.01	PASS
Band41	15MHz	16QAM	41165	36RB#35	22.08	20.48	33.01	PASS
Band41	15MHz	16QAM	41165	75RB#0	22.07	20.47	33.01	PASS
Band41	15MHz	64QAM	40115	1RB#0	21.72	20.12	33.01	PASS
Band41	15MHz	64QAM	40115	1RB#37	21.73	20.13	33.01	PASS
Band41	15MHz	64QAM	40115	1RB#74	21.84	20.24	33.01	PASS
Band41	15MHz	64QAM	40115	36RB#0	20.76	19.16	33.01	PASS
Band41	15MHz	64QAM	40115	36RB#16	20.76	19.16	33.01	PASS
Band41	15MHz	64QAM	40115	36RB#35	20.76	19.16	33.01	PASS
Band41	15MHz	64QAM	40115	75RB#0	20.65	19.05	33.01	PASS
Band41	15MHz	64QAM	40640	1RB#0	23.37	21.77	33.01	PASS
Band41	15MHz	64QAM	40640	1RB#37	23.40	21.8	33.01	PASS
Band41	15MHz	64QAM	40640	1RB#74	23.28	21.68	33.01	PASS
Band41	15MHz	64QAM	40640	36RB#0	20.83	19.23	33.01	PASS
Band41	15MHz	64QAM	40640	36RB#16	20.85	19.25	33.01	PASS
Band41	15MHz	64QAM	40640	36RB#35	20.81	19.21	33.01	PASS
Band41	15MHz	64QAM	40640	75RB#0	20.72	19.12	33.01	PASS
Band41	15MHz	64QAM	41165	1RB#0	21.64	20.04	33.01	PASS
Band41	15MHz	64QAM	41165	1RB#37	21.92	20.32	33.01	PASS
Band41	15MHz	64QAM	41165	1RB#74	21.94	20.34	33.01	PASS
Band41	15MHz	64QAM	41165	36RB#0	20.50	18.9	33.01	PASS
Band41	15MHz	64QAM	41165	36RB#16	20.48	18.88	33.01	PASS
Band41	15MHz	64QAM	41165	36RB#35	20.49	18.89	33.01	PASS
Band41	15MHz	64QAM	41165	75RB#0	20.48	18.88	33.01	PASS
Band41	20MHz	QPSK	40140	1RB#0	23.65	22.05	33.01	PASS
Band41	20MHz	QPSK	40140	1RB#49	23.58	21.98	33.01	PASS
Band41	20MHz	QPSK	40140	1RB#99	23.69	22.09	33.01	PASS
Band41	20MHz	QPSK	40140	50RB#0	23.13	21.53	33.01	PASS
Band41	20MHz	QPSK	40140	50RB#24	23.01	21.41	33.01	PASS
Band41	20MHz	QPSK	40140	50RB#49	23.01	21.41	33.01	PASS
Band41	20MHz	QPSK	40140	100RB#0	23.16	21.56	33.01	PASS
Band41	20MHz	QPSK	40640	1RB#0	23.62	22.02	33.01	PASS
Band41	20MHz	QPSK	40640	1RB#49	23.64	22.04	33.01	PASS
Band41	20MHz	QPSK	40640	1RB#99	23.41	21.81	33.01	PASS
Band41	20MHz	QPSK	40640	50RB#0	23.26	21.66	33.01	PASS
Band41	20MHz	QPSK	40640	50RB#24	23.26	21.66	33.01	PASS
Band41	20MHz	QPSK	40640	50RB#49	23.27	21.67	33.01	PASS
Band41	20MHz	QPSK	40640	100RB#0	23.16	21.56	33.01	PASS

Band41	20MHz	QPSK	41140	1RB#0	23.19	21.59	33.01	PASS
Band41	20MHz	QPSK	41140	1RB#49	23.37	21.77	33.01	PASS
Band41	20MHz	QPSK	41140	1RB#99	23.53	21.93	33.01	PASS
Band41	20MHz	QPSK	41140	50RB#0	22.81	21.21	33.01	PASS
Band41	20MHz	QPSK	41140	50RB#24	22.86	21.26	33.01	PASS
Band41	20MHz	QPSK	41140	50RB#49	22.87	21.27	33.01	PASS
Band41	20MHz	QPSK	41140	100RB#0	22.83	21.23	33.01	PASS
Band41	20MHz	16QAM	40140	1RB#0	23.09	21.49	33.01	PASS
Band41	20MHz	16QAM	40140	1RB#49	23.12	21.52	33.01	PASS
Band41	20MHz	16QAM	40140	1RB#99	23.21	21.61	33.01	PASS
Band41	20MHz	16QAM	40140	50RB#0	22.19	20.59	33.01	PASS
Band41	20MHz	16QAM	40140	50RB#24	22.20	20.6	33.01	PASS
Band41	20MHz	16QAM	40140	50RB#49	22.20	20.6	33.01	PASS
Band41	20MHz	16QAM	40140	100RB#0	22.25	20.65	33.01	PASS
Band41	20MHz	16QAM	40640	1RB#0	23.51	21.91	33.01	PASS
Band41	20MHz	16QAM	40640	1RB#49	23.54	21.94	33.01	PASS
Band41	20MHz	16QAM	40640	1RB#99	23.24	21.64	33.01	PASS
Band41	20MHz	16QAM	40640	50RB#0	22.36	20.76	33.01	PASS
Band41	20MHz	16QAM	40640	50RB#24	22.38	20.78	33.01	PASS
Band41	20MHz	16QAM	40640	50RB#49	22.38	20.78	33.01	PASS
Band41	20MHz	16QAM	40640	100RB#0	22.25	20.65	33.01	PASS
Band41	20MHz	16QAM	41140	1RB#0	22.99	21.39	33.01	PASS
Band41	20MHz	16QAM	41140	1RB#49	23.05	21.45	33.01	PASS
Band41	20MHz	16QAM	41140	1RB#99	23.21	21.61	33.01	PASS
Band41	20MHz	16QAM	41140	50RB#0	21.82	20.22	33.01	PASS
Band41	20MHz	16QAM	41140	50RB#24	21.83	20.23	33.01	PASS
Band41	20MHz	16QAM	41140	50RB#49	21.84	20.24	33.01	PASS
Band41	20MHz	16QAM	41140	100RB#0	21.92	20.32	33.01	PASS
Band41	20MHz	64QAM	40140	1RB#0	22.57	20.97	33.01	PASS
Band41	20MHz	64QAM	40140	1RB#49	22.70	21.1	33.01	PASS
Band41	20MHz	64QAM	40140	1RB#99	22.75	21.15	33.01	PASS
Band41	20MHz	64QAM	40140	50RB#0	20.86	19.26	33.01	PASS
Band41	20MHz	64QAM	40140	50RB#24	20.87	19.27	33.01	PASS
Band41	20MHz	64QAM	40140	50RB#49	20.77	19.17	33.01	PASS
Band41	20MHz	64QAM	40140	100RB#0	20.60	19	33.01	PASS
Band41	20MHz	64QAM	40640	1RB#0	22.43	20.83	33.01	PASS
Band41	20MHz	64QAM	40640	1RB#49	22.49	20.89	33.01	PASS
Band41	20MHz	64QAM	40640	1RB#99	22.40	20.8	33.01	PASS
Band41	20MHz	64QAM	40640	50RB#0	20.80	19.2	33.01	PASS
Band41	20MHz	64QAM	40640	50RB#24	20.81	19.21	33.01	PASS
Band41	20MHz	64QAM	40640	50RB#49	20.81	19.21	33.01	PASS
Band41	20MHz	64QAM	40640	100RB#0	20.72	19.12	33.01	PASS

Band41	20MHz	64QAM	41140	1RB#0	22.30	20.7	33.01	PASS
Band41	20MHz	64QAM	41140	1RB#49	22.46	20.86	33.01	PASS
Band41	20MHz	64QAM	41140	1RB#99	22.65	21.05	33.01	PASS
Band41	20MHz	64QAM	41140	50RB#0	20.57	18.97	33.01	PASS
Band41	20MHz	64QAM	41140	50RB#24	20.47	18.87	33.01	PASS
Band41	20MHz	64QAM	41140	50RB#49	20.48	18.88	33.01	PASS
Band41	20MHz	64QAM	41140	100RB#0	20.43	18.83	33.01	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	24.34	19.04	38.45	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	24.33	19.08	38.45	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	24.37	19.07	38.45	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	23.84	18.88	38.45	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	23.79	18.78	38.45	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	23.82	18.79	38.45	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	22.81	18.83	38.45	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	24.64	19.35	38.45	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	24.63	19.36	38.45	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	24.61	19.28	38.45	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	24.11	18.97	38.45	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	24.09	19	38.45	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	24.08	19.02	38.45	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	23.04	18.91	38.45	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	24.60	19.01	38.45	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	24.56	19	38.45	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	24.61	18.97	38.45	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	24.09	18.66	38.45	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	24.04	18.69	38.45	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	24.11	18.71	38.45	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	23.09	18.65	38.45	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	22.97	19.4	38.45	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	22.94	19.41	38.45	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	22.97	19.45	38.45	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	22.63	17.79	38.45	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	22.58	17.82	38.45	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	22.55	17.84	38.45	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	21.66	17.88	38.45	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	23.42	19.22	38.45	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	23.44	19.29	38.45	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	23.43	19.22	38.45	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	22.70	18.03	38.45	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	22.71	18.04	38.45	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	22.70	18.03	38.45	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	22.18	18.14	38.45	PASS

Band66	1.4MHz	16QAM	132665	1RB#0	23.23	19.03	38.45	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	23.24	19.08	38.45	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	23.20	19.1	38.45	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	22.89	17.74	38.45	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	22.89	17.62	38.45	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	22.86	17.63	38.45	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	22.02	17.76	38.45	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	22.27	18.31	38.45	PASS
Band66	1.4MHz	64QAM	131979	1RB#2	22.25	18.32	38.45	PASS
Band66	1.4MHz	64QAM	131979	1RB#5	22.20	18.36	38.45	PASS
Band66	1.4MHz	64QAM	131979	3RB#0	22.68	16.45	38.45	PASS
Band66	1.4MHz	64QAM	131979	3RB#1	22.67	16.47	38.45	PASS
Band66	1.4MHz	64QAM	131979	3RB#2	22.67	16.48	38.45	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	21.07	16.55	38.45	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	23.11	18.07	38.45	PASS
Band66	1.4MHz	64QAM	132322	1RB#2	23.12	18.03	38.45	PASS
Band66	1.4MHz	64QAM	132322	1RB#5	23.10	17.92	38.45	PASS
Band66	1.4MHz	64QAM	132322	3RB#0	22.80	16.6	38.45	PASS
Band66	1.4MHz	64QAM	132322	3RB#1	22.79	16.57	38.45	PASS
Band66	1.4MHz	64QAM	132322	3RB#2	22.82	16.59	38.45	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	21.06	16.64	38.45	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	22.58	17.35	38.45	PASS
Band66	1.4MHz	64QAM	132665	1RB#2	22.56	17.33	38.45	PASS
Band66	1.4MHz	64QAM	132665	1RB#5	22.50	17.34	38.45	PASS
Band66	1.4MHz	64QAM	132665	3RB#0	23.03	16.24	38.45	PASS
Band66	1.4MHz	64QAM	132665	3RB#1	23.00	16.2	38.45	PASS
Band66	1.4MHz	64QAM	132665	3RB#2	22.96	16.15	38.45	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	21.00	16.33	38.45	PASS
Band66	3MHz	QPSK	131987	1RB#0	24.38	19.25	38.45	PASS
Band66	3MHz	QPSK	131987	1RB#7	24.37	19.29	38.45	PASS
Band66	3MHz	QPSK	131987	1RB#14	24.31	19.2	38.45	PASS
Band66	3MHz	QPSK	131987	8RB#0	22.74	18.85	38.45	PASS
Band66	3MHz	QPSK	131987	8RB#4	22.77	18.86	38.45	PASS
Band66	3MHz	QPSK	131987	8RB#7	22.80	18.86	38.45	PASS
Band66	3MHz	QPSK	131987	15RB#0	22.79	18.91	38.45	PASS
Band66	3MHz	QPSK	132322	1RB#0	24.56	19.09	38.45	PASS
Band66	3MHz	QPSK	132322	1RB#7	24.60	19.11	38.45	PASS
Band66	3MHz	QPSK	132322	1RB#14	24.56	19.13	38.45	PASS
Band66	3MHz	QPSK	132322	8RB#0	23.10	18.93	38.45	PASS
Band66	3MHz	QPSK	132322	8RB#4	22.98	18.85	38.45	PASS
Band66	3MHz	QPSK	132322	8RB#7	23.00	18.83	38.45	PASS
Band66	3MHz	QPSK	132322	15RB#0	23.11	18.83	38.45	PASS

Band66	3MHz	QPSK	132657	1RB#0	24.61	19.14	38.45	PASS
Band66	3MHz	QPSK	132657	1RB#7	24.64	19.13	38.45	PASS
Band66	3MHz	QPSK	132657	1RB#14	24.55	19.19	38.45	PASS
Band66	3MHz	QPSK	132657	8RB#0	23.24	18.85	38.45	PASS
Band66	3MHz	QPSK	132657	8RB#4	23.19	18.74	38.45	PASS
Band66	3MHz	QPSK	132657	8RB#7	23.17	18.74	38.45	PASS
Band66	3MHz	QPSK	132657	15RB#0	23.07	18.73	38.45	PASS
Band66	3MHz	16QAM	131987	1RB#0	22.93	18.6	38.45	PASS
Band66	3MHz	16QAM	131987	1RB#7	22.95	18.69	38.45	PASS
Band66	3MHz	16QAM	131987	1RB#14	22.90	18.57	38.45	PASS
Band66	3MHz	16QAM	131987	8RB#0	21.99	18.11	38.45	PASS
Band66	3MHz	16QAM	131987	8RB#4	22.00	18.11	38.45	PASS
Band66	3MHz	16QAM	131987	8RB#7	21.97	18.11	38.45	PASS
Band66	3MHz	16QAM	131987	15RB#0	21.74	17.99	38.45	PASS
Band66	3MHz	16QAM	132322	1RB#0	23.77	18.96	38.45	PASS
Band66	3MHz	16QAM	132322	1RB#7	23.73	18.95	38.45	PASS
Band66	3MHz	16QAM	132322	1RB#14	23.78	18.83	38.45	PASS
Band66	3MHz	16QAM	132322	8RB#0	22.23	17.99	38.45	PASS
Band66	3MHz	16QAM	132322	8RB#4	22.25	18.01	38.45	PASS
Band66	3MHz	16QAM	132322	8RB#7	22.16	17.99	38.45	PASS
Band66	3MHz	16QAM	132322	15RB#0	22.06	17.93	38.45	PASS
Band66	3MHz	16QAM	132657	1RB#0	23.72	18.46	38.45	PASS
Band66	3MHz	16QAM	132657	1RB#7	23.70	18.5	38.45	PASS
Band66	3MHz	16QAM	132657	1RB#14	23.70	18.62	38.45	PASS
Band66	3MHz	16QAM	132657	8RB#0	22.36	18.14	38.45	PASS
Band66	3MHz	16QAM	132657	8RB#4	22.37	18.11	38.45	PASS
Band66	3MHz	16QAM	132657	8RB#7	22.35	18	38.45	PASS
Band66	3MHz	16QAM	132657	15RB#0	22.20	17.8	38.45	PASS
Band66	3MHz	64QAM	131987	1RB#0	22.19	17.52	38.45	PASS
Band66	3MHz	64QAM	131987	1RB#7	22.20	17.45	38.45	PASS
Band66	3MHz	64QAM	131987	1RB#14	22.19	17.31	38.45	PASS
Band66	3MHz	64QAM	131987	8RB#0	21.16	16.53	38.45	PASS
Band66	3MHz	64QAM	131987	8RB#4	21.16	16.49	38.45	PASS
Band66	3MHz	64QAM	131987	8RB#7	20.77	16.49	38.45	PASS
Band66	3MHz	64QAM	131987	15RB#0	21.21	16.48	38.45	PASS
Band66	3MHz	64QAM	132322	1RB#0	22.23	19.08	38.45	PASS
Band66	3MHz	64QAM	132322	1RB#7	22.26	19.12	38.45	PASS
Band66	3MHz	64QAM	132322	1RB#14	22.21	19	38.45	PASS
Band66	3MHz	64QAM	132322	8RB#0	21.23	16.57	38.45	PASS
Band66	3MHz	64QAM	132322	8RB#4	21.18	16.58	38.45	PASS
Band66	3MHz	64QAM	132322	8RB#7	21.27	16.59	38.45	PASS
Band66	3MHz	64QAM	132322	15RB#0	21.02	16.62	38.45	PASS

Band66	3MHz	64QAM	132657	1RB#0	23.17	17.11	38.45	PASS
Band66	3MHz	64QAM	132657	1RB#7	23.10	17.34	38.45	PASS
Band66	3MHz	64QAM	132657	1RB#14	23.08	17.55	38.45	PASS
Band66	3MHz	64QAM	132657	8RB#0	21.07	16.45	38.45	PASS
Band66	3MHz	64QAM	132657	8RB#4	21.09	16.46	38.45	PASS
Band66	3MHz	64QAM	132657	8RB#7	20.99	16.47	38.45	PASS
Band66	3MHz	64QAM	132657	15RB#0	21.30	16.52	38.45	PASS
Band66	5MHz	QPSK	131997	1RB#0	24.25	19.24	38.45	PASS
Band66	5MHz	QPSK	131997	1RB#12	24.17	19.29	38.45	PASS
Band66	5MHz	QPSK	131997	1RB#24	24.05	19.36	38.45	PASS
Band66	5MHz	QPSK	131997	12RB#0	22.67	18.81	38.45	PASS
Band66	5MHz	QPSK	131997	12RB#6	22.66	18.85	38.45	PASS
Band66	5MHz	QPSK	131997	12RB#11	22.73	18.85	38.45	PASS
Band66	5MHz	QPSK	131997	25RB#0	22.60	18.94	38.45	PASS
Band66	5MHz	QPSK	132322	1RB#0	24.51	19.07	38.45	PASS
Band66	5MHz	QPSK	132322	1RB#12	24.50	19.1	38.45	PASS
Band66	5MHz	QPSK	132322	1RB#24	24.50	19.02	38.45	PASS
Band66	5MHz	QPSK	132322	12RB#0	22.96	18.81	38.45	PASS
Band66	5MHz	QPSK	132322	12RB#6	22.99	18.97	38.45	PASS
Band66	5MHz	QPSK	132322	12RB#11	22.99	18.85	38.45	PASS
Band66	5MHz	QPSK	132322	25RB#0	22.91	18.87	38.45	PASS
Band66	5MHz	QPSK	132647	1RB#0	24.86	18.99	38.45	PASS
Band66	5MHz	QPSK	132647	1RB#12	24.71	19.22	38.45	PASS
Band66	5MHz	QPSK	132647	1RB#24	24.73	19.37	38.45	PASS
Band66	5MHz	QPSK	132647	12RB#0	23.09	18.7	38.45	PASS
Band66	5MHz	QPSK	132647	12RB#6	23.16	18.65	38.45	PASS
Band66	5MHz	QPSK	132647	12RB#11	23.10	18.66	38.45	PASS
Band66	5MHz	QPSK	132647	25RB#0	23.13	18.77	38.45	PASS
Band66	5MHz	16QAM	131997	1RB#0	22.62	17.93	38.45	PASS
Band66	5MHz	16QAM	131997	1RB#12	22.57	18.2	38.45	PASS
Band66	5MHz	16QAM	131997	1RB#24	22.44	18.18	38.45	PASS
Band66	5MHz	16QAM	131997	12RB#0	21.66	18.01	38.45	PASS
Band66	5MHz	16QAM	131997	12RB#6	21.73	18.04	38.45	PASS
Band66	5MHz	16QAM	131997	12RB#11	21.70	18	38.45	PASS
Band66	5MHz	16QAM	131997	25RB#0	21.73	17.97	38.45	PASS
Band66	5MHz	16QAM	132322	1RB#0	23.43	18.98	38.45	PASS
Band66	5MHz	16QAM	132322	1RB#12	23.42	18.94	38.45	PASS
Band66	5MHz	16QAM	132322	1RB#24	23.43	18.86	38.45	PASS
Band66	5MHz	16QAM	132322	12RB#0	22.04	17.95	38.45	PASS
Band66	5MHz	16QAM	132322	12RB#6	22.05	17.9	38.45	PASS
Band66	5MHz	16QAM	132322	12RB#11	22.06	17.98	38.45	PASS
Band66	5MHz	16QAM	132322	25RB#0	21.88	18.02	38.45	PASS

Band66	5MHz	16QAM	132647	1RB#0	23.68	18.12	38.45	PASS
Band66	5MHz	16QAM	132647	1RB#12	23.67	17.88	38.45	PASS
Band66	5MHz	16QAM	132647	1RB#24	23.56	18.48	38.45	PASS
Band66	5MHz	16QAM	132647	12RB#0	22.24	17.87	38.45	PASS
Band66	5MHz	16QAM	132647	12RB#6	22.23	17.87	38.45	PASS
Band66	5MHz	16QAM	132647	12RB#11	22.15	17.88	38.45	PASS
Band66	5MHz	16QAM	132647	25RB#0	22.27	17.87	38.45	PASS
Band66	5MHz	64QAM	131997	1RB#0	22.60	17.52	38.45	PASS
Band66	5MHz	64QAM	131997	1RB#12	22.57	17.53	38.45	PASS
Band66	5MHz	64QAM	131997	1RB#24	22.50	17.64	38.45	PASS
Band66	5MHz	64QAM	131997	12RB#0	21.65	16.56	38.45	PASS
Band66	5MHz	64QAM	131997	12RB#6	21.67	16.56	38.45	PASS
Band66	5MHz	64QAM	131997	12RB#11	21.71	16.56	38.45	PASS
Band66	5MHz	64QAM	131997	25RB#0	21.73	16.45	38.45	PASS
Band66	5MHz	64QAM	132322	1RB#0	23.46	19.17	38.45	PASS
Band66	5MHz	64QAM	132322	1RB#12	23.43	19.2	38.45	PASS
Band66	5MHz	64QAM	132322	1RB#24	23.46	19.08	38.45	PASS
Band66	5MHz	64QAM	132322	12RB#0	22.06	16.63	38.45	PASS
Band66	5MHz	64QAM	132322	12RB#6	22.04	16.65	38.45	PASS
Band66	5MHz	64QAM	132322	12RB#11	22.00	16.61	38.45	PASS
Band66	5MHz	64QAM	132322	25RB#0	21.90	16.52	38.45	PASS
Band66	5MHz	64QAM	132647	1RB#0	23.69	17.44	38.45	PASS
Band66	5MHz	64QAM	132647	1RB#12	23.66	17.72	38.45	PASS
Band66	5MHz	64QAM	132647	1RB#24	23.58	17.74	38.45	PASS
Band66	5MHz	64QAM	132647	12RB#0	22.09	16.3	38.45	PASS
Band66	5MHz	64QAM	132647	12RB#6	22.17	16.28	38.45	PASS
Band66	5MHz	64QAM	132647	12RB#11	22.17	16.29	38.45	PASS
Band66	5MHz	64QAM	132647	25RB#0	22.25	16.28	38.45	PASS
Band66	10MHz	QPSK	132022	1RB#0	24.09	19.45	38.45	PASS
Band66	10MHz	QPSK	132022	1RB#24	24.05	19.38	38.45	PASS
Band66	10MHz	QPSK	132022	1RB#49	24.18	19.49	38.45	PASS
Band66	10MHz	QPSK	132022	25RB#0	22.74	18.93	38.45	PASS
Band66	10MHz	QPSK	132022	25RB#12	22.71	18.81	38.45	PASS
Band66	10MHz	QPSK	132022	25RB#24	22.71	18.81	38.45	PASS
Band66	10MHz	QPSK	132022	50RB#0	22.65	18.96	38.45	PASS
Band66	10MHz	QPSK	132322	1RB#0	24.54	19.42	38.45	PASS
Band66	10MHz	QPSK	132322	1RB#24	24.48	19.44	38.45	PASS
Band66	10MHz	QPSK	132322	1RB#49	24.58	19.21	38.45	PASS
Band66	10MHz	QPSK	132322	25RB#0	22.97	19.06	38.45	PASS
Band66	10MHz	QPSK	132322	25RB#12	23.01	19.06	38.45	PASS
Band66	10MHz	QPSK	132322	25RB#24	23.05	19.07	38.45	PASS
Band66	10MHz	QPSK	132322	50RB#0	22.91	18.96	38.45	PASS

Band66	10MHz	QPSK	132622	1RB#0	24.42	18.99	38.45	PASS
Band66	10MHz	QPSK	132622	1RB#24	24.54	19.17	38.45	PASS
Band66	10MHz	QPSK	132622	1RB#49	24.48	19.33	38.45	PASS
Band66	10MHz	QPSK	132622	25RB#0	23.03	18.61	38.45	PASS
Band66	10MHz	QPSK	132622	25RB#12	23.08	18.66	38.45	PASS
Band66	10MHz	QPSK	132622	25RB#24	23.08	18.67	38.45	PASS
Band66	10MHz	QPSK	132622	50RB#0	23.09	18.63	38.45	PASS
Band66	10MHz	16QAM	132022	1RB#0	23.23	18.89	38.45	PASS
Band66	10MHz	16QAM	132022	1RB#24	23.11	18.92	38.45	PASS
Band66	10MHz	16QAM	132022	1RB#49	23.13	19.01	38.45	PASS
Band66	10MHz	16QAM	132022	25RB#0	21.81	17.99	38.45	PASS
Band66	10MHz	16QAM	132022	25RB#12	21.78	18	38.45	PASS
Band66	10MHz	16QAM	132022	25RB#24	21.79	18	38.45	PASS
Band66	10MHz	16QAM	132022	50RB#0	21.65	18.05	38.45	PASS
Band66	10MHz	16QAM	132322	1RB#0	23.62	19.31	38.45	PASS
Band66	10MHz	16QAM	132322	1RB#24	23.66	19.34	38.45	PASS
Band66	10MHz	16QAM	132322	1RB#49	23.60	19.04	38.45	PASS
Band66	10MHz	16QAM	132322	25RB#0	22.03	18.16	38.45	PASS
Band66	10MHz	16QAM	132322	25RB#12	22.06	18.18	38.45	PASS
Band66	10MHz	16QAM	132322	25RB#24	22.07	18.18	38.45	PASS
Band66	10MHz	16QAM	132322	50RB#0	22.04	18.05	38.45	PASS
Band66	10MHz	16QAM	132622	1RB#0	23.31	18.79	38.45	PASS
Band66	10MHz	16QAM	132622	1RB#24	23.43	18.85	38.45	PASS
Band66	10MHz	16QAM	132622	1RB#49	23.36	19.01	38.45	PASS
Band66	10MHz	16QAM	132622	25RB#0	22.05	17.62	38.45	PASS
Band66	10MHz	16QAM	132622	25RB#12	22.07	17.63	38.45	PASS
Band66	10MHz	16QAM	132622	25RB#24	22.07	17.64	38.45	PASS
Band66	10MHz	16QAM	132622	50RB#0	22.14	17.72	38.45	PASS
Band66	10MHz	64QAM	132022	1RB#0	23.23	18.37	38.45	PASS
Band66	10MHz	64QAM	132022	1RB#24	23.03	18.5	38.45	PASS
Band66	10MHz	64QAM	132022	1RB#49	23.16	18.55	38.45	PASS
Band66	10MHz	64QAM	132022	25RB#0	21.76	16.66	38.45	PASS
Band66	10MHz	64QAM	132022	25RB#12	21.77	16.67	38.45	PASS
Band66	10MHz	64QAM	132022	25RB#24	21.75	16.57	38.45	PASS
Band66	10MHz	64QAM	132022	50RB#0	21.68	16.4	38.45	PASS
Band66	10MHz	64QAM	132322	1RB#0	23.63	18.23	38.45	PASS
Band66	10MHz	64QAM	132322	1RB#24	23.66	18.29	38.45	PASS
Band66	10MHz	64QAM	132322	1RB#49	23.62	18.2	38.45	PASS
Band66	10MHz	64QAM	132322	25RB#0	22.06	16.6	38.45	PASS
Band66	10MHz	64QAM	132322	25RB#12	22.07	16.61	38.45	PASS
Band66	10MHz	64QAM	132322	25RB#24	22.07	16.61	38.45	PASS
Band66	10MHz	64QAM	132322	50RB#0	22.06	16.52	38.45	PASS

Band66	10MHz	64QAM	132622	1RB#0	23.33	18.1	38.45	PASS
Band66	10MHz	64QAM	132622	1RB#24	23.46	18.26	38.45	PASS
Band66	10MHz	64QAM	132622	1RB#49	23.40	18.45	38.45	PASS
Band66	10MHz	64QAM	132622	25RB#0	22.01	16.37	38.45	PASS
Band66	10MHz	64QAM	132622	25RB#12	22.03	16.27	38.45	PASS
Band66	10MHz	64QAM	132622	25RB#24	22.02	16.28	38.45	PASS
Band66	10MHz	64QAM	132622	50RB#0	22.17	16.23	38.45	PASS
Band66	15MHz	QPSK	132047	1RB#0	24.00	19.04	38.45	PASS
Band66	15MHz	QPSK	132047	1RB#37	24.09	19.08	38.45	PASS
Band66	15MHz	QPSK	132047	1RB#74	24.18	19.07	38.45	PASS
Band66	15MHz	QPSK	132047	36RB#0	22.60	18.88	38.45	PASS
Band66	15MHz	QPSK	132047	36RB#16	22.52	18.78	38.45	PASS
Band66	15MHz	QPSK	132047	36RB#35	22.53	18.79	38.45	PASS
Band66	15MHz	QPSK	132047	75RB#0	22.74	18.83	38.45	PASS
Band66	15MHz	QPSK	132322	1RB#0	24.53	19.35	38.45	PASS
Band66	15MHz	QPSK	132322	1RB#37	24.50	19.36	38.45	PASS
Band66	15MHz	QPSK	132322	1RB#74	24.45	19.28	38.45	PASS
Band66	15MHz	QPSK	132322	36RB#0	23.02	18.97	38.45	PASS
Band66	15MHz	QPSK	132322	36RB#16	23.03	19	38.45	PASS
Band66	15MHz	QPSK	132322	36RB#35	22.90	19.02	38.45	PASS
Band66	15MHz	QPSK	132322	75RB#0	22.89	18.91	38.45	PASS
Band66	15MHz	QPSK	132597	1RB#0	24.28	19.01	38.45	PASS
Band66	15MHz	QPSK	132597	1RB#37	24.47	19	38.45	PASS
Band66	15MHz	QPSK	132597	1RB#74	24.51	18.97	38.45	PASS
Band66	15MHz	QPSK	132597	36RB#0	22.88	18.66	38.45	PASS
Band66	15MHz	QPSK	132597	36RB#16	23.02	18.69	38.45	PASS
Band66	15MHz	QPSK	132597	36RB#35	22.97	18.71	38.45	PASS
Band66	15MHz	QPSK	132597	75RB#0	23.05	18.65	38.45	PASS
Band66	15MHz	16QAM	132047	1RB#0	23.21	19.4	38.45	PASS
Band66	15MHz	16QAM	132047	1RB#37	23.21	19.41	38.45	PASS
Band66	15MHz	16QAM	132047	1RB#74	23.38	19.45	38.45	PASS
Band66	15MHz	16QAM	132047	36RB#0	21.69	17.79	38.45	PASS
Band66	15MHz	16QAM	132047	36RB#16	21.72	17.82	38.45	PASS
Band66	15MHz	16QAM	132047	36RB#35	21.73	17.84	38.45	PASS
Band66	15MHz	16QAM	132047	75RB#0	21.76	17.88	38.45	PASS
Band66	15MHz	16QAM	132322	1RB#0	23.69	19.22	38.45	PASS
Band66	15MHz	16QAM	132322	1RB#37	23.68	19.29	38.45	PASS
Band66	15MHz	16QAM	132322	1RB#74	23.65	19.22	38.45	PASS
Band66	15MHz	16QAM	132322	36RB#0	22.07	18.03	38.45	PASS
Band66	15MHz	16QAM	132322	36RB#16	21.99	18.04	38.45	PASS
Band66	15MHz	16QAM	132322	36RB#35	22.02	18.03	38.45	PASS
Band66	15MHz	16QAM	132322	75RB#0	22.04	18.14	38.45	PASS

Band66	15MHz	16QAM	132597	1RB#0	23.20	19.03	38.45	PASS
Band66	15MHz	16QAM	132597	1RB#37	23.47	19.08	38.45	PASS
Band66	15MHz	16QAM	132597	1RB#74	23.41	19.1	38.45	PASS
Band66	15MHz	16QAM	132597	36RB#0	22.07	17.74	38.45	PASS
Band66	15MHz	16QAM	132597	36RB#16	22.08	17.62	38.45	PASS
Band66	15MHz	16QAM	132597	36RB#35	22.02	17.63	38.45	PASS
Band66	15MHz	16QAM	132597	75RB#0	22.14	17.76	38.45	PASS
Band66	15MHz	64QAM	132047	1RB#0	23.21	18.31	38.45	PASS
Band66	15MHz	64QAM	132047	1RB#37	23.22	18.32	38.45	PASS
Band66	15MHz	64QAM	132047	1RB#74	23.31	18.36	38.45	PASS
Band66	15MHz	64QAM	132047	36RB#0	21.73	16.45	38.45	PASS
Band66	15MHz	64QAM	132047	36RB#16	21.75	16.47	38.45	PASS
Band66	15MHz	64QAM	132047	36RB#35	21.76	16.48	38.45	PASS
Band66	15MHz	64QAM	132047	75RB#0	21.77	16.55	38.45	PASS
Band66	15MHz	64QAM	132322	1RB#0	23.69	18.07	38.45	PASS
Band66	15MHz	64QAM	132322	1RB#37	23.66	18.03	38.45	PASS
Band66	15MHz	64QAM	132322	1RB#74	23.63	17.92	38.45	PASS
Band66	15MHz	64QAM	132322	36RB#0	21.99	16.6	38.45	PASS
Band66	15MHz	64QAM	132322	36RB#16	22.02	16.57	38.45	PASS
Band66	15MHz	64QAM	132322	36RB#35	22.04	16.59	38.45	PASS
Band66	15MHz	64QAM	132322	75RB#0	22.06	16.64	38.45	PASS
Band66	15MHz	64QAM	132597	1RB#0	23.22	17.35	38.45	PASS
Band66	15MHz	64QAM	132597	1RB#37	23.38	17.33	38.45	PASS
Band66	15MHz	64QAM	132597	1RB#74	23.45	17.34	38.45	PASS
Band66	15MHz	64QAM	132597	36RB#0	22.06	16.24	38.45	PASS
Band66	15MHz	64QAM	132597	36RB#16	22.09	16.2	38.45	PASS
Band66	15MHz	64QAM	132597	36RB#35	22.05	16.15	38.45	PASS
Band66	15MHz	64QAM	132597	75RB#0	22.10	16.33	38.45	PASS
Band66	20MHz	QPSK	132072	1RB#0	24.51	19.25	38.45	PASS
Band66	20MHz	QPSK	132072	1RB#49	24.41	19.29	38.45	PASS
Band66	20MHz	QPSK	132072	1RB#99	24.76	19.2	38.45	PASS
Band66	20MHz	QPSK	132072	50RB#0	22.49	18.85	38.45	PASS
Band66	20MHz	QPSK	132072	50RB#24	22.55	18.86	38.45	PASS
Band66	20MHz	QPSK	132072	50RB#49	22.55	18.86	38.45	PASS
Band66	20MHz	QPSK	132072	100RB#0	22.73	18.91	38.45	PASS
Band66	20MHz	QPSK	132322	1RB#0	24.59	19.09	38.45	PASS
Band66	20MHz	QPSK	132322	1RB#49	24.57	19.11	38.45	PASS
Band66	20MHz	QPSK	132322	1RB#99	24.55	19.13	38.45	PASS
Band66	20MHz	QPSK	132322	50RB#0	23.03	18.93	38.45	PASS
Band66	20MHz	QPSK	132322	50RB#24	22.97	18.85	38.45	PASS
Band66	20MHz	QPSK	132322	50RB#49	22.98	18.83	38.45	PASS
Band66	20MHz	QPSK	132322	100RB#0	23.06	18.83	38.45	PASS

Band66	20MHz	QPSK	132572	1RB#0	24.40	19.14	38.45	PASS
Band66	20MHz	QPSK	132572	1RB#49	24.59	19.13	38.45	PASS
Band66	20MHz	QPSK	132572	1RB#99	24.73	19.19	38.45	PASS
Band66	20MHz	QPSK	132572	50RB#0	22.89	18.85	38.45	PASS
Band66	20MHz	QPSK	132572	50RB#24	22.88	18.74	38.45	PASS
Band66	20MHz	QPSK	132572	50RB#49	22.90	18.74	38.45	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.92	18.73	38.45	PASS
Band66	20MHz	16QAM	132072	1RB#0	23.59	18.6	38.45	PASS
Band66	20MHz	16QAM	132072	1RB#49	23.61	18.69	38.45	PASS
Band66	20MHz	16QAM	132072	1RB#99	23.97	18.57	38.45	PASS
Band66	20MHz	16QAM	132072	50RB#0	21.60	18.11	38.45	PASS
Band66	20MHz	16QAM	132072	50RB#24	21.57	18.11	38.45	PASS
Band66	20MHz	16QAM	132072	50RB#49	21.55	18.11	38.45	PASS
Band66	20MHz	16QAM	132072	100RB#0	21.72	17.99	38.45	PASS
Band66	20MHz	16QAM	132322	1RB#0	23.24	18.96	38.45	PASS
Band66	20MHz	16QAM	132322	1RB#49	23.15	18.95	38.45	PASS
Band66	20MHz	16QAM	132322	1RB#99	23.15	18.83	38.45	PASS
Band66	20MHz	16QAM	132322	50RB#0	22.12	17.99	38.45	PASS
Band66	20MHz	16QAM	132322	50RB#24	22.03	18.01	38.45	PASS
Band66	20MHz	16QAM	132322	50RB#49	22.04	17.99	38.45	PASS
Band66	20MHz	16QAM	132322	100RB#0	21.97	17.93	38.45	PASS
Band66	20MHz	16QAM	132572	1RB#0	23.29	18.46	38.45	PASS
Band66	20MHz	16QAM	132572	1RB#49	23.47	18.5	38.45	PASS
Band66	20MHz	16QAM	132572	1RB#99	23.55	18.62	38.45	PASS
Band66	20MHz	16QAM	132572	50RB#0	22.02	18.14	38.45	PASS
Band66	20MHz	16QAM	132572	50RB#24	22.06	18.11	38.45	PASS
Band66	20MHz	16QAM	132572	50RB#49	22.07	18	38.45	PASS
Band66	20MHz	16QAM	132572	100RB#0	22.00	17.8	38.45	PASS
Band66	20MHz	64QAM	132072	1RB#0	23.61	17.52	38.45	PASS
Band66	20MHz	64QAM	132072	1RB#49	23.61	17.45	38.45	PASS
Band66	20MHz	64QAM	132072	1RB#99	23.93	17.31	38.45	PASS
Band66	20MHz	64QAM	132072	50RB#0	21.53	16.53	38.45	PASS
Band66	20MHz	64QAM	132072	50RB#24	21.57	16.49	38.45	PASS
Band66	20MHz	64QAM	132072	50RB#49	21.56	16.49	38.45	PASS
Band66	20MHz	64QAM	132072	100RB#0	21.75	16.48	38.45	PASS
Band66	20MHz	64QAM	132322	1RB#0	23.19	19.08	38.45	PASS
Band66	20MHz	64QAM	132322	1RB#49	23.19	19.12	38.45	PASS
Band66	20MHz	64QAM	132322	1RB#99	23.05	19	38.45	PASS
Band66	20MHz	64QAM	132322	50RB#0	22.04	16.57	38.45	PASS
Band66	20MHz	64QAM	132322	50RB#24	22.06	16.58	38.45	PASS
Band66	20MHz	64QAM	132322	50RB#49	22.06	16.59	38.45	PASS
Band66	20MHz	64QAM	132322	100RB#0	22.00	16.62	38.45	PASS

Band66	20MHz	64QAM	132572	1RB#0	23.32	17.11	38.45	PASS
Band66	20MHz	64QAM	132572	1RB#49	23.49	17.34	38.45	PASS
Band66	20MHz	64QAM	132572	1RB#99	23.56	17.55	38.45	PASS
Band66	20MHz	64QAM	132572	50RB#0	22.07	16.45	38.45	PASS
Band66	20MHz	64QAM	132572	50RB#24	22.09	16.46	38.45	PASS
Band66	20MHz	64QAM	132572	50RB#49	22.07	16.47	38.45	PASS
Band66	20MHz	64QAM	132572	100RB#0	21.99	16.52	38.45	PASS

Remark: $EIRP (dBm) = \text{Conducted power (dBm)} + \text{Antenna Gain (dBi)}$. (For Band 2 & 7 & 41 & 66)

$ERP (dBm) = EIRP (dBm) - 2.15 (dB)$. (For Band 5 & 12)


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	5.11	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	5.92	13	PASS
Band2	20MHz	64QAM	18900	100RB#0	5.89	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.10	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	5.92	13	PASS
Band5	10MHz	64QAM	20525	50RB#0	5.91	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.07	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	5.80	13	PASS
Band7	20MHz	64QAM	21100	100RB#0	5.77	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	5.15	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	5.90	13	PASS
Band12	10MHz	64QAM	23095	50RB#0	5.65	13	PASS
Band41	20MHz	QPSK	40640	100RB#0	5.37	13	PASS
Band41	20MHz	16QAM	40640	100RB#0	6.13	13	PASS
Band41	20MHz	64QAM	40640	100RB#0	6.57	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.07	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	5.84	13	PASS
Band66	20MHz	64QAM	132322	100RB#0	5.85	13	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs







Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0961	1.249	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0926	1.248	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.1026	1.249	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1096	1.258	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.1037	1.254	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.1018	1.244	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	1.1067	1.261	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	1.1069	1.252	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	1.0989	1.249	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7121	3.025	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7143	3.040	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7108	3.052	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.7112	3.045	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.7212	3.041	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.7183	3.051	PASS
Band2	3MHz	64QAM	18615	15RB#0	2.7167	3.030	PASS
Band2	3MHz	64QAM	18900	15RB#0	2.7057	3.024	PASS
Band2	3MHz	64QAM	19185	15RB#0	2.7132	3.063	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5213	4.974	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5135	4.976	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.5009	4.985	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5123	4.992	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.5092	4.984	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5294	5.007	PASS
Band2	5MHz	64QAM	18625	25RB#0	4.5116	4.981	PASS
Band2	5MHz	64QAM	18900	25RB#0	4.5012	4.966	PASS
Band2	5MHz	64QAM	19175	25RB#0	4.5314	4.991	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9936	9.947	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.9789	9.906	PASS
Band2	10MHz	QPSK	19150	50RB#0	9.0147	9.921	PASS
Band2	10MHz	16QAM	18650	50RB#0	9.0023	9.924	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.9991	9.926	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.9911	9.975	PASS
Band2	10MHz	64QAM	18650	50RB#0	8.9977	9.933	PASS
Band2	10MHz	64QAM	18900	50RB#0	8.9818	9.909	PASS

Band2	10MHz	64QAM	19150	50RB#0	8.9927	9.925	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.502	15.00	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.489	14.98	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.497	15.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.502	15.04	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.500	14.94	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.519	15.01	PASS
Band2	15MHz	64QAM	18675	75RB#0	13.509	14.99	PASS
Band2	15MHz	64QAM	18900	75RB#0	13.502	14.94	PASS
Band2	15MHz	64QAM	19125	75RB#0	13.519	14.97	PASS
Band2	20MHz	QPSK	18700	100RB#0	18.002	19.64	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.966	19.60	PASS
Band2	20MHz	QPSK	19100	100RB#0	18.050	19.84	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.054	19.73	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.963	19.82	PASS
Band2	20MHz	16QAM	19100	100RB#0	18.031	19.81	PASS
Band2	20MHz	64QAM	18700	100RB#0	18.081	19.72	PASS
Band2	20MHz	64QAM	18900	100RB#0	17.988	19.78	PASS
Band2	20MHz	64QAM	19100	100RB#0	18.043	19.80	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1.1156	1.687	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.1142	1.710	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.1126	1.573	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.1186	1.670	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.1156	1.624	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.1091	1.430	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	1.1137	1.668	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	1.1158	1.612	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	1.1176	1.449	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.7262	3.462	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.7283	3.354	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.7162	3.305	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.7185	3.415	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.7144	3.445	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.7293	3.307	PASS
Band5	3MHz	64QAM	20415	15RB#0	2.7172	3.315	PASS
Band5	3MHz	64QAM	20525	15RB#0	2.7194	3.311	PASS
Band5	3MHz	64QAM	20635	15RB#0	2.7239	3.373	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5258	5.351	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5348	5.415	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.5158	5.693	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.5152	5.141	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.5246	5.188	PASS

Band5	5MHz	16QAM	20625	25RB#0	4.5434	5.433	PASS
Band5	5MHz	64QAM	20425	25RB#0	4.5213	5.160	PASS
Band5	5MHz	64QAM	20525	25RB#0	4.5190	5.197	PASS
Band5	5MHz	64QAM	20625	25RB#0	4.5405	5.420	PASS
Band5	10MHz	QPSK	20450	50RB#0	9.0068	10.23	PASS
Band5	10MHz	QPSK	20525	50RB#0	9.0135	10.24	PASS
Band5	10MHz	QPSK	20600	50RB#0	9.0137	10.08	PASS
Band5	10MHz	16QAM	20450	50RB#0	9.0037	10.11	PASS
Band5	10MHz	16QAM	20525	50RB#0	9.0218	10.13	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.9896	10.08	PASS
Band5	10MHz	64QAM	20450	50RB#0	8.9970	10.11	PASS
Band5	10MHz	64QAM	20525	50RB#0	9.0234	10.02	PASS
Band5	10MHz	64QAM	20600	50RB#0	9.0086	10.01	PASS
Band7	5MHz	QPSK	20775	25RB#0	4.5256	4.981	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.5012	4.993	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5103	4.968	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5143	4.999	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5338	5.025	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5317	4.994	PASS
Band7	5MHz	64QAM	20775	25RB#0	4.5140	4.998	PASS
Band7	5MHz	64QAM	21100	25RB#0	4.5284	4.996	PASS
Band7	5MHz	64QAM	21425	25RB#0	4.5274	4.984	PASS
Band7	10MHz	QPSK	20800	50RB#0	9.0073	9.988	PASS
Band7	10MHz	QPSK	21100	50RB#0	9.0068	9.909	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9958	9.891	PASS
Band7	10MHz	16QAM	20800	50RB#0	9.0072	9.935	PASS
Band7	10MHz	16QAM	21100	50RB#0	9.0040	9.975	PASS
Band7	10MHz	16QAM	21400	50RB#0	9.0241	9.883	PASS
Band7	10MHz	64QAM	20800	50RB#0	9.0027	9.948	PASS
Band7	10MHz	64QAM	21100	50RB#0	8.9955	9.960	PASS
Band7	10MHz	64QAM	21400	50RB#0	9.0158	9.937	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.518	14.98	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.497	15.08	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.466	14.99	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.506	14.97	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.514	15.02	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.555	14.97	PASS
Band7	15MHz	64QAM	20825	75RB#0	13.509	14.92	PASS
Band7	15MHz	64QAM	21100	75RB#0	13.515	15.02	PASS
Band7	15MHz	64QAM	21375	75RB#0	13.560	15.04	PASS
Band7	20MHz	QPSK	20850	100RB#0	18.035	19.68	PASS
Band7	20MHz	QPSK	21100	100RB#0	18.036	19.88	PASS


Band7	20MHz	QPSK	21350	100RB#0	17.986	19.63	PASS
Band7	20MHz	16QAM	20850	100RB#0	18.078	19.85	PASS
Band7	20MHz	16QAM	21100	100RB#0	18.004	19.83	PASS
Band7	20MHz	16QAM	21350	100RB#0	18.019	19.87	PASS
Band7	20MHz	64QAM	20850	100RB#0	18.057	19.73	PASS
Band7	20MHz	64QAM	21100	100RB#0	18.003	19.79	PASS
Band7	20MHz	64QAM	21350	100RB#0	18.034	19.87	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	1.0903	1.245	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.0981	1.244	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.0959	1.246	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.1046	1.243	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.0991	1.243	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.0899	1.248	PASS
Band12	1.4MHz	64QAM	23017	6RB#0	1.1055	1.249	PASS
Band12	1.4MHz	64QAM	23095	6RB#0	1.0959	1.244	PASS
Band12	1.4MHz	64QAM	23173	6RB#0	1.0927	1.246	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.7189	3.034	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.7032	3.017	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.7028	3.039	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.7144	3.032	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.7094	3.052	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.7043	3.020	PASS
Band12	3MHz	64QAM	23025	15RB#0	2.7047	3.034	PASS
Band12	3MHz	64QAM	23095	15RB#0	2.7113	3.049	PASS
Band12	3MHz	64QAM	23165	15RB#0	2.7076	3.020	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.5230	4.969	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.5006	4.973	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.5123	4.991	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.5068	4.961	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.5253	5.000	PASS
Band12	5MHz	16QAM	23155	25RB#0	4.5247	4.993	PASS
Band12	5MHz	64QAM	23035	25RB#0	4.5072	4.972	PASS
Band12	5MHz	64QAM	23095	25RB#0	4.5271	5.000	PASS
Band12	5MHz	64QAM	23155	25RB#0	4.5283	4.994	PASS
Band12	10MHz	QPSK	23060	50RB#0	8.9961	9.849	PASS
Band12	10MHz	QPSK	23095	50RB#0	9.0073	9.923	PASS
Band12	10MHz	QPSK	23130	50RB#0	8.9750	9.879	PASS
Band12	10MHz	16QAM	23060	50RB#0	8.9826	9.929	PASS
Band12	10MHz	16QAM	23095	50RB#0	9.0029	10.00	PASS
Band12	10MHz	16QAM	23130	50RB#0	8.9953	9.947	PASS
Band12	10MHz	64QAM	23060	50RB#0	8.9800	9.927	PASS
Band12	10MHz	64QAM	23095	50RB#0	9.0112	9.882	PASS


Band12	10MHz	64QAM	23130	50RB#0	8.9844	9.955	PASS
Band41	5MHz	QPSK	40065	25RB#0	4.5026	4.979	PASS
Band41	5MHz	QPSK	40640	25RB#0	4.5044	4.988	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.5096	4.991	PASS
Band41	5MHz	16QAM	40065	25RB#0	4.5156	5.204	PASS
Band41	5MHz	16QAM	40640	25RB#0	4.5115	5.221	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.5159	5.317	PASS
Band41	5MHz	64QAM	40065	25RB#0	4.5188	5.163	PASS
Band41	5MHz	64QAM	40640	25RB#0	4.5311	5.169	PASS
Band41	5MHz	64QAM	41215	25RB#0	4.5180	5.054	PASS
Band41	10MHz	QPSK	40090	50RB#0	8.9873	9.893	PASS
Band41	10MHz	QPSK	40640	50RB#0	8.9928	9.900	PASS
Band41	10MHz	QPSK	41190	50RB#0	9.0046	9.856	PASS
Band41	10MHz	16QAM	40090	50RB#0	9.0016	9.978	PASS
Band41	10MHz	16QAM	40640	50RB#0	8.9976	9.955	PASS
Band41	10MHz	16QAM	41190	50RB#0	8.9943	9.946	PASS
Band41	10MHz	64QAM	40090	50RB#0	9.0064	10.25	PASS
Band41	10MHz	64QAM	40640	50RB#0	8.9880	10.02	PASS
Band41	10MHz	64QAM	41190	50RB#0	9.0020	10.25	PASS
Band41	15MHz	QPSK	40115	75RB#0	13.557	15.71	PASS
Band41	15MHz	QPSK	40640	75RB#0	13.530	15.75	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.518	15.38	PASS
Band41	15MHz	16QAM	40115	75RB#0	13.502	15.00	PASS
Band41	15MHz	16QAM	40640	75RB#0	13.497	15.04	PASS
Band41	15MHz	16QAM	41165	75RB#0	13.494	15.12	PASS
Band41	15MHz	64QAM	40115	75RB#0	13.472	15.15	PASS
Band41	15MHz	64QAM	40640	75RB#0	13.461	15.25	PASS
Band41	15MHz	64QAM	41165	75RB#0	13.466	14.97	PASS
Band41	20MHz	QPSK	40140	100RB#0	18.013	19.70	PASS
Band41	20MHz	QPSK	40640	100RB#0	18.015	19.78	PASS
Band41	20MHz	QPSK	41140	100RB#0	17.979	19.74	PASS
Band41	20MHz	16QAM	40140	100RB#0	17.993	20.03	PASS
Band41	20MHz	16QAM	40640	100RB#0	17.982	20.06	PASS
Band41	20MHz	16QAM	41140	100RB#0	17.970	20.28	PASS
Band41	20MHz	64QAM	40140	100RB#0	17.975	19.91	PASS
Band41	20MHz	64QAM	40640	100RB#0	17.947	19.84	PASS
Band41	20MHz	64QAM	41140	100RB#0	17.954	22.46	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.0971	1.248	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0950	1.246	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0946	1.248	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.1037	1.249	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.1014	1.253	PASS

Band66	1.4MHz	16QAM	132665	6RB#0	1.0969	1.251	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	1.0927	1.248	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	1.0945	1.254	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	1.0893	1.243	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.7194	3.017	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.7145	3.033	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.7084	3.032	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.7180	3.037	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.7164	3.031	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.7126	3.049	PASS
Band66	3MHz	64QAM	131987	15RB#0	2.7104	3.044	PASS
Band66	3MHz	64QAM	132322	15RB#0	2.7147	3.038	PASS
Band66	3MHz	64QAM	132657	15RB#0	2.7109	3.045	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5124	4.970	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5172	4.985	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.4997	4.979	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.5018	4.967	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5069	4.976	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5262	4.997	PASS
Band66	5MHz	64QAM	131997	25RB#0	4.5036	4.976	PASS
Band66	5MHz	64QAM	132322	25RB#0	4.5106	4.985	PASS
Band66	5MHz	64QAM	132647	25RB#0	4.5264	4.998	PASS
Band66	10MHz	QPSK	132022	50RB#0	9.0008	9.889	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9906	9.929	PASS
Band66	10MHz	QPSK	132622	50RB#0	9.0076	9.908	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9843	9.903	PASS
Band66	10MHz	16QAM	132322	50RB#0	9.0037	9.965	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.9846	9.987	PASS
Band66	10MHz	64QAM	132022	50RB#0	8.9957	9.945	PASS
Band66	10MHz	64QAM	132322	50RB#0	8.9973	9.948	PASS
Band66	10MHz	64QAM	132622	50RB#0	8.9935	9.945	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.494	14.95	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.491	14.98	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.488	15.03	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.498	14.93	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.504	14.99	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.506	14.98	PASS
Band66	15MHz	64QAM	132047	75RB#0	13.498	14.91	PASS
Band66	15MHz	64QAM	132322	75RB#0	13.513	14.95	PASS
Band66	15MHz	64QAM	132597	75RB#0	13.514	15.01	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.986	19.65	PASS
Band66	20MHz	QPSK	132322	100RB#0	18.002	19.60	PASS

Band66	20MHz	QPSK	132572	100RB#0	18.012	19.86	PASS
Band66	20MHz	16QAM	132072	100RB#0	18.007	19.75	PASS
Band66	20MHz	16QAM	132322	100RB#0	18.024	19.71	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.999	19.73	PASS
Band66	20MHz	64QAM	132072	100RB#0	18.015	19.73	PASS
Band66	20MHz	64QAM	132322	100RB#0	18.018	19.76	PASS
Band66	20MHz	64QAM	132572	100RB#0	17.996	19.78	PASS

Test Graphs









Band2-3MHz-16QAM-19185-15RB#0

Band2-3MHz-64QAM-18615-15RB#0




Band2-3MHz-64QAM-18900-15RB#0


Band2-3MHz-64QAM-19185-15RB#0



Band2-5MHz-QPSK-18625-25RB#0


Band2-5MHz-QPSK-18900-25RB#0






Band2-5MHz-64QAM-19175-25RB#0

Band2-10MHz-QPSK-18650-50RB#0



Band2-10MHz-QPSK-18900-50RB#0

Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-16QAM-18650-50RB#0

Band2-10MHz-16QAM-18900-50RB#0




Band2-10MHz-16QAM-19150-50RB#0

Band2-10MHz-64QAM-18650-50RB#0




Band2-10MHz-64QAM-18900-50RB#0


Band2-10MHz-64QAM-19150-50RB#0



Band2-15MHz-QPSK-18675-75RB#0

Band2-15MHz-QPSK-18900-75RB#0






Band2-15MHz-64QAM-19125-75RB#0

Band2-20MHz-QPSK-18700-100RB#0



Band2-20MHz-QPSK-18900-100RB#0

Band2-20MHz-QPSK-19100-100RB#0



Band2-20MHz-16QAM-18700-100RB#0

Band2-20MHz-16QAM-18900-100RB#0