

## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted power (dBm)	ERP/EIRP power (dBm)	ERP/EIRP Limit (dBm)	Verdict
7-7	10MHz-20MHz	QPSK-QPSK	20805-20949	1RB#0-0RB#0	22.27	20.67	38.45	PASS
7-7	10MHz-20MHz	16QAM-16QAM	20805-20949	1RB#0-0RB#0	22.25	20.65	38.45	PASS
7-7	10MHz-20MHz	QPSK-QPSK	20805-20949	1RB#49-0RB#0	21.99	20.39	38.45	PASS
7-7	10MHz-20MHz	16QAM-16QAM	20805-20949	1RB#49-0RB#0	22.16	20.56	38.45	PASS
7-7	10MHz-20MHz	QPSK-QPSK	20805-20949	1RB#0-1RB#9	11.38	9.78	38.45	PASS
7-7	10MHz-20MHz	16QAM-16QAM	20805-20949	1RB#0-1RB#9	12.03	10.43	38.45	PASS
7-7	10MHz-20MHz	QPSK-QPSK	20805-20949	12RB#0-0RB#0	22.3	20.7	38.45	PASS
7-7	10MHz-20MHz	16QAM-16QAM	20805-20949	12RB#0-0RB#0	21.94	20.34	38.45	PASS
7-7	10MHz-20MHz	QPSK-QPSK	20805-20949	50RB#0-100RB#0	20.16	18.56	38.45	PASS
7-7	10MHz-20MHz	16QAM-16QAM	20805-20949	50RB#0-100RB#0	18.5	16.9	38.45	PASS
7-7	10MHz-20MHz	QPSK-QPSK	21006-21150	1RB#0-0RB#0	20.08	18.48	38.45	PASS
7-7	10MHz-20MHz	16QAM-16QAM	21006-21150	1RB#0-0RB#0	21.59	19.99	38.45	PASS
7-7	10MHz-20MHz	QPSK-QPSK	21006-21150	1RB#49-0RB#0	21.94	20.34	38.45	PASS
7-7	10MHz-20MHz	16QAM-16QAM	21006-21150	1RB#49-0RB#0	21.41	19.81	38.45	PASS
7-7	10MHz-20MHz	QPSK-QPSK	21006-21150	1RB#0-1RB#9	12.64	11.04	38.45	PASS
7-7	10MHz-20MHz	16QAM-16QAM	21006-21150	1RB#0-1RB#9	10.68	9.08	38.45	PASS
7-7	10MHz-20MHz	QPSK-QPSK	21006-21150	12RB#0-0RB#0	22.18	20.58	38.45	PASS

7-7	10MHz-20MHz	16QAM-1 6QAM	21006-21 150	12RB#0-0RB# 0	21.83	20.23	38.45	PASS
7-7	10MHz-20MHz	QPSK-Q PSK	21006-21 150	50RB#0-100R B#0	20.03	18.43	38.45	PASS
7-7	10MHz-20MHz	16QAM-1 6QAM	21006-21 150	50RB#0-100R B#0	18.54	16.94	38.45	PASS
7-7	10MHz-20MHz	QPSK-Q PSK	21206-21 350	1RB#0-0RB#0	22.51	20.91	38.45	PASS
7-7	10MHz-20MHz	16QAM-1 6QAM	21206-21 350	1RB#0-0RB#0	22.33	20.73	38.45	PASS
7-7	10MHz-20MHz	QPSK-Q PSK	21206-21 350	1RB#49-0RB# 0	21.56	19.96	38.45	PASS
7-7	10MHz-20MHz	16QAM-1 6QAM	21206-21 350	1RB#49-0RB# 0	21.6	20	38.45	PASS
7-7	10MHz-20MHz	QPSK-Q PSK	21206-21 350	1RB#0-1RB#9 9	12.72	11.12	38.45	PASS
7-7	10MHz-20MHz	16QAM-1 6QAM	21206-21 350	1RB#0-1RB#9 9	11.14	9.54	38.45	PASS
7-7	10MHz-20MHz	QPSK-Q PSK	21206-21 350	12RB#0-0RB# 0	22.37	20.77	38.45	PASS
7-7	10MHz-20MHz	16QAM-1 6QAM	21206-21 350	12RB#0-0RB# 0	21.98	20.38	38.45	PASS
7-7	10MHz-20MHz	QPSK-Q PSK	21206-21 350	50RB#0-100R B#0	19.78	18.18	38.45	PASS
7-7	10MHz-20MHz	16QAM-1 6QAM	21206-21 350	50RB#0-100R B#0	18.29	16.69	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	20825-20 945	1RB#0-0RB#0	22.77	21.17	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	20825-20 945	1RB#0-0RB#0	22.44	20.84	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	20825-20 945	1RB#74-0RB# 0	22.26	20.66	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	20825-20 945	1RB#0-1RB#4 9	13.77	12.17	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	20825-20 945	1RB#0-1RB#4 9	11.94	10.34	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	20825-20 945	16RB#0-0RB# 0	22.54	20.94	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	20825-20 945	16RB#0-0RB# 0	22.13	20.53	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	20825-20 945	75RB#0-50RB #0	20.67	19.07	38.45	PASS
7-7	15MHz-10MHz	16QAM-1	20825-20	75RB#0-50RB	18.93	17.33	38.45	PASS

		6QAM	945	#0				
7-7	15MHz-10MHz	QPSK-Q PSK	21051-21 171	1RB#0-0RB#0	22.68	21.08	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	21051-21 171	1RB#0-0RB#0	22.29	20.69	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	21051-21 171	1RB#74-0RB# 0	21.99	20.39	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	21051-21 171	1RB#74-0RB# 0	21.75	20.15	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	21277-21 397	75RB#0-50RB #0	18.51	16.91	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	20825-20 975	1RB#0-0RB#0	22.54	20.94	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	20825-20 975	1RB#0-0RB#0	22.32	20.72	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	20825-20 975	1RB#74-0RB# 0	22.18	20.58	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	20825-20 975	1RB#74-0RB# 0	21.93	20.33	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	20825-20 975	1RB#0-1RB#7 4	12.06	10.46	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	20825-20 975	1RB#0-1RB#7 4	12.35	10.75	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	20825-20 975	16RB#0-0RB# 0	22.67	21.07	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	20825-20 975	16RB#0-0RB# 0	22.22	20.62	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	20825-20 975	75RB#0-75RB #0	20.38	18.78	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	20825-20 975	75RB#0-75RB #0	18.81	17.21	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	21025-21 175	1RB#0-0RB#0	21.58	19.98	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	21025-21 175	1RB#0-0RB#0	22.52	20.92	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	21025-21 175	1RB#74-0RB# 0	22	20.4	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	21225-21 375	16RB#0-0RB# 0	22.67	21.07	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	21225-21 375	16RB#0-0RB# 0	22.21	20.61	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	21225-21 375	75RB#0-75RB #0	19.96	18.36	38.45	PASS

7-7	15MHz-15MHz	16QAM-1 6QAM	21225-21 375	75RB#0-75RB #0	18.41	16.81	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	20828-20 999	1RB#0-0RB#0	22.69	21.09	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	20828-20 999	1RB#0-0RB#0	22.34	20.74	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	20828-20 999	1RB#74-0RB# 0	22.44	20.84	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	20828-20 999	1RB#74-0RB# 0	22.07	20.47	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	20828-20 999	1RB#0-1RB#9 9	11.99	10.39	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	20828-20 999	1RB#0-1RB#9 9	11.97	10.37	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	20828-20 999	16RB#0-0RB# 0	22.77	21.17	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	20828-20 999	16RB#0-0RB# 0	22.38	20.78	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	20828-20 999	75RB#0-100R B#0	20.89	19.29	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	20828-20 999	75RB#0-100R B#0	19.11	17.51	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	21025-21 175	1RB#0-1RB#7 4	13.49	11.89	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	20825-20 945	1RB#74-0RB# 0	22.05	20.45	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	21051-21 171	1RB#0-1RB#4 9	13.32	11.72	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	21051-21 171	1RB#0-1RB#4 9	11.71	10.11	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	21051-21 171	16RB#0-0RB# 0	22.38	20.78	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	21051-21 171	16RB#0-0RB# 0	21.98	20.38	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	21051-21 171	75RB#0-50RB #0	20.32	18.72	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	21051-21 171	75RB#0-50RB #0	18.71	17.11	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	21277-21 397	1RB#0-0RB#0	23.07	21.47	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	21277-21 397	1RB#0-0RB#0	22.79	21.19	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q	21277-21	1RB#74-0RB#	21.6	20	38.45	PASS

		PSK	397	0				
7-7	15MHz-10MHz	16QAM-1 6QAM	21277-21 397	1RB#74-0RB# 0	21.68	20.08	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	21277-21 397	1RB#0-1RB#4 9	14	12.4	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	21277-21 397	1RB#0-1RB#4 9	12.34	10.74	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	21003-21 174	1RB#0-0RB#0	22.71	21.11	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	21277-21 397	16RB#0-0RB# 0	22.74	21.14	38.45	PASS
7-7	15MHz-10MHz	16QAM-1 6QAM	21277-21 397	16RB#0-0RB# 0	22.35	20.75	38.45	PASS
7-7	15MHz-10MHz	QPSK-Q PSK	21277-21 397	75RB#0-50RB #0	20.09	18.49	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	21025-21 175	1RB#74-0RB# 0	21.97	20.37	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	21025-21 175	1RB#0-1RB#7 4	12.14	10.54	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	21025-21 175	16RB#0-0RB# 0	22.5	20.9	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	21025-21 175	16RB#0-0RB# 0	22.17	20.57	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	21025-21 175	75RB#0-75RB #0	20.27	18.67	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	21025-21 175	75RB#0-75RB #0	18.82	17.22	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	21225-21 375	1RB#0-0RB#0	22.71	21.11	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	21225-21 375	1RB#0-0RB#0	22.31	20.71	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	21225-21 375	1RB#74-0RB# 0	21.56	19.96	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	21225-21 375	1RB#74-0RB# 0	21.34	19.74	38.45	PASS
7-7	15MHz-15MHz	QPSK-Q PSK	21225-21 375	1RB#0-1RB#7 4	13.4	11.8	38.45	PASS
7-7	15MHz-15MHz	16QAM-1 6QAM	21225-21 375	1RB#0-1RB#7 4	11.56	9.96	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	21003-21 174	1RB#0-0RB#0	22.34	20.74	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	21003-21 174	1RB#74-0RB# 0	22.23	20.63	38.45	PASS

7-7	15MHz-20MHz	16QAM-1 6QAM	21003-21 174	1RB#74-0RB# 0	21.97	20.37	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	21003-21 174	1RB#0-1RB#9 9	13.14	11.54	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	21003-21 174	1RB#0-1RB#9 9	11.24	9.64	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	21003-21 174	16RB#0-0RB# 0	22.65	21.05	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	21003-21 174	16RB#0-0RB# 0	22.26	20.66	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	21003-21 174	75RB#0-100R B#0	20.39	18.79	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	21003-21 174	75RB#0-100R B#0	18.84	17.24	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	21179-21 350	1RB#0-0RB#0	18.92	17.32	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	21179-21 350	1RB#0-0RB#0	22.79	21.19	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	21179-21 350	1RB#74-0RB# 0	21.92	20.32	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	21179-21 350	1RB#74-0RB# 0	21.9	20.3	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	21179-21 350	1RB#0-1RB#9 9	13.06	11.46	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	21179-21 350	1RB#0-1RB#9 9	11.15	9.55	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	21179-21 350	16RB#0-0RB# 0	22.71	21.11	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	21179-21 350	16RB#0-0RB# 0	22.39	20.79	38.45	PASS
7-7	15MHz-20MHz	QPSK-Q PSK	21179-21 350	75RB#0-100R B#0	19.96	18.36	38.45	PASS
7-7	15MHz-20MHz	16QAM-1 6QAM	21179-21 350	75RB#0-100R B#0	18.43	16.83	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	20850-20 994	1RB#0-0RB#0	21.82	20.22	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	20850-20 994	1RB#0-0RB#0	22.08	20.48	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	20850-20 994	1RB#99-0RB# 0	22.34	20.74	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	20850-20 994	1RB#99-0RB# 0	22.47	20.87	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q	20850-20	1RB#0-1RB#4	11.44	9.84	38.45	PASS

		PSK	994	9				
7-7	20MHz-10MHz	16QAM-1 6QAM	20850-20 994	1RB#0-1RB#4 9	11.57	9.97	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	20850-20 994	18RB#0-0RB# 0	21.7	20.1	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	20850-20 994	18RB#0-0RB# 0	21.38	19.78	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	20850-20 994	100RB#0-50R B#0	20.55	18.95	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	20850-20 994	100RB#0-50R B#0	18.87	17.27	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	21051-21 195	1RB#0-0RB#0	21.63	20.03	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	21051-21 195	1RB#0-0RB#0	21.42	19.82	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	21051-21 195	1RB#99-0RB# 0	22.02	20.42	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	21051-21 195	1RB#99-0RB# 0	21.83	20.23	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	21051-21 195	1RB#0-1RB#4 9	12.5	10.9	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	21051-21 195	1RB#0-1RB#4 9	10.84	9.24	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	21051-21 195	18RB#0-0RB# 0	21.55	19.95	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	21051-21 195	18RB#0-0RB# 0	21.12	19.52	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	21051-21 195	100RB#0-50R B#0	20.18	18.58	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	21051-21 195	100RB#0-50R B#0	18.63	17.03	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	21251-21 395	1RB#0-0RB#0	22.42	20.82	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	21251-21 395	1RB#0-0RB#0	22.04	20.44	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	21251-21 395	1RB#99-0RB# 0	21.61	20.01	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	21251-21 395	1RB#99-0RB# 0	21.43	19.83	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	21251-21 395	1RB#0-1RB#4 9	13.14	11.54	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	21251-21 395	1RB#0-1RB#4 9	11.44	9.84	38.45	PASS

7-7	20MHz-10MHz	QPSK-Q PSK	21251-21 395	18RB#0-0RB# 0	22.23	20.63	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	21251-21 395	18RB#0-0RB# 0	21.79	20.19	38.45	PASS
7-7	20MHz-10MHz	QPSK-Q PSK	21251-21 395	100RB#0-50R B#0	20.05	18.45	38.45	PASS
7-7	20MHz-10MHz	16QAM-1 6QAM	21251-21 395	100RB#0-50R B#0	18.4	16.8	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	20850-21 021	1RB#0-0RB#0	21.99	20.39	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	20850-21 021	1RB#0-0RB#0	21.99	20.39	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	20850-21 021	1RB#99-0RB# 0	22.33	20.73	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	20850-21 021	1RB#99-0RB# 0	22.48	20.88	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	20850-21 021	1RB#0-1RB#7 4	11.02	9.42	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	20850-21 021	1RB#0-1RB#7 4	11.5	9.9	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	20850-21 021	18RB#0-0RB# 0	21.89	20.29	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	20850-21 021	18RB#0-0RB# 0	21.41	19.81	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	20850-21 021	100RB#0-75R B#0	20.82	19.22	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	20850-21 021	100RB#0-75R B#0	18.4	16.8	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	21026-21 197	1RB#0-0RB#0	20.68	19.08	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	21026-21 197	1RB#0-0RB#0	21.38	19.78	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	21026-21 197	1RB#99-0RB# 0	22.1	20.5	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	21026-21 197	1RB#99-0RB# 0	21.82	20.22	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	21026-21 197	1RB#0-1RB#7 4	12.8	11.2	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	21026-21 197	1RB#0-1RB#7 4	11.26	9.66	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	21026-21 197	18RB#0-0RB# 0	21.46	19.86	38.45	PASS
7-7	20MHz-15MHz	16QAM-1	21026-21	18RB#0-0RB#	21.22	19.62	38.45	PASS



		6QAM	197	0				
7-7	20MHz-15MHz	QPSK-Q PSK	21026-21 197	100RB#0-75R B#0	20.35	18.75	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	21026-21 197	100RB#0-75R B#0	18.87	17.27	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	21201-21 372	1RB#0-0RB#0	22.06	20.46	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	21201-21 372	1RB#0-0RB#0	21.8	20.2	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	21201-21 372	1RB#99-0RB# 0	21.83	20.23	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	21201-21 372	1RB#99-0RB# 0	21.59	19.99	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	21201-21 372	1RB#0-1RB#7 4	12.67	11.07	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	21201-21 372	1RB#0-1RB#7 4	10.81	9.21	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	21201-21 372	18RB#0-0RB# 0	21.86	20.26	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	21201-21 372	18RB#0-0RB# 0	21.48	19.88	38.45	PASS
7-7	20MHz-15MHz	QPSK-Q PSK	21201-21 372	100RB#0-75R B#0	20.05	18.45	38.45	PASS
7-7	20MHz-15MHz	16QAM-1 6QAM	21201-21 372	100RB#0-75R B#0	18.46	16.86	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	20850-21 048	1RB#0-0RB#0	21.95	20.35	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	20850-21 048	1RB#0-0RB#0	22.04	20.44	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	20850-21 048	1RB#99-0RB# 0	22.27	20.67	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	20850-21 048	1RB#99-0RB# 0	22.42	20.82	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	20850-21 048	1RB#0-1RB#9 9	10.95	9.35	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	20850-21 048	1RB#0-1RB#9 9	11.43	9.83	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	20850-21 048	18RB#0-0RB# 0	22.04	20.44	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	20850-21 048	18RB#0-0RB# 0	21.61	20.01	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	20850-21 048	100RB#0-100 RB#0	20.14	18.54	38.45	PASS

7-7	20MHz-20MHz	16QAM-1 6QAM	20850-21 048	100RB#0-100 RB#0	18.48	16.88	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21001-21 199	1RB#0-0RB#0	21.72	20.12	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21001-21 199	1RB#0-0RB#0	21.43	19.83	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21001-21 199	1RB#99-0RB# 0	22.03	20.43	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21001-21 199	1RB#99-0RB# 0	21.73	20.13	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21001-21 199	1RB#0-1RB#9 9	12.26	10.66	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21001-21 199	1RB#0-1RB#9 9	10.38	8.78	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21001-21 199	18RB#0-0RB# 0	21.64	20.04	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21001-21 199	18RB#0-0RB# 0	21.3	19.7	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21001-21 199	100RB#0-100 RB#0	20.04	18.44	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21001-21 199	100RB#0-100 RB#0	18.5	16.9	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21152-21 350	1RB#0-0RB#0	19.78	18.18	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21152-21 350	1RB#0-0RB#0	21.46	19.86	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21152-21 350	1RB#99-0RB# 0	21.77	20.17	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21152-21 350	1RB#99-0RB# 0	21.54	19.94	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21152-21 350	1RB#0-1RB#9 9	12.04	10.44	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21152-21 350	1RB#0-1RB#9 9	10.02	8.42	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21152-21 350	18RB#0-0RB# 0	21.86	20.26	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21152-21 350	18RB#0-0RB# 0	21.47	19.87	38.45	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21152-21 350	100RB#0-100 RB#0	19.69	18.09	38.45	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21152-21 350	100RB#0-100 RB#0	18.04	16.44	38.45	PASS
41(2555-2655)-	5MHz-20MHz	QPSK-Q	40273-40	1RB#0-0RB#0	21.41	19.81	33.01	PASS

41(2555-2655)		PSK	390					
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	40273-40 390	1RB#0-0RB#0	21.85	20.25	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	40273-40 390	1RB#24-0RB# 0	21.56	19.96	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	40273-40 390	1RB#24-0RB# 0	22.01	20.41	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	40273-40 390	1RB#0-1RB#9 9	10.12	8.52	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	40273-40 390	1RB#0-1RB#9 9	10.39	8.79	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	40273-40 390	8RB#0-0RB#0	21.73	20.13	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	40273-40 390	8RB#0-0RB#0	21.88	20.28	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	40273-40 390	25RB#0-100R B#0	19.32	17.72	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	40273-40 390	25RB#0-100R B#0	18.33	16.73	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	40648-40 765	1RB#0-0RB#0	13.9	12.3	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	40648-40 765	1RB#0-0RB#0	21.18	19.58	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	40648-40 765	1RB#24-0RB# 0	21.09	19.49	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	40648-40 765	1RB#24-0RB# 0	21.45	19.85	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	40648-40 765	1RB#0-1RB#9 9	11.3	9.7	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	40648-40 765	1RB#0-1RB#9 9	10.2	8.6	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	40648-40 765	8RB#0-0RB#0	20.87	19.27	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	40648-40 765	8RB#0-0RB#0	21.07	19.47	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	40648-40 765	25RB#0-100R B#0	18.93	17.33	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	40648-40 765	25RB#0-100R B#0	17.86	16.26	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	41023-41 140	1RB#0-0RB#0	21.35	19.75	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	41023-41 140	1RB#0-0RB#0	21.45	19.85	33.01	PASS

41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	41023-41 140	1RB#24-0RB# 0	21.33	19.73	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	41023-41 140	1RB#24-0RB# 0	21.46	19.86	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	41023-41 140	1RB#0-1RB#9 9	11.16	9.56	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	41023-41 140	1RB#0-1RB#9 9	9.32	7.72	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	41023-41 140	8RB#0-0RB#0	21.41	19.81	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	41023-41 140	8RB#0-0RB#0	21.48	19.88	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-Q PSK	41023-41 140	25RB#0-100R B#0	18.66	17.06	33.01	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-1 6QAM	41023-41 140	25RB#0-100R B#0	17.79	16.19	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	40293-40 413	1RB#0-0RB#0	22.36	20.76	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	40293-40 413	1RB#0-0RB#0	22.51	20.91	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	40293-40 413	1RB#49-0RB# 0	21.69	20.09	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	40293-40 413	1RB#49-0RB# 0	22.04	20.44	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	40293-40 413	1RB#0-1RB#7 4	11.39	9.79	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	40293-40 413	1RB#0-1RB#7 4	11.76	10.16	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	40293-40 413	12RB#0-0RB# 0	22.35	20.75	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	40293-40 413	12RB#0-0RB# 0	22.36	20.76	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	40293-40 413	50RB#0-75RB #0	19.76	18.16	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	40293-40 413	50RB#0-75RB #0	18.79	17.19	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	40669-40 789	1RB#0-0RB#0	17.53	15.93	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	40669-40 789	1RB#0-0RB#0	21.41	19.81	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	40669-40 789	1RB#49-0RB# 0	21.17	19.57	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1	40669-40	1RB#49-0RB#	21.26	19.66	33.01	PASS

41(2555-2655)		6QAM	789	0				
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	40669-40 789	1RB#0-1RB#7 4	12.31	10.71	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	40669-40 789	1RB#0-1RB#7 4	11	9.4	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	40669-40 789	12RB#0-0RB# 0	21.43	19.83	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	40669-40 789	12RB#0-0RB# 0	21.44	19.84	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	40669-40 789	50RB#0-75RB #0	19.35	17.75	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	40669-40 789	50RB#0-75RB #0	18.25	16.65	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	41045-41 165	1RB#0-0RB#0	22.14	20.54	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	41045-41 165	1RB#0-0RB#0	21.73	20.13	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	41045-41 165	1RB#49-0RB# 0	21.14	19.54	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	41045-41 165	1RB#49-0RB# 0	21	19.4	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	41045-41 165	1RB#0-1RB#7 4	12.26	10.66	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	41045-41 165	1RB#0-1RB#7 4	10.34	8.74	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	41045-41 165	12RB#0-0RB# 0	22.1	20.5	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	41045-41 165	12RB#0-0RB# 0	22.01	20.41	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	QPSK-Q PSK	41045-41 165	50RB#0-75RB #0	19.04	17.44	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-15MHz	16QAM-1 6QAM	41045-41 165	50RB#0-75RB #0	18.1	16.5	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40295-40 439	1RB#0-0RB#0	22.23	20.63	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40295-40 439	1RB#0-0RB#0	22.06	20.46	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40295-40 439	1RB#49-0RB# 0	21.65	20.05	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40295-40 439	1RB#49-0RB# 0	21.56	19.96	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40295-40 439	1RB#0-1RB#9 9	11	9.4	33.01	PASS

41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40295-40 439	1RB#0-1RB#9 9	10.83	9.23	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40295-40 439	12RB#0-0RB# 0	22.34	20.74	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40295-40 439	12RB#0-0RB# 0	22.38	20.78	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40295-40 439	50RB#0-100R B#0	19.97	18.37	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40295-40 439	50RB#0-100R B#0	18.51	16.91	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40646-40 790	1RB#0-0RB#0	21.36	19.76	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40646-40 790	1RB#0-0RB#0	21.47	19.87	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40646-40 790	1RB#49-0RB# 0	21.03	19.43	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40646-40 790	1RB#49-0RB# 0	21.31	19.71	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40646-40 790	1RB#0-1RB#9 9	11.71	10.11	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40646-40 790	1RB#0-1RB#9 9	10.53	8.93	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40646-40 790	12RB#0-0RB# 0	21.31	19.71	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40646-40 790	12RB#0-0RB# 0	21.35	19.75	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40646-40 790	50RB#0-100R B#0	18.96	17.36	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40646-40 790	50RB#0-100R B#0	17.86	16.26	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40996-41 140	1RB#0-0RB#0	19.73	18.13	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40996-41 140	1RB#0-0RB#0	21.86	20.26	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40996-41 140	1RB#49-0RB# 0	21.14	19.54	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40996-41 140	1RB#49-0RB# 0	21.27	19.67	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40996-41 140	1RB#0-1RB#9 9	11.88	10.28	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40996-41 140	1RB#0-1RB#9 9	9.84	8.24	33.01	PASS
41(2555-2655)-	10MHz-20MHz	QPSK-Q	40996-41	12RB#0-0RB#	21.97	20.37	33.01	PASS

41(2555-2655)		PSK	140	0				
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40996-41 140	12RB#0-0RB# 0	21.86	20.26	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-Q PSK	40996-41 140	50RB#0-100R B#0	18.72	17.12	33.01	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-1 6QAM	40996-41 140	50RB#0-100R B#0	17.88	16.28	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	40315-40 435	1RB#0-0RB#0	22.86	21.26	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	40315-40 435	1RB#0-0RB#0	22.59	20.99	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	40315-40 435	1RB#74-0RB# 0	21.85	20.25	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	40315-40 435	1RB#74-0RB# 0	21.82	20.22	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	40315-40 435	1RB#0-1RB#4 9	11.44	9.84	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	40315-40 435	1RB#0-1RB#4 9	11.5	9.9	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	40315-40 435	16RB#0-0RB# 0	23.02	21.42	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	40315-40 435	16RB#0-0RB# 0	22.19	20.59	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	40315-40 435	75RB#0-50RB #0	19.74	18.14	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	40315-40 435	75RB#0-50RB #0	18.78	17.18	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	40691-40 811	1RB#0-0RB#0	17.18	15.58	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	40691-40 811	1RB#0-0RB#0	21.32	19.72	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	40691-40 811	1RB#74-0RB# 0	20.82	19.22	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	40691-40 811	1RB#74-0RB# 0	21.23	19.63	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	40691-40 811	1RB#0-1RB#4 9	12.12	10.52	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	40691-40 811	1RB#0-1RB#4 9	10.94	9.34	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	40691-40 811	16RB#0-0RB# 0	21.54	19.94	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	40691-40 811	16RB#0-0RB# 0	20.68	19.08	33.01	PASS

41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	40691-40 811	75RB#0-50RB #0	18.88	17.28	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	40691-40 811	75RB#0-50RB #0	18.01	16.41	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	41067-41 187	1RB#0-0RB#0	22.38	20.78	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	41067-41 187	1RB#0-0RB#0	22.24	20.64	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	41067-41 187	1RB#74-0RB# 0	20.98	19.38	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	41067-41 187	1RB#74-0RB# 0	21.14	19.54	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	41067-41 187	1RB#0-1RB#4 9	12.59	10.99	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	41067-41 187	1RB#0-1RB#4 9	10.52	8.92	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	41067-41 187	16RB#0-0RB# 0	22.6	21	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	41067-41 187	16RB#0-0RB# 0	21.67	20.07	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-Q PSK	41067-41 187	75RB#0-50RB #0	18.9	17.3	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-1 6QAM	41067-41 187	75RB#0-50RB #0	17.98	16.38	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	40315-40 465	1RB#0-0RB#0	22.14	20.54	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	40315-40 465	1RB#0-0RB#0	22.25	20.65	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	40315-40 465	1RB#74-0RB# 0	21.3	19.7	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	40315-40 465	1RB#74-0RB# 0	21.47	19.87	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	40315-40 465	1RB#0-1RB#7 4	9.27	7.67	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	40315-40 465	1RB#0-1RB#7 4	9.32	7.72	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	40315-40 465	16RB#0-0RB# 0	-1.01	-2.61	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	40315-40 465	16RB#0-0RB# 0	22.27	20.67	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	40315-40 465	75RB#0-75RB #0	23.42	21.82	33.01	PASS
41(2555-2655)-	15MHz-15MHz	16QAM-1	40315-40	75RB#0-75RB	1.8	0.2	33.01	PASS



41(2555-2655)		6QAM	465	#0				
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	40665-40 815	1RB#0-0RB#0	21.35	19.75	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	40665-40 815	1RB#0-0RB#0	21.34	19.74	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	40665-40 815	1RB#74-0RB# 0	20.93	19.33	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	40665-40 815	1RB#74-0RB# 0	21.17	19.57	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	40665-40 815	1RB#0-1RB#7 4	10.12	8.52	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	40665-40 815	1RB#0-1RB#7 4	10.52	8.92	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	40665-40 815	16RB#0-0RB# 0	21.26	19.66	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	40665-40 815	16RB#0-0RB# 0	21.32	19.72	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	40665-40 815	75RB#0-75RB #0	18.75	17.15	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	40665-40 815	75RB#0-75RB #0	18	16.4	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	41015-41 165	1RB#0-0RB#0	21.97	20.37	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	41015-41 165	1RB#0-0RB#0	21.89	20.29	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	41015-41 165	1RB#74-0RB# 0	20.63	19.03	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	41015-41 165	1RB#74-0RB# 0	20.79	19.19	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	41015-41 165	1RB#0-1RB#7 4	11.13	9.53	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	41015-41 165	1RB#0-1RB#7 4	11.26	9.66	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	41015-41 165	16RB#0-0RB# 0	21.95	20.35	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	41015-41 165	16RB#0-0RB# 0	21.8	20.2	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-Q PSK	41015-41 165	75RB#0-75RB #0	18.89	17.29	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-1 6QAM	41015-41 165	75RB#0-75RB #0	18.27	16.67	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40318-40 489	1RB#0-0RB#0	22.44	20.84	33.01	PASS

41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40318-40 489	1RB#0-0RB#0	22.27	20.67	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40318-40 489	1RB#74-0RB# 0	21.56	19.96	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40318-40 489	1RB#74-0RB# 0	21.55	19.95	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40318-40 489	1RB#0-1RB#9 9	16.64	15.04	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40318-40 489	1RB#0-1RB#9 9	16.56	14.96	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40318-40 489	16RB#0-0RB# 0	22.3	20.7	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40318-40 489	16RB#0-0RB# 0	22.32	20.72	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40318-40 489	75RB#0-100R B#0	0.01	-1.59	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40318-40 489	75RB#0-100R B#0	0.01	-1.59	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40644-40 815	1RB#0-0RB#0	21.25	19.65	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40644-40 815	1RB#0-0RB#0	21.15	19.55	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40644-40 815	1RB#74-0RB# 0	20.86	19.26	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40644-40 815	1RB#74-0RB# 0	20.97	19.37	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40644-40 815	1RB#0-1RB#9 9	10.06	8.46	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40644-40 815	1RB#0-1RB#9 9	10.15	8.55	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40644-40 815	16RB#0-0RB# 0	21.25	19.65	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40644-40 815	16RB#0-0RB# 0	21.22	19.62	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40644-40 815	75RB#0-100R B#0	18.7	17.1	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40644-40 815	75RB#0-100R B#0	17.94	16.34	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40969-41 140	1RB#0-0RB#0	21.97	20.37	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40969-41 140	1RB#0-0RB#0	21.53	19.93	33.01	PASS
41(2555-2655)-	15MHz-20MHz	QPSK-Q	40969-41	1RB#74-0RB#	20.85	19.25	33.01	PASS

41(2555-2655)		PSK	140	0				
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40969-41 140	1RB#74-0RB# 0	20.82	19.22	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40969-41 140	1RB#0-1RB#9 9	11.26	9.66	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40969-41 140	1RB#0-1RB#9 9	9.32	7.72	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40969-41 140	16RB#0-0RB# 0	-7.8	-9.4	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40969-41 140	16RB#0-0RB# 0	21.82	20.22	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-Q PSK	40969-41 140	75RB#0-100R B#0	0.01	-1.59	33.01	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-1 6QAM	40969-41 140	75RB#0-100R B#0	0.01	-1.59	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	40340-40 457	1RB#0-0RB#0	21.82	20.22	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	40340-40 457	1RB#0-0RB#0	21.6	20	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	40340-40 457	1RB#99-0RB# 0	21.62	20.02	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	40340-40 457	1RB#99-0RB# 0	21.74	20.14	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	40340-40 457	1RB#0-1RB#2 4	17.31	15.71	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	40340-40 457	1RB#0-1RB#2 4	16.92	15.32	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	40340-40 457	18RB#0-0RB# 0	22.01	20.41	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	40340-40 457	18RB#0-0RB# 0	21.23	19.63	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	40340-40 457	100RB#0-25R B#0	2.24	0.64	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	40340-40 457	100RB#0-25R B#0	22.97	21.37	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	40715-40 832	1RB#0-0RB#0	20.05	18.45	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	40715-40 832	1RB#0-0RB#0	20.19	18.59	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	40715-40 832	1RB#99-0RB# 0	20.98	19.38	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	40715-40 832	1RB#99-0RB# 0	21.21	19.61	33.01	PASS

41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	40715-40 832	1RB#0-1RB#2 4	16.78	15.18	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	40715-40 832	1RB#0-1RB#2 4	16.58	14.98	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	40715-40 832	18RB#0-0RB# 0	20.42	18.82	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	40715-40 832	18RB#0-0RB# 0	19.52	17.92	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	40715-40 832	100RB#0-25R B#0	-1.11	-2.71	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	40715-40 832	100RB#0-25R B#0	-1.54	-3.14	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	41090-41 207	1RB#0-0RB#0	21.57	19.97	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	41090-41 207	1RB#0-0RB#0	21.16	19.56	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	41090-41 207	1RB#99-0RB# 0	20.49	18.89	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	41090-41 207	1RB#99-0RB# 0	20.41	18.81	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	41090-41 207	1RB#0-1RB#2 4	10.49	8.89	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	41090-41 207	1RB#0-1RB#2 4	10.25	8.65	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	41090-41 207	18RB#0-0RB# 0	21.85	20.25	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	41090-41 207	18RB#0-0RB# 0	20.96	19.36	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-Q PSK	41090-41 207	100RB#0-25R B#0	18.72	17.12	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-1 6QAM	41090-41 207	100RB#0-25R B#0	17.79	16.19	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	40340-40 484	1RB#0-0RB#0	21.94	20.34	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	40340-40 484	1RB#0-0RB#0	22.1	20.5	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	40340-40 484	1RB#99-0RB# 0	21.86	20.26	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	40340-40 484	1RB#99-0RB# 0	22.01	20.41	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	40340-40 484	1RB#0-1RB#4 9	10.7	9.1	33.01	PASS
41(2555-2655)-	20MHz-10MHz	16QAM-1	40340-40	1RB#0-1RB#4	7.82	6.22	33.01	PASS

41(2555-2655)		6QAM	484	9				
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	40340-40 484	18RB#0-0RB# 0	22.29	20.69	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	40340-40 484	18RB#0-0RB# 0	21.38	19.78	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	40340-40 484	100RB#0-50R B#0	19.18	17.58	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40340-40 511	18RB#0-0RB# 0	21.24	19.64	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40340-40 511	100RB#0-75R B#0	19.21	17.61	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40340-40 511	100RB#0-75R B#0	18.22	16.62	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40666-40 837	1RB#0-0RB#0	20.61	19.01	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40666-40 837	1RB#0-0RB#0	20.31	18.71	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40666-40 837	1RB#99-0RB# 0	21.4	19.8	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40666-40 837	1RB#99-0RB# 0	21.15	19.55	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40666-40 837	1RB#0-1RB#7 4	11.88	10.28	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40666-40 837	1RB#0-1RB#7 4	10.63	9.03	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40666-40 837	18RB#0-0RB# 0	21	19.4	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40666-40 837	18RB#0-0RB# 0	19.97	18.37	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40666-40 837	100RB#0-75R B#0	19.36	17.76	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40666-40 837	100RB#0-75R B#0	18.26	16.66	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40991-41 162	1RB#0-0RB#0	21.37	19.77	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40991-41 162	1RB#0-0RB#0	20.99	19.39	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40991-41 162	1RB#99-0RB# 0	21.01	19.41	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40991-41 162	1RB#99-0RB# 0	20.81	19.21	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40991-41 162	1RB#0-1RB#7 4	11.79	10.19	33.01	PASS

41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40991-41 162	1RB#0-1RB#7 4	9.85	8.25	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40991-41 162	18RB#0-0RB# 0	21.84	20.24	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40991-41 162	18RB#0-0RB# 0	20.95	19.35	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40991-41 162	100RB#0-75R B#0	18.87	17.27	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40991-41 162	100RB#0-75R B#0	18.04	16.44	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40340-40 538	1RB#0-0RB#0	21.96	20.36	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40340-40 538	1RB#0-0RB#0	21.72	20.12	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40340-40 538	1RB#99-0RB# 0	21.82	20.22	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40340-40 538	1RB#99-0RB# 0	21.64	20.04	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40340-40 538	1RB#0-1RB#9 9	10.82	9.22	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40340-40 538	1RB#0-1RB#9 9	10.7	9.1	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40340-40 538	18RB#0-0RB# 0	22.01	20.41	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40340-40 538	18RB#0-0RB# 0	22.01	20.41	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40340-40 538	100RB#0-100 RB#0	19.25	17.65	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40340-40 538	100RB#0-100 RB#0	18.3	16.7	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40641-40 839	1RB#0-0RB#0	20.41	18.81	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40641-40 839	1RB#0-0RB#0	20.26	18.66	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40641-40 839	1RB#99-0RB# 0	21.26	19.66	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40641-40 839	1RB#99-0RB# 0	21	19.4	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40641-40 839	1RB#0-1RB#9 9	11.31	9.71	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40641-40 839	1RB#0-1RB#9 9	9.71	8.11	33.01	PASS
41(2555-2655)-	20MHz-20MHz	QPSK-Q	40641-40	18RB#0-0RB#	20.53	18.93	33.01	PASS

41(2555-2655)		PSK	839	0				
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40641-40 839	18RB#0-0RB# 0	20.75	19.15	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40641-40 839	100RB#0-100 RB#0	19.03	17.43	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40641-40 839	100RB#0-100 RB#0	17.95	16.35	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40942-41 140	1RB#0-0RB#0	20.98	19.38	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40340-40 511	1RB#0-0RB#0	21.75	20.15	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40340-40 511	1RB#0-0RB#0	21.89	20.29	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40340-40 511	1RB#99-0RB# 0	21.67	20.07	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40340-40 511	1RB#99-0RB# 0	21.84	20.24	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40340-40 511	1RB#0-1RB#7 4	10.63	9.03	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-1 6QAM	40340-40 511	1RB#0-1RB#7 4	10.6	9	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-Q PSK	40340-40 511	18RB#0-0RB# 0	22.23	20.63	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	40340-40 484	100RB#0-50R B#0	15.61	14.01	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	40691-40 835	1RB#0-0RB#0	16.18	14.58	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	40691-40 835	1RB#0-0RB#0	20.05	18.45	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	40691-40 835	1RB#99-0RB# 0	21.2	19.6	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40942-41 140	1RB#0-0RB#0	21.16	19.56	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40942-41 140	1RB#99-0RB# 0	21.18	19.58	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40942-41 140	1RB#99-0RB# 0	21.47	19.87	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40942-41 140	1RB#0-1RB#9 9	11.31	9.71	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40942-41 140	1RB#0-1RB#9 9	9.18	7.58	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40942-41 140	18RB#0-0RB# 0	21.06	19.46	33.01	PASS

41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40942-41 140	18RB#0-0RB# 0	21.26	19.66	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40942-41 140	100RB#0-100 RB#0	0.01	-1.59	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40942-41 140	100RB#0-100 RB#0	15.4	13.8	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	40691-40 835	1RB#99-0RB# 0	21.11	19.51	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	40691-40 835	1RB#0-1RB#4 9	9.08	7.48	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	40691-40 835	1RB#0-1RB#4 9	5.51	3.91	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	40691-40 835	18RB#0-0RB# 0	20.64	19.04	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	40691-40 835	18RB#0-0RB# 0	19.67	18.07	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	40691-40 835	100RB#0-50R B#0	18	16.4	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	40691-40 835	100RB#0-50R B#0	16.84	15.24	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	41041-41 185	1RB#0-0RB#0	17.59	15.99	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	41041-41 185	1RB#0-0RB#0	21.4	19.8	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	41041-41 185	1RB#99-0RB# 0	21.15	19.55	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	41041-41 185	1RB#99-0RB# 0	20.93	19.33	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	41041-41 185	1RB#0-1RB#4 9	10.91	9.31	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	41041-41 185	1RB#0-1RB#4 9	10.49	8.89	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	41041-41 185	18RB#0-0RB# 0	22.07	20.47	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	41041-41 185	18RB#0-0RB# 0	21.22	19.62	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-Q PSK	41041-41 185	100RB#0-50R B#0	20.22	18.62	33.01	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-1 6QAM	41041-41 185	100RB#0-50R B#0	19.74	18.14	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	37825-37 975	1RB#0-0RB#0	22.22	20.62	33.01	PASS
38-38	15MHz-15MHz	16QAM-1	37825-37	1RB#0-0RB#0	22.43	20.83	33.01	PASS



		6QAM	975					
38-38	15MHz-15MHz	QPSK-Q PSK	37825-37 975	1RB#74-0RB# 0	21.22	19.62	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	37825-37 975	1RB#74-0RB# 0	21.68	20.08	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	37825-37 975	1RB#0-1RB#7 4	9.44	7.84	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	37825-37 975	1RB#0-1RB#7 4	9.57	7.97	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	37825-37 975	16RB#0-0RB# 0	0.76	-0.84	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	37825-37 975	16RB#0-0RB# 0	22.32	20.72	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	37825-37 975	75RB#0-75RB #0	19.53	17.93	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	37825-37 975	75RB#0-75RB #0	15.98	14.38	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	37925-38 075	1RB#0-0RB#0	21.61	20.01	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	37925-38 075	1RB#0-0RB#0	21.7	20.1	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	37925-38 075	1RB#74-0RB# 0	20.97	19.37	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	37925-38 075	1RB#74-0RB# 0	21.11	19.51	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	37925-38 075	1RB#0-1RB#7 4	17.91	16.31	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	37925-38 075	1RB#0-1RB#7 4	17.73	16.13	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	37925-38 075	16RB#0-0RB# 0	21.56	19.96	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	37925-38 075	16RB#0-0RB# 0	21.63	20.03	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	37925-38 075	75RB#0-75RB #0	17.75	16.15	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	37925-38 075	75RB#0-75RB #0	16.83	15.23	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	38025-38 175	1RB#0-0RB#0	21.55	19.95	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	38025-38 175	1RB#0-0RB#0	21.29	19.69	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	38025-38 175	1RB#74-0RB# 0	21.07	19.47	33.01	PASS

38-38	15MHz-15MHz	16QAM-1 6QAM	38025-38 175	1RB#74-0RB# 0	20.98	19.38	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	38025-38 175	1RB#0-1RB#7 4	11.34	9.74	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	38025-38 175	1RB#0-1RB#7 4	9.16	7.56	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	38025-38 175	16RB#0-0RB# 0	21.39	19.79	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	38025-38 175	16RB#0-0RB# 0	21.48	19.88	33.01	PASS
38-38	15MHz-15MHz	QPSK-Q PSK	38025-38 175	75RB#0-75RB #0	17.68	16.08	33.01	PASS
38-38	15MHz-15MHz	16QAM-1 6QAM	38025-38 175	75RB#0-75RB #0	16.57	14.97	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37850-38 048	1RB#0-0RB#0	20.98	19.38	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37850-38 048	1RB#0-0RB#0	21.18	19.58	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37850-38 048	1RB#99-0RB# 0	21.02	19.42	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37850-38 048	1RB#99-0RB# 0	21.31	19.71	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37850-38 048	1RB#0-1RB#9 9	10.81	9.21	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37850-38 048	1RB#0-1RB#9 9	8.58	6.98	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37850-38 048	18RB#0-0RB# 0	20.94	19.34	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37850-38 048	18RB#0-0RB# 0	21.21	19.61	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37850-38 048	100RB#0-100 RB#0	17.39	15.79	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37850-38 048	100RB#0-100 RB#0	16.31	14.71	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37901-38 099	1RB#0-0RB#0	20.49	18.89	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37901-38 099	1RB#0-0RB#0	20.4	18.8	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37901-38 099	1RB#99-0RB# 0	21.04	19.44	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37901-38 099	1RB#99-0RB# 0	20.88	19.28	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q	37901-38	1RB#0-1RB#9	10.52	8.92	33.01	PASS

		PSK	099	9				
38-38	20MHz-20MHz	16QAM-1 6QAM	37901-38 099	1RB#0-1RB#9 9	7.86	6.26	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37901-38 099	18RB#0-0RB# 0	20.42	18.82	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37901-38 099	18RB#0-0RB# 0	20.79	19.19	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37901-38 099	100RB#0-100 RB#0	17.23	15.63	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37901-38 099	100RB#0-100 RB#0	16.29	14.69	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37952-38 150	1RB#0-0RB#0	20.17	18.57	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37952-38 150	1RB#0-0RB#0	20	18.4	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37952-38 150	1RB#99-0RB# 0	20.73	19.13	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37952-38 150	1RB#99-0RB# 0	20.52	18.92	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37952-38 150	1RB#0-1RB#9 9	10.24	8.64	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37952-38 150	1RB#0-1RB#9 9	7.65	6.05	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37952-38 150	18RB#0-0RB# 0	20.29	18.69	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37952-38 150	18RB#0-0RB# 0	20.45	18.85	33.01	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37952-38 150	100RB#0-100 RB#0	17.1	15.5	33.01	PASS
38-38	20MHz-20MHz	16QAM-1 6QAM	37952-38 150	100RB#0-100 RB#0	16.08	14.48	33.01	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20416-20 455	1RB#0-0RB#0	20.4	8.85	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20416-20 455	1RB#0-0RB#0	21.09	9.54	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20416-20 455	1RB#14-0RB# 0	20.41	8.86	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20416-20 455	1RB#14-0RB# 0	21.05	9.5	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20416-20 455	1RB#0-1RB#2 4	23.37	11.82	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20416-20 455	1RB#0-1RB#2 4	24.12	12.57	38.45	PASS

5-5	3MHz-5MHz	QPSK-Q PSK	20416-20 455	4RB#0-0RB#0	20.41	8.86	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20416-20 455	4RB#0-0RB#0	19.96	8.41	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20416-20 455	15RB#0-25RB #0	22.95	11.4	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20416-20 455	15RB#0-25RB #0	22.05	10.5	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20501-20 540	1RB#0-0RB#0	20.49	8.94	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20501-20 540	1RB#0-0RB#0	20.24	8.69	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20501-20 540	1RB#14-0RB# 0	20.33	8.78	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20501-20 540	1RB#14-0RB# 0	20.12	8.57	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20501-20 540	1RB#0-1RB#2 4	23.52	11.97	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20501-20 540	1RB#0-1RB#2 4	23.31	11.76	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20501-20 540	4RB#0-0RB#0	20.52	8.97	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20501-20 540	4RB#0-0RB#0	20.33	8.78	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20501-20 540	15RB#0-25RB #0	22.85	11.3	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20501-20 540	15RB#0-25RB #0	21.96	10.41	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20586-20 625	1RB#0-0RB#0	20.45	8.9	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20586-20 625	1RB#0-0RB#0	20.96	9.41	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20586-20 625	1RB#14-0RB# 0	20.38	8.83	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20586-20 625	1RB#14-0RB# 0	20.94	9.39	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20586-20 625	1RB#0-1RB#2 4	23.47	11.92	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20586-20 625	1RB#0-1RB#2 4	23.99	12.44	38.45	PASS
5-5	3MHz-5MHz	QPSK-Q PSK	20586-20 625	4RB#0-0RB#0	20.61	9.06	38.45	PASS
5-5	3MHz-5MHz	16QAM-1	20586-20	4RB#0-0RB#0	20.21	8.66	38.45	PASS

		6QAM	625					
5-5	3MHz-5MHz	QPSK-Q PSK	20586-20 625	15RB#0-25RB #0	23.05	11.5	38.45	PASS
5-5	3MHz-5MHz	16QAM-1 6QAM	20586-20 625	15RB#0-25RB #0	22.1	10.55	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20425-20 464	1RB#0-0RB#0	21.45	9.9	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20425-20 464	1RB#0-0RB#0	21.01	9.46	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20425-20 464	1RB#24-0RB# 0	21.83	10.28	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20425-20 464	1RB#24-0RB# 0	21.46	9.91	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20425-20 464	1RB#0-1RB#1 4	10.2	-1.35	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20425-20 464	1RB#0-1RB#1 4	10.02	-1.53	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20425-20 464	8RB#0-0RB#0	21.56	10.01	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20425-20 464	8RB#0-0RB#0	21.47	9.92	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20425-20 464	25RB#0-15RB #0	22.27	10.72	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20425-20 464	25RB#0-15RB #0	22.15	10.6	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20510-20 549	1RB#0-0RB#0	21.52	9.97	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20510-20 549	1RB#0-0RB#0	21.56	10.01	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20510-20 549	1RB#24-0RB# 0	21.63	10.08	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20510-20 549	1RB#24-0RB# 0	21.62	10.07	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20510-20 549	1RB#0-1RB#1 4	13.44	1.89	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20510-20 549	1RB#0-1RB#1 4	13.64	2.09	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20510-20 549	8RB#0-0RB#0	21.58	10.03	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20510-20 549	8RB#0-0RB#0	21.41	9.86	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20510-20 549	25RB#0-15RB #0	22.91	11.36	38.45	PASS

5-5	5MHz-3MHz	16QAM-1 6QAM	20510-20 549	25RB#0-15RB #0	22.88	11.33	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20595-20 634	1RB#0-0RB#0	21.46	9.91	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20595-20 634	1RB#0-0RB#0	21.18	9.63	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20595-20 634	1RB#24-0RB# 0	21.31	9.76	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20595-20 634	1RB#24-0RB# 0	21.12	9.57	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20595-20 634	1RB#0-1RB#1 4	13.59	2.04	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20595-20 634	1RB#0-1RB#1 4	13.5	1.95	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20595-20 634	8RB#0-0RB#0	21.42	9.87	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20595-20 634	8RB#0-0RB#0	21.29	9.74	38.45	PASS
5-5	5MHz-3MHz	QPSK-Q PSK	20595-20 634	25RB#0-15RB #0	22.93	11.38	38.45	PASS
5-5	5MHz-3MHz	16QAM-1 6QAM	20595-20 634	25RB#0-15RB #0	22.89	11.34	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20428-20 500	1RB#0-0RB#0	21.43	9.88	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20428-20 500	1RB#0-0RB#0	20.9	9.35	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20428-20 500	1RB#24-0RB# 0	21.83	10.28	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20428-20 500	1RB#24-0RB# 0	21.4	9.85	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20428-20 500	1RB#0-1RB#4 9	9.25	-2.3	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20428-20 500	1RB#0-1RB#4 9	9.18	-2.37	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20428-20 500	8RB#0-0RB#0	21.61	10.06	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20428-20 500	8RB#0-0RB#0	21.2	9.65	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20428-20 500	25RB#0-50RB #0	19.51	7.96	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20428-20 500	25RB#0-50RB #0	17.54	5.99	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q	20478-20	1RB#0-0RB#0	21.79	10.24	38.45	PASS

		PSK	550					
5-5	5MHz-10MHz	16QAM-1 6QAM	20478-20 550	1RB#0-0RB#0	21.02	9.47	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20478-20 550	1RB#24-0RB# 0	21.9	10.35	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20478-20 550	1RB#24-0RB# 0	21.26	9.71	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20478-20 550	1RB#0-1RB#4 9	12.56	1.01	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20478-20 550	1RB#0-1RB#4 9	12.28	0.73	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20478-20 550	8RB#0-0RB#0	21.74	10.19	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20478-20 550	8RB#0-0RB#0	21.45	9.9	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20478-20 550	25RB#0-50RB #0	22.76	11.21	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20478-20 550	25RB#0-50RB #0	20.66	9.11	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20528-20 600	1RB#0-0RB#0	21.67	10.12	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20528-20 600	1RB#0-0RB#0	21.29	9.74	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20528-20 600	1RB#24-0RB# 0	21.59	10.04	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20528-20 600	1RB#24-0RB# 0	21.31	9.76	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20528-20 600	1RB#0-1RB#4 9	12.33	0.78	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20528-20 600	1RB#0-1RB#4 9	12.56	1.01	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20528-20 600	8RB#0-0RB#0	21.53	9.98	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20528-20 600	8RB#0-0RB#0	21.04	9.49	38.45	PASS
5-5	5MHz-10MHz	QPSK-Q PSK	20528-20 600	25RB#0-50RB #0	22.56	11.01	38.45	PASS
5-5	5MHz-10MHz	16QAM-1 6QAM	20528-20 600	25RB#0-50RB #0	20.42	8.87	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20450-20 522	1RB#0-0RB#0	22.09	10.54	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20450-20 522	1RB#0-0RB#0	21.64	10.09	38.45	PASS

5-5	10MHz-5MHz	QPSK-Q PSK	20450-20 522	1RB#49-0RB# 0	21.92	10.37	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20450-20 522	1RB#49-0RB# 0	21.59	10.04	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20450-20 522	1RB#0-1RB#2 4	10.2	-1.35	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20450-20 522	1RB#0-1RB#2 4	10.2	-1.35	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20450-20 522	12RB#0-0RB# 0	21.87	10.32	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20450-20 522	12RB#0-0RB# 0	21.61	10.06	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20450-20 522	50RB#0-25RB #0	19.8	8.25	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20450-20 522	50RB#0-25RB #0	17.78	6.23	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20500-20 572	1RB#0-0RB#0	22.13	10.58	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20500-20 572	1RB#0-0RB#0	21.41	9.86	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20500-20 572	1RB#49-0RB# 0	21.57	10.02	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20500-20 572	1RB#49-0RB# 0	20.99	9.44	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20500-20 572	1RB#0-1RB#2 4	12.85	1.3	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20500-20 572	1RB#0-1RB#2 4	12.71	1.16	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20500-20 572	12RB#0-0RB# 0	21.67	10.12	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20500-20 572	12RB#0-0RB# 0	21.56	10.01	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20500-20 572	50RB#0-25RB #0	22.32	10.77	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20500-20 572	50RB#0-25RB #0	20.11	8.56	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20550-20 622	1RB#0-0RB#0	22.19	10.64	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20550-20 622	1RB#0-0RB#0	22.1	10.55	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20550-20 622	1RB#49-0RB# 0	21.42	9.87	38.45	PASS
5-5	10MHz-5MHz	16QAM-1	20550-20	1RB#49-0RB#	21.4	9.85	38.45	PASS



		6QAM	622	0				
5-5	10MHz-5MHz	QPSK-Q PSK	20550-20 622	1RB#0-1RB#2 4	12.22	0.67	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20550-20 622	1RB#0-1RB#2 4	12.68	1.13	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20550-20 622	12RB#0-0RB# 0	21.8	10.25	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20550-20 622	12RB#0-0RB# 0	21.57	10.02	38.45	PASS
5-5	10MHz-5MHz	QPSK-Q PSK	20550-20 622	50RB#0-25RB #0	20.95	9.4	38.45	PASS
5-5	10MHz-5MHz	16QAM-1 6QAM	20550-20 622	50RB#0-25RB #0	18.68	7.13	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20450-20 549	1RB#0-0RB#0	22.08	10.53	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20450-20 549	1RB#0-0RB#0	21.64	10.09	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20450-20 549	1RB#49-0RB# 0	21.95	10.4	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20450-20 549	1RB#49-0RB# 0	21.51	9.96	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20450-20 549	1RB#0-1RB#4 9	10.14	-1.41	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20450-20 549	1RB#0-1RB#4 9	10.2	-1.35	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20450-20 549	12RB#0-0RB# 0	22.26	10.71	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20450-20 549	12RB#0-0RB# 0	21.77	10.22	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20450-20 549	50RB#0-50RB #0	19.8	8.25	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20450-20 549	50RB#0-50RB #0	17.74	6.19	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20476-20 575	1RB#0-0RB#0	22.26	10.71	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20476-20 575	1RB#0-0RB#0	21.65	10.1	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20476-20 575	1RB#49-0RB# 0	21.82	10.27	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20476-20 575	1RB#49-0RB# 0	21.26	9.71	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20476-20 575	1RB#0-1RB#4 9	13.01	1.46	38.45	PASS


5-5	10MHz-10MHz	16QAM-1 6QAM	20476-20 575	1RB#0-1RB#4 9	12.89	1.34	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20476-20 575	12RB#0-0RB# 0	22.16	10.61	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20476-20 575	12RB#0-0RB# 0	21.92	10.37	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20476-20 575	50RB#0-50RB #0	22.21	10.66	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20476-20 575	50RB#0-50RB #0	19.93	8.38	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20501-20 600	1RB#0-0RB#0	22.05	10.5	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20501-20 600	1RB#0-0RB#0	22.05	10.5	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20501-20 600	1RB#49-0RB# 0	21.52	9.97	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20501-20 600	1RB#49-0RB# 0	21.53	9.98	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20501-20 600	1RB#0-1RB#4 9	13.08	1.53	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20501-20 600	1RB#0-1RB#4 9	13.57	2.02	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20501-20 600	12RB#0-0RB# 0	22.1	10.55	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20501-20 600	12RB#0-0RB# 0	21.66	10.11	38.45	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20501-20 600	50RB#0-50RB #0	22.44	10.89	38.45	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20501-20 600	50RB#0-50RB #0	20.32	8.77	38.45	PASS

## Appendix B: Peak-to-Average Ratio(CCDF)


### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
38-38	20MHz-20MHz	16QAM-1 6QAM	37901-38099	100RB#0-100 RB#0	7.18	13	PASS
38-38	20MHz-20MHz	QPSK-Q PSK	37901-38099	100RB#0-100 RB#0	6.94	13	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-1 6QAM	40641-40839	100RB#0-100 RB#0	6.70	13	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-Q PSK	40641-40839	100RB#0-100 RB#0	5.93	13	PASS
5-5	10MHz-10MHz	16QAM-1 6QAM	20476-20575	50RB#0-50RB #0	6.26	13	PASS
5-5	10MHz-10MHz	QPSK-Q PSK	20476-20575	50RB#0-50RB #0	5.86	13	PASS
7-7	20MHz-20MHz	16QAM-1 6QAM	21001-21199	100RB#0-100 RB#0	7.31	13	PASS
7-7	20MHz-20MHz	QPSK-Q PSK	21001-21199	100RB#0-100 RB#0	7.00	13	PASS


Test Graphs




38-38-20MHz-20MHz-16QAM-16QAM-37901-38099-100R B#0-100RB#0-PASS




38-38-20MHz-20MHz-QPSK-QPSK-37901-38099-100RB# 0-100RB#0-PASS



41(2555-2655)-41(2555-2655)-20MHz-20MHz-16QAM-16 QAM-40641-40839-100RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-20MHz-20MHz-QPSK-QPS K-40641-40839-100RB#0-100RB#0-PASS




5-5-10MHz-10MHz-16QAM-16QAM-20476-20575-50RB#0 -50RB#0-PASS



5-5-10MHz-10MHz-QPSK-QPSK-20476-20575-50RB#0-5 0RB#0-PASS



7-7-20MHz-20MHz-16QAM-16QAM-21001-21199-100RB#-  
0-100RB#0-PASS



7-7-20MHz-20MHz-QPSK-QPSK-21001-21199-100RB#0-  
100RB#0-PASS

## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
38-38	15MHz-15MHz	16QAM-16 QAM	37825-37975	75RB#0-75 RB#0	25.822	29.70	PASS
38-38	15MHz-15MHz	16QAM-16 QAM	37925-38075	75RB#0-75 RB#0	25.870	30.17	PASS
38-38	15MHz-15MHz	16QAM-16 QAM	38025-38175	75RB#0-75 RB#0	26.275	29.73	PASS
38-38	15MHz-15MHz	QPSK-QPSK	37825-37975	75RB#0-75 RB#0	25.322	30.31	PASS
38-38	15MHz-15MHz	QPSK-QPSK	37925-38075	75RB#0-75 RB#0	25.892	30.39	PASS
38-38	15MHz-15MHz	QPSK-QPSK	38025-38175	75RB#0-75 RB#0	26.333	29.88	PASS
38-38	20MHz-20MHz	16QAM-16 QAM	37850-38048	100RB#0-100RB#0	37.932	52.62	PASS
38-38	20MHz-20MHz	16QAM-16 QAM	37901-38099	100RB#0-100RB#0	38.002	57.21	PASS
38-38	20MHz-20MHz	16QAM-16 QAM	37952-38150	100RB#0-100RB#0	37.879	58.37	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37850-38048	100RB#0-100RB#0	37.841	53.88	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37901-38099	100RB#0-100RB#0	37.788	55.23	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37952-38150	100RB#0-100RB#0	37.852	53.45	PASS
41(2555-2655)-41(2555-2655)	10MHz-15MHz	16QAM-16 QAM	40293-40413	50RB#0-75 RB#0	23.273	25.77	PASS
41(2555-2655)-41(2555-2655)	10MHz-15MHz	16QAM-16 QAM	40669-40789	50RB#0-75 RB#0	23.240	25.48	PASS
41(2555-2655)-41(2555-2655)	10MHz-15MHz	16QAM-16 QAM	41045-41165	50RB#0-75 RB#0	23.229	25.45	PASS
41(2555-2655)-41(2555-2655)	10MHz-15MHz	QPSK-QPSK	40293-40413	50RB#0-75 RB#0	23.240	27.32	PASS
41(2555-2655)-41(2555-2655)	10MHz-15MHz	QPSK-QPSK	40669-40789	50RB#0-75 RB#0	23.244	25.96	PASS
41(2555-2655)-41(2555-2655)	10MHz-15MHz	QPSK-QPSK	41045-41165	50RB#0-75 RB#0	23.285	26.31	PASS

41(2555-2655)		SK		RB#0			
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-16 QAM	40295-40439	50RB#0-10 ORB#0	27.837	29.88	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-16 QAM	40646-40790	50RB#0-10 ORB#0	27.887	30.74	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	16QAM-16 QAM	40996-41140	50RB#0-10 ORB#0	27.757	29.70	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-QP SK	40295-40439	50RB#0-10 ORB#0	27.868	30.68	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-QP SK	40646-40790	50RB#0-10 ORB#0	27.922	30.51	PASS
41(2555-2655)- 41(2555-2655)	10MHz-20MHz	QPSK-QP SK	40996-41140	50RB#0-10 ORB#0	27.814	30.56	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-16 QAM	40315-40435	75RB#0-50 RB#0	23.247	27.51	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-16 QAM	40691-40811	75RB#0-50 RB#0	23.300	28.89	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	16QAM-16 QAM	41067-41187	75RB#0-50 RB#0	23.247	26.78	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-QP SK	40315-40435	75RB#0-50 RB#0	23.204	25.18	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-QP SK	40691-40811	75RB#0-50 RB#0	23.262	26.06	PASS
41(2555-2655)- 41(2555-2655)	15MHz-10MHz	QPSK-QP SK	41067-41187	75RB#0-50 RB#0	23.286	26.13	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-16 QAM	40315-40465	75RB#0-75 RB#0	28.527	30.90	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-16 QAM	40665-40815	75RB#0-75 RB#0	28.541	35.61	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	16QAM-16 QAM	41015-41165	75RB#0-75 RB#0	28.474	31.57	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-QP SK	40315-40465	75RB#0-75 RB#0	28.487	31.27	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-QP SK	40665-40815	75RB#0-75 RB#0	28.519	31.68	PASS
41(2555-2655)- 41(2555-2655)	15MHz-15MHz	QPSK-QP SK	41015-41165	75RB#0-75 RB#0	28.449	30.58	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-16 QAM	40318-40489	75RB#0-10 ORB#0	27.653	36.77	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-16 QAM	40644-40815	75RB#0-10 ORB#0	28.832	35.87	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	16QAM-16 QAM	40969-41140	75RB#0-10 ORB#0	26.308	35.06	PASS

41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-QP SK	40318-40489	75RB#0-10 0RB#0	27.794	38.96	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-QP SK	40644-40815	75RB#0-10 0RB#0	28.777	34.16	PASS
41(2555-2655)- 41(2555-2655)	15MHz-20MHz	QPSK-QP SK	40969-41140	75RB#0-10 0RB#0	26.647	34.32	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-16 QAM	40340-40484	100RB#0-5 0RB#0	25.943	31.27	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-16 QAM	40691-40835	100RB#0-5 0RB#0	26.351	30.22	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	16QAM-16 QAM	41041-41185	100RB#0-5 0RB#0	25.433	31.60	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-QP SK	40340-40484	100RB#0-5 0RB#0	25.848	31.18	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-QP SK	40691-40835	100RB#0-5 0RB#0	26.343	29.36	PASS
41(2555-2655)- 41(2555-2655)	20MHz-10MHz	QPSK-QP SK	41041-41185	100RB#0-5 0RB#0	25.600	29.21	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-16 QAM	40340-40511	100RB#0-7 5RB#0	30.136	34.65	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-16 QAM	40666-40837	100RB#0-7 5RB#0	30.638	34.32	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	16QAM-16 QAM	40991-41162	100RB#0-7 5RB#0	29.539	34.33	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-QP SK	40340-40511	100RB#0-7 5RB#0	29.928	34.43	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-QP SK	40666-40837	100RB#0-7 5RB#0	31.057	34.74	PASS
41(2555-2655)- 41(2555-2655)	20MHz-15MHz	QPSK-QP SK	40991-41162	100RB#0-7 5RB#0	29.437	34.26	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-16 QAM	40340-40538	100RB#0-1 00RB#0	32.926	40.69	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-16 QAM	40641-40839	100RB#0-1 00RB#0	34.375	40.71	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	16QAM-16 QAM	40942-41140	100RB#0-1 00RB#0	31.992	39.73	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-QP SK	40340-40538	100RB#0-1 00RB#0	33.273	40.40	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-QP SK	40641-40839	100RB#0-1 00RB#0	34.424	39.53	PASS
41(2555-2655)- 41(2555-2655)	20MHz-20MHz	QPSK-QP SK	40942-41140	100RB#0-1 00RB#0	32.027	40.60	PASS
41(2555-2655)-	20MHz-5MHz	16QAM-16	40340-40457	100RB#0-2	21.642	25.17	PASS




41(2555-2655)		QAM		5RB#0			
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-16 QAM	40715-40832	100RB#0-2 5RB#0	21.869	24.48	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	16QAM-16 QAM	41090-41207	100RB#0-2 5RB#0	21.655	24.67	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-QP SK	40340-40457	100RB#0-2 5RB#0	21.520	24.16	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-QP SK	40715-40832	100RB#0-2 5RB#0	21.937	24.32	PASS
41(2555-2655)- 41(2555-2655)	20MHz-5MHz	QPSK-QP SK	41090-41207	100RB#0-2 5RB#0	21.479	24.99	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-16 QAM	40273-40390	25RB#0-10 0RB#0	22.899	24.36	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-16 QAM	40648-40765	25RB#0-10 0RB#0	22.924	24.47	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	16QAM-16 QAM	41023-41140	25RB#0-10 0RB#0	22.877	24.34	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-QP SK	40273-40390	25RB#0-10 0RB#0	22.926	24.90	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-QP SK	40648-40765	25RB#0-10 0RB#0	22.996	26.46	PASS
41(2555-2655)- 41(2555-2655)	5MHz-20MHz	QPSK-QP SK	41023-41140	25RB#0-10 0RB#0	22.989	26.89	PASS
5-5	10MHz-10MHz	16QAM-16 QAM	20450-20549	50RB#0-50 RB#0	9.1322	10.22	PASS
5-5	10MHz-10MHz	16QAM-16 QAM	20476-20575	50RB#0-50 RB#0	9.1517	10.29	PASS
5-5	10MHz-10MHz	16QAM-16 QAM	20501-20600	50RB#0-50 RB#0	9.1324	10.04	PASS
5-5	10MHz-10MHz	QPSK-QP SK	20450-20549	50RB#0-50 RB#0	9.1442	10.24	PASS
5-5	10MHz-10MHz	QPSK-QP SK	20476-20575	50RB#0-50 RB#0	9.1405	10.26	PASS
5-5	10MHz-10MHz	QPSK-QP SK	20501-20600	50RB#0-50 RB#0	9.1258	10.20	PASS
5-5	10MHz-5MHz	16QAM-16 QAM	20450-20522	50RB#0-25 RB#0	9.0643	10.10	PASS
5-5	10MHz-5MHz	16QAM-16 QAM	20500-20572	50RB#0-25 RB#0	9.0659	10.10	PASS
5-5	10MHz-5MHz	16QAM-16 QAM	20550-20622	50RB#0-25 RB#0	9.0623	10.07	PASS
5-5	10MHz-5MHz	QPSK-QP SK	20450-20522	50RB#0-25 RB#0	9.0790	10.10	PASS

5-5	10MHz-5MHz	QPSK-QP SK	20500-20572	50RB#0-25 RB#0	9.0472	10.07	PASS
5-5	10MHz-5MHz	QPSK-QP SK	20550-20622	50RB#0-25 RB#0	9.0414	10.05	PASS
5-5	3MHz-5MHz	16QAM-16 QAM	20416-20455	15RB#0-25 RB#0	2.8050	3.173	PASS
5-5	3MHz-5MHz	16QAM-16 QAM	20501-20540	15RB#0-25 RB#0	2.7984	3.181	PASS
5-5	3MHz-5MHz	16QAM-16 QAM	20586-20625	15RB#0-25 RB#0	2.8044	3.192	PASS
5-5	3MHz-5MHz	QPSK-QP SK	20416-20455	15RB#0-25 RB#0	2.8043	3.191	PASS
5-5	3MHz-5MHz	QPSK-QP SK	20501-20540	15RB#0-25 RB#0	2.8053	3.182	PASS
5-5	3MHz-5MHz	QPSK-QP SK	20586-20625	15RB#0-25 RB#0	2.8271	3.219	PASS
5-5	5MHz-10MHz	16QAM-16 QAM	20428-20500	25RB#0-50 RB#0	23.260	29.81	PASS
5-5	5MHz-10MHz	16QAM-16 QAM	20478-20550	25RB#0-50 RB#0	4.6718	5.309	PASS
5-5	5MHz-10MHz	16QAM-16 QAM	20528-20600	25RB#0-50 RB#0	4.6770	5.355	PASS
5-5	5MHz-10MHz	QPSK-QP SK	20428-20500	25RB#0-50 RB#0	13.931	14.84	PASS
5-5	5MHz-10MHz	QPSK-QP SK	20478-20550	25RB#0-50 RB#0	4.6829	5.301	PASS
5-5	5MHz-10MHz	QPSK-QP SK	20528-20600	25RB#0-50 RB#0	4.6716	5.320	PASS
5-5	5MHz-3MHz	16QAM-16 QAM	20425-20464	25RB#0-15 RB#0	7.5624	10.14	PASS
5-5	5MHz-3MHz	16QAM-16 QAM	20510-20549	25RB#0-15 RB#0	7.5309	9.826	PASS
5-5	5MHz-3MHz	16QAM-16 QAM	20595-20634	25RB#0-15 RB#0	7.5268	12.81	PASS
5-5	5MHz-3MHz	QPSK-QP SK	20425-20464	25RB#0-15 RB#0	7.5196	8.768	PASS
5-5	5MHz-3MHz	QPSK-QP SK	20510-20549	25RB#0-15 RB#0	7.5234	8.376	PASS
5-5	5MHz-3MHz	QPSK-QP SK	20595-20634	25RB#0-15 RB#0	7.5190	11.75	PASS
7-7	10MHz-20MHz	16QAM-16 QAM	20805-20949	50RB#0-10 0RB#0	27.903	29.72	PASS
7-7	10MHz-20MHz	16QAM-16	21006-21150	50RB#0-10	27.844	29.75	PASS


		QAM		0RB#0			
7-7	10MHz-20MHz	16QAM-16 QAM	21206-21350	50RB#0-10 0RB#0	27.801	29.64	PASS
7-7	10MHz-20MHz	QPSK-QP SK	20805-20949	50RB#0-10 0RB#0	27.948	29.67	PASS
7-7	10MHz-20MHz	QPSK-QP SK	21006-21150	50RB#0-10 0RB#0	27.906	29.73	PASS
7-7	10MHz-20MHz	QPSK-QP SK	21206-21350	50RB#0-10 0RB#0	27.847	29.79	PASS
7-7	15MHz-10MHz	16QAM-16 QAM	20825-20945	75RB#0-50 RB#0	23.324	24.97	PASS
7-7	15MHz-10MHz	16QAM-16 QAM	21051-21171	75RB#0-50 RB#0	23.287	24.84	PASS
7-7	15MHz-10MHz	16QAM-16 QAM	21277-21397	75RB#0-50 RB#0	23.302	24.99	PASS
7-7	15MHz-10MHz	QPSK-QP SK	20825-20945	75RB#0-50 RB#0	23.347	24.92	PASS
7-7	15MHz-10MHz	QPSK-QP SK	21051-21171	75RB#0-50 RB#0	23.284	25.02	PASS
7-7	15MHz-10MHz	QPSK-QP SK	21277-21397	75RB#0-50 RB#0	23.242	24.89	PASS
7-7	15MHz-15MHz	16QAM-16 QAM	20825-20975	75RB#0-75 RB#0	28.619	35.81	PASS
7-7	15MHz-15MHz	16QAM-16 QAM	21025-21175	75RB#0-75 RB#0	28.546	30.47	PASS
7-7	15MHz-15MHz	16QAM-16 QAM	21225-21375	75RB#0-75 RB#0	28.563	34.57	PASS
7-7	15MHz-15MHz	QPSK-QP SK	20825-20975	75RB#0-75 RB#0	28.557	30.55	PASS
7-7	15MHz-15MHz	QPSK-QP SK	21025-21175	75RB#0-75 RB#0	28.516	30.43	PASS
7-7	15MHz-15MHz	QPSK-QP SK	21225-21375	75RB#0-75 RB#0	28.521	30.66	PASS
7-7	15MHz-20MHz	16QAM-16 QAM	20828-20999	75RB#0-10 0RB#0	32.851	35.01	PASS
7-7	15MHz-20MHz	16QAM-16 QAM	21003-21174	75RB#0-10 0RB#0	32.754	35.03	PASS
7-7	15MHz-20MHz	16QAM-16 QAM	21179-21350	75RB#0-10 0RB#0	32.694	34.92	PASS
7-7	15MHz-20MHz	QPSK-QP SK	20828-20999	75RB#0-10 0RB#0	32.819	34.97	PASS
7-7	15MHz-20MHz	QPSK-QP SK	21003-21174	75RB#0-10 0RB#0	32.792	35.12	PASS

7-7	15MHz-20MHz	QPSK-QP SK	21179-21350	75RB#0-10 0RB#0	32.715	34.92	PASS
7-7	20MHz-10MHz	16QAM-16 QAM	20850-20994	100RB#0-5 0RB#0	27.956	29.66	PASS
7-7	20MHz-10MHz	16QAM-16 QAM	21051-21195	100RB#0-5 0RB#0	27.844	29.65	PASS
7-7	20MHz-10MHz	16QAM-16 QAM	21251-21395	100RB#0-5 0RB#0	27.884	29.73	PASS
7-7	20MHz-10MHz	QPSK-QP SK	20850-20994	100RB#0-5 0RB#0	27.926	29.76	PASS
7-7	20MHz-10MHz	QPSK-QP SK	21051-21195	100RB#0-5 0RB#0	27.864	29.81	PASS
7-7	20MHz-10MHz	QPSK-QP SK	21251-21395	100RB#0-5 0RB#0	27.863	29.67	PASS
7-7	20MHz-15MHz	16QAM-16 QAM	20850-21021	100RB#0-7 5RB#0	32.841	40.51	PASS
7-7	20MHz-15MHz	16QAM-16 QAM	21026-21197	100RB#0-7 5RB#0	32.799	35.07	PASS
7-7	20MHz-15MHz	16QAM-16 QAM	21201-21372	100RB#0-7 5RB#0	32.845	36.60	PASS
7-7	20MHz-15MHz	QPSK-QP SK	20850-21021	100RB#0-7 5RB#0	32.814	34.85	PASS
7-7	20MHz-15MHz	QPSK-QP SK	21026-21197	100RB#0-7 5RB#0	32.748	34.91	PASS
7-7	20MHz-15MHz	QPSK-QP SK	21201-21372	100RB#0-7 5RB#0	32.853	35.03	PASS
7-7	20MHz-20MHz	16QAM-16 QAM	20850-21048	100RB#0-1 00RB#0	37.756	40.19	PASS
7-7	20MHz-20MHz	16QAM-16 QAM	21001-21199	100RB#0-1 00RB#0	37.669	40.20	PASS
7-7	20MHz-20MHz	16QAM-16 QAM	21152-21350	100RB#0-1 00RB#0	37.731	40.66	PASS
7-7	20MHz-20MHz	QPSK-QP SK	20850-21048	100RB#0-1 00RB#0	37.745	40.38	PASS
7-7	20MHz-20MHz	QPSK-QP SK	21001-21199	100RB#0-1 00RB#0	37.635	40.25	PASS
7-7	20MHz-20MHz	QPSK-QP SK	21152-21350	100RB#0-1 00RB#0	37.746	40.24	PASS


Test Graphs




38-38-15MHz-15MHz-16QAM-16QAM-37825-37975-75RB  
#0-75RB#0-PASS




38-38-15MHz-15MHz-16QAM-16QAM-37925-38075-75RB  
#0-75RB#0-PASS




38-38-15MHz-15MHz-16QAM-16QAM-38025-38175-75RB  
#0-75RB#0-PASS




38-38-15MHz-15MHz-QPSK-QPSK-37825-37975-75RB#0  
-75RB#0-PASS




38-38-15MHz-15MHz-QPSK-QPSK-37925-38075-75RB#0  
-75RB#0-PASS




38-38-15MHz-15MHz-QPSK-QPSK-38025-38175-75RB#0  
-75RB#0-PASS




38-38-20MHz-20MHz-16QAM-16QAM-37850-38048-100R  
B#0-100RB#0-PASS




38-38-20MHz-20MHz-16QAM-16QAM-37901-38099-100R  
B#0-100RB#0-PASS




38-38-20MHz-20MHz-16QAM-16QAM-37952-38150-100R  
B#0-100RB#0-PASS




38-38-20MHz-20MHz-QPSK-QPSK-37850-38048-100RB#  
0-100RB#0-PASS




38-38-20MHz-20MHz-QPSK-QPSK-37901-38099-100RB#  
0-100RB#0-PASS




38-38-20MHz-20MHz-QPSK-QPSK-37952-38150-100RB#  
0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-15MHz-16QAM-16  
QAM-40293-40413-50RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-15MHz-16QAM-16  
QAM-40669-40789-50RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-15MHz-16QAM-16  
QAM-41045-41165-50RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-15MHz-QPSK-QPS  
K-40293-40413-50RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-15MHz-QPSK-QPS  
K-40669-40789-50RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-15MHz-QPSK-QPS  
K-41045-41165-50RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-20MHz-16QAM-16  
QAM-40295-40439-50RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-20MHz-16QAM-16  
QAM-40646-40790-50RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-20MHz-16QAM-16  
QAM-40996-41140-50RB#0-100RB#0-PASS



41(2555-2655)-41(2555-2655)-10MHz-20MHz-QPSK-QPS  
K-40295-40439-50RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-20MHz-QPSK-QPS  
K-40646-40790-50RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-10MHz-20MHz-QPSK-QPS  
K-40996-41140-50RB#0-100RB#0-PASS







41(2555-2655)-41(2555-2655)-15MHz-10MHz-16QAM-16 QAM-40315-40435-75RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-10MHz-16QAM-16 QAM-40691-40811-75RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-10MHz-16QAM-16 QAM-41067-41187-75RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-10MHz-QPSK-QPS K-40315-40435-75RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-10MHz-QPSK-QPS K-40691-40811-75RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-10MHz-QPSK-QPS K-41067-41187-75RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-15MHz-16QAM-16 QAM-40315-40465-75RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-15MHz-16QAM-16 QAM-40665-40815-75RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-15MHz-16QAM-16 QAM-41015-41165-75RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-15MHz-QPSK-QPS K-40315-40465-75RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-15MHz-QPSK-QPS K-40665-40815-75RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-15MHz-QPSK-QPS K-41015-41165-75RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-20MHz-16QAM-16  
QAM-40318-40489-75RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-20MHz-16QAM-16  
QAM-40644-40815-75RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-20MHz-16QAM-16  
QAM-40969-41140-75RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-20MHz-QPSK-QPS  
K-40318-40489-75RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-20MHz-QPSK-QPS  
K-40644-40815-75RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-15MHz-20MHz-QPSK-QPS  
K-40969-41140-75RB#0-100RB#0-PASS




41(2555-2655)-41(2555-2655)-20MHz-10MHz-16QAM-16  
QAM-40340-40484-100RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-20MHz-10MHz-16QAM-16  
QAM-40691-40835-100RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-20MHz-10MHz-16QAM-16  
QAM-41041-41185-100RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-20MHz-10MHz-QPSK-QPS  
K-40340-40484-100RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-20MHz-10MHz-QPSK-QPS  
K-40691-40835-100RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-20MHz-10MHz-QPSK-QPS  
K-41041-41185-100RB#0-50RB#0-PASS




41(2555-2655)-41(2555-2655)-20MHz-15MHz-16QAM-16 QAM-40340-40511-100RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-20MHz-15MHz-16QAM-16 QAM-40666-40837-100RB#0-75RB#0-PASS




41(2555-2655)-41(2555-2655)-20MHz-15MHz-16QAM-16 QAM-40991-41162-100RB#0-75RB#0-PASS



41(2555-2655)-41(2555-2655)-20MHz-15MHz-QPSK-QPS K-40340-40511-100RB#0-75RB#0-PASS



41(2555-2655)-41(2555-2655)-20MHz-15MHz-QPSK-QPS K-40666-40837-100RB#0-75RB#0-PASS



41(2555-2655)-41(2555-2655)-20MHz-15MHz-QPSK-QPS K-40991-41162-100RB#0-75RB#0-PASS