

Appendix C

Test Information:

Serial No.:	2NI3-2	Test Date:	2024/06/27~2024/07/09
Test Site:	RF	Test Mode:	Transmitting
Tester:	Karl Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	26.8~28.7	Relative Humidity: (%)	50~69	ATM Pressure: (kPa)	100.1~100.9
------------------------------	-----------	----------------------------------	-------	-------------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Micro-Coax	Coaxial Cable	UFB205A	323308-012	2024/01/02	2025/01/01
Mini-Circuits	Coaxial Power Splitters & Combiner	ZFRSC-183-S+	SF448201614	2024/02/25	2025/02/24
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30173	2023/10/18	2024/10/17
TDK-Lambda	DC Power Supply	Z+60-14	F-08-EM038-1	N/A	N/A
R&S	Wideband Radio Communication Tester	CMW500	149216	2023/10/18	2024/10/17
All-sun	Clamp Meter	EM305A	8348897	2023/08/03	2024/08/02
R&S	Spectrum Analyzer	FSV40	101461	2023/11/27	2024/11/26

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Frequency stability**FCC For 90S****B26_1, TN/VN**

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	-15.1	-0.018	±2.5	Pass
1_15MHz_Low_16QAM_75@0	0.5	0.001	±2.5	Pass

B26_1, T1/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	-21.7	-0.026	±2.5	Pass
1_15MHz_Low_16QAM_75@0	0.4	0.000	±2.5	Pass

B26_1, T2/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	0.1	0.000	±2.5	Pass
1_15MHz_Low_16QAM_75@0	0.7	0.001	±2.5	Pass

B26_1, T3/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	-3.7	-0.005	±2.5	Pass
1_15MHz_Low_16QAM_75@0	0.2	0.000	±2.5	Pass

B26_1, T4/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	-14.9	-0.018	±2.5	Pass
1_15MHz_Low_16QAM_75@0	0.4	0.000	±2.5	Pass

B26_1, T5/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	-22.7	-0.028	±2.5	Pass
1_15MHz_Low_16QAM_75@0	1.0	0.001	±2.5	Pass

B26_1, T6/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	-5.2	-0.006	±2.5	Pass
1_15MHz_Low_16QAM_75@0	0.9	0.001	±2.5	Pass

B26_1, T7/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	-5.1	-0.006	±2.5	Pass
1_15MHz_Low_16QAM_75@0	-0.4	0.000	±2.5	Pass

B26_1, T8/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	1.3	0.002	±2.5	Pass
1_15MHz_Low_16QAM_75@0	0.3	0.000	±2.5	Pass

B26_1, TN/VH

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	-29.8	-0.036	±2.5	Pass
1_15MHz_Low_16QAM_75@0	1.1	0.001	±2.5	Pass

B26_1, TN/VL

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
1_15MHz_Low_QPSK_75@0	-36.0	-0.044	±2.5	Pass
1_15MHz_Low_16QAM_75@0	-0.2	0.000	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)

TN: 20 °C; T1: -30 °C; T2: -20 °C; T3: -10 °C; T4: 0 °C; T5: 10 °C; T6: 30 °C; T7: 40 °C; T8: 50 °C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 22H**B5 , TN/VN**

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	-18.6	-0.022	±2.5	Pass
10MHz_Middle_16QAM_50@0	0.4	0.000	±2.5	Pass

B5 , T1/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	-47.9	-0.057	±2.5	Pass
10MHz_Middle_16QAM_50@0	0.6	0.001	±2.5	Pass

B5 , T2/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	-46.2	-0.055	±2.5	Pass
10MHz_Middle_16QAM_50@0	-0.1	0.000	±2.5	Pass

B5 , T3/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	-38.2	-0.046	±2.5	Pass
10MHz_Middle_16QAM_50@0	-0.6	-0.001	±2.5	Pass

B5 , T4/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	-30.7	-0.037	±2.5	Pass
10MHz_Middle_16QAM_50@0	0.8	0.001	±2.5	Pass

B5 , T5/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	-28.8	-0.034	±2.5	Pass
10MHz_Middle_16QAM_50@0	0.6	0.001	±2.5	Pass

B5 , T6/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	34.0	0.041	±2.5	Pass

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_16QAM_50@0	0.4	0.000	±2.5	Pass

B5 , T7/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	3.7	0.004	±2.5	Pass
10MHz_Middle_16QAM_50@0	0.0	0.000	±2.5	Pass

B5 , T8/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	9.8	0.012	±2.5	Pass
10MHz_Middle_16QAM_50@0	0.6	0.001	±2.5	Pass

B5 , TN/VH

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	-6.0	-0.007	±2.5	Pass
10MHz_Middle_16QAM_50@0	0.3	0.000	±2.5	Pass

B5 , TN/VL

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
10MHz_Middle_QPSK_50@0	8.5	0.010	±2.5	Pass
10MHz_Middle_16QAM_50@0	-0.8	-0.001	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)

TN: 20 °C; T1: -30 °C; T2: -20 °C; T3: -10 °C; T4: 0 °C; T5: 10 °C; T6: 30 °C; T7: 40 °C; T8: 50 °C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

B26_2 , TN/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	0.1	0.000	±2.5	Pass
2_15MHz_Middle_16QAM_75@0	0.6	0.001	±2.5	Pass

B26_2 , T1/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	0.4	0.000	±2.5	Pass

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_16QAM_75@0	0.3	0.000	±2.5	Pass

B26_2, T2/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	1.1	0.001	±2.5	Pass
2_15MHz_Middle_16QAM_75@0	0.0	0.000	±2.5	Pass

B26_2, T3/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	0.9	0.001	±2.5	Pass
2_15MHz_Middle_16QAM_75@0	0.1	0.000	±2.5	Pass

B26_2, T4/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	0.7	0.001	±2.5	Pass
2_15MHz_Middle_16QAM_75@0	0.3	0.000	±2.5	Pass

B26_2, T5/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	0.8	0.001	±2.5	Pass
2_15MHz_Middle_16QAM_75@0	-0.4	0.000	±2.5	Pass

B26_2, T6/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	0.5	0.001	±2.5	Pass
2_15MHz_Middle_16QAM_75@0	-0.1	0.000	±2.5	Pass

B26_2, T7/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	0.1	0.000	±2.5	Pass
2_15MHz_Middle_16QAM_75@0	0.2	0.000	±2.5	Pass

B26_2, T8/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	-0.2	0.000	±2.5	Pass
2_15MHz_Middle_16QAM_75@0	-0.6	-0.001	±2.5	Pass

B26_2, TN/VH

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	0.6	0.001	±2.5	Pass
2_15MHz_Middle_16QAM_75@0	0.5	0.001	±2.5	Pass

B26_2, TN/VL

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
2_15MHz_Middle_QPSK_75@0	0.7	0.001	±2.5	Pass
2_15MHz_Middle_16QAM_75@0	0.0	0.000	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)

TN: 20 °C; T1: -30 °C; T2: -20 °C; T3: -10 °C; T4: 0 °C; T5: 10 °C; T6: 30 °C; T7: 40 °C; T8: 50 °C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 24E

B2 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.13	1868.931	1850 ~ 1910	Pass
20MHz_Low_16QAM_100@0	1851.19	1868.931	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.13	1908.871	1850 ~ 1910	Pass
20MHz_High_16QAM_100@0	1891.19	1908.931	1850 ~ 1910	Pass

B2 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.13	1868.931	1850 ~ 1910	Pass
20MHz_Low_16QAM_100@0	1851.19	1868.991	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.13	1908.931	1850 ~ 1910	Pass
20MHz_High_16QAM_100@0	1891.13	1908.931	1850 ~ 1910	Pass

B2 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.13	1868.931	1850 ~ 1910	Pass
20MHz_Low_16QAM_100@0	1851.19	1868.931	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.13	1908.871	1850 ~ 1910	Pass
20MHz_High_16QAM_100@0	1891.13	1908.931	1850 ~ 1910	Pass

B2 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.19	1868.931	1850 ~ 1910	Pass
20MHz_Low_16QAM_100@0	1851.19	1868.931	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.13	1908.931	1850 ~ 1910	Pass
20MHz_High_16QAM_100@0	1891.13	1908.931	1850 ~ 1910	Pass

B2 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.13	1868.931	1850 ~ 1910	Pass
20MHz_Low_16QAM_100@0	1851.19	1868.931	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.19	1908.931	1850 ~ 1910	Pass

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_High_16QAM_100@0	1891.07	1908.871	1850 ~ 1910	Pass

B2 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.13	1868.931	1850 ~ 1910	Pass
20MHz_Low_16QAM_100@0	1851.19	1868.931	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.13	1908.871	1850 ~ 1910	Pass
20MHz_High_16QAM_100@0	1891.19	1908.931	1850 ~ 1910	Pass

B2 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.13	1868.931	1850 ~ 1910	Pass
20MHz_Low_16QAM_100@0	1851.19	1868.871	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.13	1908.931	1850 ~ 1910	Pass
20MHz_High_16QAM_100@0	1891.13	1908.871	1850 ~ 1910	Pass

B2 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.19	1868.931	1850 ~ 1910	Pass
20MHz_Low_16QAM_100@0	1851.19	1868.931	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.13	1908.871	1850 ~ 1910	Pass
20MHz_High_16QAM_100@0	1891.13	1908.871	1850 ~ 1910	Pass

B2 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.13	1868.931	1850 ~ 1910	Pass
20MHz_Low_16QAM_100@0	1851.19	1868.991	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.13	1908.991	1850 ~ 1910	Pass
20MHz_High_16QAM_100@0	1891.13	1908.871	1850 ~ 1910	Pass

B2 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.19	1868.931	1850 ~ 1910	Pass

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_16QAM_100@0	1851.13	1868.931	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.13	1908.871	1850 ~ 1910	Pass
20MHz_High_16QAM_100@0	1891.13	1908.871	1850 ~ 1910	Pass

B2 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1851.13	1868.991	1850 ~ 1910	Pass
20MHz_Low_16QAM_100@0	1851.19	1868.991	1850 ~ 1910	Pass
20MHz_High_QPSK_100@0	1891.13	1908.931	1850 ~ 1910	Pass
20MHz_High_16QAM_100@0	1891.13	1908.871	1850 ~ 1910	Pass

Note:

TN: 20 °C; T1: -30 °C; T2: -20 °C; T3: -10 °C; T4: 0 °C; T5: 10 °C; T6: 30 °C; T7: 40 °C; T8: 50 °C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 27

B4 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.991	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.13	1753.931	1710 ~ 1755	Pass
20MHz_High_16QAM_100@0	1736.13	1753.991	1710 ~ 1755	Pass

B4 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.991	1710 ~ 1755	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.07	1753.931	1710 ~ 1755	Pass
20MHz_High_16QAM_100@0	1736.07	1753.871	1710 ~ 1755	Pass

B4 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.991	1710 ~ 1755	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.991	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.07	1753.931	1710 ~ 1755	Pass
20MHz_High_16QAM_100@0	1736.07	1753.931	1710 ~ 1755	Pass

B4 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.991	1710 ~ 1755	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.13	1753.931	1710 ~ 1755	Pass
20MHz_High_16QAM_100@0	1736.07	1753.931	1710 ~ 1755	Pass

B4 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.991	1710 ~ 1755	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.991	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.13	1753.931	1710 ~ 1755	Pass

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_High_16QAM_100@0	1736.13	1753.931	1710 ~ 1755	Pass

B4 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.13	1753.931	1710 ~ 1755	Pass
20MHz_High_16QAM_100@0	1736.13	1753.931	1710 ~ 1755	Pass

B4 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.13	1753.931	1710 ~ 1755	Pass
20MHz_High_16QAM_100@0	1736.07	1753.931	1710 ~ 1755	Pass

B4 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.991	1710 ~ 1755	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.13	1753.871	1710 ~ 1755	Pass
20MHz_High_16QAM_100@0	1736.13	1753.931	1710 ~ 1755	Pass

B4 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.991	1710 ~ 1755	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.13	1753.871	1710 ~ 1755	Pass
20MHz_High_16QAM_100@0	1736.07	1753.931	1710 ~ 1755	Pass

B4 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.931	1710 ~ 1755	Pass

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_16QAM_100@0	1711.13	1728.991	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.13	1753.871	1710 ~ 1755	Pass
20MHz_High_16QAM_100@0	1736.13	1753.871	1710 ~ 1755	Pass

B4 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.931	1710 ~ 1755	Pass
20MHz_High_QPSK_100@0	1736.13	1753.931	1710 ~ 1755	Pass
20MHz_High_16QAM_100@0	1736.13	1753.931	1710 ~ 1755	Pass

B7 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.19	2518.991	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.13	2518.991	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.07	2568.931	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.07	2568.931	2500 ~ 2570	Pass

B7 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.13	2518.931	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.13	2518.931	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.13	2568.931	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.07	2568.931	2500 ~ 2570	Pass

B7 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.13	2518.931	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.07	2518.931	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.13	2568.931	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.13	2568.931	2500 ~ 2570	Pass

B7 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.13	2518.931	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.13	2518.931	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.07	2568.931	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.07	2568.931	2500 ~ 2570	Pass

B7 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.13	2518.931	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.13	2518.991	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.13	2568.991	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.13	2568.991	2500 ~ 2570	Pass

B7 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.13	2518.931	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.13	2518.991	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.13	2568.931	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.13	2568.931	2500 ~ 2570	Pass

B7 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.13	2518.991	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.13	2518.991	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.13	2568.991	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.13	2568.991	2500 ~ 2570	Pass

B7 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.07	2518.991	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.13	2518.931	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.13	2568.871	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.13	2568.931	2500 ~ 2570	Pass

B7 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.13	2518.991	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.13	2518.991	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.07	2568.931	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.07	2568.931	2500 ~ 2570	Pass

B7 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.19	2518.931	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.07	2518.931	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.13	2568.931	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.07	2568.931	2500 ~ 2570	Pass

B7 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2501.13	2518.991	2500 ~ 2570	Pass
20MHz_Low_16QAM_100@0	2501.07	2518.991	2500 ~ 2570	Pass
20MHz_High_QPSK_100@0	2551.13	2568.931	2500 ~ 2570	Pass
20MHz_High_16QAM_100@0	2551.13	2568.931	2500 ~ 2570	Pass

B12 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.53	708.496	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.50	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.466	699 ~ 716	Pass

B12 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.466	699 ~ 716	Pass

B12 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.50	715.466	699 ~ 716	Pass

B12 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.50	715.436	699 ~ 716	Pass

B12 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.50	715.466	699 ~ 716	Pass

B12 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.53	708.496	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.466	699 ~ 716	Pass

B12 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.56	708.466	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.50	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.50	715.466	699 ~ 716	Pass

B12 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.56	715.466	699 ~ 716	Pass

B12 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.466	699 ~ 716	Pass

B12 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.466	699 ~ 716	Pass

B12 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_Low_16QAM_50@0	699.53	708.466	699 ~ 716	Pass
10MHz_High_QPSK_50@0	706.56	715.466	699 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.466	699 ~ 716	Pass

B13 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.50	786.466	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.50	786.496	777 ~ 787	Pass

B13 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.50	786.496	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.50	786.496	777 ~ 787	Pass

B13 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.53	786.496	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.50	786.496	777 ~ 787	Pass

B13 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.50	786.496	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.50	786.496	777 ~ 787	Pass

B13 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.50	786.525	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.50	786.496	777 ~ 787	Pass

B13 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.50	786.496	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.53	786.525	777 ~ 787	Pass

B13 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.50	786.466	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.50	786.496	777 ~ 787	Pass

B13 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.50	786.496	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.48	786.525	777 ~ 787	Pass

B13 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.50	786.496	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.50	786.496	777 ~ 787	Pass

B13 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.50	786.496	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.50	786.496	777 ~ 787	Pass

B13 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Middle_QPSK_50@0	777.50	786.496	777 ~ 787	Pass
10MHz_Middle_16QAM_50@0	777.50	786.496	777 ~ 787	Pass

B17 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.50	713.466	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.53	713.466	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.436	704 ~ 716	Pass

B17 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.53	713.466	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.50	713.466	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.50	715.466	704 ~ 716	Pass

B17 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.50	713.466	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.50	713.466	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.466	704 ~ 716	Pass

B17 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.53	713.496	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.50	713.466	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.50	715.436	704 ~ 716	Pass

B17 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.53	713.436	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.53	713.466	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.466	704 ~ 716	Pass

B17 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.53	713.466	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.53	713.466	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.50	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.50	715.466	704 ~ 716	Pass

B17 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.53	713.466	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.50	713.496	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.50	715.466	704 ~ 716	Pass

B17 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.53	713.466	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.53	713.466	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.53	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.496	704 ~ 716	Pass

B17 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.53	713.466	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.53	713.496	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.50	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.50	715.466	704 ~ 716	Pass

B17 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.53	713.496	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.50	713.466	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.50	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.50	715.466	704 ~ 716	Pass

B17 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
10MHz_Low_QPSK_50@0	704.53	713.466	704 ~ 716	Pass
10MHz_Low_16QAM_50@0	704.53	713.496	704 ~ 716	Pass
10MHz_High_QPSK_50@0	706.50	715.466	704 ~ 716	Pass
10MHz_High_16QAM_50@0	706.53	715.466	704 ~ 716	Pass

B38 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.07	2588.931	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.13	2588.991	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.13	2618.991	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.13	2618.931	2570 ~ 2620	Pass

B38 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.13	2588.991	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.13	2588.991	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.13	2618.931	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.13	2618.991	2570 ~ 2620	Pass

B38 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.13	2588.931	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.07	2588.991	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.07	2618.991	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.07	2618.931	2570 ~ 2620	Pass

B38 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.07	2588.931	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.13	2588.931	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.13	2618.931	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.07	2618.991	2570 ~ 2620	Pass

B38 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.07	2588.991	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.07	2588.871	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.13	2618.931	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.07	2618.991	2570 ~ 2620	Pass

B38 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.13	2588.991	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.13	2588.931	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.13	2618.931	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.13	2618.991	2570 ~ 2620	Pass

B38 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.07	2588.931	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.13	2588.931	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.13	2618.991	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.13	2618.991	2570 ~ 2620	Pass

B38 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.13	2588.931	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.13	2588.931	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.13	2618.991	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.13	2618.931	2570 ~ 2620	Pass

B38 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.19	2588.991	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.07	2588.931	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.13	2618.931	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.13	2618.991	2570 ~ 2620	Pass

B38 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.13	2588.991	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.13	2588.991	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.07	2618.991	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.07	2618.931	2570 ~ 2620	Pass

B38 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	2571.13	2588.931	2570 ~ 2620	Pass
20MHz_Low_16QAM_100@0	2571.13	2588.931	2570 ~ 2620	Pass
20MHz_High_QPSK_100@0	2601.13	2618.931	2570 ~ 2620	Pass
20MHz_High_16QAM_100@0	2601.13	2618.931	2570 ~ 2620	Pass

B66 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.13	1778.931	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.13	1778.931	1710 ~ 1780	Pass

B66 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.13	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.07	1778.991	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.13	1778.931	1710 ~ 1780	Pass

B66 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.07	1778.991	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.13	1778.991	1710 ~ 1780	Pass

B66 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.13	1728.991	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.13	1778.991	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.07	1778.991	1710 ~ 1780	Pass

B66 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.07	1778.991	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.07	1778.991	1710 ~ 1780	Pass

B66 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.07	1778.991	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.13	1778.991	1710 ~ 1780	Pass

B66 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.07	1778.931	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.07	1778.991	1710 ~ 1780	Pass

B66 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.07	1778.991	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.13	1778.931	1710 ~ 1780	Pass

B66 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.07	1729.051	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.07	1778.991	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.13	1778.991	1710 ~ 1780	Pass

B66 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.07	1778.991	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.13	1778.991	1710 ~ 1780	Pass

B66 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
20MHz_Low_QPSK_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_Low_16QAM_100@0	1711.07	1728.991	1710 ~ 1780	Pass
20MHz_High_QPSK_100@0	1761.07	1778.991	1710 ~ 1780	Pass
20MHz_High_16QAM_100@0	1761.07	1778.991	1710 ~ 1780	Pass

B41_2, TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.07	2553.991	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.07	2653.871	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.13	2653.871	2535 ~ 2655	Pass

B41_2, T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.991	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.13	2653.931	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.13	2653.931	2535 ~ 2655	Pass

B41_2, T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.13	2653.931	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.13	2653.871	2535 ~ 2655	Pass

B41_2, T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.13	2653.871	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.07	2653.931	2535 ~ 2655	Pass

B41_2, T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.991	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.19	2553.931	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.13	2653.931	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.13	2653.991	2535 ~ 2655	Pass

B41_2, T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.07	2553.931	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.13	2653.931	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.07	2653.931	2535 ~ 2655	Pass

B41_2, T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.13	2553.991	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.13	2653.991	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.13	2653.931	2535 ~ 2655	Pass

B41_2, T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.991	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.07	2553.991	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.13	2653.931	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.13	2653.931	2535 ~ 2655	Pass

B41_2, T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.13	2553.991	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.13	2653.991	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.13	2653.931	2535 ~ 2655	Pass

B41_2, TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.07	2553.931	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.07	2653.931	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.13	2653.931	2535 ~ 2655	Pass

B41_2, TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
2_20MHz_Low_QPSK_100@0	2536.13	2553.931	2535 ~ 2655	Pass
2_20MHz_Low_16QAM_100@0	2536.07	2553.991	2535 ~ 2655	Pass
2_20MHz_High_QPSK_100@0	2636.13	2653.931	2535 ~ 2655	Pass
2_20MHz_High_16QAM_100@0	2636.13	2653.931	2535 ~ 2655	Pass

Note:

TN: 20 °C; T1: -30 °C; T2: -20 °C; T3: -10 °C; T4: 0 °C; T5: 10 °C; T6: 30 °C; T7: 40 °C; T8: 50 °C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

Occupied Bandwidth

FCC For 90S

B26_1, Normal

Mode	99% OBW (MHz)	EBW (MHz)
1_1.4MHz_Low_QPSK_6@0	1.084	1.221
1_1.4MHz_Low_16QAM_6@0	1.084	1.238
1_1.4MHz_High_QPSK_6@0	1.081	1.240
1_1.4MHz_High_16QAM_6@0	1.098	1.235
1_3MHz_Low_QPSK_15@0	2.682	2.988
1_3MHz_Low_16QAM_15@0	2.682	2.994
1_3MHz_High_QPSK_15@0	2.688	3.054
1_3MHz_High_16QAM_15@0	2.682	3.036
1_5MHz_Low_QPSK_25@0	4.470	4.870
1_5MHz_Low_16QAM_25@0	4.470	4.920
1_5MHz_High_QPSK_25@0	4.470	4.900
1_5MHz_High_16QAM_25@0	4.470	4.880
1_10MHz_Middle_QPSK_50@0	8.940	9.760
1_10MHz_Middle_16QAM_50@0	8.940	9.780
1_15MHz_Low_QPSK_75@0	13.500	14.414
1_15MHz_Low_16QAM_75@0	13.500	14.535

B26_3, Normal


Mode	99% OBW (MHz)	EBW (MHz)
3_1.4MHz_Middle_QPSK_6@0	1.084	1.240
3_1.4MHz_Middle_16QAM_6@0	1.084	1.235
3_3MHz_Middle_QPSK_15@0	2.682	3.042
3_3MHz_Middle_16QAM_15@0	2.694	3
3_5MHz_Middle_QPSK_25@0	4.470	4.840
3_5MHz_Middle_16QAM_25@0	4.460	4.920
3_10MHz_Middle_QPSK_50@0	8.920	9.710
3_10MHz_Middle_16QAM_50@0	8.920	9.660
3_15MHz_Middle_QPSK_75@0	13.500	19.700
3_15MHz_Middle_16QAM_75@0	13.470	19.820

B26_1, Normal


1_1.4MHz_Low_QPSK_6@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 28.JUN.2024 08:11:27




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 28.JUN.2024 08:11:35


1_1.4MHz_Low_16QAM_6@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 28.JUN.2024 08:11:55




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 28.JUN.2024 08:12:03


1_1.4MHz_High_QPSK_6@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:00:43




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:00:55


1_1.4MHz_High_16QAM_6@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:01:16




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:01:26


1_3MHz_Low_QPSK_15@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:01:50




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:02:00


1_3MHz_Low_16QAM_15@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:02:18




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:02:30


1_3MHz_High_QPSK_15@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:33:35




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:33:49


1_3MHz_High_16QAM_15@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:04:43




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:04:59


1_5MHz_Low_QPSK_25@0

Occupied Bandwidth

26dB Bandwidth




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:05:22



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:05:32


1_5MHz_Low_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:05:52


26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:06:01


1_5MHz_High_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:42:52


26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:43:03


1_5MHz_High_16QAM_25@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:08:07

26dB Bandwidth




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:08:18


1_10MHz_Middle_QPSK_50@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:08:41




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:08:51


1_10MHz_Middle_16QAM_50@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:09:10




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:09:21


1_15MHz_Low_QPSK_75@0

Occupied Bandwidth

26dB Bandwidth




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 3.JUL.2024 11:30:36



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 3.JUL.2024 11:30:47


1_15MHz_Low_16QAM_75@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 3.JUL.2024 11:31:09

26dB Bandwidth




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 3.JUL.2024 11:31:20

B26_3, Normal


3_1.4MHz_Middle_QPSK_6@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:11:36


26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:11:45


3_1.4MHz_Middle_16QAM_6@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:12:06


26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:12:16


3_3MHz_Middle_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:12:41


26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:12:56


3_3MHz_Middle_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:13:16


26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:13:26


3_5MHz_Middle_QPSK_25@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:13:49

26dB Bandwidth




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30 JUN 2024 14:14:00


3_5MHz_Middle_16QAM_25@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:14:19




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:14:29


3_10MHz_Middle_QPSK_50@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 3.JUL.2024 18:34:19




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 3.JUL.2024 18:34:30


3_10MHz_Middle_16QAM_50@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:17:48




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 30.JUN.2024 14:17:59


3_15MHz_Middle_QPSK_75@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 3.JUL.2024 11:35:10




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 3.JUL.2024 11:35:21


3_15MHz_Middle_16QAM_75@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 3.JUL.2024 11:35:41



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 3.JUL.2024 11:35:52

FCC Part 22H

B5 , Normal

Mode	99% OBW (MHz)	EBW (MHz)
1.4MHz_Low_QPSK_6@0	1.086	1.246
1.4MHz_Low_16QAM_6@0	1.081	1.238
1.4MHz_Middle_QPSK_6@0	1.081	1.235
1.4MHz_Middle_16QAM_6@0	1.084	1.240
1.4MHz_High_QPSK_6@0	1.081	1.232
1.4MHz_High_16QAM_6@0	1.086	1.232
3MHz_Low_QPSK_15@0	2.694	2.976
3MHz_Low_16QAM_15@0	2.694	3
3MHz_Middle_QPSK_15@0	2.688	2.988
3MHz_Middle_16QAM_15@0	2.694	2.988
3MHz_High_QPSK_15@0	2.682	2.982
3MHz_High_16QAM_15@0	2.682	2.994
5MHz_Low_QPSK_25@0	4.460	4.900
5MHz_Low_16QAM_25@0	4.480	4.880
5MHz_Middle_QPSK_25@0	4.470	4.900
5MHz_Middle_16QAM_25@0	4.490	4.910
5MHz_High_QPSK_25@0	4.490	4.900
5MHz_High_16QAM_25@0	4.470	4.890
10MHz_Low_QPSK_50@0	8.940	9.660
10MHz_Low_16QAM_50@0	8.940	9.760
10MHz_Middle_QPSK_50@0	8.940	9.680
10MHz_Middle_16QAM_50@0	8.960	9.800
10MHz_High_QPSK_50@0	8.920	9.720
10MHz_High_16QAM_50@0	8.940	9.720

B26_2 , Normal

Mode	99% OBW (MHz)	EBW (MHz)
2_1.4MHz_Low_QPSK_6@0	1.089	1.243
2_1.4MHz_Low_16QAM_6@0	1.081	1.240
2_1.4MHz_Middle_QPSK_6@0	1.078	1.232
2_1.4MHz_Middle_16QAM_6@0	1.078	1.235



Mode	99% OBW (MHz)	EBW (MHz)
2_1.4MHz_High_QPSK_6@0	1.084	1.235
2_1.4MHz_High_16QAM_6@0	1.084	1.235
2_3MHz_Low_QPSK_15@0	2.688	3
2_3MHz_Low_16QAM_15@0	2.694	3.024
2_3MHz_Middle_QPSK_15@0	2.694	3.054
2_3MHz_Middle_16QAM_15@0	2.688	3
2_3MHz_High_QPSK_15@0	2.682	3.018
2_3MHz_High_16QAM_15@0	2.694	3.018
2_5MHz_Low_QPSK_25@0	4.480	4.910
2_5MHz_Low_16QAM_25@0	4.470	4.900
2_5MHz_Middle_QPSK_25@0	4.470	4.890
2_5MHz_Middle_16QAM_25@0	4.470	4.950
2_5MHz_High_QPSK_25@0	4.510	4.950
2_5MHz_High_16QAM_25@0	4.480	4.910
2_10MHz_Low_QPSK_50@0	8.960	9.620
2_10MHz_Low_16QAM_50@0	8.940	9.660
2_10MHz_Middle_QPSK_50@0	8.960	9.720
2_10MHz_Middle_16QAM_50@0	8.940	9.700
2_10MHz_High_QPSK_50@0	8.960	9.820
2_10MHz_High_16QAM_50@0	8.940	9.720
2_15MHz_Low_QPSK_75@0	13.470	15.916
2_15MHz_Low_16QAM_75@0	13.440	15.556
2_15MHz_Middle_QPSK_75@0	13.410	14.505
2_15MHz_Middle_16QAM_75@0	13.500	15.586
2_15MHz_High_QPSK_75@0	13.470	15.946
2_15MHz_High_16QAM_75@0	13.470	18.348

B5, Normal

1.4MHz_Low_QPSK_6@0

Occupied Bandwidth

26dB Bandwidth





ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:18:02

ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:18:12

1.4MHz_Low_16QAM_6@0

Occupied Bandwidth

26dB Bandwidth





ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:18:37

ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:18:48

1.4MHz_Middle_QPSK_6@0

Occupied Bandwidth

26dB Bandwidth




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:19:10

ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:19:19


1.4MHz_Middle_16QAM_6@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27.JUN.2024 23:19:41




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27.JUN.2024 23:19:50


1.4MHz_High_QPSK_6@0

Occupied Bandwidth

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27.JUN.2024 23:20:11




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27.JUN.2024 23:20:20


1.4MHz_High_16QAM_6@0

Occupied Bandwidth

26dB Bandwidth




ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27.JUN.2024 23:20:40



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27.JUN.2024 23:20:50


3MHz_Low_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:21:18


26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:21:28


3MHz_Low_16QAM_15@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:22:01


26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:22:12


3MHz_Middle_QPSK_15@0

Occupied Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:22:13

26dB Bandwidth



ProjectNo.:2402U82788E-RF Tester:Karl Liang
Date: 27 JUN 2024 23:22:41