




Band66-1.4MHz-16QAM-131979-6RB#0

Band66-1.4MHz-16QAM-132665-1RB#0



Band66-1.4MHz-16QAM-132665-1RB#5

Band66-1.4MHz-16QAM-132665-6RB#0




Band66-1.4MHz-64QAM-131979-1RB#0

Band66-1.4MHz-64QAM-131979-1RB#5



Band66-1.4MHz-64QAM-131979-6RB#0

Band66-1.4MHz-64QAM-132665-1RB#0






Band66-1.4MHz-64QAM-132665-1RB#5


Band66-1.4MHz-64QAM-132665-6RB#0



Band66-20MHz-QPSK-132072-1RB#0


Band66-20MHz-QPSK-132072-1RB#99






Band66-20MHz-16QAM-132072-100RB#0


Band66-20MHz-16QAM-132572-1RB#0




Band66-20MHz-16QAM-132572-1RB#99




Band66-20MHz-16QAM-132572-100RB#0



Band66-20MHz-64QAM-132072-1RB#0




Band66-20MHz-64QAM-132072-1RB#99




Band66-20MHz-64QAM-132072-100RB#0


Band66-20MHz-64QAM-132572-1RB#0



Band66-20MHz-64QAM-132572-1RB#99



Band66-20MHz-64QAM-132572-100RB#0



## Appendix E: Conducted Spurious Emission

### Test Result (worst case)

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	Range1:30~1000MHz	-46.93	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	Range2:1000~20000MHz	-33.99	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	Range1:30~1000MHz	-47.13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	Range2:1000~20000MHz	-34.42	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	Range1:30~1000MHz	-47.29	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	Range2:1000~20000MHz	-33.39	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	Range1:30~1000MHz	-47.51	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	Range2:1000~20000MHz	-35.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	Range1:30~1000MHz	-47.03	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	Range2:1000~20000MHz	-34.72	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	Range1:30~1000MHz	-47.09	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	Range2:1000~20000MHz	-34.75	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	Range1:30~1000MHz	-46.37	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	Range2:1000~20000MHz	-33.4	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	Range1:30~1000MHz	-47.67	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	Range2:1000~20000MHz	-34.18	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	Range1:30~1000MHz	-47.57	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	Range2:1000~20000MHz	-35.03	PASS
Band2	20MHz	QPSK	18700	1RB#0	Range1:30~1000MHz	-47.15	PASS
Band2	20MHz	QPSK	18700	1RB#0	Range2:1000~20000MHz	-34.64	PASS
Band2	20MHz	QPSK	18900	1RB#0	Range1:30~1000MHz	-47.43	PASS
Band2	20MHz	QPSK	18900	1RB#0	Range2:1000~20000MHz	-33.53	PASS
Band2	20MHz	QPSK	19100	1RB#0	Range1:30~1000MHz	-47.22	PASS
Band2	20MHz	QPSK	19100	1RB#0	Range2:1000~20000MHz	-32.74	PASS
Band2	20MHz	16QAM	18700	1RB#0	Range1:30~1000MHz	-47.4	PASS
Band2	20MHz	16QAM	18700	1RB#0	Range2:1000~20000MHz	-34.54	PASS
Band2	20MHz	16QAM	18900	1RB#0	Range1:30~1000MHz	-47.05	PASS
Band2	20MHz	16QAM	18900	1RB#0	Range2:1000~20000MHz	-34.07	PASS
Band2	20MHz	16QAM	19100	1RB#0	Range1:30~1000MHz	-47.19	PASS
Band2	20MHz	16QAM	19100	1RB#0	Range2:1000~20000MHz	-34.59	PASS
Band2	20MHz	64QAM	18700	1RB#0	Range1:30~1000MHz	-46.62	PASS
Band2	20MHz	64QAM	18700	1RB#0	Range2:1000~20000MHz	-34.23	PASS
Band2	20MHz	64QAM	18900	1RB#0	Range1:30~1000MHz	-47.15	PASS
Band2	20MHz	64QAM	18900	1RB#0	Range2:1000~20000MHz	-35.07	PASS
Band2	20MHz	64QAM	19100	1RB#0	Range1:30~1000MHz	-47.03	PASS
Band2	20MHz	64QAM	19100	1RB#0	Range2:1000~20000MHz	-34.37	PASS



Band5	1.4MHz	QPSK	20407	1RB#0	Range1:30~1000MHz	-46.86	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	Range2:1000~10000MHz	-41.36	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	Range1:30~1000MHz	-46.23	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	Range2:1000~10000MHz	-41.14	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	Range1:30~1000MHz	-46.5	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	Range2:1000~10000MHz	-41.42	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	Range1:30~1000MHz	-46.33	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	Range2:1000~10000MHz	-41.06	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	Range1:30~1000MHz	-46.67	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	Range2:1000~10000MHz	-40.95	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	Range1:30~1000MHz	-46.93	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	Range2:1000~10000MHz	-40.87	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	Range1:30~1000MHz	-46.1	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	Range2:1000~10000MHz	-40.59	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	Range1:30~1000MHz	-46.71	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	Range2:1000~10000MHz	-41.01	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	Range1:30~1000MHz	-46.75	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	Range2:1000~10000MHz	-41.28	PASS
Band5	10MHz	QPSK	20450	1RB#0	Range1:30~1000MHz	-46.83	PASS
Band5	10MHz	QPSK	20450	1RB#0	Range2:1000~10000MHz	-40.56	PASS
Band5	10MHz	QPSK	20525	1RB#0	Range1:30~1000MHz	-46.53	PASS
Band5	10MHz	QPSK	20525	1RB#0	Range2:1000~10000MHz	-42.08	PASS
Band5	10MHz	QPSK	20600	1RB#0	Range1:30~1000MHz	-46.54	PASS
Band5	10MHz	QPSK	20600	1RB#0	Range2:1000~10000MHz	-41.42	PASS
Band5	10MHz	16QAM	20450	1RB#0	Range1:30~1000MHz	-46.37	PASS
Band5	10MHz	16QAM	20450	1RB#0	Range2:1000~10000MHz	-40.52	PASS
Band5	10MHz	16QAM	20525	1RB#0	Range1:30~1000MHz	-46.85	PASS
Band5	10MHz	16QAM	20525	1RB#0	Range2:1000~10000MHz	-41.27	PASS
Band5	10MHz	16QAM	20600	1RB#0	Range1:30~1000MHz	-46.77	PASS
Band5	10MHz	16QAM	20600	1RB#0	Range2:1000~10000MHz	-40.68	PASS
Band5	10MHz	64QAM	20450	1RB#0	Range1:30~1000MHz	-47.01	PASS
Band5	10MHz	64QAM	20450	1RB#0	Range2:1000~10000MHz	-41.01	PASS
Band5	10MHz	64QAM	20525	1RB#0	Range1:30~1000MHz	-46.64	PASS
Band5	10MHz	64QAM	20525	1RB#0	Range2:1000~10000MHz	-40.78	PASS
Band5	10MHz	64QAM	20600	1RB#0	Range1:30~1000MHz	-45.68	PASS
Band5	10MHz	64QAM	20600	1RB#0	Range2:1000~10000MHz	-41.11	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range1:30~1000MHz	-46.32	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range2:1000~26500MHz	-37.73	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range1:30~1000MHz	-47.12	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range2:1000~26500MHz	-39.81	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range1:30~1000MHz	-46.6	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range2:1000~26500MHz	-39.09	PASS

Band7	5MHz	16QAM	20775	1RB#0	Range1:30~1000MHz	-47.41	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range2:1000~26500MHz	-40.01	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range1:30~1000MHz	-47.01	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range2:1000~26500MHz	-39.81	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range1:30~1000MHz	-46.09	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range2:1000~26500MHz	-39.52	PASS
Band7	5MHz	64QAM	20775	1RB#0	Range1:30~1000MHz	-47.79	PASS
Band7	5MHz	64QAM	20775	1RB#0	Range2:1000~26500MHz	-38.2	PASS
Band7	5MHz	64QAM	21100	1RB#0	Range1:30~1000MHz	-46.41	PASS
Band7	5MHz	64QAM	21100	1RB#0	Range2:1000~26500MHz	-38.68	PASS
Band7	5MHz	64QAM	21425	1RB#0	Range1:30~1000MHz	-47.55	PASS
Band7	5MHz	64QAM	21425	1RB#0	Range2:1000~26500MHz	-39.39	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range1:30~1000MHz	-47.32	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range2:1000~26500MHz	-39.29	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range1:30~1000MHz	-47.25	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range2:1000~26500MHz	-39.18	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range1:30~1000MHz	-46.56	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range2:1000~26500MHz	-39.77	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range1:30~1000MHz	-47.16	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range2:1000~26500MHz	-40	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range1:30~1000MHz	-47.09	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range2:1000~26500MHz	-39.16	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range1:30~1000MHz	-47.87	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range2:1000~26500MHz	-39.39	PASS
Band7	20MHz	64QAM	20850	1RB#0	Range1:30~1000MHz	-46	PASS
Band7	20MHz	64QAM	20850	1RB#0	Range2:1000~26500MHz	-38.97	PASS
Band7	20MHz	64QAM	21100	1RB#0	Range1:30~1000MHz	-47.8	PASS
Band7	20MHz	64QAM	21100	1RB#0	Range2:1000~26500MHz	-39.27	PASS
Band7	20MHz	64QAM	21350	1RB#0	Range1:30~1000MHz	-47.28	PASS
Band7	20MHz	64QAM	21350	1RB#0	Range2:1000~26500MHz	-38.12	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	Range1:30~1000MHz	-46.02	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	Range2:1000~10000MHz	-41.31	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	Range1:30~1000MHz	-46.25	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	Range2:1000~10000MHz	-41.01	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	Range1:30~1000MHz	-45.96	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	Range2:1000~10000MHz	-40.63	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	Range1:30~1000MHz	-46.43	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	Range2:1000~10000MHz	-40.73	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	Range1:30~1000MHz	-46.09	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	Range2:1000~10000MHz	-40.45	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	Range1:30~1000MHz	-46.21	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	Range2:1000~10000MHz	-40.93	PASS



Band12	1.4MHz	64QAM	23017	1RB#0	Range1:30~1000MHz	-46.35	PASS
Band12	1.4MHz	64QAM	23017	1RB#0	Range2:1000~10000MHz	-41.24	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	Range1:30~1000MHz	-45.56	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	Range2:1000~10000MHz	-41.52	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	Range1:30~1000MHz	-46.21	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	Range2:1000~10000MHz	-40.84	PASS
Band12	10MHz	QPSK	23060	1RB#0	Range1:30~1000MHz	-46.19	PASS
Band12	10MHz	QPSK	23060	1RB#0	Range2:1000~10000MHz	-40.69	PASS
Band12	10MHz	QPSK	23095	1RB#0	Range1:30~1000MHz	-45.91	PASS
Band12	10MHz	QPSK	23095	1RB#0	Range2:1000~10000MHz	-41.45	PASS
Band12	10MHz	QPSK	23130	1RB#0	Range1:30~1000MHz	-45.84	PASS
Band12	10MHz	QPSK	23130	1RB#0	Range2:1000~10000MHz	-41.47	PASS
Band12	10MHz	16QAM	23060	1RB#0	Range1:30~1000MHz	-46.68	PASS
Band12	10MHz	16QAM	23060	1RB#0	Range2:1000~10000MHz	-40.82	PASS
Band12	10MHz	16QAM	23095	1RB#0	Range1:30~1000MHz	-46.33	PASS
Band12	10MHz	16QAM	23095	1RB#0	Range2:1000~10000MHz	-41.42	PASS
Band12	10MHz	16QAM	23130	1RB#0	Range1:30~1000MHz	-46.33	PASS
Band12	10MHz	16QAM	23130	1RB#0	Range2:1000~10000MHz	-39.77	PASS
Band12	10MHz	64QAM	23060	1RB#0	Range1:30~1000MHz	-46.64	PASS
Band12	10MHz	64QAM	23060	1RB#0	Range2:1000~10000MHz	-41.99	PASS
Band12	10MHz	64QAM	23095	1RB#0	Range1:30~1000MHz	-46.58	PASS
Band12	10MHz	64QAM	23095	1RB#0	Range2:1000~10000MHz	-41.04	PASS
Band12	10MHz	64QAM	23130	1RB#0	Range1:30~1000MHz	-46.84	PASS
Band12	10MHz	64QAM	23130	1RB#0	Range2:1000~10000MHz	-41.17	PASS
Band17	5MHz	QPSK	23755	1RB#0	Range1:30~1000MHz	-45.25	PASS
Band17	5MHz	QPSK	23755	1RB#0	Range2:1000~10000MHz	-41	PASS
Band17	5MHz	QPSK	23790	1RB#0	Range1:30~1000MHz	-45.71	PASS
Band17	5MHz	QPSK	23790	1RB#0	Range2:1000~10000MHz	-40.07	PASS
Band17	5MHz	QPSK	23825	1RB#0	Range1:30~1000MHz	-44.84	PASS
Band17	5MHz	QPSK	23825	1RB#0	Range2:1000~10000MHz	-41.47	PASS
Band17	5MHz	16QAM	23755	1RB#0	Range1:30~1000MHz	-45.45	PASS
Band17	5MHz	16QAM	23755	1RB#0	Range2:1000~10000MHz	-40.31	PASS
Band17	5MHz	16QAM	23790	1RB#0	Range1:30~1000MHz	-45.58	PASS
Band17	5MHz	16QAM	23790	1RB#0	Range2:1000~10000MHz	-41.15	PASS
Band17	5MHz	16QAM	23825	1RB#0	Range1:30~1000MHz	-45.37	PASS
Band17	5MHz	16QAM	23825	1RB#0	Range2:1000~10000MHz	-41.36	PASS
Band17	5MHz	64QAM	23755	1RB#0	Range1:30~1000MHz	-45.61	PASS
Band17	5MHz	64QAM	23755	1RB#0	Range2:1000~10000MHz	-41.44	PASS
Band17	5MHz	64QAM	23790	1RB#0	Range1:30~1000MHz	-44.97	PASS
Band17	5MHz	64QAM	23790	1RB#0	Range2:1000~10000MHz	-41.66	PASS
Band17	5MHz	64QAM	23825	1RB#0	Range1:30~1000MHz	-45.56	PASS
Band17	5MHz	64QAM	23825	1RB#0	Range2:1000~10000MHz	-40.95	PASS


Band17	10MHz	QPSK	23780	1RB#0	Range1:30~1000MHz	-45.98	PASS
Band17	10MHz	QPSK	23780	1RB#0	Range2:1000~10000MHz	-40.24	PASS
Band17	10MHz	QPSK	23790	1RB#0	Range1:30~1000MHz	-46.5	PASS
Band17	10MHz	QPSK	23790	1RB#0	Range2:1000~10000MHz	-41.51	PASS
Band17	10MHz	QPSK	23800	1RB#0	Range1:30~1000MHz	-46.47	PASS
Band17	10MHz	QPSK	23800	1RB#0	Range2:1000~10000MHz	-41.1	PASS
Band17	10MHz	16QAM	23780	1RB#0	Range1:30~1000MHz	-46.49	PASS
Band17	10MHz	16QAM	23780	1RB#0	Range2:1000~10000MHz	-40.97	PASS
Band17	10MHz	16QAM	23790	1RB#0	Range1:30~1000MHz	-46.38	PASS
Band17	10MHz	16QAM	23790	1RB#0	Range2:1000~10000MHz	-41.25	PASS
Band17	10MHz	16QAM	23800	1RB#0	Range1:30~1000MHz	-46.15	PASS
Band17	10MHz	16QAM	23800	1RB#0	Range2:1000~10000MHz	-41.2	PASS
Band17	10MHz	64QAM	23780	1RB#0	Range1:30~1000MHz	-46.24	PASS
Band17	10MHz	64QAM	23780	1RB#0	Range2:1000~10000MHz	-41.61	PASS
Band17	10MHz	64QAM	23790	1RB#0	Range1:30~1000MHz	-46.07	PASS
Band17	10MHz	64QAM	23790	1RB#0	Range2:1000~10000MHz	-41.72	PASS
Band17	10MHz	64QAM	23800	1RB#0	Range1:30~1000MHz	-46.37	PASS
Band17	10MHz	64QAM	23800	1RB#0	Range2:1000~10000MHz	-41.18	PASS
Band41	5MHz	QPSK	39675	1RB#0	Range1:30~1000MHz	-47.67	PASS
Band41	5MHz	QPSK	39675	1RB#0	Range2:1000~26500MHz	-39.65	PASS
Band41	5MHz	QPSK	40620	1RB#0	Range1:30~1000MHz	-46.75	PASS
Band41	5MHz	QPSK	40620	1RB#0	Range2:1000~26500MHz	-38.87	PASS
Band41	5MHz	QPSK	41565	1RB#0	Range1:30~1000MHz	-46.9	PASS
Band41	5MHz	QPSK	41565	1RB#0	Range2:1000~26500MHz	-39.28	PASS
Band41	5MHz	16QAM	39675	1RB#0	Range1:30~1000MHz	-47.54	PASS
Band41	5MHz	16QAM	39675	1RB#0	Range2:1000~26500MHz	-39.68	PASS
Band41	5MHz	16QAM	40620	1RB#0	Range1:30~1000MHz	-47.03	PASS
Band41	5MHz	16QAM	40620	1RB#0	Range2:1000~26500MHz	-39.81	PASS
Band41	5MHz	16QAM	41565	1RB#0	Range1:30~1000MHz	-47.33	PASS
Band41	5MHz	16QAM	41565	1RB#0	Range2:1000~26500MHz	-39.11	PASS
Band41	5MHz	64QAM	39675	1RB#0	Range1:30~1000MHz	-46.61	PASS
Band41	5MHz	64QAM	39675	1RB#0	Range2:1000~26500MHz	-38.28	PASS
Band41	5MHz	64QAM	40620	1RB#0	Range1:30~1000MHz	-47.07	PASS
Band41	5MHz	64QAM	40620	1RB#0	Range2:1000~26500MHz	-38.65	PASS
Band41	5MHz	64QAM	41565	1RB#0	Range1:30~1000MHz	-47.36	PASS
Band41	5MHz	64QAM	41565	1RB#0	Range2:1000~26500MHz	-39.39	PASS
Band41	20MHz	QPSK	39750	1RB#0	Range1:30~1000MHz	-47.38	PASS
Band41	20MHz	QPSK	39750	1RB#0	Range2:1000~26500MHz	-39.58	PASS
Band41	20MHz	QPSK	40620	1RB#0	Range1:30~1000MHz	-47.6	PASS
Band41	20MHz	QPSK	40620	1RB#0	Range2:1000~26500MHz	-39.08	PASS
Band41	20MHz	QPSK	41490	1RB#0	Range1:30~1000MHz	-47.78	PASS
Band41	20MHz	QPSK	41490	1RB#0	Range2:1000~26500MHz	-38.74	PASS


Band41	20MHz	16QAM	39750	1RB#0	Range1:30~1000MHz	-47.41	PASS
Band41	20MHz	16QAM	39750	1RB#0	Range2:1000~26500MHz	-38.83	PASS
Band41	20MHz	16QAM	40620	1RB#0	Range1:30~1000MHz	-46.57	PASS
Band41	20MHz	16QAM	40620	1RB#0	Range2:1000~26500MHz	-39.25	PASS
Band41	20MHz	16QAM	41490	1RB#0	Range1:30~1000MHz	-47.82	PASS
Band41	20MHz	16QAM	41490	1RB#0	Range2:1000~26500MHz	-38.76	PASS
Band41	20MHz	64QAM	39750	1RB#0	Range1:30~1000MHz	-47.04	PASS
Band41	20MHz	64QAM	39750	1RB#0	Range2:1000~26500MHz	-38.8	PASS
Band41	20MHz	64QAM	40620	1RB#0	Range1:30~1000MHz	-47.23	PASS
Band41	20MHz	64QAM	40620	1RB#0	Range2:1000~26500MHz	-38.71	PASS
Band41	20MHz	64QAM	41490	1RB#0	Range1:30~1000MHz	-46.17	PASS
Band41	20MHz	64QAM	41490	1RB#0	Range2:1000~26500MHz	-39.15	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	Range1:30~1000MHz	-46.8	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	Range2:1000~20000MHz	-33.99	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range1:30~1000MHz	-47.78	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range2:1000~20000MHz	-34.91	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range1:30~1000MHz	-47.36	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range2:1000~20000MHz	-34.63	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range1:30~1000MHz	-47.8	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range2:1000~20000MHz	-33.4	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range1:30~1000MHz	-46.15	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range2:1000~20000MHz	-34.65	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range1:30~1000MHz	-47.36	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range2:1000~20000MHz	-33.4	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	Range1:30~1000MHz	-47.46	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	Range2:1000~20000MHz	-34.67	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	Range1:30~1000MHz	-47.02	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	Range2:1000~20000MHz	-34.78	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	Range1:30~1000MHz	-48.04	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	Range2:1000~20000MHz	-34.45	PASS
Band66	20MHz	QPSK	132072	1RB#0	Range1:30~1000MHz	-47.45	PASS
Band66	20MHz	QPSK	132072	1RB#0	Range2:1000~20000MHz	-34.57	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range1:30~1000MHz	-47.37	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range2:1000~20000MHz	-34.61	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range1:30~1000MHz	-47.53	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range2:1000~20000MHz	-34.24	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range1:30~1000MHz	-46.62	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range2:1000~20000MHz	-34.75	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range1:30~1000MHz	-47.73	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range2:1000~20000MHz	-33.41	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range1:30~1000MHz	-46.63	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range2:1000~20000MHz	-34.58	PASS

Band66	20MHz	64QAM	132072	1RB#0	Range1:30~1000MHz	-47.92	PASS
Band66	20MHz	64QAM	132072	1RB#0	Range2:1000~20000MHz	-34.3	PASS
Band66	20MHz	64QAM	132322	1RB#0	Range1:30~1000MHz	-47.36	PASS
Band66	20MHz	64QAM	132322	1RB#0	Range2:1000~20000MHz	-34.34	PASS
Band66	20MHz	64QAM	132572	1RB#0	Range1:30~1000MHz	-45.88	PASS
Band66	20MHz	64QAM	132572	1RB#0	Range2:1000~20000MHz	-34.79	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.


Test Graphs






Band2-1.4MHz-16QAM-18607-1RB#0-Range1:30~1000MHz

Band2-1.4MHz-16QAM-18607-1RB#0-Range2:1000~20000MHz





Band2-1.4MHz-16QAM-18900-1RB#0-Range1:30~1000MHz

Band2-1.4MHz-16QAM-18900-1RB#0-Range2:1000~20000MHz











Band2-1.4MHz-64QAM-19193-1RB#0-Range1:30~1000MHz


Band2-1.4MHz-64QAM-19193-1RB#0-Range2:1000~20000MHz





Band2-20MHz-QPSK-18700-1RB#0-Range1:30~1000MHz


Band2-20MHz-QPSK-18700-1RB#0-Range2:1000~20000MHz












Band5-1.4MHz-QPSK-20407-1RB#0-Range1:30~1000MHz

Band5-1.4MHz-QPSK-20407-1RB#0-Range2:1000~10000MHz



Band5-1.4MHz-QPSK-20525-1RB#0-Range1:30~1000MHz

Band5-1.4MHz-QPSK-20525-1RB#0-Range2:1000~10000MHz

