

1 Conducted output power for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Power (dBm) | Unflip EIRP (dBm) | Flip EIRP (dBm) | EIRP Limit (dBm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-------------|-------------------|-----------------|------------------|---------|
| n41 | 15 | 10 | 500202 | 25@12 | DFT_BPSK | 25.00 | 22.00 | 21.81 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | DFT_BPSK | 24.83 | 21.83 | 21.64 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | DFT_BPSK | 25.03 | 22.03 | 21.84 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 25@12 | DFT_QPSK | 25.01 | 22.01 | 21.82 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | DFT_QPSK | 24.74 | 21.74 | 21.55 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | DFT_QPSK | 24.81 | 21.81 | 21.62 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 25@12 | DFT_QAM16 | 23.97 | 20.97 | 20.78 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | DFT_QAM16 | 24.19 | 21.19 | 21 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | DFT_QAM16 | 24.06 | 21.06 | 20.87 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 25@12 | DFT_QAM64 | 22.50 | 19.50 | 19.31 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | DFT_QAM64 | 22.53 | 19.53 | 19.34 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | DFT_QAM64 | 22.54 | 19.54 | 19.35 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 25@12 | DFT_QAM256 | 20.55 | 17.55 | 17.36 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | DFT_QAM256 | 20.58 | 17.58 | 17.39 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | DFT_QAM256 | 20.72 | 17.72 | 17.53 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 26@13 | CP_QPSK | 23.48 | 20.48 | 20.29 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | CP_QPSK | 23.25 | 20.25 | 20.06 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | CP_QPSK | 23.43 | 20.43 | 20.24 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 26@13 | CP_QAM16 | 22.94 | 19.94 | 19.75 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | CP_QAM16 | 22.84 | 19.84 | 19.65 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | CP_QAM16 | 22.94 | 19.94 | 19.75 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 26@13 | CP_QAM64 | 21.42 | 18.42 | 18.23 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | CP_QAM64 | 21.28 | 18.28 | 18.09 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | CP_QAM64 | 21.86 | 18.86 | 18.67 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 26@13 | CP_QAM256 | 18.65 | 15.65 | 15.46 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | CP_QAM256 | 18.99 | 15.99 | 15.8 | 33.01 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | CP_QAM256 | 19.11 | 16.11 | 15.92 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 25@12 | DFT_BPSK | 25.37 | 22.37 | 22.18 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | DFT_BPSK | 25.25 | 22.25 | 22.06 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | DFT_BPSK | 25.42 | 22.42 | 22.23 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 25@12 | DFT_QPSK | 25.38 | 22.38 | 22.19 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | DFT_QPSK | 25.28 | 22.28 | 22.09 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | DFT_QPSK | 25.45 | 22.45 | 22.26 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 25@12 | DFT_QAM16 | 24.40 | 21.40 | 21.21 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | DFT_QAM16 | 24.34 | 21.34 | 21.15 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | DFT_QAM16 | 24.49 | 21.49 | 21.3 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 25@12 | DFT_QAM64 | 22.87 | 19.87 | 19.68 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | DFT_QAM64 | 23.01 | 20.01 | 19.82 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 10 | 518601 | 1@50 | DFT_QAM64 | 23.18 | 20.18 | 19.99 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 25@12 | DFT_QAM256 | 20.95 | 17.95 | 17.76 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | DFT_QAM256 | 21.20 | 18.20 | 18.01 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | DFT_QAM256 | 21.33 | 18.33 | 18.14 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 26@13 | CP_QPSK | 23.88 | 20.88 | 20.69 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | CP_QPSK | 23.55 | 20.55 | 20.36 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | CP_QPSK | 23.75 | 20.75 | 20.56 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 26@13 | CP_QAM16 | 23.29 | 20.29 | 20.1 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | CP_QAM16 | 23.19 | 20.19 | 20 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | CP_QAM16 | 23.65 | 20.65 | 20.46 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 26@13 | CP_QAM64 | 21.83 | 18.83 | 18.64 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | CP_QAM64 | 21.59 | 18.59 | 18.4 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | CP_QAM64 | 21.76 | 18.76 | 18.57 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 26@13 | CP_QAM256 | 19.06 | 16.06 | 15.87 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | CP_QAM256 | 19.18 | 16.18 | 15.99 | 33.01 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | CP_QAM256 | 19.16 | 16.16 | 15.97 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 25@12 | DFT_BPSK | 25.24 | 22.24 | 22.05 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | DFT_BPSK | 25.07 | 22.07 | 21.88 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | DFT_BPSK | 25.16 | 22.16 | 21.97 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 25@12 | DFT_QPSK | 25.25 | 22.25 | 22.06 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | DFT_QPSK | 24.97 | 21.97 | 21.78 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | DFT_QPSK | 25.17 | 22.17 | 21.98 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 25@12 | DFT_QAM16 | 24.26 | 21.26 | 21.07 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | DFT_QAM16 | 24.19 | 21.19 | 21 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | DFT_QAM16 | 24.50 | 21.50 | 21.31 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 25@12 | DFT_QAM64 | 22.78 | 19.78 | 19.59 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | DFT_QAM64 | 22.58 | 19.58 | 19.39 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | DFT_QAM64 | 22.78 | 19.78 | 19.59 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 25@12 | DFT_QAM256 | 20.76 | 17.76 | 17.57 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | DFT_QAM256 | 20.79 | 17.79 | 17.6 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | DFT_QAM256 | 21.27 | 18.27 | 18.08 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 26@13 | CP_QPSK | 23.72 | 20.72 | 20.53 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | CP_QPSK | 23.44 | 20.44 | 20.25 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | CP_QPSK | 23.65 | 20.65 | 20.46 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 26@13 | CP_QAM16 | 23.23 | 20.23 | 20.04 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | CP_QAM16 | 23.31 | 20.31 | 20.12 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | CP_QAM16 | 23.50 | 20.50 | 20.31 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 26@13 | CP_QAM64 | 21.68 | 18.68 | 18.49 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | CP_QAM64 | 21.52 | 18.52 | 18.33 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | CP_QAM64 | 21.69 | 18.69 | 18.5 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 26@13 | CP_QAM256 | 18.75 | 15.75 | 15.56 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | CP_QAM256 | 18.91 | 15.91 | 15.72 | 33.01 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | CP_QAM256 | 19.07 | 16.07 | 15.88 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 15 | 500700 | 36@18 | DFT_BPSK | 25.03 | 22.03 | 21.84 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | DFT_BPSK | 24.75 | 21.75 | 21.56 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | DFT_BPSK | 24.89 | 21.89 | 21.7 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 36@18 | DFT_QPSK | 24.99 | 21.99 | 21.8 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | DFT_QPSK | 24.62 | 21.62 | 21.43 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | DFT_QPSK | 24.80 | 21.80 | 21.61 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 36@18 | DFT_QAM16 | 23.98 | 20.98 | 20.79 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | DFT_QAM16 | 24.14 | 21.14 | 20.95 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | DFT_QAM16 | 24.00 | 21.00 | 20.81 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 36@18 | DFT_QAM64 | 22.50 | 19.50 | 19.31 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | DFT_QAM64 | 22.36 | 19.36 | 19.17 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | DFT_QAM64 | 22.50 | 19.50 | 19.31 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 36@18 | DFT_QAM256 | 20.56 | 17.56 | 17.37 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | DFT_QAM256 | 20.52 | 17.52 | 17.33 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | DFT_QAM256 | 20.63 | 17.63 | 17.44 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 39@19 | CP_QPSK | 23.48 | 20.48 | 20.29 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | CP_QPSK | 23.06 | 20.06 | 19.87 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | CP_QPSK | 23.17 | 20.17 | 19.98 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 39@19 | CP_QAM16 | 23.05 | 20.05 | 19.86 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | CP_QAM16 | 22.76 | 19.76 | 19.57 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | CP_QAM16 | 22.85 | 19.85 | 19.66 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 39@19 | CP_QAM64 | 21.53 | 18.53 | 18.34 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | CP_QAM64 | 21.14 | 18.14 | 17.95 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | CP_QAM64 | 21.24 | 18.24 | 18.05 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 39@19 | CP_QAM256 | 18.69 | 15.69 | 15.5 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | CP_QAM256 | 18.72 | 15.72 | 15.53 | 33.01 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | CP_QAM256 | 18.70 | 15.70 | 15.51 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 36@18 | DFT_BPSK | 25.31 | 22.31 | 22.12 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | DFT_BPSK | 25.15 | 22.15 | 21.96 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | DFT_BPSK | 25.26 | 22.26 | 22.07 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 36@18 | DFT_QPSK | 25.41 | 22.41 | 22.22 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | DFT_QPSK | 24.94 | 21.94 | 21.75 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | DFT_QPSK | 25.12 | 22.12 | 21.93 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 36@18 | DFT_QAM16 | 24.31 | 21.31 | 21.12 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | DFT_QAM16 | 24.41 | 21.41 | 21.22 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | DFT_QAM16 | 24.38 | 21.38 | 21.19 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 36@18 | DFT_QAM64 | 22.88 | 19.88 | 19.69 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | DFT_QAM64 | 22.59 | 19.59 | 19.4 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | DFT_QAM64 | 22.75 | 19.75 | 19.56 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 36@18 | DFT_QAM256 | 20.85 | 17.85 | 17.66 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | DFT_QAM256 | 20.76 | 17.76 | 17.57 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | DFT_QAM256 | 20.93 | 17.93 | 17.74 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 39@19 | CP_QPSK | 23.86 | 20.86 | 20.67 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 15 | 518601 | 1@1 | CP_QPSK | 23.61 | 20.61 | 20.42 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | CP_QPSK | 23.83 | 20.83 | 20.64 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 39@19 | CP_QAM16 | 23.41 | 20.41 | 20.22 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | CP_QAM16 | 23.19 | 20.19 | 20 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | CP_QAM16 | 23.36 | 20.36 | 20.17 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 39@19 | CP_QAM64 | 21.85 | 18.85 | 18.66 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | CP_QAM64 | 22.04 | 19.04 | 18.85 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | CP_QAM64 | 21.71 | 18.71 | 18.52 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 39@19 | CP_QAM256 | 19.04 | 16.04 | 15.85 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | CP_QAM256 | 19.26 | 16.26 | 16.07 | 33.01 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | CP_QAM256 | 19.04 | 16.04 | 15.85 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 36@18 | DFT_BPSK | 25.21 | 22.21 | 22.02 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | DFT_BPSK | 24.89 | 21.89 | 21.7 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | DFT_BPSK | 25.10 | 22.10 | 21.91 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 36@18 | DFT_QPSK | 25.17 | 22.17 | 21.98 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | DFT_QPSK | 24.76 | 21.76 | 21.57 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | DFT_QPSK | 24.94 | 21.94 | 21.75 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 36@18 | DFT_QAM16 | 24.17 | 21.17 | 20.98 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | DFT_QAM16 | 24.20 | 21.20 | 21.01 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | DFT_QAM16 | 24.49 | 21.49 | 21.3 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 36@18 | DFT_QAM64 | 22.74 | 19.74 | 19.55 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | DFT_QAM64 | 22.54 | 19.54 | 19.35 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | DFT_QAM64 | 22.64 | 19.64 | 19.45 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 36@18 | DFT_QAM256 | 20.75 | 17.75 | 17.56 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | DFT_QAM256 | 20.62 | 17.62 | 17.43 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | DFT_QAM256 | 20.92 | 17.92 | 17.73 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 39@19 | CP_QPSK | 23.64 | 20.64 | 20.45 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | CP_QPSK | 23.43 | 20.43 | 20.24 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | CP_QPSK | 23.64 | 20.64 | 20.45 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 39@19 | CP_QAM16 | 23.16 | 20.16 | 19.97 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | CP_QAM16 | 22.94 | 19.94 | 19.75 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | CP_QAM16 | 23.20 | 20.20 | 20.01 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 39@19 | CP_QAM64 | 21.71 | 18.71 | 18.52 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | CP_QAM64 | 21.87 | 18.87 | 18.68 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | CP_QAM64 | 21.61 | 18.61 | 18.42 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 39@19 | CP_QAM256 | 18.69 | 15.69 | 15.5 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | CP_QAM256 | 18.65 | 15.65 | 15.46 | 33.01 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | CP_QAM256 | 19.15 | 16.15 | 15.96 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 50@25 | DFT_BPSK | 25.05 | 22.05 | 21.86 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | DFT_BPSK | 24.93 | 21.93 | 21.74 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | DFT_BPSK | 25.00 | 22.00 | 21.81 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 50@25 | DFT_QPSK | 25.02 | 22.02 | 21.83 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | DFT_QPSK | 24.74 | 21.74 | 21.55 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 20 | 501201 | 1@104 | DFT_QPSK | 25.01 | 22.01 | 21.82 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 50@25 | DFT_QAM16 | 24.08 | 21.08 | 20.89 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | DFT_QAM16 | 24.04 | 21.04 | 20.85 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | DFT_QAM16 | 24.18 | 21.18 | 20.99 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 50@25 | DFT_QAM64 | 22.56 | 19.56 | 19.37 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | DFT_QAM64 | 22.45 | 19.45 | 19.26 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | DFT_QAM64 | 22.55 | 19.55 | 19.36 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 50@25 | DFT_QAM256 | 20.52 | 17.52 | 17.33 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | DFT_QAM256 | 20.69 | 17.69 | 17.5 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | DFT_QAM256 | 20.81 | 17.81 | 17.62 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 53@26 | CP_QPSK | 23.56 | 20.56 | 20.37 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | CP_QPSK | 23.17 | 20.17 | 19.98 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | CP_QPSK | 23.27 | 20.27 | 20.08 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 53@26 | CP_QAM16 | 23.05 | 20.05 | 19.86 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | CP_QAM16 | 23.12 | 20.12 | 19.93 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | CP_QAM16 | 23.04 | 20.04 | 19.85 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 53@26 | CP_QAM64 | 21.51 | 18.51 | 18.32 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | CP_QAM64 | 21.33 | 18.33 | 18.14 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | CP_QAM64 | 21.42 | 18.42 | 18.23 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 53@26 | CP_QAM256 | 18.65 | 15.65 | 15.46 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | CP_QAM256 | 18.76 | 15.76 | 15.57 | 33.01 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | CP_QAM256 | 18.78 | 15.78 | 15.59 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 50@25 | DFT_BPSK | 25.39 | 22.39 | 22.2 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | DFT_BPSK | 25.13 | 22.13 | 21.94 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | DFT_BPSK | 25.32 | 22.32 | 22.13 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 50@25 | DFT_QPSK | 25.33 | 22.33 | 22.14 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | DFT_QPSK | 24.99 | 21.99 | 21.8 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | DFT_QPSK | 25.23 | 22.23 | 22.04 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 50@25 | DFT_QAM16 | 24.37 | 21.37 | 21.18 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | DFT_QAM16 | 24.18 | 21.18 | 20.99 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | DFT_QAM16 | 24.71 | 21.71 | 21.52 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 50@25 | DFT_QAM64 | 22.85 | 19.85 | 19.66 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | DFT_QAM64 | 22.71 | 19.71 | 19.52 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | DFT_QAM64 | 22.96 | 19.96 | 19.77 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 50@25 | DFT_QAM256 | 20.88 | 17.88 | 17.69 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | DFT_QAM256 | 20.91 | 17.91 | 17.72 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | DFT_QAM256 | 21.11 | 18.11 | 17.92 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 53@26 | CP_QPSK | 23.91 | 20.91 | 20.72 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | CP_QPSK | 23.47 | 20.47 | 20.28 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | CP_QPSK | 23.65 | 20.65 | 20.46 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 53@26 | CP_QAM16 | 23.35 | 20.35 | 20.16 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | CP_QAM16 | 23.11 | 20.11 | 19.92 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | CP_QAM16 | 23.32 | 20.32 | 20.13 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 20 | 518601 | 53@26 | CP_QAM64 | 21.88 | 18.88 | 18.69 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | CP_QAM64 | 21.60 | 18.60 | 18.41 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | CP_QAM64 | 21.82 | 18.82 | 18.63 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 53@26 | CP_QAM256 | 19.01 | 16.01 | 15.82 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | CP_QAM256 | 19.05 | 16.05 | 15.86 | 33.01 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | CP_QAM256 | 19.15 | 16.15 | 15.96 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 50@25 | DFT_BPSK | 25.15 | 22.15 | 21.96 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | DFT_BPSK | 25.00 | 22.00 | 21.81 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | DFT_BPSK | 25.09 | 22.09 | 21.9 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 50@25 | DFT_QPSK | 25.15 | 22.15 | 21.96 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | DFT_QPSK | 24.85 | 21.85 | 21.66 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | DFT_QPSK | 25.02 | 22.02 | 21.83 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 50@25 | DFT_QAM16 | 24.15 | 21.15 | 20.96 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | DFT_QAM16 | 24.08 | 21.08 | 20.89 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | DFT_QAM16 | 24.27 | 21.27 | 21.08 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 50@25 | DFT_QAM64 | 22.68 | 19.68 | 19.49 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | DFT_QAM64 | 22.53 | 19.53 | 19.34 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | DFT_QAM64 | 22.80 | 19.80 | 19.61 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 50@25 | DFT_QAM256 | 20.63 | 17.63 | 17.44 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | DFT_QAM256 | 20.73 | 17.73 | 17.54 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | DFT_QAM256 | 20.97 | 17.97 | 17.78 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 53@26 | CP_QPSK | 23.70 | 20.70 | 20.51 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | CP_QPSK | 23.37 | 20.37 | 20.18 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | CP_QPSK | 23.54 | 20.54 | 20.35 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 53@26 | CP_QAM16 | 23.25 | 20.25 | 20.06 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | CP_QAM16 | 22.95 | 19.95 | 19.76 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | CP_QAM16 | 23.11 | 20.11 | 19.92 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 53@26 | CP_QAM64 | 21.64 | 18.64 | 18.45 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | CP_QAM64 | 21.44 | 18.44 | 18.25 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | CP_QAM64 | 21.60 | 18.60 | 18.41 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 53@26 | CP_QAM256 | 18.67 | 15.67 | 15.48 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | CP_QAM256 | 18.76 | 15.76 | 15.57 | 33.01 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | CP_QAM256 | 18.90 | 15.90 | 15.71 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | DFT_BPSK | 25.01 | 22.01 | 21.82 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | DFT_BPSK | 24.55 | 21.55 | 21.36 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | DFT_BPSK | 24.56 | 21.56 | 21.37 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | DFT_QPSK | 25.04 | 22.04 | 21.85 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | DFT_QPSK | 24.42 | 21.42 | 21.23 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | DFT_QPSK | 24.52 | 21.52 | 21.33 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | DFT_QAM16 | 23.99 | 20.99 | 20.8 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | DFT_QAM16 | 23.90 | 20.90 | 20.71 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | DFT_QAM16 | 23.94 | 20.94 | 20.75 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | DFT_QAM64 | 22.58 | 19.58 | 19.39 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 30 | 502200 | 1@1 | DFT_QAM64 | 22.11 | 19.11 | 18.92 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | DFT_QAM64 | 21.97 | 18.97 | 18.78 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | DFT_QAM256 | 20.60 | 17.60 | 17.41 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | DFT_QAM256 | 20.29 | 17.29 | 17.1 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | DFT_QAM256 | 20.45 | 17.45 | 17.26 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | CP_QPSK | 23.47 | 20.47 | 20.28 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | CP_QPSK | 23.00 | 20.00 | 19.81 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | CP_QPSK | 23.02 | 20.02 | 19.83 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | CP_QAM16 | 22.96 | 19.96 | 19.77 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | CP_QAM16 | 22.57 | 19.57 | 19.38 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | CP_QAM16 | 22.63 | 19.63 | 19.44 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | CP_QAM64 | 21.49 | 18.49 | 18.3 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | CP_QAM64 | 21.19 | 18.19 | 18 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | CP_QAM64 | 21.10 | 18.10 | 17.91 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | CP_QAM256 | 18.69 | 15.69 | 15.5 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | CP_QAM256 | 18.61 | 15.61 | 15.42 | 33.01 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | CP_QAM256 | 18.58 | 15.58 | 15.39 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | DFT_BPSK | 25.35 | 22.35 | 22.16 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | DFT_BPSK | 24.82 | 21.82 | 21.63 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | DFT_BPSK | 24.99 | 21.99 | 21.8 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | DFT_QPSK | 25.29 | 22.29 | 22.1 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | DFT_QPSK | 24.74 | 21.74 | 21.55 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | DFT_QPSK | 25.03 | 22.03 | 21.84 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | DFT_QAM16 | 24.33 | 21.33 | 21.14 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | DFT_QAM16 | 24.01 | 21.01 | 20.82 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | DFT_QAM16 | 24.20 | 21.20 | 21.01 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | DFT_QAM64 | 22.83 | 19.83 | 19.64 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | DFT_QAM64 | 22.40 | 19.40 | 19.21 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | DFT_QAM64 | 22.60 | 19.60 | 19.41 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | DFT_QAM256 | 20.83 | 17.83 | 17.64 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | DFT_QAM256 | 20.66 | 17.66 | 17.47 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | DFT_QAM256 | 20.76 | 17.76 | 17.57 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | CP_QPSK | 23.79 | 20.79 | 20.6 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | CP_QPSK | 23.19 | 20.19 | 20 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | CP_QPSK | 23.38 | 20.38 | 20.19 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | CP_QAM16 | 23.28 | 20.28 | 20.09 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | CP_QAM16 | 22.88 | 19.88 | 19.69 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | CP_QAM16 | 23.09 | 20.09 | 19.9 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | CP_QAM64 | 21.80 | 18.80 | 18.61 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | CP_QAM64 | 21.25 | 18.25 | 18.06 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | CP_QAM64 | 21.50 | 18.50 | 18.31 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | CP_QAM256 | 18.99 | 15.99 | 15.8 | 33.01 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | CP_QAM256 | 18.78 | 15.78 | 15.59 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|--------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 30 | 518601 | 1@158 | CP_QAM256 | 18.81 | 15.81 | 15.62 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | DFT_BPSK | 25.11 | 22.11 | 21.92 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | DFT_BPSK | 24.74 | 21.74 | 21.55 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | DFT_BPSK | 24.95 | 21.95 | 21.76 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | DFT_QPSK | 25.06 | 22.06 | 21.87 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | DFT_QPSK | 24.73 | 21.73 | 21.54 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | DFT_QPSK | 24.79 | 21.79 | 21.6 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | DFT_QAM16 | 24.10 | 21.10 | 20.91 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | DFT_QAM16 | 23.92 | 20.92 | 20.73 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | DFT_QAM16 | 24.08 | 21.08 | 20.89 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | DFT_QAM64 | 22.70 | 19.70 | 19.51 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | DFT_QAM64 | 22.23 | 19.23 | 19.04 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | DFT_QAM64 | 22.51 | 19.51 | 19.32 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | DFT_QAM256 | 20.64 | 17.64 | 17.45 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | DFT_QAM256 | 20.48 | 17.48 | 17.29 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | DFT_QAM256 | 20.66 | 17.66 | 17.47 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | CP_QPSK | 23.64 | 20.64 | 20.45 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | CP_QPSK | 23.17 | 20.17 | 19.98 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | CP_QPSK | 23.30 | 20.30 | 20.11 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | CP_QAM16 | 23.17 | 20.17 | 19.98 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | CP_QAM16 | 22.72 | 19.72 | 19.53 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | CP_QAM16 | 22.91 | 19.91 | 19.72 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | CP_QAM64 | 21.69 | 18.69 | 18.5 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | CP_QAM64 | 21.17 | 18.17 | 17.98 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | CP_QAM64 | 21.40 | 18.40 | 18.21 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | CP_QAM256 | 18.67 | 15.67 | 15.48 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | CP_QAM256 | 18.54 | 15.54 | 15.35 | 33.01 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | CP_QAM256 | 18.61 | 15.61 | 15.42 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | DFT_BPSK | 25.02 | 22.02 | 21.83 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | DFT_BPSK | 24.49 | 21.49 | 21.3 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | DFT_BPSK | 24.55 | 21.55 | 21.36 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | DFT_QPSK | 25.06 | 22.06 | 21.87 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | DFT_QPSK | 24.37 | 21.37 | 21.18 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | DFT_QPSK | 24.48 | 21.48 | 21.29 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | DFT_QAM16 | 24.10 | 21.10 | 20.91 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | DFT_QAM16 | 23.63 | 20.63 | 20.44 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | DFT_QAM16 | 23.70 | 20.70 | 20.51 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | DFT_QAM64 | 22.51 | 19.51 | 19.32 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | DFT_QAM64 | 22.05 | 19.05 | 18.86 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | DFT_QAM64 | 22.11 | 19.11 | 18.92 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | DFT_QAM256 | 20.54 | 17.54 | 17.35 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | DFT_QAM256 | 20.25 | 17.25 | 17.06 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | DFT_QAM256 | 20.23 | 17.23 | 17.04 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|--------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 40 | 503202 | 108@54 | CP_QPSK | 23.50 | 20.50 | 20.31 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | CP_QPSK | 22.78 | 19.78 | 19.59 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | CP_QPSK | 22.99 | 19.99 | 19.8 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | CP_QAM16 | 22.99 | 19.99 | 19.8 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | CP_QAM16 | 22.68 | 19.68 | 19.49 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | CP_QAM16 | 22.62 | 19.62 | 19.43 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | CP_QAM64 | 21.48 | 18.48 | 18.29 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | CP_QAM64 | 20.95 | 17.95 | 17.76 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | CP_QAM64 | 21.01 | 18.01 | 17.82 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | CP_QAM256 | 18.69 | 15.69 | 15.5 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | CP_QAM256 | 18.27 | 15.27 | 15.08 | 33.01 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | CP_QAM256 | 18.49 | 15.49 | 15.3 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | DFT_BPSK | 25.36 | 22.36 | 22.17 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | DFT_BPSK | 24.78 | 21.78 | 21.59 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | DFT_BPSK | 24.97 | 21.97 | 21.78 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | DFT_QPSK | 25.40 | 22.40 | 22.21 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | DFT_QPSK | 24.74 | 21.74 | 21.55 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | DFT_QPSK | 24.80 | 21.80 | 21.61 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | DFT_QAM16 | 24.34 | 21.34 | 21.15 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | DFT_QAM16 | 24.02 | 21.02 | 20.83 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | DFT_QAM16 | 24.07 | 21.07 | 20.88 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | DFT_QAM64 | 22.90 | 19.90 | 19.71 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | DFT_QAM64 | 22.27 | 19.27 | 19.08 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | DFT_QAM64 | 22.41 | 19.41 | 19.22 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | DFT_QAM256 | 20.87 | 17.87 | 17.68 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | DFT_QAM256 | 20.48 | 17.48 | 17.29 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | DFT_QAM256 | 20.68 | 17.68 | 17.49 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | CP_QPSK | 23.87 | 20.87 | 20.68 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | CP_QPSK | 23.13 | 20.13 | 19.94 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | CP_QPSK | 23.30 | 20.30 | 20.11 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | CP_QAM16 | 23.30 | 20.30 | 20.11 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | CP_QAM16 | 22.92 | 19.92 | 19.73 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | CP_QAM16 | 22.94 | 19.94 | 19.75 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | CP_QAM64 | 21.81 | 18.81 | 18.62 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | CP_QAM64 | 21.16 | 18.16 | 17.97 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | CP_QAM64 | 21.36 | 18.36 | 18.17 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | CP_QAM256 | 19.03 | 16.03 | 15.84 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | CP_QAM256 | 18.54 | 15.54 | 15.35 | 33.01 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | CP_QAM256 | 18.77 | 15.77 | 15.58 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | DFT_BPSK | 25.05 | 22.05 | 21.86 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | DFT_BPSK | 24.64 | 21.64 | 21.45 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | DFT_BPSK | 24.73 | 21.73 | 21.54 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | DFT_QPSK | 25.16 | 22.16 | 21.97 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|--------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 40 | 534000 | 1@1 | DFT_QPSK | 24.47 | 21.47 | 21.28 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | DFT_QPSK | 24.60 | 21.60 | 21.41 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | DFT_QAM16 | 24.13 | 21.13 | 20.94 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | DFT_QAM16 | 23.71 | 20.71 | 20.52 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | DFT_QAM16 | 23.85 | 20.85 | 20.66 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | DFT_QAM64 | 22.66 | 19.66 | 19.47 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | DFT_QAM64 | 22.21 | 19.21 | 19.02 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | DFT_QAM64 | 22.40 | 19.40 | 19.21 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | DFT_QAM256 | 20.71 | 17.71 | 17.52 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | DFT_QAM256 | 20.48 | 17.48 | 17.29 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | DFT_QAM256 | 20.51 | 17.51 | 17.32 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | CP_QPSK | 23.64 | 20.64 | 20.45 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | CP_QPSK | 23.08 | 20.08 | 19.89 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | CP_QPSK | 23.07 | 20.07 | 19.88 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | CP_QAM16 | 23.12 | 20.12 | 19.93 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | CP_QAM16 | 22.68 | 19.68 | 19.49 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | CP_QAM16 | 22.71 | 19.71 | 19.52 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | CP_QAM64 | 21.62 | 18.62 | 18.43 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | CP_QAM64 | 21.63 | 18.63 | 18.44 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | CP_QAM64 | 21.22 | 18.22 | 18.03 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | CP_QAM256 | 18.74 | 15.74 | 15.55 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | CP_QAM256 | 18.57 | 15.57 | 15.38 | 33.01 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | CP_QAM256 | 18.80 | 15.80 | 15.61 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | DFT_BPSK | 24.98 | 21.98 | 21.79 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | DFT_BPSK | 24.84 | 21.84 | 21.65 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | DFT_BPSK | 24.97 | 21.97 | 21.78 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | DFT_QPSK | 25.02 | 22.02 | 21.83 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | DFT_QPSK | 24.81 | 21.81 | 21.62 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | DFT_QPSK | 24.83 | 21.83 | 21.64 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | DFT_QAM16 | 23.98 | 20.98 | 20.79 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | DFT_QAM16 | 24.09 | 21.09 | 20.9 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | DFT_QAM16 | 24.08 | 21.08 | 20.89 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | DFT_QAM64 | 22.55 | 19.55 | 19.36 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | DFT_QAM64 | 22.41 | 19.41 | 19.22 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | DFT_QAM64 | 22.49 | 19.49 | 19.3 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | DFT_QAM256 | 20.57 | 17.57 | 17.38 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | DFT_QAM256 | 20.61 | 17.61 | 17.42 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | DFT_QAM256 | 20.64 | 17.64 | 17.45 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | CP_QPSK | 23.53 | 20.53 | 20.34 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | CP_QPSK | 23.17 | 20.17 | 19.98 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | CP_QPSK | 23.18 | 20.18 | 19.99 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | CP_QAM16 | 22.97 | 19.97 | 19.78 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | CP_QAM16 | 23.04 | 20.04 | 19.85 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|--------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 50 | 504201 | 1@268 | CP_QAM16 | 23.14 | 20.14 | 19.95 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | CP_QAM64 | 21.52 | 18.52 | 18.33 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | CP_QAM64 | 21.31 | 18.31 | 18.12 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | CP_QAM64 | 21.42 | 18.42 | 18.23 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | CP_QAM256 | 18.69 | 15.69 | 15.5 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | CP_QAM256 | 18.74 | 15.74 | 15.55 | 33.01 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | CP_QAM256 | 18.72 | 15.72 | 15.53 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 25.29 | 22.29 | 22.1 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | DFT_BPSK | 25.10 | 22.10 | 21.91 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | DFT_BPSK | 25.20 | 22.20 | 22.01 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 25.30 | 22.30 | 22.11 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | DFT_QPSK | 24.95 | 21.95 | 21.76 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | DFT_QPSK | 25.00 | 22.00 | 21.81 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QAM16 | 24.35 | 21.35 | 21.16 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | DFT_QAM16 | 24.37 | 21.37 | 21.18 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | DFT_QAM16 | 24.52 | 21.52 | 21.33 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QAM64 | 22.87 | 19.87 | 19.68 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | DFT_QAM64 | 22.59 | 19.59 | 19.4 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | DFT_QAM64 | 22.73 | 19.73 | 19.54 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QAM256 | 20.93 | 17.93 | 17.74 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | DFT_QAM256 | 20.90 | 17.90 | 17.71 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | DFT_QAM256 | 21.08 | 18.08 | 17.89 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | CP_QPSK | 23.87 | 20.87 | 20.68 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | CP_QPSK | 23.50 | 20.50 | 20.31 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | CP_QPSK | 23.73 | 20.73 | 20.54 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | CP_QAM16 | 23.40 | 20.40 | 20.21 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | CP_QAM16 | 23.12 | 20.12 | 19.93 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | CP_QAM16 | 23.33 | 20.33 | 20.14 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | CP_QAM64 | 21.89 | 18.89 | 18.7 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | CP_QAM64 | 21.66 | 18.66 | 18.47 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | CP_QAM64 | 21.87 | 18.87 | 18.68 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | CP_QAM256 | 19.04 | 16.04 | 15.85 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | CP_QAM256 | 18.85 | 15.85 | 15.66 | 33.01 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | CP_QAM256 | 19.32 | 16.32 | 16.13 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | DFT_BPSK | 25.06 | 22.06 | 21.87 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | DFT_BPSK | 24.99 | 21.99 | 21.8 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | DFT_BPSK | 25.02 | 22.02 | 21.83 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | DFT_QPSK | 25.15 | 22.15 | 21.96 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | DFT_QPSK | 24.81 | 21.81 | 21.62 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | DFT_QPSK | 24.91 | 21.91 | 21.72 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | DFT_QAM16 | 24.10 | 21.10 | 20.91 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | DFT_QAM16 | 24.39 | 21.39 | 21.2 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | DFT_QAM16 | 24.38 | 21.38 | 21.19 | 33.01 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|--------|------------|-------|-------|-------|-------|------|
| n41 | 15 | 50 | 532998 | 135@67 | DFT_QAM64 | 22.66 | 19.66 | 19.47 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | DFT_QAM64 | 22.49 | 19.49 | 19.3 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | DFT_QAM64 | 22.51 | 19.51 | 19.32 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | DFT_QAM256 | 20.72 | 17.72 | 17.53 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | DFT_QAM256 | 20.91 | 17.91 | 17.72 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | DFT_QAM256 | 20.97 | 17.97 | 17.78 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | CP_QPSK | 23.67 | 20.67 | 20.48 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | CP_QPSK | 23.47 | 20.47 | 20.28 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | CP_QPSK | 23.52 | 20.52 | 20.33 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | CP_QAM16 | 23.19 | 20.19 | 20 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | CP_QAM16 | 23.04 | 20.04 | 19.85 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | CP_QAM16 | 23.12 | 20.12 | 19.93 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | CP_QAM64 | 21.66 | 18.66 | 18.47 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | CP_QAM64 | 21.57 | 18.57 | 18.38 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | CP_QAM64 | 21.62 | 18.62 | 18.43 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | CP_QAM256 | 18.69 | 15.69 | 15.5 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | CP_QAM256 | 19.14 | 16.14 | 15.95 | 33.01 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | CP_QAM256 | 19.04 | 16.04 | 15.85 | 33.01 | PASS |

2 Frequency stability for NR FR1

NT:

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Voltage (Vdc) | Result(Hz) | Result (ppm) | Limit (ppm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|---------------|------------|--------------|--------------------------------------|---------|
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 3.91 | -6.55 | 0.00 | Within authorized band for 5G NR n41 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 3.45 | -7.58 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 4.50 | -10.64 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 3.91 | -5.87 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 3.45 | -4.72 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 4.50 | -3.16 | 0.00 | | PASS |

Note: Only the worst case shown in the report.

NV:


| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Voltage (Vdc) | Result(Hz) | Result (ppm) | Limit (ppm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|---------------|------------|--------------|--------------------------------------|---------|
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | -30 | -5.25 | 0.00 | Within authorized band for 5G NR n41 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | -20 | -5.8 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | -10 | -3.64 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 0 | -4.64 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 10 | -6.05 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 20 | -3.54 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 30 | -5.88 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 40 | -6.91 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 50 | -3.81 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | -30 | -7.18 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | -20 | -3.34 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | -10 | -1.88 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 0 | -3.49 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 10 | -4.81 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 20 | -3.05 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 30 | -2.45 | 0.00 | | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 40 | -6.16 | 0.00 | PASS | |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 50 | -8.9 | 0.00 | PASS | |

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Result (dB) | high Limit (dB) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-------------|-----------------|---------|
| n41 | 15 | 10 | 518601 | 50@0 | DFT_BPSK | 4.62 | 13 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QPSK | 5.50 | 13 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM16 | 6.35 | 13 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM64 | 6.63 | 13 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM256 | 7.17 | 13 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_BPSK | 4.74 | 13 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QPSK | 5.66 | 13 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM16 | 6.41 | 13 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM64 | 6.74 | 13 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM256 | 7.18 | 13 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_BPSK | 4.63 | 13 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QPSK | 5.67 | 13 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM16 | 6.43 | 13 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM64 | 6.80 | 13 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM256 | 7.02 | 13 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_BPSK | 4.56 | 13 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QPSK | 5.64 | 13 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM16 | 6.43 | 13 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM64 | 6.70 | 13 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM256 | 7.15 | 13 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_BPSK | 5.07 | 13 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QPSK | 5.76 | 13 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM16 | 6.48 | 13 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM64 | 6.72 | 13 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM256 | 7.05 | 13 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_BPSK | 5.12 | 13 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QPSK | 5.78 | 13 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM16 | 6.54 | 13 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM64 | 6.85 | 13 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM256 | 7.10 | 13 | PASS |


n41 SCS=15kHz DFT_BPSK BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QPSK BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM16 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM64 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM256 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_BPSK BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QPSK BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QAM16 BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QAM64 BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QAM256 BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_BPSK BW=20MHz Channel=518601 RB=100@0




n41 SCS=15kHz DFT_QPSK BW=20MHz Channel=518601 RB=100@0




n41 SCS=15kHz DFT_QAM16 BW=20MHz Channel=518601 RB=100@0




n41 SCS=15kHz DFT_QAM64 BW=20MHz Channel=518601 RB=100@0




n41 SCS=15kHz DFT_QAM256 BW=20MHz Channel=518601 RB=100@0




n41 SCS=15kHz DFT_BPSK BW=30MHz Channel=518601 RB=160@0




n41 SCS=15kHz DFT_QPSK BW=30MHz Channel=518601 RB=160@0




n41 SCS=15kHz DFT_QAM16 BW=30MHz Channel=518601 RB=160@0




n41 SCS=15kHz DFT_QAM64 BW=30MHz Channel=518601 RB=160@0




n41 SCS=15kHz DFT_QAM256 BW=30MHz Channel=518601 RB=160@0




n41 SCS=15kHz DFT_BPSK BW=40MHz Channel=518598 RB=216@0




n41 SCS=15kHz DFT_QPSK BW=40MHz Channel=518598 RB=216@0




n41 SCS=15kHz DFT_QAM16 BW=40MHz Channel=518598 RB=216@0




n41 SCS=15kHz DFT_QAM64 BW=40MHz Channel=518598 RB=216@0




n41 SCS=15kHz DFT_QAM256 BW=40MHz Channel=518598 RB=216@0




n41 SCS=15kHz DFT_BPSK BW=50MHz Channel=518601 RB=270@0




n41 SCS=15kHz DFT_QPSK BW=50MHz Channel=518601 RB=270@0




n41 SCS=15kHz DFT_QAM16 BW=50MHz Channel=518601 RB=270@0



n41 SCS=15kHz DFT_QAM64 BW=50MHz Channel=518601 RB=270@0



n41 SCS=15kHz DFT_QAM256 BW=50MHz Channel=518601 RB=270@0



4 Occupied bandwidth for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | 99% OBW (MHz) | -26dB EBW (MHz) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|---------------|-----------------|---------|
| n41 | 15 | 10 | 500202 | 50@0 | DFT_BPSK | 9.210 | 9.470 | PASS |
| n41 | 15 | 10 | 500202 | 50@0 | DFT_QPSK | 9.240 | 9.480 | PASS |
| n41 | 15 | 10 | 500202 | 50@0 | DFT_QAM16 | 9.220 | 9.470 | PASS |
| n41 | 15 | 10 | 500202 | 50@0 | DFT_QAM64 | 9.210 | 9.480 | PASS |
| n41 | 15 | 10 | 500202 | 50@0 | DFT_QAM256 | 9.220 | 9.490 | PASS |
| n41 | 15 | 10 | 500202 | 52@0 | CP_QPSK | 9.330 | 9.830 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_BPSK | 9.210 | 9.470 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QPSK | 9.220 | 9.470 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM16 | 9.220 | 9.490 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM64 | 9.220 | 9.470 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM256 | 9.240 | 9.490 | PASS |
| n41 | 15 | 10 | 518601 | 52@0 | CP_QPSK | 9.330 | 9.830 | PASS |
| n41 | 15 | 10 | 537000 | 50@0 | DFT_BPSK | 9.210 | 9.470 | PASS |
| n41 | 15 | 10 | 537000 | 50@0 | DFT_QPSK | 9.180 | 9.470 | PASS |
| n41 | 15 | 10 | 537000 | 50@0 | DFT_QAM16 | 9.170 | 9.470 | PASS |
| n41 | 15 | 10 | 537000 | 50@0 | DFT_QAM64 | 9.240 | 9.490 | PASS |
| n41 | 15 | 10 | 537000 | 50@0 | DFT_QAM256 | 9.220 | 9.480 | PASS |
| n41 | 15 | 10 | 537000 | 52@0 | CP_QPSK | 9.330 | 9.830 | PASS |
| n41 | 15 | 15 | 500700 | 75@0 | DFT_BPSK | 13.990 | 14.210 | PASS |
| n41 | 15 | 15 | 500700 | 75@0 | DFT_QPSK | 13.990 | 14.200 | PASS |
| n41 | 15 | 15 | 500700 | 75@0 | DFT_QAM16 | 13.980 | 14.190 | PASS |
| n41 | 15 | 15 | 500700 | 75@0 | DFT_QAM64 | 14.000 | 14.200 | PASS |
| n41 | 15 | 15 | 500700 | 75@0 | DFT_QAM256 | 13.980 | 14.210 | PASS |
| n41 | 15 | 15 | 500700 | 79@0 | CP_QPSK | 14.170 | 14.920 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_BPSK | 13.990 | 14.200 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QPSK | 13.990 | 14.200 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM16 | 13.990 | 14.190 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM64 | 13.990 | 14.190 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM256 | 13.990 | 14.210 | PASS |
| n41 | 15 | 15 | 518601 | 79@0 | CP_QPSK | 14.170 | 14.920 | PASS |
| n41 | 15 | 15 | 536499 | 75@0 | DFT_BPSK | 13.980 | 14.200 | PASS |
| n41 | 15 | 15 | 536499 | 75@0 | DFT_QPSK | 13.990 | 14.190 | PASS |
| n41 | 15 | 15 | 536499 | 75@0 | DFT_QAM16 | 13.980 | 14.200 | PASS |
| n41 | 15 | 15 | 536499 | 75@0 | DFT_QAM64 | 14.000 | 14.200 | PASS |
| n41 | 15 | 15 | 536499 | 75@0 | DFT_QAM256 | 13.990 | 14.200 | PASS |
| n41 | 15 | 15 | 536499 | 79@0 | CP_QPSK | 14.170 | 14.920 | PASS |
| n41 | 15 | 20 | 501201 | 100@0 | DFT_BPSK | 18.740 | 18.900 | PASS |
| n41 | 15 | 20 | 501201 | 100@0 | DFT_QPSK | 18.740 | 18.910 | PASS |
| n41 | 15 | 20 | 501201 | 100@0 | DFT_QAM16 | 18.730 | 18.900 | PASS |


| | | | | | | | | |
|-----|----|----|--------|-------|------------|--------|--------|------|
| n41 | 15 | 20 | 501201 | 100@0 | DFT_QAM64 | 18.760 | 18.910 | PASS |
| n41 | 15 | 20 | 501201 | 100@0 | DFT_QAM256 | 18.750 | 18.910 | PASS |
| n41 | 15 | 20 | 501201 | 106@0 | CP_QPSK | 18.990 | 19.990 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_BPSK | 18.750 | 18.900 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QPSK | 18.750 | 18.920 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM16 | 18.810 | 18.910 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM64 | 18.810 | 18.920 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM256 | 18.810 | 18.920 | PASS |
| n41 | 15 | 20 | 518601 | 106@0 | CP_QPSK | 18.990 | 19.980 | PASS |
| n41 | 15 | 20 | 535998 | 100@0 | DFT_BPSK | 18.740 | 18.900 | PASS |
| n41 | 15 | 20 | 535998 | 100@0 | DFT_QPSK | 18.740 | 18.920 | PASS |
| n41 | 15 | 20 | 535998 | 100@0 | DFT_QAM16 | 18.800 | 18.920 | PASS |
| n41 | 15 | 20 | 535998 | 100@0 | DFT_QAM64 | 18.800 | 18.920 | PASS |
| n41 | 15 | 20 | 535998 | 100@0 | DFT_QAM256 | 18.750 | 18.920 | PASS |
| n41 | 15 | 20 | 535998 | 106@0 | CP_QPSK | 18.980 | 19.980 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | DFT_BPSK | 28.620 | 30.190 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | DFT_QPSK | 28.690 | 30.200 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | DFT_QAM16 | 28.620 | 30.180 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | DFT_QAM64 | 28.680 | 30.190 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | DFT_QAM256 | 28.620 | 30.180 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | CP_QPSK | 28.690 | 30.210 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_BPSK | 28.700 | 30.200 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QPSK | 28.690 | 30.190 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM16 | 28.680 | 30.180 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM64 | 28.690 | 30.190 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM256 | 28.700 | 30.200 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | CP_QPSK | 28.690 | 30.210 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | DFT_BPSK | 28.690 | 30.210 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | DFT_QPSK | 28.690 | 30.190 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | DFT_QAM16 | 28.700 | 30.210 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | DFT_QAM64 | 28.700 | 30.200 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | DFT_QAM256 | 28.700 | 30.210 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | CP_QPSK | 28.700 | 30.210 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | DFT_BPSK | 38.720 | 40.730 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | DFT_QPSK | 38.740 | 40.730 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | DFT_QAM16 | 38.720 | 40.730 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | DFT_QAM64 | 38.640 | 40.720 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | DFT_QAM256 | 38.740 | 40.740 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | CP_QPSK | 38.730 | 40.740 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_BPSK | 38.730 | 40.730 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QPSK | 38.730 | 40.730 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM16 | 38.730 | 40.730 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM64 | 38.740 | 40.730 | PASS |

| | | | | | | | | |
|-----|----|----|--------|-------|------------|--------|--------|------|
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM256 | 38.740 | 40.740 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | CP_QPSK | 38.740 | 40.750 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | DFT_BPSK | 38.740 | 40.740 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | DFT_QPSK | 38.740 | 40.740 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | DFT_QAM16 | 38.740 | 40.740 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | DFT_QAM64 | 38.750 | 40.740 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | DFT_QAM256 | 38.740 | 40.730 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | CP_QPSK | 38.750 | 40.750 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | DFT_BPSK | 48.400 | 50.850 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | DFT_QPSK | 48.410 | 50.850 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | DFT_QAM16 | 48.410 | 50.840 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | DFT_QAM64 | 48.290 | 50.830 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | DFT_QAM256 | 48.420 | 50.880 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | CP_QPSK | 48.410 | 50.880 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_BPSK | 48.420 | 50.870 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QPSK | 48.290 | 50.820 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM16 | 48.410 | 50.840 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM64 | 48.280 | 50.840 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM256 | 48.290 | 50.840 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | CP_QPSK | 48.400 | 50.880 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | DFT_BPSK | 48.440 | 50.890 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | DFT_QPSK | 48.420 | 50.860 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | DFT_QAM16 | 48.430 | 50.880 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | DFT_QAM64 | 48.440 | 50.900 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | DFT_QAM256 | 48.440 | 50.900 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | CP_QPSK | 48.430 | 50.900 | PASS |


n41 SCS=15kHz DFT_BPSK BW=10MHz Channel=500202 RB=50@0




n41 SCS=15kHz DFT_QPSK BW=10MHz Channel=500202 RB=50@0




n41 SCS=15kHz DFT_QAM16 BW=10MHz Channel=500202 RB=50@0




n41 SCS=15kHz DFT_QAM64 BW=10MHz Channel=500202 RB=50@0




n41 SCS=15kHz DFT_QAM256 BW=10MHz Channel=500202 RB=50@0



n41 SCS=15kHz CP_QPSK BW=10MHz Channel=500202 RB=52@0




n41 SCS=15kHz DFT_BPSK BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QPSK BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM16 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM64 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM256 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz CP_QPSK BW=10MHz Channel=518601 RB=52@0



n41 SCS=15kHz DFT_BPSK BW=10MHz Channel=537000 RB=50@0



n41 SCS=15kHz DFT_QPSK BW=10MHz Channel=537000 RB=50@0



n41 SCS=15kHz DFT_QAM16 BW=10MHz Channel=537000 RB=50@0



n41 SCS=15kHz DFT_QAM64 BW=10MHz Channel=537000 RB=50@0

