


802.11ac VHT160-BF_Nss2,(MCS0)_4TX

EBW


5250MHz

29/07/2019

CF
5.33GHz
Span
160MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.33GHz
Span
160MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Sample



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.28M	5.25G	5.33128G	75.642M	5.251719G	5.327361G	Inf	1
81.12M	5.25G	5.33112G	75.562M	5.251879G	5.327441G	Inf	2
80.96M	5.25G	5.33096G	75.562M	5.251799G	5.327361G	Inf	3
80.72M	5.25G	5.33072G	75.482M	5.251799G	5.327281G	Inf	4


802.11ac VHT160-BF_Nss2,(MCS0)_4TX

EBW


5570MHz

29/07/2019

CF
5.57GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.57GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Sample



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
164.4M	5.48816G	5.65256G	153.283M	5.493718G	5.647001G	Inf	1
165.12M	5.48792G	5.65304G	154.003M	5.493238G	5.647241G	Inf	2
163.44M	5.4884G	5.65184G	153.283M	5.493718G	5.647001G	Inf	3
164.4M	5.48816G	5.65256G	154.243M	5.492999G	5.647241G	Inf	4


802.11ax HEW80-BF_Nss2,(MCS0)_4TX

EBW


5530MHz

29/07/2019

CF
5.53GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.53GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Sample



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.24M	5.4898G	5.57104G	77.001M	5.491499G	5.568501G	Inf	1
81.36M	5.48956G	5.57092G	76.882M	5.491739G	5.568621G	Inf	2
81.36M	5.4898G	5.57116G	76.762M	5.491859G	5.568621G	Inf	3
81.48M	5.48944G	5.57092G	77.121M	5.491499G	5.568621G	Inf	4


802.11ax HEW160-BF_Nss2,(MCS0)_4TX

EBW


5250MHz Straddle 5.15-5.25GHz

29/07/2019

CF
5.17GHz
Span
160MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.17GHz
Span
160MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Sample



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.52M	5.16848G	5.25G	77.081M	5.171839G	5.248921G	Inf	1
81.28M	5.16872G	5.25G	77.161M	5.171679G	5.248841G	Inf	2
81.44M	5.16856G	5.25G	77.161M	5.171759G	5.248921G	Inf	3
81.2M	5.1688G	5.25G	77.241M	5.171679G	5.248921G	Inf	4

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

EBW

5250MHz

29/07/2019




802.11ax HEW160-BF_Nss2,(MCS0)_4TX

EBW

5570MHz

29/07/2019



<non-beamforming mode> 4T3S

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11ac VHT160_Nss3,(MCS0)_4TX	81.36M	75.962M	76M0D1D	80.48M	75.642M
802.11ax HEW160_Nss3,(MCS0)_4TX	81.84M	77.241M	77M2D1D	80.8M	76.922M
5.25-5.35GHz	-	-	-	-	-
802.11ac VHT160_Nss3,(MCS0)_4TX	81.6M	75.802M	75M8D1D	80.48M	75.562M
802.11ax HEW160_Nss3,(MCS0)_4TX	81.68M	76.842M	76M8D1D	80.64M	76.682M
5.47-5.725GHz	-	-	-	-	-
802.11ac VHT80_Nss3,(MCS0)_4TX	81.36M	75.802M	75M8D1D	80.64M	75.562M
802.11ac VHT160_Nss3,(MCS0)_4TX	166.08M	154.483M	154MD1D	162.96M	153.523M
802.11ax HEW80_Nss3,(MCS0)_4TX	81.84M	76.882M	76M9D1D	81.12M	76.522M
802.11ax HEW160_Nss3,(MCS0)_4TX	165.6M	155.442M	155MD1D	163.68M	154.243M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11ac VHT80_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	Inf	81.12M	75.562M	81.12M	75.802M	80.64M	75.682M	81.36M	75.802M
802.11ac VHT160_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.28M	75.802M	81.36M	75.962M	80.48M	75.642M	80.88M	75.802M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	80.88M	75.642M	80.48M	75.562M	80.56M	75.642M	81.6M	75.802M
5570MHz	Pass	Inf	163.68M	153.763M	163.92M	154.003M	162.96M	153.523M	166.08M	154.483M
802.11ax HEW80_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	Inf	81.48M	76.762M	81.84M	76.882M	81.12M	76.522M	81.36M	76.642M
802.11ax HEW160_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.8M	76.922M	81.12M	77.241M	80.8M	77.001M	81.84M	77.001M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	80.72M	76.842M	80.64M	76.842M	81.68M	76.682M	80.96M	76.762M
5570MHz	Pass	Inf	163.68M	154.243M	163.92M	154.963M	164.88M	154.243M	165.6M	155.442M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band


Port X-OBW = Port X 99% occupied bandwidth;

802.11ac VHT80_Nss3,(MCS0)_4TX

EBW

5530MHz

31/07/2019




802.11ac VHT160_Nss3,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

31/07/2019




802.11ac VHT160_Nss3,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

31/07/2019




802.11ac VHT160_Nss3,(MCS0)_4TX

EBW

5570MHz

31/07/2019




802.11ax HEW80_Nss3,(MCS0)_4TX

EBW


5530MHz

31/07/2019

CF
5.53GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.53GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Sample



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.48M	5.48968G	5.57116G	76.762M	5.491739G	5.568501G	Inf	1
81.84M	5.48932G	5.57116G	76.882M	5.491619G	5.568501G	Inf	2
81.12M	5.48968G	5.5708G	76.522M	5.491979G	5.568501G	Inf	3
81.36M	5.48932G	5.57068G	76.642M	5.491619G	5.568261G	Inf	4


802.11ax HEW160_Nss3,(MCS0)_4TX

EBW


5250MHz Straddle 5.15-5.25GHz

31/07/2019

CF
5.17GHz
Span
160MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.17GHz
Span
160MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Sample



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.8M	5.1692G	5.25G	76.922M	5.171919G	5.248841G	Inf	1
81.12M	5.16888G	5.25G	77.241M	5.171679G	5.248921G	Inf	2
80.8M	5.1692G	5.25G	77.001M	5.171919G	5.248921G	Inf	3
81.84M	5.16816G	5.25G	77.001M	5.171839G	5.248841G	Inf	4

802.11ax HEW160_Nss3,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

31/07/2019




802.11ax HEW160_Nss3,(MCS0)_4TX

EBW

5570MHz

31/07/2019



<beamforming mode> 4T3S
Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	81.28M	75.802M	75M8D1D	80.48M	75.642M
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	81.84M	77.001M	77M0D1D	80.8M	76.842M
5.25-5.35GHz	-	-	-	-	-
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	81.52M	75.722M	75M7D1D	80.4M	75.562M
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	82M	76.922M	76M9D1D	80.4M	76.682M
5.47-5.725GHz	-	-	-	-	-
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	81.36M	75.682M	75M7D1D	80.76M	75.442M
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	165.84M	154.723M	155MD1D	162.96M	153.043M
802.11ax HEW80-BF_Nss3,(MCS0)_4TX	82.08M	76.882M	76M9D1D	81M	76.402M
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	165.12M	154.963M	155MD1D	163.68M	153.763M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	Inf	81.12M	75.682M	81.12M	75.682M	80.76M	75.442M	81.36M	75.562M
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.28M	75.802M	81.12M	75.642M	80.48M	75.642M	81.04M	75.802M
5250MHz	Pass	Inf	80.88M	75.642M	80.4M	75.562M	80.48M	75.642M	81.52M	75.722M
5570MHz	Pass	Inf	163.68M	153.763M	163.92M	154.723M	162.96M	153.043M	165.84M	154.243M
802.11ax HEW80-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	Inf	81.84M	76.762M	82.08M	76.882M	81M	76.402M	81.36M	76.882M
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.8M	76.842M	81.12M	77.001M	80.8M	76.922M	81.84M	77.001M
5250MHz	Pass	Inf	80.72M	76.682M	81.36M	76.922M	82M	76.922M	80.4M	76.682M
5570MHz	Pass	Inf	163.68M	154.243M	163.92M	154.963M	164.4M	153.763M	165.12M	154.963M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band


Port X-OBW = Port X 99% occupied bandwidth;

802.11ac VHT80-BF_Nss3,(MCS0)_4TX

EBW

5530MHz

29/07/2019




802.11ac VHT160-BF_Nss3,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

29/07/2019




802.11ac VHT160-BF_Nss3,(MCS0)_4TX

EBW

5250MHz

29/07/2019




802.11ac VHT160-BF_Nss3,(MCS0)_4TX

EBW

5570MHz

29/07/2019




802.11ax HEW80-BF_Nss3,(MCS0)_4TX

EBW


5530MHz

29/07/2019

CF
5.53GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.53GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Sample



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.84M	5.48968G	5.57152G	76.762M	5.491739G	5.568501G	Inf	1
82.08M	5.4892G	5.57128G	76.882M	5.491619G	5.568501G	Inf	2
81M	5.48968G	5.57068G	76.402M	5.491979G	5.568381G	Inf	3
81.36M	5.48932G	5.57068G	76.882M	5.491499G	5.568381G	Inf	4


802.11ax HEW160-BF_Nss3,(MCS0)_4TX

EBW


5250MHz Straddle 5.15-5.25GHz

29/07/2019

CF
5.17GHz
Span
160MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.17GHz
Span
160MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Sample



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.8M	5.1692G	5.25G	76.842M	5.171919G	5.248761G	Inf	1
81.12M	5.16888G	5.25G	77.001M	5.171759G	5.248761G	Inf	2
80.8M	5.1692G	5.25G	76.922M	5.171999G	5.248921G	Inf	3
81.84M	5.16816G	5.25G	77.001M	5.171839G	5.248841G	Inf	4

802.11ax HEW160-BF_Nss3,(MCS0)_4TX

EBW

5250MHz

29/07/2019




802.11ax HEW160-BF_Nss3,(MCS0)_4TX

EBW

5570MHz

29/07/2019





<non-beamforming mode> 4T1S
Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11ac VHT160_Nss1,(MCS0)_4TX	18.03	0.06353
802.11ax HEW160_Nss1,(MCS0)_4TX	18.56	0.07178
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	23.95	0.24831
802.11ac VHT20_Nss1,(MCS0)_4TX	23.89	0.24491
802.11ac VHT40_Nss1,(MCS0)_4TX	23.94	0.24774
802.11ac VHT80_Nss1,(MCS0)_4TX	23.83	0.24155
802.11ac VHT160_Nss1,(MCS0)_4TX	18.02	0.06339
802.11ax HEW20_Nss1,(MCS0)_4TX	23.96	0.24889
802.11ax HEW40_Nss1,(MCS0)_4TX	23.95	0.24831
802.11ax HEW80_Nss1,(MCS0)_4TX	23.87	0.24378
802.11ax HEW160_Nss1,(MCS0)_4TX	18.48	0.07047
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	23.82	0.24099
802.11ac VHT20_Nss1,(MCS0)_4TX	23.92	0.24660
802.11ac VHT40_Nss1,(MCS0)_4TX	23.97	0.24946
802.11ac VHT80_Nss1,(MCS0)_4TX	23.81	0.24044
802.11ac VHT160_Nss1,(MCS0)_4TX	22.21	0.16634
802.11ax HEW20_Nss1,(MCS0)_4TX	23.94	0.24774
802.11ax HEW40_Nss1,(MCS0)_4TX	23.96	0.24889
802.11ax HEW80_Nss1,(MCS0)_4TX	23.94	0.24774
802.11ax HEW160_Nss1,(MCS0)_4TX	21.84	0.15276
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	16.86	0.04853
802.11ac VHT20_Nss1,(MCS0)_4TX	17.47	0.05585
802.11ac VHT40_Nss1,(MCS0)_4TX	13.77	0.02382
802.11ac VHT80_Nss1,(MCS0)_4TX	10.04	0.01009
802.11ax HEW20_Nss1,(MCS0)_4TX	17.89	0.06152
802.11ax HEW40_Nss1,(MCS0)_4TX	14.51	0.02825
802.11ax HEW80_Nss1,(MCS0)_4TX	10.87	0.01222



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.00	18.01	17.75	17.96	17.91	23.93	23.98
5300MHz	Pass	6.00	18.06	17.93	17.74	17.98	23.95	23.98
5320MHz	Pass	6.00	17.55	18.08	17.53	17.85	23.78	23.98
5500MHz	Pass	5.10	18.06	17.65	17.45	17.99	23.82	23.98
5580MHz	Pass	5.10	17.64	17.79	17.89	17.84	23.81	23.98
5700MHz	Pass	5.10	17.70	17.66	17.82	17.90	23.79	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.10	16.58	16.66	16.74	16.91	22.74	22.91
5720MHz Straddle 5.725-5.85GHz	Pass	4.70	10.62	10.80	10.75	11.17	16.86	30.00
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.00	17.74	17.77	17.83	17.81	23.81	23.98
5300MHz	Pass	6.00	17.68	17.62	17.86	17.83	23.77	23.98
5320MHz	Pass	6.00	17.75	18.06	17.72	17.94	23.89	23.98
5500MHz	Pass	5.10	18.03	17.71	17.64	17.91	23.85	23.98
5580MHz	Pass	5.10	17.98	17.64	18.00	17.84	23.89	23.98
5700MHz	Pass	5.10	17.86	17.76	17.76	18.19	23.92	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.10	16.90	16.60	16.88	16.95	22.86	22.95
5720MHz Straddle 5.725-5.85GHz	Pass	4.70	11.29	11.35	11.48	11.68	17.47	30.00
802.11ac VHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	6.00	18.11	17.71	17.82	18.01	23.94	23.98
5310MHz	Pass	6.00	17.79	17.75	17.77	18.02	23.85	23.98
5510MHz	Pass	5.10	17.47	17.40	17.20	17.36	23.38	23.98
5550MHz	Pass	5.10	17.95	17.81	18.12	17.91	23.97	23.98
5670MHz	Pass	5.10	17.72	17.61	17.98	17.88	23.82	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.10	17.94	17.53	17.89	17.93	23.85	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	4.70	7.43	7.82	7.68	8.03	13.77	30.00
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.00	17.82	17.75	17.72	17.96	23.83	23.98
5530MHz	Pass	5.10	17.82	17.73	17.70	17.70	23.76	23.98
5610MHz	Pass	5.10	17.93	17.41	17.85	17.95	23.81	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.10	17.84	17.50	17.85	17.92	23.80	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	4.70	3.56	4.07	3.76	4.61	10.04	30.00
802.11ac VHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.80	12.12	12.13	11.60	12.18	18.03	30.00
5250MHz	Pass	6.00	12.17	11.85	12.02	11.96	18.02	23.98
5570MHz	Pass	5.10	16.17	16.09	16.31	16.17	22.21	23.98
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.00	17.84	17.87	17.78	17.90	23.87	23.98
5300MHz	Pass	6.00	17.73	17.92	17.72	17.90	23.84	23.98
5320MHz	Pass	6.00	17.88	18.18	17.77	17.91	23.96	23.98
5500MHz	Pass	5.10	18.09	17.80	17.85	17.92	23.94	23.98
5580MHz	Pass	5.10	17.79	17.68	18.13	17.89	23.90	23.98
5700MHz	Pass	5.10	16.46	16.66	16.48	16.71	22.60	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.10	16.70	16.59	16.81	17.02	22.80	22.94









Average Power




Appendix B.1




Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
5720MHz Straddle 5.725-5.85GHz	Pass	4.70	11.59	11.79	11.88	12.21	17.89	30.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	6.00	18.08	17.79	17.69	18.10	23.94	23.98
5310MHz	Pass	6.00	17.94	17.89	17.86	18.04	23.95	23.98
5510MHz	Pass	5.10	17.73	17.83	17.78	17.68	23.78	23.98
5550MHz	Pass	5.10	17.71	17.83	18.01	18.06	23.93	23.98
5670MHz	Pass	5.10	17.71	17.42	17.97	17.88	23.77	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.10	18.01	17.62	18.05	18.05	23.96	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	4.70	8.13	8.56	8.51	8.74	14.51	30.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.00	17.79	17.82	17.77	18.02	23.87	23.98
5530MHz	Pass	5.10	17.83	17.82	17.71	17.84	23.82	23.98
5610MHz	Pass	5.10	17.99	17.53	17.69	17.79	23.77	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.10	17.88	17.65	18.05	18.10	23.94	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	4.70	4.21	4.98	4.66	5.47	10.87	30.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.80	12.65	12.67	12.07	12.72	18.56	30.00
5250MHz	Pass	6.00	12.55	12.40	12.56	12.31	18.48	23.98
5570MHz	Pass	5.10	15.89	15.69	15.85	15.85	21.84	23.98




DG = Directional Gain; **Port X** = Port X output power


















<beamforming mode> 4T1S
Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11ac VHT160-BF_Nss1,(MCS0)_4TX	19.97	0.09931
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	19.14	0.08204
5.25-5.35GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	23.89	0.24491
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	23.94	0.24774
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	23.83	0.24155
802.11ac VHT160-BF_Nss1,(MCS0)_4TX	20.02	0.10046
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	23.96	0.24889
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	23.95	0.24831
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	23.87	0.24378
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	19.13	0.08185
5.47-5.725GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	23.92	0.24660
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	23.97	0.24946
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	23.81	0.24044
802.11ac VHT160-BF_Nss1,(MCS0)_4TX	22.68	0.18535
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	23.95	0.24831
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	23.96	0.24889
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	23.94	0.24774
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	23.21	0.20941
5.725-5.85GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	17.47	0.05585
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	13.77	0.02382
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	10.04	0.01009
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	17.89	0.06152
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	14.51	0.02825
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	10.87	0.01222



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.20	17.74	17.77	17.83	17.81	23.81	23.98
5300MHz	Pass	4.20	17.68	17.62	17.86	17.83	23.77	23.98
5320MHz	Pass	4.20	17.75	18.06	17.72	17.94	23.89	23.98
5500MHz	Pass	5.10	18.03	17.71	17.64	17.91	23.85	23.98
5580MHz	Pass	5.10	17.98	17.64	18.00	17.84	23.89	23.98
5700MHz	Pass	5.10	17.86	17.76	17.76	18.19	23.92	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.10	16.90	16.60	16.88	16.95	22.86	22.95
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	11.29	11.35	11.48	11.68	17.47	30.00
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.20	18.11	17.71	17.82	18.01	23.94	23.98
5310MHz	Pass	4.20	17.79	17.75	17.77	18.02	23.85	23.98
5510MHz	Pass	5.10	16.42	16.36	16.26	16.25	22.34	23.98
5550MHz	Pass	5.10	17.95	17.81	18.12	17.91	23.97	23.98
5670MHz	Pass	5.10	17.72	17.61	17.98	17.88	23.82	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.10	17.94	17.53	17.89	17.93	23.85	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	7.43	7.82	7.68	8.03	13.77	30.00
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.20	17.82	17.75	17.72	17.96	23.83	23.98
5530MHz	Pass	5.10	17.82	17.73	17.70	17.70	23.76	23.98
5610MHz	Pass	5.10	17.93	17.41	17.85	17.95	23.81	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.10	17.84	17.50	17.85	17.92	23.80	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	3.56	4.07	3.76	4.61	10.04	30.00
802.11ac VHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	14.14	13.94	13.71	13.98	19.97	30.00
5250MHz	Pass	4.20	14.18	13.78	14.18	13.83	20.02	23.98
5570MHz	Pass	5.10	16.71	16.55	16.67	16.72	22.68	23.98
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.20	17.84	17.87	17.78	17.90	23.87	23.98
5300MHz	Pass	4.20	17.73	17.92	17.72	17.90	23.84	23.98
5320MHz	Pass	4.20	17.88	18.18	17.77	17.91	23.96	23.98
5500MHz	Pass	5.10	18.09	17.80	17.85	17.92	23.94	23.98
5580MHz	Pass	5.10	17.79	17.68	18.13	17.89	23.90	23.98
5700MHz	Pass	5.10	17.76	17.76	18.08	18.11	23.95	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.10	16.70	16.59	16.81	17.02	22.80	22.93
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	11.59	11.79	11.88	12.21	17.89	30.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.20	18.08	17.79	17.69	18.10	23.94	23.98
5310MHz	Pass	4.20	17.94	17.89	17.86	18.04	23.95	23.98
5510MHz	Pass	5.10	16.74	16.89	16.62	16.80	22.78	23.98
5550MHz	Pass	5.10	17.71	17.83	18.01	18.06	23.93	23.98
5670MHz	Pass	5.10	17.71	17.42	17.97	17.88	23.77	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.10	18.01	17.62	18.05	18.05	23.96	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	8.13	8.56	8.51	8.74	14.51	30.00









Average Power




Appendix B.2




Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.20	17.79	17.82	17.77	18.02	23.87	23.98
5530MHz	Pass	5.10	17.83	17.82	17.71	17.84	23.82	23.98
5610MHz	Pass	5.10	17.99	17.53	17.69	17.79	23.77	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.10	17.88	17.65	18.05	18.10	23.94	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	4.21	4.98	4.66	5.47	10.87	30.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	13.22	13.10	12.94	13.23	19.14	30.00
5250MHz	Pass	4.20	13.17	12.88	13.35	13.02	19.13	23.98
5570MHz	Pass	5.10	17.25	17.08	17.17	17.24	23.21	23.98




DG = Directional Gain; **Port X** = Port X output power
















<non-beamforming mode> 4T2S

Summary




Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11ac VHT160_Nss2,(MCS0)_4TX	18.35	0.06839
802.11ax HEW160_Nss2,(MCS0)_4TX	17.96	0.06252
5.25-5.35GHz	-	-
802.11ac VHT160_Nss2,(MCS0)_4TX	18.38	0.06887
802.11ax HEW160_Nss2,(MCS0)_4TX	17.96	0.06252
5.47-5.725GHz	-	-
802.11ac VHT80_Nss2,(MCS0)_4TX	23.96	0.24889
802.11ac VHT160_Nss2,(MCS0)_4TX	21.14	0.13002
802.11ax HEW80_Nss2,(MCS0)_4TX	23.90	0.24547
802.11ax HEW160_Nss2,(MCS0)_4TX	21.58	0.14388




Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ac VHT80_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.10	18.03	17.89	17.81	18.02	23.96	23.98
802.11ac VHT160_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.80	12.49	12.48	11.97	12.37	18.35	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	6.00	12.61	12.23	12.34	12.24	18.38	23.98
5570MHz	Pass	5.10	15.21	14.92	15.22	15.13	21.14	23.98
802.11ax HEW80_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.10	17.97	18.01	17.81	17.74	23.90	23.98
802.11ax HEW160_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.80	12.16	12.14	11.47	11.97	17.96	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	6.00	12.27	11.89	11.85	11.71	17.96	23.98
5570MHz	Pass	5.10	15.74	15.38	15.61	15.48	21.58	23.98

DG = Directional Gain; **Port X** = Port X output power







<beamforming mode> 4T2S

Summary




Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11ac VHT160-BF_Nss2,(MCS0)_4TX	20.28	0.10666
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	19.91	0.09795
5.25-5.35GHz	-	-
802.11ac VHT160-BF_Nss2,(MCS0)_4TX	20.36	0.10864
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	19.97	0.09931
5.47-5.725GHz	-	-
802.11ac VHT80-BF_Nss2,(MCS0)_4TX	23.96	0.24889
802.11ac VHT160-BF_Nss2,(MCS0)_4TX	22.84	0.19231
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	23.90	0.24547
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	22.75	0.18836




Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ac VHT80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.10	18.03	17.89	17.81	18.02	23.96	23.98
802.11ac VHT160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	14.38	14.27	14.07	14.32	20.28	30.00
5250MHz	Pass	4.20	14.43	14.13	14.56	14.21	20.36	23.98
5570MHz	Pass	5.10	16.87	16.71	16.92	16.78	22.84	23.98
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.10	17.97	18.01	17.81	17.74	23.90	23.98
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	14.11	13.90	13.64	13.89	19.91	30.00
5250MHz	Pass	4.20	14.16	13.73	14.15	13.73	19.97	23.98
5570MHz	Pass	5.10	16.86	16.61	16.72	16.73	22.75	23.98

DG = Directional Gain; **Port X** = Port X output power







<non-beamforming mode> 4T3S
Summary




Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11ac VHT160_Nss3,(MCS0)_4TX	18.33	0.06808
802.11ax HEW160_Nss3,(MCS0)_4TX	17.45	0.05559
5.25-5.35GHz	-	-
802.11ac VHT160_Nss3,(MCS0)_4TX	18.35	0.06839
802.11ax HEW160_Nss3,(MCS0)_4TX	18.01	0.06324
5.47-5.725GHz	-	-
802.11ac VHT80_Nss3,(MCS0)_4TX	23.91	0.24604
802.11ac VHT160_Nss3,(MCS0)_4TX	21.29	0.13459
802.11ax HEW80_Nss3,(MCS0)_4TX	23.95	0.24831
802.11ax HEW160_Nss3,(MCS0)_4TX	21.27	0.13397




Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ac VHT80_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.10	17.84	17.89	18.01	17.83	23.91	23.98
802.11ac VHT160_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.80	12.34	12.55	11.93	12.39	18.33	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	6.00	12.43	12.26	12.47	12.17	18.35	23.98
5570MHz	Pass	5.10	15.23	15.21	15.43	15.21	21.29	23.98
802.11ax HEW80_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.10	17.98	17.97	17.85	17.92	23.95	23.98
802.11ax HEW160_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.80	11.41	11.40	11.27	11.62	17.45	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	6.00	12.13	11.70	12.28	11.84	18.01	23.98
5570MHz	Pass	5.10	15.06	15.26	15.29	15.40	21.27	23.98

DG = Directional Gain; **Port X** = Port X output power







<beamforming mode> 4T3S

Summary




Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	20.33	0.10789
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	19.88	0.09727
5.25-5.35GHz	-	-
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	20.66	0.11641
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	19.97	0.09931
5.47-5.725GHz	-	-
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	23.91	0.24604
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	22.69	0.18578
802.11ax HEW80-BF_Nss3,(MCS0)_4TX	23.95	0.24831
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	22.52	0.17865




Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.30	17.84	17.89	18.01	17.83	23.91	23.98
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.80	14.47	14.43	14.16	14.17	20.33	30.00
5250MHz	Pass	2.80	14.76	14.37	15.03	14.36	20.66	23.98
5570MHz	Pass	4.30	16.45	16.71	16.92	16.59	22.69	23.98
802.11ax HEW80-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.30	17.98	17.97	17.85	17.92	23.95	23.98
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.80	13.99	13.87	13.67	13.92	19.88	30.00
5250MHz	Pass	2.80	14.15	13.70	14.15	13.77	19.97	23.98
5570MHz	Pass	4.30	16.46	16.39	16.67	16.49	22.52	23.98

DG = Directional Gain; **Port X** = Port X output power







<non-beamforming mode> 4T1S
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ac VHT160_Nss1,(MCS0)_4TX	-0.78
802.11ax HEW160_Nss1,(MCS0)_4TX	-0.24
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	10.98
802.11ac VHT20_Nss1,(MCS0)_4TX	10.47
802.11ac VHT40_Nss1,(MCS0)_4TX	7.56
802.11ac VHT80_Nss1,(MCS0)_4TX	4.98
802.11ac VHT160_Nss1,(MCS0)_4TX	-0.48
802.11ax HEW20_Nss1,(MCS0)_4TX	10.14
802.11ax HEW40_Nss1,(MCS0)_4TX	7.51
802.11ax HEW80_Nss1,(MCS0)_4TX	4.74
802.11ax HEW160_Nss1,(MCS0)_4TX	-0.09
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	10.94
802.11ac VHT20_Nss1,(MCS0)_4TX	10.61
802.11ac VHT40_Nss1,(MCS0)_4TX	7.90
802.11ac VHT80_Nss1,(MCS0)_4TX	5.10
802.11ac VHT160_Nss1,(MCS0)_4TX	1.02
802.11ax HEW20_Nss1,(MCS0)_4TX	10.31
802.11ax HEW40_Nss1,(MCS0)_4TX	8.05
802.11ax HEW80_Nss1,(MCS0)_4TX	5.07
802.11ax HEW160_Nss1,(MCS0)_4TX	1.26
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	9.13
802.11ac VHT20_Nss1,(MCS0)_4TX	9.10
802.11ac VHT40_Nss1,(MCS0)_4TX	6.32
802.11ac VHT80_Nss1,(MCS0)_4TX	2.41
802.11ax HEW20_Nss1,(MCS0)_4TX	8.76
802.11ax HEW40_Nss1,(MCS0)_4TX	6.31
802.11ax HEW80_Nss1,(MCS0)_4TX	2.76

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;






Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.20	5.12	5.16	5.08	5.16	10.98	11.00
5300MHz	Pass	4.20	5.06	5.15	4.75	5.08	10.95	11.00
5320MHz	Pass	4.20	4.72	5.39	4.60	5.01	10.80	11.00
5500MHz	Pass	5.10	5.22	5.03	4.85	5.04	10.91	11.00
5580MHz	Pass	5.10	5.00	4.99	5.04	4.93	10.94	11.00
5700MHz	Pass	5.10	4.83	5.01	4.98	5.20	10.88	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.10	4.58	4.58	4.59	4.88	10.62	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	2.92	3.20	3.15	3.60	9.13	30.00
802.11ac VHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.20	4.37	4.32	4.53	4.32	10.30	11.00
5300MHz	Pass	4.20	4.32	4.37	4.50	4.35	10.28	11.00
5320MHz	Pass	4.20	4.48	4.69	4.56	4.53	10.47	11.00
5500MHz	Pass	5.10	4.51	4.47	4.28	4.39	10.33	11.00
5580MHz	Pass	5.10	4.33	4.29	4.72	4.48	10.37	11.00
5700MHz	Pass	5.10	4.37	4.47	4.51	4.65	10.43	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.10	4.52	4.62	4.73	4.85	10.61	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	2.95	3.09	3.16	3.35	9.10	30.00
802.11ac VHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.20	1.79	1.54	1.60	1.67	7.54	11.00
5310MHz	Pass	4.20	1.70	1.67	1.68	1.72	7.56	11.00
5510MHz	Pass	5.10	1.55	1.67	1.44	1.48	7.45	11.00
5550MHz	Pass	5.10	1.57	1.35	1.78	1.65	7.56	11.00
5670MHz	Pass	5.10	1.50	1.48	1.60	1.80	7.53	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.10	1.87	1.84	2.09	1.95	7.90	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	0.13	0.26	0.33	0.73	6.32	30.00
802.11ac VHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.20	-0.78	-1.10	-0.88	-0.74	4.98	11.00
5530MHz	Pass	5.10	-0.74	-0.67	-0.70	-1.00	5.10	11.00
5610MHz	Pass	5.10	-1.29	-1.57	-1.54	-1.38	4.44	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.10	-1.14	-1.17	-1.32	-0.93	4.79	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	-4.07	-3.32	-3.81	-2.81	2.41	30.00
802.11ac VHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	-6.43	-6.59	-7.05	-6.39	-0.78	17.00
5250MHz	Pass	4.20	-6.31	-6.49	-6.57	-6.13	-0.48	11.00
5570MHz	Pass	5.10	-4.84	-5.08	-4.46	-4.99	1.02	11.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.20	4.19	4.05	4.39	4.13	10.10	11.00
5300MHz	Pass	4.20	4.02	4.09	4.16	4.09	10.01	11.00
5320MHz	Pass	4.20	4.15	4.40	4.07	4.22	10.14	11.00
5500MHz	Pass	5.10	4.36	4.33	4.14	4.21	10.18	11.00
5580MHz	Pass	5.10	3.99	4.02	4.28	4.17	10.04	11.00
5700MHz	Pass	5.10	2.99	2.97	3.08	3.20	8.96	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.10	4.21	4.34	4.35	4.54	10.31	11.00

Mode	Result	DG (dB)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	2.61	2.77	2.66	3.12	8.76	30.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.20	1.61	1.48	1.65	1.58	7.46	11.00
5310MHz	Pass	4.20	1.63	1.59	1.52	1.78	7.51	11.00
5510MHz	Pass	5.10	1.72	1.69	1.68	1.57	7.62	11.00
5550MHz	Pass	5.10	1.45	1.36	1.56	1.50	7.40	11.00
5670MHz	Pass	5.10	1.23	1.04	1.18	1.27	7.10	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.10	2.10	2.13	2.15	2.26	8.05	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	0.06	0.31	0.23	0.62	6.31	30.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.20	-1.16	-1.30	-0.97	-1.15	4.74	11.00
5530MHz	Pass	5.10	-1.26	-0.93	-0.66	-1.27	5.00	11.00
5610MHz	Pass	5.10	-1.38	-1.73	-1.45	-1.22	4.45	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.10	-0.72	-0.95	-0.80	-0.41	5.07	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	-3.69	-3.05	-3.48	-2.40	2.76	30.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	-5.96	-6.19	-6.51	-6.12	-0.24	17.00
5250MHz	Pass	4.20	-5.96	-5.99	-5.99	-5.92	-0.09	11.00
5570MHz	Pass	5.10	-4.31	-5.22	-4.40	-4.82	1.26	11.00

DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;






802.11a_Nss1,(6Mbps)_4TX
5720MHz Straddle 5.47-5.725GHz

PSD

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.62	10.62	4.58	4.58	4.59	4.88

802.11a_Nss1,(6Mbps)_4TX
5720MHz Straddle 5.725-5.85GHz

PSD

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.13	9.13	2.92	3.20	3.15	3.60




802.11ac VHT20_Nss1,(MCS0)_4TX
5260MHz

PSD

30/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.30	10.30	4.37	4.32	4.53	4.32




802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.10	9.10	2.95	3.09	3.16	3.35

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5270MHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.54	7.54	1.79	1.54	1.60	1.67

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5310MHz

30/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.56	7.56	1.70	1.67	1.68	1.72

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5510MHz

30/07/2019

CF
5.51GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.45	7.45	1.55	1.67	1.44	1.48

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5550MHz

30/07/2019

CF
5.55GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.56	7.56	1.57	1.35	1.78	1.65

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5670MHz

30/07/2019

CF
5.67GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.53	7.53	1.50	1.48	1.60	1.80

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.90	7.90	1.87	1.84	2.09	1.95

802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.32	6.32	0.13	0.26	0.33	0.73

802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5290MHz

30/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.98	4.98	-0.78	-1.10	-0.88	-0.74

802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5530MHz

30/07/2019

CF
5.53GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.10	5.10	-0.74	-0.67	-0.70	-1.00

802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5610MHz

30/07/2019

CF
5.61GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.44	4.44	-1.29	-1.57	-1.54	-1.38

802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

30/07/2019

CF
5.65GHz


Span
300MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.79	4.79	-1.14	-1.17	-1.32	-0.93

802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.41	2.41	-4.07	-3.32	-3.81	-2.81

802.11ac VHT160_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/08/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.78	-0.78	-6.43	-6.59	-7.05	-6.39

802.11ac VHT160_Nss1,(MCS0)_4TX

PSD

5250MHz

02/08/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.48	-0.48	-6.31	-6.49	-6.57	-6.13


802.11ac VHT160_Nss1,(MCS0)_4TX

PSD

5570MHz

30/07/2019

CF
5.57GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.02	1.02	-4.84	-5.08	-4.46	-4.99


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

30/07/2019

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.10	10.10	4.19	4.05	4.39	4.13


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

30/07/2019

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.01	10.01	4.02	4.09	4.16	4.09


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

30/07/2019

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.14	10.14	4.15	4.40	4.07	4.22


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

30/07/2019

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.18	10.18	4.36	4.33	4.14	4.21


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

30/07/2019

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.04	10.04	3.99	4.02	4.28	4.17


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

30/07/2019

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.96	8.96	2.99	2.97	3.08	3.20


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

30/07/2019

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.31	10.31	4.21	4.34	4.35	4.54


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz




30/07/2019

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.76	8.76	2.61	2.77	2.66	3.12




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

30/07/2019

CF 5.55GHz
 Span 60MHz
 RBW 1MHz
 VBW 3MHz
 Sweep Time 20ms
 Detector Type RMS



Sum
 Port 1
 Port 2
 Port 3
 Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.40	7.40	1.45	1.36	1.56	1.50


802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

30/07/2019

CF 5.67GHz
 Span 60MHz
 RBW 1MHz
 VBW 3MHz
 Sweep Time 20ms
 Detector Type RMS



Sum
 Port 1
 Port 2
 Port 3
 Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.10	7.10	1.23	1.04	1.18	1.27


802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

30/07/2019

CF 5.69GHz
 Span 140MHz
 RBW 1MHz
 VBW 3MHz
 Sweep Time 20ms
 Detector Type RMS



Sum
 Port 1
 Port 2
 Port 3
 Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.05	8.05	2.10	2.13	2.15	2.26

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.31	6.31	0.06	0.31	0.23	0.62

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.74	4.74	-1.16	-1.30	-0.97	-1.15

802.11ax HEW80_Nss1,(MCS0)_4TX




PSD




5530MHz

31/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.00	5.00	-1.26	-0.93	-0.66	-1.27





<beamforming mode> 4T1S

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ac VHT160-BF_Nss1,(MCS0)_4TX	1.45
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	0.37
5.25-5.35GHz	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	10.44
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	7.54
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	4.93
802.11ac VHT160-BF_Nss1,(MCS0)_4TX	1.67
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	10.10
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	7.42
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.73
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	0.65
5.47-5.725GHz	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	10.51
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	7.94
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	4.91
802.11ac VHT160-BF_Nss1,(MCS0)_4TX	0.70
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	10.30
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	7.92
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.97
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	1.36
5.725-5.85GHz	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	9.02
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	6.08
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	2.53
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	8.82
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	6.16
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	2.61

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dB)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.20	4.53	4.16	4.47	4.40	10.30	11.00
5300MHz	Pass	4.20	4.37	4.23	4.27	4.37	10.27	11.00
5320MHz	Pass	4.20	4.23	4.57	4.45	4.64	10.44	11.00
5500MHz	Pass	5.10	4.54	4.52	4.23	4.27	10.28	11.00
5580MHz	Pass	5.10	4.27	4.39	4.58	4.35	10.36	11.00
5700MHz	Pass	5.10	4.24	4.34	4.40	4.64	10.36	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.10	4.49	4.47	4.62	4.77	10.51	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	2.98	2.93	3.09	3.33	9.02	30.00
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.20	1.78	1.39	1.49	1.68	7.50	11.00
5310MHz	Pass	4.20	1.56	1.45	1.52	1.77	7.54	11.00
5510MHz	Pass	5.10	0.27	0.16	0.21	0.11	6.14	11.00
5550MHz	Pass	5.10	1.78	1.53	1.87	1.66	7.64	11.00
5670MHz	Pass	5.10	1.38	1.25	1.57	1.65	7.33	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.10	2.01	1.95	2.03	2.08	7.94	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	-0.14	0.22	0.09	0.37	6.08	30.00
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.20	-1.10	-1.18	-1.06	-0.91	4.93	11.00
5530MHz	Pass	5.10	-0.89	-1.30	-0.84	-1.26	4.91	11.00
5610MHz	Pass	5.10	-1.34	-1.74	-1.10	-1.19	4.49	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.10	-1.01	-1.28	-1.19	-0.90	4.80	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	-3.79	-3.40	-3.74	-2.53	2.53	30.00
802.11ac VHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	-4.48	-4.74	-4.66	-4.41	1.45	17.00
5250MHz	Pass	4.20	-4.05	-4.59	-4.21	-4.50	1.67	11.00
5570MHz	Pass	5.10	-4.95	-5.42	-4.96	-5.52	0.70	11.00
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.20	4.12	4.08	4.07	4.18	10.05	11.00
5300MHz	Pass	4.20	3.90	4.11	4.04	4.08	9.96	11.00
5320MHz	Pass	4.20	4.06	4.43	4.06	4.11	10.10	11.00
5500MHz	Pass	5.10	4.34	4.22	4.06	4.11	10.11	11.00
5580MHz	Pass	5.10	4.00	3.83	4.25	4.11	10.00	11.00
5700MHz	Pass	5.10	4.10	3.99	4.23	4.30	10.05	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.10	4.19	4.16	4.39	4.61	10.30	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	2.66	2.76	2.92	3.11	8.82	30.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.20	1.64	1.27	1.33	1.63	7.40	11.00
5310MHz	Pass	4.20	1.58	1.39	1.42	1.59	7.42	11.00
5510MHz	Pass	5.10	0.34	0.55	0.38	0.18	6.27	11.00
5550MHz	Pass	5.10	1.27	1.08	1.55	1.48	7.26	11.00
5670MHz	Pass	5.10	1.12	0.99	1.33	1.27	7.05	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.10	1.92	1.99	2.13	2.04	7.92	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	-0.14	0.34	0.12	0.45	6.16	30.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.20	-1.18	-1.34	-1.24	-1.04	4.73	11.00
5530MHz	Pass	5.10	-1.18	-1.27	-0.90	-1.39	4.71	11.00
5610MHz	Pass	5.10	-1.47	-1.71	-1.47	-1.31	4.38	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.10	-1.05	-1.05	-0.90	-0.72	4.97	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	-3.94	-3.25	-3.50	-2.63	2.61	30.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	-5.52	-5.88	-5.65	-5.45	0.37	17.00
5250MHz	Pass	4.20	-5.20	-5.37	-5.20	-5.38	0.65	11.00
5570MHz	Pass	5.10	-4.23	-4.91	-4.17	-4.68	1.36	11.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

PSD

5260MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.30	10.30	4.53	4.16	4.47	4.40

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

PSD

5300MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.27	10.27	4.37	4.23	4.27	4.37

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

PSD

5320MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.44	10.44	4.23	4.57	4.45	4.64

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

PSD

5500MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.28	10.28	4.54	4.52	4.23	4.27

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

PSD

5580MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.36	10.36	4.27	4.39	4.58	4.35

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

PSD

5700MHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.36	10.36	4.24	4.34	4.40	4.64

802.11ac VHT20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz

PSD

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.51	10.51	4.49	4.47	4.62	4.77

802.11ac VHT20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.725-5.85GHz

PSD

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.02	9.02	2.98	2.93	3.09	3.33

802.11ac VHT40-BF_Nss1,(MCS0)_4TX
5270MHz

PSD

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.50	7.50	1.78	1.39	1.49	1.68

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

PSD

5310MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
7.54	7.54	1.56	1.45	1.52	1.77

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

PSD

5510MHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
6.14	6.14	0.27	0.16	0.21	0.11

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

PSD

5550MHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
7.64	7.64	1.78	1.53	1.87	1.66

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

PSD

5670MHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.33	7.33	1.38	1.25	1.57	1.65

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.94	7.94	2.01	1.95	2.03	2.08

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.08	6.08	-0.14	0.22	0.09	0.37

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD

5290MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.93	4.93	-1.10	-1.18	-1.06	-0.91

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD

5530MHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.91	4.91	-0.89	-1.30	-0.84	-1.26

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD

5610MHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.49	4.49	-1.34	-1.74	-1.10	-1.19

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.80	4.80	-1.01	-1.28	-1.19	-0.90

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.53	2.53	-3.79	-3.40	-3.74	-2.53

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

29/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.45	1.45	-4.48	-4.74	-4.66	-4.41


802.11ac VHT160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz

29/07/2019

CF
5.33GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.67	1.67	-4.05	-4.59	-4.21	-4.50


802.11ac VHT160-BF_Nss1,(MCS0)_4TX

PSD

5570MHz

02/08/2019

CF
5.57GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.70	0.70	-4.95	-5.42	-4.96	-5.52


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD




5260MHz

29/07/2019

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.05	10.05	4.12	4.08	4.07	4.18



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5580MHz

30/07/2019

CF
5.58GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.00	10.00	4.00	3.83	4.25	4.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5700MHz

30/07/2019

CF
5.7GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.05	10.05	4.10	3.99	4.23	4.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

30/07/2019

CF
5.71GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.30	10.30	4.19	4.16	4.39	4.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.82	8.82	2.66	2.76	2.92	3.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5270MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.40	7.40	1.64	1.27	1.33	1.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX




PSD

5310MHz

29/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.42	7.42	1.58	1.39	1.42	1.59




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz

PSD

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.92	7.92	1.92	1.99	2.13	2.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.725-5.85GHz

PSD

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.16	6.16	-0.14	0.34	0.12	0.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX




5290MHz

PSD

29/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.73	4.73	-1.18	-1.34	-1.24	-1.04




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

30/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.61	2.61	-3.94	-3.25	-3.50	-2.63

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.37	0.37	-5.52	-5.88	-5.65	-5.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


PSD

5250MHz

29/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.65	0.65	-5.20	-5.37	-5.20	-5.38





<non-beamforming mode> 4T2S

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ac VHT160_Nss2,(MCS0)_4TX	-0.28
802.11ax HEW160_Nss2,(MCS0)_4TX	-0.87
5.25-5.35GHz	-
802.11ac VHT160_Nss2,(MCS0)_4TX	0.11
802.11ax HEW160_Nss2,(MCS0)_4TX	-0.65
5.47-5.725GHz	-
802.11ac VHT80_Nss2,(MCS0)_4TX	5.33
802.11ac VHT160_Nss2,(MCS0)_4TX	0.35
802.11ax HEW80_Nss2,(MCS0)_4TX	5.17
802.11ax HEW160_Nss2,(MCS0)_4TX	0.50

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT80_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.10	-0.38	-0.80	-0.29	-0.90	5.33	11.00
802.11ac VHT160_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	-5.99	-6.12	-6.56	-6.24	-0.28	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.20	-5.46	-5.88	-6.18	-5.84	0.11	11.00
5570MHz	Pass	5.10	-5.37	-5.86	-5.29	-5.65	0.35	11.00
802.11ax HEW80_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.10	-0.39	-0.85	-0.59	-1.10	5.17	11.00
802.11ax HEW160_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	-6.58	-6.54	-7.28	-6.71	-0.87	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.20	-6.19	-6.56	-6.75	-6.74	-0.65	11.00
5570MHz	Pass	5.10	-5.04	-5.66	-5.16	-5.72	0.50	11.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


802.11ac VHT80_Nss2,(MCS0)_4TX

PSD

5530MHz

02/08/2019

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.33	5.33	-0.38	-0.80	-0.29	-0.90


802.11ac VHT160_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/08/2019

CF
5.17GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.28	-0.28	-5.99	-6.12	-6.56	-6.24


802.11ac VHT160_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/08/2019

CF
5.33GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.11	0.11	-5.46	-5.88	-6.18	-5.84


802.11ac VHT160_Nss2,(MCS0)_4TX

PSD

5570MHz

31/07/2019

CF
5.57GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.35	0.35	-5.37	-5.86	-5.29	-5.65


802.11ax HEW80_Nss2,(MCS0)_4TX

PSD

5530MHz

31/07/2019

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.17	5.17	-0.39	-0.85	-0.59	-1.10


802.11ax HEW160_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/08/2019

CF
5.17GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.87	-0.87	-6.58	-6.54	-7.28	-6.71

802.11ax HEW160_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/08/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.65	-0.65	-6.19	-6.56	-6.75	-6.74

802.11ax HEW160_Nss2,(MCS0)_4TX

PSD

5570MHz

02/08/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.50	0.50	-5.04	-5.66	-5.16	-5.72

<beamforming mode> 4T2S

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ac VHT160-BF_Nss2,(MCS0)_4TX	1.70
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	1.30
5.25-5.35GHz	-
802.11ac VHT160-BF_Nss2,(MCS0)_4TX	2.03
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	1.46
5.47-5.725GHz	-
802.11ac VHT80-BF_Nss2,(MCS0)_4TX	5.32
802.11ac VHT160-BF_Nss2,(MCS0)_4TX	1.87
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	5.24
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	1.50

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.10	-0.42	-0.82	-0.55	-0.72	5.32	11.00
802.11ac VHT160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	-4.00	-4.36	-4.31	-4.13	1.70	17.00
5250MHz	Pass	4.20	-3.70	-4.04	-3.84	-3.89	2.03	11.00
5570MHz	Pass	5.10	-3.77	-4.25	-3.88	-4.23	1.87	11.00
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.10	-0.57	-0.71	-0.63	-1.06	5.24	11.00
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.70	-4.55	-4.81	-4.74	-4.57	1.30	17.00
5250MHz	Pass	4.20	-4.04	-4.65	-4.23	-4.64	1.46	11.00
5570MHz	Pass	5.10	-4.00	-4.62	-4.14	-4.49	1.50	11.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

PSD

5530MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.32	5.32	-0.42	-0.82	-0.55	-0.72

802.11ac VHT160-BF_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.70	1.70	-4.00	-4.36	-4.31	-4.13

802.11ac VHT160-BF_Nss2,(MCS0)_4TX

PSD

5250MHz

29/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
2.03	2.03	-3.70	-4.04	-3.84	-3.89


802.11ac VHT160-BF_Nss2,(MCS0)_4TX

PSD

5570MHz

29/07/2019

CF
5.57GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.87	1.87	-3.77	-4.25	-3.88	-4.23


802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5530MHz

29/07/2019

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.24	5.24	-0.57	-0.71	-0.63	-1.06


802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

29/07/2019

CF
5.17GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.30	1.30	-4.55	-4.81	-4.74	-4.57

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5250MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.46	1.46	-4.04	-4.65	-4.23	-4.64

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5570MHz

29/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.50	1.50	-4.00	-4.62	-4.14	-4.49



<non-beamforming mode> 4T3S

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ac VHT160_Nss3,(MCS0)_4TX	-0.07
802.11ax HEW160_Nss3,(MCS0)_4TX	-1.16
5.25-5.35GHz	-
802.11ac VHT160_Nss3,(MCS0)_4TX	0.07
802.11ax HEW160_Nss3,(MCS0)_4TX	-0.33
5.47-5.725GHz	-
802.11ac VHT80_Nss3,(MCS0)_4TX	5.71
802.11ac VHT160_Nss3,(MCS0)_4TX	0.64
802.11ax HEW80_Nss3,(MCS0)_4TX	5.69
802.11ax HEW160_Nss3,(MCS0)_4TX	-0.02

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT80_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	2.20	-0.18	0.52	0.91	-0.25	5.71	11.00
802.11ac VHT160_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	2.00	-5.64	-5.35	-5.89	-5.70	-0.07	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	1.80	-5.37	-5.39	-5.24	-5.37	0.07	11.00
5570MHz	Pass	2.20	-4.95	-4.99	-4.20	-5.00	0.64	11.00
802.11ax HEW80_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	2.20	-0.11	0.03	0.15	-0.47	5.69	11.00
802.11ax HEW160_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	2.00	-6.74	-7.16	-6.89	-6.77	-1.16	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	1.80	-5.90	-6.30	-5.57	-6.21	-0.33	11.00
5570MHz	Pass	2.20	-5.45	-5.98	-5.26	-6.05	-0.02	11.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


802.11ac VHT80_Nss3,(MCS0)_4TX

PSD

5530MHz

31/07/2019

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.71	5.71	-0.18	0.52	0.91	-0.25


802.11ac VHT160_Nss3,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

02/08/2019

CF
5.17GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.07	-0.07	-5.64	-5.35	-5.89	-5.70


802.11ac VHT160_Nss3,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

02/08/2019

CF
5.33GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.07	0.07	-5.37	-5.39	-5.24	-5.37


802.11ac VHT160_Nss3,(MCS0)_4TX

PSD

5570MHz

31/07/2019

CF
5.57GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.64	0.64	-4.95	-4.99	-4.20	-5.00


802.11ax HEW80_Nss3,(MCS0)_4TX

PSD

5530MHz

31/07/2019

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.69	5.69	-0.11	0.03	0.15	-0.47


802.11ax HEW160_Nss3,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

31/07/2019

CF
5.17GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.16	-1.16	-6.74	-7.16	-6.89	-6.77

802.11ax HEW160_Nss3,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

31/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.33	-0.33	-5.90	-6.30	-5.57	-6.21

802.11ax HEW160_Nss3,(MCS0)_4TX

PSD

5570MHz

02/08/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.02	-0.02	-5.45	-5.98	-5.26	-6.05

<beamforming mode> 4T3S

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	2.07
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	1.29
5.25-5.35GHz	-
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	2.46
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	1.66
5.47-5.725GHz	-
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	5.34
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	1.83
802.11ax HEW80-BF_Nss3,(MCS0)_4TX	5.48
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	1.42

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.30	-0.37	0.29	0.56	-0.49	5.34	11.00
802.11ac VHT160-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.80	-3.57	-3.65	-3.26	-3.94	2.07	17.00
5250MHz	Pass	2.80	-3.18	-3.15	-2.53	-3.14	2.46	11.00
5570MHz	Pass	4.30	-3.79	-3.71	-2.95	-4.00	1.83	11.00
802.11ax HEW80-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.30	-0.41	-0.19	0.07	-0.71	5.48	11.00
802.11ax HEW160-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.80	-4.15	-4.25	-4.51	-4.48	1.29	17.00
5250MHz	Pass	2.80	-3.96	-4.05	-4.03	-4.26	1.66	11.00
5570MHz	Pass	4.30	-4.21	-4.58	-3.89	-4.64	1.42	11.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11ac VHT80-BF_Nss3,(MCS0)_4TX

PSD

5530MHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.34	5.34	-0.37	0.29	0.56	-0.49

802.11ac VHT160-BF_Nss3,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

29/07/2019




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
2.07	2.07	-3.57	-3.65	-3.26	-3.94

802.11ac VHT160-BF_Nss3,(MCS0)_4TX

PSD

5250MHz

29/07/2019



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
2.46	2.46	-3.18	-3.15	-2.53	-3.14


802.11ac VHT160-BF_Nss3,(MCS0)_4TX

PSD

5570MHz

29/07/2019

CF
5.57GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.83	1.83	-3.79	-3.71	-2.95	-4.00


802.11ax HEW80-BF_Nss3,(MCS0)_4TX

PSD

5530MHz

29/07/2019

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.48	5.48	-0.41	-0.19	0.07	-0.71


802.11ax HEW160-BF_Nss3,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

29/07/2019

CF
5.17GHz
Span
320MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.29	1.29	-4.15	-4.25	-4.51	-4.48