

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 B71\_5MHz\_ERP

### 1.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	665.5	1	0	21.89	0.45	20.19	<=34.77	Pass		
			13	22.10	0.45	20.40	<=34.77	Pass		
			24	22.02	0.45	20.32	<=34.77	Pass		
		12	0	21.04	0.45	19.34	<=34.77	Pass		
			6	21.13	0.45	19.43	<=34.77	Pass		
			13	20.90	0.45	19.20	<=34.77	Pass		
		25	0	20.96	0.45	19.26	<=34.77	Pass		
		680.5	1	0	22.17	0.45	20.47	<=34.77	Pass	
				13	22.30	0.45	20.60	<=34.77	Pass	
	24			22.18	0.45	20.48	<=34.77	Pass		
	12		0	21.34	0.45	19.64	<=34.77	Pass		
			6	21.30	0.45	19.60	<=34.77	Pass		
			13	21.09	0.45	19.39	<=34.77	Pass		
	25	0	21.24	0.45	19.54	<=34.77	Pass			
	695.5	1	0	22.44	0.45	20.74	<=34.77	Pass		
			13	22.64	0.45	20.94	<=34.77	Pass		
			24	22.49	0.45	20.79	<=34.77	Pass		
		12	0	21.50	0.45	19.80	<=34.77	Pass		
			6	21.57	0.45	19.87	<=34.77	Pass		
			13	21.38	0.45	19.68	<=34.77	Pass		
		25	0	21.46	0.45	19.76	<=34.77	Pass		
		16QAM	665.5	1	0	20.97	0.45	19.27	<=34.77	Pass
					13	21.23	0.45	19.53	<=34.77	Pass
	24				21.14	0.45	19.44	<=34.77	Pass	
12	0			20.06	0.45	18.36	<=34.77	Pass		
	6			20.16	0.45	18.46	<=34.77	Pass		
	13			19.92	0.45	18.22	<=34.77	Pass		
25	0		19.98	0.45	18.28	<=34.77	Pass			
680.5	1		0	21.20	0.45	19.50	<=34.77	Pass		
			13	21.33	0.45	19.63	<=34.77	Pass		
			24	21.21	0.45	19.51	<=34.77	Pass		
	12		0	20.35	0.45	18.65	<=34.77	Pass		
			6	20.29	0.45	18.59	<=34.77	Pass		
			13	20.09	0.45	18.39	<=34.77	Pass		
25	0		20.30	0.45	18.60	<=34.77	Pass			
695.5	1		0	21.52	0.45	19.82	<=34.77	Pass		
		13	21.73	0.45	20.03	<=34.77	Pass			
		24	21.61	0.45	19.91	<=34.77	Pass			
	12	0	20.53	0.45	18.83	<=34.77	Pass			
		6	20.64	0.45	18.94	<=34.77	Pass			
		13	20.47	0.45	18.77	<=34.77	Pass			
	25	0	20.54	0.45	18.84	<=34.77	Pass			

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.2 B71\_10MHz\_ERP

1.2.1 Test Result

Band: 71 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	668	1	0	21.83	0.45	20.13	<=34.77	Pass		
			25	22.15	0.45	20.45	<=34.77	Pass		
			49	21.99	0.45	20.29	<=34.77	Pass		
		25	0	21.31	0.45	19.61	<=34.77	Pass		
			13	21.11	0.45	19.41	<=34.77	Pass		
			25	21.27	0.45	19.57	<=34.77	Pass		
		50	0	21.30	0.45	19.60	<=34.77	Pass		
		680.5	1	0	22.19	0.45	20.49	<=34.77	Pass	
				25	22.49	0.45	20.79	<=34.77	Pass	
	49			22.32	0.45	20.62	<=34.77	Pass		
	25		0	21.57	0.45	19.87	<=34.77	Pass		
			13	21.34	0.45	19.64	<=34.77	Pass		
			25	21.23	0.45	19.53	<=34.77	Pass		
	50		0	21.42	0.45	19.72	<=34.77	Pass		
	693		1	0	22.20	0.45	20.50	<=34.77	Pass	
				25	22.57	0.45	20.87	<=34.77	Pass	
		49		22.43	0.45	20.73	<=34.77	Pass		
		25	0	21.32	0.45	19.62	<=34.77	Pass		
			13	21.57	0.45	19.87	<=34.77	Pass		
			25	21.42	0.45	19.72	<=34.77	Pass		
		50	0	21.33	0.45	19.63	<=34.77	Pass		
		16QAM	668	1	0	20.99	0.45	19.29	<=34.77	Pass
					25	21.31	0.45	19.61	<=34.77	Pass
	49				21.17	0.45	19.47	<=34.77	Pass	
25	0			20.35	0.45	18.65	<=34.77	Pass		
	13			20.15	0.45	18.45	<=34.77	Pass		
	25			20.28	0.45	18.58	<=34.77	Pass		
50	0			20.30	0.45	18.60	<=34.77	Pass		
680.5	1			0	21.06	0.45	19.36	<=34.77	Pass	
				25	21.31	0.45	19.61	<=34.77	Pass	
			49	21.16	0.45	19.46	<=34.77	Pass		
	25		0	20.66	0.45	18.96	<=34.77	Pass		
			13	20.40	0.45	18.70	<=34.77	Pass		
			25	20.30	0.45	18.60	<=34.77	Pass		
	50		0	20.42	0.45	18.72	<=34.77	Pass		
	693		1	0	21.37	0.45	19.67	<=34.77	Pass	
				25	21.74	0.45	20.04	<=34.77	Pass	
49				21.66	0.45	19.96	<=34.77	Pass		
25			0	20.35	0.45	18.65	<=34.77	Pass		
			13	20.60	0.45	18.90	<=34.77	Pass		
			25	20.48	0.45	18.78	<=34.77	Pass		
50			0	20.38	0.45	18.68	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

### 1.3 B71\_15MHz\_ERP

#### 1.3.1 Test Result

Band: 71 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	670.5	1	0	21.72	0.45	20.02	<=34.77	Pass		
			38	21.94	0.45	20.24	<=34.77	Pass		
			74	22.03	0.45	20.33	<=34.77	Pass		
		36	0	21.18	0.45	19.48	<=34.77	Pass		
			18	21.08	0.45	19.38	<=34.77	Pass		
			39	21.31	0.45	19.61	<=34.77	Pass		
		75	0	21.21	0.45	19.51	<=34.77	Pass		
		680.5	1	0	21.97	0.45	20.27	<=34.77	Pass	
				38	22.31	0.45	20.61	<=34.77	Pass	
	74			22.21	0.45	20.51	<=34.77	Pass		
	36		0	21.33	0.45	19.63	<=34.77	Pass		
			18	21.31	0.45	19.61	<=34.77	Pass		
			39	21.18	0.45	19.48	<=34.77	Pass		
	75		0	21.20	0.45	19.50	<=34.77	Pass		
	690.5		1	0	22.04	0.45	20.34	<=34.77	Pass	
				38	22.00	0.45	20.30	<=34.77	Pass	
		74		21.95	0.45	20.25	<=34.77	Pass		
		36	0	20.74	0.45	19.04	<=34.77	Pass		
			18	21.31	0.45	19.61	<=34.77	Pass		
			39	21.55	0.45	19.85	<=34.77	Pass		
		75	0	21.34	0.45	19.64	<=34.77	Pass		
		16QAM	670.5	1	0	20.90	0.45	19.20	<=34.77	Pass
					38	21.13	0.45	19.43	<=34.77	Pass
	74				21.19	0.45	19.49	<=34.77	Pass	
36	0			20.09	0.45	18.39	<=34.77	Pass		
	18			19.98	0.45	18.28	<=34.77	Pass		
	39			20.28	0.45	18.58	<=34.77	Pass		
75	0			20.21	0.45	18.51	<=34.77	Pass		
680.5	1			0	20.76	0.45	19.06	<=34.77	Pass	
				38	20.94	0.45	19.24	<=34.77	Pass	
			74	20.63	0.45	18.93	<=34.77	Pass		
	36		0	20.21	0.45	18.51	<=34.77	Pass		
			18	20.26	0.45	18.56	<=34.77	Pass		
			39	20.01	0.45	18.31	<=34.77	Pass		
	75		0	20.19	0.45	18.49	<=34.77	Pass		
	690.5		1	0	21.21	0.45	19.51	<=34.77	Pass	
				38	21.29	0.45	19.59	<=34.77	Pass	
74				21.21	0.45	19.51	<=34.77	Pass		
36			0	19.85	0.45	18.15	<=34.77	Pass		
			18	20.42	0.45	18.72	<=34.77	Pass		
			39	20.59	0.45	18.89	<=34.77	Pass		
75			0	20.37	0.45	18.67	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4 B71\_20MHz\_ERP

1.4.1 Test Result

Band: 71 / Bandwidth: 20MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	673	1	0	21.68	0.45	19.98	<=34.77	Pass		
			50	22.16	0.45	20.46	<=34.77	Pass		
			99	21.75	0.45	20.05	<=34.77	Pass		
		50	0	20.72	0.45	19.02	<=34.77	Pass		
			25	20.97	0.45	19.27	<=34.77	Pass		
			50	20.96	0.45	19.26	<=34.77	Pass		
		100	0	20.85	0.45	19.15	<=34.77	Pass		
		683	1	0	21.48	0.45	19.78	<=34.77	Pass	
				50	21.81	0.45	20.11	<=34.77	Pass	
	99			21.65	0.45	19.95	<=34.77	Pass		
	50		0	21.30	0.45	19.60	<=34.77	Pass		
			25	20.86	0.45	19.16	<=34.77	Pass		
			50	21.18	0.45	19.48	<=34.77	Pass		
	100		0	21.13	0.45	19.43	<=34.77	Pass		
	688		1	0	21.53	0.45	19.83	<=34.77	Pass	
				50	21.96	0.45	20.26	<=34.77	Pass	
		99		21.87	0.45	20.17	<=34.77	Pass		
		50	0	20.92	0.45	19.22	<=34.77	Pass		
			25	20.89	0.45	19.19	<=34.77	Pass		
			50	21.14	0.45	19.44	<=34.77	Pass		
		100	0	20.99	0.45	19.29	<=34.77	Pass		
		16QAM	673	1	0	20.39	0.45	18.69	<=34.77	Pass
					50	20.87	0.45	19.17	<=34.77	Pass
	99				20.71	0.45	19.01	<=34.77	Pass	
50	0			19.60	0.45	17.90	<=34.77	Pass		
	25			19.86	0.45	18.16	<=34.77	Pass		
	50			19.88	0.45	18.18	<=34.77	Pass		
100	0			19.81	0.45	18.11	<=34.77	Pass		
683	1			0	20.37	0.45	18.67	<=34.77	Pass	
				50	20.91	0.45	19.21	<=34.77	Pass	
			99	20.78	0.45	19.08	<=34.77	Pass		
	50		0	20.24	0.45	18.54	<=34.77	Pass		
			25	19.95	0.45	18.25	<=34.77	Pass		
			50	20.30	0.45	18.60	<=34.77	Pass		
	100		0	20.20	0.45	18.50	<=34.77	Pass		
	688		1	0	20.56	0.45	18.86	<=34.77	Pass	
				50	21.01	0.45	19.31	<=34.77	Pass	
99				20.93	0.45	19.23	<=34.77	Pass		
50			0	19.92	0.45	18.22	<=34.77	Pass		
			25	19.95	0.45	18.25	<=34.77	Pass		
			50	20.17	0.45	18.47	<=34.77	Pass		
100			0	20.02	0.45	18.32	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 B71\_5MHz

#### 2.1.1 Test Result

Band: 71 / Bandwidth: 5MHz																
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict							
		Size	Offset				Result	Limit								
QPSK	665.5	25	0	20	3.27	-5.279	-0.0079	-2.5 to 2.5	Pass							
					3.85	-11.802	-0.0177	-2.5 to 2.5	Pass							
					4.43	-9.470	-0.0142	-2.5 to 2.5	Pass							
				680.5	25	0	20	3.85	-7.195	-0.0108	-2.5 to 2.5	Pass				
								-20	3.85	-8.154	-0.0123	-2.5 to 2.5	Pass			
								-10	3.85	-8.240	-0.0124	-2.5 to 2.5	Pass			
							695.5	25	0	20	0	3.85	-6.409	-0.0096	-2.5 to 2.5	Pass
											10	3.85	-7.710	-0.0116	-2.5 to 2.5	Pass
											30	3.85	-9.670	-0.0145	-2.5 to 2.5	Pass
	665.5	25	0							20	40	3.85	-7.038	-0.0106	-2.5 to 2.5	Pass
											50	3.85	-8.254	-0.0124	-2.5 to 2.5	Pass
											-30	3.85	-7.310	-0.0107	-2.5 to 2.5	Pass
				680.5	25	0				20	3.85	-6.423	-0.0094	-2.5 to 2.5	Pass	
											-10	3.85	-8.283	-0.0122	-2.5 to 2.5	Pass
											0	3.85	-6.065	-0.0089	-2.5 to 2.5	Pass
							695.5	25	0	20	10	3.85	-7.653	-0.0112	-2.5 to 2.5	Pass
											30	3.85	-7.296	-0.0107	-2.5 to 2.5	Pass
											40	3.85	-7.210	-0.0106	-2.5 to 2.5	Pass
	665.5	25	0							20	50	3.85	-5.035	-0.0074	-2.5 to 2.5	Pass
											-30	3.85	-5.093	-0.0073	-2.5 to 2.5	Pass
											-20	3.85	-8.998	-0.0129	-2.5 to 2.5	Pass
				680.5	25	0				20	-10	3.85	-7.782	-0.0112	-2.5 to 2.5	Pass
											0	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass
											10	3.85	-5.193	-0.0075	-2.5 to 2.5	Pass
							695.5	25	0	20	30	3.85	-8.368	-0.0120	-2.5 to 2.5	Pass
											40	3.85	-4.334	-0.0062	-2.5 to 2.5	Pass
											50	3.85	-5.822	-0.0084	-2.5 to 2.5	Pass
16QAM	665.5	25	0							20	3.27	-6.065	-0.0091	-2.5 to 2.5	Pass	
											3.85	-4.606	-0.0069	-2.5 to 2.5	Pass	
											4.43	-5.622	-0.0084	-2.5 to 2.5	Pass	
				680.5	25	0				20	-30	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass
											-20	3.85	-7.682	-0.0115	-2.5 to 2.5	Pass
											-10	3.85	-6.666	-0.0100	-2.5 to 2.5	Pass
							695.5	25	0	20	0	3.85	-6.523	-0.0098	-2.5 to 2.5	Pass
											10	3.85	-9.756	-0.0147	-2.5 to 2.5	Pass
											30	3.85	-5.450	-0.0082	-2.5 to 2.5	Pass
665.5	25	0	20							40	3.85	-5.107	-0.0077	-2.5 to 2.5	Pass	
										50	3.85	-11.015	-0.0166	-2.5 to 2.5	Pass	
										-30	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass	
			680.5	25	0	20				-20	3.85	-8.998	-0.0129	-2.5 to 2.5	Pass	
										-10	3.85	-7.782	-0.0112	-2.5 to 2.5	Pass	
										0	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass	
						695.5	25	0	20	10	3.85	-5.193	-0.0075	-2.5 to 2.5	Pass	
										30	3.85	-8.368	-0.0120	-2.5 to 2.5	Pass	
										40	3.85	-4.334	-0.0062	-2.5 to 2.5	Pass	
665.5	25	0							20	50	3.85	-5.822	-0.0084	-2.5 to 2.5	Pass	
										-30	3.85	-5.093	-0.0073	-2.5 to 2.5	Pass	
										-20	3.85	-8.998	-0.0129	-2.5 to 2.5	Pass	
			680.5	25	0				20	-10	3.85	-7.782	-0.0112	-2.5 to 2.5	Pass	
										0	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass	
										10	3.85	-5.193	-0.0075	-2.5 to 2.5	Pass	
						695.5	25	0	20	30	3.85	-8.368	-0.0120	-2.5 to 2.5	Pass	
										40	3.85	-4.334	-0.0062	-2.5 to 2.5	Pass	
										50	3.85	-5.822	-0.0084	-2.5 to 2.5	Pass	
665.5	25	0							20	-30	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass	
										-20	3.85	-7.682	-0.0115	-2.5 to 2.5	Pass	
										-10	3.85	-6.666	-0.0100	-2.5 to 2.5	Pass	
			680.5	25	0				20	0	3.85	-6.523	-0.0098	-2.5 to 2.5	Pass	
										10	3.85	-9.756	-0.0147	-2.5 to 2.5	Pass	
										30	3.85	-5.450	-0.0082	-2.5 to 2.5	Pass	
						695.5	25	0	20	40	3.85	-5.107	-0.0077	-2.5 to 2.5	Pass	
										50	3.85	-11.015	-0.0166	-2.5 to 2.5	Pass	
										-30	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass	
665.5	25	0							20	-20	3.85	-8.998	-0.0129	-2.5 to 2.5	Pass	
										-10	3.85	-7.782	-0.0112	-2.5 to 2.5	Pass	
										0	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass	
			680.5	25	0				20	10	3.85	-5.193	-0.0075	-2.5 to 2.5	Pass	
										30	3.85	-8.368	-0.0120	-2.5 to 2.5	Pass	
										40	3.85	-4.334	-0.0062	-2.5 to 2.5	Pass	
						695.5	25	0	20	50	3.85	-5.822	-0.0084	-2.5 to 2.5	Pass	
										-30	3.85	-5.093	-0.0073	-2.5 to 2.5	Pass	
										-20	3.85	-8.998	-0.0129	-2.5 to 2.5	Pass	
665.5	25	0							20	-10	3.85	-7.782	-0.0112	-2.5 to 2.5	Pass	
										0	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass	
										10	3.85	-5.193	-0.0075	-2.5 to 2.5	Pass	
			680.5	25	0				20	30	3.85	-8.368	-0.0120	-2.5 to 2.5	Pass	
										40	3.85	-4.334	-0.0062	-2.5 to 2.5	Pass	
										50	3.85	-5.822	-0.0084	-2.5 to 2.5	Pass	
						695.5	25	0	20	-30	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass	
										-20	3.85	-7.682	-0.0115	-2.5 to 2.5	Pass	
										-10	3.85	-6.666	-0.0100	-2.5 to 2.5	Pass	
665.5	25	0							20	0	3.85	-6.523	-0.0098	-2.5 to 2.5	Pass	
										10	3.85	-9.756	-0.0147	-2.5 to 2.5	Pass	
										30	3.85	-5.450	-0.0082	-2.5 to 2.5	Pass	
			680.5	25	0				20	40	3.85	-5.107	-0.0077	-2.5 to 2.5	Pass	
										50	3.85	-11.015	-0.0166	-2.5 to 2.5	Pass	
										-30	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass	
						695.5	25	0	20	-20	3.85	-8.998	-0.0129	-2.5 to 2.5	Pass	
										-10	3.85	-7.782	-0.0112	-2.5 to 2.5	Pass	
										0	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass	
665.5	25	0							20	10	3.85	-5.193	-0.0075	-2.5 to 2.5	Pass	
										30	3.85	-8.368	-0.0120	-2.5 to 2.5	Pass	
										40	3.85	-4.334	-0.0062	-2.5 to 2.5	Pass	
			680.5	25	0				20	50	3.85	-5.822	-0.0084	-2.5 to 2.5	Pass	
										-30	3.85	-5.093	-0.0073	-2.5 to 2.5	Pass	
										-20	3.85	-8.998	-0.0129	-2.5 to 2.5	Pass	
						695.5	25	0	20	-10	3.85	-7.782	-0.0112	-2.5 to 2.5	Pass	
										0	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass	
										10	3.85	-5.193	-0.0075	-2.5 to 2.5	Pass	
665.5	25	0							20	30	3.85	-8.368	-0.0120	-2.5 to 2.5	Pass	
										40	3.85	-4.334	-0.0062	-2.5 to 2.5	Pass	
										50	3.85	-5.822	-0.0084	-2.5 to 2.5	Pass	
			680.5	25	0				20	-30	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass	
										-20	3.85	-7.682	-0.0115	-2.5 to 2.5	Pass	
										-10	3.85	-6.666	-0.0100	-2.5 to 2.5	Pass	
						695.5	25	0	20	0	3.85	-6.523	-0.0098	-2.5 to 2.5	Pass	
										10	3.85	-9.756	-0.0147	-2.5 to 2.5	Pass	
										30	3.85	-5.450	-0.0082	-2.5 to 2.5	Pass	
665.5	25	0							20	40	3.85	-5.107	-0.0077	-2.5 to 2.5	Pass	
										50	3.85	-11.015	-0.0166	-2.5 to 2.5	Pass	
										-30	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass	
			680.5	25	0				20	-20	3.85	-8.998	-0.0129	-2.5 to 2.5	Pass	
										-10	3.85	-7.782	-0.0112	-2.5 to 2.5	Pass	
										0	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass	
						695.5	25	0	20	10	3.85	-5.193	-0.0075	-2.5 to 2.5	Pass	
										30	3.85	-8.368	-0.0120	-2.5 to 2.5	Pass	
										40	3.85	-4.334	-0.0062	-2.5 to 2.5	Pass	
665.5	25	0							20	50	3.85	-5.822	-0.0084	-2.5 to 2.5	Pass	
										-30	3.85	-5.093	-0.0073	-2.5 to 2.5	Pass	
										-20	3.85	-8.998	-0.0129	-2.5 to 2.5	Pass	
			680.5	25	0				20	-10	3.85	-7.782	-0.0112	-2.5 to 2.5	Pass	
										0	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass	
										10	3.85	-5.193	-0.0075	-2.5 to 2.5	Pass	
						695.5	25	0	20	30	3.85	-8.368	-0.0120	-2.5 to 2.5	Pass	
										40	3.85	-4.334	-0.0062	-2.5 to 2.5	Pass	
										50	3.85	-5.822	-0.0084	-2.5 to 2.5	Pass	
665.5	25	0							20	-30	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass	
										-20	3.85	-7.682	-0.0115	-2.5 to 2.5	Pass	
										-10	3.85	-6.666	-0.0100	-2.5 to 2.5	Pass	
			680.5	25	0				20	0	3.85	-6.523	-0.0098	-2.5 to 2.5	Pass	
										10	3.85	-9.756	-0.0147	-2.5 to 2.5	Pass	
										30	3.85	-5.450	-0.0082	-2.5 to 2.5	Pass	
						695.5	25	0	20	40	3.85	-5.107	-0.0077	-2.5 to 2.5	Pass	
										50	3.85	-11.015	-0.0166	-2.5 to 2.5	Pass	
										-30	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass	
665.5	25	0							20	-20	3.85	-8.998	-0.0129	-2.5 to 2.5	Pass	
										-10	3.85	-7.782	-0.0112	-2.5 to 2.5	Pass	
										0	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass	
			680.5	25	0				20	10	3.85	-5.193	-0.0075	-2.5 to 2.5	Pass	
										30	3.85	-8.368	-0.0120	-2.5 to 2.5	Pass	
										40	3.85	-4.334	-0.0062	-2.5 to 2.5	Pass	
						695.5	25	0	20	50	3.85	-5.822	-0.0084	-2.5 to 2.5	Pass	
										-30	3.85	-5.093	-0.0073	-2.5 to 2.5	Pass	

					4.43	-3.519	-0.0052	-2.5 to 2.5	Pass			
				-30	3.85	-3.347	-0.0049	-2.5 to 2.5	Pass			
				-20	3.85	-4.363	-0.0064	-2.5 to 2.5	Pass			
				-10	3.85	-3.977	-0.0058	-2.5 to 2.5	Pass			
				0	3.85	-5.550	-0.0082	-2.5 to 2.5	Pass			
				10	3.85	-1.659	-0.0024	-2.5 to 2.5	Pass			
				30	3.85	-3.691	-0.0054	-2.5 to 2.5	Pass			
				40	3.85	-1.588	-0.0023	-2.5 to 2.5	Pass			
				50	3.85	-7.410	-0.0109	-2.5 to 2.5	Pass			
	695.5	25	0	20	3.27	-5.307	-0.0076	-2.5 to 2.5	Pass			
3.85					-6.952	-0.0100	-2.5 to 2.5	Pass				
4.43					-6.523	-0.0094	-2.5 to 2.5	Pass				
							-30	3.85	-5.651	-0.0081	-2.5 to 2.5	Pass
							-20	3.85	-6.566	-0.0094	-2.5 to 2.5	Pass
							-10	3.85	-5.422	-0.0078	-2.5 to 2.5	Pass
							0	3.85	-7.052	-0.0101	-2.5 to 2.5	Pass
							10	3.85	-6.766	-0.0097	-2.5 to 2.5	Pass
							30	3.85	-7.181	-0.0103	-2.5 to 2.5	Pass
							40	3.85	-4.864	-0.0070	-2.5 to 2.5	Pass
							50	3.85	-6.938	-0.0100	-2.5 to 2.5	Pass

## 2.2 B71\_10MHz

### 2.2.1 Test Result

Band: 71 / Bandwidth: 10MHz													
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict				
		Size	Offset				Result	Limit					
QPSK	668	50	0	20	3.27	-7.553	-0.0113	-2.5 to 2.5	Pass				
					3.85	-7.982	-0.0119	-2.5 to 2.5	Pass				
					4.43	-5.150	-0.0077	-2.5 to 2.5	Pass				
								-30	3.85	-6.337	-0.0095	-2.5 to 2.5	Pass
								-20	3.85	-6.781	-0.0102	-2.5 to 2.5	Pass
								-10	3.85	-5.851	-0.0088	-2.5 to 2.5	Pass
								0	3.85	-5.307	-0.0079	-2.5 to 2.5	Pass
								10	3.85	-5.450	-0.0082	-2.5 to 2.5	Pass
								30	3.85	-6.351	-0.0095	-2.5 to 2.5	Pass
								40	3.85	-4.063	-0.0061	-2.5 to 2.5	Pass
								50	3.85	-7.582	-0.0114	-2.5 to 2.5	Pass
					680.5	50	0	20	3.27	-7.038	-0.0103	-2.5 to 2.5	Pass
	3.85	-6.351	-0.0093	-2.5 to 2.5					Pass				
	4.43	-8.311	-0.0122	-2.5 to 2.5					Pass				
								-30	3.85	-4.807	-0.0071	-2.5 to 2.5	Pass
								-20	3.85	-5.550	-0.0082	-2.5 to 2.5	Pass
								-10	3.85	-5.822	-0.0086	-2.5 to 2.5	Pass
								0	3.85	-8.783	-0.0129	-2.5 to 2.5	Pass
								10	3.85	-2.933	-0.0043	-2.5 to 2.5	Pass
								30	3.85	-6.266	-0.0092	-2.5 to 2.5	Pass
								40	3.85	-7.811	-0.0115	-2.5 to 2.5	Pass
								50	3.85	-7.653	-0.0112	-2.5 to 2.5	Pass
		693	50	0				20	3.27	-6.866	-0.0099	-2.5 to 2.5	Pass
	3.85				-8.740	-0.0126	-2.5 to 2.5		Pass				
	4.43				-7.896	-0.0114	-2.5 to 2.5		Pass				
								-30	3.85	-6.366	-0.0092	-2.5 to 2.5	Pass
					-20	3.85	-6.981	-0.0101	-2.5 to 2.5	Pass			

				-10	3.85	-7.482	-0.0108	-2.5 to 2.5	Pass
				0	3.85	-7.224	-0.0104	-2.5 to 2.5	Pass
				10	3.85	-7.596	-0.0110	-2.5 to 2.5	Pass
				30	3.85	-8.841	-0.0128	-2.5 to 2.5	Pass
				40	3.85	-7.539	-0.0109	-2.5 to 2.5	Pass
				50	3.85	-8.354	-0.0121	-2.5 to 2.5	Pass
16QAM	668	50	0	20	3.27	-5.336	-0.0080	-2.5 to 2.5	Pass
					3.85	-4.091	-0.0061	-2.5 to 2.5	Pass
					4.43	-6.094	-0.0091	-2.5 to 2.5	Pass
				-30	3.85	-9.384	-0.0140	-2.5 to 2.5	Pass
				-20	3.85	-6.967	-0.0104	-2.5 to 2.5	Pass
				-10	3.85	-8.082	-0.0121	-2.5 to 2.5	Pass
				0	3.85	-7.181	-0.0108	-2.5 to 2.5	Pass
				10	3.85	-6.866	-0.0103	-2.5 to 2.5	Pass
				30	3.85	-6.938	-0.0104	-2.5 to 2.5	Pass
				40	3.85	-4.263	-0.0064	-2.5 to 2.5	Pass
	50	3.85	-6.967	-0.0104	-2.5 to 2.5	Pass			
	680.5	50	0	20	3.27	-8.011	-0.0118	-2.5 to 2.5	Pass
					3.85	-5.980	-0.0088	-2.5 to 2.5	Pass
					4.43	-7.153	-0.0105	-2.5 to 2.5	Pass
				-30	3.85	-4.835	-0.0071	-2.5 to 2.5	Pass
				-20	3.85	-8.512	-0.0125	-2.5 to 2.5	Pass
				-10	3.85	-5.507	-0.0081	-2.5 to 2.5	Pass
				0	3.85	-5.922	-0.0087	-2.5 to 2.5	Pass
				10	3.85	-5.393	-0.0079	-2.5 to 2.5	Pass
				30	3.85	-7.339	-0.0108	-2.5 to 2.5	Pass
				40	3.85	-5.178	-0.0076	-2.5 to 2.5	Pass
	50	3.85	-6.137	-0.0090	-2.5 to 2.5	Pass			
	693	50	0	20	3.27	-9.298	-0.0134	-2.5 to 2.5	Pass
					3.85	-10.500	-0.0152	-2.5 to 2.5	Pass
					4.43	-6.981	-0.0101	-2.5 to 2.5	Pass
				-30	3.85	-7.210	-0.0104	-2.5 to 2.5	Pass
				-20	3.85	-8.698	-0.0126	-2.5 to 2.5	Pass
				-10	3.85	-5.651	-0.0082	-2.5 to 2.5	Pass
				0	3.85	-7.138	-0.0103	-2.5 to 2.5	Pass
				10	3.85	-6.766	-0.0098	-2.5 to 2.5	Pass
30				3.85	-4.506	-0.0065	-2.5 to 2.5	Pass	
40				3.85	-9.813	-0.0142	-2.5 to 2.5	Pass	
50	3.85	-6.909	-0.0100	-2.5 to 2.5	Pass				

## 2.3 B71\_15MHz

### 2.3.1 Test Result

Band: 71 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	670.5	75	0	20	3.27	-8.397	-0.0125	-2.5 to 2.5	Pass
					3.85	-5.980	-0.0089	-2.5 to 2.5	Pass
					4.43	-6.781	-0.0101	-2.5 to 2.5	Pass
				-30	3.85	-9.341	-0.0139	-2.5 to 2.5	Pass
				-20	3.85	-8.368	-0.0125	-2.5 to 2.5	Pass
				-10	3.85	-6.838	-0.0102	-2.5 to 2.5	Pass
				0	3.85	-3.948	-0.0059	-2.5 to 2.5	Pass
				10	3.85	-8.154	-0.0122	-2.5 to 2.5	Pass

	680.5	75	0	30	3.85	-7.024	-0.0105	-2.5 to 2.5	Pass	
				40	3.85	-9.155	-0.0137	-2.5 to 2.5	Pass	
				50	3.85	-4.363	-0.0065	-2.5 to 2.5	Pass	
				20	3.27	-6.208	-0.0091	-2.5 to 2.5	Pass	
					3.85	-8.597	-0.0126	-2.5 to 2.5	Pass	
					4.43	-5.636	-0.0083	-2.5 to 2.5	Pass	
				-30	3.85	-4.821	-0.0071	-2.5 to 2.5	Pass	
				-20	3.85	-7.224	-0.0106	-2.5 to 2.5	Pass	
				-10	3.85	-8.039	-0.0118	-2.5 to 2.5	Pass	
				0	3.85	-6.480	-0.0095	-2.5 to 2.5	Pass	
				10	3.85	-4.692	-0.0069	-2.5 to 2.5	Pass	
				30	3.85	-4.478	-0.0066	-2.5 to 2.5	Pass	
	40	3.85	-8.540	-0.0125	-2.5 to 2.5	Pass				
	50	3.85	-3.562	-0.0052	-2.5 to 2.5	Pass				
	690.5	75	0	20	3.27	-5.121	-0.0074	-2.5 to 2.5	Pass	
					3.85	-6.337	-0.0092	-2.5 to 2.5	Pass	
					4.43	-7.768	-0.0112	-2.5 to 2.5	Pass	
				-30	3.85	-3.219	-0.0047	-2.5 to 2.5	Pass	
				-20	3.85	-7.339	-0.0106	-2.5 to 2.5	Pass	
				-10	3.85	-5.307	-0.0077	-2.5 to 2.5	Pass	
				0	3.85	-6.309	-0.0091	-2.5 to 2.5	Pass	
				10	3.85	-5.007	-0.0073	-2.5 to 2.5	Pass	
				30	3.85	-9.227	-0.0134	-2.5 to 2.5	Pass	
				40	3.85	-3.018	-0.0044	-2.5 to 2.5	Pass	
				50	3.85	-6.623	-0.0096	-2.5 to 2.5	Pass	
				16QAM	670.5	75	0	20	3.27	-5.779
	3.85	-9.313	-0.0139						-2.5 to 2.5	Pass
	4.43	-7.410	-0.0111						-2.5 to 2.5	Pass
	-30	3.85	-7.753					-0.0116	-2.5 to 2.5	Pass
	-20	3.85	-5.350					-0.0080	-2.5 to 2.5	Pass
-10	3.85	-7.911	-0.0118					-2.5 to 2.5	Pass	
0	3.85	-6.537	-0.0097					-2.5 to 2.5	Pass	
10	3.85	-9.656	-0.0144					-2.5 to 2.5	Pass	
30	3.85	-3.462	-0.0052					-2.5 to 2.5	Pass	
40	3.85	-11.959	-0.0178					-2.5 to 2.5	Pass	
50	3.85	-7.854	-0.0117					-2.5 to 2.5	Pass	
680.5	75	0	20					3.27	-7.896	-0.0116
					3.85	-3.877	-0.0057	-2.5 to 2.5	Pass	
					4.43	-6.580	-0.0097	-2.5 to 2.5	Pass	
			-30		3.85	-7.095	-0.0104	-2.5 to 2.5	Pass	
			-20		3.85	-5.336	-0.0078	-2.5 to 2.5	Pass	
			-10		3.85	-6.051	-0.0089	-2.5 to 2.5	Pass	
			0		3.85	-6.166	-0.0091	-2.5 to 2.5	Pass	
			10		3.85	-5.622	-0.0083	-2.5 to 2.5	Pass	
			30		3.85	-9.084	-0.0133	-2.5 to 2.5	Pass	
			40		3.85	-6.666	-0.0098	-2.5 to 2.5	Pass	
			50		3.85	-5.679	-0.0083	-2.5 to 2.5	Pass	
			690.5		75	0	20	3.27	-5.536	-0.0080
3.85	-4.721	-0.0068						-2.5 to 2.5	Pass	
4.43	-6.223	-0.0090						-2.5 to 2.5	Pass	
-30	3.85	-3.490					-0.0051	-2.5 to 2.5	Pass	
-20	3.85	-4.964					-0.0072	-2.5 to 2.5	Pass	
-10	3.85	-7.324					-0.0106	-2.5 to 2.5	Pass	
0	3.85	-4.592					-0.0067	-2.5 to 2.5	Pass	
10	3.85	-7.825					-0.0113	-2.5 to 2.5	Pass	
30	3.85	-7.181		-0.0104			-2.5 to 2.5	Pass		
40	3.85	-3.548		-0.0051			-2.5 to 2.5	Pass		



				50	3.85	-6.266	-0.0091	-2.5 to 2.5	Pass
--	--	--	--	----	------	--------	---------	-------------	------

## 2.4 B71\_20MHz

### 2.4.1 Test Result

Band: 71 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	673	100	0	20	3.27	-5.937	-0.0088	-2.5 to 2.5	Pass
					3.85	-5.279	-0.0078	-2.5 to 2.5	Pass
					4.43	-9.327	-0.0139	-2.5 to 2.5	Pass
				-30	3.85	-7.868	-0.0117	-2.5 to 2.5	Pass
				-20	3.85	-7.095	-0.0105	-2.5 to 2.5	Pass
				-10	3.85	-6.723	-0.0100	-2.5 to 2.5	Pass
				0	3.85	-6.065	-0.0090	-2.5 to 2.5	Pass
				10	3.85	-8.512	-0.0126	-2.5 to 2.5	Pass
				30	3.85	-6.423	-0.0095	-2.5 to 2.5	Pass
				40	3.85	-6.752	-0.0100	-2.5 to 2.5	Pass
	50	3.85	-8.454	-0.0126	-2.5 to 2.5	Pass			
	683	100	0	20	3.27	-5.221	-0.0076	-2.5 to 2.5	Pass
					3.85	-5.736	-0.0084	-2.5 to 2.5	Pass
					4.43	-6.495	-0.0095	-2.5 to 2.5	Pass
				-30	3.85	-3.476	-0.0051	-2.5 to 2.5	Pass
				-20	3.85	-6.409	-0.0094	-2.5 to 2.5	Pass
				-10	3.85	-5.336	-0.0078	-2.5 to 2.5	Pass
				0	3.85	-9.398	-0.0138	-2.5 to 2.5	Pass
				10	3.85	-6.480	-0.0095	-2.5 to 2.5	Pass
				30	3.85	-4.864	-0.0071	-2.5 to 2.5	Pass
				40	3.85	-7.067	-0.0103	-2.5 to 2.5	Pass
	50	3.85	-7.639	-0.0112	-2.5 to 2.5	Pass			
	688	100	0	20	3.27	-6.180	-0.0090	-2.5 to 2.5	Pass
					3.85	-8.554	-0.0124	-2.5 to 2.5	Pass
					4.43	-7.210	-0.0105	-2.5 to 2.5	Pass
				-30	3.85	-6.394	-0.0093	-2.5 to 2.5	Pass
				-20	3.85	-7.682	-0.0112	-2.5 to 2.5	Pass
				-10	3.85	-7.195	-0.0105	-2.5 to 2.5	Pass
				0	3.85	-8.512	-0.0124	-2.5 to 2.5	Pass
				10	3.85	-7.024	-0.0102	-2.5 to 2.5	Pass
30				3.85	-7.982	-0.0116	-2.5 to 2.5	Pass	
40				3.85	-9.284	-0.0135	-2.5 to 2.5	Pass	
50	3.85	-6.680	-0.0097	-2.5 to 2.5	Pass				
16QAM	673	100	0	20	3.27	-3.476	-0.0052	-2.5 to 2.5	Pass
					3.85	-5.293	-0.0079	-2.5 to 2.5	Pass
					4.43	-6.852	-0.0102	-2.5 to 2.5	Pass
				-30	3.85	-6.351	-0.0094	-2.5 to 2.5	Pass
				-20	3.85	-9.198	-0.0137	-2.5 to 2.5	Pass
				-10	3.85	-5.665	-0.0084	-2.5 to 2.5	Pass
				0	3.85	-7.925	-0.0118	-2.5 to 2.5	Pass
				10	3.85	-10.085	-0.0150	-2.5 to 2.5	Pass
				30	3.85	-5.507	-0.0082	-2.5 to 2.5	Pass
				40	3.85	-6.123	-0.0091	-2.5 to 2.5	Pass
	50	3.85	-8.626	-0.0128	-2.5 to 2.5	Pass			
	683	100	0	20	3.27	-2.589	-0.0038	-2.5 to 2.5	Pass
					3.85	-6.623	-0.0097	-2.5 to 2.5	Pass

					4.43	-7.467	-0.0109	-2.5 to 2.5	Pass			
				-30	3.85	-4.034	-0.0059	-2.5 to 2.5	Pass			
				-20	3.85	-5.107	-0.0075	-2.5 to 2.5	Pass			
				-10	3.85	-2.074	-0.0030	-2.5 to 2.5	Pass			
				0	3.85	-7.510	-0.0110	-2.5 to 2.5	Pass			
				10	3.85	-4.506	-0.0066	-2.5 to 2.5	Pass			
				30	3.85	-6.123	-0.0090	-2.5 to 2.5	Pass			
				40	3.85	-5.751	-0.0084	-2.5 to 2.5	Pass			
				50	3.85	-5.279	-0.0077	-2.5 to 2.5	Pass			
	688	100	0	20	3.27	-9.542	-0.0139	-2.5 to 2.5	Pass			
3.85					-6.638	-0.0096	-2.5 to 2.5	Pass				
4.43					-6.495	-0.0094	-2.5 to 2.5	Pass				
							-30	3.85	-4.678	-0.0068	-2.5 to 2.5	Pass
							-20	3.85	-9.356	-0.0136	-2.5 to 2.5	Pass
							-10	3.85	-8.655	-0.0126	-2.5 to 2.5	Pass
							0	3.85	-7.353	-0.0107	-2.5 to 2.5	Pass
							10	3.85	-7.324	-0.0106	-2.5 to 2.5	Pass
							30	3.85	-7.296	-0.0106	-2.5 to 2.5	Pass
							40	3.85	-7.424	-0.0108	-2.5 to 2.5	Pass
							50	3.85	-8.984	-0.0131	-2.5 to 2.5	Pass



### 3. Modulation Characteristics

#### 3.1 B71\_5MHz

##### 3.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	25	0	Refer To Test Graph		Pass
16QAM	680.5	25	0	Refer To Test Graph		Pass

### 3.1.2 Test Graph





### 3.2 B71\_10MHz

#### 3.2.1 Test Result

Band: 71 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	50	0	Refer To Test Graph		Pass
16QAM	680.5	50	0	Refer To Test Graph		Pass

### 3.2.2 Test Graph





### 3.3 B71\_15MHz

#### 3.3.1 Test Result

Band: 71 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	75	0	Refer To Test Graph		Pass
16QAM	680.5	75	0	Refer To Test Graph		Pass

### 3.3.2 Test Graph





### 3.4 B71\_20MHz

#### 3.4.1 Test Result

Band: 71 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	683	100	0	Refer To Test Graph		Pass
16QAM	683	100	0	Refer To Test Graph		Pass



### 3.4.2 Test Graph





## 4. 99% & 26dB Bandwidth

### 4.1 Band71\_OBW


#### 4.1.1 Test Result

Band: 71 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	665.5	25	0	4.554	Pass
		680.5	25	0	4.564	Pass
		695.5	25	0	4.571	Pass
	16QAM	665.5	25	0	4.567	Pass
		680.5	25	0	4.573	Pass
		695.5	25	0	4.554	Pass
10	QPSK	668	50	0	9.149	Pass
		680.5	50	0	9.067	Pass
		693	50	0	9.054	Pass
	16QAM	668	50	0	9.125	Pass
		680.5	50	0	9.064	Pass
		693	50	0	9.028	Pass
15	QPSK	670.5	75	0	13.751	Pass
		680.5	75	0	13.682	Pass
		690.5	75	0	13.584	Pass
	16QAM	670.5	75	0	13.701	Pass
		680.5	75	0	13.710	Pass
		690.5	75	0	13.573	Pass
20	QPSK	673	100	0	18.179	Pass
		683	100	0	18.192	Pass
		688	100	0	18.161	Pass
	16QAM	673	100	0	18.174	Pass
		683	100	0	18.296	Pass
		688	100	0	18.160	Pass


### 4.1.2 Test Graph




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV



Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV







Band71\_15MHz\_QPSK\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV





## 4.2 Band71\_XDB

### 4.2.1 Test Result


Band: 71 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	665.5	25	0	5.205	Pass
		680.5	25	0	5.246	Pass
		695.5	25	0	5.241	Pass
	16QAM	665.5	25	0	5.177	Pass
		680.5	25	0	5.281	Pass
		695.5	25	0	5.232	Pass
10	QPSK	668	50	0	10.403	Pass
		680.5	50	0	10.149	Pass
		693	50	0	10.079	Pass
	16QAM	668	50	0	10.274	Pass
		680.5	50	0	10.161	Pass
		693	50	0	10.179	Pass
15	QPSK	670.5	75	0	15.433	Pass
		680.5	75	0	20.530	Pass
		690.5	75	0	15.364	Pass
	16QAM	670.5	75	0	16.138	Pass
		680.5	75	0	24.160	Pass
		690.5	75	0	15.187	Pass
20	QPSK	673	100	0	25.639	Pass
		683	100	0	19.846	Pass
		688	100	0	20.202	Pass
	16QAM	673	100	0	25.449	Pass
		683	100	0	20.102	Pass
		688	100	0	19.990	Pass

### 4.2.2 Test Graph







Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_15MHz\_QPSK\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV



Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV







Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV





## 5. Peak-Average Ratio

### 5.1 B71\_5MHz


#### 5.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	25	0	5.51	<=13	Pass
	680.5	25	0	5.67	<=13	Pass
	695.5	25	0	5.58	<=13	Pass
16QAM	665.5	25	0	6.17	<=13	Pass
	680.5	25	0	6.40	<=13	Pass
	695.5	25	0	6.20	<=13	Pass


### 5.1.2 Test Graph




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV



Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_25\_0\_NTNV



Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




## 5.2 B71\_10MHz

### 5.2.1 Test Result


Band: 71 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	668	50	0	5.66	<=13	Pass
	680.5	50	0	5.66	<=13	Pass
	693	50	0	5.32	<=13	Pass
16QAM	668	50	0	6.31	<=13	Pass
	680.5	50	0	-68.78	<=13	Pass
	693	50	0	6.09	<=13	Pass




## 5.2.2 Test Graph




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV



Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV



Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV





### 5.3 B71\_15MHz


#### 5.3.1 Test Result

Band: 71 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	75	0	5.51	<=13	Pass
	680.5	75	0	5.34	<=13	Pass
	690.5	75	0	5.22	<=13	Pass
16QAM	670.5	75	0	6.22	<=13	Pass
	680.5	75	0	6.19	<=13	Pass
	690.5	75	0	6.06	<=13	Pass


### 5.3.2 Test Graph




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV



Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_75\_0\_NTNV



Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV





## 5.4 B71\_20MHz

### 5.4.1 Test Result


Band: 71 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	673	100	0	5.63	<=13	Pass
	683	100	0	5.85	<=13	Pass
	688	100	0	5.72	<=13	Pass
16QAM	673	100	0	6.65	<=13	Pass
	683	100	0	6.79	<=13	Pass
	688	100	0	6.69	<=13	Pass




### 5.4.2 Test Graph




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV





## 6. Spurious Emission

### 6.1 B71\_5MHz


#### 6.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	695.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	695.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass


### 6.1.2 Test Graph




Band71\_5MHz\_QPSK\_LCH\_665.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_LCH\_665.5MHz\_RB\_1\_0\_NTNV



Band71\_5MHz\_QPSK\_LCH\_665.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	/	1	662.000	-29.34	-13	Pass
662	663	0.056	/	2	663.000	-24.44	-13	Pass
663	668	0.056	/	/	/	/	/	/

Band71\_5MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV







Band71\_5MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_0\_NTNV



Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_24\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.011	-25.32	-13	Pass
699	703	0.1	/	2	699.823	-57.41	-13	Pass

Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.056	/	/	/	/	/	/
698	699	0.056	/	1	698.000	-24.36	-13	Pass
699	703	0.1	/	2	700.700	-29.95	-13	Pass

Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_1\_0\_NTNV



Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_1\_0\_NTNV

