


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band5


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.75	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.72	-13	Pass	2985
30	814	0.1	RMS	800.398	-56.43	-13	Pass	7840
814	860	0.1	RMS	824.273	20.09	60	Pass	601
860	1000	0.1	RMS	999.4	-57.6	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.2	-13	Pass	2000
3000	10000	1	RMS	5757.394	-50	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.8	-13	Pass	2985
30	814	0.1	RMS	809.799	-56.46	-13	Pass	7840
814	860	0.1	RMS	825.117	19.92	60	Pass	601
860	1000	0.1	RMS	901.63	-57.49	-13	Pass	1400
1000	3000	1	RMS	2672.836	-38.25	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.95	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.52	-13	Pass	2985
30	814	0.1	RMS	809.399	-56.37	-13	Pass	7840
814	860	0.1	RMS	824.273	19.65	60	Pass	601
860	1000	0.1	RMS	905.633	-57.6	-13	Pass	1400
1000	3000	1	RMS	2664.832	-38.24	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.92	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.99	-13	Pass	2985
30	814	0.1	RMS	812.3	-56.48	-13	Pass	7840
814	860	0.1	RMS	825.117	19.46	60	Pass	601
860	1000	0.1	RMS	994.796	-57.53	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.23	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.9	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.56	-13	Pass	2985
30	814	0.1	RMS	803.399	-56.44	-13	Pass	7840
814	860	0.1	RMS	836.08	20.14	60	Pass	601
860	1000	0.1	RMS	992.795	-57.56	-13	Pass	1400
1000	3000	1	RMS	2673.837	-38.21	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.84	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.17	-39.99	-13	Pass	2985
30	814	0.1	RMS	814	-56.59	-13	Pass	7840
814	860	0.1	RMS	836.923	20.11	60	Pass	601
860	1000	0.1	RMS	895.926	-57.63	-13	Pass	1400
1000	3000	1	RMS	2664.832	-38.21	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.89	-13	Pass	7000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.34	-13	Pass	2985
30	814	0.1	RMS	804.399	-56.55	-13	Pass	7840
814	860	0.1	RMS	836.08	19.46	60	Pass	601
860	1000	0.1	RMS	899.028	-57.56	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.23	-13	Pass	2000
3000	10000	1	RMS	5763.395	-49.97	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.69	-13	Pass	2985
30	814	0.1	RMS	803.399	-56.57	-13	Pass	7840
814	860	0.1	RMS	836.923	19.67	60	Pass	601
860	1000	0.1	RMS	891.122	-57.59	-13	Pass	1400
1000	3000	1	RMS	2663.832	-38.24	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.91	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.54	-13	Pass	2985
30	814	0.1	RMS	811.6	-56.35	-13	Pass	7840
814	860	0.1	RMS	847.81	20.07	60	Pass	601
860	1000	0.1	RMS	919.943	-57.66	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.26	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.85	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.66	-13	Pass	2985
30	814	0.1	RMS	803.099	-56.09	-13	Pass	7840
814	860	0.1	RMS	848.73	20.15	60	Pass	601
860	1000	0.1	RMS	904.832	-57.56	-13	Pass	1400
1000	3000	1	RMS	2664.832	-38.21	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.82	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.45	-13	Pass	2985
30	814	0.1	RMS	788.697	-56.57	-13	Pass	7840
814	860	0.1	RMS	847.887	19.26	60	Pass	601
860	1000	0.1	RMS	895.726	-57.66	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.24	-13	Pass	2000
3000	10000	1	RMS	5763.395	-49.75	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.62	-13	Pass	2985
30	814	0.1	RMS	767.894	-56.64	-13	Pass	7840
814	860	0.1	RMS	848.73	19.35	60	Pass	601
860	1000	0.1	RMS	893.224	-57.6	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.23	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.66	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.57	-13	Pass	2985
30	814	0.1	RMS	752.492	-56.33	-13	Pass	7840
814	860	0.1	RMS	824.273	19.85	60	Pass	601
860	1000	0.1	RMS	920.743	-57.59	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.2	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.88	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.29	-13	Pass	2985
30	814	0.1	RMS	809.799	-56.41	-13	Pass	7840
814	860	0.1	RMS	826.727	19.84	60	Pass	601
860	1000	0.1	RMS	990.793	-57.49	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.22	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.92	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.98	-13	Pass	2985
30	814	0.1	RMS	811.2	-56.37	-13	Pass	7840
814	860	0.1	RMS	824.273	19.24	60	Pass	601
860	1000	0.1	RMS	995.197	-57.58	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.22	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.9	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.04	-13	Pass	2985
30	814	0.1	RMS	746.691	-56.48	-13	Pass	7840
814	860	0.1	RMS	826.727	19.35	60	Pass	601
860	1000	0.1	RMS	921.044	-57.61	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.18	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.9	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.57	-13	Pass	2985
30	814	0.1	RMS	796.698	-56.42	-13	Pass	7840
814	860	0.1	RMS	835.237	20.28	60	Pass	601
860	1000	0.1	RMS	900.829	-57.5	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.17	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.95	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.66	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.68	-13	Pass	2985
30	814	0.1	RMS	785.096	-56.18	-13	Pass	7840
814	860	0.1	RMS	837.767	20.32	60	Pass	601
860	1000	0.1	RMS	984.689	-57.6	-13	Pass	1400
1000	3000	1	RMS	2674.837	-38.26	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.88	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.25	-13	Pass	2985
30	814	0.1	RMS	784.296	-56.41	-13	Pass	7840
814	860	0.1	RMS	835.237	19.58	60	Pass	601
860	1000	0.1	RMS	887.92	-57.58	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.23	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.9	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.19	-13	Pass	2985
30	814	0.1	RMS	795.398	-56.26	-13	Pass	7840
814	860	0.1	RMS	837.767	19.65	60	Pass	601
860	1000	0.1	RMS	999.8	-57.61	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.21	-13	Pass	2000
3000	10000	1	RMS	5454.351	-45.66	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.8	-13	Pass	2985
30	814	0.1	RMS	770.194	-56.41	-13	Pass	7840
814	860	0.1	RMS	846.2	19.86	60	Pass	601
860	1000	0.1	RMS	909.535	-57.6	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.22	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.86	-13	Pass	7000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.67	-13	Pass	2985
30	814	0.1	RMS	809.999	-56.6	-13	Pass	7840
814	860	0.1	RMS	848.73	20.1	60	Pass	601
860	1000	0.1	RMS	894.325	-57.54	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.21	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.98	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.35	-13	Pass	2985
30	814	0.1	RMS	808.799	-56.33	-13	Pass	7840
814	860	0.1	RMS	846.277	19.32	60	Pass	601
860	1000	0.1	RMS	897.827	-57.64	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.14	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.98	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.11	-13	Pass	2985
30	814	0.1	RMS	809.499	-56.34	-13	Pass	7840
814	860	0.1	RMS	848.73	19.3	60	Pass	601
860	1000	0.1	RMS	919.242	-57.62	-13	Pass	1400
1000	3000	1	RMS	2673.837	-38.22	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.89	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.65	-13	Pass	2985
30	814	0.1	RMS	754.792	-56.5	-13	Pass	7840
814	860	0.1	RMS	824.35	20.11	60	Pass	601
860	1000	0.1	RMS	983.888	-57.68	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.27	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.82	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.52	-13	Pass	2985
30	814	0.1	RMS	812.7	-56.25	-13	Pass	7840
814	860	0.1	RMS	828.643	20.03	60	Pass	601
860	1000	0.1	RMS	907.134	-57.46	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.24	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.82	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.19	-13	Pass	2985
30	814	0.1	RMS	796.798	-56.2	-13	Pass	7840
814	860	0.1	RMS	824.35	19.68	60	Pass	601
860	1000	0.1	RMS	980.886	-57.68	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.19	-13	Pass	2000
3000	10000	1	RMS	5771.396	-49.87	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-42.02	-13	Pass	2985
30	814	0.1	RMS	802.999	-56.24	-13	Pass	7840
814	860	0.1	RMS	828.643	19.61	60	Pass	601
860	1000	0.1	RMS	980.086	-57.64	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.15	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.89	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.66	-13	Pass	2985
30	814	0.1	RMS	809.999	-56.34	-13	Pass	7840
814	860	0.1	RMS	834.317	20	60	Pass	601
860	1000	0.1	RMS	986.49	-57.63	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.19	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.81	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.57	-13	Pass	2985
30	814	0.1	RMS	782.496	-56.52	-13	Pass	7840
814	860	0.1	RMS	838.687	19.83	60	Pass	601
860	1000	0.1	RMS	900.229	-57.58	-13	Pass	1400
1000	3000	1	RMS	2675.838	-38.21	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.79	-13	Pass	7000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.03	-13	Pass	2985
30	814	0.1	RMS	800.698	-56.27	-13	Pass	7840
814	860	0.1	RMS	834.317	19.05	60	Pass	601
860	1000	0.1	RMS	997.198	-57.48	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.21	-13	Pass	2000
3000	10000	1	RMS	5771.396	-49.86	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.18	-13	Pass	2985
30	814	0.1	RMS	790.897	-56.4	-13	Pass	7840
814	860	0.1	RMS	838.687	19.22	60	Pass	601
860	1000	0.1	RMS	976.783	-57.64	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.11	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.74	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.98	-13	Pass	2985
30	814	0.1	RMS	811.3	-56.43	-13	Pass	7840
814	860	0.1	RMS	844.36	20.24	60	Pass	601
860	1000	0.1	RMS	902.931	-57.61	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.23	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.97	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.01	-13	Pass	2985
30	814	0.1	RMS	787.997	-56.38	-13	Pass	7840
814	860	0.1	RMS	848.653	20.25	60	Pass	601
860	1000	0.1	RMS	898.528	-57.6	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.2	-13	Pass	2000
3000	10000	1	RMS	5759.394	-49.76	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.77	-13	Pass	2985
30	814	0.1	RMS	794.297	-56.54	-13	Pass	7840
814	860	0.1	RMS	844.36	19.66	60	Pass	601
860	1000	0.1	RMS	988.892	-57.66	-13	Pass	1400
1000	3000	1	RMS	2671.836	-38.15	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.92	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.43	-13	Pass	2985
30	814	0.1	RMS	810.3	-56.63	-13	Pass	7840
814	860	0.1	RMS	848.653	19.74	60	Pass	601
860	1000	0.1	RMS	895.425	-57.61	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.18	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.79	-13	Pass	7000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.81	-13	Pass	2985
30	814	0.1	RMS	803.799	-56.54	-13	Pass	7840
814	860	0.1	RMS	824.58	20.12	60	Pass	601
860	1000	0.1	RMS	908.635	-57.63	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.24	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.88	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.83	-13	Pass	2985
30	814	0.1	RMS	810.4	-56.38	-13	Pass	7840
814	860	0.1	RMS	833.397	20.19	60	Pass	601
860	1000	0.1	RMS	898.728	-57.61	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.23	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.9	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.16	-13	Pass	2985
30	814	0.1	RMS	784.996	-56.34	-13	Pass	7840
814	860	0.1	RMS	824.58	19.57	60	Pass	601
860	1000	0.1	RMS	905.833	-57.59	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.26	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.96	-13	Pass	7000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.81	-13	Pass	2985
30	814	0.1	RMS	785.196	-56.45	-13	Pass	7840
814	860	0.1	RMS	833.397	19.42	60	Pass	601
860	1000	0.1	RMS	991.994	-57.71	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.22	-13	Pass	2000
3000	10000	1	RMS	5763.395	-49.9	-13	Pass	7000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.81	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.01	-13	Pass	2985
30	814	0.1	RMS	812.5	-56.43	-13	Pass	7840
814	860	0.1	RMS	832.093	20.29	60	Pass	601
860	1000	0.1	RMS	999.099	-57.63	-13	Pass	1400
1000	3000	1	RMS	2668.834	-38.17	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.89	-13	Pass	7000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.95	-13	Pass	2985
30	814	0.1	RMS	786.797	-56.37	-13	Pass	7840
814	860	0.1	RMS	840.91	20.37	60	Pass	601
860	1000	0.1	RMS	896.026	-57.52	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.23	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.86	-13	Pass	7000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.45	-13	Pass	2985
30	814	0.1	RMS	809.199	-56.35	-13	Pass	7840
814	860	0.1	RMS	832.093	19.74	60	Pass	601
860	1000	0.1	RMS	899.728	-57.58	-13	Pass	1400
1000	3000	1	RMS	2672.836	-38.18	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.93	-13	Pass	7000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.53	-13	Pass	2985
30	814	0.1	RMS	790.297	-56.45	-13	Pass	7840
814	860	0.1	RMS	840.91	19.8	60	Pass	601
860	1000	0.1	RMS	903.931	-57.56	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.17	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.9	-13	Pass	7000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.24	-13	Pass	2985
30	814	0.1	RMS	773.395	-56.49	-13	Pass	7840
814	860	0.1	RMS	839.607	20.19	60	Pass	601
860	1000	0.1	RMS	902.43	-57.52	-13	Pass	1400
1000	3000	1	RMS	2666.833	-38.24	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.96	-13	Pass	7000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.31	-13	Pass	2985
30	814	0.1	RMS	802.098	-56.34	-13	Pass	7840
814	860	0.1	RMS	848.423	20.08	60	Pass	601
860	1000	0.1	RMS	989.793	-57.64	-13	Pass	1400
1000	3000	1	RMS	2670.835	-38.16	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.89	-13	Pass	7000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.08	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.25	-13	Pass	2985
30	814	0.1	RMS	807.799	-56.54	-13	Pass	7840
814	860	0.1	RMS	839.607	19.61	60	Pass	601
860	1000	0.1	RMS	994.896	-57.48	-13	Pass	1400
1000	3000	1	RMS	2669.835	-38.15	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.83	-13	Pass	7000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.64	-13	Pass	2985
30	814	0.1	RMS	811.6	-56.59	-13	Pass	7840
814	860	0.1	RMS	848.423	19.19	60	Pass	601
860	1000	0.1	RMS	996.898	-57.64	-13	Pass	1400
1000	3000	1	RMS	2667.834	-38.2	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.87	-13	Pass	7000



END