

Ref: ACR.287.3.14.SATU.A

## TABLE OF CONTENTS

1	Intro	duction4	
2	Devi	ce Under Test	
3	Prod	uct Description4	
	3.1	General Information	4
4	Mea	surement Method5	
	4.1	Return Loss Requirements	5
	4.2	Mechanical Requirements	5
5	Mea	surement Uncertainty5	
	5.1	Return Loss	5
	5.2	Dimension Measurement	5
	5.3	Validation Measurement	
6	Calil	pration Measurement Results6	
	6.1	Return Loss and Impedance	6
	6.2	Mechanical Dimensions	
7	Vali	dation measurement	
	7.1	Head Liquid Measurement	7
	7.2	SAR Measurement Result With Head Liquid	7
	7.3	Body Liquid Measurement	9
	7.4	SAR Measurement Result With Body Liquid	9
8	List	of Fauinment 11	

Page: 3/11



Ref: ACR.287.3.14.SATU.A

## 1 INTRODUCTION

This document contains a summary of the requirements set forth by the IEEE 1528, OET 65 Bulletin C and CEI/IEC 62209 standards for reference dipoles used for SAR measurement system validations and the measurements that were performed to verify that the product complies with the fore mentioned standards.

#### 2 DEVICE UNDER TEST

Device Under Test				
Device Type	COMOSAR 750 MHz REFERENCE DIPOLE			
Manufacturer	Satimo			
Model	SID750			
Serial Number	SN 07/14 DIP 0G750-302			
Product Condition (new / used)	New			

A yearly calibration interval is recommended.

## 3 PRODUCT DESCRIPTION

## 3.1 GENERAL INFORMATION

Satimo's COMOSAR Validation Dipoles are built in accordance to the IEEE 1528, OET 65 Bulletin C and CEI/IEC 62209 standards. The product is designed for use with the COMOSAR test bench only.



**Figure 1** – Satimo COMOSAR Validation Dipole

Page: 4/11



Ref: ACR.287.3.14.SATU.A

#### 4 MEASUREMENT METHOD

The IEEE 1528, OET 65 Bulletin C and CEI/IEC 62209 standards provide requirements for reference dipoles used for system validation measurements. The following measurements were performed to verify that the product complies with the fore mentioned standards.

#### 4.1 RETURN LOSS REQUIREMENTS

The dipole used for SAR system validation measurements and checks must have a return loss of -20 dB or better. The return loss measurement shall be performed against a liquid filled flat phantom, with the phantom constucted as outlined in the fore mentioned standards.

#### 4.2 MECHANICAL REQUIREMENTS

The IEEE Std. 1528 and CEI/IEC 62209 standards specify the mechanical components and dimensions of the validation dipoles, with the dimensions frequency and phantom shell thickness dependent. The COMOSAR test bench employs a 2 mm phantom shell thickness therefore the dipoles sold for use with the COMOSAR test bench comply with the requirements set forth for a 2 mm phantom shell thickness.

#### 5 MEASUREMENT UNCERTAINTY

All uncertainties listed below represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2, traceable to the Internationally Accepted Guides to Measurement Uncertainty.

## 5.1 RETURN LOSS

The following uncertainties apply to the return loss measurement:

Frequency band	<b>Expanded Uncertainty on Return Loss</b>		
400-6000MHz	0.1 dB		

## 5.2 DIMENSION MEASUREMENT

The following uncertainties apply to the dimension measurements:

Length (mm)	Expanded Uncertainty on Length
3 - 300	0.05 mm

## 5.3 VALIDATION MEASUREMENT

The guidelines outlined in the IEEE 1528, OET 65 Bulletin C, CENELEC EN50361 and CEI/IEC 62209 standards were followed to generate the measurement uncertainty for validation measurements.

Scan Volume	Expanded Uncertainty
1 g	20.3 %
10 g	20.1 %


Page: 5/11



Ref: ACR.287.3.14.SATU.A

## 6 CALIBRATION MEASUREMENT RESULTS

## 6.1 <u>RETURN LOSS AND IMPEDANCE</u>



Frequency (MHz)	Return Loss (dB)	Requirement (dB)	Impedance
750	-34.80	-20	$50.7 \Omega + 1.6 j\Omega$

## 6.2 MECHANICAL DIMENSIONS

Frequency MHz	L mm		h mm		<b>d</b> mm	
	required	measured	required	measured	required	measured
300	420.0 ±1 %.		250.0 ±1 %.		6.35 ±1 %.	
450	290.0 ±1 %.		166.7 ±1 %.		6.35 ±1 %.	
750	176.0 ±1 %.	PASS	100.0 ±1 %.	PASS	6.35 ±1 %.	PASS
835	161.0 ±1 %.		89.8 ±1 %.		3.6 ±1 %.	
900	149.0 ±1 %.		83.3 ±1 %.		3.6 ±1 %.	
1450	89.1 ±1 %.		51.7 ±1 %.		3.6 ±1 %.	
1500	80.5 ±1 %.		50.0 ±1 %.		3.6 ±1 %.	
1640	79.0 ±1 %.		45.7 ±1 %.		3.6 ±1 %.	
1750	75.2 ±1 %.		42.9 ±1 %.		3.6 ±1 %.	
1800	72.0 ±1 %.		41.7 ±1 %.		3.6 ±1 %.	
1900	68.0 ±1 %.		39.5 ±1 %.		3.6 ±1 %.	
1950	66.3 ±1 %.		38.5 ±1 %.		3.6 ±1 %.	
2000	64.5 ±1 %.		37.5 ±1 %.		3.6 ±1 %.	
2100	61.0 ±1 %.		35.7 ±1 %.		3.6 ±1 %.	
2300	55.5 ±1 %.		32.6 ±1 %.		3.6 ±1 %.	
2450	51.5 ±1 %.		30.4 ±1 %.		3.6 ±1 %.	
2600	48.5 ±1 %.		28.8 ±1 %.		3.6 ±1 %.	
3000	41.5 ±1 %.		25.0 ±1 %.		3.6 ±1 %.	
3500	37.0±1 %.		26.4 ±1 %.		3.6 ±1 %.	
3700	34.7±1 %.		26.4 ±1 %.		3.6 ±1 %.	

Page: 6/11



Ref: ACR.287.3.14.SATU.A

#### 7 VALIDATION MEASUREMENT

The IEEE Std. 1528, OET 65 Bulletin C and CEI/IEC 62209 standards state that the system validation measurements must be performed using a reference dipole meeting the fore mentioned return loss and mechanical dimension requirements. The validation measurement must be performed against a liquid filled flat phantom, with the phantom constructed as outlined in the fore mentioned standards. Per the standards, the dipole shall be positioned below the bottom of the phantom, with the dipole length centered and parallel to the longest dimension of the flat phantom, with the top surface of the dipole at the described distance from the bottom surface of the phantom.

## 7.1 HEAD LIQUID MEASUREMENT

Frequency MHz	Relative permittivity (ε,')		Conductiv	rity (σ) S/m
	required	measured	required	measured
300	45.3 ±5 %		0.87 ±5 %	
450	43.5 ±5 %		0.87 ±5 %	
750	41.9 ±5 %	PASS	0.89 ±5 %	PASS
835	41.5 ±5 %		0.90 ±5 %	
900	41.5 ±5 %		0.97 ±5 %	
1450	40.5 ±5 %		1.20 ±5 %	
1500	40.4 ±5 %		1.23 ±5 %	
1640	40.2 ±5 %	8	1.31 ±5 %	
1750	40.1 ±5 %		1.37 ±5 %	
1800	40.0 ±5 %		1.40 ±5 %	
1900	40.0 ±5 %		1.40 ±5 %	
1950	40.0 ±5 %		1.40 ±5 %	
2000	40.0 ±5 %		1.40 ±5 %	
2100	39.8 ±5 %		1.49 ±5 %	8
2300	39.5 ±5 %		1.67 ±5 %	
2450	39.2 ±5 %	8	1.80 ±5 %	
2600	39.0 ±5 %		1.96 ±5 %	
3000	38.5 ±5 %		2.40 ±5 %	
3500	37.9 ±5 %		2.91 ±5 %	

#### 7.2 SAR MEASUREMENT RESULT WITH HEAD LIQUID

The IEEE Std. 1528 and CEI/IEC 62209 standards state that the system validation measurements should produce the SAR values shown below (for phantom thickness of 2 mm), within the uncertainty for the system validation. All SAR values are normalized to 1 W forward power. In bracket, the measured SAR is given with the used input power.

Software	OPENSAR V4
Phantom	SN 20/09 SAM71
Probe	SN 18/11 EPG122
Liquid	Head Liquid Values: eps': 42.1 sigma: 0.89
Distance between dipole center and liquid	15.0 mm
Area scan resolution	dx=8mm/dy=8mm


Page: 7/11




Ref: ACR.287.3.14.SATU.A

Zoon Scan Resolution	dx=8mm/dy=8m/dz=5mm
Frequency	750 MHz
Input power	20 dBm
Liquid Temperature	21 °C
Lab Temperature	21 °C
Lab Humidity	45 %

Frequency MHz	1 g SAR (	(W/kg/W)	10 g SAR	(W/kg/W)
	required	measured	required	measured
300	2.85		1.94	
450	4.58		3.06	
750	8.49	8.38 (0.84)	5.55	5.53 (0.55)
835	9.56		6.22	
900	10.9		6.99	
1450	29		16	
1500	30.5		16.8	
1640	34.2		18.4	
1750	36.4		19.3	
1800	38.4		20.1	
1900	39.7		20.5	
1950	40.5		20.9	
2000	41.1		21.1	
2100	43.6		21.9	
2300	48.7		23.3	
2450	52.4		24	
2600	55.3		24.6	
3000	63.8		25.7	
3500	67.1		25	





Page: 8/11



Ref: ACR.287.3.14.SATU.A

## 7.3 <u>BODY LIQUID MEASUREMENT</u>

150 61.9 ±5 % 0.80 ±5 % 0.92 ±5 % 0.92 ±5 % 0.94 ±5 % 0.94 ±5 % 0.94 ±5 % 0.94 ±5 % 0.94 ±5 % 0.94 ±5 % 0.96 ±5 % 0.96 ±5 % 0.97 ±5 % 0.97 ±5 % 0.97 ±5 % 0.97 ±5 % 0.97 ±5 % 0.97 ±5 % 0.97 ±5 % 0.915 55.0 ±5 % 1.05 ±5 % 1.06 ±5 % 1.40 ±5 % 1.30 ±5 % 1.40 ±5 % 1.40 ±5 % 1.40 ±5 % 1.52 ±5 % 1.52 ±5 % 1.52 ±5 % 0.900 53.3 ±5 % 1.52 ±5 % 1.52 ±5 % 0.900 53.3 ±5 % 1.52 ±5 % 0.900 53.3 ±5 % 1.52 ±5 % 0.900 53.2 ±5 % 1.62 ±5 % 0.900 53.2 ±5 % 0.900 53.2 ±5 % 0.900 53.2 ±5 % 0.900 53.2 ±5 % 0.900 53.3 ±5 % 0.900	Frequency MHz	Relative per	Relative permittivity (ε <sub>r</sub> ')		ity (σ) S/m
300       58.2 ± 5 %       0.92 ± 5 %         450       56.7 ± 5 %       0.94 ± 5 %         750       55.5 ± 5 %       PASS       0.96 ± 5 %       PAS         835       55.2 ± 5 %       0.97 ± 5 %       0.97 ± 5 %         900       55.0 ± 5 %       1.05 ± 5 %       1.06 ± 5 %         915       55.0 ± 5 %       1.06 ± 5 %       1.30 ± 5 %         1450       54.0 ± 5 %       1.30 ± 5 %       1.40 ± 5 %         1800       53.3 ± 5 %       1.52 ± 5 %       1.52 ± 5 %         2000       53.3 ± 5 %       1.52 ± 5 %       1.52 ± 5 %         2100       53.2 ± 5 %       1.62 ± 5 %       1.62 ± 5 %         2450       52.7 ± 5 %       2.16 ± 5 %       2.73 ± 5 %         3000       52.0 ± 5 %       2.73 ± 5 %       3.31 ± 5 %         5200       49.0 ± 10 %       5.30 ± 10 %       5.42 ± 10 %         5400       48.7 ± 10 %       5.53 ± 10 %       5.65 ± 10 %		required	measured	required	measured
450       56.7 ±5 %       0.94 ±5 %         750       55.5 ±5 %       PASS       0.96 ±5 %       PASS         835       55.2 ±5 %       0.97 ±5 %       0.97 ±5 %         900       55.0 ±5 %       1.05 ±5 %       1.06 ±5 %         915       55.0 ±5 %       1.06 ±5 %       1.30 ±5 %         1450       54.0 ±5 %       1.30 ±5 %       1.40 ±5 %         1800       53.8 ±5 %       1.52 ±5 %       1.52 ±5 %         1900       53.3 ±5 %       1.52 ±5 %       1.52 ±5 %         2000       53.3 ±5 %       1.52 ±5 %       1.62 ±5 %         2450       52.7 ±5 %       1.95 ±5 %       2.16 ±5 %         3000       52.0 ±5 %       2.73 ±5 %       3.31 ±5 %         5200       49.0 ±10 %       5.30 ±10 %       5.42 ±10 %         5400       48.7 ±10 %       5.53 ±10 %       5.65 ±10 %	150	61.9 ±5 %		0.80 ±5 %	
750         55.5 ±5 %         PASS         0.96 ±5 %         PASS           835         55.2 ±5 %         0.97 ±5 %         0.97 ±5 %           900         55.0 ±5 %         1.05 ±5 %         1.06 ±5 %           915         55.0 ±5 %         1.30 ±5 %         1.30 ±5 %           1450         54.0 ±5 %         1.40 ±5 %         1.40 ±5 %           1800         53.3 ±5 %         1.52 ±5 %         1.52 ±5 %           1900         53.3 ±5 %         1.52 ±5 %         1.52 ±5 %           2000         53.3 ±5 %         1.62 ±5 %         1.62 ±5 %           2450         52.7 ±5 %         1.95 ±5 %         2.16 ±5 %           3000         52.5 ±5 %         2.16 ±5 %         3.31 ±5 %           3500         51.3 ±5 %         3.31 ±5 %         5.30 ±10 %           5300         48.9 ±10 %         5.42 ±10 %         5.42 ±10 %           5400         48.7 ±10 %         5.65 ±10 %	300	58.2 ±5 %		0.92 ±5 %	
835       55.2 ±5 %       0.97 ±5 %         900       55.0 ±5 %       1.05 ±5 %         915       55.0 ±5 %       1.06 ±5 %         1450       54.0 ±5 %       1.30 ±5 %         1610       53.8 ±5 %       1.40 ±5 %         1800       53.3 ±5 %       1.52 ±5 %         1900       53.3 ±5 %       1.52 ±5 %         2000       53.3 ±5 %       1.52 ±5 %         2100       53.2 ±5 %       1.62 ±5 %         2450       52.7 ±5 %       1.95 ±5 %         2600       52.5 ±5 %       2.16 ±5 %         3000       52.0 ±5 %       2.73 ±5 %         3500       51.3 ±5 %       3.31 ±5 %         5200       49.0 ±10 %       5.30 ±10 %         5400       48.7 ±10 %       5.53 ±10 %         5500       48.6 ±10 %       5.65 ±10 %	450	56.7 ±5 %		0.94 ±5 %	
900       55.0 ± 5 %       1.05 ± 5 %         915       55.0 ± 5 %       1.06 ± 5 %         1450       54.0 ± 5 %       1.30 ± 5 %         1610       53.8 ± 5 %       1.40 ± 5 %         1800       53.3 ± 5 %       1.52 ± 5 %         1900       53.3 ± 5 %       1.52 ± 5 %         2000       53.3 ± 5 %       1.52 ± 5 %         2100       53.2 ± 5 %       1.62 ± 5 %         2450       52.7 ± 5 %       1.95 ± 5 %         2600       52.5 ± 5 %       2.16 ± 5 %         3000       52.0 ± 5 %       2.73 ± 5 %         3500       51.3 ± 5 %       3.31 ± 5 %         5200       49.0 ± 10 %       5.30 ± 10 %         5400       48.7 ± 10 %       5.53 ± 10 %         5500       48.6 ± 10 %       5.65 ± 10 %	750	55.5 ±5 %	PASS	0.96 ±5 %	PASS
915       55.0 ± 5 %       1.06 ± 5 %         1450       54.0 ± 5 %       1.30 ± 5 %         1610       53.8 ± 5 %       1.40 ± 5 %         1800       53.3 ± 5 %       1.52 ± 5 %         1900       53.3 ± 5 %       1.52 ± 5 %         2000       53.3 ± 5 %       1.52 ± 5 %         2100       53.2 ± 5 %       1.62 ± 5 %         2450       52.7 ± 5 %       1.95 ± 5 %         2600       52.5 ± 5 %       2.16 ± 5 %         3000       52.0 ± 5 %       2.73 ± 5 %         3500       51.3 ± 5 %       3.31 ± 5 %         5200       49.0 ± 10 %       5.30 ± 10 %         5400       48.7 ± 10 %       5.53 ± 10 %         5500       48.6 ± 10 %       5.65 ± 10 %	835	55.2 ±5 %		0.97 ±5 %	
1450       54.0 ±5 %       1.30 ±5 %         1610       53.8 ±5 %       1.40 ±5 %         1800       53.3 ±5 %       1.52 ±5 %         1900       53.3 ±5 %       1.52 ±5 %         2000       53.3 ±5 %       1.52 ±5 %         2100       53.2 ±5 %       1.62 ±5 %         2450       52.7 ±5 %       1.95 ±5 %         2600       52.5 ±5 %       2.16 ±5 %         3000       52.0 ±5 %       2.73 ±5 %         3500       51.3 ±5 %       3.31 ±5 %         5200       49.0 ±10 %       5.30 ±10 %         5400       48.7 ±10 %       5.53 ±10 %         5500       48.6 ±10 %       5.65 ±10 %	900	55.0 ±5 %		1.05 ±5 %	
1610     53.8 ± 5 %     1.40 ± 5 %       1800     53.3 ± 5 %     1.52 ± 5 %       1900     53.3 ± 5 %     1.52 ± 5 %       2000     53.3 ± 5 %     1.52 ± 5 %       2100     53.2 ± 5 %     1.62 ± 5 %       2450     52.7 ± 5 %     1.95 ± 5 %       2600     52.5 ± 5 %     2.16 ± 5 %       3000     52.0 ± 5 %     2.73 ± 5 %       3500     51.3 ± 5 %     3.31 ± 5 %       5200     49.0 ± 10 %     5.30 ± 10 %       5400     48.7 ± 10 %     5.53 ± 10 %       5500     48.6 ± 10 %     5.65 ± 10 %	915	55.0 ±5 %		1.06 ±5 %	
1800     53.3 ±5 %     1.52 ±5 %       1900     53.3 ±5 %     1.52 ±5 %       2000     53.3 ±5 %     1.52 ±5 %       2100     53.2 ±5 %     1.62 ±5 %       2450     52.7 ±5 %     1.95 ±5 %       2600     52.5 ±5 %     2.16 ±5 %       3000     52.0 ±5 %     2.73 ±5 %       3500     51.3 ±5 %     3.31 ±5 %       5200     49.0 ±10 %     5.30 ±10 %       5400     48.7 ±10 %     5.53 ±10 %       5500     48.6 ±10 %     5.65 ±10 %	1450	54.0 ±5 %		1.30 ±5 %	
1900     53.3 ±5 %     1.52 ±5 %       2000     53.3 ±5 %     1.52 ±5 %       2100     53.2 ±5 %     1.62 ±5 %       2450     52.7 ±5 %     1.95 ±5 %       2600     52.5 ±5 %     2.16 ±5 %       3000     52.0 ±5 %     2.73 ±5 %       3500     51.3 ±5 %     3.31 ±5 %       5200     49.0 ±10 %     5.30 ±10 %       5300     48.9 ±10 %     5.42 ±10 %       5400     48.7 ±10 %     5.53 ±10 %       5500     48.6 ±10 %     5.65 ±10 %	1610	53.8 ±5 %		1.40 ±5 %	
2000       53.3 ±5 %       1.52 ±5 %         2100       53.2 ±5 %       1.62 ±5 %         2450       52.7 ±5 %       1.95 ±5 %         2600       52.5 ±5 %       2.16 ±5 %         3000       52.0 ±5 %       2.73 ±5 %         3500       51.3 ±5 %       3.31 ±5 %         5200       49.0 ±10 %       5.30 ±10 %         5300       48.9 ±10 %       5.42 ±10 %         5400       48.7 ±10 %       5.53 ±10 %         5500       48.6 ±10 %       5.65 ±10 %	1800	53.3 ±5 %		1.52 ±5 %	
2100     53.2 ±5 %     1.62 ±5 %       2450     52.7 ±5 %     1.95 ±5 %       2600     52.5 ±5 %     2.16 ±5 %       3000     52.0 ±5 %     2.73 ±5 %       3500     51.3 ±5 %     3.31 ±5 %       5200     49.0 ±10 %     5.30 ±10 %       5300     48.9 ±10 %     5.42 ±10 %       5400     48.7 ±10 %     5.53 ±10 %       5500     48.6 ±10 %     5.65 ±10 %	1900	53.3 ±5 %		1.52 ±5 %	
2450     52.7 ±5 %     1.95 ±5 %       2600     52.5 ±5 %     2.16 ±5 %       3000     52.0 ±5 %     2.73 ±5 %       3500     51.3 ±5 %     3.31 ±5 %       5200     49.0 ±10 %     5.30 ±10 %       5300     48.9 ±10 %     5.42 ±10 %       5400     48.7 ±10 %     5.53 ±10 %       5500     48.6 ±10 %     5.65 ±10 %	2000	53.3 ±5 %		1.52 ±5 %	
2600     52.5 ±5 %     2.16 ±5 %       3000     52.0 ±5 %     2.73 ±5 %       3500     51.3 ±5 %     3.31 ±5 %       5200     49.0 ±10 %     5.30 ±10 %       5300     48.9 ±10 %     5.42 ±10 %       5400     48.7 ±10 %     5.53 ±10 %       5500     48.6 ±10 %     5.65 ±10 %	2100	53.2 ±5 %		1.62 ±5 %	
3000     52.0 ±5 %     2.73 ±5 %       3500     51.3 ±5 %     3.31 ±5 %       5200     49.0 ±10 %     5.30 ±10 %       5300     48.9 ±10 %     5.42 ±10 %       5400     48.7 ±10 %     5.53 ±10 %       5500     48.6 ±10 %     5.65 ±10 %	2450	52.7 ±5 %		1.95 ±5 %	
3500     51.3 ±5 %       5200     49.0 ±10 %       5300     48.9 ±10 %       5400     48.7 ±10 %       5500     48.6 ±10 %       5.65 ±10 %	2600	52.5 ±5 %		2.16 ±5 %	
5200     49.0 ±10 %     5.30 ±10 %       5300     48.9 ±10 %     5.42 ±10 %       5400     48.7 ±10 %     5.53 ±10 %       5500     48.6 ±10 %     5.65 ±10 %	3000	52.0 ±5 %		2.73 ±5 %	
5300     48.9 ±10 %     5.42 ±10 %       5400     48.7 ±10 %     5.53 ±10 %       5500     48.6 ±10 %     5.65 ±10 %	3500	51.3 ±5 %		3.31 ±5 %	
5400     48.7 ±10 %     5.53 ±10 %       5500     48.6 ±10 %     5.65 ±10 %	5200	49.0 ±10 %		5.30 ±10 %	
5500 48.6 ±10 % 5.65 ±10 %	5300	48.9 ±10 %		5.42 ±10 %	
2010-00-00-01-00-00-01-00-00-01-00-00-01-00-00	5400	48.7 ±10 %		5.53 ±10 %	
5600 48.5 ±10 % 5.77 ±10 %	5500	48.6 ±10 %		5.65 ±10 %	
	5600	48.5 ±10 %		5.77 ±10 %	
5800 48.2 ±10 % 6.00 ±10 %	5800	48.2 ±10 %		6.00 ±10 %	

## 7.4 SAR MEASUREMENT RESULT WITH BODY LIQUID


Software	OPENSAR V4
Phantom	SN 20/09 SAM71
Probe	SN 18/11 EPG122
Liquid	Body Liquid Values: eps': 56.6 sigma: 0.99
Distance between dipole center and liquid	15.0 mm
Area scan resolution	dx=8mm/dy=8mm
Zoon Scan Resolution	dx=8mm/dy=8m/dz=5mm
Frequency	750 MHz
Input power	20 dBm
Liquid Temperature	21 °C
Lab Temperature	21 °C
Lab Humidity	45 %

Page: 9/11



Ref: ACR.287.3.14.SATU.A

Frequency MHz	1 g SAR (W/kg/W)	10 g SAR (W/kg/W)
	measured	measured
750	8.77 (0.88)	5.78 (0.58)



Page: 10/11



Ref: ACR.287.3.14.SATU.A

## 8 LIST OF EQUIPMENT

Equipment Summary Sheet				
Equipment Manufacturer / In Model		Identification No.	Current Calibration Date	Next Calibration Date
SAM Phantom	Satimo	SN-20/09-SAM71	Validated. No cal required.	Validated. No cal required.
COMOSAR Test Bench	Version 3	NA	Validated. No cal required.	Validated. No cal required.
Network Analyzer	Rhode & Schwarz ZVA	SN100132	02/2018	02/2021
Calipers	Carrera	CALIPER-01	12/2018	12/2021
Reference Probe	Satimo	EPG122 SN 18/11	10/2018	10/2019
Multimeter	Keithley 2000	1188656	12/2018	12/2021
Signal Generator	Agilent E4438C	MY49070581	12/2018	12/2021
Amplifier	Aethercomm	SN 046	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.
Power Meter	HP E4418A	US38261498	12/2018	12/2021
Power Sensor	HP ECP-E26A	US37181460	12/2018	12/2021
Directional Coupler	Narda 4216-20	01386	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.
Temperature and Humidity Sensor	Control Company	11-661-9	8/2018	8/2021

Page: 11/11

## 5.3 SID835Dipole Calibration Ceriticate



## **SAR Reference Dipole Calibration Report**

Ref: ACR.287.4.14.SATU.A

# SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.

1F., XINGYUAN INDUSTRIAL PARK, TONGDA ROAD,
BAO'AN BLVD

BAO'AN DISTRICT, SHENZHEN, GUANGDONG, CHINA SATIMO COMOSAR REFERENCE DIPOLE

FREQUENCY: 835 MHZ

SERIAL NO.: SN 07/14 DIP 0G835-303

Calibrated at SATIMO US 2105 Barrett Park Dr. - Kennesaw, GA 30144





10/01/2018

#### Summary:

This document presents the method and results from an accredited SAR reference dipole calibration performed in SATIMO USA using the COMOSAR test bench. All calibration results are traceable to national metrology institutions.



Ref: ACR.287.4.14.SATU.A

	Name	Function	Date	Signature
Prepared by :	Jérôme LUC	Product Manager	10/14/2018	Jes
Checked by :	Jérôme LUC	Product Manager	10/14/2018	JE
Approved by :	Kim RUTKOWSKI	Quality Manager	10/14/2018	them Putthowski

	Customer Name
Distribution :	Shenzhen LCS Compliance Testing Laboratory Ltd.

Issue	Date	Modifications
A	10/14/2018	Initial release
-		

Page: 2/11



Ref: ACR.287.4.14.SATU.A

## TABLE OF CONTENTS

1	Intro	duction4	
2	Dev	ce Under Test4	
3	Proc	luct Description	
	3.1	General Information	4
4	Mea	surement Method5	
	4.1	Return Loss Requirements	5
	4.2	Mechanical Requirements	
5	Mea	surement Uncertainty5	
	5.1	Return Loss	5
	5.2	Dimension Measurement	
	5.3	Validation Measurement	
6	Cali	bration Measurement Results6	
	6.1	Return Loss and Impedance	6
	6.2	Mechanical Dimensions	
7	Vali	dation measurement7	
	7.1	Head Liquid Measurement	7
	7.2	SAR Measurement Result With Head Liquid	
	7.3	Body Liquid Measurement	
	7.4	SAR Measurement Result With Body Liquid	
R	List	of Equipment 11	

Page: 3/11



Ref: ACR.287.4.14.SATU.A

## 1 INTRODUCTION

This document contains a summary of the requirements set forth by the IEEE 1528, OET 65 Bulletin C and CEI/IEC 62209 standards for reference dipoles used for SAR measurement system validations and the measurements that were performed to verify that the product complies with the fore mentioned standards.

#### 2 DEVICE UNDER TEST

Device Under Test		
Device Type	COMOSAR 835 MHz REFERENCE DIPOLE	
Manufacturer	Satimo	
Model	SID835	
Serial Number	SN 07/14 DIP 0G835-303	
Product Condition (new / used)	New	

A yearly calibration interval is recommended.

## 3 PRODUCT DESCRIPTION

## 3.1 GENERAL INFORMATION

Satimo's COMOSAR Validation Dipoles are built in accordance to the IEEE 1528, OET 65 Bulletin C and CEI/IEC 62209 standards. The product is designed for use with the COMOSAR test bench only.



**Figure 1** – Satimo COMOSAR Validation Dipole

Page: 4/11



Ref: ACR.287.4.14.SATU.A

#### 4 MEASUREMENT METHOD

The IEEE 1528, OET 65 Bulletin C and CEI/IEC 62209 standards provide requirements for reference dipoles used for system validation measurements. The following measurements were performed to verify that the product complies with the fore mentioned standards.

#### 4.1 RETURN LOSS REQUIREMENTS

The dipole used for SAR system validation measurements and checks must have a return loss of -20 dB or better. The return loss measurement shall be performed against a liquid filled flat phantom, with the phantom constucted as outlined in the fore mentioned standards.

## 4.2 MECHANICAL REQUIREMENTS

The IEEE Std. 1528 and CEI/IEC 62209 standards specify the mechanical components and dimensions of the validation dipoles, with the dimensions frequency and phantom shell thickness dependent. The COMOSAR test bench employs a 2 mm phantom shell thickness therefore the dipoles sold for use with the COMOSAR test bench comply with the requirements set forth for a 2 mm phantom shell thickness.

## 5 MEASUREMENT UNCERTAINTY

All uncertainties listed below represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2, traceable to the Internationally Accepted Guides to Measurement Uncertainty.

## 5.1 RETURN LOSS

The following uncertainties apply to the return loss measurement:

Frequency band	<b>Expanded Uncertainty on Return Loss</b>
400-6000MHz	0.1 dB

## 5.2 DIMENSION MEASUREMENT

The following uncertainties apply to the dimension measurements:

Length (mm)	Expanded Uncertainty on Length
3 - 300	0.05 mm

## 5.3 <u>VALIDATION MEASUREMENT</u>

The guidelines outlined in the IEEE 1528, OET 65 Bulletin C, CENELEC EN50361 and CEI/IEC 62209 standards were followed to generate the measurement uncertainty for validation measurements.

Scan Volume	Expanded Uncertainty
1 g	20.3 %
10 g	20.1 %


Page: 5/11



Ref: ACR.287.4.14.SATU.A

## 6 CALIBRATION MEASUREMENT RESULTS

## 6.1 RETURN LOSS AND IMPEDANCE



Frequency (MHz)	Return Loss (dB)	Requirement (dB)	Impedance
835	-24.49	-20	$54.9 \Omega + 2.8 j\Omega$

## 6.2 MECHANICAL DIMENSIONS

Frequency MHz	Ln	L mm		h mm		n d		mm
	required	measured	required	measured	required	measured		
300	420.0 ±1 %.		250.0 ±1 %.		6.35 ±1 %.			
450	290.0 ±1 %.		166.7 ±1 %.		6.35 ±1 %.			
750	176.0 ±1 %.		100.0 ±1 %.		6.35 ±1 %.			
835	161.0 ±1 %.	PASS	89.8 ±1 %.	PASS	3.6 ±1 %.	PASS		
900	149.0 ±1 %.		83.3 ±1 %.		3.6 ±1 %.			
1450	89.1 ±1 %.		51.7 ±1 %.		3.6 ±1 %.			
1500	80.5 ±1 %.		50.0 ±1 %.		3.6 ±1 %.			
1640	79.0 ±1 %.		45.7 ±1 %.		3.6 ±1 %.			
1750	75.2 ±1 %.		42.9 ±1 %.		3.6 ±1 %.			
1800	72.0 ±1 %.		41.7 ±1 %.		3.6 ±1 %.			
1900	68.0 ±1 %.		39.5 ±1 %.		3.6 ±1 %.			
1950	66.3 ±1 %.		38.5 ±1 %.		3.6 ±1 %.			
2000	64.5 ±1 %.		37.5 ±1 %.		3.6 ±1 %.			
2100	61.0 ±1 %.		35.7 ±1 %.		3.6 ±1 %.			
2300	55.5 ±1 %.		32.6 ±1 %.		3.6 ±1 %.			
2450	51.5 ±1 %.		30.4 ±1 %.		3.6 ±1 %.			
2600	48.5 ±1 %.		28.8 ±1 %.		3.6 ±1 %.			
3000	41.5 ±1 %.		25.0 ±1 %.		3.6 ±1 %.			
3500	37.0±1 %.		26.4 ±1 %.		3.6 ±1 %.			
3700	34.7±1 %.		26.4 ±1 %.		3.6 ±1 %.			

Page: 6/11



Ref: ACR.287.4.14.SATU.A

#### 7 VALIDATION MEASUREMENT

The IEEE Std. 1528, OET 65 Bulletin C and CEI/IEC 62209 standards state that the system validation measurements must be performed using a reference dipole meeting the fore mentioned return loss and mechanical dimension requirements. The validation measurement must be performed against a liquid filled flat phantom, with the phantom constructed as outlined in the fore mentioned standards. Per the standards, the dipole shall be positioned below the bottom of the phantom, with the dipole length centered and parallel to the longest dimension of the flat phantom, with the top surface of the dipole at the described distance from the bottom surface of the phantom.

## 7.1 HEAD LIQUID MEASUREMENT

Frequency MHz	Relative per	mittivity (ɛˌ')	Conductiv	ity (σ) S/m
	required	measured	required	measured
300	45.3 ±5 %		0.87 ±5 %	
450	43.5 ±5 %		0.87 ±5 %	
750	41.9 ±5 %		0.89 ±5 %	
835	41.5 ±5 %	PASS	0.90 ±5 %	PASS
900	41.5 ±5 %		0.97 ±5 %	
1450	40.5 ±5 %		1.20 ±5 %	
1500	40.4 ±5 %		1.23 ±5 %	
1640	40.2 ±5 %		1.31 ±5 %	
1750	40.1 ±5 %		1.37 ±5 %	
1800	40.0 ±5 %		1.40 ±5 %	
1900	40.0 ±5 %		1.40 ±5 %	
1950	40.0 ±5 %		1.40 ±5 %	
2000	40.0 ±5 %		1.40 ±5 %	
2100	39.8 ±5 %		1.49 ±5 %	
2300	39.5 ±5 %		1.67 ±5 %	
2450	39.2 ±5 %		1.80 ±5 %	
2600	39.0 ±5 %		1.96 ±5 %	
3000	38.5 ±5 %		2.40 ±5 %	
3500	37.9 ±5 %		2.91 ±5 %	

## 7.2 SAR MEASUREMENT RESULT WITH HEAD LIQUID

The IEEE Std. 1528 and CEI/IEC 62209 standards state that the system validation measurements should produce the SAR values shown below (for phantom thickness of 2 mm), within the uncertainty for the system validation. All SAR values are normalized to 1 W forward power. In bracket, the measured SAR is given with the used input power.

Software	OPENSAR V4
Phantom SN 20/09 SAM71	
Probe SN 18/11 EPG122	
Liquid Head Liquid Values: eps': 42.3 sigma: 0.92	
Distance between dipole center and liquid 15.0 mm	
Area scan resolution dx=8mm/dy=8mm	


Page: 7/11




Ref: ACR.287.4.14.SATU.A

Zoon Scan Resolution	dx=8mm/dy=8m/dz=5mm
Frequency	835 MHz
Input power	20 dBm
Liquid Temperature	21 °C
Lab Temperature	21 °C
Lab Humidity	45 %

Frequency MHz	1 g SAR (W/kg/W)		10 g SAR (W/kg/W)	
0.04-0.08494110	required	measured	required	measured
300	2.85		1.94	
450	4.58		3.06	. 15 
750	8.49		5.55	
835	9.56	9.60 (0.96)	6.22	6.20 (0.62)
900	10.9		6.99	
1450	29		16	
1500	30.5		16.8	
1640	34.2		18.4	
1750	36.4		19.3	
1800	38.4		20.1	
1900	39.7		20.5	
1950	40.5		20.9	
2000	41.1		21.1	
2100	43.6		21.9	
2300	48.7		23.3	
2450	52.4		24	
2600	55.3		24.6	
3000	63.8		25.7	
3500	67.1		25	





Page: 8/11



Ref: ACR.287.4.14.SATU.A

## 7.3 BODY LIQUID MEASUREMENT

Frequency MHz	Relative permittivity (ε <sub>r</sub> ')		Conductivity (σ) S/m	
	required	measured	required	measured
150	61.9 ±5 %		0.80 ±5 %	
300	58.2 ±5 %		0.92 ±5 %	
450	56.7 ±5 %		0.94 ±5 %	
750	55.5 ±5 %		0.96 ±5 %	
835	55.2 ±5 %	PASS	0.97 ±5 %	PASS
900	55.0 ±5 %		1.05 ±5 %	
915	55.0 ±5 %		1.06 ±5 %	
1450	54.0 ±5 %		1.30 ±5 %	8
1610	53.8 ±5 %		1.40 ±5 %	
1800	53.3 ±5 %		1.52 ±5 %	
1900	53.3 ±5 %		1.52 ±5 %	
2000	53.3 ±5 %		1.52 ±5 %	
2100	53.2 ±5 %		1.62 ±5 %	
2450	52.7 ±5 %		1.95 ±5 %	
2600	52.5 ±5 %		2.16 ±5 %	
3000	52.0 ±5 %		2.73 ±5 %	
3500	51.3 ±5 %		3.31 ±5 %	
5200	49.0 ±10 %		5.30 ±10 %	
5300	48.9 ±10 %		5.42 ±10 %	
5400	48.7 ±10 %		5.53 ±10 %	
5500	48.6 ±10 %		5.65 ±10 %	
5600	48.5 ±10 %		5.77 ±10 %	
5800	48.2 ±10 %		6.00 ±10 %	

## 7.4 SAR MEASUREMENT RESULT WITH BODY LIQUID


Software	OPENSAR V4
Phantom	SN 20/09 SAM71
Probe	SN 18/11 EPG122
Liquid	Body Liquid Values: eps': 54.1 sigma: 0.97
Distance between dipole center and liquid	15.0 mm
Area scan resolution dx=8mm/dy=8mm	
Zoon Scan Resolution	dx=8mm/dy=8m/dz=5mm
Frequency	835 MHz
Input power	20 dBm
Liquid Temperature	21 °C
Lab Temperature	21 °C
Lab Humidity	45 %


Page: 9/11



Ref: ACR.287.4.14.SATU.A

Frequency MHz	1 g SAR (W/kg/W)	10 g SAR (W/kg/W)
	measured	measured
835	9.90 (0.99)	6.39 (0.64)





Page: 10/11