


A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-53.01	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.4	-13	Pass	2985
30	500	0.1	Peak	267.951	-43.56	-13	Pass	4700
500	1000	0.1	Peak	824.165	31.94	-13	N/A	5000
1000	10000	1	Peak	7016.734	-23.34	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.3	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.54	-13	Pass	2985
30	500	0.1	Peak	476.095	-43.9	-13	Pass	4700
500	1000	0.1	Peak	836.667	32.26	-13	N/A	5000
1000	10000	1	Peak	7115.747	-23.11	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.84	-13	Pass	2985
30	500	0.1	Peak	456.291	-44.05	-13	Pass	4700
500	1000	0.1	Peak	848.77	32.15	-13	N/A	5000
1000	10000	1	Peak	7072.741	-23.05	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.33	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.31	-13	Pass	2985
30	1000	0.1	Peak	885.748	-49.63	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.96	-13	N/A	2000
3000	20000	1	Peak	19742.582	-44.46	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.6	-13	Pass	401
0.15	30	0.01	Peak	0.71	-61.1	-13	Pass	2985
30	1000	0.1	Peak	731.786	-49.85	-13	Pass	9699
1000	3000	1	Peak	1879.44	26.11	-13	N/A	2000
3000	20000	1	Peak	19348.996	-44.69	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.74	-13	Pass	401
0.15	30	0.01	Peak	0.18	-61.95	-13	Pass	2985
30	1000	0.1	Peak	851.403	-50.21	-13	Pass	9699
1000	3000	1	Peak	1910.455	28.81	-13	N/A	2000
3000	20000	1	Peak	19757.607	-45.04	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.04	-13	Pass	401
0.15	30	0.01	Peak	0.53	-53.73	-13	Pass	2985
30	500	0.1	Peak	379.374	-44.55	-13	Pass	4700
500	1000	0.1	Peak	824.265	26.89	-13	N/A	5000
1000	10000	1	Peak	7279.767	-22.82	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-58.21	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54.61	-13	Pass	2985
30	500	0.1	Peak	444.788	-44.03	-13	Pass	4700
500	1000	0.1	Peak	836.667	26.68	-13	N/A	5000
1000	10000	1	Peak	7216.759	-22.65	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.77	-13	Pass	401
0.15	30	0.01	Peak	0.16	-55.77	-13	Pass	2985
30	500	0.1	Peak	403.279	-44.51	-13	Pass	4700
500	1000	0.1	Peak	848.87	27.75	-13	N/A	5000
1000	10000	1	Peak	7220.759	-21.77	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.63	-13	Pass	401
0.15	30	0.01	Peak	0.23	-61.07	-13	Pass	2985
30	1000	0.1	Peak	843.999	-49.44	-13	Pass	9699
1000	3000	1	Peak	1850.425	27.67	-13	N/A	2000
3000	20000	1	Peak	19946.914	-19.69	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.79	-13	Pass	401
0.15	30	0.01	Peak	0.97	-61.11	-13	Pass	2985
30	1000	0.1	Peak	784.892	-49.62	-13	Pass	9699
1000	3000	1	Peak	1879.44	27.05	-13	N/A	2000
3000	20000	1	Peak	19402.029	-20.06	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.91	-13	Pass	401
0.15	30	0.01	Peak	0.31	-59.84	-13	Pass	2985
30	1000	0.1	Peak	459.552	-49.92	-13	Pass	9699
1000	3000	1	Peak	1909.455	27.56	-13	N/A	2000
3000	20000	1	Peak	19885.815	-19.95	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.38	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.17	-13	Pass	2985
30	1000	0.1	Peak	905.575	-53.94	-13	Pass	9699
1000	3000	1	Peak	1853.427	24.14	-13	N/A	2000
3000	20000	1	Peak	19707.525	-23.65	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.55	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.99	-13	Pass	2985
30	1000	0.1	Peak	863.519	-54.08	-13	Pass	9699
1000	3000	1	Peak	1881.441	24.22	-13	N/A	2000
3000	20000	1	Peak	19691.499	-23.45	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.75	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.99	-13	Pass	2985
30	1000	0.1	Peak	819.196	-53.96	-13	Pass	9699
1000	3000	1	Peak	1908.454	24.19	-13	N/A	2000
3000	20000	1	Peak	19517.216	-23.63	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.21	-13	Pass	401
0.15	30	0.01	Peak	0.36	-65.14	-13	Pass	2985
30	1000	0.1	Peak	863.219	-53.94	-13	Pass	9699
1000	3000	1	Peak	1713.357	24.41	-13	N/A	2000
3000	20000	1	Peak	19729.561	-23.92	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.12	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.76	-13	Pass	2985
30	1000	0.1	Peak	830.098	-53.71	-13	Pass	9699
1000	3000	1	Peak	1733.367	24.27	-13	N/A	2000
3000	20000	1	Peak	18703.917	-24.2	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.01	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.93	-13	Pass	2985
30	1000	0.1	Peak	786.992	-54.05	-13	Pass	9699
1000	3000	1	Peak	1751.376	24.35	-13	N/A	2000
3000	20000	1	Peak	19429.073	-23.52	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.89	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.22	-13	Pass	2985
30	500	0.1	Peak	367.272	-54.47	-13	Pass	4700
500	1000	0.1	Peak	827.866	18.09	-13	N/A	5000
1000	10000	1	Peak	7211.758	-32.46	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.99	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.3	-13	Pass	2985
30	500	0.1	Peak	468.793	-54.21	-13	Pass	4700
500	1000	0.1	Peak	835.567	19.6	-13	N/A	5000
1000	10000	1	Peak	7208.758	-32.65	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.17	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.58	-13	Pass	2985
30	500	0.1	Peak	371.173	-54.81	-13	Pass	4700
500	1000	0.1	Peak	847.269	18.37	-13	N/A	5000
1000	10000	1	Peak	7579.803	-32.32	-13	Pass	9000



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2985
30	1000	0.1	RMS	852.504	-64.62	-13	Pass	9699
1000	1840	1	RMS	1840	-52.45	-13	Pass	840
1840	1920	1	RMS	1850.2	23.41	60	Pass	401
1920	3000	1	RMS	2948.953	-49.93	-13	Pass	1080
3000	12000	1	RMS	11787.737	-43.45	-13	Pass	9000
12000	20000	1	RMS	19402.925	-35.54	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	1000	0.1	RMS	826.197	-64.88	-13	Pass	9699
1000	1840	1	RMS	1840	-52.6	-13	Pass	840
1840	1920	1	RMS	1850.2	22.44	60	Pass	401
1920	3000	1	RMS	2946.951	-49.99	-13	Pass	1080
3000	12000	1	RMS	11794.746	-43.52	-13	Pass	9000
12000	20000	1	RMS	19892.987	-35.62	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	Pass	2985
30	1000	0.1	RMS	842.599	-64.88	-13	Pass	9699
1000	1840	1	RMS	1840	-53.54	-13	Pass	840
1840	1920	1	RMS	1879.4	23.34	60	Pass	401
1920	3000	1	RMS	2945.95	-49.96	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.52	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.63	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	841.099	-64.89	-13	Pass	9699
1000	1840	1	RMS	1840	-53.46	-13	Pass	840
1840	1920	1	RMS	1879.4	22.64	60	Pass	401
1920	3000	1	RMS	2942.947	-50.01	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.57	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.56	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2985
30	1000	0.1	RMS	852.304	-64.83	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.45	-13	Pass	840
1840	1920	1	RMS	1908.8	23.38	60	Pass	401
1920	3000	1	RMS	2945.95	-49.95	-13	Pass	1080
3000	12000	1	RMS	11788.739	-43.54	-13	Pass	9000
12000	20000	1	RMS	19874.984	-35.65	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	1000	0.1	RMS	842.599	-64.9	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.5	-13	Pass	840
1840	1920	1	RMS	1908.8	22.71	60	Pass	401
1920	3000	1	RMS	2945.95	-49.94	-13	Pass	1080
3000	12000	1	RMS	11793.745	-43.49	-13	Pass	9000
12000	20000	1	RMS	19913.989	-35.59	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	846.1	-64.79	-13	Pass	9699
1000	1840	1	RMS	1840	-52.35	-13	Pass	840
1840	1920	1	RMS	1850.2	23.55	60	Pass	401
1920	3000	1	RMS	2947.952	-49.98	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.53	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.69	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	1000	0.1	RMS	838.499	-64.84	-13	Pass	9699
1000	1840	1	RMS	1840	-52.56	-13	Pass	840
1840	1920	1	RMS	1850.2	22.65	60	Pass	401
1920	3000	1	RMS	2944.949	-49.96	-13	Pass	1080
3000	12000	1	RMS	11785.735	-43.53	-13	Pass	9000
12000	20000	1	RMS	19404.926	-35.61	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2985
30	1000	0.1	RMS	824.197	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-53.47	-13	Pass	840
1840	1920	1	RMS	1878.6	23.53	60	Pass	401
1920	3000	1	RMS	2945.95	-49.91	-13	Pass	1080
3000	12000	1	RMS	11786.736	-43.51	-13	Pass	9000
12000	20000	1	RMS	19882.985	-35.63	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2985
30	1000	0.1	RMS	873.833	-64.98	-13	Pass	9699
1000	1840	1	RMS	1840	-53.47	-13	Pass	840
1840	1920	1	RMS	1878.6	23.17	60	Pass	401
1920	3000	1	RMS	2943.948	-49.98	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.48	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.66	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	1000	0.1	RMS	831.398	-64.96	-13	Pass	9699
1000	1840	1	RMS	1840	-53.46	-13	Pass	840
1840	1920	1	RMS	1907.2	23.76	60	Pass	401
1920	3000	1	RMS	2946.951	-49.97	-13	Pass	1080
3000	12000	1	RMS	11993.993	-43.55	-13	Pass	9000
12000	20000	1	RMS	19887.986	-35.67	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	838.299	-64.89	-13	Pass	9699
1000	1840	1	RMS	1833.993	-53.46	-13	Pass	840
1840	1920	1	RMS	1907.2	22.85	60	Pass	401
1920	3000	1	RMS	2947.952	-49.97	-13	Pass	1080
3000	12000	1	RMS	12000	-43.47	-13	Pass	9000
12000	20000	1	RMS	19408.926	-35.65	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2985
30	1000	0.1	RMS	822.597	-64.89	-13	Pass	9699
1000	1840	1	RMS	1840	-52.13	-13	Pass	840
1840	1920	1	RMS	1850.2	23.54	60	Pass	401
1920	3000	1	RMS	2953.957	-49.95	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.53	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.56	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	1000	0.1	RMS	858.612	-64.78	-13	Pass	9699
1000	1840	1	RMS	1840	-52.46	-13	Pass	840
1840	1920	1	RMS	1850.2	22.58	60	Pass	401
1920	3000	1	RMS	2947.952	-49.95	-13	Pass	1080
3000	12000	1	RMS	11788.739	-43.53	-13	Pass	9000
12000	20000	1	RMS	19895.987	-35.61	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	830.698	-64.72	-13	Pass	9699
1000	1840	1	RMS	1840	-53.53	-13	Pass	840
1840	1920	1	RMS	1877.8	23.48	60	Pass	401
1920	3000	1	RMS	2950.955	-49.93	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.49	-13	Pass	9000
12000	20000	1	RMS	19404.926	-35.67	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2985
30	1000	0.1	RMS	863.118	-64.83	-13	Pass	9699
1000	1840	1	RMS	1840	-53.51	-13	Pass	840
1840	1920	1	RMS	1877.8	22.79	60	Pass	401
1920	3000	1	RMS	2942.947	-49.94	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.45	-13	Pass	9000
12000	20000	1	RMS	19900.988	-35.68	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	995.194	-64.91	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.48	-13	Pass	840
1840	1920	1	RMS	1905.2	23.56	60	Pass	401
1920	3000	1	RMS	2950.955	-49.97	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.48	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.64	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	843.399	-64.92	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.45	-13	Pass	840
1840	1920	1	RMS	1905.2	22.86	60	Pass	401
1920	3000	1	RMS	2946.951	-49.96	-13	Pass	1080
3000	12000	1	RMS	11786.736	-43.53	-13	Pass	9000
12000	20000	1	RMS	19408.926	-35.66	-13	Pass	8000




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	833.898	-64.96	-13	Pass	9699
1000	1840	1	RMS	1840	-52.05	-13	Pass	840
1840	1920	1	RMS	1850.4	23.4	60	Pass	401
1920	3000	1	RMS	2949.954	-49.97	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.45	-13	Pass	9000
12000	20000	1	RMS	19883.985	-35.65	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.63	-13	Pass	2985
30	1000	0.1	RMS	843.599	-64.84	-13	Pass	9699
1000	1840	1	RMS	1840	-52.24	-13	Pass	840
1840	1920	1	RMS	1850.6	22.78	60	Pass	401
1920	3000	1	RMS	2943.948	-49.96	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.5	-13	Pass	9000
12000	20000	1	RMS	19402.925	-35.64	-13	Pass	8000




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	841.899	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-53.48	-13	Pass	840
1840	1920	1	RMS	1875.4	23.53	60	Pass	401
1920	3000	1	RMS	2945.95	-49.96	-13	Pass	1080
3000	12000	1	RMS	12000	-43.48	-13	Pass	9000
12000	20000	1	RMS	19908.989	-35.63	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	Pass	2985
30	1000	0.1	RMS	829.998	-64.79	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.51	-13	Pass	840
1840	1920	1	RMS	1875.6	22.63	60	Pass	401
1920	3000	1	RMS	2948.953	-49.97	-13	Pass	1080
3000	12000	1	RMS	11792.743	-43.53	-13	Pass	9000
12000	20000	1	RMS	19406.926	-35.61	-13	Pass	8000




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	837.099	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.48	-13	Pass	840
1840	1920	1	RMS	1900.4	23.63	60	Pass	401
1920	3000	1	RMS	2942.947	-49.99	-13	Pass	1080
3000	12000	1	RMS	11791.742	-43.52	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.61	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.69	-13	Pass	2985
30	1000	0.1	RMS	866.122	-64.78	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.5	-13	Pass	840
1840	1920	1	RMS	1900.4	22.77	60	Pass	401
1920	3000	1	RMS	2949.954	-49.96	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.55	-13	Pass	9000
12000	20000	1	RMS	19910.989	-35.64	-13	Pass	8000




8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	Pass	2985
30	1000	0.1	RMS	845.5	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-52.13	-13	Pass	840
1840	1920	1	RMS	1850.8	23.3	60	Pass	401
1920	3000	1	RMS	2951.956	-49.98	-13	Pass	1080
3000	12000	1	RMS	11791.742	-43.51	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.65	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	843.499	-64.82	-13	Pass	9699
1000	1840	1	RMS	1840	-52.47	-13	Pass	840
1840	1920	1	RMS	1850.8	22.46	60	Pass	401
1920	3000	1	RMS	2943.948	-49.95	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.52	-13	Pass	9000
12000	20000	1	RMS	19883.985	-35.63	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	1000	0.1	RMS	841.499	-64.93	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.47	-13	Pass	840
1840	1920	1	RMS	1873.2	23.41	60	Pass	401
1920	3000	1	RMS	2944.949	-49.91	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.47	-13	Pass	9000
12000	20000	1	RMS	19395.924	-35.67	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.1	-13	Pass	2985
30	1000	0.1	RMS	832.698	-64.91	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.49	-13	Pass	840
1840	1920	1	RMS	1873.2	22.71	60	Pass	401
1920	3000	1	RMS	2944.949	-49.94	-13	Pass	1080
3000	12000	1	RMS	11783.732	-43.54	-13	Pass	9000
12000	20000	1	RMS	19892.987	-35.64	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-13	Pass	2985
30	1000	0.1	RMS	848.6	-64.77	-13	Pass	9699
1000	1840	1	RMS	1834.994	-53.51	-13	Pass	840
1840	1920	1	RMS	1895.8	23.37	60	Pass	401
1920	3000	1	RMS	2943.948	-49.96	-13	Pass	1080
3000	12000	1	RMS	11786.736	-43.54	-13	Pass	9000
12000	20000	1	RMS	19901.988	-35.66	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	850.101	-64.95	-13	Pass	9699
1000	1840	1	RMS	1840	-53.48	-13	Pass	840
1840	1920	1	RMS	1895.8	22.61	60	Pass	401
1920	3000	1	RMS	2943.948	-49.92	-13	Pass	1080
3000	12000	1	RMS	11791.742	-43.6	-13	Pass	9000
12000	20000	1	RMS	19406.926	-35.7	-13	Pass	8000




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	Pass	2985
30	1000	0.1	RMS	851.803	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-50.1	-13	Pass	840
1840	1920	1	RMS	1851	23.47	60	Pass	401
1920	3000	1	RMS	2944.949	-49.95	-13	Pass	1080
3000	12000	1	RMS	11798.751	-43.54	-13	Pass	9000
12000	20000	1	RMS	19394.924	-35.64	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	1000	0.1	RMS	839.899	-64.71	-13	Pass	9699
1000	1840	1	RMS	1840	-50.57	-13	Pass	840
1840	1920	1	RMS	1851	22.55	60	Pass	401
1920	3000	1	RMS	2946.951	-49.98	-13	Pass	1080
3000	12000	1	RMS	11793.745	-43.48	-13	Pass	9000
12000	20000	1	RMS	19393.924	-35.64	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2985
30	1000	0.1	RMS	840.399	-64.77	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.51	-13	Pass	840
1840	1920	1	RMS	1871	23.47	60	Pass	401
1920	3000	1	RMS	2950.955	-49.95	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.53	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.58	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-13	Pass	2985
30	1000	0.1	RMS	835.698	-64.86	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.47	-13	Pass	840
1840	1920	1	RMS	1871	22.65	60	Pass	401
1920	3000	1	RMS	2955.959	-49.95	-13	Pass	1080
3000	12000	1	RMS	11794.746	-43.57	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.67	-13	Pass	8000




8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	Pass	2985
30	1000	0.1	RMS	840.799	-64.69	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.5	-13	Pass	840
1840	1920	1	RMS	1891	23.43	60	Pass	401
1920	3000	1	RMS	2948.953	-49.98	-13	Pass	1080
3000	12000	1	RMS	11800.753	-43.59	-13	Pass	9000
12000	20000	1	RMS	19413.927	-35.67	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	844.099	-64.83	-13	Pass	9699
1000	1840	1	RMS	1840	-53.54	-13	Pass	840
1840	1920	1	RMS	1891	22.55	60	Pass	401
1920	3000	1	RMS	2944.949	-50.01	-13	Pass	1080
3000	12000	1	RMS	11794.746	-43.52	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.64	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	Pass	2985
30	1000	0.1	RMS	849.4	-64.72	-13	Pass	9699
1000	1700	1	RMS	1700	-52.13	-13	Pass	700
1700	1765	1	RMS	1710.238	23.59	60	Pass	401
1765	3000	1	RMS	2943.955	-49.95	-13	Pass	1235
3000	12000	1	RMS	11798.751	-43.48	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.6	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	1000	0.1	RMS	846.8	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-51.95	-13	Pass	700
1700	1765	1	RMS	1710.238	22.62	60	Pass	401
1765	3000	1	RMS	2948.959	-49.92	-13	Pass	1235
3000	12000	1	RMS	11788.739	-43.48	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.59	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2985
30	1000	0.1	RMS	855.909	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-53.78	-13	Pass	700
1700	1765	1	RMS	1731.85	23.75	60	Pass	401
1765	3000	1	RMS	2945.956	-49.97	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.51	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.62	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	1000	0.1	RMS	825.097	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-53.86	-13	Pass	700
1700	1765	1	RMS	1732.013	22.8	60	Pass	401
1765	3000	1	RMS	2943.955	-49.97	-13	Pass	1235
3000	12000	1	RMS	11794.746	-43.55	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.62	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	1000	0.1	RMS	840.699	-64.86	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.83	-13	Pass	700
1700	1765	1	RMS	1753.788	23.87	60	Pass	401
1765	3000	1	RMS	2949.959	-49.97	-13	Pass	1235
3000	12000	1	RMS	11794.746	-43.5	-13	Pass	9000
12000	20000	1	RMS	19402.925	-35.57	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	Pass	2985
30	1000	0.1	RMS	851.203	-64.85	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.78	-13	Pass	700
1700	1765	1	RMS	1753.788	22.82	60	Pass	401
1765	3000	1	RMS	2946.957	-49.98	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.48	-13	Pass	9000
12000	20000	1	RMS	19409.926	-35.62	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-52.01	-13	Pass	700
1700	1765	1	RMS	1710.238	23.84	60	Pass	401
1765	3000	1	RMS	2948.959	-49.92	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.52	-13	Pass	9000
12000	20000	1	RMS	19407.926	-35.63	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2985
30	1000	0.1	RMS	855.809	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-52.26	-13	Pass	700
1700	1765	1	RMS	1710.075	23.09	60	Pass	401
1765	3000	1	RMS	2944.955	-49.96	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.56	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.62	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2985
30	1000	0.1	RMS	853.406	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-53.79	-13	Pass	700
1700	1765	1	RMS	1731.2	23.8	60	Pass	401
1765	3000	1	RMS	2952.962	-49.95	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.49	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.65	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	1000	0.1	RMS	829.898	-64.81	-13	Pass	9699
1000	1700	1	RMS	1700	-53.72	-13	Pass	700
1700	1765	1	RMS	1731.2	22.89	60	Pass	401
1765	3000	1	RMS	2947.958	-49.95	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.49	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.7	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2985
30	1000	0.1	RMS	813.796	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-53.85	-13	Pass	700
1700	1765	1	RMS	1752.163	23.88	60	Pass	401
1765	3000	1	RMS	2946.957	-49.91	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.45	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.66	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	1000	0.1	RMS	838.599	-64.9	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.83	-13	Pass	700
1700	1765	1	RMS	1752.163	23.06	60	Pass	401
1765	3000	1	RMS	2947.958	-49.95	-13	Pass	1235
3000	12000	1	RMS	11786.736	-43.5	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.64	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2985
30	1000	0.1	RMS	858.813	-64.92	-13	Pass	9699
1000	1700	1	RMS	1700	-51.96	-13	Pass	700
1700	1765	1	RMS	1710.238	23.77	60	Pass	401
1765	3000	1	RMS	2947.958	-49.97	-13	Pass	1235
3000	12000	1	RMS	12000	-43.56	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.59	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	1000	0.1	RMS	844.199	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-52.16	-13	Pass	700
1700	1765	1	RMS	1710.238	22.89	60	Pass	401
1765	3000	1	RMS	2949.959	-49.98	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.5	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.66	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2985
30	1000	0.1	RMS	840.699	-64.76	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.8	-13	Pass	700
1700	1765	1	RMS	1730.225	23.84	60	Pass	401
1765	3000	1	RMS	2945.956	-49.98	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.51	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.63	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2985
30	1000	0.1	RMS	850.502	-64.92	-13	Pass	9699
1000	1700	1	RMS	1700	-53.77	-13	Pass	700
1700	1765	1	RMS	1730.225	22.96	60	Pass	401
1765	3000	1	RMS	2947.958	-49.97	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.54	-13	Pass	9000
12000	20000	1	RMS	19885.986	-35.59	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2985
30	1000	0.1	RMS	855.408	-64.92	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.82	-13	Pass	700
1700	1765	1	RMS	1750.213	23.94	60	Pass	401
1765	3000	1	RMS	2950.96	-49.99	-13	Pass	1235
3000	12000	1	RMS	11793.745	-43.51	-13	Pass	9000
12000	20000	1	RMS	19904.988	-35.62	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	858.312	-64.78	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.87	-13	Pass	700
1700	1765	1	RMS	1750.375	23.07	60	Pass	401
1765	3000	1	RMS	2946.957	-49.95	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.52	-13	Pass	9000
12000	20000	1	RMS	19410.926	-35.64	-13	Pass	8000




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	840.999	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-51.64	-13	Pass	700
1700	1765	1	RMS	1710.563	23.86	60	Pass	401
1765	3000	1	RMS	2946.957	-49.99	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.5	-13	Pass	9000
12000	20000	1	RMS	19907.988	-35.67	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	843.699	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-51.79	-13	Pass	700
1700	1765	1	RMS	1710.4	23.06	60	Pass	401
1765	3000	1	RMS	2943.955	-49.97	-13	Pass	1235
3000	12000	1	RMS	11787.737	-43.55	-13	Pass	9000
12000	20000	1	RMS	19903.988	-35.64	-13	Pass	8000




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2985
30	1000	0.1	RMS	840.499	-64.83	-13	Pass	9699
1000	1700	1	RMS	1700	-53.76	-13	Pass	700
1700	1765	1	RMS	1727.95	23.71	60	Pass	401
1765	3000	1	RMS	2948.959	-49.97	-13	Pass	1235
3000	12000	1	RMS	11787.737	-43.55	-13	Pass	9000
12000	20000	1	RMS	19921.99	-35.61	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	852.705	-64.83	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.86	-13	Pass	700
1700	1765	1	RMS	1727.95	22.94	60	Pass	401
1765	3000	1	RMS	2943.955	-49.96	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.55	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.61	-13	Pass	8000




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	1000	0.1	RMS	836.698	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-53.81	-13	Pass	700
1700	1765	1	RMS	1745.5	23.96	60	Pass	401
1765	3000	1	RMS	2950.96	-49.91	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.48	-13	Pass	9000
12000	20000	1	RMS	19904.988	-35.65	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	Pass	2985
30	1000	0.1	RMS	838.699	-64.93	-13	Pass	9699
1000	1700	1	RMS	1700	-53.81	-13	Pass	700
1700	1765	1	RMS	1745.5	22.86	60	Pass	401
1765	3000	1	RMS	2945.956	-49.94	-13	Pass	1235
3000	12000	1	RMS	11790.741	-43.49	-13	Pass	9000
12000	20000	1	RMS	19900.988	-35.66	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2985
30	1000	0.1	RMS	832.098	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-51.74	-13	Pass	700
1700	1765	1	RMS	1710.725	23.67	60	Pass	401
1765	3000	1	RMS	2947.958	-50.02	-13	Pass	1235
3000	12000	1	RMS	11787.737	-43.49	-13	Pass	9000
12000	20000	1	RMS	19414.927	-35.67	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2985
30	1000	0.1	RMS	842.799	-64.89	-13	Pass	9699
1000	1700	1	RMS	1700	-51.98	-13	Pass	700
1700	1765	1	RMS	1710.725	23.18	60	Pass	401
1765	3000	1	RMS	2950.96	-49.95	-13	Pass	1235
3000	12000	1	RMS	11787.737	-43.48	-13	Pass	9000
12000	20000	1	RMS	19889.986	-35.61	-13	Pass	8000




9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2985
30	1000	0.1	RMS	849.701	-64.9	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.79	-13	Pass	700
1700	1765	1	RMS	1725.838	23.73	60	Pass	401
1765	3000	1	RMS	2945.956	-49.94	-13	Pass	1235
3000	12000	1	RMS	11785.735	-43.44	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.6	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2985
30	1000	0.1	RMS	868.225	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-53.8	-13	Pass	700
1700	1765	1	RMS	1725.838	22.79	60	Pass	401
1765	3000	1	RMS	2946.957	-49.96	-13	Pass	1235
3000	12000	1	RMS	11796.748	-43.56	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.54	-13	Pass	8000




9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-13	Pass	2985
30	1000	0.1	RMS	817.996	-64.83	-13	Pass	9699
1000	1700	1	RMS	1700	-53.85	-13	Pass	700
1700	1765	1	RMS	1740.788	23.86	60	Pass	401
1765	3000	1	RMS	2943.955	-49.97	-13	Pass	1235
3000	12000	1	RMS	11794.746	-43.48	-13	Pass	9000
12000	20000	1	RMS	19898.987	-35.6	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	842.099	-64.74	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.85	-13	Pass	700
1700	1765	1	RMS	1740.788	23.06	60	Pass	401
1765	3000	1	RMS	2948.959	-49.94	-13	Pass	1235
3000	12000	1	RMS	11793.745	-43.53	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.5	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	Pass	2985
30	1000	0.1	RMS	843.499	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-51.06	-13	Pass	700
1700	1765	1	RMS	1711.05	23.58	60	Pass	401
1765	3000	1	RMS	2945.956	-49.98	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.55	-13	Pass	9000
12000	20000	1	RMS	19392.924	-35.63	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	1000	0.1	RMS	841.999	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-51.42	-13	Pass	700
1700	1765	1	RMS	1711.05	22.89	60	Pass	401
1765	3000	1	RMS	2942.954	-49.98	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.57	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.61	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2985
30	1000	0.1	RMS	831.198	-64.89	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.76	-13	Pass	700
1700	1765	1	RMS	1723.563	23.72	60	Pass	401
1765	3000	1	RMS	2949.959	-50.01	-13	Pass	1235
3000	12000	1	RMS	12000	-43.49	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.52	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	853.406	-64.83	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.8	-13	Pass	700
1700	1765	1	RMS	1723.563	22.83	60	Pass	401
1765	3000	1	RMS	2947.958	-49.96	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.54	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.65	-13	Pass	8000




9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	Pass	2985
30	1000	0.1	RMS	840.799	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-53.85	-13	Pass	700
1700	1765	1	RMS	1736.075	23.77	60	Pass	401
1765	3000	1	RMS	2949.959	-49.97	-13	Pass	1235
3000	12000	1	RMS	11790.741	-43.56	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.69	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	Pass	2985
30	1000	0.1	RMS	850.101	-64.87	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.84	-13	Pass	700
1700	1765	1	RMS	1735.913	22.88	60	Pass	401
1765	3000	1	RMS	2950.96	-49.99	-13	Pass	1235
3000	12000	1	RMS	11793.745	-43.53	-13	Pass	9000
12000	20000	1	RMS	19394.924	-35.65	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.28	-13	Pass	7840
814	860	0.1	RMS	824.222	20.72	60	Pass	460
860	1000	0.1	RMS	861.201	-65.02	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.12	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.14	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.81	-13	Pass	7840
814	860	0.1	RMS	824.222	19.67	60	Pass	460
860	1000	0.1	RMS	865.104	-65.04	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.84	-13	Pass	2000
3000	10000	1	RMS	7208.601	-44.12	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	Pass	2985
30	814	0.1	RMS	802.198	-65.09	-13	Pass	7840
814	860	0.1	RMS	836.048	20.89	60	Pass	460
860	1000	0.1	RMS	860.2	-64.96	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.7	-13	Pass	2000
3000	10000	1	RMS	7207.601	-44.09	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.83	-13	Pass	2985
30	814	0.1	RMS	809.199	-65.06	-13	Pass	7840
814	860	0.1	RMS	836.048	20.28	60	Pass	460
860	1000	0.1	RMS	875.611	-65.04	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.44	-13	Pass	2000
3000	10000	1	RMS	7202.6	-44.02	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.67	-13	Pass	2985
30	814	0.1	RMS	813.5	-65.15	-13	Pass	7840
814	860	0.1	RMS	847.874	20.77	60	Pass	460
860	1000	0.1	RMS	881.916	-64.99	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.98	-13	Pass	2000
3000	10000	1	RMS	7201.6	-44.11	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	Pass	2985
30	814	0.1	RMS	813.8	-65.07	-13	Pass	7840
814	860	0.1	RMS	847.874	20.1	60	Pass	460
860	1000	0.1	RMS	880.715	-65	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.85	-13	Pass	2000
3000	10000	1	RMS	7214.602	-44.14	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.82	-13	Pass	7840
814	860	0.1	RMS	824.222	21.1	60	Pass	460
860	1000	0.1	RMS	860.901	-64.89	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.78	-13	Pass	2000
3000	10000	1	RMS	7200.6	-44.07	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.76	-13	Pass	7840
814	860	0.1	RMS	824.222	20.09	60	Pass	460
860	1000	0.1	RMS	861.501	-65	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.86	-13	Pass	2000
3000	10000	1	RMS	7203.601	-44.09	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	814	0.1	RMS	812.3	-65.08	-13	Pass	7840
814	860	0.1	RMS	835.246	21.17	60	Pass	460
860	1000	0.1	RMS	863.503	-64.95	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.74	-13	Pass	2000
3000	10000	1	RMS	7208.601	-44.14	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	Pass	2985
30	814	0.1	RMS	814	-65.11	-13	Pass	7840
814	860	0.1	RMS	835.246	20.14	60	Pass	460
860	1000	0.1	RMS	861.301	-64.89	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.76	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.12	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	814	0.1	RMS	727.989	-65.12	-13	Pass	7840
814	860	0.1	RMS	846.27	20.87	60	Pass	460
860	1000	0.1	RMS	865.304	-64.99	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.32	-13	Pass	2000
3000	10000	1	RMS	7201.6	-44.15	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.01	-13	Pass	2985
30	814	0.1	RMS	732.89	-65.15	-13	Pass	7840
814	860	0.1	RMS	846.27	20.04	60	Pass	460
860	1000	0.1	RMS	865.504	-64.96	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.11	-13	Pass	2000
3000	10000	1	RMS	7204.601	-44.04	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.9	-13	Pass	7840
814	860	0.1	RMS	824.322	21.29	60	Pass	460
860	1000	0.1	RMS	864.803	-65.02	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.71	-13	Pass	2000
3000	10000	1	RMS	7202.6	-44.14	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.04	-13	Pass	7840
814	860	0.1	RMS	824.322	20.46	60	Pass	460
860	1000	0.1	RMS	860.901	-65.05	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.46	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.1	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	Pass	2985
30	814	0.1	RMS	801.798	-65.04	-13	Pass	7840
814	860	0.1	RMS	834.344	21.38	60	Pass	460
860	1000	0.1	RMS	862.402	-64.83	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.33	-13	Pass	2000
3000	10000	1	RMS	7203.601	-44.09	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	814	0.1	RMS	812.2	-65.1	-13	Pass	7840
814	860	0.1	RMS	834.344	20.74	60	Pass	460
860	1000	0.1	RMS	864.103	-65.02	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.14	-13	Pass	2000
3000	10000	1	RMS	7210.602	-44.1	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.65	-13	Pass	2985
30	814	0.1	RMS	812.8	-65.23	-13	Pass	7840
814	860	0.1	RMS	844.366	21.29	60	Pass	460
860	1000	0.1	RMS	860.2	-65.08	-13	Pass	1400
1000	3000	1	RMS	1688.344	-45.82	-13	Pass	2000
3000	10000	1	RMS	7210.602	-44.14	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	Pass	2985
30	814	0.1	RMS	810.1	-65.11	-13	Pass	7840
814	860	0.1	RMS	844.366	20.58	60	Pass	460
860	1000	0.1	RMS	861.501	-65	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.87	-13	Pass	2000
3000	10000	1	RMS	7206.601	-44.15	-13	Pass	7000




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.59	-13	Pass	7840
814	860	0.1	RMS	824.623	20.61	60	Pass	460
860	1000	0.1	RMS	868.806	-64.96	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.97	-13	Pass	2000
3000	10000	1	RMS	7200.6	-44.1	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.06	-13	Pass	7840
814	860	0.1	RMS	824.623	19.82	60	Pass	460
860	1000	0.1	RMS	870.007	-65.02	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.94	-13	Pass	2000
3000	10000	1	RMS	7205.601	-44.11	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.33	-72.55	-13	Pass	2985
30	814	0.1	RMS	802.299	-65.06	-13	Pass	7840
814	860	0.1	RMS	832.139	20.35	60	Pass	460
860	1000	0.1	RMS	880.315	-64.89	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47.75	-13	Pass	2000
3000	10000	1	RMS	7207.601	-44.09	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	Pass	2985
30	814	0.1	RMS	811.4	-65.04	-13	Pass	7840
814	860	0.1	RMS	832.039	19.55	60	Pass	460
860	1000	0.1	RMS	860.6	-65.05	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.59	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.15	-13	Pass	7000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.18	-13	Pass	2985
30	814	0.1	RMS	806.499	-65.21	-13	Pass	7840
814	860	0.1	RMS	839.556	20.66	60	Pass	460
860	1000	0.1	RMS	878.613	-64.99	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.98	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.15	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	Pass	2985
30	814	0.1	RMS	812	-65.06	-13	Pass	7840
814	860	0.1	RMS	839.556	19.76	60	Pass	460
860	1000	0.1	RMS	863.402	-65.1	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.67	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.14	-13	Pass	7000



11. LTE_Band7


**11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-25	Pass	2985
30	1000	0.1	RMS	843.099	-64.85	-25	Pass	9699
1000	2480	1	RMS	2480	-51.78	-25	Pass	1480
2480	2590	1	RMS	2500.075	23.94	60	Pass	401
2590	3000	1	RMS	2943.863	-49.99	-25	Pass	410
3000	12000	1	RMS	11788.739	-53.59	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.69	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.04	-25	Pass	2985
30	1000	0.1	RMS	832.898	-64.9	-25	Pass	9699
1000	2480	1	RMS	2480	-51.82	-25	Pass	1480
2480	2590	1	RMS	2500.35	23.08	60	Pass	401
2590	3000	1	RMS	2948.875	-50	-25	Pass	410
3000	12000	1	RMS	11800.753	-53.56	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.69	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-25	Pass	2985
30	1000	0.1	RMS	572.166	-62.16	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.9	-25	Pass	1480
2480	2590	1	RMS	2532.8	24.3	60	Pass	401
2590	3000	1	RMS	2947.873	-50	-25	Pass	410
3000	12000	1	RMS	11994.994	-53.6	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.7	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.05	-25	Pass	2985
30	1000	0.1	RMS	572.166	-62.85	-25	Pass	9699
1000	2480	1	RMS	2480	-51.94	-25	Pass	1480
2480	2590	1	RMS	2532.8	23.56	60	Pass	401
2590	3000	1	RMS	2951.883	-50.05	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.58	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.7	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-25	Pass	2985
30	1000	0.1	RMS	604.67	-60.09	-25	Pass	9699
1000	2480	1	RMS	2480	-51.86	-25	Pass	1480
2480	2590	1	RMS	2565.25	24.41	60	Pass	401
2590	3000	1	RMS	2947.873	-50.02	-25	Pass	410
3000	12000	1	RMS	11813.77	-53.59	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.56	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-25	Pass	2985
30	1000	0.1	RMS	604.67	-61.06	-25	Pass	9699
1000	2480	1	RMS	2480	-51.9	-25	Pass	1480
2480	2590	1	RMS	2565.25	23.55	60	Pass	401
2590	3000	1	RMS	2949.878	-50	-25	Pass	410
3000	12000	1	RMS	11797.75	-53.59	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.73	-25	Pass	14000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.5	-25	Pass	2985
30	1000	0.1	RMS	853.406	-64.87	-25	Pass	9699
1000	2480	1	RMS	2480	-51.62	-25	Pass	1480
2480	2590	1	RMS	2500.35	24.09	60	Pass	401
2590	3000	1	RMS	2949.878	-50	-25	Pass	410
3000	12000	1	RMS	11786.736	-53.53	-25	Pass	9000
12000	26000	1	RMS	25981.997	-39.66	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.4	-25	Pass	2985
30	1000	0.1	RMS	838.699	-64.96	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.73	-25	Pass	1480
2480	2590	1	RMS	2500.35	23.32	60	Pass	401
2590	3000	1	RMS	2955.892	-50.01	-25	Pass	410
3000	12000	1	RMS	11796.748	-53.52	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.7	-25	Pass	14000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-25	Pass	2985
30	1000	0.1	RMS	569.866	-62.91	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.88	-25	Pass	1480
2480	2590	1	RMS	2530.325	24.14	60	Pass	401
2590	3000	1	RMS	2949.878	-50	-25	Pass	410
3000	12000	1	RMS	11806.761	-53.6	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.68	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-25	Pass	2985
30	1000	0.1	RMS	569.866	-63.33	-25	Pass	9699
1000	2480	1	RMS	2480	-51.84	-25	Pass	1480
2480	2590	1	RMS	2530.6	23.21	60	Pass	401
2590	3000	1	RMS	2948.875	-49.96	-25	Pass	410
3000	12000	1	RMS	11791.742	-53.63	-25	Pass	9000
12000	26000	1	RMS	25978.996	-39.58	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-25	Pass	2985
30	1000	0.1	RMS	599.87	-59.7	-25	Pass	9699
1000	2480	1	RMS	2480	-51.81	-25	Pass	1480
2480	2590	1	RMS	2560.575	24.29	60	Pass	401
2590	3000	1	RMS	2949.878	-50.02	-25	Pass	410
3000	12000	1	RMS	11795.747	-53.55	-25	Pass	9000
12000	26000	1	RMS	25981.997	-39.72	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-25	Pass	2985
30	1000	0.1	RMS	599.87	-60.3	-25	Pass	9699
1000	2480	1	RMS	2480	-51.91	-25	Pass	1480
2480	2590	1	RMS	2560.3	23.37	60	Pass	401
2590	3000	1	RMS	2944.866	-49.99	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.58	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.64	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-25	Pass	2985
30	1000	0.1	RMS	852.404	-64.89	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.69	-25	Pass	1480
2480	2590	1	RMS	2500.625	23.84	60	Pass	401
2590	3000	1	RMS	2949.878	-50	-25	Pass	410
3000	12000	1	RMS	11808.763	-53.57	-25	Pass	9000
12000	26000	1	RMS	25983.997	-39.66	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-74.11	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-25	Pass	2985
30	1000	0.1	RMS	842.199	-64.97	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.71	-25	Pass	1480
2480	2590	1	RMS	2500.625	23.3	60	Pass	401
2590	3000	1	RMS	2948.875	-50.02	-25	Pass	410
3000	12000	1	RMS	11820.778	-53.51	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.72	-25	Pass	14000




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	Pass	2985
30	1000	0.1	RMS	567.666	-63.73	-25	Pass	9699
1000	2480	1	RMS	2480	-51.79	-25	Pass	1480
2480	2590	1	RMS	2528.125	24.09	60	Pass	401
2590	3000	1	RMS	2949.878	-49.98	-25	Pass	410
3000	12000	1	RMS	11786.736	-53.57	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.61	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-25	Pass	2985
30	1000	0.1	RMS	567.666	-64.16	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.91	-25	Pass	1480
2480	2590	1	RMS	2528.125	23.19	60	Pass	401
2590	3000	1	RMS	2946.87	-49.99	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.53	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.66	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.86	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.74	-25	Pass	2985
30	1000	0.1	RMS	595.169	-59.68	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.74	-25	Pass	1480
2480	2590	1	RMS	2555.625	24.33	60	Pass	401
2590	3000	1	RMS	2950.88	-49.98	-25	Pass	410
3000	12000	1	RMS	11781.73	-53.58	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.67	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.4	-25	Pass	2985
30	1000	0.1	RMS	595.169	-60.28	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.78	-25	Pass	1480
2480	2590	1	RMS	2555.625	23.44	60	Pass	401
2590	3000	1	RMS	2948.875	-50.01	-25	Pass	410
3000	12000	1	RMS	11798.751	-53.57	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.61	-25	Pass	14000




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.62	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-25	Pass	2985
30	1000	0.1	RMS	821.097	-64.88	-25	Pass	9699
1000	2480	1	RMS	2480	-51.72	-25	Pass	1480
2480	2590	1	RMS	2500.9	24.02	60	Pass	401
2590	3000	1	RMS	2951.883	-49.99	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.57	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.63	-25	Pass	14000



**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-25	Pass	2985
30	1000	0.1	RMS	823.397	-64.91	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.69	-25	Pass	1480
2480	2590	1	RMS	2500.9	23.37	60	Pass	401
2590	3000	1	RMS	2947.873	-49.98	-25	Pass	410
3000	12000	1	RMS	11797.75	-53.58	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.54	-25	Pass	14000



11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-25	Pass	2985
30	1000	0.1	RMS	565.365	-64.5	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.85	-25	Pass	1480
2480	2590	1	RMS	2525.925	24.15	60	Pass	401
2590	3000	1	RMS	2949.878	-49.96	-25	Pass	410
3000	12000	1	RMS	11788.739	-53.5	-25	Pass	9000
12000	26000	1	RMS	25980.997	-39.57	-25	Pass	14000

