



19.3. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2534.292	-47.33	-25	Pass	601
2550	2565	1	RMS	2562.025	-45.74	-13	Pass	601
2565	2569	1	RMS	2569	-23.87	-10	Pass	601
2569	2570	0.39	RMS	2569.992	-13.2	-10	Pass	601
2570	2610	1	RMS	2571	23.72	30	Pass	601




19.4. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.917	-41.32	-25	Pass	601
2550	2565	1	RMS	2564.975	-30.38	-13	Pass	601
2565	2569	1	RMS	2568.72	-27.94	-10	Pass	601
2569	2570	0.39	RMS	2569.997	-28.37	-10	Pass	601
2570	2610	1	RMS	2586.4	11.96	30	Pass	601




19.5. Band Edge for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	24.09	30	Pass	601
2620	2621	0.4	RMS	2620	-16.61	-10	Pass	4
2621	2625	1	RMS	2621	-26.21	-10	Pass	601
2625	2640	1	RMS	2625.15	-45.6	-13	Pass	601
2640	2665	1	RMS	2650.417	-46.33	-25	Pass	601




19.6. Band Edge for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2615.333	12.24	30	Pass	601
2620	2621	0.4	RMS	2620	-33.37	-10	Pass	4
2621	2625	1	RMS	2621.067	-31.29	-10	Pass	601
2625	2640	1	RMS	2625.025	-35.5	-13	Pass	601
2640	2665	1	RMS	2641.333	-41.22	-25	Pass	601




19.7. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	23.59	30	Pass	601
2620	2621	0.4	RMS	2620	-14.67	-10	Pass	4
2621	2625	1	RMS	2621	-23.87	-10	Pass	601
2625	2640	1	RMS	2625	-45.54	-13	Pass	601
2640	2665	1	RMS	2642.583	-46.26	-25	Pass	601




19.8. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2614.533	11.67	30	Pass	601
2620	2621	0.4	RMS	2620	-32.87	-10	Pass	4
2621	2625	1	RMS	2621.027	-30.08	-10	Pass	601
2625	2640	1	RMS	2625.025	-33.01	-13	Pass	601
2640	2665	1	RMS	2640.167	-39.5	-25	Pass	601




19.9. Band Edge for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2534.375	-47.23	-25	Pass	601
2540	2565	1	RMS	2564.917	-45.93	-13	Pass	601
2565	2569	1	RMS	2569	-27.54	-10	Pass	601
2569	2570	0.51	RMS	2570	-13.87	-10	Pass	601
2570	2610	1	RMS	2571.133	24.26	30	Pass	601




19.10. Band Edge for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2534.55	-45.34	-25	Pass	601
2540	2565	1	RMS	2556.875	-37.13	-13	Pass	601
2565	2569	1	RMS	2568.953	-32.31	-10	Pass	601
2569	2570	0.62	RMS	2569.993	-26.98	-10	Pass	601
2570	2610	1	RMS	2595.6	10.69	30	Pass	601




19.11. Band Edge for SA(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2534.525	-47.32	-25	Pass	601
2540	2565	1	RMS	2565	-46.22	-13	Pass	601
2565	2569	1	RMS	2569	-28.87	-10	Pass	601
2569	2570	0.51	RMS	2570	-15.35	-10	Pass	601
2570	2610	1	RMS	2571.133	23.81	30	Pass	601




19.12. Band Edge for SA(NTNV)(Subtest:4, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.925	-41.75	-25	Pass	601
2540	2565	1	RMS	2564.708	-32.53	-13	Pass	601
2565	2569	1	RMS	2568.987	-31.23	-10	Pass	601
2569	2570	0.62	RMS	2569.997	-28.31	-10	Pass	601
2570	2610	1	RMS	2596.733	10.32	30	Pass	601




19.13. Band Edge for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	24.1	30	Pass	601
2620	2621	0.5	RMS	2620	-19.79	-10	Pass	3
2621	2625	1	RMS	2621	-31.04	-10	Pass	601
2625	2650	1	RMS	2625.375	-45.71	-13	Pass	601
2650	2665	1	RMS	2652.125	-46.3	-25	Pass	601




19.14. Band Edge for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2615.533	10.7	30	Pass	601
2620	2621	0.6	RMS	2620	-37.35	-10	Pass	3
2621	2625	1	RMS	2621.013	-35.62	-10	Pass	601
2625	2650	1	RMS	2625.125	-37.14	-13	Pass	601
2650	2665	1	RMS	2654.6	-42.41	-25	Pass	601




19.15. Band Edge for SA(NTNV)(Subtest:7, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	23.5	30	Pass	601
2620	2621	0.6	RMS	2620	-15.69	-10	Pass	3
2621	2625	1	RMS	2621	-28.56	-10	Pass	601
2625	2650	1	RMS	2625.083	-45.75	-13	Pass	601
2650	2665	1	RMS	2652.05	-46.25	-25	Pass	601




19.16. Band Edge for SA(NTNV)(Subtest:8, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2616.6	10.26	30	Pass	601
2620	2621	0.6	RMS	2620	-35.34	-10	Pass	3
2621	2625	1	RMS	2621.013	-33.28	-10	Pass	601
2625	2650	1	RMS	2625.042	-34.32	-13	Pass	601
2650	2665	1	RMS	2650.575	-40.54	-25	Pass	601




19.17. Band Edge for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2527.6	-47.51	-25	Pass	601
2530	2565	1	RMS	2552.108	-45.91	-13	Pass	601
2565	2569	1	RMS	2569	-27.02	-10	Pass	601
2569	2570	0.51	RMS	2569.995	-12.95	-10	Pass	601
2570	2610	1	RMS	2571	24.22	30	Pass	601




19.18. Band Edge for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2526.667	-44.7	-25	Pass	601
2530	2565	1	RMS	2564.65	-37.52	-13	Pass	601
2565	2569	1	RMS	2569	-34.31	-10	Pass	601
2569	2570	0.82	RMS	2570	-17.28	-10	Pass	601
2570	2610	1	RMS	2599.067	9.36	30	Pass	601




19.19. Band Edge for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.408	-47.48	-25	Pass	601
2530	2565	1	RMS	2551.992	-46.3	-13	Pass	601
2565	2569	1	RMS	2569	-27.55	-10	Pass	601
2569	2570	0.51	RMS	2570	-14.05	-10	Pass	601
2570	2610	1	RMS	2571.133	23.75	30	Pass	601




19.20. Band Edge for SA(NTNV)(Subtest:4, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.525	-42.54	-25	Pass	601
2530	2565	1	RMS	2564.417	-34.43	-13	Pass	601
2565	2569	1	RMS	2568.98	-33.45	-10	Pass	601
2569	2570	0.82	RMS	2569.998	-17.9	-10	Pass	601
2570	2610	1	RMS	2599.6	8.89	30	Pass	601




19.21. Band Edge for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	24.06	30	Pass	601
2620	2621	0.5	RMS	2620	-15.85	-10	Pass	3
2621	2625	1	RMS	2621	-27.35	-10	Pass	601
2625	2660	1	RMS	2625.467	-45.58	-13	Pass	601
2660	2665	1	RMS	2664.25	-46.43	-25	Pass	601




19.22. Band Edge for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2607.867	9.27	30	Pass	601
2620	2621	0.8	RMS	2620	-38.77	-10	Pass	3
2621	2625	1	RMS	2624.86	-37.85	-10	Pass	601
2625	2660	1	RMS	2652.067	-37.06	-13	Pass	601
2660	2665	1	RMS	2664.675	-42.25	-25	Pass	601




19.23. Band Edge for SA(NTNV)(Subtest:7, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	23.62	30	Pass	601
2620	2621	0.8	RMS	2620	-11.74	-10	Pass	3
2621	2625	1	RMS	2621.007	-27.87	-10	Pass	601
2625	2660	1	RMS	2625.117	-45.73	-13	Pass	601
2660	2665	1	RMS	2661.983	-46.4	-25	Pass	601



19.24. Band Edge for SA(NTNV)(Subtest:8, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2609.8	8.91	30	Pass	601
2620	2621	0.8	RMS	2620	-36.65	-10	Pass	3
2621	2625	1	RMS	2624.1	-35.24	-10	Pass	601
2625	2660	1	RMS	2651.95	-34.91	-13	Pass	601
2660	2665	1	RMS	2660.008	-40.73	-25	Pass	601



20. n41 30kHz


20.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.185	-45.96	-25	Pass	601
2490	2495	1	RMS	2495	-23.9	-13	Pass	601
2495	2496	0.051	RMS	2495.997	-23.43	-13	Pass	601
2496	2596	1	RMS	2497	24.02	30	Pass	601




20.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-40.54	-25	Pass	100
2490	2495	1	RMS	2495	-34.1	-13	Pass	601
2495	2496	0.4	RMS	2496	-29.54	-13	Pass	4
2496	2596	1	RMS	2511.5	12.4	30	Pass	601




20.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-46.44	-25	Pass	601
2490	2495	1	RMS	2495	-24.35	-13	Pass	601
2495	2496	0.051	RMS	2496	-24.31	-13	Pass	601
2496	2596	1	RMS	2497	23.64	30	Pass	601




20.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-37.37	-25	Pass	100
2490	2495	1	RMS	2494.433	-33.29	-13	Pass	601
2495	2496	0.4	RMS	2496	-29.84	-13	Pass	4
2496	2596	1	RMS	2510.333	11.83	30	Pass	601




20.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.82	30	Pass	601
2690	2691	0.1	RMS	2690.003	-22.85	-13	Pass	601
2691	2695	1	RMS	2691	-26.42	-13	Pass	601
2695	2710	1	RMS	2695.375	-45.8	-13	Pass	601
2710	2795	1	RMS	2769.783	-46.72	-25	Pass	601




20.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673.333	12.01	30	Pass	601
2690	2691	0.4	RMS	2690	-34.58	-13	Pass	4
2691	2695	1	RMS	2691.067	-31.89	-13	Pass	601
2695	2710	1	RMS	2697.225	-35.44	-13	Pass	601
2710	2715	1	RMS	2711.15	-43	-25	Pass	601
2715	2795	1	RMS	2715.267	-44.35	-25	Pass	601




20.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.43	30	Pass	601
2690	2691	0.1	RMS	2690.002	-20.89	-13	Pass	601
2691	2695	1	RMS	2691.007	-24.77	-13	Pass	601
2695	2710	1	RMS	2695.15	-46	-13	Pass	601
2710	2795	1	RMS	2780.975	-46.77	-25	Pass	601




20.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.833	11.63	30	Pass	601
2690	2691	0.4	RMS	2690	-33.42	-13	Pass	4
2691	2695	1	RMS	2691.027	-30.81	-13	Pass	601
2695	2710	1	RMS	2695.025	-34.85	-13	Pass	601
2710	2715	1	RMS	2710.142	-40.93	-25	Pass	601
2715	2795	1	RMS	2715	-43.53	-25	Pass	601




20.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.74	-25	Pass	601
2490	2495	1	RMS	2495	-24.22	-13	Pass	601
2495	2496	0.051	RMS	2496	-24.07	-13	Pass	601
2496	2596	1	RMS	2497	23.95	30	Pass	601




20.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-41.25	-25	Pass	601
2490	2495	1	RMS	2494.958	-36.89	-13	Pass	601
2495	2496	1.2	RMS	2496	-26.81	-13	Pass	2
2496	2596	1	RMS	2542.333	7.43	30	Pass	601




20.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-47.01	-25	Pass	601
2490	2495	1	RMS	2495	-25.27	-13	Pass	601
2495	2496	0.051	RMS	2495.997	-25.26	-13	Pass	601
2496	2596	1	RMS	2497	23.53	30	Pass	601




20.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.515	-39.03	-25	Pass	601
2490	2495	1	RMS	2494.992	-37.26	-13	Pass	601
2495	2496	1.2	RMS	2496	-27.8	-13	Pass	2
2496	2596	1	RMS	2546	7.05	30	Pass	601



20.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.75	30	Pass	601
2690	2691	0.1	RMS	2690.003	-24.3	-13	Pass	601
2691	2695	1	RMS	2691	-28.23	-13	Pass	601
2695	2750	1	RMS	2695.183	-45.55	-13	Pass	601
2750	2795	1	RMS	2773.025	-46.72	-25	Pass	601




20.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673.5	7.27	30	Pass	601
2690	2691	1.2	RMS	2690	-23.8	-13	Pass	2
2691	2695	1	RMS	2691.013	-37.78	-13	Pass	601
2695	2750	1	RMS	2697.475	-38.94	-13	Pass	601
2750	2755	1	RMS	2754.942	-46.79	-25	Pass	601
2755	2795	1	RMS	2766.067	-46.79	-25	Pass	601



20.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.31	30	Pass	601
2690	2691	0.1	RMS	2690	-22.72	-13	Pass	601
2691	2695	1	RMS	2691	-26.25	-13	Pass	601
2695	2750	1	RMS	2695	-45.71	-13	Pass	601
2750	2795	1	RMS	2776.7	-46.74	-25	Pass	601




20.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2680.333	6.72	30	Pass	601
2690	2691	1.2	RMS	2690	-25.91	-13	Pass	2
2691	2695	1	RMS	2691.887	-36.13	-13	Pass	601
2695	2750	1	RMS	2705.908	-37.7	-13	Pass	601
2750	2755	1	RMS	2754.883	-46.91	-25	Pass	601
2755	2795	1	RMS	2793.067	-46.72	-25	Pass	601




20.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.72	-25	Pass	601
2490	2495	1	RMS	2495	-25.29	-13	Pass	601
2495	2496	0.051	RMS	2495.997	-25.17	-13	Pass	601
2496	2596	1	RMS	2497	23.94	30	Pass	601




20.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-35.35	-25	Pass	601
2490	2495	1	RMS	2490.508	-34.83	-13	Pass	601
2495	2496	1	RMS	2496	-31.03	-13	Pass	2
2496	2596	1	RMS	2584.833	5.31	30	Pass	601




20.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.75	-25	Pass	601
2490	2495	1	RMS	2495	-25.56	-13	Pass	601
2495	2496	0.051	RMS	2496	-25.36	-13	Pass	601
2496	2596	1	RMS	2497	23.46	30	Pass	601




20.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-37.01	-25	Pass	100
2490	2495	1	RMS	2490.508	-35.65	-13	Pass	601
2495	2496	1	RMS	2496	-31.23	-13	Pass	2
2496	2596	1	RMS	2581	4.98	30	Pass	601




20.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.65	30	Pass	601
2690	2691	0.1	RMS	2690	-24.61	-13	Pass	601
2691	2695	1	RMS	2691	-28.32	-13	Pass	601
2695	2790	1	RMS	2695.633	-45.39	-13	Pass	601
2790	2795	1	RMS	2791.233	-46.76	-25	Pass	601




20.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2613	4.7	30	Pass	601
2690	2691	2	RMS	2690	-33.19	-13	Pass	2
2691	2695	1	RMS	2693.967	-35.88	-13	Pass	601
2695	2790	1	RMS	2697.85	-36.25	-13	Pass	601
2790	2795	1	RMS	2792.025	-46.77	-25	Pass	601




20.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.11	30	Pass	601
2690	2691	0.1	RMS	2690	-22.8	-13	Pass	601
2691	2695	1	RMS	2691	-26.37	-13	Pass	601
2695	2790	1	RMS	2695.317	-45.31	-13	Pass	601
2790	2795	1	RMS	2790.008	-46.84	-25	Pass	601



20.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2600	4.47	30	Pass	601
2690	2691	2	RMS	2690	-33.39	-13	Pass	2
2691	2695	1	RMS	2691.307	-35.95	-13	Pass	601
2695	2790	1	RMS	2697.85	-36.2	-13	Pass	601
2790	2795	1	RMS	2790.35	-46.81	-25	Pass	601



21. n77 30kHz(3450-3550MHz)


21.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.92	-13	Pass	601
3445	3449	0.51	RMS	3448.913	-35.61	-13	Pass	601
3449	3450	0.01	RMS	3449.992	-32.01	-13	Pass	601
3450	3550	1	RMS	3451	23.01	30	Pass	601




21.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.833	-23.42	-13	Pass	601
3445	3449	0.51	RMS	3448.98	-24.96	-13	Pass	601
3449	3450	0.2	RMS	3449.995	-26.78	-13	Pass	601
3450	3550	1	RMS	3463.167	14.25	30	Pass	601




21.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-44	-13	Pass	601
3445	3449	0.51	RMS	3449	-33.89	-13	Pass	601
3449	3450	0.01	RMS	3449.993	-30.9	-13	Pass	601
3450	3550	1	RMS	3451	23.14	30	Pass	601




21.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.333	-20.79	-13	Pass	601
3445	3449	0.51	RMS	3448.9	-21.95	-13	Pass	601
3449	3450	0.2	RMS	3449.987	-24.9	-13	Pass	601
3450	3550	1	RMS	3460	13.82	30	Pass	601




21.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	23.08	30	Pass	601
3550	3551	0.01	RMS	3550.003	-32.31	-13	Pass	601
3551	3555	0.51	RMS	3551.027	-35.98	-13	Pass	601
3555	3655	1	RMS	3555	-44.49	-13	Pass	601




21.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3543	14.33	30	Pass	601
3550	3551	0.2	RMS	3550.067	-25.5	-13	Pass	601
3551	3555	0.51	RMS	3552.62	-23.72	-13	Pass	601
3555	3655	1	RMS	3558.167	-21.93	-13	Pass	601




21.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	23.1	30	Pass	601
3550	3551	0.01	RMS	3550.003	-32.08	-13	Pass	601
3551	3555	0.51	RMS	3551.053	-35.37	-13	Pass	601
3555	3655	1	RMS	3555	-44.56	-13	Pass	601




21.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3540	13.94	30	Pass	601
3550	3551	0.2	RMS	3550.043	-23.23	-13	Pass	601
3551	3555	0.51	RMS	3551.093	-20.19	-13	Pass	601
3555	3655	1	RMS	3555	-19.07	-13	Pass	601




21.9. Band Edge for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3403.667	-43.64	-13	Pass	601
3445	3449	0.51	RMS	3449	-37.5	-13	Pass	601
3449	3450	0.01	RMS	3450	-39.27	-13	Pass	601
3450	3550	1	RMS	3451.167	22.38	30	Pass	601




21.10. Band Edge for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-24.34	-13	Pass	601
3445	3449	0.51	RMS	3447.68	-25.79	-13	Pass	601
3449	3450	0.51	RMS	3449.515	-25.98	-13	Pass	601
3450	3550	1	RMS	3484.333	9.54	30	Pass	601




21.11. Band Edge for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3403.667	-43.5	-13	Pass	601
3445	3449	0.51	RMS	3449	-37.8	-13	Pass	601
3449	3450	0.01	RMS	3450	-40.35	-13	Pass	601
3450	3550	1	RMS	3451.167	22.36	30	Pass	601




21.12. Band Edge for SA(NTNV)(Subtest:4, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-23.22	-13	Pass	601
3445	3449	0.51	RMS	3447.68	-25.52	-13	Pass	601
3449	3450	0.51	RMS	3449.077	-25.74	-13	Pass	601
3450	3550	1	RMS	3462	9.25	30	Pass	601




21.13. Band Edge for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	22.48	30	Pass	601
3550	3551	0.01	RMS	3550.017	-40.15	-13	Pass	601
3551	3555	0.51	RMS	3551	-38.14	-13	Pass	601
3555	3655	1	RMS	3555.333	-45.93	-13	Pass	601




21.14. Band Edge for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3534.333	9.7	30	Pass	601
3550	3551	0.51	RMS	3550.582	-23.08	-13	Pass	601
3551	3555	0.51	RMS	3552.813	-23.9	-13	Pass	601
3555	3655	1	RMS	3555	-22.55	-13	Pass	601




21.15. Band Edge for SA(NTNV)(Subtest:7, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	22.52	30	Pass	601
3550	3551	0.01	RMS	3550.015	-39.1	-13	Pass	601
3551	3555	0.51	RMS	3551	-36.03	-13	Pass	601
3555	3655	1	RMS	3555	-45.66	-13	Pass	601




21.16. Band Edge for SA(NTNV)(Subtest:8, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3511.833	9.41	30	Pass	601
3550	3551	0.51	RMS	3550.685	-23.02	-13	Pass	601
3551	3555	0.51	RMS	3552.56	-23.11	-13	Pass	601
3555	3655	1	RMS	3555	-21.31	-13	Pass	601




21.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.9	-13	Pass	601
3445	3449	0.51	RMS	3448.953	-35.94	-13	Pass	601
3449	3450	0.01	RMS	3449.988	-32.45	-13	Pass	601
3450	3550	1	RMS	3451	22.69	30	Pass	601




21.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.5	-25.43	-13	Pass	601
3445	3449	0.51	RMS	3445.527	-27.05	-13	Pass	601
3449	3450	1	RMS	3450	-24.77	-13	Pass	2
3450	3550	1	RMS	3517.833	6.99	30	Pass	601




21.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-43.94	-13	Pass	601
3445	3449	0.51	RMS	3448.94	-35.44	-13	Pass	601
3449	3450	0.01	RMS	3449.993	-32.76	-13	Pass	601
3450	3550	1	RMS	3451	22.63	30	Pass	601




21.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.5	-24.89	-13	Pass	601
3445	3449	0.51	RMS	3445.66	-27.18	-13	Pass	601
3449	3450	1	RMS	3450	-24.7	-13	Pass	2
3450	3550	1	RMS	3513.833	6.38	30	Pass	601




21.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	22.63	30	Pass	601
3550	3551	0.01	RMS	3550.003	-34.19	-13	Pass	601
3551	3555	0.51	RMS	3551	-35.95	-13	Pass	601
3555	3655	1	RMS	3555.167	-44.61	-13	Pass	601




21.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3517.833	6.9	30	Pass	601
3550	3551	1	RMS	3550.982	-25.33	-13	Pass	601
3551	3555	0.51	RMS	3552.207	-27.75	-13	Pass	601
3555	3655	1	RMS	3558	-25.21	-13	Pass	601




21.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	22.71	30	Pass	601
3550	3551	0.01	RMS	3550.023	-33.86	-13	Pass	601
3551	3555	0.51	RMS	3551.02	-35.99	-13	Pass	601
3555	3655	1	RMS	3555.333	-44.65	-13	Pass	601



21.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3513.667	6.35	30	Pass	601
3550	3551	1	RMS	3551	-24.69	-13	Pass	601
3551	3555	0.51	RMS	3551.247	-27.43	-13	Pass	601
3555	3655	1	RMS	3557.667	-24.31	-13	Pass	601



22. n77 30kHz(3700-3980MHz)


22.1. Band Edge for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.54	-13	Pass	601
3695	3699	0.51	RMS	3698.973	-35.18	-13	Pass	601
3699	3700	0.01	RMS	3699.977	-31.31	-13	Pass	601
3700	3800	1	RMS	3701	23.43	30	Pass	601




22.2. Band Edge for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3691.333	-19.78	-13	Pass	601
3695	3699	0.51	RMS	3699	-20.76	-13	Pass	601
3699	3700	0.2	RMS	3699.987	-22.36	-13	Pass	601
3700	3800	1	RMS	3713.167	14.71	30	Pass	601




22.3. Band Edge for SA(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.43	-13	Pass	601
3695	3699	0.51	RMS	3698.94	-34.68	-13	Pass	601
3699	3700	0.01	RMS	3699.992	-31.04	-13	Pass	601
3700	3800	1	RMS	3701	23.57	30	Pass	601




22.4. Band Edge for SA(NTNV)(Subtest:4, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-17.16	-13	Pass	601
3695	3699	0.51	RMS	3698.933	-18.32	-13	Pass	601
3699	3700	0.2	RMS	3699.977	-21.36	-13	Pass	601
3700	3800	1	RMS	3710	14.21	30	Pass	601




22.5. Band Edge for SA(NTNV)(Subtest:5, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.57	30	Pass	601
3980	3981	0.01	RMS	3980	-31.69	-13	Pass	601
3981	3985	0.51	RMS	3981.007	-34.26	-13	Pass	601
3985	4085	1	RMS	3985	-43.61	-13	Pass	601




22.6. Band Edge for SA(NTNV)(Subtest:6, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3973	14.84	30	Pass	601
3980	3981	0.2	RMS	3980.01	-18.13	-13	Pass	601
3981	3985	0.51	RMS	3981.307	-16.92	-13	Pass	601
3985	4085	1	RMS	3988.333	-14.96	-13	Pass	601




22.7. Band Edge for SA(NTNV)(Subtest:7, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.63	30	Pass	601
3980	3981	0.01	RMS	3980.025	-32.26	-13	Pass	601
3981	3985	0.51	RMS	3981.007	-34.68	-13	Pass	601
3985	4085	1	RMS	3985	-43.88	-13	Pass	601




22.8. Band Edge for SA(NTNV)(Subtest:8, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3970	14.43	30	Pass	601
3980	3981	0.2	RMS	3980.018	-17.17	-13	Pass	601
3981	3985	0.51	RMS	3981.093	-13.99	-13	Pass	601
3985	4085	1	RMS	3985	-13.71	-13	Pass	101




22.9. Band Edge for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3653.5	-45.43	-13	Pass	601
3695	3699	0.51	RMS	3698.987	-36.81	-13	Pass	601
3699	3700	0.01	RMS	3699.993	-38.42	-13	Pass	601
3700	3800	1	RMS	3701.167	23.09	30	Pass	601




22.10. Band Edge for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.167	-17.5	-13	Pass	601
3695	3699	0.51	RMS	3695.76	-19.56	-13	Pass	601
3699	3700	0.51	RMS	3699.51	-19.64	-13	Pass	601
3700	3800	1	RMS	3728.833	10.31	30	Pass	601




22.11. Band Edge for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3653.667	-43.67	-13	Pass	601
3695	3699	0.51	RMS	3699	-36.7	-13	Pass	601
3699	3700	0.01	RMS	3699.997	-38.1	-13	Pass	601
3700	3800	1	RMS	3701.167	23.23	30	Pass	601




22.12. Band Edge for SA(NTNV)(Subtest:4, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.167	-16.47	-13	Pass	601
3695	3699	0.51	RMS	3695.5	-19.22	-13	Pass	601
3699	3700	0.51	RMS	3699.433	-19.56	-13	Pass	601
3700	3800	1	RMS	3719.5	10.12	30	Pass	601




22.13. Band Edge for SA(NTNV)(Subtest:5, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3978.667	23.11	30	Pass	601
3980	3981	0.01	RMS	3980.01	-40.75	-13	Pass	601
3981	3985	0.51	RMS	3981.033	-37.11	-13	Pass	601
3985	4085	1	RMS	3985	-44.77	-13	Pass	601




22.14. Band Edge for SA(NTNV)(Subtest:6, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3959.333	10.35	30	Pass	601
3980	3981	0.51	RMS	3980.51	-16.49	-13	Pass	601
3981	3985	0.51	RMS	3982.4	-16.35	-13	Pass	601
3985	4085	1	RMS	3985.5	-14.17	-13	Pass	601




22.15. Band Edge for SA(NTNV)(Subtest:7, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3978.667	23.18	30	Pass	601
3980	3981	0.01	RMS	3980.003	-38.37	-13	Pass	601
3981	3985	0.51	RMS	3981.013	-34.78	-13	Pass	601
3985	4085	1	RMS	3985	-44.81	-13	Pass	601




22.16. Band Edge for SA(NTNV)(Subtest:8, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3949.667	9.33	30	Pass	601
3980	3981	0.51	RMS	3980.95	-18.77	-13	Pass	601
3981	3985	0.51	RMS	3984.927	-17.85	-13	Pass	601
3985	4085	1	RMS	3985.167	-15.4	-13	Pass	601




22.17. Band Edge for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3609.667	-49.1	-13	Pass	601
3695	3699	0.51	RMS	3698.987	-35.33	-13	Pass	601
3699	3700	0.01	RMS	3699.977	-32.79	-13	Pass	601
3700	3800	1	RMS	3701	23.26	30	Pass	601




22.18. Band Edge for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-22.38	-13	Pass	601
3695	3699	0.51	RMS	3698.607	-24.64	-13	Pass	601
3699	3700	1	RMS	3700	-22.46	-13	Pass	2
3700	3800	1	RMS	3722.667	7.27	30	Pass	601




22.19. Band Edge for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.333	-44.47	-13	Pass	601
3695	3699	0.51	RMS	3699	-34.43	-13	Pass	601
3699	3700	0.01	RMS	3699.985	-32.32	-13	Pass	601
3700	3800	1	RMS	3701	23.3	30	Pass	601




22.20. Band Edge for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-21.98	-13	Pass	601
3695	3699	0.51	RMS	3698.547	-24.61	-13	Pass	601
3699	3700	1	RMS	3700	-22.13	-13	Pass	2
3700	3800	1	RMS	3710	6.88	30	Pass	601




22.21. Band Edge for SA(NTNV)(Subtest:5, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.05	30	Pass	601
3980	3981	0.01	RMS	3980.013	-32.61	-13	Pass	601
3981	3985	0.51	RMS	3981.007	-34.62	-13	Pass	601
3985	4085	1	RMS	3985.167	-44.09	-13	Pass	601




22.22. Band Edge for SA(NTNV)(Subtest:6, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3947.833	7.25	30	Pass	601
3980	3981	1	RMS	3980.19	-18.6	-13	Pass	601
3981	3985	0.51	RMS	3983.58	-21.3	-13	Pass	601
3985	4085	1	RMS	3985	-19.63	-13	Pass	601




22.23. Band Edge for SA(NTNV)(Subtest:7, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.1	30	Pass	601
3980	3981	0.01	RMS	3980.002	-34.09	-13	Pass	601
3981	3985	0.51	RMS	3981.047	-35.1	-13	Pass	601
3985	4085	1	RMS	3985.167	-44.02	-13	Pass	601



22.24. Band Edge for SA(NTNV)(Subtest:8, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3964.833	6.84	30	Pass	601
3980	3981	1	RMS	3980.967	-18.25	-13	Pass	601
3981	3985	0.51	RMS	3981.287	-20.93	-13	Pass	601
3985	4085	1	RMS	3985	-18.71	-13	Pass	601



23. n78 30kHz(3450-3550MHz)


23.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-44.03	-13	Pass	601
3445	3449	0.51	RMS	3448.98	-36.25	-13	Pass	601
3449	3450	0.01	RMS	3449.992	-31.78	-13	Pass	601
3450	3550	1	RMS	3451	22.99	30	Pass	601




23.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-27.14	-13	Pass	601
3445	3449	0.51	RMS	3448.947	-27.88	-13	Pass	601
3449	3450	0.2	RMS	3450	-28.25	-13	Pass	601
3450	3550	1	RMS	3463.167	14.17	30	Pass	601




23.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.88	-13	Pass	601
3445	3449	0.51	RMS	3448.947	-35.15	-13	Pass	601
3449	3450	0.01	RMS	3449.992	-30.73	-13	Pass	601
3450	3550	1	RMS	3451	23.1	30	Pass	601




23.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-22.97	-13	Pass	601
3445	3449	0.51	RMS	3448.993	-24.39	-13	Pass	601
3449	3450	0.2	RMS	3449.985	-26.76	-13	Pass	601
3450	3550	1	RMS	3459.833	13.8	30	Pass	601




23.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	22.99	30	Pass	601
3550	3551	0.01	RMS	3550.002	-32.22	-13	Pass	601
3551	3555	0.51	RMS	3551.007	-36.23	-13	Pass	601
3555	3655	1	RMS	3555.167	-44.66	-13	Pass	601




23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3543	14.33	30	Pass	601
3550	3551	0.2	RMS	3550.092	-28.11	-13	Pass	601
3551	3555	0.51	RMS	3552.72	-25.34	-13	Pass	601
3555	3655	1	RMS	3558	-23.7	-13	Pass	601




23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	23.03	30	Pass	601
3550	3551	0.01	RMS	3550.002	-32.18	-13	Pass	601
3551	3555	0.51	RMS	3551.02	-35.9	-13	Pass	601
3555	3655	1	RMS	3555.167	-44.83	-13	Pass	601




23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3540	13.83	30	Pass	601
3550	3551	0.2	RMS	3550.068	-24.87	-13	Pass	601
3551	3555	0.51	RMS	3551.153	-21.74	-13	Pass	601
3555	3655	1	RMS	3555	-20.05	-13	Pass	601




23.9. Band Edge for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-44.16	-13	Pass	601
3445	3449	0.51	RMS	3448.987	-37.29	-13	Pass	601
3449	3450	0.01	RMS	3449.998	-39.42	-13	Pass	601
3450	3550	1	RMS	3451.167	22.81	30	Pass	601




23.10. Band Edge for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443.167	-23.49	-13	Pass	601
3445	3449	0.51	RMS	3447.58	-27.19	-13	Pass	601
3449	3450	0.51	RMS	3449.988	-28	-13	Pass	601
3450	3550	1	RMS	3479.5	10.02	30	Pass	601




23.11. Band Edge for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-44.09	-13	Pass	601
3445	3449	0.51	RMS	3449	-37.83	-13	Pass	601
3449	3450	0.01	RMS	3450	-40.28	-13	Pass	601
3450	3550	1	RMS	3451.167	22.88	30	Pass	601




23.12. Band Edge for SA(NTNV)(Subtest:4, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443.667	-24.29	-13	Pass	601
3445	3449	0.51	RMS	3447.853	-27.36	-13	Pass	601
3449	3450	0.51	RMS	3449.958	-26.87	-13	Pass	601
3450	3550	1	RMS	3469.833	9.71	30	Pass	601




23.13. Band Edge for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	22.82	30	Pass	601
3550	3551	0.01	RMS	3550.017	-39.46	-13	Pass	601
3551	3555	0.51	RMS	3551.007	-38.19	-13	Pass	601
3555	3655	1	RMS	3555.167	-44.98	-13	Pass	601




23.14. Band Edge for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3534.333	10.13	30	Pass	601
3550	3551	0.51	RMS	3550.525	-24.57	-13	Pass	601
3551	3555	0.51	RMS	3554.927	-24.53	-13	Pass	601
3555	3655	1	RMS	3555	-21.81	-13	Pass	601




23.15. Band Edge for SA(NTNV)(Subtest:7, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	22.73	30	Pass	601
3550	3551	0.01	RMS	3550.02	-39.56	-13	Pass	601
3551	3555	0.51	RMS	3551.007	-36.64	-13	Pass	601
3555	3655	1	RMS	3555	-44.92	-13	Pass	601




23.16. Band Edge for SA(NTNV)(Subtest:8, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3519.5	9.77	30	Pass	601
3550	3551	0.51	RMS	3550.63	-24.84	-13	Pass	601
3551	3555	0.51	RMS	3554.767	-24.76	-13	Pass	601
3555	3655	1	RMS	3555	-21.69	-13	Pass	601




23.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.667	-43.88	-13	Pass	601
3445	3449	0.51	RMS	3448.973	-36.47	-13	Pass	601
3449	3450	0.01	RMS	3449.985	-32.41	-13	Pass	601
3450	3550	1	RMS	3451	22.65	30	Pass	601




23.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.5	-26.77	-13	Pass	601
3445	3449	0.51	RMS	3445.44	-29.16	-13	Pass	601
3449	3450	1	RMS	3450	-26.72	-13	Pass	2
3450	3550	1	RMS	3517.833	6.96	30	Pass	601




23.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.79	-13	Pass	601
3445	3449	0.51	RMS	3449	-35.03	-13	Pass	601
3449	3450	0.01	RMS	3449.995	-31.54	-13	Pass	601
3450	3550	1	RMS	3451	22.71	30	Pass	601




23.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.5	-26.71	-13	Pass	601
3445	3449	0.51	RMS	3445.34	-29.52	-13	Pass	601
3449	3450	1	RMS	3450	-25.96	-13	Pass	2
3450	3550	1	RMS	3513.833	6.35	30	Pass	601




23.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	22.63	30	Pass	601
3550	3551	0.01	RMS	3550.002	-33.86	-13	Pass	601
3551	3555	0.51	RMS	3551.02	-37.14	-13	Pass	601
3555	3655	1	RMS	3555	-44.6	-13	Pass	601




23.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3517.833	7.01	30	Pass	601
3550	3551	1	RMS	3550.822	-26.67	-13	Pass	601
3551	3555	0.51	RMS	3553.52	-28.86	-13	Pass	601
3555	3655	1	RMS	3557.167	-25.83	-13	Pass	601




23.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	22.67	30	Pass	601
3550	3551	0.01	RMS	3550.023	-32.53	-13	Pass	601
3551	3555	0.51	RMS	3551.02	-36.38	-13	Pass	601
3555	3655	1	RMS	3555.167	-44.47	-13	Pass	601



23.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3513.667	6.35	30	Pass	601
3550	3551	1	RMS	3550.782	-25.63	-13	Pass	601
3551	3555	0.51	RMS	3551.467	-28.29	-13	Pass	601
3555	3655	1	RMS	3557.5	-25.39	-13	Pass	601



24. n78 30kHz(3700-3800MHz)


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.51	-13	Pass	601
3695	3699	0.51	RMS	3699	-35.88	-13	Pass	601
3699	3700	0.01	RMS	3699.977	-30.93	-13	Pass	601
3700	3800	1	RMS	3701	23.48	30	Pass	601




24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3691.167	-21.63	-13	Pass	601
3695	3699	0.51	RMS	3698.987	-21.81	-13	Pass	601
3699	3700	0.2	RMS	3699.995	-22.91	-13	Pass	601
3700	3800	1	RMS	3713	14.67	30	Pass	601




24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.36	-13	Pass	601
3695	3699	0.51	RMS	3699	-35.13	-13	Pass	601
3699	3700	0.01	RMS	3699.987	-31.18	-13	Pass	601
3700	3800	1	RMS	3701	23.64	30	Pass	601




24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-18.47	-13	Pass	601
3695	3699	0.51	RMS	3699	-18.98	-13	Pass	601
3699	3700	0.2	RMS	3699.835	-21.84	-13	Pass	601
3700	3800	1	RMS	3710	14.2	30	Pass	601




24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	23.08	30	Pass	601
3800	3801	0.01	RMS	3800.023	-32.11	-13	Pass	601
3801	3805	0.51	RMS	3801	-35.6	-13	Pass	601
3805	3905	1	RMS	3805	-44.56	-13	Pass	601




24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3793.167	14.32	30	Pass	601
3800	3801	0.2	RMS	3800.013	-22.93	-13	Pass	601
3801	3805	0.51	RMS	3802.46	-21.68	-13	Pass	601
3805	3905	1	RMS	3808.333	-20.22	-13	Pass	601




24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	23.03	30	Pass	601
3800	3801	0.01	RMS	3800.017	-31.92	-13	Pass	601
3801	3805	0.51	RMS	3801.007	-36.01	-13	Pass	601
3805	3905	1	RMS	3805	-44.24	-13	Pass	601




24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3790	13.76	30	Pass	601
3800	3801	0.2	RMS	3800.052	-21.39	-13	Pass	601
3801	3805	0.51	RMS	3801.153	-18.48	-13	Pass	601
3805	3905	1	RMS	3805.5	-18.21	-13	Pass	601




24.9. Band Edge for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.333	-44.84	-13	Pass	601
3695	3699	0.51	RMS	3699	-36.73	-13	Pass	601
3699	3700	0.01	RMS	3699.993	-38.33	-13	Pass	601
3700	3800	1	RMS	3701.167	23.27	30	Pass	601




24.10. Band Edge for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.167	-18.4	-13	Pass	601
3695	3699	0.51	RMS	3695.76	-21.8	-13	Pass	601
3699	3700	0.51	RMS	3699.405	-22.15	-13	Pass	601
3700	3800	1	RMS	3729.167	10.46	30	Pass	601




24.11. Band Edge for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.67	-13	Pass	601
3695	3699	0.51	RMS	3698.987	-37.36	-13	Pass	601
3699	3700	0.01	RMS	3699.993	-38.3	-13	Pass	601
3700	3800	1	RMS	3701.167	23.29	30	Pass	601




24.12. Band Edge for SA(NTNV)(Subtest:4, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.167	-18.44	-13	Pass	601
3695	3699	0.51	RMS	3695.307	-21.38	-13	Pass	601
3699	3700	0.51	RMS	3699.435	-21.67	-13	Pass	601
3700	3800	1	RMS	3712	10.21	30	Pass	601




24.13. Band Edge for SA(NTNV)(Subtest:5, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.667	22.75	30	Pass	601
3800	3801	0.01	RMS	3800.005	-39.93	-13	Pass	601
3801	3805	0.51	RMS	3801.007	-38.67	-13	Pass	601
3805	3905	1	RMS	3805.333	-44.83	-13	Pass	601




24.14. Band Edge for SA(NTNV)(Subtest:6, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3764	10.12	30	Pass	601
3800	3801	0.51	RMS	3800.582	-22.67	-13	Pass	601
3801	3805	0.51	RMS	3804.767	-21.4	-13	Pass	601
3805	3905	1	RMS	3805	-19.02	-13	Pass	601




24.15. Band Edge for SA(NTNV)(Subtest:7, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.667	22.8	30	Pass	601
3800	3801	0.01	RMS	3800.005	-38.42	-13	Pass	601
3801	3805	0.51	RMS	3801	-35.85	-13	Pass	601
3805	3905	1	RMS	3805	-44.7	-13	Pass	601




24.16. Band Edge for SA(NTNV)(Subtest:8, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3761.833	9.89	30	Pass	601
3800	3801	0.51	RMS	3800.942	-22.09	-13	Pass	601
3801	3805	0.51	RMS	3804.767	-21.76	-13	Pass	601
3805	3905	1	RMS	3805.167	-19.16	-13	Pass	601




24.17. Band Edge for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.38	-13	Pass	601
3695	3699	0.51	RMS	3698.953	-36.03	-13	Pass	601
3699	3700	0.01	RMS	3699.982	-32.88	-13	Pass	601
3700	3800	1	RMS	3701	23.17	30	Pass	601




24.18. Band Edge for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-22.05	-13	Pass	601
3695	3699	0.51	RMS	3698.607	-24.26	-13	Pass	601
3699	3700	1	RMS	3700	-21.73	-13	Pass	2
3700	3800	1	RMS	3722.833	7.4	30	Pass	601




24.19. Band Edge for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-44.35	-13	Pass	601
3695	3699	0.51	RMS	3699	-35.08	-13	Pass	601
3699	3700	0.01	RMS	3699.987	-32.48	-13	Pass	601
3700	3800	1	RMS	3701	23.19	30	Pass	601




24.20. Band Edge for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-21.15	-13	Pass	601
3695	3699	0.51	RMS	3695.053	-23.81	-13	Pass	601
3699	3700	1	RMS	3700	-21.23	-13	Pass	2
3700	3800	1	RMS	3710	7.09	30	Pass	601




24.21. Band Edge for SA(NTNV)(Subtest:5, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	22.64	30	Pass	601
3800	3801	0.01	RMS	3800.023	-33.69	-13	Pass	601
3801	3805	0.51	RMS	3801.007	-36.28	-13	Pass	601
3805	3905	1	RMS	3805	-44.57	-13	Pass	601




24.22. Band Edge for SA(NTNV)(Subtest:6, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3722.667	7.29	30	Pass	601
3800	3801	1	RMS	3800.39	-21.94	-13	Pass	601
3801	3805	0.51	RMS	3802.24	-24.89	-13	Pass	601
3805	3905	1	RMS	3807.167	-23.71	-13	Pass	601




24.23. Band Edge for SA(NTNV)(Subtest:7, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	22.78	30	Pass	601
3800	3801	0.01	RMS	3800.013	-32.72	-13	Pass	601
3801	3805	0.51	RMS	3801.027	-35.6	-13	Pass	601
3805	3905	1	RMS	3805.167	-44.46	-13	Pass	601



24.24. Band Edge for SA(NTNV)(Subtest:8, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3710	7.03	30	Pass	601
3800	3801	1	RMS	3800.917	-21.61	-13	Pass	601
3801	3805	0.51	RMS	3801.187	-24.25	-13	Pass	601
3805	3905	1	RMS	3805	-22.1	-13	Pass	601



END