

Annex A.3 Occupied Bandwidth

1. GSM_GSM850

1.1. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.243	0.313	0.3	Pass

Occupied Bandwidth 242.8998 kHz


Occ BW % Pwr 99.00 %
x dB -26.00 dB

Transmit Freq Error 96.186 Hz
x dB Bandwidth 312.745 kHz

Copyright 2000-2012 Agilent Technologies

1.2. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.244	0.312	0.3	Pass



1.3. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:251)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.245	0.317	0.3	Pass

Agilent

Measure

Ch Freq 848.8 MHz
Trig Free

Occupied Bandwidth
Averages: 8

Ref 30 dBm #Atten 40 dB

Center 848.800 0 MHz Span 2 MHz
 #Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
245.3659 kHz	x dB	-26.00 dB
Transmit Freq Error	-81.314 Hz	
x dB Bandwidth	317.036 kHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies


2. GSM_PCS

2.1. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:512)



2.2. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.245	0.299	0.3	Pass



2.3. GSM Occupied Bandwidth_Part22-24(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.245	0.313	0.3	Pass

Agilent
Measure

Ch Freq 1.9098 GHz
Trig Free

Occupied Bandwidth
Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.909 800 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
245.4808 kHz	x dB -26.00 dB
Transmit Freq Error 972.633 Hz	
x dB Bandwidth 313.313 kHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

3. EGPRS_GSM850

3.1. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.243	0.303	0.3	Pass

Agilent
Measure

Ch Freq 824.2 MHz Trig Free

Occupied Bandwidth Averages: 3

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 9.08 dB

Center 824.200 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

243.0402 kHz

Transmit Freq Error 85.431 Hz

x dB Bandwidth 302.777 kHz


Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies


3.2. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.247	0.305	0.3	Pass




3.3. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:251)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.245	0.304	0.3	Pass




4. EGPRS_PCS

4.1. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:512)



4.2. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.246	0.302	0.3	Pass



4.3. EGPRS Occupied Bandwidth_Part22-24(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.244	0.303	0.3	Pass

Agilent
Measure

Ch Freq 1.9098 GHz **Trig** Free

Occupied Bandwidth Averages: 3

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Ref 30 dBm #Atten 40 dB

Center 1.909 800 0 GHz Span 2 MHz


#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
243.7966 kHz	x dB -26.00 dB
Transmit Freq Error -39.661 Hz	
x dB Bandwidth 303.097 kHz	

Copyright 2000-2012 Agilent Technologies

5. WCDMA_Band2

5.1. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:9262)



5.2. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:9400)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.147	4.759	5	Pass

Agilent

Measure

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.880 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

4.1466 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -5.301 kHz

x dB Bandwidth 4.759 MHz

Copyright 2000-2012 Agilent Technologies

5.3. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:9538)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.6	99	26	0.1	Peak	4.142	4.758	5	Pass

Agilent

Ch Freq 1.9076 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.907 600 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.1424 MHz x dB -26.00 dB

Transmit Freq Error -9.424 kHz

x dB Bandwidth 4.758 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More 1 of 2

6. WCDMA_Band4

6.1. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:1312)



6.2. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:1412)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.4	99	26	0.1	Peak	4.119	4.714	5	Pass

Agilent

Ch Freq 1.7324 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 400 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.1188 MHz x dB -26.00 dB

Transmit Freq Error -3.727 kHz

x dB Bandwidth 4.714 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

6.3. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:1513)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.6	99	26	0.1	Peak	4.119	4.717	5	Pass

Agilent

Measure

Ch Freq 1.7526 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB
#Peak Log 10 dB/Offst 10.6 dB
Center 1.752 600 GHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

4.1190 MHz

Occ BW % Pwr

99.00 %

x dB

-26.00 dB


Transmit Freq Error -3.712 kHz

x dB Bandwidth 4.717 MHz

Copyright 2000-2012 Agilent Technologies


7. WCDMA_Band5

7.1. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:4132)



7.2. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:4182)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.4	99	26	0.1	Peak	4.121	4.722	5	Pass



7.3. WCDMA Occupied Bandwidth_Part22-24-27(NTNV)(Channel:4233)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.6	99	26	0.1	Peak	4.118	4.709	5	Pass

Agilent
Measure

Ch Freq 846.6 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.16 dB

Center 846.600 MHz Span 10 MHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1179 MHz	x dB	-26.00 dB
Transmit Freq Error	-9.578 kHz	
x dB Bandwidth	4.709 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More
1 of 2

8. LTE_Band2

8.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



8.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.099	1.423	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.8507 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.850 700 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0986 MHz

x dB -26.00 dB

Transmit Freq Error -2.622 kHz

x dB Bandwidth 1.423 MHz

Copyright 2000-2012 Agilent Technologies

8.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.099	1.334	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.880 000 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0985 MHz

x dB -26.00 dB

Transmit Freq Error 661.474 Hz

x dB Bandwidth 1.334 MHz

Copyright 2000-2012 Agilent Technologies

8.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.09	1.314	1.4	Pass

Agilent
Measure

Ch Freq 1.88 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB
#Peak
Log 10 dB/Offst 10.8 dB
Center 1.880 000 GHz Span 2.8 MHz
#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0903 MHz	x dB -26.00 dB
Transmit Freq Error	-531.965 Hz
x dB Bandwidth	1.314 MHz

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.098	1.317	1.4	Pass

The screenshot displays the Agilent spectrum analyzer interface. At the top, it shows 'Ch Freq 1.9093 GHz' and 'Trig Free'. The main display area shows a spectrum plot with a yellow trace. The plot parameters include 'Ref 30 dBm', '#Atten 30 dB', 'Log', '10 dB/Offst', '10.8 dB', 'Center 1.909 300 GHz', 'Span 2.8 MHz', '#Res BW 27 kHz', '#VBW 100 kHz', and '#Sweep 1 s (518 pts)'. A green box highlights the measurement results: 'Occupied Bandwidth 1.0980 MHz', 'Occ BW % Pwr 99.00 %', 'x dB -26.00 dB', 'Transmit Freq Error -725.210 Hz', and 'x dB Bandwidth 1.317 MHz'. On the right side, there is a 'Measure' menu with options: 'Meas Off', 'Channel Power', 'Occupied BW', 'ACP', 'Multi Carrier Power', 'Power Stat CCDF', and 'More 1 of 2'. At the bottom, it says 'Copyright 2000-2012 Agilent Technologies'.

8.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.094	1.311	1.4	Pass

Agilent

Measure

Ch Freq 1.9093 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.909 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0945 MHz	x dB -26.00 dB
Transmit Freq Error -1.248 kHz	
x dB Bandwidth 1.311 MHz	

Power Stat CCDF

More 1 of 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Copyright 2000-2012 Agilent Technologies

8.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.709	2.991	3	Pass

Agilent

Measure

Ch Freq 1.8515 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.851 500 GHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7088 MHz	x dB -26.00 dB
Transmit Freq Error -3.100 kHz	
x dB Bandwidth 2.991 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.703	3.001	3	Pass

Agilent
Measure

Ch Freq 1.8515 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.851 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

2.7026 MHz

Transmit Freq Error -545.922 Hz

x dB Bandwidth 3.001 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

8.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.707	2.998	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.880 000 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7066 MHz

x dB -26.00 dB

Transmit Freq Error -3.179 kHz

x dB Bandwidth 2.998 MHz

Copyright 2000-2012 Agilent Technologies

8.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.703	3.008	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.880 000 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7030 MHz	x dB -26.00 dB
Transmit Freq Error -5.051 kHz	
x dB Bandwidth 3.008 MHz	

Copyright 2000-2012 Agilent Technologies

8.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.701	3.003	3	Pass

Agilent

Measure
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More
1 of 2

Ch Freq 1.9085 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.908 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7010 MHz x dB -26.00 dB

Transmit Freq Error -3.675 kHz

x dB Bandwidth 3.003 MHz

Copyright 2000-2012 Agilent Technologies

8.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.702	3.013	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9085 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.908 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7015 MHz x dB -26.00 dB

Transmit Freq Error -3.878 kHz

x dB Bandwidth 3.013 MHz

Copyright 2000-2012 Agilent Technologies

8.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.508	5.008	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.8525 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.852 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5080 MHz	x dB -26.00 dB
Transmit Freq Error	-1.536 kHz
x dB Bandwidth	5.008 MHz

Copyright 2000-2012 Agilent Technologies

8.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.501	5.002	5	Pass

Agilent

Measure

Ch Freq 1.8525 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.8

dB

Center 1.852 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5012 MHz	x dB -26.00 dB
Transmit Freq Error	-2.136 kHz
x dB Bandwidth	5.002 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.5	5.026	5	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow signal trace. The plot is set to a center frequency of 1.88 GHz and a span of 10 MHz. The signal level is approximately -26 dB. The Occupied Bandwidth (OBW) is measured as 4.5001 MHz, which is 99.00% of the channel bandwidth. The XdB Bandwidth is 5.026 MHz. The detector is set to Peak, and the RBW is 0.1 MHz. The upper limit is 5 MHz. The verdict is Pass.

Measure

- Meas Off
- Channel Power
- Occupied BW
- ACP
- Multi Carrier Power
- Power Stat CCDF
- More 1 of 2

Occupied Bandwidth 4.5001 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -3.670 kHz

x dB Bandwidth 5.026 MHz

Copyright 2000-2012 Agilent Technologies

8.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.512	5.029	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.880 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5118 MHz	x dB -26.00 dB
Transmit Freq Error -5.104 kHz	
x dB Bandwidth 5.029 MHz	

Copyright 2000-2012 Agilent Technologies

8.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.498	4.99	5	Pass

Agilent

Measure

Ch Freq 1.9075 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.8

dB

Center 1.907 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4981 MHz	x dB -26.00 dB
Transmit Freq Error	-4.586 kHz
x dB Bandwidth	4.990 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

8.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.51	5.013	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9075 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.8 dB

Center 1.907 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5096 MHz x dB -26.00 dB

Transmit Freq Error 1.752 kHz

x dB Bandwidth 5.013 MHz

Copyright 2000-2012 Agilent Technologies

8.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.972	9.95	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.855 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.855 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9721 MHz x dB -26.00 dB

Transmit Freq Error -6.038 kHz

x dB Bandwidth 9.950 MHz

Copyright 2000-2012 Agilent Technologies

8.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.971	9.891	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.855 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.855 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9710 MHz x dB -26.00 dB

Transmit Freq Error 3.528 kHz

x dB Bandwidth 9.891 MHz

Copyright 2000-2012 Agilent Technologies

8.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.959	9.866	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.880 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9587 MHz x dB -26.00 dB

Transmit Freq Error -2.368 kHz

x dB Bandwidth 9.866 MHz

Copyright 2000-2012 Agilent Technologies

8.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.961	9.915	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.880 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9609 MHz x dB -26.00 dB

Transmit Freq Error -1.011 kHz

x dB Bandwidth 9.915 MHz

Copyright 2000-2012 Agilent Technologies

8.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.967	9.901	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.905 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.905 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9673 MHz x dB -26.00 dB

Transmit Freq Error -17.737 kHz

x dB Bandwidth 9.901 MHz

Copyright 2000-2012 Agilent Technologies

8.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.959	9.902	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.905 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.905 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9591 MHz	x dB -26.00 dB
Transmit Freq Error -18.475 kHz	
x dB Bandwidth 9.902 MHz	

Copyright 2000-2012 Agilent Technologies

8.25. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.463	14.856	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.8575 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.857 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4626 MHz	x dB -26.00 dB
Transmit Freq Error -6.654 kHz	
x dB Bandwidth 14.856 MHz	

Copyright 2000-2012 Agilent Technologies

8.26. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.469	14.752	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.8575 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.857 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4693 MHz	x dB -26.00 dB
Transmit Freq Error	-5.247 kHz
x dB Bandwidth	14.752 MHz

Copyright 2000-2012 Agilent Technologies

8.27. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.412	14.715	15	Pass

Agilent
Measure

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.880 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4123 MHz	x dB -26.00 dB
Transmit Freq Error -11.634 kHz	
x dB Bandwidth 14.715 MHz	

Power Stat CCDF

More 1 of 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Copyright 2000-2012 Agilent Technologies

8.28. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.459	14.749	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.8 dB

Center 1.880 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4594 MHz	x dB -26.00 dB
Transmit Freq Error -5.103 kHz	
x dB Bandwidth 14.749 MHz	

Copyright 2000-2012 Agilent Technologies

8.29. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.427	14.767	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9025 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.8 dB

Center 1.902 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4272 MHz	x dB	-26.00 dB
Transmit Freq Error		-23.028 kHz
x dB Bandwidth		14.767 MHz

Copyright 2000-2012 Agilent Technologies

8.30. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.443	14.698	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9025 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.8

dB

Center 1.902 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4430 MHz	x dB -26.00 dB
Transmit Freq Error	-10.035 kHz
x dB Bandwidth	14.698 MHz

Copyright 2000-2012 Agilent Technologies

8.31. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.919	19.565	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.86 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.860 00 GHz Span 40 MHz
 #Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9192 MHz	x dB	-26.00 dB
Transmit Freq Error	15.222 kHz	
x dB Bandwidth	19.565 MHz	

Copyright 2000-2012 Agilent Technologies

8.32. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.934	19.519	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.86 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.860 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9338 MHz	x dB	-26.00 dB
Transmit Freq Error	5.801 kHz	
x dB Bandwidth	19.519 MHz	

Copyright 2000-2012 Agilent Technologies

8.33. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.92	19.488	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.880 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9204 MHz	x dB -26.00 dB
Transmit Freq Error 3.515 kHz	
x dB Bandwidth 19.488 MHz	

Copyright 2000-2012 Agilent Technologies

8.34. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.926	19.581	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.8 dB

Center 1.880 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9261 MHz	x dB -26.00 dB
Transmit Freq Error -7.445 kHz	
x dB Bandwidth 19.581 MHz	

Copyright 2000-2012 Agilent Technologies

8.35. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.946	19.595	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.900 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9461 MHz	x dB	-26.00 dB
Transmit Freq Error	-28.024 kHz	
x dB Bandwidth	19.595 MHz	

Copyright 2000-2012 Agilent Technologies

8.36. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.916	19.398	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.900 00 GHz Span 40 MHz


#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9160 MHz	x dB	-26.00 dB
Transmit Freq Error	-16.202 kHz	
x dB Bandwidth	19.398 MHz	

Copyright 2000-2012 Agilent Technologies

9. LTE_Band4

9.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



9.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.091	1.287	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7107 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak
Log
10
dB/
Offst
10.5
dB

Center 1.710 700 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0914 MHz

x dB -26.00 dB

Transmit Freq Error -893.937 Hz

x dB Bandwidth 1.287 MHz

Copyright 2000-2012 Agilent Technologies

9.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.087	1.287	1.4	Pass

Agilent
Measure

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 1.732 500 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0874 MHz x dB -26.00 dB

Transmit Freq Error -1.001 kHz

x dB Bandwidth 1.287 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

9.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.096	1.28	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.5

dB

Center 1.732 500 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0956 MHz x dB -26.00 dB

Transmit Freq Error -2.717 kHz

x dB Bandwidth 1.280 MHz

Copyright 2000-2012 Agilent Technologies

9.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.092	1.317	1.4	Pass

Agilent

Measure

Ch Freq 1.7543 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.754 300 GHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0919 MHz	x dB -26.00 dB
Transmit Freq Error 498.428 Hz	
x dB Bandwidth 1.317 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.087	1.272	1.4	Pass

Agilent

Measure

Ch Freq 1.7543 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.754 300 GHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0874 MHz	x dB -26.00 dB
Transmit Freq Error	-1.863 kHz
x dB Bandwidth	1.272 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.703	2.991	3	Pass

Agilent

Measure

Ch Freq 1.7115 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak

Log
10

dB/
Offst

10.5
dB

Center 1.711 500 GHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7025 MHz	x dB -26.00 dB
Transmit Freq Error	-1.495 kHz
x dB Bandwidth	2.991 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.698	2.987	3	Pass

Agilent

Measure

Ch Freq 1.7115 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.5

dB

Center 1.711 500 GHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.6983 MHz	x dB -26.00 dB
Transmit Freq Error	-4.134 kHz
x dB Bandwidth	2.987 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.703	2.985	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7031 MHz	x dB -26.00 dB
Transmit Freq Error	-386.241 Hz
x dB Bandwidth	2.985 MHz

Copyright 2000-2012 Agilent Technologies

9.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.697	2.978	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 1.732 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6973 MHz x dB -26.00 dB

Transmit Freq Error -410.805 Hz

x dB Bandwidth 2.978 MHz

Copyright 2000-2012 Agilent Technologies

9.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.706	2.98	3	Pass

Agilent

Measure

Ch Freq 1.7535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.753 500 GHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7058 MHz	x dB -26.00 dB
Transmit Freq Error	-2.184 kHz
x dB Bandwidth	2.980 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.701	2.991	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.753 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7008 MHz

x dB -26.00 dB

Transmit Freq Error -3.622 kHz

x dB Bandwidth 2.991 MHz

Copyright 2000-2012 Agilent Technologies

9.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.492	4.992	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7125 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4916 MHz	x dB	-26.00 dB
Transmit Freq Error	1.865 kHz	
x dB Bandwidth	4.992 MHz	

Copyright 2000-2012 Agilent Technologies

9.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.507	5.055	5	Pass

Agilent

Measure

Ch Freq 1.7125 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5068 MHz	x dB -26.00 dB
Transmit Freq Error 1.757 kHz	
x dB Bandwidth 5.055 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.511	5.02	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 1.732 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5108 MHz	x dB	-26.00 dB
Transmit Freq Error	-619.817 Hz	
x dB Bandwidth	5.020 MHz	

Copyright 2000-2012 Agilent Technologies

9.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.496	4.973	5	Pass

Agilent

Measure

Ch Freq 1.7325 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.5

dB

Center 1.732 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4964 MHz	x dB -26.00 dB
Transmit Freq Error	-3.261 kHz
x dB Bandwidth	4.973 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.498	4.994	5	Pass

Agilent

Measure

Ch Freq 1.7525 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.752 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4981 MHz	x dB -26.00 dB
Transmit Freq Error	-3.485 kHz
x dB Bandwidth	4.994 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.507	5.006	5	Pass

Agilent

Measure

Ch Freq 1.7525 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.752 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5071 MHz	x dB -26.00 dB
Transmit Freq Error	-653.903 Hz
x dB Bandwidth	5.006 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.959	9.945	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.5

dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9591 MHz x dB -26.00 dB

Transmit Freq Error -2.398 kHz

x dB Bandwidth 9.945 MHz

Copyright 2000-2012 Agilent Technologies

9.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.958	9.922	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.5

dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9584 MHz x dB -26.00 dB

Transmit Freq Error -8.580 kHz

x dB Bandwidth 9.922 MHz

Copyright 2000-2012 Agilent Technologies

9.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.962	9.962	10	Pass

Agilent

Measure

Ch Freq 1.7325 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.5

dB

Center 1.732 50 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9625 MHz	x dB -26.00 dB
Transmit Freq Error 1.616 kHz	
x dB Bandwidth 9.962 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.973	9.902	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 50 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9733 MHz	x dB	-26.00 dB
Transmit Freq Error	3.224 kHz	
x dB Bandwidth	9.902 MHz	

Copyright 2000-2012 Agilent Technologies

9.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.952	9.87	10	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a signal spectrum with a yellow trace. The 'Occupied Bandwidth' measurement is highlighted in a green box. The results are as follows:

Measurement	Value
Occupied Bandwidth	8.9524 MHz
Occ BW % Pwr	99.00 %
x dB	-26.00 dB
Transmit Freq Error	-98.977 Hz
x dB Bandwidth	9.870 MHz

Other visible parameters include: Ch Freq 1.75 GHz, Trig Free, Averages: 2, Ref 30 dBm, #Atten 30 dB, Center 1.750 00 GHz, Span 20 MHz, #Res BW 200 kHz, #VBW 620 kHz, #Sweep 1 s (500 pts).

Copyright 2000-2012 Agilent Technologies

9.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.963	9.906	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.75 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.750 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9633 MHz x dB -26.00 dB

Transmit Freq Error 4.222 kHz

x dB Bandwidth 9.906 MHz

Copyright 2000-2012 Agilent Technologies

9.25. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.429	14.809	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7175 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 1.717 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4291 MHz	x dB -26.00 dB
Transmit Freq Error -4.709 kHz	
x dB Bandwidth 14.809 MHz	

Copyright 2000-2012 Agilent Technologies

9.26. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.459	14.71	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7175 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.717 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4588 MHz	x dB	-26.00 dB
Transmit Freq Error	337.681 Hz	
x dB Bandwidth	14.710 MHz	

Copyright 2000-2012 Agilent Technologies

9.27. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.451	14.824	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.5 dB

Center 1.732 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4508 MHz	x dB -26.00 dB
Transmit Freq Error -7.182 kHz	
x dB Bandwidth 14.824 MHz	

Copyright 2000-2012 Agilent Technologies

9.28. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.472	14.789	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.5

dB

Center 1.732 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4717 MHz x dB -26.00 dB

Transmit Freq Error 13.912 kHz

x dB Bandwidth 14.789 MHz

Copyright 2000-2012 Agilent Technologies

9.29. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.414	14.774	15	Pass

Agilent

Measure

Ch Freq 1.7475 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.747 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4144 MHz	x dB -26.00 dB
Transmit Freq Error	-1.050 kHz
x dB Bandwidth	14.774 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.30. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.471	14.655	15	Pass

Agilent

Measure

Ch Freq 1.7475 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.747 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4714 MHz	x dB -26.00 dB
Transmit Freq Error 185.609 Hz	
x dB Bandwidth 14.655 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.31. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.913	19.535	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.72 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.720 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9132 MHz	x dB	-26.00 dB
Transmit Freq Error	-21.866 kHz	
x dB Bandwidth	19.535 MHz	

Copyright 2000-2012 Agilent Technologies

9.32. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.91	19.398	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.72 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.5

dB

Center 1.720 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9095 MHz	x dB	-26.00 dB
Transmit Freq Error	8.129 kHz	
x dB Bandwidth	19.398 MHz	

Copyright 2000-2012 Agilent Technologies

9.33. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.926	19.341	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.5

dB

Center 1.732 50 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9256 MHz	x dB -26.00 dB
Transmit Freq Error	-2.348 kHz
x dB Bandwidth	19.341 MHz

Copyright 2000-2012 Agilent Technologies

9.34. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.939	19.503	20	Pass

Agilent

Measure

Ch Freq 1.7325 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.5

dB

Center 1.732 50 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9395 MHz	x dB -26.00 dB
Transmit Freq Error -3.895 kHz	
x dB Bandwidth 19.503 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

9.35. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.925	19.457	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.745 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9247 MHz	x dB	-26.00 dB
Transmit Freq Error	21.269 kHz	
x dB Bandwidth	19.457 MHz	

Copyright 2000-2012 Agilent Technologies

9.36. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.928	19.563	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.745 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)


Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9281 MHz	x dB -26.00 dB
Transmit Freq Error 785.113 Hz	
x dB Bandwidth 19.563 MHz	

Copyright 2000-2012 Agilent Technologies

10. LTE_Band5

10.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.087	1.284	1.4	Pass



10.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.095	1.299	1.4	Pass

Agilent

Measure

Ch Freq 824.7 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.08 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.08

dB

Center 824.700 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0952 MHz	x dB -26.00 dB
Transmit Freq Error	-2.443 kHz
x dB Bandwidth	1.299 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.093	1.288	1.4	Pass

Agilent

Measure

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst 9.14 dB

Center 836.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0932 MHz x dB -26.00 dB

Transmit Freq Error -47.634 Hz

x dB Bandwidth 1.288 MHz

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

10.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.085	1.27	1.4	Pass

Agilent

Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.14 dBm
#Atten 30 dB

#Peak

Log
10

dB/
Offst

9.14
dB

Center 836.500 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0851 MHz	x dB -26.00 dB
Transmit Freq Error	-1.651 kHz
x dB Bandwidth	1.270 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.095	1.265	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 848.3 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.16

dB

Center 848.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0950 MHz x dB -26.00 dB

Transmit Freq Error -1.535 kHz

x dB Bandwidth 1.265 MHz

Copyright 2000-2012 Agilent Technologies

10.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.091	1.279	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 848.3 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.16 dB

Center 848.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0908 MHz	x dB -26.00 dB
Transmit Freq Error -1.154 kHz	
x dB Bandwidth 1.279 MHz	

Copyright 2000-2012 Agilent Technologies

10.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.705	2.992	3	Pass

Agilent

Measure

Ch Freq 825.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Center 825.500 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7052 MHz	x dB -26.00 dB
Transmit Freq Error -1.907 kHz	
x dB Bandwidth 2.992 MHz	

Copyright 2000-2012 Agilent Technologies

10.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.701	2.977	3	Pass

Agilent

Measure

Ch Freq 825.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.08 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.08

dB

Center 825.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7012 MHz	x dB -26.00 dB
Transmit Freq Error 1.306 kHz	
x dB Bandwidth 2.977 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.703	2.984	3	Pass

Agilent

Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.14 dBm
#Atten 30 dB

#Peak

Log
10

dB/
Offst

9.14
dB

Center 836.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.7029 MHz	x dB	-26.00 dB
Transmit Freq Error	-4.817 kHz	
x dB Bandwidth	2.984 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

10.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.698	2.993	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.14

dB

Center 836.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6980 MHz	x dB	-26.00 dB
Transmit Freq Error	-4.932 kHz	
x dB Bandwidth	2.993 MHz	

Copyright 2000-2012 Agilent Technologies

10.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.702	2.99	3	Pass

Agilent

Measure

Ch Freq 847.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.16 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

9.16

dB

Center 847.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7017 MHz	x dB -26.00 dB
Transmit Freq Error	-4.157 kHz
x dB Bandwidth	2.990 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.696	2.98	3	Pass

Agilent

Measure

Ch Freq 847.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.16

dB

Center 847.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.6956 MHz	x dB -26.00 dB
Transmit Freq Error -7.084 kHz	
x dB Bandwidth 2.980 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.509	5.025	5	Pass

Agilent

Measure

Ch Freq 826.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.08 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

9.08

dB

Center 826.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5093 MHz	x dB -26.00 dB
Transmit Freq Error	-5.115 kHz
x dB Bandwidth	5.025 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.496	4.973	5	Pass

Agilent

Measure

Ch Freq 826.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.08 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

9.08

dB

Center 826.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4961 MHz	x dB -26.00 dB
Transmit Freq Error	-1.613 kHz
x dB Bandwidth	4.973 MHz

Power Stat

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat

CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

10.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.501	4.995	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.14

dB

Center 836.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5013 MHz x dB -26.00 dB

Transmit Freq Error -6.592 kHz

x dB Bandwidth 4.995 MHz

Copyright 2000-2012 Agilent Technologies

10.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.501	4.989	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

Center 836.500 MHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5014 MHz	x dB -26.00 dB
Transmit Freq Error -4.082 kHz	
x dB Bandwidth 4.989 MHz	

Copyright 2000-2012 Agilent Technologies

10.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.497	4.977	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 846.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak

Log 10 dB/Offst 9.16 dB

Center 846.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4969 MHz	x dB -26.00 dB
Transmit Freq Error -7.423 kHz	
x dB Bandwidth 4.977 MHz	

Copyright 2000-2012 Agilent Technologies

10.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.504	5.004	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 846.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak
Log
10
dB/
Offst
9.16
dB

Center 846.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5035 MHz

x dB -26.00 dB

Transmit Freq Error -5.482 kHz

x dB Bandwidth 5.004 MHz

Copyright 2000-2012 Agilent Technologies

10.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.981	9.958	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 829 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.09 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.09

dB

Center 829.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9807 MHz x dB -26.00 dB

Transmit Freq Error -6.713 kHz

x dB Bandwidth 9.958 MHz

Copyright 2000-2012 Agilent Technologies

10.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.963	9.889	10	Pass

Agilent

Measure

Ch Freq 829 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.09 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.09

dB

Center 829.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9634 MHz	x dB	-26.00 dB
Transmit Freq Error	4.889 kHz	
x dB Bandwidth	9.889 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

10.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.961	9.874	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

Center 836.50 MHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9608 MHz	x dB -26.00 dB
Transmit Freq Error	-9.740 kHz
x dB Bandwidth	9.874 MHz

Copyright 2000-2012 Agilent Technologies

10.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.963	9.855	10	Pass

Agilent

Measure

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.14 dB

Center 836.50 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9634 MHz	x dB -26.00 dB
Transmit Freq Error -6.310 kHz	
x dB Bandwidth 9.855 MHz	

Power Stat CCDF

More 1 of 2

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Copyright 2000-2012 Agilent Technologies

10.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.965	9.927	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 844 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

Center 844.00 MHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9651 MHz	x dB	-26.00 dB
Transmit Freq Error		-19.699 kHz
x dB Bandwidth		9.927 MHz

Copyright 2000-2012 Agilent Technologies

10.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.954	9.92	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 844 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.16 dB

Center 844.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9540 MHz x dB -26.00 dB


Transmit Freq Error -21.890 kHz

x dB Bandwidth 9.920 MHz

Copyright 2000-2012 Agilent Technologies

11. LTE_Band7

11.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



11.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.497	4.987	5	Pass

Agilent

Measure

Ch Freq 2.5025 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst 11.8

dB

Center 2.502 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4973 MHz	x dB -26.00 dB
Transmit Freq Error -3.957 kHz	
x dB Bandwidth 4.987 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.494	4.988	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.6

dB

Center 2.535 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4942 MHz	x dB -26.00 dB
Transmit Freq Error	-2.281 kHz
x dB Bandwidth	4.988 MHz

Copyright 2000-2012 Agilent Technologies

11.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.507	5.003	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.6

dB

Center 2.535 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5070 MHz	x dB -26.00 dB
Transmit Freq Error	-1.803 kHz
x dB Bandwidth	5.003 MHz

Copyright 2000-2012 Agilent Technologies

11.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.495	4.991	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5675 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.567 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4949 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.405 kHz	
x dB Bandwidth	4.991 MHz	

Copyright 2000-2012 Agilent Technologies

11.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.505	5.056	5	Pass

Agilent
Measure

Ch Freq 2.5675 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.567 500 GHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5048 MHz	x dB -26.00 dB
Transmit Freq Error -675.247 Hz	
x dB Bandwidth 5.056 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.977	9.978	10	Pass



11.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.97	9.853	10	Pass

Agilent

Measure

Ch Freq 2.505 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.505 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9695 MHz	x dB -26.00 dB
Transmit Freq Error 4.338 kHz	
x dB Bandwidth 9.853 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.951	9.881	10	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth Averages: 2

Center 2.535 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9513 MHz	x dB -26.00 dB
Transmit Freq Error -5.548 kHz	
x dB Bandwidth 9.881 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.958	9.903	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.6 dB

Center 2.535 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9580 MHz x dB -26.00 dB

Transmit Freq Error 808.036 Hz

x dB Bandwidth 9.903 MHz

Copyright 2000-2012 Agilent Technologies

11.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.967	9.933	10	Pass

Agilent

Measure

Ch Freq 2.565 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.565 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9667 MHz	x dB -26.00 dB
Transmit Freq Error	-14.864 kHz
x dB Bandwidth	9.933 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.96	9.939	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.565 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.7 dB

Center 2.565 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9604 MHz x dB -26.00 dB

Transmit Freq Error -18.543 kHz

x dB Bandwidth 9.939 MHz

Copyright 2000-2012 Agilent Technologies

11.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.446	14.85	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5075 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.7 dB

Center 2.507 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4460 MHz	x dB -26.00 dB
Transmit Freq Error -10.477 kHz	
x dB Bandwidth 14.850 MHz	

Copyright 2000-2012 Agilent Technologies

11.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.423	14.726	15	Pass

Agilent
Measure

Ch Freq 2.5075 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.507 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4235 MHz	x dB -26.00 dB
Transmit Freq Error	-6.496 kHz
x dB Bandwidth	14.726 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.416	14.729	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak
Log
10
dB/
Offst
11.6
dB

Center 2.535 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4163 MHz	x dB	-26.00 dB
Transmit Freq Error		-11.934 kHz
x dB Bandwidth		14.729 MHz

Copyright 2000-2012 Agilent Technologies

11.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.449	14.738	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.6

dB

Center 2.535 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4493 MHz	x dB -26.00 dB
Transmit Freq Error	-13.322 kHz
x dB Bandwidth	14.738 MHz

Copyright 2000-2012 Agilent Technologies

11.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.423	14.788	15	Pass

Agilent

Measure

Ch Freq 2.5625 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.562 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4234 MHz	x dB -26.00 dB
Transmit Freq Error -29.445 kHz	
x dB Bandwidth 14.788 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

11.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.459	14.697	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5625 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.7 dB

Center 2.562 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4591 MHz	x dB -26.00 dB
Transmit Freq Error	-26.491 kHz
x dB Bandwidth	14.697 MHz

Copyright 2000-2012 Agilent Technologies

11.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.919	19.372	20	Pass

Agilent
Measure

Ch Freq 2.51 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.7 dB

Center 2.510 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9187 MHz	x dB -26.00 dB
Transmit Freq Error -8.129 kHz	
x dB Bandwidth 19.372 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

11.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.937	19.441	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.51 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.7

dB

Center 2.510 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9369 MHz	x dB	-26.00 dB
Transmit Freq Error	-5.398 kHz	
x dB Bandwidth	19.441 MHz	

Copyright 2000-2012 Agilent Technologies

11.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.936	19.484	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.6

dB

Center 2.535 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9355 MHz	x dB -26.00 dB
Transmit Freq Error 7.568 kHz	
x dB Bandwidth 19.484 MHz	

Copyright 2000-2012 Agilent Technologies

11.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.93	19.611	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.535 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9296 MHz	x dB	-26.00 dB
Transmit Freq Error	-11.235 kHz	
x dB Bandwidth	19.611 MHz	

Copyright 2000-2012 Agilent Technologies

11.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.951	19.567	20	Pass

Agilent
Measure

Ch Freq 2.56 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.7 dB

Center 2.560 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9506 MHz	x dB -26.00 dB
Transmit Freq Error	-37.576 kHz
x dB Bandwidth	19.567 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

11.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.898	19.461	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.56 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.7

dB

Center 2.560 00 GHz Span 40 MHz


#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.8981 MHz	x dB -26.00 dB
Transmit Freq Error	-23.656 kHz
x dB Bandwidth	19.461 MHz

Copyright 2000-2012 Agilent Technologies

12. LTE_Band12

12.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



12.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
699.7	99	26	0.027	Peak	1.095	1.299	1.4	Pass

Agilent

Measure

Ch Freq 699.7 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 28.79 dBm
#Atten 30 dB

#Peak

Log
10

dB/
Offst

8.79
dB

Center 699.700 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0951 MHz	x dB -26.00 dB
Transmit Freq Error	-2.844 kHz
x dB Bandwidth	1.299 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

12.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.027	Peak	1.091	1.293	1.4	Pass

Agilent
Measure

Ch Freq 707.5 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

8.79

dB

Center 707.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0914 MHz	x dB -26.00 dB
Transmit Freq Error	-43.195 Hz
x dB Bandwidth	1.293 MHz

Copyright 2000-2012 Agilent Technologies

12.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.027	Peak	1.084	1.271	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 707.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak
Log
10
dB/
Offst
8.79
dB

Center 707.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0843 MHz x dB -26.00 dB

Transmit Freq Error -560.001 Hz

x dB Bandwidth 1.271 MHz

Copyright 2000-2012 Agilent Technologies

12.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
715.3	99	26	0.027	Peak	1.095	1.272	1.4	Pass

Agilent

Measure

Ch Freq 715.3 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 28.81 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

8.81

dB

Center 715.300 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0949 MHz	x dB -26.00 dB
Transmit Freq Error	-926.083 Hz
x dB Bandwidth	1.272 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

12.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
715.3	99	26	0.027	Peak	1.091	1.299	1.4	Pass

Agilent

Measure

Ch Freq 715.3 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 28.81 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

8.81

dB

Center 715.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0909 MHz	x dB -26.00 dB
Transmit Freq Error	-1.761 kHz
x dB Bandwidth	1.299 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

12.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
700.5	99	26	0.062	Peak	2.703	2.984	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 700.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak
Log
10
dB/
Offst
8.79
dB

Center 700.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7025 MHz x dB -26.00 dB

Transmit Freq Error -1.385 kHz

x dB Bandwidth 2.984 MHz

Copyright 2000-2012 Agilent Technologies

12.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
700.5	99	26	0.062	Peak	2.697	2.978	3	Pass

Agilent

Measure

Ch Freq 700.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 28.79 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
8.79

dB

Center 700.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.6966 MHz	x dB -26.00 dB
Transmit Freq Error	-978.410 Hz
x dB Bandwidth	2.978 MHz

Power Stat

CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

12.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.062	Peak	2.703	2.981	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 707.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.79 dB

Center 707.500 MHz Span 6 MHz
 #Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7033 MHz	x dB -26.00 dB
Transmit Freq Error -3.672 kHz	
x dB Bandwidth 2.981 MHz	

Copyright 2000-2012 Agilent Technologies

12.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.062	Peak	2.699	2.99	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 707.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

8.79

dB

Center 707.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6989 MHz x dB -26.00 dB

Transmit Freq Error -2.747 kHz

x dB Bandwidth 2.990 MHz

Copyright 2000-2012 Agilent Technologies

12.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
714.5	99	26	0.062	Peak	2.702	2.983	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 714.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.81 dBm #Atten 30 dB

Center 714.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7020 MHz	x dB -26.00 dB
Transmit Freq Error -3.207 kHz	
x dB Bandwidth 2.983 MHz	

Copyright 2000-2012 Agilent Technologies

12.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
714.5	99	26	0.062	Peak	2.695	2.996	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 714.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.81 dBm #Atten 30 dB

Center 714.500 MHz Span 6 MHz
 #Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
 2.6952 MHz x dB -26.00 dB

Transmit Freq Error -4.518 kHz
 x dB Bandwidth 2.996 MHz

Copyright 2000-2012 Agilent Technologies

12.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.508	5.021	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 701.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.79 dB

Center 701.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5077 MHz	x dB -26.00 dB
Transmit Freq Error -1.671 kHz	
x dB Bandwidth 5.021 MHz	

Copyright 2000-2012 Agilent Technologies

12.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.497	4.976	5	Pass

Agilent

Measure

Ch Freq 701.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 28.79 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
8.79

dB

Center 701.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4971 MHz	x dB -26.00 dB
Transmit Freq Error -1.659 kHz	
x dB Bandwidth 4.976 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

12.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.495	4.975	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 707.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

8.79

dB

Center 707.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4953 MHz	x dB -26.00 dB
Transmit Freq Error	-892.941 Hz
x dB Bandwidth	4.975 MHz

Copyright 2000-2012 Agilent Technologies

12.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.506	5.024	5	Pass

Agilent

Measure

Ch Freq 707.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 28.79 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

8.79

dB

Center 707.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5065 MHz	x dB	-26.00 dB
Transmit Freq Error		-1.947 kHz
x dB Bandwidth		5.024 MHz

Power Stat

CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

12.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.487	4.983	5	Pass

Agilent
Measure

Ch Freq 713.5 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 28.8 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.8 dB

Center 713.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4874 MHz	x dB -26.00 dB
Transmit Freq Error	-974.034 Hz
x dB Bandwidth	4.983 MHz

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

12.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.507	5	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 713.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.8 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

8.8

dB

Center 713.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5074 MHz x dB -26.00 dB

Transmit Freq Error 1.259 kHz

x dB Bandwidth 5.000 MHz

Copyright 2000-2012 Agilent Technologies

12.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	8.986	9.992	10	Pass

Agilent

Measure

Ch Freq 704 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 28.79 dBm
#Atten 30 dB

#Peak

Log 10 dB/ Offst 8.79 dB

Center 704.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9864 MHz	x dB	-26.00 dB
Transmit Freq Error	3.610 kHz	
x dB Bandwidth	9.992 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

12.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	8.984	9.908	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 704 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak
Log
10
dB/
Offst
8.79
dB

Center 704.00 MHz Span 20 MHz
#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
8.9841 MHz x dB -26.00 dB

Transmit Freq Error 16.648 kHz
 x dB Bandwidth 9.908 MHz

Copyright 2000-2012 Agilent Technologies

12.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.2	Peak	8.964	9.94	10	Pass

Agilent
Measure

Ch Freq 707.5 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

8.79

dB

Center 707.50 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9636 MHz

x dB -26.00 dB

Transmit Freq Error 5.978 kHz

x dB Bandwidth 9.940 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

12.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.2	Peak	8.966	9.904	10	Pass

Agilent

Measure

Ch Freq 707.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 28.79 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

8.79

dB

Center 707.50 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9655 MHz	x dB -26.00 dB
Transmit Freq Error 8.826 kHz	
x dB Bandwidth 9.904 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

12.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.963	9.885	10	Pass

Agilent

Measure

Ch Freq 711 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 28.79 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

8.79

dB

Center 711.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9627 MHz	x dB	-26.00 dB
Transmit Freq Error	1.082 kHz	
x dB Bandwidth	9.885 MHz	

Power Stat

More

CCDF

1 of 2

Copyright 2000-2012 Agilent Technologies

12.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.949	9.954	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 711 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.79 dB

Center 711.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9489 MHz	x dB	-26.00 dB
Transmit Freq Error	421.067 Hz	
x dB Bandwidth	9.954 MHz	

Copyright 2000-2012 Agilent Technologies

13. LTE_Band13

13.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
779.5	99	26	0.1	Peak	4.515	5.032	5	Pass

Agilent
Measure

Ch Freq 779.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.98 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.98 dB

Center 779.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.5145 MHz

Occ BW % Pwr

99.00 %

x dB

-26.00 dB

Transmit Freq Error 23.012 Hz

x dB Bandwidth 5.032 MHz

Copyright 2000-2012 Agilent Technologies

13.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
779.5	99	26	0.1	Peak	4.503	4.997	5	Pass

Agilent

Measure
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More
1 of 2

Ch Freq 779.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.98 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

8.98

dB

Center 779.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5026 MHz x dB -26.00 dB

Transmit Freq Error 624.708 Hz

x dB Bandwidth 4.997 MHz

Copyright 2000-2012 Agilent Technologies

13.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.494	4.997	5	Pass

Agilent

Measure
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More
1 of 2

Ch Freq 782 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 28.99 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

8.99

dB

Center 782.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4940 MHz	x dB -26.00 dB
Transmit Freq Error	-3.091 kHz
x dB Bandwidth	4.997 MHz

Copyright 2000-2012 Agilent Technologies

13.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.508	5.027	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 782 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.99 dBm #Atten 30 dB

Center 782.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5076 MHz	x dB -26.00 dB
Transmit Freq Error -3.421 kHz	
x dB Bandwidth 5.027 MHz	

Copyright 2000-2012 Agilent Technologies

13.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.497	4.982	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 784.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.99 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

8.99

dB

Center 784.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4970 MHz	x dB -26.00 dB
Transmit Freq Error	-3.283 kHz
x dB Bandwidth	4.982 MHz

Copyright 2000-2012 Agilent Technologies

13.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.509	5.036	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 784.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.99 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.99 dB

Center 784.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5091 MHz	x dB -26.00 dB
Transmit Freq Error -3.119 kHz	
x dB Bandwidth 5.036 MHz	

Copyright 2000-2012 Agilent Technologies

13.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.2	Peak	8.973	9.904	10	Pass

Agilent
Measure

Ch Freq 782 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 28.99 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.99 dB

Center 782.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9728 MHz	x dB -26.00 dB
Transmit Freq Error	-2.238 kHz
x dB Bandwidth	9.904 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

13.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.2	Peak	8.969	9.852	10	Pass

Agilent

Measure
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More
1 of 2

Ch Freq 782 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 28.99 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

8.99

dB

Center 782.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9686 MHz	x dB -26.00 dB
Transmit Freq Error 10.377 kHz	
x dB Bandwidth 9.852 MHz	

Copyright 2000-2012 Agilent Technologies

14. LTE_Band17

14.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.1	Peak	4.498	4.994	5	Pass

Agilent
Measure

Ch Freq 706.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.79 dB

Center 706.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.4984 MHz

Transmit Freq Error -219.892 Hz

x dB Bandwidth 4.994 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

14.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.1	Peak	4.505	5.024	5	Pass

Agilent

Measure

Ch Freq 706.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 28.79 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

8.79

dB

Center 706.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5054 MHz	x dB -26.00 dB
Transmit Freq Error 1.185 kHz	
x dB Bandwidth 5.024 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

14.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.1	Peak	4.507	5.009	5	Pass

Agilent

Measure

Ch Freq 710 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.78 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.78 dB

Center 710.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Occupied Bandwidth

4.5068 MHz

Transmit Freq Error -1.823 kHz

x dB Bandwidth 5.009 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Copyright 2000-2012 Agilent Technologies

14.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.1	Peak	4.495	4.979	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 710 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.78 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.78 dB

Center 710.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4953 MHz	x dB -26.00 dB
Transmit Freq Error -131.971 Hz	
x dB Bandwidth 4.979 MHz	

Copyright 2000-2012 Agilent Technologies

14.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.497	4.997	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 713.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.8 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.8 dB

Center 713.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4971 MHz x dB -26.00 dB

Transmit Freq Error -2.403 kHz

x dB Bandwidth 4.997 MHz

Copyright 2000-2012 Agilent Technologies

14.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.514	4.999	5	Pass

Agilent

Measure

Ch Freq 713.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 28.8 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
8.8

dB

Center 713.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5138 MHz	x dB -26.00 dB
Transmit Freq Error	-146.287 Hz
x dB Bandwidth	4.999 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

14.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
709	99	26	0.2	Peak	8.974	9.948	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 709 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.78 dBm #Atten 30 dB

Center 709.00 MHz Span 20 MHz
 #Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9735 MHz	x dB	-26.00 dB
Transmit Freq Error	6.396 kHz	
x dB Bandwidth	9.948 MHz	

Copyright 2000-2012 Agilent Technologies

14.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
709	99	26	0.2	Peak	8.975	9.884	10	Pass

Agilent

Measure

Ch Freq 709 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 28.78 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
8.78

dB

Center 709.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9754 MHz	x dB -26.00 dB
Transmit Freq Error 15.404 kHz	
x dB Bandwidth 9.884 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

14.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.2	Peak	8.966	9.925	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 710 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.78 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.78 dB

Center 710.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9656 MHz x dB -26.00 dB

Transmit Freq Error 590.875 Hz

x dB Bandwidth 9.925 MHz

Copyright 2000-2012 Agilent Technologies

14.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
710	99	26	0.2	Peak	8.954	9.885	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 710 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.78 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.78 dB

Center 710.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9540 MHz x dB -26.00 dB

Transmit Freq Error 4.517 kHz

x dB Bandwidth 9.885 MHz

Copyright 2000-2012 Agilent Technologies

14.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.967	9.911	10	Pass

Agilent

Measure

Ch Freq 711 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 28.79 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
8.79

dB

Center 711.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9666 MHz	x dB	-26.00 dB
Transmit Freq Error		-2.936 kHz
x dB Bandwidth		9.911 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

14.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.958	9.888	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 711 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.79 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.79 dB

Center 711.00 MHz Span 20 MHz


#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9579 MHz	x dB	-26.00 dB
Transmit Freq Error	-9.888 kHz	
x dB Bandwidth	9.888 MHz	

Copyright 2000-2012 Agilent Technologies

15. LTE_Band26(part22)

15.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



15.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.7	99	26	0.027	Peak	1.094	1.3	1.4	Pass

Agilent

Measure

Ch Freq 824.7 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.08 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.08

dB

Center 824.700 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0939 MHz	x dB -26.00 dB
Transmit Freq Error	-3.755 kHz
x dB Bandwidth	1.300 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.091	1.295	1.4	Pass

Agilent

Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.14 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.14

dB

Center 836.500 MHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
1.0911 MHz	x dB	-26.00 dB
Transmit Freq Error	-364.731 Hz	
x dB Bandwidth	1.295 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.027	Peak	1.086	1.274	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.14

dB

Center 836.500 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0860 MHz x dB -26.00 dB

Transmit Freq Error -1.138 kHz

x dB Bandwidth 1.274 MHz

Copyright 2000-2012 Agilent Technologies

15.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.094	1.276	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 848.3 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.16

dB

Center 848.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0943 MHz x dB -26.00 dB


Transmit Freq Error -701.953 Hz

x dB Bandwidth 1.276 MHz

Copyright 2000-2012 Agilent Technologies

15.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.3	99	26	0.027	Peak	1.089	1.275	1.4	Pass



15.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.705	2.984	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 825.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.08

dB

Center 825.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7046 MHz	x dB -26.00 dB
Transmit Freq Error	-2.249 kHz
x dB Bandwidth	2.984 MHz

Copyright 2000-2012 Agilent Technologies

15.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.699	2.977	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 825.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.08

dB

Center 825.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.6990 MHz	x dB	-26.00 dB
Transmit Freq Error	-488.491 Hz	
x dB Bandwidth	2.977 MHz	

Copyright 2000-2012 Agilent Technologies

15.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.709	2.987	3	Pass

Agilent

Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.14 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

9.14

dB

Center 836.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7087 MHz	x dB -26.00 dB
Transmit Freq Error	-2.462 kHz
x dB Bandwidth	2.987 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.7	2.982	3	Pass

Agilent

Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.14 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

9.14

dB

Center 836.500 MHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.6995 MHz	x dB -26.00 dB
Transmit Freq Error	-3.580 kHz
x dB Bandwidth	2.982 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.703	2.989	3	Pass

Agilent
Measure

Ch Freq 847.5 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.16 dB

Center 847.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7034 MHz x dB -26.00 dB

Transmit Freq Error -5.054 kHz

x dB Bandwidth 2.989 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

15.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.698	2.985	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 847.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak
Log
10
dB/
Offst
9.16
dB

Center 847.500 MHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
 2.6983 MHz x dB -26.00 dB

Transmit Freq Error -4.913 kHz
 x dB Bandwidth 2.985 MHz

Copyright 2000-2012 Agilent Technologies

15.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.508	4.991	5	Pass

Agilent
Measure

Ch Freq 826.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.08 dB

Center 826.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

4.5079 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -2.742 kHz

x dB Bandwidth 4.991 MHz

Copyright 2000-2012 Agilent Technologies

15.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.495	4.969	5	Pass

Agilent

Measure

Ch Freq 826.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.08 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.08

dB

Center 826.500 MHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4948 MHz	x dB -26.00 dB
Transmit Freq Error	-4.425 kHz
x dB Bandwidth	4.969 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.494	5.007	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

Center 836.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4943 MHz	x dB -26.00 dB
Transmit Freq Error -3.752 kHz	
x dB Bandwidth 5.007 MHz	

Copyright 2000-2012 Agilent Technologies

15.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.506	5.001	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst 9.14 dB

Center 836.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5058 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.510 kHz	
x dB Bandwidth	5.001 MHz	

Copyright 2000-2012 Agilent Technologies

15.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.493	4.972	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 846.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak

Center 846.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4927 MHz	x dB	-26.00 dB
Transmit Freq Error	-4.696 kHz	
x dB Bandwidth	4.972 MHz	

Copyright 2000-2012 Agilent Technologies

15.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.503	5.021	5	Pass

Agilent

Measure
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More
1 of 2

Ch Freq 846.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.16

dB

Center 846.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5032 MHz	x dB -26.00 dB
Transmit Freq Error	-6.351 kHz
x dB Bandwidth	5.021 MHz

Copyright 2000-2012 Agilent Technologies

15.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.975	9.992	10	Pass

Agilent

Measure

Ch Freq 829 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.09 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
9.09

dB

Center 829.00 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9752 MHz	x dB -26.00 dB
Transmit Freq Error	-810.975 Hz
x dB Bandwidth	9.992 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

15.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.98	9.856	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 829 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.09 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.09 dB

Center 829.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9798 MHz	x dB	-26.00 dB
Transmit Freq Error	7.331 kHz	
x dB Bandwidth	9.856 MHz	

Copyright 2000-2012 Agilent Technologies

15.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.947	9.891	10	Pass

Agilent

Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 29.14 dBm
#Atten 30 dB

#Peak

Log
10

dB/
Offst

9.14
dB

Center 836.50 MHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9470 MHz	x dB	-26.00 dB
Transmit Freq Error	-5.234 kHz	
x dB Bandwidth	9.891 MHz	

Power Stat

CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

15.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.955	9.896	10	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.14 dB

Center 836.50 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9552 MHz x dB -26.00 dB

Transmit Freq Error -2.936 kHz

x dB Bandwidth 9.896 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

15.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.97	9.916	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 844 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

Center 844.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9700 MHz	x dB	-26.00 dB
Transmit Freq Error		-22.964 kHz
x dB Bandwidth		9.916 MHz

Copyright 2000-2012 Agilent Technologies

15.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.954	9.922	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 844 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.16

dB

Center 844.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9538 MHz x dB -26.00 dB

Transmit Freq Error -24.197 kHz

x dB Bandwidth 9.922 MHz

Copyright 2000-2012 Agilent Technologies

15.25. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	13.462	14.886	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 831.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.1 dBm #Atten 30 dB

Center 831.50 MHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4624 MHz	x dB -26.00 dB
Transmit Freq Error 1.667 kHz	
x dB Bandwidth 14.886 MHz	

Copyright 2000-2012 Agilent Technologies

15.26. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	13.451	14.743	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 831.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.1 dBm #Atten 30 dB

Center 831.50 MHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4509 MHz	x dB -26.00 dB
Transmit Freq Error 7.043 kHz	
x dB Bandwidth 14.743 MHz	

Copyright 2000-2012 Agilent Technologies

15.27. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	13.415	14.734	15	Pass

Agilent
Measure

Ch Freq 836.5 MHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

#Peak

Log 10 dB/Offst 9.14 dB

Center 836.50 MHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4151 MHz	x dB -26.00 dB
Transmit Freq Error -8.090 kHz	
x dB Bandwidth 14.734 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

15.28. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	13.456	14.696	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.14 dBm #Atten 30 dB

Center 836.50 MHz Span 30 MHz
 #Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4562 MHz	x dB	-26.00 dB
Transmit Freq Error		-15.864 kHz
x dB Bandwidth		14.696 MHz

Copyright 2000-2012 Agilent Technologies

15.29. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	13.432	14.806	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 841.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

Center 841.50 MHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4318 MHz	x dB -26.00 dB
Transmit Freq Error	-28.999 kHz
x dB Bandwidth	14.806 MHz

Copyright 2000-2012 Agilent Technologies

15.30. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	13.453	14.713	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 841.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.16 dB

Center 841.50 MHz Span 30 MHz


#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4535 MHz	x dB -26.00 dB
Transmit Freq Error -23.051 kHz	
x dB Bandwidth 14.713 MHz	

Copyright 2000-2012 Agilent Technologies

16. LTE_Band26(part90)

16.1. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



16.2. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
814.7	99	26	0.027	Peak	1.095	1.298	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 814.7 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.07 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst 9.07 dB

Center 814.700 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0951 MHz x dB -26.00 dB

Transmit Freq Error -2.363 kHz

x dB Bandwidth 1.298 MHz

Copyright 2000-2012 Agilent Technologies

16.3. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.027	Peak	1.091	1.291	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

Center 819.000 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0907 MHz	x dB -26.00 dB
Transmit Freq Error 533.958 Hz	
x dB Bandwidth 1.291 MHz	

Copyright 2000-2012 Agilent Technologies

16.4. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.027	Peak	1.085	1.278	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

Center 819.000 MHz Span 2.8 MHz
 #Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0855 MHz	x dB -26.00 dB
Transmit Freq Error	-757.220 Hz
x dB Bandwidth	1.278 MHz

Copyright 2000-2012 Agilent Technologies

16.5. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
823.3	99	26	0.027	Peak	1.093	1.275	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 823.3 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.08

dB

Center 823.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0928 MHz x dB -26.00 dB

Transmit Freq Error -20.270 Hz

x dB Bandwidth 1.275 MHz

Copyright 2000-2012 Agilent Technologies

16.6. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
823.3	99	26	0.027	Peak	1.089	1.281	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 823.3 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak
Log
10
dB/
Offst
9.08
dB

Center 823.300 MHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0894 MHz x dB -26.00 dB

Transmit Freq Error -427.181 Hz

x dB Bandwidth 1.281 MHz

Copyright 2000-2012 Agilent Technologies

16.7. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.5	99	26	0.062	Peak	2.703	2.978	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 815.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.07 dBm #Atten 30 dB

Center 815.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.7034 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.604 kHz	
x dB Bandwidth	2.978 MHz	

Copyright 2000-2012 Agilent Technologies

16.8. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.5	99	26	0.062	Peak	2.702	3.008	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 815.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.07 dBm #Atten 30 dB

Center 815.500 MHz Span 6 MHz
 #Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7020 MHz	x dB -26.00 dB
Transmit Freq Error 1.517 kHz	
x dB Bandwidth 3.008 MHz	

Copyright 2000-2012 Agilent Technologies

16.9. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.062	Peak	2.709	3.002	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak

Log 10 dB/Offst 9.08 dB

Center 819.000 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7086 MHz	x dB -26.00 dB
Transmit Freq Error -2.426 kHz	
x dB Bandwidth 3.002 MHz	

Copyright 2000-2012 Agilent Technologies

16.10. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.062	Peak	2.698	2.988	3	Pass

Agilent

Measure
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More
1 of 2

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.08 dB

Center 819.000 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6977 MHz x dB -26.00 dB

Transmit Freq Error -3.566 kHz

x dB Bandwidth 2.988 MHz

Copyright 2000-2012 Agilent Technologies

16.11. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
822.5	99	26	0.062	Peak	2.696	2.987	3	Pass

Agilent

Measure

Ch Freq 822.5 MHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

9.08

dB

Center 822.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6963 MHz x dB -26.00 dB

Transmit Freq Error -3.101 kHz

x dB Bandwidth 2.987 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

16.12. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
822.5	99	26	0.062	Peak	2.697	2.994	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 822.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

Center 822.500 MHz Span 6 MHz
 #Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.6970 MHz	x dB -26.00 dB
Transmit Freq Error -2.949 kHz	
x dB Bandwidth 2.994 MHz	

Copyright 2000-2012 Agilent Technologies

16.13. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.506	5	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 816.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.07 dB

Center 816.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5060 MHz	x dB -26.00 dB
Transmit Freq Error -820.457 Hz	
x dB Bandwidth 5.000 MHz	

Copyright 2000-2012 Agilent Technologies

16.14. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
816.5	99	26	0.1	Peak	4.493	4.978	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 816.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.07 dB

Center 816.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4929 MHz	x dB -26.00 dB
Transmit Freq Error -2.200 kHz	
x dB Bandwidth 4.978 MHz	

Copyright 2000-2012 Agilent Technologies

16.15. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.498	5.008	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.08 dB

Center 819.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4985 MHz	x dB -26.00 dB
Transmit Freq Error -4.763 kHz	
x dB Bandwidth 5.008 MHz	

Copyright 2000-2012 Agilent Technologies

16.16. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.1	Peak	4.506	5.013	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.08 dB

Center 819.000 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5063 MHz	x dB -26.00 dB
Transmit Freq Error -323.212 Hz	
x dB Bandwidth 5.013 MHz	

Copyright 2000-2012 Agilent Technologies

16.17. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.496	4.983	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 821.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

Center 821.500 MHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4956 MHz	x dB -26.00 dB
Transmit Freq Error -303.343 Hz	
x dB Bandwidth 4.983 MHz	

Copyright 2000-2012 Agilent Technologies

16.18. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.507	5.042	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 821.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.08 dB

Center 821.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5074 MHz	x dB -26.00 dB
Transmit Freq Error -417.066 Hz	
x dB Bandwidth 5.042 MHz	

Copyright 2000-2012 Agilent Technologies

16.19. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.966	9.965	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.08 dB

Center 819.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9660 MHz x dB -26.00 dB

Transmit Freq Error 4.827 Hz

x dB Bandwidth 9.965 MHz

Copyright 2000-2012 Agilent Technologies

16.20. LTE Occupied Bandwidth_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.981	9.868	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 819 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.08 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 9.08 dB

Center 819.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9813 MHz x dB -26.00 dB


Transmit Freq Error 16.768 kHz

x dB Bandwidth 9.868 MHz

Copyright 2000-2012 Agilent Technologies

17. LTE_Band38

17.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



17.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.508	5.204	5	Pass

Agilent

Measure

Ch Freq 2.5725 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.572 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5079 MHz	x dB -26.00 dB
Transmit Freq Error -5.880 kHz	
x dB Bandwidth 5.204 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.504	4.964	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.8

dB

Center 2.595 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5043 MHz	x dB -26.00 dB
Transmit Freq Error -2.149 kHz	
x dB Bandwidth 4.964 MHz	

Copyright 2000-2012 Agilent Technologies

17.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.498	5.021	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4978 MHz	x dB -26.00 dB
Transmit Freq Error -8.455 kHz	
x dB Bandwidth 5.021 MHz	

Copyright 2000-2012 Agilent Technologies

17.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.498	5.122	5	Pass

Agilent

Measure

Ch Freq 2.6175 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.617 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4983 MHz	x dB -26.00 dB
Transmit Freq Error 1.302 kHz	
x dB Bandwidth 5.122 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.503	5.033	5	Pass

Agilent

Measure

Ch Freq 2.6175 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.617 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5032 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.729 kHz	
x dB Bandwidth	5.033 MHz	

Power Stat

CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

17.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	8.994	10.108	10	Pass

Agilent

Measure

Ch Freq 2.575 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak

Log
10

dB/
Offst

11.8
dB

Center 2.575 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9939 MHz	x dB -26.00 dB
Transmit Freq Error	-16.360 kHz
x dB Bandwidth	10.108 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	8.976	10.069	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.575 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.575 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9764 MHz x dB -26.00 dB

Transmit Freq Error -16.825 kHz

x dB Bandwidth 10.069 MHz

Copyright 2000-2012 Agilent Technologies

17.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.985	10.271	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.595 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9846 MHz x dB -26.00 dB

Transmit Freq Error 15.388 kHz

x dB Bandwidth 10.271 MHz

Copyright 2000-2012 Agilent Technologies

17.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	8.985	9.841	10	Pass

Agilent

Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.595 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9853 MHz	x dB -26.00 dB
Transmit Freq Error -2.200 kHz	
x dB Bandwidth 9.841 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	8.995	10.425	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.615 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.615 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9950 MHz	x dB -26.00 dB
Transmit Freq Error -3.232 kHz	
x dB Bandwidth 10.425 MHz	

Copyright 2000-2012 Agilent Technologies

17.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	8.956	10.07	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.615 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.7 dB

Center 2.615 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9563 MHz	x dB	-26.00 dB
Transmit Freq Error	-10.464 kHz	
x dB Bandwidth	10.070 MHz	

Copyright 2000-2012 Agilent Technologies

17.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.417	15.258	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5775 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.577 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4175 MHz	x dB -26.00 dB
Transmit Freq Error -15.495 kHz	
x dB Bandwidth 15.258 MHz	

Copyright 2000-2012 Agilent Technologies

17.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.501	14.939	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5775 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.577 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.5008 MHz	x dB -26.00 dB
Transmit Freq Error	-20.066 kHz
x dB Bandwidth	14.939 MHz

Copyright 2000-2012 Agilent Technologies

17.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.507	15.298	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.5070 MHz	x dB -26.00 dB
Transmit Freq Error 2.633 kHz	
x dB Bandwidth 15.298 MHz	

Copyright 2000-2012 Agilent Technologies

17.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.478	15.044	15	Pass

Agilent

Measure

Ch Freq 2.595 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.595 00 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4779 MHz	x dB -26.00 dB
Transmit Freq Error	-17.879 kHz
x dB Bandwidth	15.044 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.423	14.764	15	Pass

Agilent

Measure

Ch Freq 2.6125 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.612 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4230 MHz	x dB -26.00 dB
Transmit Freq Error -7.526 kHz	
x dB Bandwidth 14.764 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.502	15.093	15	Pass

Agilent

Measure

Ch Freq 2.6125 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.612 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.5024 MHz	x dB -26.00 dB
Transmit Freq Error 4.861 kHz	
x dB Bandwidth 15.093 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

17.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.943	20.195	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.58 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.8

dB

Center 2.580 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9429 MHz	x dB -26.00 dB
Transmit Freq Error	-18.834 kHz
x dB Bandwidth	20.195 MHz

Copyright 2000-2012 Agilent Technologies

17.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.939	20.379	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.58 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.8

dB

Center 2.580 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9390 MHz	x dB -26.00 dB
Transmit Freq Error -1.967 kHz	
x dB Bandwidth 20.379 MHz	

Copyright 2000-2012 Agilent Technologies

17.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.984	20.16	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9840 MHz	x dB	-26.00 dB
Transmit Freq Error	-17.616 kHz	
x dB Bandwidth	20.160 MHz	

Copyright 2000-2012 Agilent Technologies

17.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.926	19.766	20	Pass

Agilent
Measure

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.595 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth

17.9259 MHz

Occ BW % Pwr 99.00 %

x dB -26.00 dB

Transmit Freq Error -15.404 kHz

x dB Bandwidth 19.766 MHz

Copyright 2000-2012 Agilent Technologies

17.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.918	19.786	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.61 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.610 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9184 MHz	x dB	-26.00 dB
Transmit Freq Error		-2.002 kHz
x dB Bandwidth		19.786 MHz

Copyright 2000-2012 Agilent Technologies

17.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.932	20.091	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.61 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.610 00 GHz Span 40 MHz


#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9320 MHz	x dB	-26.00 dB
Transmit Freq Error		-23.841 kHz
x dB Bandwidth		20.091 MHz

Copyright 2000-2012 Agilent Technologies

18. LTE_Band41 full

18.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



18.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2498.5	99	26	0.1	Peak	4.509	5.178	5	Pass

Agilent

Measure

Ch Freq 2.4985 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.498 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5089 MHz	x dB -26.00 dB
Transmit Freq Error -4.475 kHz	
x dB Bandwidth 5.178 MHz	

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

18.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.1	Peak	4.505	4.967	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.593 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.8

dB

Center 2.593 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.5054 MHz	x dB	-26.00 dB
Transmit Freq Error		-2.544 kHz
x dB Bandwidth		4.967 MHz

Copyright 2000-2012 Agilent Technologies

18.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.1	Peak	4.499	5.008	5	Pass

Agilent
Measure

Ch Freq 2.593 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.593 000 GHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4993 MHz	x dB	-26.00 dB
Transmit Freq Error	-6.796 kHz	
x dB Bandwidth	5.008 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

18.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2687.5	99	26	0.1	Peak	4.497	5.081	5	Pass

Agilent
Measure

Ch Freq 2.6875 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.687 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4970 MHz	x dB -26.00 dB
Transmit Freq Error 96.275 Hz	
x dB Bandwidth 5.081 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

18.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2687.5	99	26	0.1	Peak	4.502	5.027	5	Pass

Agilent
Measure

Ch Freq 2.6875 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.687 500 GHz Span 10 MHz
 #Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5019 MHz x dB -26.00 dB

Transmit Freq Error -5.259 kHz

x dB Bandwidth 5.027 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

18.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501	99	26	0.2	Peak	8.989	10.28	10	Pass

Agilent

Measure

Ch Freq 2.501 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.501 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9893 MHz	x dB -26.00 dB
Transmit Freq Error 13.542 kHz	
x dB Bandwidth 10.280 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

18.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501	99	26	0.2	Peak	8.983	9.85	10	Pass

Agilent

Measure

Ch Freq 2.501 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak

Log
10

dB/
Offst

11.8
dB

Center 2.501 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9829 MHz	x dB -26.00 dB
Transmit Freq Error -1.085 kHz	
x dB Bandwidth 9.850 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

18.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.2	Peak	8.988	10.433	10	Pass

Agilent

Measure

Ch Freq 2.593 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.593 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9881 MHz	x dB -26.00 dB
Transmit Freq Error -11.788 kHz	
x dB Bandwidth 10.433 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More

1 of 2

Copyright 2000-2012 Agilent Technologies

18.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.2	Peak	8.957	9.894	10	Pass

Agilent
Measure

Ch Freq 2.593 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.593 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9573 MHz	x dB -26.00 dB
Transmit Freq Error -7.116 kHz	
x dB Bandwidth 9.894 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

18.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.2	Peak	8.992	9.998	10	Pass

Agilent

Measure

Ch Freq 2.685 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.685 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9916 MHz	x dB -26.00 dB
Transmit Freq Error	-17.056 kHz
x dB Bandwidth	9.998 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

18.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.2	Peak	8.969	10.07	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.685 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.8

dB

Center 2.685 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9690 MHz x dB -26.00 dB

Transmit Freq Error -17.874 kHz

x dB Bandwidth 10.070 MHz

Copyright 2000-2012 Agilent Technologies

18.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.3	Peak	13.482	15.22	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5035 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.503 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4824 MHz	x dB	-26.00 dB
Transmit Freq Error	11.874 kHz	
x dB Bandwidth	15.220 MHz	

Copyright 2000-2012 Agilent Technologies

18.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.3	Peak	13.466	15.052	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.5035 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.503 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4663 MHz	x dB -26.00 dB
Transmit Freq Error -6.305 kHz	
x dB Bandwidth 15.052 MHz	

Copyright 2000-2012 Agilent Technologies

18.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.3	Peak	13.427	14.787	15	Pass

Agilent
Measure

Ch Freq 2.593 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.593 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4274 MHz	x dB -26.00 dB
Transmit Freq Error -2.402 kHz	
x dB Bandwidth 14.787 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

18.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.3	Peak	13.516	15.149	15	Pass

Agilent
Measure

Ch Freq 2.593 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.593 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.5155 MHz	x dB -26.00 dB
Transmit Freq Error 16.224 kHz	
x dB Bandwidth 15.149 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

18.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.5	99	26	0.3	Peak	13.445	15.456	15	Pass

Agilent
Measure

Ch Freq 2.6825 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.682 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4450 MHz	x dB -26.00 dB
Transmit Freq Error -24.408 kHz	
x dB Bandwidth 15.456 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

18.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.5	99	26	0.3	Peak	13.489	14.882	15	Pass

Agilent

Measure

Ch Freq 2.6825 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.8

dB

Center 2.682 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4891 MHz	x dB -26.00 dB
Transmit Freq Error	-30.009 kHz
x dB Bandwidth	14.882 MHz

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

18.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506	99	26	0.39	Peak	17.968	20.26	20	Pass

Agilent

Measure

Ch Freq 2.506 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
11.7

dB

Center 2.506 00 GHz
Span 40 MHz

#Res BW 390 kHz
#VBW 1.2 MHz
#Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9679 MHz	x dB -26.00 dB
Transmit Freq Error -13.358 kHz	
x dB Bandwidth 20.260 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

18.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506	99	26	0.39	Peak	17.913	19.718	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.506 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.506 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9132 MHz	x dB	-26.00 dB
Transmit Freq Error	-6.917 kHz	
x dB Bandwidth	19.718 MHz	

Copyright 2000-2012 Agilent Technologies

18.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.39	Peak	17.931	19.793	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.593 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.8

dB

Center 2.593 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9305 MHz	x dB -26.00 dB
Transmit Freq Error	-2.654 kHz
x dB Bandwidth	19.793 MHz

Copyright 2000-2012 Agilent Technologies

18.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.39	Peak	17.957	20.105	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.593 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.8

dB

Center 2.593 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9567 MHz	x dB	-26.00 dB
Transmit Freq Error	-20.676 kHz	
x dB Bandwidth	20.105 MHz	

Copyright 2000-2012 Agilent Technologies

18.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2680	99	26	0.39	Peak	17.937	20.208	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.68 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.680 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9366 MHz	x dB -26.00 dB
Transmit Freq Error -31.075 kHz	
x dB Bandwidth 20.208 MHz	

Copyright 2000-2012 Agilent Technologies

18.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2680	99	26	0.39	Peak	17.934	20.016	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 2.68 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

11.8

dB

Center 2.680 00 GHz Span 40 MHz


#Res BW 390 kHz #VBW 1.2 MHz #Sweep 10 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9340 MHz	x dB -26.00 dB
Transmit Freq Error -8.513 kHz	
x dB Bandwidth 20.016 MHz	

Copyright 2000-2012 Agilent Technologies

19. LTE_Band66

19.1. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



19.2. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.096	1.28	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7107 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.5 dB

Center 1.710 700 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0964 MHz x dB -26.00 dB

Transmit Freq Error -4.198 kHz

x dB Bandwidth 1.280 MHz

Copyright 2000-2012 Agilent Technologies

19.3. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.093	1.287	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.745 000 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0927 MHz x dB -26.00 dB

Transmit Freq Error -683.768 Hz

x dB Bandwidth 1.287 MHz

Copyright 2000-2012 Agilent Technologies

19.4. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.088	1.273	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.745 000 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0879 MHz x dB -26.00 dB

Transmit Freq Error -354.970 Hz

x dB Bandwidth 1.273 MHz

Copyright 2000-2012 Agilent Technologies

19.5. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.091	1.268	1.4	Pass

Agilent

Measure

Ch Freq 1.7793 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.779 300 GHz
Span 2.8 MHz

#Res BW 27 kHz
#VBW 100 kHz
#Sweep 1 s (518 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
1.0907 MHz	x dB -26.00 dB
Transmit Freq Error	-2.422 kHz
x dB Bandwidth	1.268 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

19.6. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.09	1.297	1.4	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7793 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.779 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0903 MHz

x dB -26.00 dB

Transmit Freq Error -765.461 Hz

x dB Bandwidth 1.297 MHz

Copyright 2000-2012 Agilent Technologies

19.7. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.703	2.985	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7115 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Center 1.711 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7031 MHz	x dB -26.00 dB
Transmit Freq Error	-2.939 kHz
x dB Bandwidth	2.985 MHz

Copyright 2000-2012 Agilent Technologies

19.8. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.703	2.969	3	Pass

Agilent

Measure

Ch Freq 1.7115 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.5

dB

Center 1.711 500 GHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7029 MHz	x dB -26.00 dB
Transmit Freq Error	-1.701 kHz
x dB Bandwidth	2.969 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies


19.9. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.703	2.988	3	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth Averages: 2



Ref 30 dBm #Atten 30 dB
#Peak Log 10 dB/Offst 10.6 dB

Center 1.745 000 GHz Span 6 MHz
#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7033 MHz x dB -26.00 dB

Transmit Freq Error -2.962 kHz

x dB Bandwidth 2.988 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

19.10. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.701	2.992	3	Pass

Agilent

Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth

Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.745 000 GHz
Span 6 MHz

#Res BW 62 kHz
#VBW 200 kHz
#Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.7014 MHz	x dB -26.00 dB
Transmit Freq Error	-3.347 kHz
x dB Bandwidth	2.992 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

19.11. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.702	2.982	3	Pass

Agilent

Measure

Ch Freq 1.7785 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.778 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
2.7018 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.270 kHz	
x dB Bandwidth	2.982 MHz	

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

19.12. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.698	2.989	3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7785 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.778 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
2.6982 MHz	x dB -26.00 dB
Transmit Freq Error -3.327 kHz	
x dB Bandwidth 2.989 MHz	

Copyright 2000-2012 Agilent Technologies

19.13. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.508	4.997	5	Pass

Agilent

Measure
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More
1 of 2

Ch Freq 1.7125 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.5

dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.5079 MHz x dB -26.00 dB

Transmit Freq Error -3.056 kHz

x dB Bandwidth 4.997 MHz

Copyright 2000-2012 Agilent Technologies

19.14. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.497	4.968	5	Pass

Agilent

Measure

Ch Freq 1.7125 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.5

dB

Center 1.712 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4969 MHz	x dB -26.00 dB
Transmit Freq Error -4.360 kHz	
x dB Bandwidth 4.968 MHz	

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

19.15. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.498	4.987	5	Pass

Agilent

Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.745 000 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.4983 MHz	x dB -26.00 dB
Transmit Freq Error	-2.907 kHz
x dB Bandwidth	4.987 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

19.16. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.507	5.01	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.745 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5068 MHz	x dB -26.00 dB
Transmit Freq Error	-655.398 Hz
x dB Bandwidth	5.010 MHz

Copyright 2000-2012 Agilent Technologies

19.17. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.494	4.975	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7775 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.777 500 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4937 MHz x dB -26.00 dB

Transmit Freq Error -2.820 kHz

x dB Bandwidth 4.975 MHz

Copyright 2000-2012 Agilent Technologies

19.18. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.507	5.027	5	Pass

Agilent

Measure

Ch Freq 1.7775 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.777 500 GHz
Span 10 MHz

#Res BW 100 kHz
#VBW 300 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
4.5070 MHz	x dB -26.00 dB
Transmit Freq Error	-1.523 kHz
x dB Bandwidth	5.027 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

19.19. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.969	9.931	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9686 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.409 kHz	
x dB Bandwidth	9.931 MHz	

Copyright 2000-2012 Agilent Technologies

19.20. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.976	9.859	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.5 dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9760 MHz x dB -26.00 dB

Transmit Freq Error 10.457 kHz

x dB Bandwidth 9.859 MHz

Copyright 2000-2012 Agilent Technologies

19.21. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.951	9.899	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.745 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9513 MHz	x dB	-26.00 dB
Transmit Freq Error	1.898 kHz	
x dB Bandwidth	9.899 MHz	

Copyright 2000-2012 Agilent Technologies

19.22. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.952	9.844	10	Pass

Agilent

Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.745 00 GHz
Span 20 MHz

#Res BW 200 kHz
#VBW 620 kHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9520 MHz	x dB -26.00 dB
Transmit Freq Error	-2.008 kHz
x dB Bandwidth	9.844 MHz

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

19.23. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.958	9.927	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.775 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.775 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9576 MHz x dB -26.00 dB

Transmit Freq Error -10.503 kHz

x dB Bandwidth 9.927 MHz

Copyright 2000-2012 Agilent Technologies

19.24. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.949	9.91	10	Pass

Agilent
Measure

Ch Freq 1.775 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.775 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
8.9489 MHz	x dB -26.00 dB
Transmit Freq Error -13.523 kHz	
x dB Bandwidth 9.910 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

19.25. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.462	14.818	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7175 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.717 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4617 MHz	x dB	-26.00 dB
Transmit Freq Error		-2.554 kHz
x dB Bandwidth		14.818 MHz

Copyright 2000-2012 Agilent Technologies

19.26. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.459	14.768	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7175 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.717 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
13.4587 MHz	x dB	-26.00 dB
Transmit Freq Error	14.311 kHz	
x dB Bandwidth	14.768 MHz	

Copyright 2000-2012 Agilent Technologies

19.27. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.414	14.712	15	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.745 00 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4144 MHz	x dB -26.00 dB
Transmit Freq Error	-1.093 kHz
x dB Bandwidth	14.712 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

19.28. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.454	14.65	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.745 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4540 MHz	x dB -26.00 dB
Transmit Freq Error 7.708 kHz	
x dB Bandwidth 14.650 MHz	

Copyright 2000-2012 Agilent Technologies

19.29. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.426	14.81	15	Pass

Agilent

Measure

Ch Freq 1.7725 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm
#Atten 30 dB

#Peak
Log

10
dB/

Offst
10.6

dB

Center 1.772 50 GHz
Span 30 MHz

#Res BW 300 kHz
#VBW 1 MHz
#Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4261 MHz	x dB -26.00 dB
Transmit Freq Error	-17.487 kHz
x dB Bandwidth	14.810 MHz

Power Stat
CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

19.30. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.449	14.77	15	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7725 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.772 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
13.4491 MHz	x dB -26.00 dB
Transmit Freq Error	-18.986 kHz
x dB Bandwidth	14.770 MHz

Copyright 2000-2012 Agilent Technologies

19.31. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.925	19.383	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.72 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.720 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9249 MHz	x dB	-26.00 dB
Transmit Freq Error	-1.254 kHz	
x dB Bandwidth	19.383 MHz	

Copyright 2000-2012 Agilent Technologies

19.32. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.935	19.443	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.72 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.720 00 GHz Span 40 MHz
 #Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9346 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.138 kHz	
x dB Bandwidth	19.443 MHz	

Copyright 2000-2012 Agilent Technologies

19.33. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.917	19.441	20	Pass

Agilent
Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.745 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9170 MHz	x dB -26.00 dB
Transmit Freq Error 28.957 kHz	
x dB Bandwidth 19.441 MHz	

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

19.34. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.928	19.567	20	Pass

Agilent

Measure

Ch Freq 1.745 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.745 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.9279 MHz	x dB	-26.00 dB
Transmit Freq Error	-3.822 kHz	
x dB Bandwidth	19.567 MHz	

Power Stat CCDF
More 1 of 2

Copyright 2000-2012 Agilent Technologies

19.35. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.947	19.678	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.77 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.6

dB

Center 1.770 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9467 MHz x dB -26.00 dB

Transmit Freq Error -26.012 kHz

x dB Bandwidth 19.678 MHz

Copyright 2000-2012 Agilent Technologies

19.36. LTE Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.892	19.464	20	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.77 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.6 dB

Center 1.770 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
17.8920 MHz	x dB	-26.00 dB
Transmit Freq Error	-11.273 kHz	
x dB Bandwidth	19.464 MHz	

Copyright 2000-2012 Agilent Technologies

20. CA_7C

20.1. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1,
Channel:21006|21150, Bandwidth:10|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.3	99	26	0.62	Peak	27.83	29.76	30	Pass

Agilent

Measure

Ch Freq 2.5353 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.535 30 GHz Span 60 MHz
#Res BW 620 kHz #VBW 1.8 MHz #Sweep 10 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
27.8282 MHz	x dB	-26.00 dB
Transmit Freq Error	-367.378 kHz	
x dB Bandwidth	29.759 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

**20.2. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2,
Channel:21006|21150, Bandwidth:10|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.3	99	26	0.62	Peak	27.69	29.56	30	Pass

Agilent
Measure

Ch Freq 2.5353 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.535 30 GHz Span 60 MHz
#Res BW 620 kHz #VBW 1.8 MHz #Sweep 10 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
27.6939 MHz	x dB	-26.00 dB
Transmit Freq Error	-392.689 kHz	
x dB Bandwidth	29.560 MHz	

More
1 of 2

Copyright 2000-2012 Agilent Technologies

**20.3. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3,
Channel:21051|21195, Bandwidth:20|10MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.8	99	26	0.62	Peak	27.84	29.8	30	Pass

Agilent

Ch Freq 2.5348 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.534 80 GHz Span 60 MHz

#Res BW 620 kHz #VBW 1.8 MHz #Sweep 10 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

27.8363 MHz x dB -26.00 dB

Transmit Freq Error 293.015 kHz

x dB Bandwidth 29.803 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

**20.4. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4,
Channel:21051|21195, Bandwidth:20|10MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.8	99	26	0.62	Peak	27.82	29.66	30	Pass

Agilent

Ch Freq 2.5348 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.5348 GHz Span 60 MHz

#Res BW 620 kHz #VBW 1.8 MHz #Sweep 10 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

27.8233 MHz x dB -26.00 dB

Transmit Freq Error 294.952 kHz

x dB Bandwidth 29.659 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

20.5. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:5, Channel:21025|21175, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.62	Peak	28.41	30.52	30	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth
Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.535 00 GHz Span 60 MHz
#Res BW 620 kHz #VBW 1.8 MHz #Sweep 10 s (483 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
28.4142 MHz	x dB	-26.00 dB
Transmit Freq Error	-55.625 kHz	
x dB Bandwidth	30.524 MHz	

Copyright 2000-2012 Agilent Technologies

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

**20.6. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:6,
Channel:21025|21175, Bandwidth:15|15MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.62	Peak	28.44	30.42	30	Pass

Agilent

Ch Freq 2.535 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.535 00 GHz Span 60 MHz

#Res BW 620 kHz #VBW 1.8 MHz #Sweep 10 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

28.4390 MHz x dB -26.00 dB

Transmit Freq Error -69.289 kHz

x dB Bandwidth 30.421 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

20.7. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:7,
Channel:21003|21174, Bandwidth:15|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.1	99	26	0.68	Peak	32.71	35.04	35	Pass

Agilent

Ch Freq 2.5351 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.535 10 GHz Span 70 MHz

#Res BW 680 kHz #VBW 2 MHz #Sweep 10 s (514 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

32.7077 MHz x dB -26.00 dB

Transmit Freq Error -230.558 kHz

x dB Bandwidth 35.036 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

**20.8. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:8,
Channel:21003|21174, Bandwidth:15|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535.1	99	26	0.68	Peak	32.64	34.84	35	Pass

Agilent

Ch Freq 2.5351 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.535 10 GHz Span 70 MHz

#Res BW 680 kHz #VBW 2 MHz #Sweep 10 s (514 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

32.6396 MHz x dB -26.00 dB

Transmit Freq Error -227.796 kHz

x dB Bandwidth 34.844 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

**20.9. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:9,
Channel:21026|21197, Bandwidth:20|15MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.9	99	26	0.68	Peak	32.68	34.96	35	Pass

Agilent

Ch Freq 2.5349 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.534 90 GHz Span 70 MHz

#Res BW 680 kHz #VBW 2 MHz #Sweep 10 s (514 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

32.6810 MHz x dB -26.00 dB

Transmit Freq Error 87.926 kHz

x dB Bandwidth 34.965 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

20.10. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:10, Channel:21026|21197, Bandwidth:20|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2534.9	99	26	0.68	Peak	32.67	34.9	35	Pass

Agilent

Ch Freq 2.5349 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.534 90 GHz Span 70 MHz

#Res BW 680 kHz #VBW 2 MHz #Sweep 10 s (514 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

32.6750 MHz x dB -26.00 dB

Transmit Freq Error 92.575 kHz

x dB Bandwidth 34.895 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

20.11. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:11,
Channel:21001|21199, Bandwidth:20|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)



20.12. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:12, Channel:21001|21199, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.82	Peak	37.45	40.1	40	Pass

Agilent
Measure

Ch Freq 2.535 GHz
Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB
 #Peak Log 10 dB/ Offst 11.8 dB

Center 2.535 00 GHz
Span 80 MHz

#Res BW 820 kHz
#VBW 2.4 MHz
#Sweep 10 s (487 pts)

Occupied Bandwidth	Occ BW % Pwr 99.00 %
37.4516 MHz	x dB -26.00 dB
Transmit Freq Error -76.103 kHz	
x dB Bandwidth 40.098 MHz	

Power Stat
 CCDF
 More
 1 of 2

Copyright 2000-2012 Agilent Technologies

21. CA_38C

21.1. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:1,
Channel:37925|38075, Bandwidth:15|15MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.62	Peak	28.35	30.76	30	Pass

Agilent

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.595 00 GHz Span 60 MHz

#Res BW 620 kHz #VBW 1.8 MHz #Sweep 10 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

28.3508 MHz x dB -26.00 dB

Transmit Freq Error -25.195 kHz

x dB Bandwidth 30.758 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Copyright 2000-2012 Agilent Technologies

21.2. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:2,
 Channel:37925|38075, Bandwidth:15|15MHz, Modulation:16QAM, RB
 Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.62	Peak	28.38	32.1	30	Pass

Agilent

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 11.8 dB

Center 2.595 00 GHz Span 60 MHz

#Res BW 620 kHz #VBW 1.8 MHz #Sweep 10 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

28.3847 MHz x dB -26.00 dB

Transmit Freq Error -10.266 kHz

x dB Bandwidth 32.099 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

21.3. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:3, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.82	Peak	37.48	40.49	40	Pass

Agilent

Ch Freq 2.595 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 11.8 dB

Center 2.595 00 GHz Span 80 MHz

#Res BW 820 kHz #VBW 2.4 MHz #Sweep 10 s (487 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

37.4755 MHz x dB -26.00 dB

Transmit Freq Error -22.295 kHz

x dB Bandwidth 40.492 MHz

Measure

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies

**21.4. LTE-A Occupied Bandwidth_Part22-24-27(NTNV)(Subtest:4,
Channel:37901|38099, Bandwidth:20|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



--BLANK BELOW--