


19.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.21	-13	Pass	2986
30	1000	0.1	RMS	892.229	-63.38	-13	Pass	9701
1000	1700	1	RMS	1693	-51.78	-13	Pass	701
1700	1790	1	RMS	1710.35	23.02	60	Pass	401
1790	3000	1	RMS	2882	-48.1	-13	Pass	1211
3000	12000	1	RMS	8929	-38.71	-13	Pass	9002
12000	20000	1	RMS	17804	-29.93	-13	Pass	8001



19.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	Pass	2986
30	1000	0.1	RMS	895.03	-63.41	-13	Pass	9701
1000	1700	1	RMS	1700	-52.26	-13	Pass	701
1700	1790	1	RMS	1740.5	23.89	60	Pass	401
1790	3000	1	RMS	2877	-48.02	-13	Pass	1211
3000	12000	1	RMS	8903	-38.63	-13	Pass	9002
12000	20000	1	RMS	17800	-29.95	-13	Pass	8001



19.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.76	-13	Pass	2986
30	1000	0.1	RMS	881.021	-63.36	-13	Pass	9701
1000	1700	1	RMS	1700	-52.22	-13	Pass	701
1700	1790	1	RMS	1740.5	22.46	60	Pass	401
1790	3000	1	RMS	2869	-48.07	-13	Pass	1211
3000	12000	1	RMS	8909	-38.71	-13	Pass	9002
12000	20000	1	RMS	17802	-30	-13	Pass	8001



19.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.44	-13	Pass	2986
30	1000	0.1	RMS	912.742	-63.29	-13	Pass	9701
1000	1700	1	RMS	1694	-51.84	-13	Pass	701
1700	1790	1	RMS	1770.425	23.7	60	Pass	401
1790	3000	1	RMS	2876	-48.11	-13	Pass	1211
3000	12000	1	RMS	8933	-38.71	-13	Pass	9002
12000	20000	1	RMS	17800	-29.89	-13	Pass	8001



19.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.73	-13	Pass	2986
30	1000	0.1	RMS	898.233	-63.29	-13	Pass	9701
1000	1700	1	RMS	1694	-51.96	-13	Pass	701
1700	1790	1	RMS	1770.425	22.98	60	Pass	401
1790	3000	1	RMS	2873	-48.05	-13	Pass	1211
3000	12000	1	RMS	8916	-38.69	-13	Pass	9002
12000	20000	1	RMS	17793	-29.95	-13	Pass	8001



19.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.32	-13	Pass	2986
30	1000	0.1	RMS	993.195	-63.4	-13	Pass	9701
1000	1700	1	RMS	1698	-49.65	-13	Pass	701
1700	1790	1	RMS	1710.8	24.1	60	Pass	401
1790	3000	1	RMS	2872	-48.07	-13	Pass	1211
3000	12000	1	RMS	8902	-38.66	-13	Pass	9002
12000	20000	1	RMS	17799	-29.91	-13	Pass	8001



19.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2986
30	1000	0.1	RMS	897.432	-63.35	-13	Pass	9701
1000	1700	1	RMS	1698	-50.34	-13	Pass	701
1700	1790	1	RMS	1710.8	23.31	60	Pass	401
1790	3000	1	RMS	2880	-48.1	-13	Pass	1211
3000	12000	1	RMS	8904	-38.69	-13	Pass	9002
12000	20000	1	RMS	17797	-29.95	-13	Pass	8001



19.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.8	-13	Pass	2986
30	1000	0.1	RMS	884.423	-63.27	-13	Pass	9701
1000	1700	1	RMS	1700	-51.56	-13	Pass	701
1700	1790	1	RMS	1738.25	24.07	60	Pass	401
1790	3000	1	RMS	2875	-48.05	-13	Pass	1211
3000	12000	1	RMS	8911	-38.71	-13	Pass	9002
12000	20000	1	RMS	17806	-29.95	-13	Pass	8001



19.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	1000	0.1	RMS	893.529	-63.37	-13	Pass	9701
1000	1700	1	RMS	1700	-51.68	-13	Pass	701
1700	1790	1	RMS	1738.25	23.11	60	Pass	401
1790	3000	1	RMS	2875	-48.07	-13	Pass	1211
3000	12000	1	RMS	8903	-38.7	-13	Pass	9002
12000	20000	1	RMS	17800	-29.93	-13	Pass	8001



19.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.39	-13	Pass	2986
30	1000	0.1	RMS	885.624	-63.4	-13	Pass	9701
1000	1700	1	RMS	1695	-52.26	-13	Pass	701
1700	1790	1	RMS	1765.7	24	60	Pass	401
1790	3000	1	RMS	2868	-48.08	-13	Pass	1211
3000	12000	1	RMS	8910	-38.63	-13	Pass	9002
12000	20000	1	RMS	17802	-29.95	-13	Pass	8001



19.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.34	-13	Pass	2986
30	1000	0.1	RMS	884.724	-63.39	-13	Pass	9701
1000	1700	1	RMS	1683	-52.32	-13	Pass	701
1700	1790	1	RMS	1765.7	23.17	60	Pass	401
1790	3000	1	RMS	2877	-48.11	-13	Pass	1211
3000	12000	1	RMS	8922	-38.71	-13	Pass	9002
12000	20000	1	RMS	17803	-30.01	-13	Pass	8001



19.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71	-13	Pass	2986
30	1000	0.1	RMS	916.044	-63.41	-13	Pass	9701
1000	1700	1	RMS	1693	-50.98	-13	Pass	701
1700	1790	1	RMS	1711.025	23.95	60	Pass	401
1790	3000	1	RMS	2874	-48.11	-13	Pass	1211
3000	12000	1	RMS	8902	-38.71	-13	Pass	9002
12000	20000	1	RMS	17800	-29.98	-13	Pass	8001



19.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.77	-13	Pass	2986
30	1000	0.1	RMS	903.636	-63.37	-13	Pass	9701
1000	1700	1	RMS	1693	-51.44	-13	Pass	701
1700	1790	1	RMS	1711.025	23.27	60	Pass	401
1790	3000	1	RMS	2872	-48.07	-13	Pass	1211
3000	12000	1	RMS	8901	-38.62	-13	Pass	9002
12000	20000	1	RMS	17800	-29.91	-13	Pass	8001



19.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2986
30	1000	0.1	RMS	883.123	-63.33	-13	Pass	9701
1000	1700	1	RMS	1700	-49.7	-13	Pass	701
1700	1790	1	RMS	1736	24.02	60	Pass	401
1790	3000	1	RMS	2869	-48.12	-13	Pass	1211
3000	12000	1	RMS	8902	-38.68	-13	Pass	9002
12000	20000	1	RMS	17805	-29.97	-13	Pass	8001



19.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.09	-13	Pass	2986
30	1000	0.1	RMS	868.313	-63.41	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1790	1	RMS	1736	23.54	60	Pass	401
1790	3000	1	RMS	2872	-48.12	-13	Pass	1211
3000	12000	1	RMS	8910	-38.67	-13	Pass	9002
12000	20000	1	RMS	17801	-29.9	-13	Pass	8001



19.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.87	-13	Pass	2986
30	1000	0.1	RMS	898.633	-63.39	-13	Pass	9701
1000	1700	1	RMS	1699	-52.25	-13	Pass	701
1700	1790	1	RMS	1760.975	23.93	60	Pass	401
1790	3000	1	RMS	1797	-45.86	-13	Pass	1211
3000	12000	1	RMS	8907	-38.61	-13	Pass	9002
12000	20000	1	RMS	17797	-29.98	-13	Pass	8001



19.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.84	-13	Pass	2986
30	1000	0.1	RMS	884.924	-63.33	-13	Pass	9701
1000	1700	1	RMS	1700	-52.24	-13	Pass	701
1700	1790	1	RMS	1760.975	23.11	60	Pass	401
1790	3000	1	RMS	1797	-46.84	-13	Pass	1211
3000	12000	1	RMS	8899	-38.66	-13	Pass	9002
12000	20000	1	RMS	17800	-29.96	-13	Pass	8001




20. CA_7C

20.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.46	-25	Pass	2986
30	1000	0.1	RMS	997.698	-63.38	-25	Pass	9701
1000	2475	1	RMS	2473	-46.02	-25	Pass	1476
2475	2735	1	RMS	2528.3	13.3	60	Pass	401
2735	3000	1	RMS	2872.138	-48.23	-25	Pass	401
3000	12000	1	RMS	8900	-48.07	-25	Pass	9002
12000	26000	1	RMS	25202	-34.35	-25	Pass	14002



20.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.99	-25	Pass	2986
30	1000	0.1	RMS	998.799	-63.41	-25	Pass	9701
1000	2475	1	RMS	2475	-46.82	-25	Pass	1476
2475	2735	1	RMS	2521.15	10.89	60	Pass	401
2735	3000	1	RMS	2869.488	-48.23	-25	Pass	401
3000	12000	1	RMS	8906	-48.2	-25	Pass	9002
12000	26000	1	RMS	25205	-34.25	-25	Pass	14002



20.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-25	Pass	2986
30	1000	0.1	RMS	882.222	-63.64	-25	Pass	9701
1000	2475	1	RMS	2473	-45.35	-25	Pass	1476
2475	2735	1	RMS	2501	13.09	60	Pass	401
2735	3000	1	RMS	2875.45	-48.25	-25	Pass	401
3000	12000	1	RMS	8904	-48.15	-25	Pass	9002
12000	26000	1	RMS	25200	-34.31	-25	Pass	14002



20.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.35	-25	Pass	2986
30	1000	0.1	RMS	884.323	-63.56	-25	Pass	9701
1000	2475	1	RMS	2475	-48.21	-25	Pass	1476
2475	2735	1	RMS	2521.15	9.99	60	Pass	401
2735	3000	1	RMS	2869.488	-48.24	-25	Pass	401
3000	12000	1	RMS	8897	-48.19	-25	Pass	9002
12000	26000	1	RMS	25202	-34.17	-25	Pass	14002



20.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.71	-25	Pass	2986
30	1000	0.1	RMS	997.198	-63.5	-25	Pass	9701
1000	2475	1	RMS	2474	-50.18	-25	Pass	1476
2475	2735	1	RMS	2521.15	13.68	60	Pass	401
2735	3000	1	RMS	2870.813	-48.24	-25	Pass	401
3000	12000	1	RMS	8897	-48.17	-25	Pass	9002
12000	26000	1	RMS	25204	-34.24	-25	Pass	14002



20.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-25	Pass	2986
30	1000	0.1	RMS	910.641	-63.44	-25	Pass	9701
1000	2475	1	RMS	2475	-49.33	-25	Pass	1476
2475	2735	1	RMS	2540.65	10.42	60	Pass	401
2735	3000	1	RMS	2868.163	-48.21	-25	Pass	401
3000	12000	1	RMS	8904	-48.16	-25	Pass	9002
12000	26000	1	RMS	25201	-34.28	-25	Pass	14002



20.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.97	-25	Pass	2986
30	1000	0.1	RMS	896.732	-63.47	-25	Pass	9701
1000	2475	1	RMS	2471	-50.24	-25	Pass	1476
2475	2735	1	RMS	2521.15	14.1	60	Pass	401
2735	3000	1	RMS	2871.475	-48.26	-25	Pass	401
3000	12000	1	RMS	8909	-48.17	-25	Pass	9002
12000	26000	1	RMS	25194	-34.29	-25	Pass	14002



20.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-25	Pass	2986
30	1000	0.1	RMS	869.113	-63.57	-25	Pass	9701
1000	2475	1	RMS	2475	-50.12	-25	Pass	1476
2475	2735	1	RMS	2546.5	9.6	60	Pass	401
2735	3000	1	RMS	2874.788	-48.26	-25	Pass	401
3000	12000	1	RMS	8901	-48.06	-25	Pass	9002
12000	26000	1	RMS	25203	-34.28	-25	Pass	14002



20.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.4	-25	Pass	2986
30	1000	0.1	RMS	880.121	-63.55	-25	Pass	9701
1000	2475	1	RMS	2468	-50.32	-25	Pass	1476
2475	2735	1	RMS	2540.65	13.99	60	Pass	401
2735	3000	1	RMS	2871.475	-48.24	-25	Pass	401
3000	12000	1	RMS	8897	-48.2	-25	Pass	9002
12000	26000	1	RMS	25201	-34.24	-25	Pass	14002



20.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-25	Pass	2986
30	1000	0.1	RMS	868.613	-63.64	-25	Pass	9701
1000	2475	1	RMS	2474	-50.21	-25	Pass	1476
2475	2735	1	RMS	2560.8	11.18	60	Pass	401
2735	3000	1	RMS	2875.45	-48.22	-25	Pass	401
3000	12000	1	RMS	8906	-48.07	-25	Pass	9002
12000	26000	1	RMS	25201	-34.25	-25	Pass	14002



20.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-25	Pass	2986
30	1000	0.1	RMS	893.029	-63.45	-25	Pass	9701
1000	2475	1	RMS	2470	-50.25	-25	Pass	1476
2475	2735	1	RMS	2540.65	14.15	60	Pass	401
2735	3000	1	RMS	2868.163	-48.22	-25	Pass	401
3000	12000	1	RMS	8896	-48.18	-25	Pass	9002
12000	26000	1	RMS	25201	-34.2	-25	Pass	14002



20.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.39	-25	Pass	2986
30	1000	0.1	RMS	889.827	-63.47	-25	Pass	9701
1000	2475	1	RMS	2473	-50.3	-25	Pass	1476
2475	2735	1	RMS	2561.45	9.72	60	Pass	401
2735	3000	1	RMS	2874.788	-48.24	-25	Pass	401
3000	12000	1	RMS	8903	-48.21	-25	Pass	9002
12000	26000	1	RMS	25198	-34.32	-25	Pass	14002



20.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-25	Pass	2986
30	1000	0.1	RMS	915.044	-63.61	-25	Pass	9701
1000	2475	1	RMS	2423	-50.19	-25	Pass	1476
2475	2735	1	RMS	2501	14.25	60	Pass	401
2735	3000	1	RMS	2877.438	-48.24	-25	Pass	401
3000	12000	1	RMS	8901	-48.08	-25	Pass	9002
12000	26000	1	RMS	25193	-34.24	-25	Pass	14002



20.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.35	-25	Pass	2986
30	1000	0.1	RMS	888.126	-63.41	-25	Pass	9701
1000	2475	1	RMS	2475	-38.02	-25	Pass	1476
2475	2735	1	RMS	2512.7	9.31	60	Pass	401
2735	3000	1	RMS	2874.788	-48.22	-25	Pass	401
3000	12000	1	RMS	8900	-48.12	-25	Pass	9002
12000	26000	1	RMS	25202	-34.23	-25	Pass	14002



20.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-25	Pass	401
0.15	30	0.01	RMS	0.32	-71.13	-25	Pass	2986
30	1000	0.1	RMS	902.035	-63.59	-25	Pass	9701
1000	2475	1	RMS	2475	-50.22	-25	Pass	1476
2475	2735	1	RMS	2501	14.39	60	Pass	401
2735	3000	1	RMS	2872.8	-48.26	-25	Pass	401
3000	12000	1	RMS	8904	-48.19	-25	Pass	9002
12000	26000	1	RMS	25202	-34.28	-25	Pass	14002



20.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.35	-25	Pass	2986
30	1000	0.1	RMS	892.929	-63.55	-25	Pass	9701
1000	2475	1	RMS	2475	-43.16	-25	Pass	1476
2475	2735	1	RMS	2515.95	8.51	60	Pass	401
2735	3000	1	RMS	2873.463	-48.24	-25	Pass	401
3000	12000	1	RMS	8895	-48.18	-25	Pass	9002
12000	26000	1	RMS	25201	-34.29	-25	Pass	14002



20.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.29	-70.62	-25	Pass	2986
30	1000	0.1	RMS	995.797	-63.57	-25	Pass	9701
1000	2475	1	RMS	2465	-50.19	-25	Pass	1476
2475	2735	1	RMS	2515.95	15.42	60	Pass	401
2735	3000	1	RMS	2876.113	-48.26	-25	Pass	401
3000	12000	1	RMS	8902	-48.15	-25	Pass	9002
12000	26000	1	RMS	25201	-34.21	-25	Pass	14002



20.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-25	Pass	2986
30	1000	0.1	RMS	901.235	-63.49	-25	Pass	9701
1000	2475	1	RMS	2475	-44.95	-25	Pass	1476
2475	2735	1	RMS	2523.75	8.79	60	Pass	401
2735	3000	1	RMS	2872.138	-48.25	-25	Pass	401
3000	12000	1	RMS	8904	-48.2	-25	Pass	9002
12000	26000	1	RMS	25204	-34.28	-25	Pass	14002



20.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.86	-25	Pass	2986
30	1000	0.1	RMS	899.433	-63.51	-25	Pass	9701
1000	2475	1	RMS	2467	-50.08	-25	Pass	1476
2475	2735	1	RMS	2515.95	15.42	60	Pass	401
2735	3000	1	RMS	2874.788	-48.24	-25	Pass	401
3000	12000	1	RMS	8905	-48.21	-25	Pass	9002
12000	26000	1	RMS	25200	-34.26	-25	Pass	14002



20.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.43	-25	Pass	2986
30	1000	0.1	RMS	889.927	-63.58	-25	Pass	9701
1000	2475	1	RMS	2475	-47.6	-25	Pass	1476
2475	2735	1	RMS	2525.7	8.12	60	Pass	401
2735	3000	1	RMS	2878.1	-48.27	-25	Pass	401
3000	12000	1	RMS	8902	-48.14	-25	Pass	9002
12000	26000	1	RMS	25203	-34.24	-25	Pass	14002



20.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.39	-25	Pass	2986
30	1000	0.1	RMS	892.829	-63.61	-25	Pass	9701
1000	2475	1	RMS	2470	-50.18	-25	Pass	1476
2475	2735	1	RMS	2530.9	15.12	60	Pass	401
2735	3000	1	RMS	2868.825	-48.25	-25	Pass	401
3000	12000	1	RMS	8902	-48.13	-25	Pass	9002
12000	26000	1	RMS	25203	-34.33	-25	Pass	14002



20.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-25	Pass	2986
30	1000	0.1	RMS	894.73	-63.44	-25	Pass	9701
1000	2475	1	RMS	2475	-48.81	-25	Pass	1476
2475	2735	1	RMS	2545.2	8.29	60	Pass	401
2735	3000	1	RMS	2872.8	-48.25	-25	Pass	401
3000	12000	1	RMS	8897	-48.13	-25	Pass	9002
12000	26000	1	RMS	25197	-34.28	-25	Pass	14002



20.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.12	-25	Pass	2986
30	1000	0.1	RMS	895.331	-63.64	-25	Pass	9701
1000	2475	1	RMS	2475	-50.23	-25	Pass	1476
2475	2735	1	RMS	2530.9	15	60	Pass	401
2735	3000	1	RMS	2876.775	-48.25	-25	Pass	401
3000	12000	1	RMS	8901	-48.14	-25	Pass	9002
12000	26000	1	RMS	25204	-34.28	-25	Pass	14002



20.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.86	-25	Pass	2986
30	1000	0.1	RMS	900.034	-63.46	-25	Pass	9701
1000	2475	1	RMS	2475	-49.8	-25	Pass	1476
2475	2735	1	RMS	2545.2	6.91	60	Pass	401
2735	3000	1	RMS	2873.463	-48.25	-25	Pass	401
3000	12000	1	RMS	8904	-48.18	-25	Pass	9002
12000	26000	1	RMS	25201	-34.18	-25	Pass	14002




21. CA_38C

21.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.07	-25	Pass	2986
30	1000	0.1	RMS	909.04	-59.4	-25	Pass	9701
1000	2525	1	RMS	2514	-44.15	-25	Pass	1526
2525	2665	1	RMS	2570.5	11.07	60	Pass	401
2665	3000	1	RMS	2871.025	-44.16	-25	Pass	401
3000	12000	1	RMS	8907	-48.37	-25	Pass	9002
12000	26500	1	RMS	25201	-35.81	-25	Pass	14502



21.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.66	-25	Pass	2986
30	1000	0.1	RMS	896.631	-59.38	-25	Pass	9701
1000	2525	1	RMS	2524	-43.83	-25	Pass	1526
2525	2665	1	RMS	2579.95	7.12	60	Pass	401
2665	3000	1	RMS	2868.513	-44.14	-25	Pass	401
3000	12000	1	RMS	11851	-48.4	-25	Pass	9002
12000	26500	1	RMS	25202	-35.87	-25	Pass	14502



21.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.32	-25	Pass	2986
30	1000	0.1	RMS	999.199	-59.29	-25	Pass	9701
1000	2525	1	RMS	2514	-42.86	-25	Pass	1526
2525	2665	1	RMS	2598.85	11.67	60	Pass	401
2665	3000	1	RMS	2869.35	-44.12	-25	Pass	401
3000	12000	1	RMS	11848	-48.38	-25	Pass	9002
12000	26500	1	RMS	25203	-35.9	-25	Pass	14502



21.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.61	-25	Pass	2986
30	1000	0.1	RMS	909.04	-59.32	-25	Pass	9701
1000	2525	1	RMS	2524	-44.67	-25	Pass	1526
2525	2665	1	RMS	2578.55	6.22	60	Pass	401
2665	3000	1	RMS	2868.513	-44.12	-25	Pass	401
3000	12000	1	RMS	11851	-48.42	-25	Pass	9002
12000	26500	1	RMS	25202	-35.84	-25	Pass	14502



21.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.95	-25	Pass	2986
30	1000	0.1	RMS	889.227	-59.26	-25	Pass	9701
1000	2525	1	RMS	2524	-43.88	-25	Pass	1526
2525	2665	1	RMS	2609	12.12	60	Pass	401
2665	3000	1	RMS	2665	-43.6	-25	Pass	401
3000	12000	1	RMS	8894	-48.39	-25	Pass	9002
12000	26500	1	RMS	25197	-35.87	-25	Pass	14502



21.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.66	-25	Pass	2986
30	1000	0.1	RMS	905.437	-59.19	-25	Pass	9701
1000	2525	1	RMS	2523	-45.39	-25	Pass	1526
2525	2665	1	RMS	2583.8	7.73	60	Pass	401
2665	3000	1	RMS	2869.35	-44.15	-25	Pass	401
3000	12000	1	RMS	8893	-48.34	-25	Pass	9002
12000	26500	1	RMS	25195	-35.69	-25	Pass	14502



21.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.25	-25	Pass	2986
30	1000	0.1	RMS	898.333	-59.39	-25	Pass	9701
1000	2525	1	RMS	2525	-43.98	-25	Pass	1526
2525	2665	1	RMS	2609	11.72	60	Pass	401
2665	3000	1	RMS	2665.838	-43.84	-25	Pass	401
3000	12000	1	RMS	11846	-48.38	-25	Pass	9002
12000	26500	1	RMS	25199	-35.81	-25	Pass	14502



21.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.15	-25	Pass	2986
30	1000	0.1	RMS	916.144	-59.35	-25	Pass	9701
1000	2525	1	RMS	2524	-45.58	-25	Pass	1526
2525	2665	1	RMS	2599.2	6.5	60	Pass	401
2665	3000	1	RMS	2868.513	-44.12	-25	Pass	401
3000	12000	1	RMS	8903	-48.3	-25	Pass	9002
12000	26500	1	RMS	25203	-35.86	-25	Pass	14502



21.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.91	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.12	-25	Pass	2986
30	1000	0.1	RMS	882.922	-59.36	-25	Pass	9701
1000	2525	1	RMS	2519	-45.81	-25	Pass	1526
2525	2665	1	RMS	2590.8	12.39	60	Pass	401
2665	3000	1	RMS	2675.05	-43.54	-25	Pass	401
3000	12000	1	RMS	11848	-48.41	-25	Pass	9002
12000	26500	1	RMS	25199	-35.84	-25	Pass	14502



21.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.13	-25	Pass	2986
30	1000	0.1	RMS	886.425	-59.31	-25	Pass	9701
1000	2525	1	RMS	2521	-45.63	-25	Pass	1526
2525	2665	1	RMS	2598.15	7.51	60	Pass	401
2665	3000	1	RMS	2870.188	-44.16	-25	Pass	401
3000	12000	1	RMS	8926	-48.38	-25	Pass	9002
12000	26500	1	RMS	25203	-35.71	-25	Pass	14502



21.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.99	-25	Pass	2986
30	1000	0.1	RMS	889.827	-59.36	-25	Pass	9701
1000	2525	1	RMS	2514	-45.79	-25	Pass	1526
2525	2665	1	RMS	2590.45	11.63	60	Pass	401
2665	3000	1	RMS	2675.05	-42.37	-25	Pass	401
3000	12000	1	RMS	8904	-48.37	-25	Pass	9002
12000	26500	1	RMS	25201	-35.8	-25	Pass	14502



21.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.66	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.75	-25	Pass	2986
30	1000	0.1	RMS	991.995	-59.31	-25	Pass	9701
1000	2525	1	RMS	2521	-45.79	-25	Pass	1526
2525	2665	1	RMS	2598.15	6.75	60	Pass	401
2665	3000	1	RMS	2872.7	-44.16	-25	Pass	401
3000	12000	1	RMS	11852	-48.27	-25	Pass	9002
12000	26500	1	RMS	25198	-35.82	-25	Pass	14502



21.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.13	-25	Pass	401
0.15	30	0.01	RMS	0.38	-67.05	-25	Pass	2986
30	1000	0.1	RMS	890.027	-59.39	-25	Pass	9701
1000	2525	1	RMS	2495	-43.83	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.18	60	Pass	401
2665	3000	1	RMS	2683.425	-42.27	-25	Pass	401
3000	12000	1	RMS	8900	-48.37	-25	Pass	9002
12000	26500	1	RMS	25195	-35.79	-25	Pass	14502



21.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.92	-25	Pass	2986
30	1000	0.1	RMS	916.044	-59.23	-25	Pass	9701
1000	2525	1	RMS	2524	-40.75	-25	Pass	1526
2525	2665	1	RMS	2580.65	7.01	60	Pass	401
2665	3000	1	RMS	2876.888	-44.14	-25	Pass	401
3000	12000	1	RMS	8912	-48.39	-25	Pass	9002
12000	26500	1	RMS	25203	-35.84	-25	Pass	14502



21.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.09	-25	Pass	2986
30	1000	0.1	RMS	877.619	-59.31	-25	Pass	9701
1000	2525	1	RMS	2496	-42.97	-25	Pass	1526
2525	2665	1	RMS	2570.85	12	60	Pass	401
2665	3000	1	RMS	2683.425	-43	-25	Pass	401
3000	12000	1	RMS	8897	-48.32	-25	Pass	9002
12000	26500	1	RMS	25195	-35.84	-25	Pass	14502



21.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.44	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.26	-25	Pass	2986
30	1000	0.1	RMS	887.125	-59.28	-25	Pass	9701
1000	2525	1	RMS	2523	-43.5	-25	Pass	1526
2525	2665	1	RMS	2592.2	5.25	60	Pass	401
2665	3000	1	RMS	2878.563	-44.14	-25	Pass	401
3000	12000	1	RMS	8901	-48.31	-25	Pass	9002
12000	26500	1	RMS	25201	-35.85	-25	Pass	14502



21.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.28	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.27	-25	Pass	2986
30	1000	0.1	RMS	919.947	-59.31	-25	Pass	9701
1000	2525	1	RMS	2501	-41.77	-25	Pass	1526
2525	2665	1	RMS	2576.1	12.65	60	Pass	401
2665	3000	1	RMS	2688.45	-42.74	-25	Pass	401
3000	12000	1	RMS	8924	-48.38	-25	Pass	9002
12000	26500	1	RMS	25201	-35.76	-25	Pass	14502



21.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.3	-25	Pass	2986
30	1000	0.1	RMS	900.634	-59.32	-25	Pass	9701
1000	2525	1	RMS	2523	-42.3	-25	Pass	1526
2525	2665	1	RMS	2602	6.96	60	Pass	401
2665	3000	1	RMS	2665	-43.14	-25	Pass	401
3000	12000	1	RMS	11845	-48.36	-25	Pass	9002
12000	26500	1	RMS	25191	-35.84	-25	Pass	14502



21.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.69	-25	Pass	2986
30	1000	0.1	RMS	876.818	-59.38	-25	Pass	9701
1000	2525	1	RMS	2501	-41.94	-25	Pass	1526
2525	2665	1	RMS	2576.1	12.86	60	Pass	401
2665	3000	1	RMS	2688.45	-43.16	-25	Pass	401
3000	12000	1	RMS	11850	-48.3	-25	Pass	9002
12000	26500	1	RMS	25196	-35.87	-25	Pass	14502



21.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.04	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.1	-25	Pass	2986
30	1000	0.1	RMS	895.731	-59.35	-25	Pass	9701
1000	2525	1	RMS	2525	-44.19	-25	Pass	1526
2525	2665	1	RMS	2583.45	5.94	60	Pass	401
2665	3000	1	RMS	2871.863	-44.13	-25	Pass	401
3000	12000	1	RMS	8904	-48.33	-25	Pass	9002
12000	26500	1	RMS	25202	-35.84	-25	Pass	14502



21.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.67	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.32	-25	Pass	2986
30	1000	0.1	RMS	985.991	-59.33	-25	Pass	9701
1000	2525	1	RMS	2506	-40.52	-25	Pass	1526
2525	2665	1	RMS	2581	12.19	60	Pass	401
2665	3000	1	RMS	2693.475	-41.63	-25	Pass	401
3000	12000	1	RMS	8900	-48.39	-25	Pass	9002
12000	26500	1	RMS	25199	-35.77	-25	Pass	14502



21.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.39	-25	Pass	2986
30	1000	0.1	RMS	888.326	-59.24	-25	Pass	9701
1000	2525	1	RMS	2525	-42.68	-25	Pass	1526
2525	2665	1	RMS	2602.7	7.01	60	Pass	401
2665	3000	1	RMS	2665	-41.86	-25	Pass	401
3000	12000	1	RMS	8907	-48.37	-25	Pass	9002
12000	26500	1	RMS	25198	-35.86	-25	Pass	14502



21.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.1	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.23	-25	Pass	2986
30	1000	0.1	RMS	888.726	-59.41	-25	Pass	9701
1000	2525	1	RMS	2506	-44.97	-25	Pass	1526
2525	2665	1	RMS	2581	13.1	60	Pass	401
2665	3000	1	RMS	2693.475	-43.96	-25	Pass	401
3000	12000	1	RMS	8896	-48.33	-25	Pass	9002
12000	26500	1	RMS	25201	-35.86	-25	Pass	14502



21.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.55	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.24	-25	Pass	2986
30	1000	0.1	RMS	878.92	-59.15	-25	Pass	9701
1000	2525	1	RMS	2523	-45	-25	Pass	1526
2525	2665	1	RMS	2603.05	5.81	60	Pass	401
2665	3000	1	RMS	2665.838	-43.77	-25	Pass	401
3000	12000	1	RMS	8901	-48.4	-25	Pass	9002
12000	26500	1	RMS	25199	-35.8	-25	Pass	14502



--BLANK BELOW--