


18.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.83	-25	Pass	2986
30	1000	0.1	RMS	940.6	-58.18	-25	Pass	9701
1000	2486	1	RMS	2486	-44.35	-25	Pass	1487
2486	2700	1	RMS	2583.905	24.19	60	Pass	401
2700	3000	1	RMS	2999.25	-43.29	-25	Pass	401
3000	12000	1	RMS	11968	-60.22	-25	Pass	9001
12000	27000	1	RMS	25012	-37.11	-25	Pass	15001



18.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.2	-25	Pass	2986
30	1000	0.1	RMS	930.2	-58.42	-25	Pass	9701
1000	2486	1	RMS	2484	-44.43	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.99	60	Pass	401
2700	3000	1	RMS	3000	-43.32	-25	Pass	401
3000	12000	1	RMS	11855	-60.14	-25	Pass	9001
12000	27000	1	RMS	25011	-37.19	-25	Pass	15001



18.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.81	-25	Pass	2986
30	1000	0.1	RMS	962.9	-58.38	-25	Pass	9701
1000	2486	1	RMS	2481	-44.44	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.1	60	Pass	401
2700	3000	1	RMS	2706.75	-42.52	-25	Pass	401
3000	12000	1	RMS	11995	-60.21	-25	Pass	9001
12000	27000	1	RMS	25014	-37.21	-25	Pass	15001



18.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.78	-25	Pass	2986
30	1000	0.1	RMS	911.7	-58.38	-25	Pass	9701
1000	2486	1	RMS	2485	-44.43	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.19	60	Pass	401
2700	3000	1	RMS	2706.75	-42.51	-25	Pass	401
3000	12000	1	RMS	11744	-60.22	-25	Pass	9001
12000	27000	1	RMS	25012	-37.27	-25	Pass	15001



19. LTE_Band66


19.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.09	-13	Pass	2986
30	1000	0.1	RMS	919.9	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-51.16	-13	Pass	701
1700	1790	1	RMS	1710.35	23.54	60	Pass	401
1790	3000	1	RMS	2651	-46.95	-13	Pass	1211
3000	12000	1	RMS	11961	-40.4	-13	Pass	9001
12000	20000	1	RMS	19995	-28.54	-13	Pass	8001




19.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-13	Pass	2986
30	1000	0.1	RMS	881	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1790	1	RMS	1710.35	23.06	60	Pass	401
1790	3000	1	RMS	2641	-46.98	-13	Pass	1211
3000	12000	1	RMS	11986	-40.38	-13	Pass	9001
12000	20000	1	RMS	20000	-28.62	-13	Pass	8001




19.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.73	-13	Pass	2986
30	1000	0.1	RMS	909.1	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-51.35	-13	Pass	701
1700	1790	1	RMS	1744.55	24.08	60	Pass	401
1790	3000	1	RMS	2652	-46.93	-13	Pass	1211
3000	12000	1	RMS	11947	-40.4	-13	Pass	9001
12000	20000	1	RMS	20000	-28.56	-13	Pass	8001




19.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	944.9	-62.33	-13	Pass	9701
1000	1700	1	RMS	1684	-51.4	-13	Pass	701
1700	1790	1	RMS	1744.55	23.19	60	Pass	401
1790	3000	1	RMS	2655	-46.97	-13	Pass	1211
3000	12000	1	RMS	11979	-40.42	-13	Pass	9001
12000	20000	1	RMS	19999	-28.57	-13	Pass	8001




19.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	1000	0.1	RMS	926.9	-62.27	-13	Pass	9701
1000	1700	1	RMS	1699	-51.37	-13	Pass	701
1700	1790	1	RMS	1778.75	23.92	60	Pass	401
1790	3000	1	RMS	2640	-46.97	-13	Pass	1211
3000	12000	1	RMS	11966	-40.41	-13	Pass	9001
12000	20000	1	RMS	19998	-28.51	-13	Pass	8001




19.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-13	Pass	2986
30	1000	0.1	RMS	937.9	-62.22	-13	Pass	9701
1000	1700	1	RMS	1605	-51.4	-13	Pass	701
1700	1790	1	RMS	1778.75	23.07	60	Pass	401
1790	3000	1	RMS	2646	-46.93	-13	Pass	1211
3000	12000	1	RMS	11959	-40.37	-13	Pass	9001
12000	20000	1	RMS	19997	-28.54	-13	Pass	8001




19.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.97	-13	Pass	2986
30	1000	0.1	RMS	939	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-51.21	-13	Pass	701
1700	1790	1	RMS	1710.125	24.07	60	Pass	401
1790	3000	1	RMS	2654	-46.94	-13	Pass	1211
3000	12000	1	RMS	11979	-40.42	-13	Pass	9001
12000	20000	1	RMS	20000	-28.53	-13	Pass	8001




19.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.43	-13	Pass	2986
30	1000	0.1	RMS	941.9	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1790	1	RMS	1710.35	23.27	60	Pass	401
1790	3000	1	RMS	2657	-46.93	-13	Pass	1211
3000	12000	1	RMS	11968	-40.4	-13	Pass	9001
12000	20000	1	RMS	20000	-28.57	-13	Pass	8001



19.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62.26	-13	Pass	9701
1000	1700	1	RMS	1695	-51.36	-13	Pass	701
1700	1790	1	RMS	1743.65	24.05	60	Pass	401
1790	3000	1	RMS	2651	-46.98	-13	Pass	1211
3000	12000	1	RMS	11991	-40.43	-13	Pass	9001
12000	20000	1	RMS	20000	-28.5	-13	Pass	8001



19.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54	-13	Pass	2986
30	1000	0.1	RMS	942.3	-62.29	-13	Pass	9701
1000	1700	1	RMS	1695	-51.4	-13	Pass	701
1700	1790	1	RMS	1743.65	23.07	60	Pass	401
1790	3000	1	RMS	2657	-46.97	-13	Pass	1211
3000	12000	1	RMS	11988	-40.42	-13	Pass	9001
12000	20000	1	RMS	20000	-28.56	-13	Pass	8001



19.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.28	-13	Pass	9701
1000	1700	1	RMS	1698	-51.4	-13	Pass	701
1700	1790	1	RMS	1777.175	23.86	60	Pass	401
1790	3000	1	RMS	2651	-46.9	-13	Pass	1211
3000	12000	1	RMS	11992	-40.42	-13	Pass	9001
12000	20000	1	RMS	19997	-28.55	-13	Pass	8001



19.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.57	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.33	-13	Pass	9701
1000	1700	1	RMS	1584	-51.42	-13	Pass	701
1700	1790	1	RMS	1777.175	23.15	60	Pass	401
1790	3000	1	RMS	2649	-46.96	-13	Pass	1211
3000	12000	1	RMS	11987	-40.47	-13	Pass	9001
12000	20000	1	RMS	19998	-28.61	-13	Pass	8001



19.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	1000	0.1	RMS	934.9	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1790	1	RMS	1710.35	24.26	60	Pass	401
1790	3000	1	RMS	2649	-46.99	-13	Pass	1211
3000	12000	1	RMS	11964	-40.44	-13	Pass	9001
12000	20000	1	RMS	19998	-28.55	-13	Pass	8001



19.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.29	-13	Pass	9701
1000	1700	1	RMS	1700	-50.97	-13	Pass	701
1700	1790	1	RMS	1710.35	23.26	60	Pass	401
1790	3000	1	RMS	2659	-46.98	-13	Pass	1211
3000	12000	1	RMS	11960	-40.46	-13	Pass	9001
12000	20000	1	RMS	20000	-28.56	-13	Pass	8001



19.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	1000	0.1	RMS	924	-62.26	-13	Pass	9701
1000	1700	1	RMS	1690	-51.35	-13	Pass	701
1700	1790	1	RMS	1742.75	24.08	60	Pass	401
1790	3000	1	RMS	2655	-46.98	-13	Pass	1211
3000	12000	1	RMS	11985	-40.4	-13	Pass	9001
12000	20000	1	RMS	20000	-28.53	-13	Pass	8001



19.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	929.8	-62.11	-13	Pass	9701
1000	1700	1	RMS	1611	-51.39	-13	Pass	701
1700	1790	1	RMS	1742.75	23.2	60	Pass	401
1790	3000	1	RMS	2652	-46.94	-13	Pass	1211
3000	12000	1	RMS	11968	-40.35	-13	Pass	9001
12000	20000	1	RMS	19998	-28.62	-13	Pass	8001



19.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	1000	0.1	RMS	913.6	-62.2	-13	Pass	9701
1000	1700	1	RMS	1699	-51.35	-13	Pass	701
1700	1790	1	RMS	1775.375	24.1	60	Pass	401
1790	3000	1	RMS	2650	-46.98	-13	Pass	1211
3000	12000	1	RMS	11994	-40.42	-13	Pass	9001
12000	20000	1	RMS	19996	-28.58	-13	Pass	8001



19.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-13	Pass	2986
30	1000	0.1	RMS	909.3	-62.22	-13	Pass	9701
1000	1700	1	RMS	1694	-51.4	-13	Pass	701
1700	1790	1	RMS	1775.375	23.29	60	Pass	401
1790	3000	1	RMS	2656	-46.93	-13	Pass	1211
3000	12000	1	RMS	11972	-40.4	-13	Pass	9001
12000	20000	1	RMS	19999	-28.51	-13	Pass	8001



19.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	1000	0.1	RMS	924.3	-62.27	-13	Pass	9701
1000	1700	1	RMS	1700	-49.68	-13	Pass	701
1700	1790	1	RMS	1710.575	24.22	60	Pass	401
1790	3000	1	RMS	2658	-46.98	-13	Pass	1211
3000	12000	1	RMS	11988	-40.45	-13	Pass	9001
12000	20000	1	RMS	19995	-28.56	-13	Pass	8001



19.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.8	-13	Pass	2986
30	1000	0.1	RMS	913.9	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-49.78	-13	Pass	701
1700	1790	1	RMS	1710.575	23.32	60	Pass	401
1790	3000	1	RMS	2658	-46.98	-13	Pass	1211
3000	12000	1	RMS	11959	-40.42	-13	Pass	9001
12000	20000	1	RMS	19999	-28.56	-13	Pass	8001



19.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-13	Pass	2986
30	1000	0.1	RMS	900.8	-62.23	-13	Pass	9701
1000	1700	1	RMS	1699	-51.35	-13	Pass	701
1700	1790	1	RMS	1740.5	24.06	60	Pass	401
1790	3000	1	RMS	2657	-46.95	-13	Pass	1211
3000	12000	1	RMS	11993	-40.41	-13	Pass	9001
12000	20000	1	RMS	20000	-28.58	-13	Pass	8001



19.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.22	-13	Pass	2986
30	1000	0.1	RMS	917.2	-62.32	-13	Pass	9701
1000	1700	1	RMS	1696	-51.38	-13	Pass	701
1700	1790	1	RMS	1740.5	23.08	60	Pass	401
1790	3000	1	RMS	2653	-46.94	-13	Pass	1211
3000	12000	1	RMS	11950	-40.4	-13	Pass	9001
12000	20000	1	RMS	19999	-28.58	-13	Pass	8001



19.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.7	-13	Pass	2986
30	1000	0.1	RMS	918.7	-62.19	-13	Pass	9701
1000	1700	1	RMS	1689	-51.33	-13	Pass	701
1700	1790	1	RMS	1770.65	24.01	60	Pass	401
1790	3000	1	RMS	2652	-46.89	-13	Pass	1211
3000	12000	1	RMS	11955	-40.37	-13	Pass	9001
12000	20000	1	RMS	19997	-28.57	-13	Pass	8001



19.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	921.1	-62.31	-13	Pass	9701
1000	1700	1	RMS	1606	-51.39	-13	Pass	701
1700	1790	1	RMS	1770.65	23.2	60	Pass	401
1790	3000	1	RMS	2654	-46.97	-13	Pass	1211
3000	12000	1	RMS	11995	-40.43	-13	Pass	9001
12000	20000	1	RMS	20000	-28.56	-13	Pass	8001



19.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	1000	0.1	RMS	907.5	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-48.38	-13	Pass	701
1700	1790	1	RMS	1710.8	24.16	60	Pass	401
1790	3000	1	RMS	2650	-46.94	-13	Pass	1211
3000	12000	1	RMS	11994	-40.46	-13	Pass	9001
12000	20000	1	RMS	20000	-28.57	-13	Pass	8001



19.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.68	-13	Pass	2986
30	1000	0.1	RMS	908.4	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-48.47	-13	Pass	701
1700	1790	1	RMS	1710.8	23.29	60	Pass	401
1790	3000	1	RMS	2655	-46.96	-13	Pass	1211
3000	12000	1	RMS	11974	-40.45	-13	Pass	9001
12000	20000	1	RMS	19991	-28.58	-13	Pass	8001



19.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.65	-13	Pass	2986
30	1000	0.1	RMS	908.5	-62.34	-13	Pass	9701
1000	1700	1	RMS	1586	-51.46	-13	Pass	701
1700	1790	1	RMS	1738.25	23.94	60	Pass	401
1790	3000	1	RMS	2655	-47.02	-13	Pass	1211
3000	12000	1	RMS	11985	-40.51	-13	Pass	9001
12000	20000	1	RMS	19998	-28.79	-13	Pass	8001



19.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	1000	0.1	RMS	926.4	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-51.44	-13	Pass	701
1700	1790	1	RMS	1738.25	23.07	60	Pass	401
1790	3000	1	RMS	2643	-47.05	-13	Pass	1211
3000	12000	1	RMS	11990	-40.61	-13	Pass	9001
12000	20000	1	RMS	19998	-28.77	-13	Pass	8001



19.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2986
30	1000	0.1	RMS	909.4	-62.29	-13	Pass	9701
1000	1700	1	RMS	1597	-51.45	-13	Pass	701
1700	1790	1	RMS	1765.925	23.88	60	Pass	401
1790	3000	1	RMS	1792	-40.9	-13	Pass	1211
3000	12000	1	RMS	11998	-40.54	-13	Pass	9001
12000	20000	1	RMS	20000	-28.82	-13	Pass	8001



19.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	1000	0.1	RMS	910.1	-62.39	-13	Pass	9701
1000	1700	1	RMS	1610	-51.48	-13	Pass	701
1700	1790	1	RMS	1765.925	22.91	60	Pass	401
1790	3000	1	RMS	1792	-41.07	-13	Pass	1211
3000	12000	1	RMS	11974	-40.6	-13	Pass	9001
12000	20000	1	RMS	19999	-28.79	-13	Pass	8001



19.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2986
30	1000	0.1	RMS	941.5	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-48.83	-13	Pass	701
1700	1790	1	RMS	1711.025	23.94	60	Pass	401
1790	3000	1	RMS	2652	-47.03	-13	Pass	1211
3000	12000	1	RMS	11985	-40.59	-13	Pass	9001
12000	20000	1	RMS	20000	-28.82	-13	Pass	8001



19.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-13	Pass	2986
30	1000	0.1	RMS	887.1	-62.41	-13	Pass	9701
1000	1700	1	RMS	1700	-48.97	-13	Pass	701
1700	1790	1	RMS	1711.025	23.06	60	Pass	401
1790	3000	1	RMS	2650	-47.01	-13	Pass	1211
3000	12000	1	RMS	11985	-40.58	-13	Pass	9001
12000	20000	1	RMS	19998	-28.78	-13	Pass	8001



19.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2986
30	1000	0.1	RMS	918.6	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1790	1	RMS	1736	23.81	60	Pass	401
1790	3000	1	RMS	2651	-46.99	-13	Pass	1211
3000	12000	1	RMS	11957	-40.62	-13	Pass	9001
12000	20000	1	RMS	20000	-28.83	-13	Pass	8001



19.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	1000	0.1	RMS	937.6	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1790	1	RMS	1736	22.94	60	Pass	401
1790	3000	1	RMS	2658	-47.08	-13	Pass	1211
3000	12000	1	RMS	11998	-40.61	-13	Pass	9001
12000	20000	1	RMS	19992	-28.85	-13	Pass	8001



19.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	933.3	-62.18	-13	Pass	9701
1000	1700	1	RMS	1668	-51.43	-13	Pass	701
1700	1790	1	RMS	1761.2	23.8	60	Pass	401
1790	3000	1	RMS	2652	-47.03	-13	Pass	1211
3000	12000	1	RMS	11992	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.75	-13	Pass	8001



19.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	903.6	-62.3	-13	Pass	9701
1000	1700	1	RMS	1698	-51.43	-13	Pass	701
1700	1790	1	RMS	1761.2	22.91	60	Pass	401
1790	3000	1	RMS	2657	-47.01	-13	Pass	1211
3000	12000	1	RMS	11949	-40.63	-13	Pass	9001
12000	20000	1	RMS	19999	-28.75	-13	Pass	8001




20. CA_7C

20.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.65	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.91	-25	Pass	2986
30	1000	0.1	RMS	843.5	-64.09	-25	Pass	9701
1000	2475	1	RMS	2473	-50.03	-25	Pass	1476
2475	2735	1	RMS	2528.3	10.39	60	Pass	401
2735	3000	1	RMS	2950.313	-49.43	-25	Pass	401
3000	12000	1	RMS	11704	-50.39	-25	Pass	9002
12000	26000	1	RMS	25999	-35.58	-25	Pass	14002



20.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.83	-25	Pass	2986
30	1000	0.1	RMS	839	-64.08	-25	Pass	9701
1000	2475	1	RMS	2475	-49.59	-25	Pass	1476
2475	2735	1	RMS	2523.75	8.8	60	Pass	401
2735	3000	1	RMS	2956.938	-49.41	-25	Pass	401
3000	12000	1	RMS	11704	-50.37	-25	Pass	9002
12000	26000	1	RMS	25997	-35.63	-25	Pass	14002



20.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-25	Pass	401
0.15	30	0.01	RMS	0.3	-72.98	-25	Pass	2986
30	1000	0.1	RMS	841.5	-64.09	-25	Pass	9701
1000	2475	1	RMS	2473	-50.04	-25	Pass	1476
2475	2735	1	RMS	2528.3	10.42	60	Pass	401
2735	3000	1	RMS	2951.638	-49.44	-25	Pass	401
3000	12000	1	RMS	11695	-50.33	-25	Pass	9002
12000	26000	1	RMS	25999	-35.62	-25	Pass	14002



20.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-25	Pass	2986
30	1000	0.1	RMS	836.1	-64.11	-25	Pass	9701
1000	2475	1	RMS	2475	-50.35	-25	Pass	1476
2475	2735	1	RMS	2522.45	7.86	60	Pass	401
2735	3000	1	RMS	2956.275	-49.45	-25	Pass	401
3000	12000	1	RMS	11704	-50.31	-25	Pass	9002
12000	26000	1	RMS	25997	-35.65	-25	Pass	14002



20.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.39	-73.07	-25	Pass	2986
30	1000	0.1	RMS	859.007	-64.11	-25	Pass	9701
1000	2475	1	RMS	2469	-51.16	-25	Pass	1476
2475	2735	1	RMS	2548.45	10.4	60	Pass	401
2735	3000	1	RMS	2968.2	-49.41	-25	Pass	401
3000	12000	1	RMS	11702	-50.37	-25	Pass	9002
12000	26000	1	RMS	25996	-35.66	-25	Pass	14002



20.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-25	Pass	401
0.15	30	0.01	RMS	0.34	-73.43	-25	Pass	2986
30	1000	0.1	RMS	820.4	-64.11	-25	Pass	9701
1000	2475	1	RMS	2475	-51.02	-25	Pass	1476
2475	2735	1	RMS	2545.2	8.99	60	Pass	401
2735	3000	1	RMS	2946.338	-49.41	-25	Pass	401
3000	12000	1	RMS	11709	-50.36	-25	Pass	9002
12000	26000	1	RMS	25987	-35.65	-25	Pass	14002



20.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.03	-25	Pass	2986
30	1000	0.1	RMS	849.6	-64.15	-25	Pass	9701
1000	2475	1	RMS	2473	-51.16	-25	Pass	1476
2475	2735	1	RMS	2548.45	10.25	60	Pass	401
2735	3000	1	RMS	2956.938	-49.39	-25	Pass	401
3000	12000	1	RMS	11703	-50.37	-25	Pass	9002
12000	26000	1	RMS	25997	-35.68	-25	Pass	14002



20.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.6	-25	Pass	401
0.15	30	0.01	RMS	0.25	-73.07	-25	Pass	2986
30	1000	0.1	RMS	996.998	-64.1	-25	Pass	9701
1000	2475	1	RMS	2465	-50.88	-25	Pass	1476
2475	2735	1	RMS	2543.25	7.96	60	Pass	401
2735	3000	1	RMS	2956.938	-49.4	-25	Pass	401
3000	12000	1	RMS	11701	-50.26	-25	Pass	9002
12000	26000	1	RMS	25999	-35.58	-25	Pass	14002



20.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.95	-25	Pass	2986
30	1000	0.1	RMS	847.6	-64.01	-25	Pass	9701
1000	2475	1	RMS	2464	-51.11	-25	Pass	1476
2475	2735	1	RMS	2540.65	10.52	60	Pass	401
2735	3000	1	RMS	2950.313	-49.4	-25	Pass	401
3000	12000	1	RMS	11701	-50.31	-25	Pass	9002
12000	26000	1	RMS	25998	-35.62	-25	Pass	14002



20.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.51	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.52	-25	Pass	2986
30	1000	0.1	RMS	832.2	-64.05	-25	Pass	9701
1000	2475	1	RMS	2474	-51.07	-25	Pass	1476
2475	2735	1	RMS	2562.1	8.82	60	Pass	401
2735	3000	1	RMS	2945.013	-49.41	-25	Pass	401
3000	12000	1	RMS	11698	-50.39	-25	Pass	9002
12000	26000	1	RMS	25992	-35.52	-25	Pass	14002



20.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-25	Pass	2986
30	1000	0.1	RMS	839.2	-64.06	-25	Pass	9701
1000	2475	1	RMS	2475	-51.13	-25	Pass	1476
2475	2735	1	RMS	2540.65	10.45	60	Pass	401
2735	3000	1	RMS	2944.35	-49.4	-25	Pass	401
3000	12000	1	RMS	11695	-50.35	-25	Pass	9002
12000	26000	1	RMS	25998	-35.6	-25	Pass	14002



20.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-25	Pass	2986
30	1000	0.1	RMS	842.6	-64.07	-25	Pass	9701
1000	2475	1	RMS	2471	-51.1	-25	Pass	1476
2475	2735	1	RMS	2563.4	7.81	60	Pass	401
2735	3000	1	RMS	2970.85	-49.43	-25	Pass	401
3000	12000	1	RMS	11700	-50.36	-25	Pass	9002
12000	26000	1	RMS	25999	-35.59	-25	Pass	14002



20.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.13	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-25	Pass	2986
30	1000	0.1	RMS	861.108	-64.02	-25	Pass	9701
1000	2475	1	RMS	2464	-51.01	-25	Pass	1476
2475	2735	1	RMS	2538.7	9.67	60	Pass	401
2735	3000	1	RMS	2948.988	-49.41	-25	Pass	401
3000	12000	1	RMS	11694	-50.35	-25	Pass	9002
12000	26000	1	RMS	25991	-35.64	-25	Pass	14002



20.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-25	Pass	2986
30	1000	0.1	RMS	846.3	-64.11	-25	Pass	9701
1000	2475	1	RMS	2475	-48.04	-25	Pass	1476
2475	2735	1	RMS	2527	5.82	60	Pass	401
2735	3000	1	RMS	2947	-49.4	-25	Pass	401
3000	12000	1	RMS	11705	-50.37	-25	Pass	9002
12000	26000	1	RMS	25998	-35.6	-25	Pass	14002



20.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.2	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.87	-25	Pass	2986
30	1000	0.1	RMS	835.2	-64.09	-25	Pass	9701
1000	2475	1	RMS	2464	-50.98	-25	Pass	1476
2475	2735	1	RMS	2501	9.64	60	Pass	401
2735	3000	1	RMS	2955.613	-49.4	-25	Pass	401
3000	12000	1	RMS	11697	-50.35	-25	Pass	9002
12000	26000	1	RMS	25993	-35.49	-25	Pass	14002



20.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.94	-25	Pass	2986
30	1000	0.1	RMS	831.3	-64.05	-25	Pass	9701
1000	2475	1	RMS	2475	-49.48	-25	Pass	1476
2475	2735	1	RMS	2528.3	4.82	60	Pass	401
2735	3000	1	RMS	2944.35	-49.37	-25	Pass	401
3000	12000	1	RMS	11704	-50.35	-25	Pass	9002
12000	26000	1	RMS	25987	-35.56	-25	Pass	14002



20.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.25	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.85	-25	Pass	2986
30	1000	0.1	RMS	838.6	-64.09	-25	Pass	9701
1000	2475	1	RMS	2469	-51.11	-25	Pass	1476
2475	2735	1	RMS	2515.95	10.4	60	Pass	401
2735	3000	1	RMS	2948.988	-49.39	-25	Pass	401
3000	12000	1	RMS	11710	-50.34	-25	Pass	9002
12000	26000	1	RMS	25999	-35.66	-25	Pass	14002



20.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.82	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.94	-25	Pass	2986
30	1000	0.1	RMS	843.9	-64.03	-25	Pass	9701
1000	2475	1	RMS	2475	-49.6	-25	Pass	1476
2475	2735	1	RMS	2542.6	6.03	60	Pass	401
2735	3000	1	RMS	2952.963	-49.39	-25	Pass	401
3000	12000	1	RMS	11700	-50.33	-25	Pass	9002
12000	26000	1	RMS	25998	-35.58	-25	Pass	14002



20.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.05	-25	Pass	2986
30	1000	0.1	RMS	854.704	-64.09	-25	Pass	9701
1000	2475	1	RMS	2469	-51.12	-25	Pass	1476
2475	2735	1	RMS	2515.95	10.52	60	Pass	401
2735	3000	1	RMS	2963.563	-49.39	-25	Pass	401
3000	12000	1	RMS	12000	-50.35	-25	Pass	9002
12000	26000	1	RMS	25996	-35.56	-25	Pass	14002



20.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.57	-25	Pass	2986
30	1000	0.1	RMS	841.2	-63.94	-25	Pass	9701
1000	2475	1	RMS	2475	-50.39	-25	Pass	1476
2475	2735	1	RMS	2527.65	5.02	60	Pass	401
2735	3000	1	RMS	2947	-49.42	-25	Pass	401
3000	12000	1	RMS	11705	-50.28	-25	Pass	9002
12000	26000	1	RMS	25993	-35.67	-25	Pass	14002



20.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.96	-25	Pass	2986
30	1000	0.1	RMS	841	-64.07	-25	Pass	9701
1000	2475	1	RMS	2473	-51.06	-25	Pass	1476
2475	2735	1	RMS	2530.9	10.71	60	Pass	401
2735	3000	1	RMS	2956.275	-49.4	-25	Pass	401
3000	12000	1	RMS	11711	-50.32	-25	Pass	9002
12000	26000	1	RMS	25999	-35.61	-25	Pass	14002



20.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.54	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.99	-25	Pass	2986
30	1000	0.1	RMS	841	-64.11	-25	Pass	9701
1000	2475	1	RMS	2475	-50.41	-25	Pass	1476
2475	2735	1	RMS	2542.6	6.19	60	Pass	401
2735	3000	1	RMS	2952.3	-49.37	-25	Pass	401
3000	12000	1	RMS	11699	-50.31	-25	Pass	9002
12000	26000	1	RMS	25999	-35.51	-25	Pass	14002



20.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.74	-25	Pass	2986
30	1000	0.1	RMS	839.6	-64.08	-25	Pass	9701
1000	2475	1	RMS	2465	-51.14	-25	Pass	1476
2475	2735	1	RMS	2530.9	10.59	60	Pass	401
2735	3000	1	RMS	2951.638	-49.39	-25	Pass	401
3000	12000	1	RMS	11699	-50.33	-25	Pass	9002
12000	26000	1	RMS	25995	-35.61	-25	Pass	14002



20.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-25	Pass	2986
30	1000	0.1	RMS	856.505	-63.85	-25	Pass	9701
1000	2475	1	RMS	2475	-50.86	-25	Pass	1476
2475	2735	1	RMS	2541.95	5.22	60	Pass	401
2735	3000	1	RMS	2944.35	-49.38	-25	Pass	401
3000	12000	1	RMS	11704	-50.28	-25	Pass	9002
12000	26000	1	RMS	25998	-35.56	-25	Pass	14002




21. CA_38C

21.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.47	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.53	-25	Pass	2986
30	1000	0.1	RMS	836.2	-60.03	-25	Pass	9701
1000	2525	1	RMS	2514	-45.45	-25	Pass	1526
2525	2665	1	RMS	2570.5	11.52	60	Pass	401
2665	3000	1	RMS	2953.1	-45.38	-25	Pass	401
3000	12000	1	RMS	11694	-50.25	-25	Pass	9002
12000	26500	1	RMS	25994	-35.45	-25	Pass	14502



21.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.62	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.12	-25	Pass	2986
30	1000	0.1	RMS	855.704	-59.98	-25	Pass	9701
1000	2525	1	RMS	2525	-44.57	-25	Pass	1526
2525	2665	1	RMS	2577.5	7.57	60	Pass	401
2665	3000	1	RMS	2963.15	-45.38	-25	Pass	401
3000	12000	1	RMS	11697	-50.3	-25	Pass	9002
12000	26500	1	RMS	25998	-35.42	-25	Pass	14502



21.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.04	-25	Pass	2986
30	1000	0.1	RMS	842.6	-60.07	-25	Pass	9701
1000	2525	1	RMS	2514	-45.9	-25	Pass	1526
2525	2665	1	RMS	2570.85	11.41	60	Pass	401
2665	3000	1	RMS	2959.8	-45.39	-25	Pass	401
3000	12000	1	RMS	11704	-50.28	-25	Pass	9002
12000	26500	1	RMS	25992	-35.48	-25	Pass	14502



21.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.44	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.82	-25	Pass	2986
30	1000	0.1	RMS	864.41	-60	-25	Pass	9701
1000	2525	1	RMS	2524	-45.36	-25	Pass	1526
2525	2665	1	RMS	2576.45	6.83	60	Pass	401
2665	3000	1	RMS	2952.263	-45.41	-25	Pass	401
3000	12000	1	RMS	11704	-50.28	-25	Pass	9002
12000	26500	1	RMS	26014	-35.42	-25	Pass	14502



21.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.37	-25	Pass	2986
30	1000	0.1	RMS	853.603	-60.06	-25	Pass	9701
1000	2525	1	RMS	2525	-45.71	-25	Pass	1526
2525	2665	1	RMS	2580.65	11.43	60	Pass	401
2665	3000	1	RMS	2944.725	-45.38	-25	Pass	401
3000	12000	1	RMS	11718	-50.27	-25	Pass	9002
12000	26500	1	RMS	25997	-35.42	-25	Pass	14502



21.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.33	-25	Pass	2986
30	1000	0.1	RMS	840.6	-60	-25	Pass	9701
1000	2525	1	RMS	2525	-46.22	-25	Pass	1526
2525	2665	1	RMS	2586.6	7.86	60	Pass	401
2665	3000	1	RMS	2951.425	-45.39	-25	Pass	401
3000	12000	1	RMS	11699	-50.24	-25	Pass	9002
12000	26500	1	RMS	25997	-35.5	-25	Pass	14502



21.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.24	-25	Pass	2986
30	1000	0.1	RMS	844	-59.9	-25	Pass	9701
1000	2525	1	RMS	2525	-45.67	-25	Pass	1526
2525	2665	1	RMS	2580.65	12.12	60	Pass	401
2665	3000	1	RMS	2945.563	-45.4	-25	Pass	401
3000	12000	1	RMS	12000	-50.27	-25	Pass	9002
12000	26500	1	RMS	26023	-35.39	-25	Pass	14502



21.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.58	-25	Pass	2986
30	1000	0.1	RMS	840.9	-59.99	-25	Pass	9701
1000	2525	1	RMS	2525	-46.46	-25	Pass	1526
2525	2665	1	RMS	2584.85	7.3	60	Pass	401
2665	3000	1	RMS	2963.988	-45.38	-25	Pass	401
3000	12000	1	RMS	11702	-50.32	-25	Pass	9002
12000	26500	1	RMS	26001	-35.45	-25	Pass	14502



21.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.96	-25	Pass	2986
30	1000	0.1	RMS	857.305	-59.99	-25	Pass	9701
1000	2525	1	RMS	2506	-46.31	-25	Pass	1526
2525	2665	1	RMS	2590.45	11.33	60	Pass	401
2665	3000	1	RMS	2675.05	-45.22	-25	Pass	401
3000	12000	1	RMS	11705	-50.28	-25	Pass	9002
12000	26500	1	RMS	26000	-35.42	-25	Pass	14502



21.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.8	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.52	-25	Pass	2986
30	1000	0.1	RMS	844.3	-60.06	-25	Pass	9701
1000	2525	1	RMS	2524	-46.46	-25	Pass	1526
2525	2665	1	RMS	2598.15	7.97	60	Pass	401
2665	3000	1	RMS	2665	-43.46	-25	Pass	401
3000	12000	1	RMS	11709	-50.21	-25	Pass	9002
12000	26500	1	RMS	26016	-35.46	-25	Pass	14502



21.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.03	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.56	-25	Pass	2986
30	1000	0.1	RMS	839.6	-60.08	-25	Pass	9701
1000	2525	1	RMS	2506	-46.5	-25	Pass	1526
2525	2665	1	RMS	2590.8	11.94	60	Pass	401
2665	3000	1	RMS	2675.05	-44.6	-25	Pass	401
3000	12000	1	RMS	11693	-50.32	-25	Pass	9002
12000	26500	1	RMS	26008	-35.48	-25	Pass	14502



21.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.2	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.93	-25	Pass	2986
30	1000	0.1	RMS	868.113	-59.84	-25	Pass	9701
1000	2525	1	RMS	2524	-46.6	-25	Pass	1526
2525	2665	1	RMS	2596.05	6.76	60	Pass	401
2665	3000	1	RMS	2665	-44.85	-25	Pass	401
3000	12000	1	RMS	11708	-50.29	-25	Pass	9002
12000	26500	1	RMS	26019	-35.42	-25	Pass	14502



21.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.82	-25	Pass	2986
30	1000	0.1	RMS	835.2	-60.17	-25	Pass	9701
1000	2525	1	RMS	2496	-45.48	-25	Pass	1526
2525	2665	1	RMS	2570.85	11.18	60	Pass	401
2665	3000	1	RMS	2683.425	-45.37	-25	Pass	401
3000	12000	1	RMS	11697	-50.29	-25	Pass	9002
12000	26500	1	RMS	26014	-35.43	-25	Pass	14502



21.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.06	-25	Pass	2986
30	1000	0.1	RMS	847	-60.05	-25	Pass	9701
1000	2525	1	RMS	2524	-40.36	-25	Pass	1526
2525	2665	1	RMS	2578.9	6.31	60	Pass	401
2665	3000	1	RMS	2665	-42.56	-25	Pass	401
3000	12000	1	RMS	11706	-50.28	-25	Pass	9002
12000	26500	1	RMS	26011	-35.49	-25	Pass	14502



21.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-25	Pass	2986
30	1000	0.1	RMS	971.081	-60.04	-25	Pass	9701
1000	2525	1	RMS	2495	-46.35	-25	Pass	1526
2525	2665	1	RMS	2570.85	10.97	60	Pass	401
2665	3000	1	RMS	2683.425	-45.35	-25	Pass	401
3000	12000	1	RMS	11707	-50.25	-25	Pass	9002
12000	26500	1	RMS	26007	-35.46	-25	Pass	14502



21.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.72	-25	Pass	2986
30	1000	0.1	RMS	831.7	-60.07	-25	Pass	9701
1000	2525	1	RMS	2524	-42.67	-25	Pass	1526
2525	2665	1	RMS	2579.25	5.92	60	Pass	401
2665	3000	1	RMS	2665.838	-44.49	-25	Pass	401
3000	12000	1	RMS	11697	-50.32	-25	Pass	9002
12000	26500	1	RMS	26001	-35.49	-25	Pass	14502



21.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.74	-25	Pass	2986
30	1000	0.1	RMS	850.901	-60.02	-25	Pass	9701
1000	2525	1	RMS	2500	-46.38	-25	Pass	1526
2525	2665	1	RMS	2576.1	11.06	60	Pass	401
2665	3000	1	RMS	2957.288	-45.41	-25	Pass	401
3000	12000	1	RMS	11701	-50.29	-25	Pass	9002
12000	26500	1	RMS	26008	-35.46	-25	Pass	14502



21.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.42	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.77	-25	Pass	2986
30	1000	0.1	RMS	996.298	-60.02	-25	Pass	9701
1000	2525	1	RMS	2525	-42.03	-25	Pass	1526
2525	2665	1	RMS	2581.35	6.83	60	Pass	401
2665	3000	1	RMS	2665	-40.59	-25	Pass	401
3000	12000	1	RMS	11702	-50.29	-25	Pass	9002
12000	26500	1	RMS	25994	-35.46	-25	Pass	14502



21.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.76	-25	Pass	2986
30	1000	0.1	RMS	838.7	-60.18	-25	Pass	9701
1000	2525	1	RMS	2501	-45.22	-25	Pass	1526
2525	2665	1	RMS	2576.1	10.84	60	Pass	401
2665	3000	1	RMS	2954.775	-45.39	-25	Pass	401
3000	12000	1	RMS	11703	-50.26	-25	Pass	9002
12000	26500	1	RMS	26000	-35.48	-25	Pass	14502



21.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.38	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.98	-25	Pass	2986
30	1000	0.1	RMS	829.7	-60.06	-25	Pass	9701
1000	2525	1	RMS	2523	-43.53	-25	Pass	1526
2525	2665	1	RMS	2584.5	6.08	60	Pass	401
2665	3000	1	RMS	2665.838	-42.55	-25	Pass	401
3000	12000	1	RMS	12000	-50.26	-25	Pass	9002
12000	26500	1	RMS	25996	-35.5	-25	Pass	14502



21.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.08	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.02	-25	Pass	2986
30	1000	0.1	RMS	836.9	-59.96	-25	Pass	9701
1000	2525	1	RMS	2506	-45.23	-25	Pass	1526
2525	2665	1	RMS	2581	11.39	60	Pass	401
2665	3000	1	RMS	2945.563	-45.39	-25	Pass	401
3000	12000	1	RMS	11699	-50.3	-25	Pass	9002
12000	26500	1	RMS	26004	-35.48	-25	Pass	14502



21.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.84	-25	Pass	2986
30	1000	0.1	RMS	849.5	-60.05	-25	Pass	9701
1000	2525	1	RMS	2524	-43.3	-25	Pass	1526
2525	2665	1	RMS	2591.5	6.41	60	Pass	401
2665	3000	1	RMS	2665	-38.85	-25	Pass	401
3000	12000	1	RMS	11702	-50.32	-25	Pass	9002
12000	26500	1	RMS	26000	-35.52	-25	Pass	14502



21.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.38	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.2	-25	Pass	2986
30	1000	0.1	RMS	851.201	-60.02	-25	Pass	9701
1000	2525	1	RMS	2506	-45.42	-25	Pass	1526
2525	2665	1	RMS	2581.35	10.94	60	Pass	401
2665	3000	1	RMS	2956.45	-45.38	-25	Pass	401
3000	12000	1	RMS	11703	-50.28	-25	Pass	9002
12000	26500	1	RMS	25999	-35.46	-25	Pass	14502



21.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.81	-25	Pass	2986
30	1000	0.1	RMS	838.7	-60.17	-25	Pass	9701
1000	2525	1	RMS	2524	-44.72	-25	Pass	1526
2525	2665	1	RMS	2588.7	5.93	60	Pass	401
2665	3000	1	RMS	2665	-40.39	-25	Pass	401
3000	12000	1	RMS	11699	-50.26	-25	Pass	9002
12000	26500	1	RMS	26022	-35.49	-25	Pass	14502



22. n5


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.9	-13	Pass	2986
30	814	0.1	RMS	814	-59.34	-13	Pass	7841
814	859	0.1	RMS	827.4	5.32	60	Pass	451
859	1000	0.1	RMS	897.7	-62.47	-13	Pass	1411
1000	3000	1	RMS	2963	-47.95	-13	Pass	2001
3000	10000	1	RMS	7049	-56.24	-13	Pass	7001




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.48	-13	Pass	7841
814	859	0.1	RMS	824.3	18.45	60	Pass	451
859	1000	0.1	RMS	968.5	-60.99	-13	Pass	1411
1000	3000	1	RMS	2963	-47.9	-13	Pass	2001
3000	10000	1	RMS	9997	-59.19	-13	Pass	7001




22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.59	-13	Pass	401
0.15	30	0.01	RMS	24.2	-69.7	-13	Pass	2986
30	814	0.1	RMS	811.4	-60.37	-13	Pass	7841
814	859	0.1	RMS	828.7	18.03	60	Pass	451
859	1000	0.1	RMS	890.5	-62.33	-13	Pass	1411
1000	3000	1	RMS	2959	-47.76	-13	Pass	2001
3000	10000	1	RMS	10000	-59.29	-13	Pass	7001




22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.35	-70.87	-13	Pass	2986
30	814	0.1	RMS	490.5	-63.01	-13	Pass	7841
814	859	0.1	RMS	834.6	5.69	60	Pass	451
859	1000	0.1	RMS	909.8	-62.39	-13	Pass	1411
1000	3000	1	RMS	2959	-48	-13	Pass	2001
3000	10000	1	RMS	9982	-59.3	-13	Pass	7001




22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2986
30	814	0.1	RMS	721.3	-63.05	-13	Pass	7841
814	859	0.1	RMS	834.3	18.44	60	Pass	451
859	1000	0.1	RMS	978.2	-62.57	-13	Pass	1411
1000	3000	1	RMS	2962	-47.93	-13	Pass	2001
3000	10000	1	RMS	7102	-59.33	-13	Pass	7001




22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.3	-13	Pass	2986
30	814	0.1	RMS	745.3	-63.05	-13	Pass	7841
814	859	0.1	RMS	838.6	17.95	60	Pass	451
859	1000	0.1	RMS	906.2	-62.55	-13	Pass	1411
1000	3000	1	RMS	2962	-47.98	-13	Pass	2001
3000	10000	1	RMS	7103	-59.37	-13	Pass	7001




22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.8	-13	Pass	2986
30	814	0.1	RMS	811.6	-63.14	-13	Pass	7841
814	859	0.1	RMS	844.5	5.82	60	Pass	451
859	1000	0.1	RMS	903.9	-62.39	-13	Pass	1411
1000	3000	1	RMS	2960	-47.99	-13	Pass	2001
3000	10000	1	RMS	7038	-57.52	-13	Pass	7001




22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.8	-13	Pass	2986
30	814	0.1	RMS	748.5	-63.15	-13	Pass	7841
814	859	0.1	RMS	844.3	18.5	60	Pass	451
859	1000	0.1	RMS	896.8	-62.54	-13	Pass	1411
1000	3000	1	RMS	2967	-48	-13	Pass	2001
3000	10000	1	RMS	9992	-59.4	-13	Pass	7001




22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.03	-13	Pass	2986
30	814	0.1	RMS	813.3	-63.09	-13	Pass	7841
814	859	0.1	RMS	848.6	18.09	60	Pass	451
859	1000	0.1	RMS	889.8	-62.46	-13	Pass	1411
1000	3000	1	RMS	2965	-47.89	-13	Pass	2001
3000	10000	1	RMS	10000	-59.33	-13	Pass	7001




22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.42	-13	Pass	2986
30	814	0.1	RMS	813.9	-42.01	-13	Pass	7841
814	859	0.1	RMS	834	0.83	60	Pass	451
859	1000	0.1	RMS	898.6	-62.3	-13	Pass	1411
1000	3000	1	RMS	2960	-47.97	-13	Pass	2001
3000	10000	1	RMS	9991	-59.34	-13	Pass	7001




22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71	-13	Pass	2986
30	814	0.1	RMS	813.8	-54.37	-13	Pass	7841
814	859	0.1	RMS	824.5	18.39	60	Pass	451
859	1000	0.1	RMS	915.1	-62.66	-13	Pass	1411
1000	3000	1	RMS	2963	-47.88	-13	Pass	2001
3000	10000	1	RMS	10000	-59.36	-13	Pass	7001




22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.37	-13	Pass	2986
30	814	0.1	RMS	810.6	-53.21	-13	Pass	7841
814	859	0.1	RMS	838.5	18.61	60	Pass	451
859	1000	0.1	RMS	903.1	-62.43	-13	Pass	1411
1000	3000	1	RMS	2968	-47.92	-13	Pass	2001
3000	10000	1	RMS	7097	-59.32	-13	Pass	7001




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-13	Pass	2986
30	814	0.1	RMS	813.8	-46.54	-13	Pass	7841
814	859	0.1	RMS	833.5	0.67	60	Pass	451
859	1000	0.1	RMS	906	-62.51	-13	Pass	1411
1000	3000	1	RMS	2981	-47.91	-13	Pass	2001
3000	10000	1	RMS	7041	-56.58	-13	Pass	7001




22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.49	-13	Pass	2986
30	814	0.1	RMS	814	-58.62	-13	Pass	7841
814	859	0.1	RMS	829.5	18.33	60	Pass	451
859	1000	0.1	RMS	982.5	-62.53	-13	Pass	1411
1000	3000	1	RMS	2961	-47.96	-13	Pass	2001
3000	10000	1	RMS	7100	-59.36	-13	Pass	7001




22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.6	-13	Pass	2986
30	814	0.1	RMS	814	-58.16	-13	Pass	7841
814	859	0.1	RMS	843.5	18.66	60	Pass	451
859	1000	0.1	RMS	988.6	-62.44	-13	Pass	1411
1000	3000	1	RMS	2966	-47.99	-13	Pass	2001
3000	10000	1	RMS	9997	-59.29	-13	Pass	7001




22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.82	-13	Pass	2986
30	814	0.1	RMS	813.8	-51.88	-13	Pass	7841
814	859	0.1	RMS	835.4	1.02	60	Pass	451
859	1000	0.1	RMS	859.3	-61.74	-13	Pass	1411
1000	3000	1	RMS	2978	-47.99	-13	Pass	2001
3000	10000	1	RMS	9994	-59.23	-13	Pass	7001




22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	814	0.1	RMS	814	-61.71	-13	Pass	7841
814	859	0.1	RMS	834.5	18.35	60	Pass	451
859	1000	0.1	RMS	905.5	-62.53	-13	Pass	1411
1000	3000	1	RMS	2955	-47.86	-13	Pass	2001
3000	10000	1	RMS	9993	-59.13	-13	Pass	7001




22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2986
30	814	0.1	RMS	814	-61.5	-13	Pass	7841
814	859	0.1	RMS	848.5	18.69	60	Pass	451
859	1000	0.1	RMS	963.9	-62.64	-13	Pass	1411
1000	3000	1	RMS	2966	-47.9	-13	Pass	2001
3000	10000	1	RMS	9998	-59.33	-13	Pass	7001




22.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2986
30	814	0.1	RMS	813.5	-39.74	-13	Pass	7841
814	859	0.1	RMS	833.6	-0.66	60	Pass	451
859	1000	0.1	RMS	990.1	-62.59	-13	Pass	1411
1000	3000	1	RMS	2962	-47.97	-13	Pass	2001
3000	10000	1	RMS	7032	-56.91	-13	Pass	7001




22.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.71	-13	Pass	2986
30	814	0.1	RMS	813.9	-54.71	-13	Pass	7841
814	859	0.1	RMS	824.5	18.11	60	Pass	451
859	1000	0.1	RMS	907.8	-62.46	-13	Pass	1411
1000	3000	1	RMS	2960	-47.93	-13	Pass	2001
3000	10000	1	RMS	9993	-59.33	-13	Pass	7001




22.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	Pass	2986
30	814	0.1	RMS	812.7	-54.44	-13	Pass	7841
814	859	0.1	RMS	843.4	18.15	60	Pass	451
859	1000	0.1	RMS	914.9	-62.57	-13	Pass	1411
1000	3000	1	RMS	2963	-47.95	-13	Pass	2001
3000	10000	1	RMS	7100	-59.33	-13	Pass	7001




22.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.3	-13	Pass	2986
30	814	0.1	RMS	814	-41.03	-13	Pass	7841
814	859	0.1	RMS	833	-0.51	60	Pass	451
859	1000	0.1	RMS	919.4	-62.36	-13	Pass	1411
1000	3000	1	RMS	2958	-47.81	-13	Pass	2001
3000	10000	1	RMS	10000	-59.31	-13	Pass	7001




22.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-13	Pass	401
0.15	30	0.01	RMS	11.9	-70.3	-13	Pass	2986
30	814	0.1	RMS	814	-56.11	-13	Pass	7841
814	859	0.1	RMS	827	18.1	60	Pass	451
859	1000	0.1	RMS	887.7	-62.53	-13	Pass	1411
1000	3000	1	RMS	2965	-47.91	-13	Pass	2001
3000	10000	1	RMS	10000	-59.2	-13	Pass	7001




22.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.89	-13	Pass	2986
30	814	0.1	RMS	814	-56.69	-13	Pass	7841
814	859	0.1	RMS	845.9	18.13	60	Pass	451
859	1000	0.1	RMS	953.4	-62.56	-13	Pass	1411
1000	3000	1	RMS	2961	-47.93	-13	Pass	2001
3000	10000	1	RMS	9986	-59.21	-13	Pass	7001




22.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.98	-13	Pass	401
0.15	30	0.01	RMS	29.97	-70.12	-13	Pass	2986
30	814	0.1	RMS	814	-41.88	-13	Pass	7841
814	859	0.1	RMS	832.6	-0.36	60	Pass	451
859	1000	0.1	RMS	879.5	-62.53	-13	Pass	1411
1000	3000	1	RMS	2960	-47.84	-13	Pass	2001
3000	10000	1	RMS	7044	-56.92	-13	Pass	7001




22.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2986
30	814	0.1	RMS	810.6	-57.27	-13	Pass	7841
814	859	0.1	RMS	829.5	18.04	60	Pass	451
859	1000	0.1	RMS	994	-62.6	-13	Pass	1411
1000	3000	1	RMS	2962	-47.81	-13	Pass	2001
3000	10000	1	RMS	9997	-59.18	-13	Pass	7001



22.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.25	-13	Pass	401
0.15	30	0.01	RMS	17.78	-70.09	-13	Pass	2986
30	814	0.1	RMS	810.7	-52.99	-13	Pass	7841
814	859	0.1	RMS	848.4	18.23	60	Pass	451
859	1000	0.1	RMS	898.1	-62.44	-13	Pass	1411
1000	3000	1	RMS	2970	-47.86	-13	Pass	2001
3000	10000	1	RMS	10000	-59.19	-13	Pass	7001



23. n7


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.31	-71.87	-13	Pass	2986
30	1000	0.1	RMS	908.439	-62.68	-13	Pass	9701
1000	2490	1	RMS	2490	-46.94	-13	Pass	1491
2490	2580	1	RMS	2502.15	14.85	60	Pass	401
2580	3000	1	RMS	2973	-47.94	-13	Pass	421
3000	6500	1	RMS	3289	-62.04	-13	Pass	3501
6500	26000	1	RMS	20137	-49.44	-13	Pass	19503




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.2	-13	Pass	2986
30	1000	0.1	RMS	902.936	-62.63	-13	Pass	9701
1000	2490	1	RMS	2490	-48.81	-13	Pass	1491
2490	2580	1	RMS	2500.125	21	60	Pass	401
2580	3000	1	RMS	2954	-47.94	-13	Pass	421
3000	6500	1	RMS	3391	-64.2	-13	Pass	3501
6500	26000	1	RMS	25098	-50.7	-13	Pass	19503




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2986
30	1000	0.1	RMS	895.331	-62.44	-13	Pass	9701
1000	2490	1	RMS	2487	-49.02	-13	Pass	1491
2490	2580	1	RMS	2504.625	20.96	60	Pass	401
2580	3000	1	RMS	2959	-47.97	-13	Pass	421
3000	6500	1	RMS	3397	-64.2	-13	Pass	3501
6500	26000	1	RMS	25098	-50.6	-13	Pass	19503




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2986
30	1000	0.1	RMS	893.129	-62.72	-13	Pass	9701
1000	2490	1	RMS	2489	-49.16	-13	Pass	1491
2490	2580	1	RMS	2533.875	14.89	60	Pass	401
2580	3000	1	RMS	2957	-47.9	-13	Pass	421
3000	6500	1	RMS	3399	-64.24	-13	Pass	3501
6500	26000	1	RMS	24100	-50.66	-13	Pass	19503




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.34	-71.54	-13	Pass	2986
30	1000	0.1	RMS	908.639	-62.61	-13	Pass	9701
1000	2490	1	RMS	2490	-49.14	-13	Pass	1491
2490	2580	1	RMS	2532.75	20.66	60	Pass	401
2580	3000	1	RMS	2964	-47.92	-13	Pass	421
3000	6500	1	RMS	3394	-64.31	-13	Pass	3501
6500	26000	1	RMS	24112	-50.71	-13	Pass	19503




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.29	-13	Pass	2986
30	1000	0.1	RMS	897.432	-62.54	-13	Pass	9701
1000	2490	1	RMS	2489	-49.22	-13	Pass	1491
2490	2580	1	RMS	2537.025	20.68	60	Pass	401
2580	3000	1	RMS	2964	-48.06	-13	Pass	421
3000	6500	1	RMS	3300	-61.67	-13	Pass	3501
6500	26000	1	RMS	20166	-49.48	-13	Pass	19503




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.57	-13	Pass	2986
30	1000	0.1	RMS	895.631	-62.61	-13	Pass	9701
1000	2490	1	RMS	2489	-49.29	-13	Pass	1491
2490	2580	1	RMS	2566.275	14.98	60	Pass	401
2580	3000	1	RMS	2580	-47.78	-13	Pass	421
3000	6500	1	RMS	6215	-64.48	-13	Pass	3501
6500	26000	1	RMS	24109	-50.59	-13	Pass	19503




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2986
30	1000	0.1	RMS	900.434	-62.52	-13	Pass	9701
1000	2490	1	RMS	2489	-49.25	-13	Pass	1491
2490	2580	1	RMS	2565.15	20.54	60	Pass	401
2580	3000	1	RMS	2962	-47.99	-13	Pass	421
3000	6500	1	RMS	3392	-64.4	-13	Pass	3501
6500	26000	1	RMS	25096	-50.73	-13	Pass	19503




23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	Pass	2986
30	1000	0.1	RMS	975.884	-62.78	-13	Pass	9701
1000	2490	1	RMS	2484	-49.4	-13	Pass	1491
2490	2580	1	RMS	2569.425	20.46	60	Pass	401
2580	3000	1	RMS	2966	-48.1	-13	Pass	421
3000	6500	1	RMS	3402	-64.32	-13	Pass	3501
6500	26000	1	RMS	24099	-50.58	-13	Pass	19503




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-13	Pass	2986
30	1000	0.1	RMS	893.83	-62.55	-13	Pass	9701
1000	2490	1	RMS	2490	-29.36	-13	Pass	1491
2490	2580	1	RMS	2510.925	7.74	60	Pass	401
2580	3000	1	RMS	2963	-48.12	-13	Pass	421
3000	6500	1	RMS	3387	-64.45	-13	Pass	3501
6500	26000	1	RMS	24103	-50.73	-13	Pass	19503




23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	879.72	-62.62	-13	Pass	9701
1000	2490	1	RMS	2489	-45.89	-13	Pass	1491
2490	2580	1	RMS	2500.575	20.32	60	Pass	401
2580	3000	1	RMS	2960	-48.04	-13	Pass	421
3000	6500	1	RMS	3303	-61.79	-13	Pass	3501
6500	26000	1	RMS	20176	-49.91	-13	Pass	19503




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2986
30	1000	0.1	RMS	904.437	-62.54	-13	Pass	9701
1000	2490	1	RMS	2490	-46.39	-13	Pass	1491
2490	2580	1	RMS	2524.2	20.39	60	Pass	401
2580	3000	1	RMS	2957	-48.12	-13	Pass	421
3000	6500	1	RMS	3402	-64.46	-13	Pass	3501
6500	26000	1	RMS	24106	-50.75	-13	Pass	19503




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-13	Pass	2986
30	1000	0.1	RMS	980.887	-62.76	-13	Pass	9701
1000	2490	1	RMS	2490	-42.51	-13	Pass	1491
2490	2580	1	RMS	2530.725	7.73	60	Pass	401
2580	3000	1	RMS	2580	-42.51	-13	Pass	421
3000	6500	1	RMS	3391	-64.43	-13	Pass	3501
6500	26000	1	RMS	25100	-50.72	-13	Pass	19503




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-13	Pass	2986
30	1000	0.1	RMS	897.332	-62.79	-13	Pass	9701
1000	2490	1	RMS	2489	-47.81	-13	Pass	1491
2490	2580	1	RMS	2523.075	20.31	60	Pass	401
2580	3000	1	RMS	2959	-48.05	-13	Pass	421
3000	6500	1	RMS	3398	-64.43	-13	Pass	3501
6500	26000	1	RMS	24102	-50.69	-13	Pass	19503




23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.8	-13	Pass	2986
30	1000	0.1	RMS	919.647	-62.64	-13	Pass	9701
1000	2490	1	RMS	2490	-47.63	-13	Pass	1491
2490	2580	1	RMS	2546.7	20.36	60	Pass	401
2580	3000	1	RMS	2580	-48.03	-13	Pass	421
3000	6500	1	RMS	6387	-64.37	-13	Pass	3501
6500	26000	1	RMS	24093	-50.61	-13	Pass	19503




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.19	-13	Pass	2986
30	1000	0.1	RMS	888.126	-62.73	-13	Pass	9701
1000	2490	1	RMS	2490	-48.56	-13	Pass	1491
2490	2580	1	RMS	2553	7.83	60	Pass	401
2580	3000	1	RMS	2580	-30.44	-13	Pass	421
3000	6500	1	RMS	3298	-62.54	-13	Pass	3501
6500	26000	1	RMS	20158	-49.45	-13	Pass	19503




23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.1	-13	Pass	2986
30	1000	0.1	RMS	849.7	-62.03	-13	Pass	9701
1000	2490	1	RMS	2490	-49.02	-13	Pass	1491
2490	2580	1	RMS	2545.575	20.29	60	Pass	401
2580	3000	1	RMS	2581	-46.89	-13	Pass	421
3000	6500	1	RMS	6390	-64.16	-13	Pass	3501
6500	26000	1	RMS	25108	-50.62	-13	Pass	19503




23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.87	-13	Pass	401
0.15	30	0.01	RMS	13.45	-70.51	-13	Pass	2986
30	1000	0.1	RMS	900.734	-60.16	-13	Pass	9701
1000	2490	1	RMS	2490	-49.05	-13	Pass	1491
2490	2580	1	RMS	2569.2	20.31	60	Pass	401
2580	3000	1	RMS	2581	-46.06	-13	Pass	421
3000	6500	1	RMS	3393	-64.07	-13	Pass	3501
6500	26000	1	RMS	24107	-50.57	-13	Pass	19503




23.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.92	-69.93	-13	Pass	2986
30	1000	0.1	RMS	849.901	-60.48	-13	Pass	9701
1000	2490	1	RMS	2490	-30.69	-13	Pass	1491
2490	2580	1	RMS	2511.15	4.73	60	Pass	401
2580	3000	1	RMS	2580	-34.13	-13	Pass	421
3000	6500	1	RMS	3401	-64.16	-13	Pass	3501
6500	26000	1	RMS	25098	-50.56	-13	Pass	19503




23.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.58	-13	Pass	401
0.15	30	0.01	RMS	7.71	-70.07	-13	Pass	2986
30	1000	0.1	RMS	889.427	-60.31	-13	Pass	9701
1000	2490	1	RMS	2490	-43.22	-13	Pass	1491
2490	2580	1	RMS	2500.575	20.27	60	Pass	401
2580	3000	1	RMS	2961	-47.83	-13	Pass	421
3000	6500	1	RMS	3400	-64.15	-13	Pass	3501
6500	26000	1	RMS	25107	-50.58	-13	Pass	19503




23.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.75	-13	Pass	401
0.15	30	0.01	RMS	3.67	-70.26	-13	Pass	2986
30	1000	0.1	RMS	888.326	-60.05	-13	Pass	9701
1000	2490	1	RMS	2490	-44.92	-13	Pass	1491
2490	2580	1	RMS	2549.175	20.35	60	Pass	401
2580	3000	1	RMS	2959	-47.86	-13	Pass	421
3000	6500	1	RMS	3295	-61.69	-13	Pass	3501
6500	26000	1	RMS	20151	-49.49	-13	Pass	19503




23.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.79	-13	Pass	401
0.15	30	0.01	RMS	28.48	-70.02	-13	Pass	2986
30	1000	0.1	RMS	854.604	-60.53	-13	Pass	9701
1000	2490	1	RMS	2490	-32.86	-13	Pass	1491
2490	2580	1	RMS	2514.525	4.66	60	Pass	401
2580	3000	1	RMS	2580	-31.55	-13	Pass	421
3000	6500	1	RMS	3401	-64.03	-13	Pass	3501
6500	26000	1	RMS	24123	-50.57	-13	Pass	19503




23.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.28	-13	Pass	401
0.15	30	0.01	RMS	20.43	-70.31	-13	Pass	2986
30	1000	0.1	RMS	477.6	-60.19	-13	Pass	9701
1000	2490	1	RMS	2489	-47.02	-13	Pass	1491
2490	2580	1	RMS	2510.7	20.31	60	Pass	401
2580	3000	1	RMS	2583	-47.89	-13	Pass	421
3000	6500	1	RMS	3387	-64.09	-13	Pass	3501
6500	26000	1	RMS	25097	-50.58	-13	Pass	19503




23.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.72	-13	Pass	401
0.15	30	0.01	RMS	20.34	-70.23	-13	Pass	2986
30	1000	0.1	RMS	836.4	-60.57	-13	Pass	9701
1000	2490	1	RMS	2490	-47.73	-13	Pass	1491
2490	2580	1	RMS	2559.075	20.47	60	Pass	401
2580	3000	1	RMS	2583	-46.92	-13	Pass	421
3000	6500	1	RMS	3390	-64.12	-13	Pass	3501
6500	26000	1	RMS	24114	-50.51	-13	Pass	19503




23.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.97	-13	Pass	401
0.15	30	0.01	RMS	14.64	-70.36	-13	Pass	2986
30	1000	0.1	RMS	992.895	-60.29	-13	Pass	9701
1000	2490	1	RMS	2490	-34.75	-13	Pass	1491
2490	2580	1	RMS	2531.4	4.63	60	Pass	401
2580	3000	1	RMS	2580	-30.01	-13	Pass	421
3000	6500	1	RMS	3390	-64.06	-13	Pass	3501
6500	26000	1	RMS	25098	-50.47	-13	Pass	19503




23.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-13	Pass	401
0.15	30	0.01	RMS	16.03	-69.74	-13	Pass	2986
30	1000	0.1	RMS	850.201	-60.68	-13	Pass	9701
1000	2490	1	RMS	2490	-47.95	-13	Pass	1491
2490	2580	1	RMS	2520.6	20.23	60	Pass	401
2580	3000	1	RMS	2580	-46.03	-13	Pass	421
3000	6500	1	RMS	3296	-62.04	-13	Pass	3501
6500	26000	1	RMS	20154	-49.86	-13	Pass	19503



23.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.98	-13	Pass	401
0.15	30	0.01	RMS	26.1	-70.27	-13	Pass	2986
30	1000	0.1	RMS	889.427	-60.44	-13	Pass	9701
1000	2490	1	RMS	2490	-47.71	-13	Pass	1491
2490	2580	1	RMS	2568.975	20.24	60	Pass	401
2580	3000	1	RMS	2580	-44.08	-13	Pass	421
3000	6500	1	RMS	6393	-64.08	-13	Pass	3501
6500	26000	1	RMS	25104	-50.58	-13	Pass	19503



24. n66


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.33	-13	Pass	2986
30	1000	0.1	RMS	906.238	-62.63	-13	Pass	9701
1000	1700	1	RMS	1700	-49.85	-13	Pass	701
1700	1790	1	RMS	1711.25	15.05	60	Pass	401
1790	3000	1	RMS	2963	-48.02	-13	Pass	1211
3000	6500	1	RMS	3290	-61.59	-13	Pass	3501
6500	20000	1	RMS	19853	-49.46	-13	Pass	13502




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.26	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.45	-13	Pass	2986
30	1000	0.1	RMS	901.935	-62.78	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1790	1	RMS	1710.125	21.04	60	Pass	401
1790	3000	1	RMS	2962	-48.03	-13	Pass	1211
3000	6500	1	RMS	3396	-64.35	-13	Pass	3501
6500	20000	1	RMS	18102	-51.85	-13	Pass	13502




24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.97	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.62	-13	Pass	2986
30	1000	0.1	RMS	906.038	-62.61	-13	Pass	9701
1000	1700	1	RMS	1698	-51.78	-13	Pass	701
1700	1790	1	RMS	1714.625	21.04	60	Pass	401
1790	3000	1	RMS	2959	-47.99	-13	Pass	1211
3000	6500	1	RMS	3392	-64.45	-13	Pass	3501
6500	20000	1	RMS	18095	-51.96	-13	Pass	13502




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	903.736	-62.81	-13	Pass	9701
1000	1700	1	RMS	1693	-51.79	-13	Pass	701
1700	1790	1	RMS	1743.875	14.96	60	Pass	401
1790	3000	1	RMS	2962	-48.04	-13	Pass	1211
3000	6500	1	RMS	6259	-64.54	-13	Pass	3501
6500	20000	1	RMS	18096	-51.85	-13	Pass	13502




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.8	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.72	-13	Pass	2986
30	1000	0.1	RMS	865.011	-62.76	-13	Pass	9701
1000	1700	1	RMS	1684	-51.78	-13	Pass	701
1700	1790	1	RMS	1742.75	21.06	60	Pass	401
1790	3000	1	RMS	2962	-47.94	-13	Pass	1211
3000	6500	1	RMS	3398	-64.5	-13	Pass	3501
6500	20000	1	RMS	18099	-51.99	-13	Pass	13502




24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.75	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.81	-13	Pass	2986
30	1000	0.1	RMS	892.028	-62.67	-13	Pass	9701
1000	1700	1	RMS	1697	-51.73	-13	Pass	701
1700	1790	1	RMS	1747.025	21.09	60	Pass	401
1790	3000	1	RMS	2962	-48.03	-13	Pass	1211
3000	6500	1	RMS	3302	-61.85	-13	Pass	3501
6500	20000	1	RMS	19873	-49.93	-13	Pass	13502



24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-13	Pass	2986
30	1000	0.1	RMS	897.932	-62.71	-13	Pass	9701
1000	1700	1	RMS	1696	-51.75	-13	Pass	701
1700	1790	1	RMS	1777.175	14.98	60	Pass	401
1790	3000	1	RMS	2962	-48.04	-13	Pass	1211
3000	6500	1	RMS	6492	-64.44	-13	Pass	3501
6500	20000	1	RMS	18100	-51.93	-13	Pass	13502



24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.91	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.26	-13	Pass	2986
30	1000	0.1	RMS	912.342	-62.83	-13	Pass	9701
1000	1700	1	RMS	1698	-51.78	-13	Pass	701
1700	1790	1	RMS	1775.15	21.1	60	Pass	401
1790	3000	1	RMS	2973	-48.08	-13	Pass	1211
3000	6500	1	RMS	3394	-64.49	-13	Pass	3501
6500	20000	1	RMS	18102	-51.95	-13	Pass	13502

