



16.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.4	-13	Pass	51
813.9625	814	0.002	RMS	813.989	-31.19	-20	Pass	401
814	819	0.1	RMS	814.338	20.67	30	Pass	401




16.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.96	-13	Pass	401
813.9625	814	0.051	RMS	814	-30.36	-20	Pass	401
814	819	0.1	RMS	815.65	6.67	30	Pass	401




16.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.25	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-32.16	-20	Pass	401
814	819	0.1	RMS	814.35	20.32	30	Pass	401




16.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.41	-13	Pass	401
813.9625	814	0.051	RMS	814	-30.79	-20	Pass	401
814	819	0.1	RMS	817.325	5.7	30	Pass	401




16.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	20.43	30	Pass	51
824	824.0375	0.002	RMS	824.003	-31.01	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-17.7	-13	Pass	401




16.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.888	6.6	30	Pass	401
824	824.0375	0.051	RMS	824	-30.74	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-29.27	-13	Pass	401




16.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	20.32	30	Pass	51
824	824.0375	0.002	RMS	824.011	-30.12	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-17.24	-13	Pass	401




16.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.575	5.64	30	Pass	401
824	824.0375	0.051	RMS	824	-31.06	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-29.5	-13	Pass	401




16.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.46	-13	Pass	401
813.9625	814	0.02	RMS	814	-29.01	-20	Pass	401
814	819	0.1	RMS	814.588	21.24	30	Pass	401




16.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34	-13	Pass	401
813.9625	814	0.1	RMS	814	-33	-20	Pass	401
814	819	0.1	RMS	815.925	3.67	30	Pass	401




16.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.25	-13	Pass	401
813.9625	814	0.02	RMS	814	-29.78	-20	Pass	401
814	819	0.1	RMS	814.6	20.36	30	Pass	401




16.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34.71	-13	Pass	401
813.9625	814	0.1	RMS	813.999	-34.08	-20	Pass	401
814	819	0.1	RMS	818.975	2.56	30	Pass	401




16.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	21.04	30	Pass	401
824	824.0375	0.02	RMS	824	-28.48	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.91	-13	Pass	401




16.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822	3.65	30	Pass	401
824	824.0375	0.1	RMS	824.001	-33.2	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.94	-13	Pass	401




16.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	20.23	30	Pass	401
824	824.0375	0.02	RMS	824.001	-28.71	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.12	-13	Pass	401



16.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.013	2.73	30	Pass	401
824	824.0375	0.1	RMS	824.001	-33.35	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.93	-13	Pass	401



17. LTE_Band38


17.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-42.51	-25	Pass	401
2564	2565	1	RMS	2564.988	-38.82	-13	Pass	401
2565	2569	1	RMS	2569	-27.56	-10	Pass	5
2569	2570	0.051	RMS	2570	-15.13	-10	Pass	401
2570	2575	0.1	RMS	2570.313	21.14	30	Pass	401




17.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-34.01	-25	Pass	20
2564	2565	1	RMS	2565	-33.06	-13	Pass	2
2565	2569	1	RMS	2569	-25.42	-10	Pass	5
2569	2570	0.1	RMS	2570	-25.56	-10	Pass	401
2570	2575	0.1	RMS	2570.838	7.22	30	Pass	401




17.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.858	-43.13	-25	Pass	401
2564	2565	1	RMS	2564.99	-38.64	-13	Pass	401
2565	2569	1	RMS	2569	-27.75	-10	Pass	5
2569	2570	0.051	RMS	2570	-18.39	-10	Pass	401
2570	2575	0.1	RMS	2570.338	20.18	30	Pass	401




17.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-35.43	-25	Pass	20
2564	2565	1	RMS	2565	-33.19	-13	Pass	2
2565	2569	1	RMS	2569	-26.99	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-28.84	-10	Pass	401
2570	2575	0.1	RMS	2570.888	5.86	30	Pass	401



17.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	21.31	30	Pass	401
2620	2621	0.051	RMS	2620.003	-15.68	-10	Pass	401
2621	2625	1	RMS	2621	-26.64	-10	Pass	5
2625	2626	1	RMS	2625.008	-39.05	-13	Pass	401
2626	2645	1	RMS	2626	-42.85	-25	Pass	401




17.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.3	6.51	30	Pass	401
2620	2621	0.1	RMS	2620	-26.75	-10	Pass	401
2621	2625	1	RMS	2621	-27.77	-10	Pass	5
2625	2626	1	RMS	2625.01	-32.77	-13	Pass	401
2626	2645	1	RMS	2626	-34.28	-25	Pass	20




17.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	20.2	30	Pass	401
2620	2621	0.051	RMS	2620.003	-17.28	-10	Pass	401
2621	2625	1	RMS	2621	-27.49	-10	Pass	5
2625	2626	1	RMS	2625.003	-39.5	-13	Pass	401
2626	2645	1	RMS	2626	-43.15	-25	Pass	401




17.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2615.338	6.18	30	Pass	401
2620	2621	0.1	RMS	2620	-27.6	-10	Pass	401
2621	2625	1	RMS	2621	-26.54	-10	Pass	5
2625	2626	1	RMS	2625.015	-33.24	-13	Pass	401
2626	2645	1	RMS	2626	-35.72	-25	Pass	20




17.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-42.43	-25	Pass	401
2560	2565	1	RMS	2564.663	-37.27	-13	Pass	401
2565	2569	1	RMS	2569	-27.25	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-16.4	-10	Pass	401
2570	2580	0.1	RMS	2570.575	20.85	30	Pass	401




17.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.663	-36.32	-25	Pass	401
2560	2565	1	RMS	2562.513	-29.67	-13	Pass	401
2565	2569	1	RMS	2569	-29.19	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-30.07	-10	Pass	401
2570	2580	0.1	RMS	2573.35	3.89	30	Pass	401




17.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.888	-42.03	-25	Pass	401
2560	2565	1	RMS	2565	-37.18	-13	Pass	401
2565	2569	1	RMS	2569	-27.68	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-17.31	-10	Pass	401
2570	2580	0.1	RMS	2570.575	20.28	30	Pass	401




17.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-36.28	-25	Pass	401
2560	2565	1	RMS	2564.95	-30.45	-13	Pass	401
2565	2569	1	RMS	2569	-29.06	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-31.34	-10	Pass	401
2570	2580	0.1	RMS	2571.75	3.11	30	Pass	401



17.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.27	30	Pass	401
2620	2621	0.1	RMS	2620	-19.95	-10	Pass	401
2621	2625	1	RMS	2621	-27.57	-10	Pass	5
2625	2630	1	RMS	2625	-37.36	-13	Pass	401
2630	2645	1	RMS	2630.075	-42.57	-25	Pass	401




17.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.8	3.52	30	Pass	401
2620	2621	0.2	RMS	2620.008	-31.03	-10	Pass	401
2621	2625	1	RMS	2621	-29.64	-10	Pass	5
2625	2630	1	RMS	2627.838	-30.8	-13	Pass	401
2630	2645	1	RMS	2630.188	-36.29	-25	Pass	401




17.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	20.34	30	Pass	401
2620	2621	0.2	RMS	2620	-17.26	-10	Pass	401
2621	2625	1	RMS	2621	-29.49	-10	Pass	5
2625	2630	1	RMS	2625	-39.16	-13	Pass	401
2630	2645	1	RMS	2630.075	-44.14	-25	Pass	401




17.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.225	2.85	30	Pass	401
2620	2621	0.2	RMS	2620	-31.87	-10	Pass	401
2621	2625	1	RMS	2621	-29.4	-10	Pass	5
2625	2630	1	RMS	2625.013	-30.74	-13	Pass	401
2630	2645	1	RMS	2630.038	-36.19	-25	Pass	401




17.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.925	-44.33	-25	Pass	401
2555	2565	1	RMS	2564.25	-35.47	-13	Pass	401
2565	2569	1	RMS	2569	-28.59	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-17.74	-10	Pass	401
2570	2585	0.1	RMS	2570.863	20.74	30	Pass	401




17.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.75	-36.01	-25	Pass	401
2555	2565	1	RMS	2561.4	-30.27	-13	Pass	401
2565	2569	1	RMS	2568	-29.95	-10	Pass	5
2569	2570	0.3	RMS	2570	-32.43	-10	Pass	401
2570	2585	0.1	RMS	2572.775	2.14	30	Pass	401




17.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-44.1	-25	Pass	401
2555	2565	1	RMS	2564.225	-35.73	-13	Pass	401
2565	2569	1	RMS	2569	-28.98	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-18.52	-10	Pass	401
2570	2585	0.1	RMS	2570.825	20.7	30	Pass	401




17.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-36.74	-25	Pass	401
2555	2565	1	RMS	2563.7	-31.05	-13	Pass	401
2565	2569	1	RMS	2568	-30.12	-10	Pass	5
2569	2570	0.3	RMS	2569.993	-31.83	-10	Pass	401
2570	2585	0.1	RMS	2571.95	1.14	30	Pass	401




17.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	21.38	30	Pass	401
2620	2621	0.3	RMS	2620	-18.39	-10	Pass	401
2621	2625	1	RMS	2621	-28.92	-10	Pass	5
2625	2635	1	RMS	2625.7	-35.02	-13	Pass	401
2635	2645	1	RMS	2635.1	-44.16	-25	Pass	401




17.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2608.113	2.32	30	Pass	401
2620	2621	0.3	RMS	2620	-31.66	-10	Pass	401
2621	2625	1	RMS	2621	-29.35	-10	Pass	5
2625	2635	1	RMS	2631.125	-31.2	-13	Pass	401
2635	2645	1	RMS	2635.2	-36.48	-25	Pass	401




17.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	20.35	30	Pass	401
2620	2621	0.3	RMS	2620.005	-19.59	-10	Pass	401
2621	2625	1	RMS	2621	-30.8	-10	Pass	5
2625	2635	1	RMS	2625.8	-36.42	-13	Pass	401
2635	2645	1	RMS	2635.075	-45.17	-25	Pass	401




17.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2605.975	1.17	30	Pass	401
2620	2621	0.3	RMS	2620.005	-31.99	-10	Pass	401
2621	2625	1	RMS	2621	-29.7	-10	Pass	5
2625	2635	1	RMS	2625.05	-31.94	-13	Pass	401
2635	2645	1	RMS	2635	-37.5	-25	Pass	401




17.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-45.52	-25	Pass	401
2550	2565	1	RMS	2562.188	-36.42	-13	Pass	401
2565	2569	1	RMS	2569	-28.96	-10	Pass	5
2569	2570	0.51	RMS	2570	-18.04	-10	Pass	401
2570	2590	0.1	RMS	2571.1	21.55	30	Pass	401




17.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2545.163	-39.19	-25	Pass	401
2550	2565	1	RMS	2565	-32.35	-13	Pass	401
2565	2569	1	RMS	2569	-31.78	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-31.32	-10	Pass	401
2570	2590	0.1	RMS	2575.8	1.11	30	Pass	401




17.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-45.43	-25	Pass	401
2550	2565	1	RMS	2562.15	-37.16	-13	Pass	401
2565	2569	1	RMS	2569	-28.77	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-17.54	-10	Pass	401
2570	2590	0.1	RMS	2571.05	20.22	30	Pass	401




17.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-39.05	-25	Pass	401
2550	2565	1	RMS	2565	-32.45	-13	Pass	401
2565	2569	1	RMS	2569	-31.37	-10	Pass	5
2569	2570	0.51	RMS	2569.995	-31.19	-10	Pass	401
2570	2590	0.1	RMS	2574.85	-0.05	30	Pass	401




17.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.44	30	Pass	401
2620	2621	0.51	RMS	2620.003	-18.69	-10	Pass	401
2621	2625	1	RMS	2621	-30.2	-10	Pass	5
2625	2640	1	RMS	2627.775	-36.78	-13	Pass	401
2640	2645	1	RMS	2640	-45.55	-25	Pass	401




17.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.3	0.64	30	Pass	401
2620	2621	0.51	RMS	2620.003	-31.27	-10	Pass	401
2621	2625	1	RMS	2621	-31.24	-10	Pass	5
2625	2640	1	RMS	2625	-32.6	-13	Pass	401
2640	2645	1	RMS	2644.638	-39.83	-25	Pass	401




17.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	19.79	30	Pass	401
2620	2621	0.51	RMS	2620	-18.92	-10	Pass	401
2621	2625	1	RMS	2621	-29.71	-10	Pass	5
2625	2640	1	RMS	2627.813	-37.47	-13	Pass	401
2640	2645	1	RMS	2640.113	-45.49	-25	Pass	401



17.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2612.85	-0.21	30	Pass	401
2620	2621	0.51	RMS	2620.008	-31.21	-10	Pass	401
2621	2625	1	RMS	2621	-30.85	-10	Pass	5
2625	2640	1	RMS	2625	-32.47	-13	Pass	401
2640	2645	1	RMS	2640.013	-39.15	-25	Pass	401



18. LTE_Band41 full


18.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-42.49	-25	Pass	401
2490	2495	1	RMS	2495	-26.56	-13	Pass	6
2495	2496	0.01	RMS	2495.998	-24.41	-13	Pass	401
2496	2501	0.1	RMS	2496.35	20.86	30	Pass	401




18.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-34.01	-25	Pass	401
2490	2495	1	RMS	2495	-25	-13	Pass	6
2495	2496	0.051	RMS	2495.995	-29.44	-13	Pass	401
2496	2501	0.1	RMS	2497.663	7.1	30	Pass	401




18.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-42.71	-25	Pass	401
2490	2495	1	RMS	2495	-27.17	-13	Pass	6
2495	2496	0.051	RMS	2496	-18.33	-13	Pass	401
2496	2501	0.1	RMS	2496.35	20.21	30	Pass	401




18.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.64	-25	Pass	401
2490	2495	1	RMS	2495	-24.87	-13	Pass	6
2495	2496	0.051	RMS	2496	-30.92	-13	Pass	401
2496	2501	0.1	RMS	2499.338	5.81	30	Pass	401




18.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	21.16	30	Pass	401
2690	2691	0.051	RMS	2690.003	-16.22	-10	Pass	401
2691	2695	1	RMS	2691	-24.98	-10	Pass	5
2695	2696	1	RMS	2695.003	-37.7	-13	Pass	401
2696	2715	1	RMS	2696.048	-42.35	-25	Pass	401




18.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.538	7.21	30	Pass	401
2690	2691	0.1	RMS	2690.003	-26.2	-10	Pass	401
2691	2695	1	RMS	2691	-23.47	-10	Pass	5
2695	2696	1	RMS	2695	-30.04	-13	Pass	401
2696	2715	1	RMS	2696	-32.61	-25	Pass	401




18.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	20.51	30	Pass	401
2690	2691	0.051	RMS	2690	-15.56	-10	Pass	401
2691	2695	1	RMS	2691	-26.07	-10	Pass	5
2695	2696	1	RMS	2695	-38.45	-13	Pass	401
2696	2715	1	RMS	2696	-42.58	-25	Pass	401




18.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.713	6.44	30	Pass	401
2690	2691	0.1	RMS	2690.008	-27.49	-10	Pass	401
2691	2695	1	RMS	2691	-23.33	-10	Pass	5
2695	2696	1	RMS	2695	-32.05	-13	Pass	401
2696	2715	1	RMS	2696.048	-34.57	-25	Pass	401




18.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-38.95	-25	Pass	401
2490	2495	1	RMS	2495	-27.55	-13	Pass	6
2495	2496	0.1	RMS	2495.995	-21.38	-13	Pass	401
2496	2506	0.1	RMS	2496.575	21.23	30	Pass	401




18.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-29.79	-25	Pass	401
2490	2495	1	RMS	2495	-26.99	-13	Pass	6
2495	2496	0.1	RMS	2496	-32.95	-13	Pass	401
2496	2506	0.1	RMS	2505.3	4.42	30	Pass	401




18.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-38.94	-25	Pass	401
2490	2495	1	RMS	2495	-27.88	-13	Pass	6
2495	2496	0.1	RMS	2495.995	-20.75	-13	Pass	401
2496	2506	0.1	RMS	2496.575	20.85	30	Pass	401




18.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-30.61	-25	Pass	401
2490	2495	1	RMS	2495	-26.67	-13	Pass	6
2495	2496	0.1	RMS	2496	-33.42	-13	Pass	401
2496	2506	0.1	RMS	2503.025	2.93	30	Pass	401




18.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	21.57	30	Pass	401
2690	2691	0.2	RMS	2690.005	-15.87	-10	Pass	401
2691	2695	1	RMS	2691	-27.54	-10	Pass	5
2695	2700	1	RMS	2695.05	-37.48	-13	Pass	401
2700	2715	1	RMS	2700.038	-42.28	-25	Pass	401




18.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.8	4.43	30	Pass	401
2690	2691	0.2	RMS	2690.008	-29.17	-10	Pass	401
2691	2695	1	RMS	2691	-25.99	-10	Pass	5
2695	2700	1	RMS	2697.738	-27.77	-13	Pass	401
2700	2715	1	RMS	2700	-33.64	-25	Pass	401




18.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	20.55	30	Pass	401
2690	2691	0.2	RMS	2690.003	-16.83	-10	Pass	401
2691	2695	1	RMS	2691	-29.45	-10	Pass	5
2695	2700	1	RMS	2698.175	-39.29	-13	Pass	401
2700	2715	1	RMS	2700	-44.17	-25	Pass	401




18.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.25	3.31	30	Pass	401
2690	2691	0.2	RMS	2690.003	-29.04	-10	Pass	401
2691	2695	1	RMS	2691	-25.57	-10	Pass	5
2695	2700	1	RMS	2695	-28.18	-13	Pass	401
2700	2715	1	RMS	2700.038	-34.77	-25	Pass	401




18.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-37.16	-25	Pass	401
2490	2495	1	RMS	2495	-28.91	-13	Pass	6
2495	2496	0.15	RMS	2496	-21.95	-13	Pass	401
2496	2511	0.1	RMS	2496.863	21.39	30	Pass	401




18.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.738	-29.37	-25	Pass	401
2490	2495	1	RMS	2494	-27.99	-13	Pass	6
2495	2496	0.15	RMS	2496	-34.21	-13	Pass	401
2496	2511	0.1	RMS	2508.263	2.62	30	Pass	401




18.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-37.17	-25	Pass	401
2490	2495	1	RMS	2495	-29.18	-13	Pass	6
2495	2496	0.15	RMS	2496	-22.62	-13	Pass	401
2496	2511	0.1	RMS	2496.863	20.43	30	Pass	401




18.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-29.68	-25	Pass	401
2490	2495	1	RMS	2495	-27.55	-13	Pass	6
2495	2496	0.15	RMS	2496	-33.44	-13	Pass	401
2496	2511	0.1	RMS	2509.238	1.69	30	Pass	401




18.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	21.05	30	Pass	401
2690	2691	0.3	RMS	2690	-18.19	-10	Pass	401
2691	2695	1	RMS	2691	-28.95	-10	Pass	5
2695	2705	1	RMS	2695.675	-34.14	-13	Pass	401
2705	2715	1	RMS	2705	-44.35	-25	Pass	401




18.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.15	1.94	30	Pass	401
2690	2691	0.3	RMS	2690.37	-29.75	-10	Pass	401
2691	2695	1	RMS	2691	-26.1	-10	Pass	5
2695	2705	1	RMS	2695.025	-28.02	-13	Pass	401
2705	2715	1	RMS	2705.05	-33.27	-25	Pass	401




18.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	19.75	30	Pass	401
2690	2691	0.3	RMS	2690	-19.59	-10	Pass	401
2691	2695	1	RMS	2691	-30.76	-10	Pass	5
2695	2705	1	RMS	2695.6	-36.1	-13	Pass	401
2705	2715	1	RMS	2705.175	-45.01	-25	Pass	401




18.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2676.763	1.48	30	Pass	401
2690	2691	0.3	RMS	2690.003	-29.38	-10	Pass	401
2691	2695	1	RMS	2691	-25.99	-10	Pass	5
2695	2705	1	RMS	2695.5	-28.08	-13	Pass	401
2705	2715	1	RMS	2705.175	-35.63	-25	Pass	401




18.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.2	-37.53	-25	Pass	401
2490	2495	1	RMS	2495	-29.3	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-24.42	-13	Pass	401
2496	2516	0.1	RMS	2497.1	20.67	30	Pass	401




18.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.09	-25	Pass	16
2490	2495	1	RMS	2495	-29.83	-13	Pass	6
2495	2496	0.2	RMS	2496	-34.66	-13	Pass	401
2496	2516	0.1	RMS	2501.8	1.43	30	Pass	401




18.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.275	-37.5	-25	Pass	401
2490	2495	1	RMS	2495	-28.97	-13	Pass	6
2495	2496	0.2	RMS	2495.995	-23.61	-13	Pass	401
2496	2516	0.1	RMS	2497.1	20.1	30	Pass	401




18.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.53	-25	Pass	16
2490	2495	1	RMS	2494.988	-28.52	-13	Pass	401
2495	2496	0.2	RMS	2495.963	-33.65	-13	Pass	401
2496	2516	0.1	RMS	2513.1	0.45	30	Pass	401




18.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.61	30	Pass	401
2690	2691	0.51	RMS	2690	-18.02	-10	Pass	401
2691	2695	1	RMS	2691	-30.22	-10	Pass	5
2695	2710	1	RMS	2697.85	-35.91	-13	Pass	401
2710	2715	1	RMS	2710.388	-45.56	-25	Pass	401




18.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.3	1.59	30	Pass	401
2690	2691	0.51	RMS	2690.003	-27.76	-10	Pass	401
2691	2695	1	RMS	2691	-27.2	-10	Pass	5
2695	2710	1	RMS	2695.113	-29.18	-13	Pass	401
2710	2715	1	RMS	2710.013	-37.72	-25	Pass	401




18.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.19	30	Pass	401
2690	2691	0.51	RMS	2690	-18.42	-10	Pass	401
2691	2695	1	RMS	2691	-29.71	-10	Pass	5
2695	2710	1	RMS	2697.775	-36.37	-13	Pass	401
2710	2715	1	RMS	2710.125	-45.36	-25	Pass	401



18.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2674.65	-0.07	30	Pass	401
2690	2691	0.51	RMS	2690.005	-27.54	-10	Pass	401
2691	2695	1	RMS	2691	-27.09	-10	Pass	5
2695	2710	1	RMS	2695	-28.91	-13	Pass	401
2710	2715	1	RMS	2710.013	-37.76	-25	Pass	401



19. LTE_Band66


19.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.37	-13	Pass	401
1708	1709	1	RMS	1709	-33.68	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.26	-13	Pass	401
1710	1712	0.1	RMS	1710.25	20.61	30	Pass	401




19.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.07	-13	Pass	401
1708	1709	1	RMS	1709	-20.9	-13	Pass	2
1709	1710	0.02	RMS	1710	-25.57	-13	Pass	401
1710	1712	0.1	RMS	1710.275	12.63	30	Pass	401




19.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.49	-13	Pass	401
1708	1709	1	RMS	1709	-34.21	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.91	-13	Pass	401
1710	1712	0.1	RMS	1710.245	19.55	30	Pass	401




19.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.04	-13	Pass	401
1708	1709	1	RMS	1709	-23.11	-13	Pass	2
1709	1710	0.02	RMS	1710	-27.03	-13	Pass	401
1710	1712	0.1	RMS	1711.105	11.71	30	Pass	401




19.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	20.58	30	Pass	401
1780	1781	0.02	RMS	1780	-19.06	-13	Pass	401
1781	1782	1	RMS	1781	-34.2	-13	Pass	2
1782	1790	1	RMS	1782	-37.75	-13	Pass	401




19.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.935	12.61	30	Pass	401
1780	1781	0.02	RMS	1780	-23.9	-13	Pass	401
1781	1782	1	RMS	1781	-20.73	-13	Pass	2
1782	1790	1	RMS	1782	-30.96	-13	Pass	401




19.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.755	19.6	30	Pass	401
1780	1781	0.02	RMS	1780	-20.27	-13	Pass	401
1781	1782	1	RMS	1781	-34.63	-13	Pass	2
1782	1790	1	RMS	1782.02	-38.35	-13	Pass	401




19.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.305	11.73	30	Pass	401
1780	1781	0.02	RMS	1780	-26.13	-13	Pass	401
1781	1782	1	RMS	1781	-22.38	-13	Pass	2
1782	1790	1	RMS	1782	-32.88	-13	Pass	401




19.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.75	-13	Pass	401
1708	1709	1	RMS	1709	-25.04	-13	Pass	2
1709	1710	0.03	RMS	1710	-18.32	-13	Pass	401
1710	1713	0.1	RMS	1710.233	20.69	30	Pass	401




19.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-23.37	-13	Pass	401
1708	1709	1	RMS	1709	-19.78	-13	Pass	2
1709	1710	0.03	RMS	1710	-27.89	-13	Pass	401
1710	1713	0.1	RMS	1712.7	8.94	30	Pass	401




19.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.89	-13	Pass	401
1708	1709	1	RMS	1709	-26.89	-13	Pass	2
1709	1710	0.03	RMS	1710	-18.57	-13	Pass	401
1710	1713	0.1	RMS	1710.255	19.74	30	Pass	401




19.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.24	-13	Pass	401
1708	1709	1	RMS	1709	-21.88	-13	Pass	2
1709	1710	0.03	RMS	1710	-30.38	-13	Pass	401
1710	1713	0.1	RMS	1712.4	7.9	30	Pass	401




19.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	21.08	30	Pass	401
1780	1781	0.03	RMS	1780	-16.88	-13	Pass	401
1781	1782	1	RMS	1781	-23.28	-13	Pass	2
1782	1790	1	RMS	1782	-33.9	-13	Pass	401




19.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.058	8.86	30	Pass	401
1780	1781	0.03	RMS	1780	-26.14	-13	Pass	401
1781	1782	1	RMS	1781	-16.65	-13	Pass	2
1782	1790	1	RMS	1782	-22	-13	Pass	401




19.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	20.09	30	Pass	401
1780	1781	0.03	RMS	1780	-18.48	-13	Pass	401
1781	1782	1	RMS	1781	-25.1	-13	Pass	2
1782	1790	1	RMS	1782	-34.3	-13	Pass	401




19.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.45	7.8	30	Pass	401
1780	1781	0.03	RMS	1780.003	-28.44	-13	Pass	401
1781	1782	1	RMS	1781	-18.82	-13	Pass	2
1782	1790	1	RMS	1782	-23.99	-13	Pass	401




19.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-22.82	-13	Pass	401
1708	1709	1	RMS	1708	-22.51	-13	Pass	2
1709	1710	0.01	RMS	1709.995	-24.46	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.58	30	Pass	401




19.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-22.62	-13	Pass	401
1708	1709	1	RMS	1709	-20.63	-13	Pass	2
1709	1710	0.051	RMS	1710	-28.01	-13	Pass	401
1710	1715	0.1	RMS	1711.65	6.59	30	Pass	401




19.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-27.24	-13	Pass	401
1708	1709	1	RMS	1708	-26.8	-13	Pass	2
1709	1710	0.01	RMS	1710	-25.57	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.72	30	Pass	401




19.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-24.88	-13	Pass	401
1708	1709	1	RMS	1709	-23.11	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.86	-13	Pass	401
1710	1715	0.1	RMS	1713.338	5.64	30	Pass	401




19.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	21.11	30	Pass	401
1780	1781	0.01	RMS	1780	-24.08	-13	Pass	401
1781	1782	1	RMS	1782	-22.29	-13	Pass	2
1782	1790	1	RMS	1782	-23.21	-13	Pass	401




19.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.85	6.68	30	Pass	401
1780	1781	0.051	RMS	1780.003	-26.63	-13	Pass	401
1781	1782	1	RMS	1781	-17.95	-13	Pass	2
1782	1790	1	RMS	1782	-20.14	-13	Pass	401




19.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	20.13	30	Pass	401
1780	1781	0.01	RMS	1780	-23.96	-13	Pass	401
1781	1782	1	RMS	1782	-23.24	-13	Pass	2
1782	1790	1	RMS	1782.02	-23.49	-13	Pass	401




19.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1775.6	5.68	30	Pass	401
1780	1781	0.051	RMS	1780	-28.81	-13	Pass	401
1781	1782	1	RMS	1781	-20.54	-13	Pass	2
1782	1790	1	RMS	1782	-22.45	-13	Pass	401




19.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.18	-23.29	-13	Pass	401
1708	1709	1	RMS	1709	-37.41	-13	Pass	2
1709	1710	0.1	RMS	1710	-21.11	-13	Pass	401
1710	1720	0.1	RMS	1710.6	21.02	30	Pass	401




19.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-22.34	-13	Pass	401
1708	1709	1	RMS	1709	-21.49	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-28.76	-13	Pass	401
1710	1720	0.1	RMS	1714.225	3.64	30	Pass	401




19.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.08	-24.87	-13	Pass	401
1708	1709	1	RMS	1709	-37.96	-13	Pass	2
1709	1710	0.1	RMS	1709.993	-22.24	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.74	30	Pass	401




19.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-24.84	-13	Pass	401
1708	1709	1	RMS	1709	-24.24	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-31.9	-13	Pass	401
1710	1720	0.1	RMS	1715.025	2.79	30	Pass	401




19.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	21.05	30	Pass	401
1780	1781	0.1	RMS	1780	-20.42	-13	Pass	401
1781	1782	1	RMS	1781	-37.59	-13	Pass	2
1782	1790	1	RMS	1783.74	-22.08	-13	Pass	401




19.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1774.975	3.49	30	Pass	401
1780	1781	0.1	RMS	1780.003	-28.86	-13	Pass	401
1781	1782	1	RMS	1781	-21.17	-13	Pass	2
1782	1790	1	RMS	1782	-21.84	-13	Pass	401




19.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	19.97	30	Pass	401
1780	1781	0.1	RMS	1780.008	-22.11	-13	Pass	401
1781	1782	1	RMS	1781	-38.06	-13	Pass	2
1782	1790	1	RMS	1783.84	-23.86	-13	Pass	401




19.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1772.55	2.48	30	Pass	401
1780	1781	0.1	RMS	1780.005	-31.4	-13	Pass	401
1781	1782	1	RMS	1781	-23.7	-13	Pass	2
1782	1790	1	RMS	1782	-24.24	-13	Pass	401




19.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.2	-23.43	-13	Pass	401
1708	1709	1	RMS	1709	-37.1	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-22.03	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.97	30	Pass	401




19.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.3	-22.16	-13	Pass	401
1708	1709	1	RMS	1709	-20.62	-13	Pass	2
1709	1710	0.15	RMS	1709.493	-27.8	-13	Pass	401
1710	1725	0.1	RMS	1714.575	1.88	30	Pass	401




19.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.2	-24.76	-13	Pass	401
1708	1709	1	RMS	1709	-37.77	-13	Pass	2
1709	1710	0.15	RMS	1709.993	-22.64	-13	Pass	401
1710	1725	0.1	RMS	1710.863	19.5	30	Pass	401




19.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.31	-13	Pass	401
1708	1709	1	RMS	1709	-23.96	-13	Pass	2
1709	1710	0.15	RMS	1709.723	-31.12	-13	Pass	401
1710	1725	0.1	RMS	1717.5	0.97	30	Pass	401




19.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.97	30	Pass	401
1780	1781	0.15	RMS	1780	-22.35	-13	Pass	401
1781	1782	1	RMS	1781	-36.48	-13	Pass	2
1782	1790	1	RMS	1785.84	-22.53	-13	Pass	401




19.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1776.363	1.77	30	Pass	401
1780	1781	0.15	RMS	1780.545	-28.21	-13	Pass	401
1781	1782	1	RMS	1781	-20.9	-13	Pass	2
1782	1790	1	RMS	1782.84	-22.02	-13	Pass	401




19.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.92	30	Pass	401
1780	1781	0.15	RMS	1780	-23	-13	Pass	401
1781	1782	1	RMS	1781	-37.12	-13	Pass	2
1782	1790	1	RMS	1785.82	-24.39	-13	Pass	401




19.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1776.25	0.75	30	Pass	401
1780	1781	0.15	RMS	1780	-31.32	-13	Pass	401
1781	1782	1	RMS	1781	-24.09	-13	Pass	2
1782	1790	1	RMS	1782.78	-25.22	-13	Pass	401




19.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.2	-24.14	-13	Pass	401
1708	1709	1	RMS	1709	-37.91	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-25.16	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.44	30	Pass	401




19.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.17	-13	Pass	401
1708	1709	1	RMS	1709	-23.44	-13	Pass	2
1709	1710	0.2	RMS	1709.968	-28.97	-13	Pass	401
1710	1730	0.1	RMS	1715.9	0.69	30	Pass	401




19.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.12	-25.68	-13	Pass	401
1708	1709	1	RMS	1709	-38.17	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-25.43	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.55	30	Pass	401




19.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-26.56	-13	Pass	401
1708	1709	1	RMS	1709	-26.3	-13	Pass	2
1709	1710	0.2	RMS	1709.985	-32.01	-13	Pass	401
1710	1730	0.1	RMS	1720	0	30	Pass	401




19.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.73	30	Pass	401
1780	1781	0.2	RMS	1780.003	-24.8	-13	Pass	401
1781	1782	1	RMS	1781	-37.43	-13	Pass	2
1782	1790	1	RMS	1787.74	-23.11	-13	Pass	401




19.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1770	0.66	30	Pass	401
1780	1781	0.2	RMS	1780	-29.53	-13	Pass	401
1781	1782	1	RMS	1781	-23.94	-13	Pass	2
1782	1790	1	RMS	1782.02	-24.13	-13	Pass	401




19.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.81	30	Pass	401
1780	1781	0.2	RMS	1780.003	-25.27	-13	Pass	401
1781	1782	1	RMS	1781	-37.84	-13	Pass	2
1782	1790	1	RMS	1787.78	-24.69	-13	Pass	401



19.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1770	-0.34	30	Pass	401
1780	1781	0.2	RMS	1780.008	-32.26	-13	Pass	401
1781	1782	1	RMS	1781	-26.22	-13	Pass	2
1782	1790	1	RMS	1782	-26.36	-13	Pass	401



20. CA_7C


20.1. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.163	-35.82	-25	Pass	401
2490	2496	1	RMS	2495.985	-49.64	-13	Pass	401
2496	2499	1	RMS	2499	-43.24	-10	Pass	401
2499	2500	1	RMS	2500	-26.93	-10	Pass	2
2500	2530	0.1	RMS	2520.025	9.2	30	Pass	401




20.2. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.188	-50.11	-25	Pass	401
2490	2496	1	RMS	2490.99	-49.23	-13	Pass	401
2496	2499	1	RMS	2499	-43.32	-10	Pass	401
2499	2500	1	RMS	2500	-26.85	-10	Pass	2
2500	2530	0.1	RMS	2528.8	9.37	30	Pass	401




20.3. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.19	-25	Pass	401
2490	2496	1	RMS	2495.22	-29.11	-13	Pass	401
2496	2499	1	RMS	2499	-27.53	-10	Pass	401
2499	2500	1	RMS	2500	-26.96	-10	Pass	2
2500	2530	0.1	RMS	2523.1	0.01	30	Pass	401




20.4. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.163	-36.57	-25	Pass	401
2490	2496	1	RMS	2495.58	-49.47	-13	Pass	401
2496	2499	1	RMS	2499	-42.91	-10	Pass	401
2499	2500	1	RMS	2500	-26.37	-10	Pass	2
2500	2530	0.1	RMS	2520.025	9.14	30	Pass	401




20.5. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.263	-49.98	-25	Pass	401
2490	2496	1	RMS	2491.08	-49.14	-13	Pass	401
2496	2499	1	RMS	2499	-42.88	-10	Pass	401
2499	2500	1	RMS	2500	-26.27	-10	Pass	2
2500	2530	0.1	RMS	2528.8	9.35	30	Pass	401




20.6. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.79	-25	Pass	401
2490	2496	1	RMS	2495.985	-31.48	-13	Pass	401
2496	2499	1	RMS	2499	-30.42	-10	Pass	401
2499	2500	1	RMS	2500	-29.43	-10	Pass	2
2500	2530	0.1	RMS	2523.55	-0.89	30	Pass	401




20.7. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	9.74	30	Pass	401
2570	2571	1	RMS	2570	-34.28	-10	Pass	2
2571	2575	1	RMS	2571.04	-47.03	-10	Pass	401
2575	2600	1	RMS	2596.625	-49.82	-13	Pass	401
2600	2615	1	RMS	2613.275	-50.67	-25	Pass	401




20.8. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2558.975	9.54	30	Pass	401
2570	2571	1	RMS	2570	-34.11	-10	Pass	2
2571	2575	1	RMS	2571	-47.4	-10	Pass	401
2575	2600	1	RMS	2578.813	-36.76	-13	Pass	401
2600	2615	1	RMS	2614.438	-50.68	-25	Pass	401




20.9. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2563.7	0.06	30	Pass	401
2570	2571	1	RMS	2570	-23.64	-10	Pass	2
2571	2575	1	RMS	2571.01	-23.54	-10	Pass	401
2575	2600	1	RMS	2575	-24.46	-13	Pass	401
2600	2615	1	RMS	2614.888	-50.67	-25	Pass	401




20.10. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	9.67	30	Pass	401
2570	2571	1	RMS	2570	-33.82	-10	Pass	2
2571	2575	1	RMS	2571.23	-46.38	-10	Pass	401
2575	2600	1	RMS	2596.563	-49.52	-13	Pass	401
2600	2615	1	RMS	2614.588	-50.65	-25	Pass	401




20.11. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2558.975	9.32	30	Pass	401
2570	2571	1	RMS	2570	-33.57	-10	Pass	2
2571	2575	1	RMS	2571.1	-46.96	-10	Pass	401
2575	2600	1	RMS	2578.75	-36.17	-13	Pass	401
2600	2615	1	RMS	2614.513	-50.68	-25	Pass	401




20.12. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2562.95	-0.81	30	Pass	401
2570	2571	1	RMS	2570	-28.42	-10	Pass	2
2571	2575	1	RMS	2571.19	-28.27	-10	Pass	401
2575	2600	1	RMS	2575	-28.79	-13	Pass	401
2600	2615	1	RMS	2614.738	-50.67	-25	Pass	401




20.13. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.263	-37.26	-25	Pass	401
2490	2496	1	RMS	2495.985	-49.83	-13	Pass	401
2496	2499	1	RMS	2499	-43.13	-10	Pass	401
2499	2500	1	RMS	2500	-26.74	-10	Pass	2
2500	2540	0.1	RMS	2520.9	9.45	30	Pass	401




20.14. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.9	-50.54	-25	Pass	401
2490	2496	1	RMS	2496	-49.85	-13	Pass	401
2496	2499	1	RMS	2498.978	-42.69	-10	Pass	401
2499	2500	1	RMS	2500	-26.52	-10	Pass	2
2500	2540	0.1	RMS	2538.7	9.09	30	Pass	401




20.15. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.07	-25	Pass	401
2490	2496	1	RMS	2495.985	-29.32	-13	Pass	401
2496	2499	1	RMS	2498.91	-28.4	-10	Pass	401
2499	2500	1	RMS	2500	-27.91	-10	Pass	2
2500	2540	0.1	RMS	2514.3	-2.81	30	Pass	401




20.16. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.225	-37.04	-25	Pass	401
2490	2496	1	RMS	2496	-49.74	-13	Pass	401
2496	2499	1	RMS	2499	-42.68	-10	Pass	401
2499	2500	1	RMS	2500	-26.05	-10	Pass	2
2500	2540	0.1	RMS	2520.9	9.31	30	Pass	401




20.17. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-50.51	-25	Pass	401
2490	2496	1	RMS	2495.97	-49.75	-13	Pass	401
2496	2499	1	RMS	2499	-42.41	-10	Pass	401
2499	2500	1	RMS	2500	-25.83	-10	Pass	2
2500	2540	0.1	RMS	2501.1	9.1	30	Pass	401




20.18. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.33	-25	Pass	401
2490	2496	1	RMS	2495.94	-32.54	-13	Pass	401
2496	2499	1	RMS	2498.753	-31.92	-10	Pass	401
2499	2500	1	RMS	2500	-31	-10	Pass	2
2500	2540	0.1	RMS	2512.9	-3.86	30	Pass	401




20.19. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	9.62	30	Pass	401
2570	2571	1	RMS	2570	-27.13	-10	Pass	2
2571	2575	1	RMS	2571	-43.56	-10	Pass	401
2575	2610	1	RMS	2577.8	-50.11	-13	Pass	401
2610	2735	1	RMS	2735	-50.57	-25	Pass	401




20.20. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	9.58	30	Pass	401
2570	2571	1	RMS	2570	-26.67	-10	Pass	2
2571	2575	1	RMS	2571	-43.38	-10	Pass	401
2575	2610	1	RMS	2588.65	-38.64	-13	Pass	401
2610	2735	1	RMS	2735	-50.54	-25	Pass	401



20.21. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2536.5	-2.58	30	Pass	401
2570	2571	1	RMS	2570	-26.52	-10	Pass	2
2571	2575	1	RMS	2571.5	-26.54	-10	Pass	401
2575	2610	1	RMS	2575	-27.01	-13	Pass	401
2610	2735	1	RMS	2734.063	-50.57	-25	Pass	401



20.22. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	9.53	30	Pass	401
2570	2571	1	RMS	2570	-27.01	-10	Pass	2
2571	2575	1	RMS	2571.01	-43.17	-10	Pass	401
2575	2610	1	RMS	2577.888	-50.13	-13	Pass	401
2610	2735	1	RMS	2735	-50.58	-25	Pass	401

