





11BE160MIMO_Ant16_5250_UNII-2A



Date: 18.SEP.2024 19:19:51


11BE160MIMO_Ant12_5250_UNII-2A



Date: 18.SEP.2024 19:20:11




11BE160MIMO_Ant16_5570



Date: 18.SEP.2024 19:21:01

11BE160MIMO_Ant12_5570



Date: 18.SEP.2024 19:21:12



<Partial Single RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant16	5180	26Tone	RU0	7.56	≤11.00	PASS
			52Tone	RU37	7.04	≤11.00	PASS
			106Tone	RU53	7.26	≤11.00	PASS
	Ant12	5180	26Tone	RU0	6.21	≤11.00	PASS
			52Tone	RU37	6.55	≤11.00	PASS
			106Tone	RU53	6.74	≤11.00	PASS
	total	5180	26Tone	RU0	9.95	≤11.00	PASS
			52Tone	RU37	9.81	≤11.00	PASS
			106Tone	RU53	10.02	≤11.00	PASS
	Ant16	5320	26Tone	RU8	6.2	≤11.00	PASS
			52Tone	RU40	5.98	≤11.00	PASS
			106Tone	RU54	6.36	≤11.00	PASS
	Ant12	5320	26Tone	RU8	5.45	≤11.00	PASS
			52Tone	RU40	6.09	≤11.00	PASS
			106Tone	RU54	5.94	≤11.00	PASS
	total	5320	26Tone	RU8	8.85	≤11.00	PASS
			52Tone	RU40	9.05	≤11.00	PASS
			106Tone	RU54	9.17	≤11.00	PASS
	Ant16	5500	26Tone	RU0	5.81	≤11.00	PASS
			52Tone	RU37	5.8	≤11.00	PASS
			106Tone	RU53	6.18	≤11.00	PASS
	Ant12	5500	26Tone	RU0	7.79	≤11.00	PASS
			52Tone	RU37	7.75	≤11.00	PASS
			106Tone	RU53	7.74	≤11.00	PASS
	total	5500	26Tone	RU0	9.92	≤11.00	PASS
			52Tone	RU37	9.89	≤11.00	PASS
			106Tone	RU53	10.04	≤11.00	PASS
	Ant16	5700	26Tone	RU8	5.24	≤11.00	PASS
			52Tone	RU40	5.3	≤11.00	PASS
			106Tone	RU54	5.91	≤11.00	PASS
	Ant12	5700	26Tone	RU8	7.45	≤11.00	PASS
			52Tone	RU40	7.32	≤11.00	PASS
			106Tone	RU54	7.25	≤11.00	PASS
	total	5700	26Tone	RU8	9.49	≤11.00	PASS
			52Tone	RU40	9.44	≤11.00	PASS
			106Tone	RU54	9.64	≤11.00	PASS
	Ant16	5745	26Tone	RU0	2.78	≤30.00	PASS
			52Tone	RU37	2.26	≤30.00	PASS
			106Tone	RU53	2.82	≤30.00	PASS
	Ant12	5745	26Tone	RU0	4.24	≤30.00	PASS
			52Tone	RU37	4.67	≤30.00	PASS
			106Tone	RU53	4.61	≤30.00	PASS
	total	5745	26Tone	RU0	6.58	≤30.00	PASS




			52Tone	RU37	6.64	≤30.00	PASS
			106Tone	RU53	6.82	≤30.00	PASS
			26Tone	RU8	3.3	≤30.00	PASS
	Ant16	5825	52Tone	RU40	2.79	≤30.00	PASS
			106Tone	RU54	3.32	≤30.00	PASS
			26Tone	RU8	3.83	≤30.00	PASS
	Ant12	5825	52Tone	RU40	4.19	≤30.00	PASS
			106Tone	RU54	4.08	≤30.00	PASS
			26Tone	RU8	6.58	≤30.00	PASS
	total	5825	52Tone	RU40	6.56	≤30.00	PASS
			106Tone	RU54	6.73	≤30.00	PASS
			26Tone	RU8	6.58	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant16_5180_106Tone_RU53



Date: 18.SEP.2024 21:17:09


11BE20MIMO_Ant12_5180_26Tone_RU0



Date: 18.SEP.2024 21:16:17




11BE20MIMO_Ant12_5180_52Tone_RU37



Date: 18.SEP.2024 21:18:10


11BE20MIMO_Ant12_5180_106Tone_RU53



Date: 18.SEP.2024 21:17:20




11BE20MIMO_Ant16_5320_26Tone_RU8



Date: 18 SEP. 2024 21:22:34


11BE20MIMO_Ant16_5320_52Tone_RU40



Date: 18 SEP. 2024 21:23:03




11BE20MIMO_Ant16_5320_106Tone_RU54



Date: 18.SEP.2024 21:21:39


11BE20MIMO_Ant12_5320_26Tone_RU8



Date: 18.SEP.2024 21:22:46




11BE20MIMO_Ant12_5320_52Tone_RU40



Date: 18.SEP.2024 21:23:15


11BE20MIMO_Ant12_5320_106Tone_RU54



Date: 18.SEP.2024 21:21:51




11BE20MIMO_Ant16_5500_26Tone_RU0



Date: 18 SEP. 2024 21:24:26


11BE20MIMO_Ant16_5500_52Tone_RU37



Date: 18 SEP. 2024 21:24:56




11BE20MIMO_Ant16_5500_106Tone_RU53



Date: 18 SEP.2024 21:26:05


11BE20MIMO_Ant12_5500_26Tone_RU0



Date: 18 SEP.2024 21:24:37




11BE20MIMO_Ant12_5500_52Tone_RU37



Date: 18 SEP.2024 21:25:08


11BE20MIMO_Ant12_5500_106Tone_RU53



Date: 18 SEP.2024 21:26:16




11BE20MIMO_Ant16_5700_26Tone_RU8



Date: 18.SEP.2024 21:31:16


11BE20MIMO_Ant16_5700_52Tone_RU40



Date: 18.SEP.2024 21:31:45




11BE20MIMO_Ant16_5700_106Tone_RU54



Date: 18 SEP.2024 21:32:12


11BE20MIMO_Ant12_5700_26Tone_RU8



Date: 18 SEP.2024 21:31:27




11BE20MIMO_Ant12_5700_52Tone_RU40



Date: 18.SEP.2024 21:31:56


11BE20MIMO_Ant12_5700_106Tone_RU54



Date: 18.SEP.2024 21:32:23




11BE20MIMO_Ant16_5745_26Tone_RU0



Date: 18 SEP. 2024 21:32:49


11BE20MIMO_Ant16_5745_52Tone_RU37



Date: 18 SEP. 2024 21:35:09




11BE20MIMO_Ant16_5745_106Tone_RU53



Date: 18 SEP.2024 21:33:47


11BE20MIMO_Ant12_5745_26Tone_RU0



Date: 18 SEP.2024 21:33:00




11BE20MIMO_Ant12_5745_52Tone_RU37



Date: 18 SEP. 2024 21:35:20


11BE20MIMO_Ant12_5745_106Tone_RU53



Date: 18 SEP. 2024 21:33:58




11BE20MIMO_Ant16_5825_26Tone_RU8



Date: 18.SEP.2024 21:35:57


11BE20MIMO_Ant16_5825_52Tone_RU40



Date: 18.SEP.2024 21:36:28




11BE20MIMO_Ant16_5825_106Tone_RU54



Date: 18 SEP.2024 21:36:59


11BE20MIMO_Ant12_5825_26Tone_RU8



Date: 18 SEP.2024 21:36:08




11BE20MIMO_Ant12_5825_52Tone_RU40



Date: 18 SEP.2024 21:36:39

11BE20MIMO_Ant12_5825_106Tone_RU54



Date: 18 SEP.2024 21:37:10



<Large RU>
Maximum power spectral density
Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80 MIMO	Ant16	5210	484Tone+242Tone	RU4	-1.7	≤11.00	PASS
	Ant12	5210	484Tone+242Tone	RU4	-1.26	≤11.00	PASS
	total	5210	484Tone+242Tone	RU4	1.54	≤11.00	PASS
	Ant16	5290	484Tone+242Tone	RU2	-1.04	≤11.00	PASS
	Ant12	5290	484Tone+242Tone	RU2	-1.38	≤11.00	PASS
	total	5290	484Tone+242Tone	RU2	1.80	≤11.00	PASS
	Ant16	5530	484Tone+242Tone	RU4	-1.58	≤11.00	PASS
	Ant12	5530	484Tone+242Tone	RU4	-0.29	≤11.00	PASS
	total	5530	484Tone+242Tone	RU4	2.12	≤11.00	PASS
	Ant16	5775	484Tone+242Tone	RU4	-5.11	≤30.00	PASS
	Ant12	5775	484Tone+242Tone	RU4	-3.56	≤30.00	PASS
	total	5775	484Tone+242Tone	RU4	-1.26	≤30.00	PASS
11BE160 MIMO	Ant16	5250_UNII-1	996Tone+484Tone	RU3	-3.9	≤11.00	PASS
			996Tone+996Tone	RU9	-5.13	≤11.00	PASS
	Ant12	5250_UNII-1	996Tone+484Tone	RU3	-4.41	≤11.00	PASS
			996Tone+996Tone	RU9	-5.39	≤11.00	PASS
	total	5250_UNII-1	996Tone+484Tone	RU3	-1.14	≤11.00	PASS
			996Tone+996Tone	RU9	-2.25	≤11.00	PASS
	Ant16	5250_UNII-2A	996Tone+484Tone	RU3	-5	≤11.00	PASS
			996Tone+996Tone	RU9	-5.33	≤11.00	PASS
	Ant12	5250_UNII-2A	996Tone+484Tone	RU3	-4.94	≤11.00	PASS
			996Tone+996Tone	RU9	-5.44	≤11.00	PASS
	total	5250_UNII-2A	996Tone+484Tone	RU3	-1.96	≤11.00	PASS
			996Tone+996Tone	RU9	-2.37	≤11.00	PASS
	Ant16	5570	996Tone+484Tone	RU3	-5.75	≤11.00	PASS
			996Tone+996Tone	RU9	-6.22	≤11.00	PASS
	Ant12	5570	996Tone+484Tone	RU3	-3.8	≤11.00	PASS
			996Tone+996Tone	RU9	-4.29	≤11.00	PASS
	total	5570	996Tone+484Tone	RU3	-1.66	≤11.00	PASS
			996Tone+996Tone	RU9	-2.14	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE80MIMO_Ant16_5290_484Tone+242Tone_RU2



Date: 18 SEP. 2024 22:09:24


11BE80MIMO_Ant12_5290_484Tone+242Tone_RU2



Date: 18 SEP. 2024 22:09:35




11BE80MIMO_Ant16_5530_484Tone+242Tone_RU4



Date: 18 SEP.2024 22:10:27


11BE80MIMO_Ant12_5530_484Tone+242Tone_RU4



Date: 18 SEP.2024 22:10:37




11BE80MIMO_Ant16_5775_484Tone+242Tone_RU4



Date: 18.SEP.2024 22:11:30


11BE80MIMO_Ant12_5775_484Tone+242Tone_RU4



Date: 18.SEP.2024 22:11:40




11BE160MIMO_Ant16_5250_UNII-1_996Tone+484Tone_RU3



Date: 18 SEP.2024 22:12:45


11BE160MIMO_Ant16_5250_UNII-1_996Tone+996Tone_RU9



Date: 18 SEP.2024 22:14:50




11BE160MIMO_Ant12_5250_UNII-1_996Tone+484Tone_RU3



Date: 18.SEP.2024 22:13:08


11BE160MIMO_Ant12_5250_UNII-1_996Tone+996Tone_RU9



Date: 18.SEP.2024 22:15:11




11BE160MIMO_Ant16_5250_UNII-2A_996Tone+484Tone_RU3



Date: 18 SEP. 2024 22:12:56


11BE160MIMO_Ant16_5250_UNII-2A_996Tone+996Tone_RU9



Date: 18 SEP. 2024 22:15:00




11BE160MIMO_Ant12_5250_UNII-2A_996Tone+484Tone_RU3



Date: 18.SEP.2024 22:13:18


11BE160MIMO_Ant12_5250_UNII-2A_996Tone+996Tone_RU9



Date: 18.SEP.2024 22:15:21



11BE160MIMO_Ant16_5570_996Tone+484Tone_RU3



Date: 18 SEP. 2024 22:14:01


11BE160MIMO_Ant16_5570_996Tone+996Tone_RU9



Date: 18 SEP. 2024 22:15:58




11BE160MIMO_Ant12_5570_996Tone+484Tone_RU3



Date: 18.SEP.2024 22:14:12

11BE160MIMO_Ant12_5570_996Tone+996Tone_RU9



Date: 18.SEP.2024 22:16:10



<Puncturing mode>
Maximum power spectral density
Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80 MIMO	Ant16	5210	Puncturing 20M	RU3	-1.63	≤11.00	PASS
	Ant12	5210	Puncturing 20M	RU3	-1.11	≤11.00	PASS
	total	5210	Puncturing 20M	RU3	1.65	≤11.00	PASS
	Ant16	5290	Puncturing 20M	RU2	-1.24	≤11.00	PASS
	Ant12	5290	Puncturing 20M	RU2	-1.42	≤11.00	PASS
	total	5290	Puncturing 20M	RU2	1.68	≤11.00	PASS
	Ant16	5530	Puncturing 20M	RU3	-2.35	≤11.00	PASS
	Ant12	5530	Puncturing 20M	RU3	-1.03	≤11.00	PASS
	total	5530	Puncturing 20M	RU3	1.37	≤11.00	PASS
	Ant16	5775	Puncturing 20M	RU3	-5.03	≤30.00	PASS
	Ant12	5775	Puncturing 20M	RU3	-3.37	≤30.00	PASS
	total	5775	Puncturing 20M	RU3	-1.11	≤30.00	PASS
11BE160 MIMO	Ant16	5250_UNII-1	Puncturing 20M	RU1	-5.29	≤11.00	PASS
			Puncturing 40M	RU2	-4.51	≤11.00	PASS
				RU3	-4.17	≤11.00	PASS
			Puncturing 20M	RU8	-4.3	≤11.00	PASS
	Ant12	5250_UNII-1	Puncturing 20M	RU1	-5.57	≤11.00	PASS
			Puncturing 40M	RU2	-4.69	≤11.00	PASS
				RU3	-4.44	≤11.00	PASS
			Puncturing 20M	RU8	-4.55	≤11.00	PASS
	total	5250_UNII-1	Puncturing 20M	RU1	-2.42	≤11.00	PASS
			Puncturing 40M	RU2	-1.59	≤11.00	PASS
				RU3	-1.29	≤11.00	PASS
			Puncturing 20M	RU8	-1.41	≤11.00	PASS
	Ant16	5250_UNII-2A	Puncturing 20M	RU1	-5.41	≤11.00	PASS
			Puncturing 40M	RU2	-4.33	≤11.00	PASS
				RU3	-5.14	≤11.00	PASS
			Puncturing 20M	RU8	-4.42	≤11.00	PASS
	Ant12	5250_UNII-2A	Puncturing 20M	RU1	-5.68	≤11.00	PASS
			Puncturing 40M	RU2	-4.5	≤11.00	PASS
				RU3	-5	≤11.00	PASS
			Puncturing 20M	RU8	-4.63	≤11.00	PASS
	total	5250_UNII-2A	Puncturing 20M	RU1	-2.53	≤11.00	PASS
			Puncturing 40M	RU2	-1.40	≤11.00	PASS
				RU3	-2.06	≤11.00	PASS
			Puncturing 20M	RU8	-1.51	≤11.00	PASS
	Ant16	5570	Puncturing 40M	RU3	-5.86	≤11.00	PASS
			Puncturing 20M	RU8	-5.73	≤11.00	PASS
	Ant12	5570	Puncturing 40M	RU3	-3.88	≤11.00	PASS
			Puncturing 20M	RU8	-3.97	≤11.00	PASS
	total	5570	Puncturing 40M	RU3	-1.75	≤11.00	PASS
			Puncturing 20M	RU8	-1.75	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE80MIMO_Ant16_5290_Puncturing 20M_RU2



Date: 18 SEP.2024 21:55:02


11BE80MIMO_Ant12_5290_Puncturing 20M_RU2



Date: 18 SEP.2024 21:55:13




11BE80MIMO_Ant16_5530_Puncturing 20M_RU3



Date: 18.SEP.2024 21:56:14


11BE80MIMO_Ant12_5530_Puncturing 20M_RU3



Date: 18.SEP.2024 21:56:25




11BE80MIMO_Ant16_5775_Puncturing 20M_RU3



Date: 18.SEP.2024 21:58:57


11BE80MIMO_Ant12_5775_Puncturing 20M_RU3



Date: 18.SEP.2024 21:59:08




11BE160MIMO_Ant16_5250_UNII-1_Puncturing 20M_RU1



Date: 18 SEP. 2024 22:00:08


11BE160MIMO_Ant16_5250_UNII-1_Puncturing 40M_RU2



Date: 18 SEP. 2024 22:05:23




11BE160MIMO_Ant16_5250_UNII-1_Puncturing 40M_RU3



Date: 18.SEP.2024 22:06:12

11BE160MIMO_Ant16_5250_UNII-1_Puncturing 20M_RU8



Date: 18.SEP.2024 22:01:28




11BE160MIMO_Ant12_5250_UNII-1_Puncturing 40M_RU2







11BE160MIMO_Ant12_5250_UNII-1_Puncturing 40M_RU3



11BE160MIMO_Ant12_5250_UNII-1_Puncturing 20M_RU8




11BE160MIMO_Ant16_5250_UNII-2A_Puncturing 20M_RU1



Date: 18.SEP.2024 22:00:18


11BE160MIMO_Ant16_5250_UNII-2A_Puncturing 40M_RU2



Date: 18.SEP.2024 22:05:33




11BE160MIMO_Ant16_5250_UNII-2A_Puncturing 40M_RU3



Date: 18 SEP. 2024 22:06:23


11BE160MIMO_Ant16_5250_UNII-2A_Puncturing 20M_RU8




Date: 18 SEP. 2024 22:01:38




11BE160MIMO_Ant12_5250_UNII-2A_Puncturing 20M_RU1



11BE160MIMO_Ant12_5250_UNII-2A_Puncturing 40M_RU2




11BE160MIMO_Ant12_5250_UNII-2A_Puncturing 40M_RU3



Date: 18.SEP.2024 22:06:45


11BE160MIMO_Ant12_5250_UNII-2A_Puncturing 20M_RU8



Date: 18.SEP.2024 22:02:00




11BE160MIMO_Ant16_5570_Puncturing 40M_RU3



Date: 18 SEP. 2024 22:07:24


11BE160MIMO_Ant16_5570_Puncturing 20M_RU8



Date: 18 SEP. 2024 22:02:48




11BE160MIMO_Ant12_5570_Puncturing 40M_RU3



Date: 18 SEP. 2024 22:07:35

11BE160MIMO_Ant12_5570_Puncturing 20M_RU8



Date: 18 SEP. 2024 22:02:58



<Small RU>

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant16	5180	52Tone+26Tone	RU38+RU1	5.49	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.26	≤11.00	PASS
	Ant12	5180	52Tone+26Tone	RU38+RU1	5.17	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.72	≤11.00	PASS
	total	5180	52Tone+26Tone	RU38+RU1	8.34	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	9.01	≤11.00	PASS
	Ant16	5320	52Tone+26Tone	RU39+RU7	4.39	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.43	≤11.00	PASS
	Ant12	5320	52Tone+26Tone	RU39+RU7	4.51	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	4.99	≤11.00	PASS
	total	5320	52Tone+26Tone	RU39+RU7	7.46	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	8.23	≤11.00	PASS
	Ant16	5500	52Tone+26Tone	RU38+RU1	4.25	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.25	≤11.00	PASS
	Ant12	5500	52Tone+26Tone	RU38+RU1	6.23	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.81	≤11.00	PASS
	total	5500	52Tone+26Tone	RU38+RU1	8.36	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	9.11	≤11.00	PASS
	Ant16	5700	52Tone+26Tone	RU39+RU7	3.88	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	4.89	≤11.00	PASS
	Ant12	5700	52Tone+26Tone	RU39+RU7	5.75	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	6.32	≤11.00	PASS
	total	5700	52Tone+26Tone	RU39+RU7	7.93	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	8.67	≤11.00	PASS
	Ant16	5745	52Tone+26Tone	RU38+RU1	0.67	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	1.85	≤30.00	PASS
	Ant12	5745	52Tone+26Tone	RU38+RU1	3.11	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	3.72	≤30.00	PASS
	total	5745	52Tone+26Tone	RU38+RU1	5.07	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	5.90	≤30.00	PASS
	Ant16	5825	52Tone+26Tone	RU39+RU7	1.09	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	2.33	≤30.00	PASS
	Ant12	5825	52Tone+26Tone	RU39+RU7	2.47	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	3.13	≤30.00	PASS
	total	5825	52Tone+26Tone	RU39+RU7	4.84	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	5.76	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant12_5180_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant12_5180_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant16_5320_52Tone+26Tone_RU39+RU7



Date: 18.SEP.2024 21:39:07


11BE20MIMO_Ant16_5320_106Tone+26Tone_RU54+RU4



Date: 18.SEP.2024 21:39:34




11BE20MIMO_Ant12_5320_52Tone+26Tone_RU39+RU7



Date: 18.SEP.2024 21:39:18


11BE20MIMO_Ant12_5320_106Tone+26Tone_RU54+RU4



Date: 18.SEP.2024 21:39:45




11BE20MIMO_Ant16_5500_52Tone+26Tone_RU38+RU1



Date: 18.SEP.2024 21:41:33


11BE20MIMO_Ant16_5500_106Tone+26Tone_RU53+RU4



Date: 18.SEP.2024 21:41:54




11BE20MIMO_Ant12_5500_52Tone+26Tone_RU38+RU1



Date: 18 SEP. 2024 21:41:43


11BE20MIMO_Ant12_5500_106Tone+26Tone_RU53+RU4



Date: 18 SEP. 2024 21:42:06




11BE20MIMO_Ant16_5700_52Tone+26Tone_RU39+RU7



Date: 18 SEP. 2024 21:42:59


11BE20MIMO_Ant16_5700_106Tone+26Tone_RU54+RU4



Date: 18 SEP. 2024 21:43:28




11BE20MIMO_Ant12_5700_52Tone+26Tone_RU39+RU7



Date: 18 SEP.2024 21:43:09


11BE20MIMO_Ant12_5700_106Tone+26Tone_RU54+RU4



Date: 18 SEP.2024 21:43:38




11BE20MIMO_Ant16_5745_52Tone+26Tone_RU38+RU1



Date: 18 SEP. 2024 21:44:07


11BE20MIMO_Ant16_5745_106Tone+26Tone_RU53+RU4



Date: 18 SEP. 2024 21:44:33




11BE20MIMO_Ant12_5745_52Tone+26Tone_RU38+RU1



Date: 18 SEP. 2024 21:44:17


11BE20MIMO_Ant12_5745_106Tone+26Tone_RU53+RU4



Date: 18 SEP. 2024 21:44:44




11BE20MIMO_Ant16_5825_52Tone+26Tone_RU39+RU7



Date: 18.SEP.2024 21:45:15


11BE20MIMO_Ant16_5825_106Tone+26Tone_RU54+RU4



Date: 18.SEP.2024 21:45:38




11BE20MIMO_Ant12_5825_52Tone+26Tone_RU39+RU7



Date: 18.SEP.2024 21:45:26

11BE20MIMO_Ant12_5825_106Tone+26Tone_RU54+RU4




Date: 18.SEP.2024 21:45:48



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38.40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.156	57.73	-7.96	65.69	47.19	0.12	10.42	QP
2	0.156	34.13	-21.56	55.69	23.59	0.12	10.42	Average
3	0.200	53.29	-10.33	63.62	42.80	0.08	10.41	QP
4	0.200	38.69	-14.93	53.62	28.20	0.08	10.41	Average
5	0.216	48.98	-13.98	62.96	38.50	0.08	10.40	QP
6	0.216	31.68	-21.28	52.96	21.20	0.08	10.40	Average
7	0.310	41.60	-18.37	59.97	31.19	0.08	10.33	QP
8	0.310	27.00	-22.97	49.97	16.59	0.08	10.33	Average
9	0.385	41.78	-16.39	58.17	31.50	-0.01	10.29	QP
10	0.385	27.88	-20.29	48.17	17.60	-0.01	10.29	Average
11	0.564	36.67	-19.33	56.00	26.60	-0.12	10.19	QP
12	0.564	23.27	-22.73	46.00	13.20	-0.12	10.19	Average

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38.40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.151	56.04	-9.92	65.96	45.50	0.12	10.42	QP
2	0.151	32.14	-23.82	55.96	21.60	0.12	10.42	Average
3	0.172	52.74	-12.12	64.86	42.20	0.12	10.42	QP
4	0.172	30.84	-24.02	54.86	20.30	0.12	10.42	Average
5	0.198	48.14	-15.57	63.71	37.60	0.13	10.41	QP
6	0.198	34.44	-19.27	53.71	23.90	0.13	10.41	Average
7	0.255	41.84	-19.76	61.60	31.50	-0.02	10.36	QP
8	0.255	28.84	-22.76	51.60	18.50	-0.02	10.36	Average
9	0.354	40.37	-18.50	58.87	30.20	-0.13	10.30	QP
10	0.354	25.67	-23.20	48.87	15.50	-0.13	10.30	Average
11	0.661	35.49	-20.51	56.00	25.50	-0.16	10.15	QP
12	0.661	24.59	-21.41	46.00	14.60	-0.16	10.15	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	51~53%
		Temperature :	25.2~26.5℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 16+12	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 16+12	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 16+12	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 16+12	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 16+12	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 16+12	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 16+12	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 16+12	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 16+12	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 16+12	802.11be EHT20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 16+12	802.11be EHT20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 16+12	802.11be EHT20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 16+12	802.11be EHT20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 16+12	802.11be EHT20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 16+12	802.11be EHT20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	CDD 16+12	802.11be EHT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	CDD 16+12	802.11be EHT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	CDD 16+12	802.11be EHT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 16+12	802.11be EHT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT40	110	5550	MCS0	Full	-
Mode 25	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT40	134	5670	MCS0	Full	-
Mode 26	U-NII-1	5.15-5.25	CDD 16+12	802.11be EHT80	42	5210	MCS0	Full	-
Mode 27	U-NII-2A	5.25-5.35	CDD 16+12	802.11be EHT80	58	5290	MCS0	Full	-
Mode 28	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT80	106	5530	MCS0	Full	-
Mode 29	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT80	122	5610	MCS0	Full	-
Mode 30	U-NII-2A	5.15-5.35	CDD 16+12	802.11be EHT160	50	5250	MCS0	Full	-
Mode 31	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT160	114	5570	MCS0	Full	-
Mode 32	U-NII-3	5.725-5.85	CDD 16+12	802.11a	149	5745	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	CDD 16+12	802.11a	157	5785	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	CDD 16+12	802.11a	165	5825	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT20	149	5745	MCS0	Full	-
Mode 36	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT20	157	5785	MCS0	Full	-
Mode 37	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT20	165	5825	MCS0	Full	-



Mode 38	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT40	151	5755	MCS0	Full	-
Mode 39	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT40	159	5795	MCS0	Full	-
Mode 40	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT80	155	5775	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.85	CDD 16+12	802.11a	144	5720	6Mbps	-	-
Mode 42	U-NII-2C	5.47-5.85	CDD 16+12	802.11be EHT20	144	5720	MCS0	Full	-
Mode 43	U-NII-2C	5.47-5.85	CDD 16+12	802.11be EHT40	142	5710	MCS0	Full	-
Mode 44	U-NII-2C	5.47-5.85	CDD 16+12	802.11be EHT80	138	5690	MCS0	Full	-
Mode 45	U-NII-1	5.15-5.25	CDD 16+12	802.11be EHT20	36	5180	MCS0	Single RU106/53	-
Mode 46	U-NII-2A	5.25-5.35	CDD 16+12	802.11be EHT20	64	5320	MCS0	Single RU106/54	-
Mode 47	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT20	100	5500	MCS0	Single RU106/53	-
Mode 48	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT20	140	5700	MCS0	Single RU106/54	-
Mode 49	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT20	149	5745	MCS0	Single RU106/53	-
Mode 50	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT20	165	5825	MCS0	Single RU106/54	-
Mode 51	U-NII-1	5.15-5.25	CDD 16+12	802.11be EHT20	36	5180	MCS0	Small RU53+4	-
Mode 52	U-NII-2A	5.25-5.35	CDD 16+12	802.11be EHT20	64	5320	MCS0	Small RU54+4	-
Mode 53	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT20	100	5500	MCS0	Small RU53+4	-
Mode 54	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT20	140	5700	MCS0	Small RU54+4	-
Mode 55	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT20	149	5745	MCS0	Small RU53+4	-
Mode 56	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT20	165	5825	MCS0	Small RU54+4	-
Mode 57	U-NII-1	5.15-5.25	CDD 16+12	802.11be EHT80	42	5210	MCS0	Puncturing 20M ③	-
Mode 58	U-NII-2A	5.25-5.35	CDD 16+12	802.11be EHT80	58	5290	MCS0	Puncturing 20M ②	-
Mode 59	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT80	106	5530	MCS0	Puncturing 20M ③	-
Mode 60	U-NII-2A	5.15-5.35	CDD 16+12	802.11be EHT160	50	5250	MCS0	Puncturing 40M ②	-
Mode 61	U-NII-2A	5.15-5.35	CDD 16+12	802.11be EHT160	50	5250	MCS0	Puncturing 40M ③	-
Mode 62	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT160	114	5570	MCS0	Puncturing 40M ③	-
Mode 63	U-NII-2A	5.15-5.35	CDD 16+12	802.11be EHT160	50	5250	MCS0	Puncturing 20M ①	-
Mode 64	U-NII-2A	5.15-5.35	CDD 16+12	802.11be EHT160	50	5250	MCS0	Puncturing 20M ⑧	-
Mode 65	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT160	114	5570	MCS0	Puncturing 20M ⑧	-
Mode 66	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT80	155	5775	MCS0	Puncturing 20M ③	-
Mode 67	U-NII-1	5.15-5.25	CDD 16+12	802.11be EHT80	42	5210	MCS0	Large RU 484+242 ④	-
Mode 68	U-NII-2A	5.25-5.35	CDD 16+12	802.11be EHT80	58	5290	MCS0	Large RU 484+242 ②	-
Mode 69	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT80	106	5530	MCS0	Large RU 484+242 ④	-
Mode 70	U-NII-2A	5.15-5.35	CDD 16+12	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ③	-
Mode 71	U-NII-2A	5.15-5.35	CDD 16+12	802.11be EHT160	50	5250	MCS0	Large RU 996*2 ⑨	-
Mode 72	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ③	-
Mode 73	U-NII-2C	5.47-5.725	CDD 16+12	802.11be EHT160	114	5570	MCS0	Large RU 996*2 ⑨	-
Mode 74	U-NII-3	5.725-5.85	CDD 16+12	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ④	-



CO-location Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 75	2400-2483.5	2400-2483.5	15	Bluetooth-LE	38	2478	2Mbps	Full	-
	U-NII-2A	5.25-5.35	CDD 16+12	802.11BE EHT80	58	5290	MCS0	Full	-
	Part96 LTE B48 BW=20M								
Mode 76	2400-2483.5	2400-2483.5	CDD 8+15	802.11BE EHT40	03	2422	MCS0	Full	-
	U-NII-2A	5.25-5.35	CDD 16+12	802.11BE EHT80	58	5290	MCS0	Full	-
	Part96 LTE B48 BW=20M								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	43.42	54.00	-10.58	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	44.75	68.20	-23.45	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	45.36	68.20	-22.84	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	44.88	68.20	-23.32	V	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	45.51	68.20	-22.69	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	45.85	74.00	-28.15	V	PEAK	Pass	Harmonic
6	802.11a	64	5351.00	41.48	54.00	-12.52	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	45.35	74.00	-28.65	V	PEAK	Pass	Harmonic
7	802.11a	100	5458.96	39.91	54.00	-14.09	H	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	44.31	74.00	-29.69	V	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	45.26	74.00	-28.74	V	PEAK	Pass	Harmonic
9	802.11a	140	5725.48	51.25	68.20	-16.95	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	46.56	74.00	-27.44	H	PEAK	Pass	Harmonic
10	802.11be EHT20	36	5150.00	49.68	54.00	-4.32	V	AVERAGE	Pass	Band Edge
10	802.11be EHT20	36	10360.00	44.75	68.20	-23.45	V	PEAK	Pass	Harmonic
11	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	44	10440.00	44.48	68.20	-23.72	V	PEAK	Pass	Harmonic
12	802.11be EHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11be EHT20	48	10480.00	45.01	68.20	-23.19	V	PEAK	Pass	Harmonic
13	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11be EHT20	52	10520.00	44.82	68.20	-23.38	H	PEAK	Pass	Harmonic
14	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	60	10600.00	44.77	74.00	-29.23	V	PEAK	Pass	Harmonic
15	802.11be EHT20	64	5350.30	44.06	54.00	-9.94	V	AVERAGE	Pass	Band Edge
15	802.11be EHT20	64	10640.00	44.95	74.00	-29.05	H	PEAK	Pass	Harmonic
16	802.11be EHT20	100	5469.36	59.05	68.20	-9.15	H	PEAK	Pass	Band Edge
16	802.11be EHT20	100	11000.00	44.63	74.00	-29.37	V	PEAK	Pass	Harmonic
17	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	116	11160.00	44.80	74.00	-29.20	V	PEAK	Pass	Harmonic
18	802.11be EHT20	140	5725.08	54.32	68.20	-13.88	V	PEAK	Pass	Band Edge
18	802.11be EHT20	140	11400.00	45.88	74.00	-28.12	H	PEAK	Pass	Harmonic
19	802.11be EHT40	38	5149.92	49.55	54.00	-4.45	V	AVERAGE	Pass	Band Edge
19	802.11be EHT40	38	10380.00	44.45	68.20	-23.75	V	PEAK	Pass	Harmonic
20	802.11be EHT40	46	5115.36	39.85	54.00	-14.15	V	AVERAGE	Pass	Band Edge
20	802.11be EHT40	46	10460.00	44.59	68.20	-23.61	H	PEAK	Pass	Harmonic
21	802.11be EHT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT40	54	10540.00	45.05	68.20	-23.15	V	PEAK	Pass	Harmonic
22	802.11be EHT40	62	5350.00	46.12	54.00	-7.88	V	AVERAGE	Pass	Band Edge



22	802.11be EHT40	62	10620.00	45.18	74.00	-28.82	V	PEAK	Pass	Harmonic
23	802.11be EHT40	102	5465.52	58.02	68.20	-10.18	H	PEAK	Pass	Band Edge
23	802.11be EHT40	102	8570.80	44.80	68.20	-23.40	H	-	Pass	Harmonic
24	802.11be EHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT40	110	11100.00	44.87	74.00	-29.13	H	PEAK	Pass	Harmonic
25	802.11be EHT40	134	5455.44	38.20	54.00	-15.80	V	AVERAGE	Pass	Band Edge
25	802.11be EHT40	134	11340.00	45.13	74.00	-28.87	H	PEAK	Pass	Harmonic
26	802.11be EHT80	42	5144.00	49.24	54.00	-4.76	V	AVERAGE	Pass	Band Edge
26	802.11be EHT80	42	10420.00	45.24	68.20	-22.96	V	PEAK	Pass	Harmonic
27	802.11be EHT80	58	5357.20	50.98	54.00	-3.02	H	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	10580.00	45.56	74.00	-28.44	V	PEAK	Pass	Harmonic
28	802.11be EHT80	106	5451.92	50.09	54.00	-3.91	V	AVERAGE	Pass	Band Edge
28	802.11be EHT80	106	11060.00	44.74	74.00	-29.26	H	PEAK	Pass	Harmonic
29	802.11be EHT80	122	5456.40	39.56	54.00	-14.44	V	AVERAGE	Pass	Band Edge
29	802.11be EHT80	122	11220.00	45.47	74.00	-28.53	H	PEAK	Pass	Harmonic
30	802.11be EHT160	50	5124.25	50.57	54.00	-3.43	H	AVERAGE	Pass	Band Edge
30	802.11be EHT160	50	10500.00	45.19	68.20	-23.01	H	PEAK	Pass	Harmonic
31	802.11be EHT160	114	5460.00	48.20	54.00	-5.80	V	AVERAGE	Pass	Band Edge
31	802.11be EHT160	114	11140.00	44.99	74.00	-29.01	V	PEAK	Pass	Harmonic
32	802.11a	149	5630.80	50.16	68.20	-18.04	H	PEAK	Pass	Band Edge
32	802.11a	149	11490.00	46.21	74.00	-27.79	V	PEAK	Pass	Harmonic
33	802.11a	157	-	-	-	-	-	-	-	Band Edge
33	802.11a	157	11570.00	45.44	74.00	-28.56	V	PEAK	Pass	Harmonic
34	802.11a	165	5940.40	50.53	68.20	-17.67	H	PEAK	Pass	Band Edge
34	802.11a	165	11650.00	47.82	74.00	-26.18	H	PEAK	Pass	Harmonic
35	802.11be EHT20	149	5630.80	51.33	68.20	-16.87	V	PEAK	Pass	Band Edge
35	802.11be EHT20	149	11490.00	46.70	74.00	-27.30	V	PEAK	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	157	11570.00	45.85	74.00	-28.15	V	PEAK	Pass	Harmonic
37	802.11be EHT20	165	5950.80	50.66	68.20	-17.54	H	PEAK	Pass	Band Edge
37	802.11be EHT20	165	11650.00	46.89	74.00	-27.11	H	PEAK	Pass	Harmonic
38	802.11be EHT40	151	5924.26	50.88	68.75	-17.87	H	PEAK	Pass	Band Edge
38	802.11be EHT40	151	11510.00	47.30	74.00	-26.70	H	PEAK	Pass	Harmonic
39	802.11be EHT40	159	5933.20	50.37	68.20	-17.83	V	PEAK	Pass	Band Edge
39	802.11be EHT40	159	11590.00	45.97	74.00	-28.03	H	PEAK	Pass	Harmonic
40	802.11be EHT80	155	5943.60	51.49	68.20	-16.71	V	PEAK	Pass	Band Edge
40	802.11be EHT80	155	11550.00	46.11	74.00	-27.89	H	PEAK	Pass	Harmonic
41	802.11a	144	-	-	-	-	-	-	-	Band Edge
41	802.11a	144	11440.00	45.53	74.00	-28.47	H	PEAK	Pass	Harmonic
42	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT20	144	11440.00	46.78	74.00	-27.22	H	PEAK	Pass	Harmonic
43	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT40	142	11420.00	46.61	74.00	-27.39	H	PEAK	Pass	Harmonic
44	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT80	138	11380.00	47.46	74.00	-26.54	V	PEAK	Pass	Harmonic
45	802.11be EHT20	36	5150.00	46.70	54.00	-7.30	V	AVERAGE	Pass	Band Edge
45	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic



46	802.11be EHT20	64	5350.15	70.03	74.00	-3.97	V	PEAK	Pass	Band Edge
46	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	100	5452.48	45.38	54.00	-8.62	V	AVERAGE	Pass	Band Edge
47	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	140	5726.24	62.09	68.20	-6.11	V	PEAK	Pass	Band Edge
48	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT20	149	5644.21	56.97	68.20	-11.23	V	PEAK	Pass	Band Edge
49	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT20	165	5935.01	58.41	68.20	-9.79	V	PEAK	Pass	Band Edge
50	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	36	5149.65	47.94	54.00	-6.06	V	AVERAGE	Pass	Band Edge
51	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	64	5350.25	50.28	54.00	-3.72	V	AVERAGE	Pass	Band Edge
52	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	100	5467.05	63.44	68.20	-4.76	V	PEAK	Pass	Band Edge
53	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	140	5725.12	64.85	68.20	-3.35	V	PEAK	Pass	Band Edge
54	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	149	5622.80	56.45	68.20	-11.75	V	PEAK	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	165	5923.60	64.59	69.23	-4.64	V	PEAK	Pass	Band Edge
56	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT80	42	5144.64	49.77	54.00	-4.23	V	AVERAGE	Pass	Band Edge
57	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT80	58	5364.70	47.98	54.00	-6.02	V	AVERAGE	Pass	Band Edge
58	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT80	106	5469.68	63.17	68.20	-5.03	H	PEAK	Pass	Band Edge
59	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT160	50	5404.14	70.35	74.00	-3.65	V	PEAK	Pass	Band Edge
60	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT160	50	5402.88	49.02	54.00	-4.98	V	AVERAGE	Pass	Band Edge
61	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT160	114	5730.10	61.52	68.20	-6.68	V	PEAK	Pass	Band Edge
62	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT160	50	5398.68	48.65	54.00	-5.35	V	AVERAGE	Pass	Band Edge
63	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT160	50	5367.81	48.38	54.00	-5.62	V	AVERAGE	Pass	Band Edge
64	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT160	114	5467.92	63.75	68.20	-4.45	H	PEAK	Pass	Band Edge
65	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT80	155	5928.40	51.70	68.20	-16.50	V	PEAK	Pass	Band Edge
66	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT80	42	5146.94	49.24	54.00	-4.76	V	AVERAGE	Pass	Band Edge
67	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	58	5358.35	49.63	54.00	-4.37	V	AVERAGE	Pass	Band Edge
68	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT80	106	5462.09	64.96	68.20	-3.24	V	PEAK	Pass	Band Edge



69	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	50	5398.37	48.57	54.00	-5.43	V	AVERAGE	Pass	Band Edge
70	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT160	50	5404.04	50.14	54.00	-3.86	V	AVERAGE	Pass	Band Edge
71	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT160	114	5439.66	50.47	54.00	-3.53	V	AVERAGE	Pass	Band Edge
72	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT160	114	5444.06	50.94	54.00	-3.06	V	AVERAGE	Pass	Band Edge
73	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	155	5948.00	57.99	68.20	-10.21	V	PEAK	Pass	Band Edge
74	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
75	Bluetooth-LE	38	2485.78	39.92	54.00	-14.08	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE	38	4956.00	39.91	74.00	-34.09	V	PEAK	Pass	Harmonic
	802.11BE EHT80	58	5351.40	49.64	54.00	-4.36	H	AVERAGE	Pass	Band Edge
	802.11BE EHT80	58	10580.00	44.84	68.20	-23.36	V	PEAK	Pass	Harmonic
76	802.11BE EHT40	03	2389.95	50.48	54.00	-3.52	V	AVERAGE	Pass	Band Edge
	802.11BE EHT40	03	4844.00	40.34	74.00	-33.66	H	PEAK	Pass	Harmonic
	802.11BE EHT80	58	5350.00	46.71	54.00	-7.29	H	AVERAGE	Pass	Band Edge
	802.11BE EHT80	58	10580.00	44.72	68.20	-23.48	H	PEAK	Pass	Harmonic