



N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH



N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PASS




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_PASS




N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH_CHP_PASS



N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



Note: "CHP" means channel power integrated method.

FR1 ENDC_2A_n66A(ANT 5)-SCS 15k

LTE Band: 2, LTE BW: 10M, LTE ARFCN: Mid

Transmitter Conducted Output Power And ERP/EIRP, ($G_T - L_C$)=-2.1dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@1	21.85	19.75	0.0944
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@1	21.31	19.21	0.0834
66	15	5	349000	1745	DFT-s-OFDM QPSK	1@1	22.03	19.93	0.0984
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.42	19.32	0.0855
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@1	22.03	19.93	0.0984
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	1@1	21.61	19.51	0.0893
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@1	21.84	19.74	0.0942
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	21.3	19.2	0.0832
66	15	10	349000	1745	DFT-s-OFDM QPSK	1@1	21.96	19.86	0.0968
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.44	19.34	0.0859
66	15	10	355000	1775	DFT-s-OFDM QPSK	1@1	22.02	19.92	0.0982
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	1@1	21.57	19.47	0.0885
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	21.77	19.67	0.0927
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	21.33	19.23	0.0838
66	15	15	349000	1745	DFT-s-OFDM QPSK	1@1	22.03	19.93	0.0984
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.58	19.48	0.0887
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	1@1	21.92	19.82	0.0959
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@1	21.49	19.39	0.0869
66	15	20	344000	1720	DFT-s-OFDM QPSK	1@1	21.77	19.67	0.0927
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	21.24	19.14	0.0820
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@1	22.01	19.91	0.0979
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.52	19.42	0.0875
66	15	20	354000	1770	DFT-s-OFDM QPSK	1@1	21.92	19.82	0.0959
66	15	20	354000	1770	DFT-s-OFDM 16 QAM	1@1	21.46	19.36	0.0863
66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@1	21.54	19.44	0.0879
66	15	25	344500	1722.5	DFT-s-OFDM 16 QAM	1@1	21.13	19.03	0.0800
66	15	25	349000	1745	DFT-s-OFDM QPSK	1@1	21.8	19.7	0.0933
66	15	25	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.29	19.19	0.0830

66	15	25	353500	1767.5	DFT-s-OFDM QPSK	1@1	21.71	19.61	0.0914
66	15	25	353500	1767.5	DFT-s-OFDM 16 QAM	1@1	21.27	19.17	0.0826
66	15	30	345000	1725	DFT-s-OFDM QPSK	1@1	21.64	19.54	0.0899
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	21.19	19.09	0.0811
66	15	30	349000	1745	DFT-s-OFDM QPSK	1@1	21.75	19.65	0.0923
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.29	19.19	0.0830
66	15	30	353000	1765	DFT-s-OFDM QPSK	1@1	21.76	19.66	0.0925
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	1@1	21.33	19.23	0.0838
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	108@54	21.8	19.7	0.0933
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@1	21.5	19.4	0.0871
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@214	21.81	19.71	0.0935
66	15	40	346000	1730	DFT-s-OFDM QPSK	108@54	21.89	19.79	0.0953
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@1	21.83	19.73	0.0940
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@214	21.97	19.87	0.0971
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	108@54	21.41	19.31	0.0853
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	21.38	19.28	0.0847
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@214	21.43	19.33	0.0857
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	108@54	20.88	18.78	0.0755
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@1	20.59	18.49	0.0706
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@214	20.69	18.59	0.0723
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	108@54	20.42	18.32	0.0679
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@1	20.29	18.19	0.0659
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@214	20.43	18.33	0.0681
66	15	40	346000	1730	CP-OFDM QPSK	108@54	21.87	19.77	0.0948
66	15	40	346000	1730	CP-OFDM QPSK	1@1	21.94	19.84	0.0964
66	15	40	346000	1730	CP-OFDM QPSK	1@214	22.05	19.95	0.0989
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	108@54	21.85	19.75	0.0944
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	21.77	19.67	0.0927
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@214	21.75	19.65	0.0923
66	15	40	349000	1745	DFT-s-OFDM QPSK	108@54	21.91	19.81	0.0957
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@1	21.95	19.85	0.0966
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@214	21.96	19.86	0.0968
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	108@54	21.43	19.33	0.0857
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.39	19.29	0.0849
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@214	21.39	19.29	0.0849

66	15	40	349000	1745	DFT-s-OFDM 64 QAM	108@54	20.95	18.85	0.0767
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@1	20.66	18.56	0.0718
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@214	20.68	18.58	0.0721
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	108@54	20.51	18.41	0.0693
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@1	20.36	18.26	0.0670
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@214	20.39	18.29	0.0675
66	15	40	349000	1745	CP-OFDM QPSK	108@54	21.88	19.78	0.0951
66	15	40	349000	1745	CP-OFDM QPSK	1@1	21.95	19.85	0.0966
66	15	40	349000	1745	CP-OFDM QPSK	1@214	22.06	19.96	0.0991
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	108@54	21.83	19.73	0.0940
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@1	21.65	19.55	0.0902
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@214	21.85	19.75	0.0944
66	15	40	352000	1760	DFT-s-OFDM QPSK	108@54	21.87	19.77	0.0948
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@1	21.95	19.85	0.0966
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@214	22.09	19.99	0.0998
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	108@54	21.41	19.31	0.0853
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@1	21.35	19.25	0.0841
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@214	21.52	19.42	0.0875
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	108@54	20.88	18.78	0.0755
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@1	20.61	18.51	0.0710
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@214	20.84	18.74	0.0748
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	108@54	20.5	18.4	0.0692
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@1	20.44	18.34	0.0682
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@214	20.54	18.44	0.0698
66	15	40	352000	1760	CP-OFDM QPSK	108@54	21.85	19.75	0.0944
66	15	40	352000	1760	CP-OFDM QPSK	1@1	22.08	19.98	0.0995
66	15	40	352000	1760	CP-OFDM QPSK	1@214	22.03	19.93	0.0984

FR1 ENDC_2A_n66A(ANT 5)-SCS 30k

LTE Band: 2, LTE BW: 10M, LTE ARFCN: Mid

Transmitter Conducted Output Power And ERP/EIRP, ($G_T - L_C$)=-2.1dB

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
66	30	10	343000	1715	DFT-s-OFDM QPSK	1@1	21.67	19.57	0.0906
66	30	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	21.29	19.19	0.0830
66	30	10	349000	1745	DFT-s-OFDM QPSK	1@1	21.73	19.63	0.0918
66	30	10	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.49	19.39	0.0869
66	30	10	355000	1775	DFT-s-OFDM QPSK	1@1	21.74	19.64	0.0920
66	30	10	355000	1775	DFT-s-OFDM 16 QAM	1@1	21.38	19.28	0.0847
66	30	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	21.62	19.52	0.0895
66	30	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	21.23	19.13	0.0818
66	30	15	349000	1745	DFT-s-OFDM QPSK	1@1	21.73	19.63	0.0918
66	30	15	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.46	19.36	0.0863
66	30	15	354500	1772.5	DFT-s-OFDM QPSK	1@1	21.71	19.61	0.0914
66	30	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@1	21.29	19.19	0.0830
66	30	20	344000	1720	DFT-s-OFDM QPSK	1@1	21.32	19.22	0.0836
66	30	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	21.16	19.06	0.0805
66	30	20	349000	1745	DFT-s-OFDM QPSK	1@1	21.62	19.52	0.0895
66	30	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.38	19.28	0.0847
66	30	20	354000	1770	DFT-s-OFDM QPSK	1@1	21.52	19.42	0.0875
66	30	20	354000	1770	DFT-s-OFDM 16 QAM	1@1	21.28	19.18	0.0828
66	30	25	344500	1722.5	DFT-s-OFDM QPSK	1@1	21.1	19	0.0794
66	30	25	344500	1722.5	DFT-s-OFDM 16 QAM	1@1	20.84	18.74	0.0748
66	30	25	349000	1745	DFT-s-OFDM QPSK	1@1	21.37	19.27	0.0845
66	30	25	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.13	19.03	0.0800
66	30	25	353500	1767.5	DFT-s-OFDM QPSK	1@1	21.54	19.44	0.0879
66	30	25	353500	1767.5	DFT-s-OFDM 16 QAM	1@1	21.32	19.22	0.0836
66	30	30	345000	1725	DFT-s-OFDM QPSK	1@1	21.51	19.41	0.0873
66	30	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	21.08	18.98	0.0791
66	30	30	349000	1745	DFT-s-OFDM QPSK	1@1	21.66	19.56	0.0904
66	30	30	349000	1745	DFT-s-OFDM 16 QAM	1@1	21.21	19.11	0.0815
66	30	30	353000	1765	DFT-s-OFDM QPSK	1@1	21.59	19.49	0.0889
66	30	30	353000	1765	DFT-s-OFDM 16 QAM	1@1	21.34	19.24	0.0839
66	30	40	346000	1730	DFT-s-OFDM PI/2 BPSK	50@25	21.25	19.15	0.0822
66	30	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@1	21.04	18.94	0.0783
66	30	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@104	21.39	19.29	0.0849
66	30	40	346000	1730	DFT-s-OFDM QPSK	50@25	21.35	19.25	0.0841
66	30	40	346000	1730	DFT-s-OFDM QPSK	1@1	21.41	19.31	0.0853
66	30	40	346000	1730	DFT-s-OFDM QPSK	1@104	21.67	19.57	0.0906
66	30	40	346000	1730	DFT-s-OFDM 16 QAM	50@25	20.95	18.85	0.0767
66	30	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	20.87	18.77	0.0753
66	30	40	346000	1730	DFT-s-OFDM 16 QAM	1@104	20.88	18.78	0.0755
66	30	40	346000	1730	DFT-s-OFDM 64 QAM	50@25	20.53	18.43	0.0697
66	30	40	346000	1730	DFT-s-OFDM 64 QAM	1@1	20.4	18.3	0.0676
66	30	40	346000	1730	DFT-s-OFDM 64 QAM	1@104	20.26	18.16	0.0655
66	30	40	346000	1730	DFT-s-OFDM 256 QAM	50@25	19.89	17.79	0.0601
66	30	40	346000	1730	DFT-s-OFDM 256 QAM	1@1	19.75	17.65	0.0582
66	30	40	346000	1730	DFT-s-OFDM 256 QAM	1@104	20.03	17.93	0.0621

66	30	40	346000	1730	CP-OFDM QPSK	53@26	21.35	19.25	0.0841
66	30	40	346000	1730	CP-OFDM QPSK	1@1	21.06	18.96	0.0787
66	30	40	346000	1730	CP-OFDM QPSK	1@104	21.3	19.2	0.0832
66	30	40	349000	1745	DFT-s-OFDM PI/2 BPSK	50@25	21.4	19.3	0.0851
66	30	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	21.25	19.15	0.0822
66	30	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@104	21.32	19.22	0.0836
66	30	40	349000	1745	DFT-s-OFDM QPSK	50@25	21.42	19.32	0.0855
66	30	40	349000	1745	DFT-s-OFDM QPSK	1@1	21.3	19.2	0.0832
66	30	40	349000	1745	DFT-s-OFDM QPSK	1@104	21.36	19.26	0.0843
66	30	40	349000	1745	DFT-s-OFDM 16 QAM	50@25	20.95	18.85	0.0767
66	30	40	349000	1745	DFT-s-OFDM 16 QAM	1@1	20.64	18.54	0.0714
66	30	40	349000	1745	DFT-s-OFDM 16 QAM	1@104	20.7	18.6	0.0724
66	30	40	349000	1745	DFT-s-OFDM 64 QAM	50@25	20.42	18.32	0.0679
66	30	40	349000	1745	DFT-s-OFDM 64 QAM	1@1	20.17	18.07	0.0641
66	30	40	349000	1745	DFT-s-OFDM 64 QAM	1@104	20.23	18.13	0.0650
66	30	40	349000	1745	DFT-s-OFDM 256 QAM	50@25	19.98	17.88	0.0614
66	30	40	349000	1745	DFT-s-OFDM 256 QAM	1@1	19.82	17.72	0.0592
66	30	40	349000	1745	DFT-s-OFDM 256 QAM	1@104	19.86	17.76	0.0597
66	30	40	349000	1745	CP-OFDM QPSK	53@26	21.31	19.21	0.0834
66	30	40	349000	1745	CP-OFDM QPSK	1@1	21.65	19.55	0.0902
66	30	40	349000	1745	CP-OFDM QPSK	1@104	21.72	19.62	0.0916
66	30	40	352000	1760	DFT-s-OFDM PI/2 BPSK	50@25	21.31	19.21	0.0834
66	30	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@1	21.2	19.1	0.0813
66	30	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@104	21.56	19.46	0.0883
66	30	40	352000	1760	DFT-s-OFDM QPSK	50@25	21.41	19.31	0.0853
66	30	40	352000	1760	DFT-s-OFDM QPSK	1@1	21.6	19.5	0.0891
66	30	40	352000	1760	DFT-s-OFDM QPSK	1@104	21.75	19.65	0.0923
66	30	40	352000	1760	DFT-s-OFDM 16 QAM	50@25	20.92	18.82	0.0762
66	30	40	352000	1760	DFT-s-OFDM 16 QAM	1@1	20.76	18.66	0.0735
66	30	40	352000	1760	DFT-s-OFDM 16 QAM	1@104	20.87	18.77	0.0753
66	30	40	352000	1760	DFT-s-OFDM 64 QAM	50@25	20.37	18.27	0.0671
66	30	40	352000	1760	DFT-s-OFDM 64 QAM	1@1	20.19	18.09	0.0644
66	30	40	352000	1760	DFT-s-OFDM 64 QAM	1@104	20.23	18.13	0.0650
66	30	40	352000	1760	DFT-s-OFDM 256 QAM	50@25	19.97	17.87	0.0612
66	30	40	352000	1760	DFT-s-OFDM 256 QAM	1@1	19.79	17.69	0.0587
66	30	40	352000	1760	DFT-s-OFDM 256 QAM	1@104	20.02	17.92	0.0619
66	30	40	352000	1760	CP-OFDM QPSK	53@26	21.33	19.23	0.0838
66	30	40	352000	1760	CP-OFDM QPSK	1@1	21.64	19.54	0.0899
66	30	40	352000	1760	CP-OFDM QPSK	1@104	21.38	19.28	0.0847

FR1 ENDC_2A_n66A(ANT 5)-SCS 15k


Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0044	PASS	NV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0032	PASS	LV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0029	PASS	HV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0043	PASS	-30°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0053	PASS	-20°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0050	PASS	-10°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0046	PASS	0°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0035	PASS	10°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0044	PASS	20°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0064	PASS	30°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0049	PASS	40°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0062	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	349000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	4.29	13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	5.38	13	PASS

B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B2_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




Occupied Bandwidth


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
66	15	5	349000	1745.0	CP-OFDM QPSK	25@0	4.477	4.819
66	15	5	349000	1745.0	CP-OFDM 16 QAM	25@0	4.4748	4.813
66	15	5	349000	1745.0	CP-OFDM 64 QAM	25@0	4.479	4.799
66	15	5	349000	1745.0	CP-OFDM 256 QAM	25@0	4.4709	4.822
66	15	10	349000	1745.0	CP-OFDM QPSK	52@0	9.2671	9.745
66	15	10	349000	1745.0	CP-OFDM 16 QAM	52@0	9.3042	9.679
66	15	10	349000	1745.0	CP-OFDM 64 QAM	52@0	9.2811	9.721
66	15	10	349000	1745.0	CP-OFDM 256 QAM	52@0	9.2769	9.67
66	15	15	349000	1745.0	CP-OFDM QPSK	79@0	14.065	14.65
66	15	15	349000	1745.0	CP-OFDM 16 QAM	79@0	14.099	14.65
66	15	15	349000	1745.0	CP-OFDM 64 QAM	79@0	14.061	14.65
66	15	15	349000	1745.0	CP-OFDM 256 QAM	79@0	14.09	14.76
66	15	20	349000	1745.0	CP-OFDM QPSK	106@0	18.903	19.76
66	15	20	349000	1745.0	CP-OFDM 16 QAM	106@0	18.908	19.62
66	15	20	349000	1745.0	CP-OFDM 64 QAM	106@0	18.915	19.59
66	15	20	349000	1745.0	CP-OFDM 256 QAM	106@0	18.896	19.65
66	15	25	349000	1745.0	CP-OFDM QPSK	133@0	23.731	24.7
66	15	25	349000	1745.0	CP-OFDM 16 QAM	133@0	23.742	24.68
66	15	25	349000	1745.0	CP-OFDM 64 QAM	133@0	23.784	24.64
66	15	25	349000	1745.0	CP-OFDM 256 QAM	133@0	23.723	24.69
66	15	30	349000	1745.0	CP-OFDM QPSK	160@0	28.501	29.53
66	15	30	349000	1745.0	CP-OFDM 16 QAM	160@0	28.596	29.74
66	15	30	349000	1745.0	CP-OFDM 64 QAM	160@0	28.555	29.54
66	15	30	349000	1745.0	CP-OFDM 256 QAM	160@0	28.439	29.63
66	15	40	349000	1745.0	CP-OFDM QPSK	216@0	38.648	40.0

66	15	40	349000	1745.0	CP-OFDM 16 QAM	216@0	38.643	39.86
66	15	40	349000	1745.0	CP-OFDM 64 QAM	216@0	38.702	39.91
66	15	40	349000	1745.0	CP-OFDM 256 QAM	216@0	38.668	39.96


B2_N66(5M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B2_N66(5M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B2_N66(5M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B2_N66(5M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B2_N66(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B2_N66(10M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B2_N66(10M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B2_N66(10M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B2_N66(15M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B2_N66(15M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B2_N66(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B2_N66(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B2_N66(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B2_N66(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B2_N66(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B2_N66(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B2_N66(25M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



B2_N66(25M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B2_N66(25M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B2_N66(25M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B2_N66(30M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B2_N66(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B2_N66(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B2_N66(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



B2_N66(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B2_N66(40M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B2_N66(40M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



B2_N66(40M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS

66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


B2_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B2_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B2_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B2_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



B2_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B2_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B2_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B2_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS


B2_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B2_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B2_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B2_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B2_N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B2_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B2_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B2_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B2_N66(20M)_DFT-s- OFDM_BPSK_Edge_1RB_Right_High_CH




B2_N66(20M)_DFT-s- OFDM_QPSK_Edge_1RB_Right_High_CH




B2_N66(20M)_DFT-s- OFDM_BPSK_Outer_Full_High_CH




B2_N66(20M)_DFT-s- OFDM_QPSK_Outer_Full_High_CH




B2_N66(40M)_DFT-s- OFDM_BPSK_Edge_1RB_Left_Low_CH




B2_N66(40M)_DFT-s- OFDM_QPSK_Edge_1RB_Left_Low_CH




B2_N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_PA
SS




B2_N66(40M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




B2_N66(40M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




B2_N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




B2_N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



B2_N66(40M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH



B2_N66(40M)_DFT-s- OFDM_QPSK_Outer_Full_High_CH



Note: "CHP" means channel power integrated method.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Qingsheng He	Temperature :	22~25°C
		Relative Humidity :	48~52%

RSE Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test.

n7 SA / NR 50MHz / QPSK(ANT2)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5032.00	-62.25	-25	-37.25	-79.65	-67.81	7.14	12.70	H
	7548.00	-55.95	-25	-30.95	-78.20	-59.25	8.30	11.60	H
	10064.00	-51.89	-25	-26.89	-78.99	-53.41	10.48	12.00	H
	5032.00	-62.03	-25	-37.03	-79.35	-67.59	7.14	12.70	V
	7548.00	-56.01	-25	-31.01	-78.1	-59.31	8.30	11.60	V
	10064.00	-52.23	-25	-27.23	-78.8	-53.75	10.48	12.00	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_66_n7A / LTE 10MHz + NR 50MHz / QPSK (ANT5+2)									
Channel	Frequency (MHz)	ERP/EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n7 Middle	5032.00	-62.17	-25	-37.17	-79.57	-67.73	7.14	12.70	H
	7548.00	-56.63	-25	-31.63	-78.88	-59.93	8.30	11.60	H
	10064.00	-52.06	-25	-27.06	-79.16	-53.58	10.48	12.00	H
	5032.00	-61.91	-25	-36.91	-79.23	-67.47	7.14	12.70	V
	7548.00	-56.69	-25	-31.69	-78.78	-59.99	8.30	11.60	V
	10064.00	-52.64	-25	-27.64	-79.21	-54.16	10.48	12.00	V
LTE Band66	3481	-64.70	-13	-51.70	-77.62	-71.55	5.65	12.50	H
	5221.5	-62.69	-13	-49.69	-79.99	-68.36	7.13	12.80	H
	6962	-58.40	-13	-45.40	-79.40	-61.80	8.40	11.80	H
	3481	-64.03	-13	-51.03	-77.49	-70.88	5.65	12.50	V
	5221.5	-62.70	-13	-49.70	-79.95	-68.37	7.13	12.80	V
	6962	-58.27	-13	-45.27	-79.37	-61.67	8.40	11.80	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n41 SA / NR 100MHz / QPSK(ANT2)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5089.00	-62.08	-25	-37.08	-79.53	-67.64	7.14	12.70	H
	7633.50	-56.00	-25	-31.00	-78.26	-59.30	8.30	11.60	H
	10178.00	-51.37	-25	-26.37	-78.43	-52.89	10.48	12.00	H
	5089.00	-61.53	-25	-36.53	-78.91	-67.09	7.14	12.70	V
	7633.50	-56.37	-25	-31.37	-78.44	-59.67	8.30	11.60	V
	10178.00	-52.13	-25	-27.13	-78.78	-53.65	10.48	12.00	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_66_n41A / LTE 10MHz + NR 100MHz / QPSK (ANT5+2)									
Channel	Frequency (MHz)	ERP/EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n41 Middle	5089.00	-61.57	-25	-36.57	-79.02	-67.13	7.14	12.70	H
	7633.50	-56.46	-25	-31.46	-78.72	-59.76	8.30	11.60	H
	10178.00	-52.30	-25	-27.30	-79.36	-53.82	10.48	12.00	H
	5089.00	-62.00	-25	-37.00	-79.38	-67.56	7.14	12.70	V
	7633.50	-56.74	-25	-31.74	-78.81	-60.04	8.30	11.60	V
	10178.00	-52.82	-25	-27.82	-79.47	-54.34	10.48	12.00	V
LTE Band66	3472	-64.36	-13	-51.36	-77.18	-71.21	5.65	12.50	H
	5208	-62.30	-13	-49.30	-79.76	-67.97	7.13	12.80	H
	6944	-58.14	-13	-45.14	-79.05	-61.54	8.40	11.80	H
	3472	-64.32	-13	-51.32	-77.69	-71.17	5.65	12.50	V
	5208	-62.51	-13	-49.51	-79.92	-68.18	7.13	12.80	V
	6944	-58.48	-13	-45.48	-79.44	-61.88	8.40	11.80	V



n66 SA / NR 40MHz / QPSK(ANT2)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3452	-64.36	-13	-51.36	-76.95	-71.21	5.65	12.50	H
	5178	-61.78	-13	-48.78	-79.32	-67.45	7.13	12.80	H
	6904	-58.01	-13	-45.01	-78.74	-61.41	8.40	11.80	H
	3452	-63.74	-13	-50.74	-76.88	-70.59	5.65	12.50	V
	5178	-61.82	-13	-48.82	-79.3	-67.49	7.13	12.80	V
	6904	-58.71	-13	-45.71	-79.37	-62.11	8.40	11.80	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_7_n66A / LTE 10MHz + NR 40MHz / QPSK (ANT2+5)									
Channel	Frequency (MHz)	ERP/EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
LTE Band7	5061.18	-61.68	-25	-36.68	-79.10	-67.24	7.14	12.70	H
	7591.77	-56.62	-25	-31.62	-78.79	-59.92	8.30	11.60	H
	10122.36	-52.10	-25	-27.10	-79.19	-53.62	10.48	12.00	H
	5061.18	-61.82	-25	-36.82	-79.17	-67.38	7.14	12.70	V
	7591.77	-56.26	-25	-31.26	-78.21	-59.56	8.30	11.60	V
	10140.00	-52.50	-25	-27.50	-79.12	-54.02	10.48	12.00	V
NR n66 Middle	3452	-64.46	-13	-51.46	-77.05	-71.31	5.65	12.50	H
	5178	-61.62	-13	-48.62	-79.16	-67.29	7.13	12.80	H
	6904	-58.40	-13	-45.40	-79.13	-61.80	8.40	11.80	H
	3452	-63.72	-13	-50.72	-76.86	-70.57	5.65	12.50	V
	5178	-61.63	-13	-48.63	-79.11	-67.30	7.13	12.80	V
	6904	-58.30	-13	-45.30	-78.96	-61.70	8.40	11.80	V