

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 B26b\_1.4MHz\_ERP

Band: 26b / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	24.93	-4.10	18.68	<=38.45	Pass
			2	24.92	-4.10	18.67	<=38.45	Pass
			5	24.90	-4.10	18.65	<=38.45	Pass
		3	0	24.97	-4.10	18.72	<=38.45	Pass
			2	24.94	-4.10	18.69	<=38.45	Pass
			3	24.91	-4.10	18.66	<=38.45	Pass
		6	0	23.91	-4.10	17.66	<=38.45	Pass
	836.5	1	0	24.59	-4.10	18.34	<=38.45	Pass
			2	24.71	-4.10	18.46	<=38.45	Pass
			5	24.67	-4.10	18.42	<=38.45	Pass
		3	0	24.59	-4.10	18.34	<=38.45	Pass
			2	24.68	-4.10	18.43	<=38.45	Pass
			3	24.68	-4.10	18.43	<=38.45	Pass
		6	0	23.62	-4.10	17.37	<=38.45	Pass
	848.3	1	0	24.84	-4.10	18.59	<=38.45	Pass
			2	24.90	-4.10	18.65	<=38.45	Pass
			5	24.91	-4.10	18.66	<=38.45	Pass
		3	0	24.86	-4.10	18.61	<=38.45	Pass
			2	24.86	-4.10	18.61	<=38.45	Pass
			3	24.85	-4.10	18.60	<=38.45	Pass
		6	0	23.89	-4.10	17.64	<=38.45	Pass
16QAM	824.7	1	0	23.98	-4.10	17.73	<=38.45	Pass
			2	24.10	-4.10	17.85	<=38.45	Pass
			5	23.94	-4.10	17.69	<=38.45	Pass
		3	0	23.98	-4.10	17.73	<=38.45	Pass
			2	24.02	-4.10	17.77	<=38.45	Pass
			3	24.01	-4.10	17.76	<=38.45	Pass
		6	0	22.88	-4.10	16.63	<=38.45	Pass
	836.5	1	0	23.75	-4.10	17.50	<=38.45	Pass
			2	23.94	-4.10	17.69	<=38.45	Pass
			5	23.79	-4.10	17.54	<=38.45	Pass
		3	0	23.65	-4.10	17.40	<=38.45	Pass
			2	23.82	-4.10	17.57	<=38.45	Pass
			3	23.64	-4.10	17.39	<=38.45	Pass
		6	0	22.74	-4.10	16.49	<=38.45	Pass
	848.3	1	0	23.97	-4.10	17.72	<=38.45	Pass
			2	24.08	-4.10	17.83	<=38.45	Pass
			5	24.02	-4.10	17.77	<=38.45	Pass
		3	0	23.92	-4.10	17.67	<=38.45	Pass
			2	23.95	-4.10	17.70	<=38.45	Pass
			3	23.90	-4.10	17.65	<=38.45	Pass
		6	0	22.88	-4.10	16.63	<=38.45	Pass
64QAM	824.7	1	0	23.14	-4.10	16.89	<=38.45	Pass
			2	23.23	-4.10	16.98	<=38.45	Pass
			5	23.05	-4.10	16.80	<=38.45	Pass
		3	0	23.00	-4.10	16.75	<=38.45	Pass
			2	23.03	-4.10	16.78	<=38.45	Pass
			3	22.94	-4.10	16.69	<=38.45	Pass
		6	0	21.96	-4.10	15.71	<=38.45	Pass

	836.5	1	0	22.98	-4.10	16.73	<=38.45	Pass
			2	22.90	-4.10	16.65	<=38.45	Pass
			5	22.76	-4.10	16.51	<=38.45	Pass
		3	0	22.64	-4.10	16.39	<=38.45	Pass
			2	22.81	-4.10	16.56	<=38.45	Pass
			3	22.74	-4.10	16.49	<=38.45	Pass
		6	0	21.63	-4.10	15.38	<=38.45	Pass
	848.3	1	0	23.00	-4.10	16.75	<=38.45	Pass
			2	23.15	-4.10	16.90	<=38.45	Pass
			5	23.27	-4.10	17.02	<=38.45	Pass
		3	0	22.96	-4.10	16.71	<=38.45	Pass
			2	22.97	-4.10	16.72	<=38.45	Pass
			3	22.96	-4.10	16.71	<=38.45	Pass
		6	0	21.90	-4.10	15.65	<=38.45	Pass
256QAM	824.7	1	0	20.05	-4.10	13.80	<=38.45	Pass
			2	19.99	-4.10	13.74	<=38.45	Pass
			5	19.92	-4.10	13.67	<=38.45	Pass
		3	0	20.09	-4.10	13.84	<=38.45	Pass
			2	19.98	-4.10	13.73	<=38.45	Pass
			3	19.96	-4.10	13.71	<=38.45	Pass
		6	0	19.77	-4.10	13.52	<=38.45	Pass
	836.5	1	0	19.81	-4.10	13.56	<=38.45	Pass
			2	19.84	-4.10	13.59	<=38.45	Pass
			5	19.78	-4.10	13.53	<=38.45	Pass
		3	0	19.72	-4.10	13.47	<=38.45	Pass
			2	19.76	-4.10	13.51	<=38.45	Pass
			3	19.78	-4.10	13.53	<=38.45	Pass
	6	0	19.64	-4.10	13.39	<=38.45	Pass	
	848.3	1	0	19.95	-4.10	13.70	<=38.45	Pass
			2	20.00	-4.10	13.75	<=38.45	Pass
			5	19.96	-4.10	13.71	<=38.45	Pass
		3	0	19.87	-4.10	13.62	<=38.45	Pass
			2	19.86	-4.10	13.61	<=38.45	Pass
			3	19.93	-4.10	13.68	<=38.45	Pass
		6	0	19.83	-4.10	13.58	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

### 1.1.2 B26b\_3MHz\_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	24.95	-4.10	18.70	<=38.45	Pass
			7	24.97	-4.10	18.72	<=38.45	Pass
			14	24.91	-4.10	18.66	<=38.45	Pass
		8	0	23.99	-4.10	17.74	<=38.45	Pass
			4	23.99	-4.10	17.74	<=38.45	Pass
			7	23.95	-4.10	17.70	<=38.45	Pass
		15	0	23.95	-4.10	17.70	<=38.45	Pass
	836.5	1	0	24.90	-4.10	18.65	<=38.45	Pass
			7	24.95	-4.10	18.70	<=38.45	Pass
			14	24.82	-4.10	18.57	<=38.45	Pass
		8	0	23.82	-4.10	17.57	<=38.45	Pass
			4	23.92	-4.10	17.67	<=38.45	Pass
			7	23.86	-4.10	17.61	<=38.45	Pass
		15	0	23.82	-4.10	17.57	<=38.45	Pass
	847.5	1	0	24.81	-4.10	18.56	<=38.45	Pass

		8	7	24.86	-4.10	18.61	<=38.45	Pass
			14	24.83	-4.10	18.58	<=38.45	Pass
			0	23.78	-4.10	17.53	<=38.45	Pass
			4	23.88	-4.10	17.63	<=38.45	Pass
			7	23.86	-4.10	17.61	<=38.45	Pass
		15	0	23.88	-4.10	17.63	<=38.45	Pass
16QAM	825.5	1	0	24.14	-4.10	17.89	<=38.45	Pass
			7	24.15	-4.10	17.90	<=38.45	Pass
			14	24.08	-4.10	17.83	<=38.45	Pass
		8	0	23.02	-4.10	16.77	<=38.45	Pass
			4	23.06	-4.10	16.81	<=38.45	Pass
			7	22.99	-4.10	16.74	<=38.45	Pass
		15	0	22.96	-4.10	16.71	<=38.45	Pass
	836.5	1	0	24.01	-4.10	17.76	<=38.45	Pass
			7	24.06	-4.10	17.81	<=38.45	Pass
			14	24.03	-4.10	17.78	<=38.45	Pass
		8	0	22.87	-4.10	16.62	<=38.45	Pass
			4	23.02	-4.10	16.77	<=38.45	Pass
			7	22.93	-4.10	16.68	<=38.45	Pass
		15	0	22.88	-4.10	16.63	<=38.45	Pass
	847.5	1	0	23.85	-4.10	17.60	<=38.45	Pass
			7	24.14	-4.10	17.89	<=38.45	Pass
			14	24.00	-4.10	17.75	<=38.45	Pass
		8	0	22.89	-4.10	16.64	<=38.45	Pass
			4	23.01	-4.10	16.76	<=38.45	Pass
			7	22.97	-4.10	16.72	<=38.45	Pass
		15	0	22.95	-4.10	16.70	<=38.45	Pass
64QAM	825.5	1	0	22.95	-4.10	16.70	<=38.45	Pass
			7	23.23	-4.10	16.98	<=38.45	Pass
			14	23.10	-4.10	16.85	<=38.45	Pass
		8	0	22.00	-4.10	15.75	<=38.45	Pass
			4	22.01	-4.10	15.76	<=38.45	Pass
			7	21.96	-4.10	15.71	<=38.45	Pass
		15	0	21.70	-4.10	15.45	<=38.45	Pass
	836.5	1	0	22.99	-4.10	16.74	<=38.45	Pass
			7	23.25	-4.10	17.00	<=38.45	Pass
			14	23.07	-4.10	16.82	<=38.45	Pass
		8	0	21.83	-4.10	15.58	<=38.45	Pass
			4	22.05	-4.10	15.80	<=38.45	Pass
			7	21.93	-4.10	15.68	<=38.45	Pass
		15	0	21.79	-4.10	15.54	<=38.45	Pass
	847.5	1	0	23.10	-4.10	16.85	<=38.45	Pass
			7	23.11	-4.10	16.86	<=38.45	Pass
			14	23.02	-4.10	16.77	<=38.45	Pass
		8	0	21.87	-4.10	15.62	<=38.45	Pass
			4	22.07	-4.10	15.82	<=38.45	Pass
			7	21.88	-4.10	15.63	<=38.45	Pass
		15	0	21.94	-4.10	15.69	<=38.45	Pass
256QAM	825.5	1	0	19.89	-4.10	13.64	<=38.45	Pass
			7	20.12	-4.10	13.87	<=38.45	Pass
			14	19.93	-4.10	13.68	<=38.45	Pass
		8	0	20.04	-4.10	13.79	<=38.45	Pass
			4	19.99	-4.10	13.74	<=38.45	Pass
			7	20.03	-4.10	13.78	<=38.45	Pass
		15	0	20.00	-4.10	13.75	<=38.45	Pass
	836.5	1	0	19.88	-4.10	13.63	<=38.45	Pass
			7	20.05	-4.10	13.80	<=38.45	Pass
			14	20.06	-4.10	13.81	<=38.45	Pass
		8	0	19.87	-4.10	13.62	<=38.45	Pass

			4	19.93	-4.10	13.68	<=38.45	Pass
			7	19.88	-4.10	13.63	<=38.45	Pass
		15	0	19.83	-4.10	13.58	<=38.45	Pass
	847.5	1	0	19.87	-4.10	13.62	<=38.45	Pass
			7	20.15	-4.10	13.90	<=38.45	Pass
			14	19.96	-4.10	13.71	<=38.45	Pass
		8	0	19.85	-4.10	13.60	<=38.45	Pass
			4	19.92	-4.10	13.67	<=38.45	Pass
			7	19.93	-4.10	13.68	<=38.45	Pass
		15	0	19.93	-4.10	13.68	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

### 1.1.3 B26b\_5MHz\_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.94	-4.10	18.69	<=38.45	Pass
			13	24.93	-4.10	18.68	<=38.45	Pass
			24	24.90	-4.10	18.65	<=38.45	Pass
		12	0	23.89	-4.10	17.64	<=38.45	Pass
			6	23.93	-4.10	17.68	<=38.45	Pass
			13	23.90	-4.10	17.65	<=38.45	Pass
		25	0	23.87	-4.10	17.62	<=38.45	Pass
	836.5	1	0	25.03	-4.10	18.78	<=38.45	Pass
			13	24.97	-4.10	18.72	<=38.45	Pass
			24	24.89	-4.10	18.64	<=38.45	Pass
		12	0	23.84	-4.10	17.59	<=38.45	Pass
			6	23.89	-4.10	17.64	<=38.45	Pass
			13	23.85	-4.10	17.60	<=38.45	Pass
		25	0	23.87	-4.10	17.62	<=38.45	Pass
	846.5	1	0	24.95	-4.10	18.70	<=38.45	Pass
			13	24.86	-4.10	18.61	<=38.45	Pass
			24	25.01	-4.10	18.76	<=38.45	Pass
		12	0	23.87	-4.10	17.62	<=38.45	Pass
			6	23.89	-4.10	17.64	<=38.45	Pass
			13	23.92	-4.10	17.67	<=38.45	Pass
		25	0	23.84	-4.10	17.59	<=38.45	Pass
16QAM	826.5	1	0	23.96	-4.10	17.71	<=38.45	Pass
			13	24.16	-4.10	17.91	<=38.45	Pass
			24	24.07	-4.10	17.82	<=38.45	Pass
		12	0	22.97	-4.10	16.72	<=38.45	Pass
			6	23.04	-4.10	16.79	<=38.45	Pass
			13	22.84	-4.10	16.59	<=38.45	Pass
		25	0	22.94	-4.10	16.69	<=38.45	Pass
	836.5	1	0	24.14	-4.10	17.89	<=38.45	Pass
			13	24.15	-4.10	17.90	<=38.45	Pass
			24	23.95	-4.10	17.70	<=38.45	Pass
		12	0	22.92	-4.10	16.67	<=38.45	Pass
			6	22.96	-4.10	16.71	<=38.45	Pass
			13	22.91	-4.10	16.66	<=38.45	Pass
		25	0	22.88	-4.10	16.63	<=38.45	Pass
	846.5	1	0	24.01	-4.10	17.76	<=38.45	Pass
			13	23.94	-4.10	17.69	<=38.45	Pass
			24	24.00	-4.10	17.75	<=38.45	Pass
		12	0	22.96	-4.10	16.71	<=38.45	Pass
			6	22.92	-4.10	16.67	<=38.45	Pass

			13	22.87	-4.10	16.62	<=38.45	Pass	
		25	0	22.84	-4.10	16.59	<=38.45	Pass	
64QAM	826.5	1	0	22.98	-4.10	16.73	<=38.45	Pass	
			13	23.08	-4.10	16.83	<=38.45	Pass	
			24	23.10	-4.10	16.85	<=38.45	Pass	
			0	21.91	-4.10	15.66	<=38.45	Pass	
		12	6	22.00	-4.10	15.75	<=38.45	Pass	
			13	21.94	-4.10	15.69	<=38.45	Pass	
			25	0	21.92	-4.10	15.67	<=38.45	Pass
		836.5	1	0	23.17	-4.10	16.92	<=38.45	Pass
				13	23.32	-4.10	17.07	<=38.45	Pass
	24			22.99	-4.10	16.74	<=38.45	Pass	
	12		0	21.91	-4.10	15.66	<=38.45	Pass	
			6	21.95	-4.10	15.70	<=38.45	Pass	
			13	21.93	-4.10	15.68	<=38.45	Pass	
	25		0	21.92	-4.10	15.67	<=38.45	Pass	
	846.5	1	0	23.11	-4.10	16.86	<=38.45	Pass	
			13	23.11	-4.10	16.86	<=38.45	Pass	
			24	23.06	-4.10	16.81	<=38.45	Pass	
		12	0	21.90	-4.10	15.65	<=38.45	Pass	
			6	21.91	-4.10	15.66	<=38.45	Pass	
			13	21.96	-4.10	15.71	<=38.45	Pass	
		25	0	21.89	-4.10	15.64	<=38.45	Pass	
		256QAM	826.5	1	0	19.97	-4.10	13.72	<=38.45
	13				20.05	-4.10	13.80	<=38.45	Pass
24	20.05				-4.10	13.80	<=38.45	Pass	
12	0			19.99	-4.10	13.74	<=38.45	Pass	
	6			20.03	-4.10	13.78	<=38.45	Pass	
	13			19.92	-4.10	13.67	<=38.45	Pass	
25	0			19.94	-4.10	13.69	<=38.45	Pass	
836.5	1		0	20.00	-4.10	13.75	<=38.45	Pass	
			13	20.06	-4.10	13.81	<=38.45	Pass	
			24	20.09	-4.10	13.84	<=38.45	Pass	
	12		0	19.97	-4.10	13.72	<=38.45	Pass	
			6	19.97	-4.10	13.72	<=38.45	Pass	
			13	19.98	-4.10	13.73	<=38.45	Pass	
	25		0	19.90	-4.10	13.65	<=38.45	Pass	
846.5	1		0	20.05	-4.10	13.80	<=38.45	Pass	
			13	20.10	-4.10	13.85	<=38.45	Pass	
			24	19.91	-4.10	13.66	<=38.45	Pass	
	12		0	19.87	-4.10	13.62	<=38.45	Pass	
			6	19.89	-4.10	13.64	<=38.45	Pass	
			13	19.97	-4.10	13.72	<=38.45	Pass	
	25		0	19.85	-4.10	13.60	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

#### 1.1.4 B26b\_10MHz\_ERP

Band: 26b / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.76	-4.10	18.51	<=38.45	Pass
			25	24.78	-4.10	18.53	<=38.45	Pass
			49	24.81	-4.10	18.56	<=38.45	Pass
		25	0	23.84	-4.10	17.59	<=38.45	Pass
			13	23.95	-4.10	17.70	<=38.45	Pass
			25	23.95	-4.10	17.70	<=38.45	Pass

		50	0	23.94	-4.10	17.69	<=38.45	Pass
	836.5	1	0	24.93	-4.10	18.68	<=38.45	Pass
			25	24.90	-4.10	18.65	<=38.45	Pass
			49	24.71	-4.10	18.46	<=38.45	Pass
			0	23.88	-4.10	17.63	<=38.45	Pass
		25	13	23.97	-4.10	17.72	<=38.45	Pass
			25	23.92	-4.10	17.67	<=38.45	Pass
	50	0	23.87	-4.10	17.62	<=38.45	Pass	
	844	1	0	24.79	-4.10	18.54	<=38.45	Pass
			25	24.76	-4.10	18.51	<=38.45	Pass
			49	24.71	-4.10	18.46	<=38.45	Pass
		25	0	23.84	-4.10	17.59	<=38.45	Pass
			13	23.82	-4.10	17.57	<=38.45	Pass
			25	23.86	-4.10	17.61	<=38.45	Pass
		50	0	23.82	-4.10	17.57	<=38.45	Pass
16QAM	829	1	0	23.93	-4.10	17.68	<=38.45	Pass
			25	24.04	-4.10	17.79	<=38.45	Pass
			49	23.95	-4.10	17.70	<=38.45	Pass
		25	0	22.88	-4.10	16.63	<=38.45	Pass
			13	23.00	-4.10	16.75	<=38.45	Pass
			25	22.98	-4.10	16.73	<=38.45	Pass
		50	0	22.92	-4.10	16.67	<=38.45	Pass
	836.5	1	0	24.11	-4.10	17.86	<=38.45	Pass
			25	24.03	-4.10	17.78	<=38.45	Pass
			49	23.92	-4.10	17.67	<=38.45	Pass
		25	0	22.94	-4.10	16.69	<=38.45	Pass
			13	23.00	-4.10	16.75	<=38.45	Pass
			25	22.90	-4.10	16.65	<=38.45	Pass
		50	0	22.88	-4.10	16.63	<=38.45	Pass
	844	1	0	23.98	-4.10	17.73	<=38.45	Pass
			25	23.96	-4.10	17.71	<=38.45	Pass
			49	24.02	-4.10	17.77	<=38.45	Pass
		25	0	22.80	-4.10	16.55	<=38.45	Pass
			13	22.85	-4.10	16.60	<=38.45	Pass
			25	22.88	-4.10	16.63	<=38.45	Pass
		50	0	22.81	-4.10	16.56	<=38.45	Pass
64QAM	829	1	0	22.94	-4.10	16.69	<=38.45	Pass
			25	22.95	-4.10	16.70	<=38.45	Pass
			49	22.93	-4.10	16.68	<=38.45	Pass
		25	0	21.88	-4.10	15.63	<=38.45	Pass
			13	22.02	-4.10	15.77	<=38.45	Pass
			25	21.96	-4.10	15.71	<=38.45	Pass
		50	0	22.00	-4.10	15.75	<=38.45	Pass
	836.5	1	0	23.05	-4.10	16.80	<=38.45	Pass
			25	23.28	-4.10	17.03	<=38.45	Pass
			49	22.96	-4.10	16.71	<=38.45	Pass
		25	0	21.91	-4.10	15.66	<=38.45	Pass
			13	22.02	-4.10	15.77	<=38.45	Pass
			25	21.92	-4.10	15.67	<=38.45	Pass
		50	0	21.86	-4.10	15.61	<=38.45	Pass
	844	1	0	23.00	-4.10	16.75	<=38.45	Pass
			25	22.94	-4.10	16.69	<=38.45	Pass
			49	22.92	-4.10	16.67	<=38.45	Pass
		25	0	21.79	-4.10	15.54	<=38.45	Pass
13			21.85	-4.10	15.60	<=38.45	Pass	
25			21.90	-4.10	15.65	<=38.45	Pass	
50	0	21.82	-4.10	15.57	<=38.45	Pass		
256QAM	829	1	0	19.91	-4.10	13.66	<=38.45	Pass
			25	19.99	-4.10	13.74	<=38.45	Pass

		25	49	20.14	-4.10	13.89	<=38.45	Pass
			0	19.85	-4.10	13.60	<=38.45	Pass
			13	20.00	-4.10	13.75	<=38.45	Pass
			25	19.98	-4.10	13.73	<=38.45	Pass
		50	0	19.98	-4.10	13.73	<=38.45	Pass
	836.5	1	0	20.07	-4.10	13.82	<=38.45	Pass
			25	20.04	-4.10	13.79	<=38.45	Pass
			49	20.00	-4.10	13.75	<=38.45	Pass
		25	0	19.92	-4.10	13.67	<=38.45	Pass
			13	19.99	-4.10	13.74	<=38.45	Pass
			25	19.95	-4.10	13.70	<=38.45	Pass
		50	0	19.94	-4.10	13.69	<=38.45	Pass
		844	1	0	20.09	-4.10	13.84	<=38.45
	25			20.13	-4.10	13.88	<=38.45	Pass
	49			19.96	-4.10	13.71	<=38.45	Pass
	25		0	19.87	-4.10	13.62	<=38.45	Pass
			13	19.90	-4.10	13.65	<=38.45	Pass
			25	19.93	-4.10	13.68	<=38.45	Pass
	50		0	19.84	-4.10	13.59	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

### 1.1.5 B26b\_15MHz\_ERP

Band: 26b / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	24.72	-4.10	18.47	<=38.45	Pass
			38	24.95	-4.10	18.70	<=38.45	Pass
			74	24.76	-4.10	18.51	<=38.45	Pass
		36	0	23.85	-4.10	17.60	<=38.45	Pass
			18	23.89	-4.10	17.64	<=38.45	Pass
			39	23.81	-4.10	17.56	<=38.45	Pass
		75	0	23.84	-4.10	17.59	<=38.45	Pass
	836.5	1	0	24.89	-4.10	18.64	<=38.45	Pass
			38	24.83	-4.10	18.58	<=38.45	Pass
			74	24.68	-4.10	18.43	<=38.45	Pass
		36	0	23.88	-4.10	17.63	<=38.45	Pass
			18	23.83	-4.10	17.58	<=38.45	Pass
			39	23.77	-4.10	17.52	<=38.45	Pass
		75	0	23.77	-4.10	17.52	<=38.45	Pass
	841.5	1	0	24.87	-4.10	18.62	<=38.45	Pass
			38	24.82	-4.10	18.57	<=38.45	Pass
			74	24.87	-4.10	18.62	<=38.45	Pass
		36	0	23.87	-4.10	17.62	<=38.45	Pass
			18	23.83	-4.10	17.58	<=38.45	Pass
			39	23.79	-4.10	17.54	<=38.45	Pass
		75	0	23.78	-4.10	17.53	<=38.45	Pass
16QAM	831.5	1	0	23.94	-4.10	17.69	<=38.45	Pass
			38	24.02	-4.10	17.77	<=38.45	Pass
			74	23.92	-4.10	17.67	<=38.45	Pass
		36	0	22.88	-4.10	16.63	<=38.45	Pass
			18	22.94	-4.10	16.69	<=38.45	Pass
			39	22.89	-4.10	16.64	<=38.45	Pass
		75	0	22.90	-4.10	16.65	<=38.45	Pass
	836.5	1	0	24.04	-4.10	17.79	<=38.45	Pass
			38	23.92	-4.10	17.67	<=38.45	Pass
			74	23.89	-4.10	17.64	<=38.45	Pass

		36	0	22.90	-4.10	16.65	<=38.45	Pass			
			18	22.87	-4.10	16.62	<=38.45	Pass			
			39	22.83	-4.10	16.58	<=38.45	Pass			
		75	0	22.79	-4.10	16.54	<=38.45	Pass			
			841.5	1	0	24.00	-4.10	17.75	<=38.45	Pass	
					38	23.93	-4.10	17.68	<=38.45	Pass	
		74			23.95	-4.10	17.70	<=38.45	Pass		
		36		0	22.87	-4.10	16.62	<=38.45	Pass		
				18	22.83	-4.10	16.58	<=38.45	Pass		
	39			22.84	-4.10	16.59	<=38.45	Pass			
	75	0	22.83	-4.10	16.58	<=38.45	Pass				
	64QAM	831.5	1	0	23.22	-4.10	16.97	<=38.45	Pass		
38				22.97	-4.10	16.72	<=38.45	Pass			
74				22.87	-4.10	16.62	<=38.45	Pass			
36			0	21.84	-4.10	15.59	<=38.45	Pass			
			18	21.93	-4.10	15.68	<=38.45	Pass			
			39	21.84	-4.10	15.59	<=38.45	Pass			
			75	0	21.90	-4.10	15.65	<=38.45	Pass		
			836.5	1	0	23.03	-4.10	16.78	<=38.45	Pass	
					38	23.09	-4.10	16.84	<=38.45	Pass	
74		23.03			-4.10	16.78	<=38.45	Pass			
36		0		21.89	-4.10	15.64	<=38.45	Pass			
		18		21.85	-4.10	15.60	<=38.45	Pass			
		39		21.82	-4.10	15.57	<=38.45	Pass			
75		0	21.83	-4.10	15.58	<=38.45	Pass				
841.5		1	0	23.17	-4.10	16.92	<=38.45	Pass			
			38	23.11	-4.10	16.86	<=38.45	Pass			
			74	23.05	-4.10	16.80	<=38.45	Pass			
		36	0	21.89	-4.10	15.64	<=38.45	Pass			
			18	21.81	-4.10	15.56	<=38.45	Pass			
			39	21.84	-4.10	15.59	<=38.45	Pass			
			75	0	21.80	-4.10	15.55	<=38.45	Pass		
			256QAM	831.5	1	0	19.96	-4.10	13.71	<=38.45	Pass
						38	20.03	-4.10	13.78	<=38.45	Pass
74		19.99				-4.10	13.74	<=38.45	Pass		
36	0	19.87			-4.10	13.62	<=38.45	Pass			
	18	19.98			-4.10	13.73	<=38.45	Pass			
	39	19.83			-4.10	13.58	<=38.45	Pass			
	75	0			19.91	-4.10	13.66	<=38.45	Pass		
	836.5	1			0	20.11	-4.10	13.86	<=38.45	Pass	
					38	20.13	-4.10	13.88	<=38.45	Pass	
74				19.89	-4.10	13.64	<=38.45	Pass			
36		0		19.90	-4.10	13.65	<=38.45	Pass			
		18		19.88	-4.10	13.63	<=38.45	Pass			
		39	19.83	-4.10	13.58	<=38.45	Pass				
75	0	19.84	-4.10	13.59	<=38.45	Pass					
841.5	1	0	19.96	-4.10	13.71	<=38.45	Pass				
		38	20.08	-4.10	13.83	<=38.45	Pass				
		74	19.95	-4.10	13.70	<=38.45	Pass				
	36	0	19.90	-4.10	13.65	<=38.45	Pass				
		18	19.83	-4.10	13.58	<=38.45	Pass				
		39	19.83	-4.10	13.58	<=38.45	Pass				
		75	0	19.89	-4.10	13.64	<=38.45	Pass			
		Note1: ERP=Conducted Power+Antenna Gain-2.15									



## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B26b\_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.6	-19.502	-0.0236	-2.5 to 2.5	Pass
					3.91	-14.587	-0.0177	-2.5 to 2.5	Pass
					4.3	-5.887	-0.0071	-2.5 to 2.5	Pass
				-30	3.91	-3.553	-0.0043	-2.5 to 2.5	Pass
				-20	3.91	-2.200	-0.0027	-2.5 to 2.5	Pass
				-10	3.91	-0.987	-0.0012	-2.5 to 2.5	Pass
				0	3.91	-1.791	-0.0022	-2.5 to 2.5	Pass
				10	3.91	-0.238	-0.0003	-2.5 to 2.5	Pass
				30	3.91	-1.037	-0.0013	-2.5 to 2.5	Pass
				40	3.91	-1.337	-0.0016	-2.5 to 2.5	Pass
				50	3.91	-0.205	-0.0002	-2.5 to 2.5	Pass
	836.5	6	0	20	3.6	13.757	0.0164	-2.5 to 2.5	Pass
					3.91	11.070	0.0132	-2.5 to 2.5	Pass
					4.3	6.269	0.0075	-2.5 to 2.5	Pass
				-30	3.91	1.639	0.0020	-2.5 to 2.5	Pass
				-20	3.91	-0.139	-0.0002	-2.5 to 2.5	Pass
				-10	3.91	-1.078	-0.0013	-2.5 to 2.5	Pass
				0	3.91	-0.194	-0.0002	-2.5 to 2.5	Pass
				10	3.91	0.156	0.0002	-2.5 to 2.5	Pass
				30	3.91	-1.090	-0.0013	-2.5 to 2.5	Pass
				40	3.91	-1.036	-0.0012	-2.5 to 2.5	Pass
				50	3.91	-0.727	-0.0009	-2.5 to 2.5	Pass
	848.3	6	0	20	3.6	13.503	0.0159	-2.5 to 2.5	Pass
					3.91	13.485	0.0159	-2.5 to 2.5	Pass
					4.3	6.538	0.0077	-2.5 to 2.5	Pass
				-30	3.91	2.776	0.0033	-2.5 to 2.5	Pass
				-20	3.91	0.548	0.0006	-2.5 to 2.5	Pass
				-10	3.91	0.874	0.0010	-2.5 to 2.5	Pass
				0	3.91	-0.274	-0.0003	-2.5 to 2.5	Pass
				10	3.91	0.544	0.0006	-2.5 to 2.5	Pass
				30	3.91	0.037	0.0000	-2.5 to 2.5	Pass
				40	3.91	-0.462	-0.0005	-2.5 to 2.5	Pass
				50	3.91	0.551	0.0006	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.6	-19.780	-0.0240	-2.5 to 2.5	Pass
					3.91	-15.487	-0.0188	-2.5 to 2.5	Pass
					4.3	-5.311	-0.0064	-2.5 to 2.5	Pass
				-30	3.91	-2.858	-0.0035	-2.5 to 2.5	Pass
				-20	3.91	-1.546	-0.0019	-2.5 to 2.5	Pass
				-10	3.91	-0.415	-0.0005	-2.5 to 2.5	Pass
				0	3.91	-1.398	-0.0017	-2.5 to 2.5	Pass
				10	3.91	-0.855	-0.0010	-2.5 to 2.5	Pass
				30	3.91	-0.627	-0.0008	-2.5 to 2.5	Pass
				40	3.91	-0.799	-0.0010	-2.5 to 2.5	Pass
				50	3.91	-1.998	-0.0024	-2.5 to 2.5	Pass
	836.5	6	0	20	3.6	-18.084	-0.0216	-2.5 to 2.5	Pass
					3.91	-17.481	-0.0209	-2.5 to 2.5	Pass
					4.3	-6.630	-0.0079	-2.5 to 2.5	Pass
				-30	3.91	-3.654	-0.0044	-2.5 to 2.5	Pass
				-20	3.91	-2.074	-0.0025	-2.5 to 2.5	Pass

				-10	3.91	-1.410	-0.0017	-2.5 to 2.5	Pass
				0	3.91	-1.750	-0.0021	-2.5 to 2.5	Pass
				10	3.91	-0.351	-0.0004	-2.5 to 2.5	Pass
				30	3.91	-1.591	-0.0019	-2.5 to 2.5	Pass
				40	3.91	-0.383	-0.0005	-2.5 to 2.5	Pass
				50	3.91	-0.442	-0.0005	-2.5 to 2.5	Pass
	848.3	6	0	20	3.6	-17.964	-0.0212	-2.5 to 2.5	Pass
					3.91	-11.749	-0.0139	-2.5 to 2.5	Pass
					4.3	-4.355	-0.0051	-2.5 to 2.5	Pass
				-30	3.91	-2.002	-0.0024	-2.5 to 2.5	Pass
				-20	3.91	-1.214	-0.0014	-2.5 to 2.5	Pass
				-10	3.91	0.140	0.0002	-2.5 to 2.5	Pass
				0	3.91	-0.514	-0.0006	-2.5 to 2.5	Pass
				10	3.91	-0.080	-0.0001	-2.5 to 2.5	Pass
				30	3.91	0.386	0.0005	-2.5 to 2.5	Pass
				40	3.91	-0.035	0.0000	-2.5 to 2.5	Pass
				50	3.91	-0.043	-0.0001	-2.5 to 2.5	Pass
64QAM	824.7	6	0	20	3.6	-19.647	-0.0238	-2.5 to 2.5	Pass
					3.91	-13.727	-0.0166	-2.5 to 2.5	Pass
					4.3	-6.976	-0.0085	-2.5 to 2.5	Pass
				-30	3.91	-3.243	-0.0039	-2.5 to 2.5	Pass
				-20	3.91	-1.955	-0.0024	-2.5 to 2.5	Pass
				-10	3.91	-1.475	-0.0018	-2.5 to 2.5	Pass
				0	3.91	-0.400	-0.0005	-2.5 to 2.5	Pass
				10	3.91	-0.463	-0.0006	-2.5 to 2.5	Pass
				30	3.91	-0.563	-0.0007	-2.5 to 2.5	Pass
				40	3.91	-0.763	-0.0009	-2.5 to 2.5	Pass
				50	3.91	0.245	0.0003	-2.5 to 2.5	Pass
	836.5	6	0	20	3.6	5.972	0.0071	-2.5 to 2.5	Pass
					3.91	2.503	0.0030	-2.5 to 2.5	Pass
					4.3	-0.290	-0.0003	-2.5 to 2.5	Pass
				-30	3.91	-2.034	-0.0024	-2.5 to 2.5	Pass
				-20	3.91	-0.582	-0.0007	-2.5 to 2.5	Pass
				-10	3.91	-0.605	-0.0007	-2.5 to 2.5	Pass
				0	3.91	-2.301	-0.0028	-2.5 to 2.5	Pass
				10	3.91	-0.438	-0.0005	-2.5 to 2.5	Pass
				30	3.91	-2.013	-0.0024	-2.5 to 2.5	Pass
				40	3.91	-0.628	-0.0008	-2.5 to 2.5	Pass
				50	3.91	-1.301	-0.0016	-2.5 to 2.5	Pass
	848.3	6	0	20	3.6	13.358	0.0157	-2.5 to 2.5	Pass
					3.91	14.724	0.0174	-2.5 to 2.5	Pass
					4.3	7.933	0.0094	-2.5 to 2.5	Pass
				-30	3.91	3.414	0.0040	-2.5 to 2.5	Pass
				-20	3.91	1.318	0.0016	-2.5 to 2.5	Pass
				-10	3.91	-0.632	-0.0007	-2.5 to 2.5	Pass
				0	3.91	1.291	0.0015	-2.5 to 2.5	Pass
				10	3.91	0.189	0.0002	-2.5 to 2.5	Pass
				30	3.91	0.304	0.0004	-2.5 to 2.5	Pass
				40	3.91	-0.082	-0.0001	-2.5 to 2.5	Pass
				50	3.91	-0.939	-0.0011	-2.5 to 2.5	Pass
256QAM	824.7	6	0	20	3.6	-18.675	-0.0226	-2.5 to 2.5	Pass
					3.91	-11.511	-0.0140	-2.5 to 2.5	Pass
					4.3	-3.735	-0.0045	-2.5 to 2.5	Pass
				-30	3.91	-3.146	-0.0038	-2.5 to 2.5	Pass
				-20	3.91	-1.918	-0.0023	-2.5 to 2.5	Pass
				-10	3.91	-1.597	-0.0019	-2.5 to 2.5	Pass
				0	3.91	-0.055	-0.0001	-2.5 to 2.5	Pass
				10	3.91	-0.454	-0.0006	-2.5 to 2.5	Pass
				30	3.91	-1.257	-0.0015	-2.5 to 2.5	Pass

	836.5	6	0	40	3.91	-1.377	-0.0017	-2.5 to 2.5	Pass
				50	3.91	-0.521	-0.0006	-2.5 to 2.5	Pass
				20	3.6	5.968	0.0071	-2.5 to 2.5	Pass
					3.91	2.613	0.0031	-2.5 to 2.5	Pass
					4.3	1.535	0.0018	-2.5 to 2.5	Pass
				-30	3.91	-0.893	-0.0011	-2.5 to 2.5	Pass
				-20	3.91	1.366	0.0016	-2.5 to 2.5	Pass
				-10	3.91	-1.157	-0.0014	-2.5 to 2.5	Pass
				0	3.91	0.683	0.0008	-2.5 to 2.5	Pass
				10	3.91	1.661	0.0020	-2.5 to 2.5	Pass
	848.3	6	0	30	3.91	-0.559	-0.0007	-2.5 to 2.5	Pass
				40	3.91	1.247	0.0015	-2.5 to 2.5	Pass
				50	3.91	-0.856	-0.0010	-2.5 to 2.5	Pass
				20	3.6	16.194	0.0191	-2.5 to 2.5	Pass
					3.91	13.383	0.0158	-2.5 to 2.5	Pass
					4.3	4.874	0.0057	-2.5 to 2.5	Pass
				-30	3.91	1.887	0.0022	-2.5 to 2.5	Pass
				-20	3.91	1.845	0.0022	-2.5 to 2.5	Pass
				-10	3.91	-0.436	-0.0005	-2.5 to 2.5	Pass
				0	3.91	-0.232	-0.0003	-2.5 to 2.5	Pass
				10	3.91	-0.007	0.0000	-2.5 to 2.5	Pass
				30	3.91	0.694	0.0008	-2.5 to 2.5	Pass
				40	3.91	0.422	0.0005	-2.5 to 2.5	Pass
				50	3.91	0.591	0.0007	-2.5 to 2.5	Pass

## 2.1.2 B26b\_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.6	3.766	0.0046	-2.5 to 2.5	Pass
					3.91	2.033	0.0025	-2.5 to 2.5	Pass
					4.3	2.891	0.0035	-2.5 to 2.5	Pass
				-30	3.91	3.102	0.0038	-2.5 to 2.5	Pass
				-20	3.91	1.904	0.0023	-2.5 to 2.5	Pass
				-10	3.91	2.424	0.0029	-2.5 to 2.5	Pass
				0	3.91	1.942	0.0024	-2.5 to 2.5	Pass
				10	3.91	1.644	0.0020	-2.5 to 2.5	Pass
				30	3.91	2.031	0.0025	-2.5 to 2.5	Pass
				40	3.91	2.625	0.0032	-2.5 to 2.5	Pass
				50	3.91	2.144	0.0026	-2.5 to 2.5	Pass
	836.5	15	0	20	3.6	-0.259	-0.0003	-2.5 to 2.5	Pass
					3.91	-0.665	-0.0008	-2.5 to 2.5	Pass
					4.3	0.654	0.0008	-2.5 to 2.5	Pass
				-30	3.91	-1.214	-0.0015	-2.5 to 2.5	Pass
				-20	3.91	0.388	0.0005	-2.5 to 2.5	Pass
				-10	3.91	-0.106	-0.0001	-2.5 to 2.5	Pass
				0	3.91	-0.588	-0.0007	-2.5 to 2.5	Pass
				10	3.91	0.038	0.0000	-2.5 to 2.5	Pass
				30	3.91	-0.301	-0.0004	-2.5 to 2.5	Pass
				40	3.91	-0.620	-0.0007	-2.5 to 2.5	Pass
				50	3.91	-0.135	-0.0002	-2.5 to 2.5	Pass
	847.5	15	0	20	3.6	0.699	0.0008	-2.5 to 2.5	Pass
					3.91	-0.785	-0.0009	-2.5 to 2.5	Pass
					4.3	-0.444	-0.0005	-2.5 to 2.5	Pass
				-30	3.91	-1.330	-0.0016	-2.5 to 2.5	Pass
				-20	3.91	-0.040	0.0000	-2.5 to 2.5	Pass

				-10	3.91	0.188	0.0002	-2.5 to 2.5	Pass
				0	3.91	-0.041	0.0000	-2.5 to 2.5	Pass
				10	3.91	0.066	0.0001	-2.5 to 2.5	Pass
				30	3.91	-0.390	-0.0005	-2.5 to 2.5	Pass
				40	3.91	-0.058	-0.0001	-2.5 to 2.5	Pass
16QAM	825.5	15	0	50	3.91	-0.923	-0.0011	-2.5 to 2.5	Pass
				20	3.6	0.974	0.0012	-2.5 to 2.5	Pass
					3.91	1.872	0.0023	-2.5 to 2.5	Pass
					4.3	2.174	0.0026	-2.5 to 2.5	Pass
				-30	3.91	2.035	0.0025	-2.5 to 2.5	Pass
				-20	3.91	0.526	0.0006	-2.5 to 2.5	Pass
				-10	3.91	0.522	0.0006	-2.5 to 2.5	Pass
				0	3.91	0.758	0.0009	-2.5 to 2.5	Pass
				10	3.91	0.338	0.0004	-2.5 to 2.5	Pass
				30	3.91	-0.214	-0.0003	-2.5 to 2.5	Pass
				40	3.91	1.726	0.0021	-2.5 to 2.5	Pass
				50	3.91	-0.293	-0.0004	-2.5 to 2.5	Pass
	836.5	15	0	20	3.6	-0.500	-0.0006	-2.5 to 2.5	Pass
					3.91	-1.175	-0.0014	-2.5 to 2.5	Pass
					4.3	-1.268	-0.0015	-2.5 to 2.5	Pass
				-30	3.91	-0.717	-0.0009	-2.5 to 2.5	Pass
				-20	3.91	-1.162	-0.0014	-2.5 to 2.5	Pass
				-10	3.91	-1.835	-0.0022	-2.5 to 2.5	Pass
				0	3.91	-1.522	-0.0018	-2.5 to 2.5	Pass
				10	3.91	-1.212	-0.0014	-2.5 to 2.5	Pass
				30	3.91	-0.659	-0.0008	-2.5 to 2.5	Pass
				40	3.91	-0.288	-0.0003	-2.5 to 2.5	Pass
				50	3.91	-0.844	-0.0010	-2.5 to 2.5	Pass
	847.5	15	0	20	3.6	0.797	0.0009	-2.5 to 2.5	Pass
					3.91	-0.144	-0.0002	-2.5 to 2.5	Pass
					4.3	-0.535	-0.0006	-2.5 to 2.5	Pass
				-30	3.91	-0.921	-0.0011	-2.5 to 2.5	Pass
				-20	3.91	-0.612	-0.0007	-2.5 to 2.5	Pass
				-10	3.91	0.156	0.0002	-2.5 to 2.5	Pass
				0	3.91	-0.115	-0.0001	-2.5 to 2.5	Pass
				10	3.91	0.368	0.0004	-2.5 to 2.5	Pass
				30	3.91	-0.017	0.0000	-2.5 to 2.5	Pass
				40	3.91	-0.527	-0.0006	-2.5 to 2.5	Pass
				50	3.91	-0.805	-0.0009	-2.5 to 2.5	Pass
64QAM	825.5	15	0	20	3.6	-0.288	-0.0003	-2.5 to 2.5	Pass
					3.91	-0.243	-0.0003	-2.5 to 2.5	Pass
					4.3	-0.065	-0.0001	-2.5 to 2.5	Pass
				-30	3.91	-0.159	-0.0002	-2.5 to 2.5	Pass
				-20	3.91	0.669	0.0008	-2.5 to 2.5	Pass
				-10	3.91	0.303	0.0004	-2.5 to 2.5	Pass
				0	3.91	-0.082	-0.0001	-2.5 to 2.5	Pass
				10	3.91	0.806	0.0010	-2.5 to 2.5	Pass
				30	3.91	1.129	0.0014	-2.5 to 2.5	Pass
				40	3.91	-0.348	-0.0004	-2.5 to 2.5	Pass
				50	3.91	0.202	0.0002	-2.5 to 2.5	Pass
	836.5	15	0	20	3.6	-0.539	-0.0006	-2.5 to 2.5	Pass
					3.91	-0.250	-0.0003	-2.5 to 2.5	Pass
					4.3	-0.629	-0.0008	-2.5 to 2.5	Pass
				-30	3.91	-0.656	-0.0008	-2.5 to 2.5	Pass
				-20	3.91	-0.345	-0.0004	-2.5 to 2.5	Pass
				-10	3.91	-0.079	-0.0001	-2.5 to 2.5	Pass
				0	3.91	-0.476	-0.0006	-2.5 to 2.5	Pass
				10	3.91	-0.647	-0.0008	-2.5 to 2.5	Pass
				30	3.91	-1.411	-0.0017	-2.5 to 2.5	Pass

	847.5	15	0	40	3.91	-1.766	-0.0021	-2.5 to 2.5	Pass
				50	3.91	0.375	0.0004	-2.5 to 2.5	Pass
				20	3.6	-0.319	-0.0004	-2.5 to 2.5	Pass
					3.91	0.293	0.0003	-2.5 to 2.5	Pass
					4.3	-0.152	-0.0002	-2.5 to 2.5	Pass
				-30	3.91	0.539	0.0006	-2.5 to 2.5	Pass
				-20	3.91	-1.060	-0.0013	-2.5 to 2.5	Pass
				-10	3.91	-0.114	-0.0001	-2.5 to 2.5	Pass
				0	3.91	0.159	0.0002	-2.5 to 2.5	Pass
				10	3.91	0.078	0.0001	-2.5 to 2.5	Pass
				30	3.91	0.690	0.0008	-2.5 to 2.5	Pass
				40	3.91	0.459	0.0005	-2.5 to 2.5	Pass
				50	3.91	-0.780	-0.0009	-2.5 to 2.5	Pass
256QAM	825.5	15	0	20	3.6	1.625	0.0020	-2.5 to 2.5	Pass
					3.91	0.914	0.0011	-2.5 to 2.5	Pass
					4.3	-0.353	-0.0004	-2.5 to 2.5	Pass
				-30	3.91	0.680	0.0008	-2.5 to 2.5	Pass
				-20	3.91	0.566	0.0007	-2.5 to 2.5	Pass
				-10	3.91	1.686	0.0020	-2.5 to 2.5	Pass
				0	3.91	0.916	0.0011	-2.5 to 2.5	Pass
				10	3.91	1.066	0.0013	-2.5 to 2.5	Pass
				30	3.91	0.088	0.0001	-2.5 to 2.5	Pass
				40	3.91	1.391	0.0017	-2.5 to 2.5	Pass
				50	3.91	2.364	0.0029	-2.5 to 2.5	Pass
	836.5	15	0	20	3.6	-1.494	-0.0018	-2.5 to 2.5	Pass
					3.91	-0.656	-0.0008	-2.5 to 2.5	Pass
					4.3	-2.220	-0.0027	-2.5 to 2.5	Pass
				-30	3.91	-0.915	-0.0011	-2.5 to 2.5	Pass
				-20	3.91	-1.836	-0.0022	-2.5 to 2.5	Pass
				-10	3.91	-1.175	-0.0014	-2.5 to 2.5	Pass
				0	3.91	-0.600	-0.0007	-2.5 to 2.5	Pass
				10	3.91	-1.599	-0.0019	-2.5 to 2.5	Pass
				30	3.91	-1.105	-0.0013	-2.5 to 2.5	Pass
				40	3.91	-0.030	0.0000	-2.5 to 2.5	Pass
				50	3.91	-0.573	-0.0007	-2.5 to 2.5	Pass
	847.5	15	0	20	3.6	-0.118	-0.0001	-2.5 to 2.5	Pass
					3.91	-0.232	-0.0003	-2.5 to 2.5	Pass
					4.3	0.395	0.0005	-2.5 to 2.5	Pass
				-30	3.91	0.105	0.0001	-2.5 to 2.5	Pass
				-20	3.91	-0.859	-0.0010	-2.5 to 2.5	Pass
				-10	3.91	0.969	0.0011	-2.5 to 2.5	Pass
				0	3.91	0.537	0.0006	-2.5 to 2.5	Pass
				10	3.91	-1.243	-0.0015	-2.5 to 2.5	Pass
				30	3.91	-1.237	-0.0015	-2.5 to 2.5	Pass
				40	3.91	-0.040	0.0000	-2.5 to 2.5	Pass
				50	3.91	-0.818	-0.0010	-2.5 to 2.5	Pass

### 2.1.3 B26b\_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.6	0.576	0.0007	-2.5 to 2.5	Pass
					3.91	1.369	0.0017	-2.5 to 2.5	Pass
					4.3	-0.099	-0.0001	-2.5 to 2.5	Pass
				-30	3.91	-0.416	-0.0005	-2.5 to 2.5	Pass
				-20	3.91	0.900	0.0011	-2.5 to 2.5	Pass

				-10	3.91	0.328	0.0004	-2.5 to 2.5	Pass
				0	3.91	-0.169	-0.0002	-2.5 to 2.5	Pass
				10	3.91	-0.023	0.0000	-2.5 to 2.5	Pass
				30	3.91	0.740	0.0009	-2.5 to 2.5	Pass
				40	3.91	0.259	0.0003	-2.5 to 2.5	Pass
				50	3.91	-0.825	-0.0010	-2.5 to 2.5	Pass
	836.5	25	0	20	3.6	-1.313	-0.0016	-2.5 to 2.5	Pass
					3.91	-1.121	-0.0013	-2.5 to 2.5	Pass
					4.3	-0.848	-0.0010	-2.5 to 2.5	Pass
				-30	3.91	-0.284	-0.0003	-2.5 to 2.5	Pass
				-20	3.91	-0.542	-0.0006	-2.5 to 2.5	Pass
				-10	3.91	-0.938	-0.0011	-2.5 to 2.5	Pass
				0	3.91	-0.850	-0.0010	-2.5 to 2.5	Pass
				10	3.91	-0.075	-0.0001	-2.5 to 2.5	Pass
				30	3.91	-0.433	-0.0005	-2.5 to 2.5	Pass
				40	3.91	-0.598	-0.0007	-2.5 to 2.5	Pass
				50	3.91	0.810	0.0010	-2.5 to 2.5	Pass
				20	3.6	0.442	0.0005	-2.5 to 2.5	Pass
					3.91	0.323	0.0004	-2.5 to 2.5	Pass
					4.3	0.960	0.0011	-2.5 to 2.5	Pass
	846.5	25	0	-30	3.91	1.152	0.0014	-2.5 to 2.5	Pass
				-20	3.91	1.035	0.0012	-2.5 to 2.5	Pass
				-10	3.91	0.159	0.0002	-2.5 to 2.5	Pass
				0	3.91	-0.020	0.0000	-2.5 to 2.5	Pass
				10	3.91	0.202	0.0002	-2.5 to 2.5	Pass
				30	3.91	0.319	0.0004	-2.5 to 2.5	Pass
				40	3.91	0.955	0.0011	-2.5 to 2.5	Pass
				50	3.91	-0.144	-0.0002	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.6	0.788	0.0010	-2.5 to 2.5	Pass
					3.91	0.666	0.0008	-2.5 to 2.5	Pass
					4.3	0.295	0.0004	-2.5 to 2.5	Pass
				-30	3.91	-0.001	0.0000	-2.5 to 2.5	Pass
				-20	3.91	-1.035	-0.0013	-2.5 to 2.5	Pass
				-10	3.91	0.760	0.0009	-2.5 to 2.5	Pass
				0	3.91	-0.212	-0.0003	-2.5 to 2.5	Pass
				10	3.91	-0.011	0.0000	-2.5 to 2.5	Pass
				30	3.91	0.145	0.0002	-2.5 to 2.5	Pass
				40	3.91	0.837	0.0010	-2.5 to 2.5	Pass
				50	3.91	-1.204	-0.0015	-2.5 to 2.5	Pass
	836.5	25	0	20	3.6	3.041	0.0036	-2.5 to 2.5	Pass
					3.91	1.458	0.0017	-2.5 to 2.5	Pass
					4.3	2.496	0.0030	-2.5 to 2.5	Pass
				-30	3.91	2.134	0.0026	-2.5 to 2.5	Pass
				-20	3.91	1.313	0.0016	-2.5 to 2.5	Pass
				-10	3.91	1.683	0.0020	-2.5 to 2.5	Pass
				0	3.91	1.747	0.0021	-2.5 to 2.5	Pass
				10	3.91	0.538	0.0006	-2.5 to 2.5	Pass
				30	3.91	1.960	0.0023	-2.5 to 2.5	Pass
				40	3.91	1.968	0.0024	-2.5 to 2.5	Pass
				50	3.91	1.000	0.0012	-2.5 to 2.5	Pass
	846.5	25	0	20	3.6	-0.248	-0.0003	-2.5 to 2.5	Pass
					3.91	-0.812	-0.0010	-2.5 to 2.5	Pass
					4.3	0.021	0.0000	-2.5 to 2.5	Pass
				-30	3.91	-0.558	-0.0007	-2.5 to 2.5	Pass
				-20	3.91	0.311	0.0004	-2.5 to 2.5	Pass
				-10	3.91	0.536	0.0006	-2.5 to 2.5	Pass
				0	3.91	0.559	0.0007	-2.5 to 2.5	Pass
				10	3.91	-1.346	-0.0016	-2.5 to 2.5	Pass
				30	3.91	-0.074	-0.0001	-2.5 to 2.5	Pass

				40	3.91	-0.850	-0.0010	-2.5 to 2.5	Pass
				50	3.91	0.590	0.0007	-2.5 to 2.5	Pass
64QAM	826.5	25	0	20	3.6	-0.275	-0.0003	-2.5 to 2.5	Pass
					3.91	1.803	0.0022	-2.5 to 2.5	Pass
					4.3	1.909	0.0023	-2.5 to 2.5	Pass
				-30	3.91	0.488	0.0006	-2.5 to 2.5	Pass
				-20	3.91	0.771	0.0009	-2.5 to 2.5	Pass
				-10	3.91	0.624	0.0008	-2.5 to 2.5	Pass
				0	3.91	1.340	0.0016	-2.5 to 2.5	Pass
				10	3.91	1.924	0.0023	-2.5 to 2.5	Pass
				30	3.91	1.380	0.0017	-2.5 to 2.5	Pass
				40	3.91	1.250	0.0015	-2.5 to 2.5	Pass
				50	3.91	0.728	0.0009	-2.5 to 2.5	Pass
	836.5	25	0	20	3.6	2.082	0.0025	-2.5 to 2.5	Pass
					3.91	2.247	0.0027	-2.5 to 2.5	Pass
					4.3	1.550	0.0019	-2.5 to 2.5	Pass
				-30	3.91	1.750	0.0021	-2.5 to 2.5	Pass
				-20	3.91	1.828	0.0022	-2.5 to 2.5	Pass
				-10	3.91	2.461	0.0029	-2.5 to 2.5	Pass
				0	3.91	2.655	0.0032	-2.5 to 2.5	Pass
				10	3.91	2.012	0.0024	-2.5 to 2.5	Pass
				30	3.91	1.943	0.0023	-2.5 to 2.5	Pass
				40	3.91	1.910	0.0023	-2.5 to 2.5	Pass
				50	3.91	2.173	0.0026	-2.5 to 2.5	Pass
	846.5	25	0	20	3.6	-0.038	0.0000	-2.5 to 2.5	Pass
					3.91	0.675	0.0008	-2.5 to 2.5	Pass
					4.3	0.857	0.0010	-2.5 to 2.5	Pass
				-30	3.91	0.321	0.0004	-2.5 to 2.5	Pass
				-20	3.91	-0.549	-0.0006	-2.5 to 2.5	Pass
				-10	3.91	-0.222	-0.0003	-2.5 to 2.5	Pass
				0	3.91	0.859	0.0010	-2.5 to 2.5	Pass
				10	3.91	0.246	0.0003	-2.5 to 2.5	Pass
				30	3.91	-0.279	-0.0003	-2.5 to 2.5	Pass
				40	3.91	-0.565	-0.0007	-2.5 to 2.5	Pass
				50	3.91	0.303	0.0004	-2.5 to 2.5	Pass
256QAM	826.5	25	0	20	3.6	1.886	0.0023	-2.5 to 2.5	Pass
					3.91	1.048	0.0013	-2.5 to 2.5	Pass
					4.3	2.626	0.0032	-2.5 to 2.5	Pass
				-30	3.91	1.639	0.0020	-2.5 to 2.5	Pass
				-20	3.91	1.953	0.0024	-2.5 to 2.5	Pass
				-10	3.91	2.821	0.0034	-2.5 to 2.5	Pass
				0	3.91	2.800	0.0034	-2.5 to 2.5	Pass
				10	3.91	2.845	0.0034	-2.5 to 2.5	Pass
				30	3.91	2.659	0.0032	-2.5 to 2.5	Pass
				40	3.91	2.863	0.0035	-2.5 to 2.5	Pass
				50	3.91	2.708	0.0033	-2.5 to 2.5	Pass
	836.5	25	0	20	3.6	2.102	0.0025	-2.5 to 2.5	Pass
					3.91	2.961	0.0035	-2.5 to 2.5	Pass
					4.3	2.018	0.0024	-2.5 to 2.5	Pass
				-30	3.91	2.021	0.0024	-2.5 to 2.5	Pass
				-20	3.91	2.390	0.0029	-2.5 to 2.5	Pass
				-10	3.91	1.637	0.0020	-2.5 to 2.5	Pass
				0	3.91	1.962	0.0023	-2.5 to 2.5	Pass
				10	3.91	0.644	0.0008	-2.5 to 2.5	Pass
				30	3.91	2.025	0.0024	-2.5 to 2.5	Pass
				40	3.91	1.488	0.0018	-2.5 to 2.5	Pass
				50	3.91	1.877	0.0022	-2.5 to 2.5	Pass
	846.5	25	0	20	3.6	0.432	0.0005	-2.5 to 2.5	Pass
					3.91	-0.062	-0.0001	-2.5 to 2.5	Pass

					4.3	-0.623	-0.0007	-2.5 to 2.5	Pass
				-30	3.91	-0.480	-0.0006	-2.5 to 2.5	Pass
				-20	3.91	-0.263	-0.0003	-2.5 to 2.5	Pass
				-10	3.91	-1.003	-0.0012	-2.5 to 2.5	Pass
				0	3.91	0.187	0.0002	-2.5 to 2.5	Pass
				10	3.91	-0.446	-0.0005	-2.5 to 2.5	Pass
				30	3.91	-0.661	-0.0008	-2.5 to 2.5	Pass
				40	3.91	-0.345	-0.0004	-2.5 to 2.5	Pass
				50	3.91	-0.240	-0.0003	-2.5 to 2.5	Pass

## 2.1.4 B26b\_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.6	-1.341	-0.0016	-2.5 to 2.5	Pass
					3.91	0.062	0.0001	-2.5 to 2.5	Pass
					4.3	-0.245	-0.0003	-2.5 to 2.5	Pass
				-30	3.91	-0.545	-0.0007	-2.5 to 2.5	Pass
				-20	3.91	-0.666	-0.0008	-2.5 to 2.5	Pass
				-10	3.91	0.656	0.0008	-2.5 to 2.5	Pass
				0	3.91	-1.329	-0.0016	-2.5 to 2.5	Pass
				10	3.91	-0.289	-0.0003	-2.5 to 2.5	Pass
				30	3.91	-0.128	-0.0002	-2.5 to 2.5	Pass
				40	3.91	0.123	0.0001	-2.5 to 2.5	Pass
				50	3.91	-0.845	-0.0010	-2.5 to 2.5	Pass
	836.5	50	0	20	3.6	-2.375	-0.0028	-2.5 to 2.5	Pass
					3.91	-2.176	-0.0026	-2.5 to 2.5	Pass
					4.3	-1.230	-0.0015	-2.5 to 2.5	Pass
				-30	3.91	-0.173	-0.0002	-2.5 to 2.5	Pass
				-20	3.91	-1.804	-0.0022	-2.5 to 2.5	Pass
				-10	3.91	-0.815	-0.0010	-2.5 to 2.5	Pass
				0	3.91	-2.203	-0.0026	-2.5 to 2.5	Pass
				10	3.91	-0.619	-0.0007	-2.5 to 2.5	Pass
				30	3.91	-1.038	-0.0012	-2.5 to 2.5	Pass
				40	3.91	-0.721	-0.0009	-2.5 to 2.5	Pass
				50	3.91	-0.174	-0.0002	-2.5 to 2.5	Pass
	844	50	0	20	3.6	-1.602	-0.0019	-2.5 to 2.5	Pass
					3.91	-2.630	-0.0031	-2.5 to 2.5	Pass
					4.3	-1.109	-0.0013	-2.5 to 2.5	Pass
				-30	3.91	-2.232	-0.0026	-2.5 to 2.5	Pass
				-20	3.91	-1.364	-0.0016	-2.5 to 2.5	Pass
				-10	3.91	-0.443	-0.0005	-2.5 to 2.5	Pass
				0	3.91	-2.231	-0.0026	-2.5 to 2.5	Pass
				10	3.91	-2.238	-0.0027	-2.5 to 2.5	Pass
				30	3.91	-1.464	-0.0017	-2.5 to 2.5	Pass
				40	3.91	-1.657	-0.0020	-2.5 to 2.5	Pass
				50	3.91	-1.489	-0.0018	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.6	0.034	0.0000	-2.5 to 2.5	Pass
					3.91	-1.038	-0.0013	-2.5 to 2.5	Pass
					4.3	-1.451	-0.0018	-2.5 to 2.5	Pass
				-30	3.91	-0.521	-0.0006	-2.5 to 2.5	Pass
				-20	3.91	-0.023	0.0000	-2.5 to 2.5	Pass
				-10	3.91	-0.457	-0.0006	-2.5 to 2.5	Pass
				0	3.91	0.462	0.0006	-2.5 to 2.5	Pass
				10	3.91	-0.047	-0.0001	-2.5 to 2.5	Pass
				30	3.91	-0.317	-0.0004	-2.5 to 2.5	Pass



				40	3.91	-1.757	-0.0021	-2.5 to 2.5	Pass
				50	3.91	-1.240	-0.0015	-2.5 to 2.5	Pass
	836.5	50	0	20	3.6	-1.763	-0.0021	-2.5 to 2.5	Pass
					3.91	-0.980	-0.0012	-2.5 to 2.5	Pass
					4.3	-0.683	-0.0008	-2.5 to 2.5	Pass
				-30	3.91	-0.133	-0.0002	-2.5 to 2.5	Pass
				-20	3.91	-0.728	-0.0009	-2.5 to 2.5	Pass
				-10	3.91	-2.350	-0.0028	-2.5 to 2.5	Pass
				0	3.91	-1.567	-0.0019	-2.5 to 2.5	Pass
				10	3.91	0.001	0.0000	-2.5 to 2.5	Pass
				30	3.91	-0.291	-0.0003	-2.5 to 2.5	Pass
				40	3.91	-0.121	-0.0001	-2.5 to 2.5	Pass
				50	3.91	-1.167	-0.0014	-2.5 to 2.5	Pass
	844	50	0	20	3.6	-0.955	-0.0011	-2.5 to 2.5	Pass
					3.91	-1.080	-0.0013	-2.5 to 2.5	Pass
					4.3	0.374	0.0004	-2.5 to 2.5	Pass
				-30	3.91	-0.769	-0.0009	-2.5 to 2.5	Pass
				-20	3.91	0.481	0.0006	-2.5 to 2.5	Pass
				-10	3.91	-1.066	-0.0013	-2.5 to 2.5	Pass
				0	3.91	-0.170	-0.0002	-2.5 to 2.5	Pass
				10	3.91	-0.152	-0.0002	-2.5 to 2.5	Pass
				30	3.91	-0.369	-0.0004	-2.5 to 2.5	Pass
				40	3.91	0.698	0.0008	-2.5 to 2.5	Pass
				50	3.91	-0.341	-0.0004	-2.5 to 2.5	Pass
64QAM	829	50	0	20	3.6	-0.094	-0.0001	-2.5 to 2.5	Pass
					3.91	0.153	0.0002	-2.5 to 2.5	Pass
					4.3	-0.526	-0.0006	-2.5 to 2.5	Pass
				-30	3.91	0.119	0.0001	-2.5 to 2.5	Pass
				-20	3.91	0.238	0.0003	-2.5 to 2.5	Pass
				-10	3.91	-1.388	-0.0017	-2.5 to 2.5	Pass
				0	3.91	0.514	0.0006	-2.5 to 2.5	Pass
				10	3.91	0.146	0.0002	-2.5 to 2.5	Pass
				30	3.91	0.072	0.0001	-2.5 to 2.5	Pass
				40	3.91	-0.450	-0.0005	-2.5 to 2.5	Pass
				50	3.91	0.135	0.0002	-2.5 to 2.5	Pass
	836.5	50	0	20	3.6	-1.622	-0.0019	-2.5 to 2.5	Pass
					3.91	-0.914	-0.0011	-2.5 to 2.5	Pass
					4.3	-0.660	-0.0008	-2.5 to 2.5	Pass
				-30	3.91	-1.311	-0.0016	-2.5 to 2.5	Pass
				-20	3.91	-1.829	-0.0022	-2.5 to 2.5	Pass
				-10	3.91	-0.810	-0.0010	-2.5 to 2.5	Pass
				0	3.91	-0.534	-0.0006	-2.5 to 2.5	Pass
				10	3.91	-0.873	-0.0010	-2.5 to 2.5	Pass
				30	3.91	-0.404	-0.0005	-2.5 to 2.5	Pass
				40	3.91	-0.643	-0.0008	-2.5 to 2.5	Pass
				50	3.91	-0.511	-0.0006	-2.5 to 2.5	Pass
	844	50	0	20	3.6	-1.449	-0.0017	-2.5 to 2.5	Pass
					3.91	-0.572	-0.0007	-2.5 to 2.5	Pass
					4.3	-1.144	-0.0014	-2.5 to 2.5	Pass
				-30	3.91	-0.261	-0.0003	-2.5 to 2.5	Pass
				-20	3.91	-1.165	-0.0014	-2.5 to 2.5	Pass
				-10	3.91	-0.895	-0.0011	-2.5 to 2.5	Pass
				0	3.91	-0.724	-0.0009	-2.5 to 2.5	Pass
				10	3.91	-0.855	-0.0010	-2.5 to 2.5	Pass
				30	3.91	-0.901	-0.0011	-2.5 to 2.5	Pass
				40	3.91	-0.510	-0.0006	-2.5 to 2.5	Pass
				50	3.91	0.622	0.0007	-2.5 to 2.5	Pass
256QAM	829	50	0	20	3.6	0.124	0.0001	-2.5 to 2.5	Pass
					3.91	0.821	0.0010	-2.5 to 2.5	Pass

					4.3	0.103	0.0001	-2.5 to 2.5	Pass
				-30	3.91	0.205	0.0002	-2.5 to 2.5	Pass
				-20	3.91	-1.174	-0.0014	-2.5 to 2.5	Pass
				-10	3.91	-0.600	-0.0007	-2.5 to 2.5	Pass
				0	3.91	-0.218	-0.0003	-2.5 to 2.5	Pass
				10	3.91	-0.847	-0.0010	-2.5 to 2.5	Pass
				30	3.91	-0.082	-0.0001	-2.5 to 2.5	Pass
				40	3.91	-0.005	0.0000	-2.5 to 2.5	Pass
				50	3.91	0.846	0.0010	-2.5 to 2.5	Pass
	836.5	50	0	20	3.6	-1.010	-0.0012	-2.5 to 2.5	Pass
					3.91	-0.715	-0.0009	-2.5 to 2.5	Pass
					4.3	-2.017	-0.0024	-2.5 to 2.5	Pass
				-30	3.91	-0.846	-0.0010	-2.5 to 2.5	Pass
				-20	3.91	-0.477	-0.0006	-2.5 to 2.5	Pass
				-10	3.91	-1.030	-0.0012	-2.5 to 2.5	Pass
				0	3.91	-1.057	-0.0013	-2.5 to 2.5	Pass
				10	3.91	-1.039	-0.0012	-2.5 to 2.5	Pass
				30	3.91	-1.676	-0.0020	-2.5 to 2.5	Pass
	844	50	0	40	3.91	-0.310	-0.0004	-2.5 to 2.5	Pass
				50	3.91	-0.498	-0.0006	-2.5 to 2.5	Pass
				20	3.6	-1.155	-0.0014	-2.5 to 2.5	Pass
					3.91	0.136	0.0002	-2.5 to 2.5	Pass
					4.3	-1.419	-0.0017	-2.5 to 2.5	Pass
				-30	3.91	-0.901	-0.0011	-2.5 to 2.5	Pass
				-20	3.91	1.406	0.0017	-2.5 to 2.5	Pass
				-10	3.91	-0.083	-0.0001	-2.5 to 2.5	Pass
				0	3.91	-0.420	-0.0005	-2.5 to 2.5	Pass
				10	3.91	-0.526	-0.0006	-2.5 to 2.5	Pass
				30	3.91	-1.196	-0.0014	-2.5 to 2.5	Pass
				40	3.91	1.416	0.0017	-2.5 to 2.5	Pass
				50	3.91	0.130	0.0002	-2.5 to 2.5	Pass

## 2.1.5 B26b\_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.6	1.054	0.0013	-2.5 to 2.5	Pass
					3.91	0.020	0.0000	-2.5 to 2.5	Pass
					4.3	-0.346	-0.0004	-2.5 to 2.5	Pass
				-30	3.91	0.246	0.0003	-2.5 to 2.5	Pass
				-20	3.91	1.015	0.0012	-2.5 to 2.5	Pass
				-10	3.91	-0.658	-0.0008	-2.5 to 2.5	Pass
				0	3.91	0.284	0.0003	-2.5 to 2.5	Pass
				10	3.91	0.723	0.0009	-2.5 to 2.5	Pass
				30	3.91	0.350	0.0004	-2.5 to 2.5	Pass
				40	3.91	-0.309	-0.0004	-2.5 to 2.5	Pass
	836.5	75	0	50	3.91	-0.285	-0.0003	-2.5 to 2.5	Pass
				20	3.6	-0.054	-0.0001	-2.5 to 2.5	Pass
					3.91	0.620	0.0007	-2.5 to 2.5	Pass
					4.3	0.063	0.0001	-2.5 to 2.5	Pass
				-30	3.91	-1.196	-0.0014	-2.5 to 2.5	Pass
				-20	3.91	0.078	0.0001	-2.5 to 2.5	Pass
				-10	3.91	-0.460	-0.0005	-2.5 to 2.5	Pass
				0	3.91	-0.733	-0.0009	-2.5 to 2.5	Pass
				10	3.91	-0.110	-0.0001	-2.5 to 2.5	Pass
				30	3.91	-0.956	-0.0011	-2.5 to 2.5	Pass

	841.5	75	0	40	3.91	0.027	0.0000	-2.5 to 2.5	Pass
				50	3.91	-1.358	-0.0016	-2.5 to 2.5	Pass
				20	3.6	-1.251	-0.0015	-2.5 to 2.5	Pass
					3.91	-0.305	-0.0004	-2.5 to 2.5	Pass
					4.3	-0.092	-0.0001	-2.5 to 2.5	Pass
				-30	3.91	0.125	0.0001	-2.5 to 2.5	Pass
				-20	3.91	0.120	0.0001	-2.5 to 2.5	Pass
				-10	3.91	-0.488	-0.0006	-2.5 to 2.5	Pass
				0	3.91	-0.413	-0.0005	-2.5 to 2.5	Pass
				10	3.91	-0.761	-0.0009	-2.5 to 2.5	Pass
				30	3.91	-0.292	-0.0003	-2.5 to 2.5	Pass
				40	3.91	-1.720	-0.0020	-2.5 to 2.5	Pass
				50	3.91	-1.405	-0.0017	-2.5 to 2.5	Pass
16QAM	831.5	75	0	20	3.6	-0.177	-0.0002	-2.5 to 2.5	Pass
					3.91	-1.614	-0.0019	-2.5 to 2.5	Pass
					4.3	0.900	0.0011	-2.5 to 2.5	Pass
				-30	3.91	-1.047	-0.0013	-2.5 to 2.5	Pass
				-20	3.91	0.204	0.0002	-2.5 to 2.5	Pass
				-10	3.91	-0.484	-0.0006	-2.5 to 2.5	Pass
				0	3.91	-0.768	-0.0009	-2.5 to 2.5	Pass
				10	3.91	-0.172	-0.0002	-2.5 to 2.5	Pass
				30	3.91	0.780	0.0009	-2.5 to 2.5	Pass
				40	3.91	-1.569	-0.0019	-2.5 to 2.5	Pass
				50	3.91	0.088	0.0001	-2.5 to 2.5	Pass
	836.5	75	0	20	3.6	-0.918	-0.0011	-2.5 to 2.5	Pass
					3.91	-0.386	-0.0005	-2.5 to 2.5	Pass
					4.3	-1.446	-0.0017	-2.5 to 2.5	Pass
				-30	3.91	-1.350	-0.0016	-2.5 to 2.5	Pass
				-20	3.91	-0.263	-0.0003	-2.5 to 2.5	Pass
				-10	3.91	-0.587	-0.0007	-2.5 to 2.5	Pass
				0	3.91	-1.085	-0.0013	-2.5 to 2.5	Pass
				10	3.91	-0.226	-0.0003	-2.5 to 2.5	Pass
				30	3.91	0.388	0.0005	-2.5 to 2.5	Pass
				40	3.91	0.026	0.0000	-2.5 to 2.5	Pass
				50	3.91	-1.014	-0.0012	-2.5 to 2.5	Pass
	841.5	75	0	20	3.6	-0.232	-0.0003	-2.5 to 2.5	Pass
					3.91	-1.139	-0.0014	-2.5 to 2.5	Pass
					4.3	-0.171	-0.0002	-2.5 to 2.5	Pass
				-30	3.91	0.611	0.0007	-2.5 to 2.5	Pass
				-20	3.91	-0.809	-0.0010	-2.5 to 2.5	Pass
				-10	3.91	0.501	0.0006	-2.5 to 2.5	Pass
				0	3.91	0.163	0.0002	-2.5 to 2.5	Pass
				10	3.91	-0.326	-0.0004	-2.5 to 2.5	Pass
				30	3.91	-1.924	-0.0023	-2.5 to 2.5	Pass
				40	3.91	-0.004	0.0000	-2.5 to 2.5	Pass
				50	3.91	-0.373	-0.0004	-2.5 to 2.5	Pass
64QAM	831.5	75	0	20	3.6	-0.357	-0.0004	-2.5 to 2.5	Pass
					3.91	-0.207	-0.0002	-2.5 to 2.5	Pass
					4.3	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	3.91	-0.324	-0.0004	-2.5 to 2.5	Pass
				-20	3.91	0.093	0.0001	-2.5 to 2.5	Pass
				-10	3.91	-0.914	-0.0011	-2.5 to 2.5	Pass
				0	3.91	0.063	0.0001	-2.5 to 2.5	Pass
				10	3.91	-0.333	-0.0004	-2.5 to 2.5	Pass
				30	3.91	-0.069	-0.0001	-2.5 to 2.5	Pass
				40	3.91	0.974	0.0012	-2.5 to 2.5	Pass
				50	3.91	-0.169	-0.0002	-2.5 to 2.5	Pass
	836.5	75	0	20	3.6	-0.322	-0.0004	-2.5 to 2.5	Pass
					3.91	-1.701	-0.0020	-2.5 to 2.5	Pass

					4.3	-1.836	-0.0022	-2.5 to 2.5	Pass
				-30	3.91	-1.205	-0.0014	-2.5 to 2.5	Pass
				-20	3.91	0.345	0.0004	-2.5 to 2.5	Pass
				-10	3.91	0.057	0.0001	-2.5 to 2.5	Pass
				0	3.91	0.155	0.0002	-2.5 to 2.5	Pass
				10	3.91	-1.842	-0.0022	-2.5 to 2.5	Pass
				30	3.91	0.149	0.0002	-2.5 to 2.5	Pass
				40	3.91	-0.179	-0.0002	-2.5 to 2.5	Pass
				50	3.91	0.613	0.0007	-2.5 to 2.5	Pass
	841.5	75	0	20	3.6	0.146	0.0002	-2.5 to 2.5	Pass
					3.91	0.242	0.0003	-2.5 to 2.5	Pass
					4.3	0.333	0.0004	-2.5 to 2.5	Pass
				-30	3.91	1.644	0.0020	-2.5 to 2.5	Pass
				-20	3.91	-1.212	-0.0014	-2.5 to 2.5	Pass
				-10	3.91	0.190	0.0002	-2.5 to 2.5	Pass
				0	3.91	-1.543	-0.0018	-2.5 to 2.5	Pass
				10	3.91	-0.102	-0.0001	-2.5 to 2.5	Pass
				30	3.91	-1.027	-0.0012	-2.5 to 2.5	Pass
40	3.91	0.045	0.0001	-2.5 to 2.5	Pass				
50	3.91	1.133	0.0013	-2.5 to 2.5	Pass				
256QAM	831.5	75	0	20	3.6	-0.333	-0.0004	-2.5 to 2.5	Pass
					3.91	0.178	0.0002	-2.5 to 2.5	Pass
					4.3	0.511	0.0006	-2.5 to 2.5	Pass
				-30	3.91	-0.048	-0.0001	-2.5 to 2.5	Pass
				-20	3.91	1.218	0.0015	-2.5 to 2.5	Pass
				-10	3.91	1.086	0.0013	-2.5 to 2.5	Pass
				0	3.91	-0.197	-0.0002	-2.5 to 2.5	Pass
				10	3.91	0.243	0.0003	-2.5 to 2.5	Pass
				30	3.91	-0.097	-0.0001	-2.5 to 2.5	Pass
				40	3.91	1.726	0.0021	-2.5 to 2.5	Pass
				50	3.91	0.375	0.0005	-2.5 to 2.5	Pass
				836.5	75	0	20	3.6	0.327
	3.91	-0.529	-0.0006					-2.5 to 2.5	Pass
	4.3	0.316	0.0004					-2.5 to 2.5	Pass
	-30	3.91	-0.645				-0.0008	-2.5 to 2.5	Pass
	-20	3.91	-1.746				-0.0021	-2.5 to 2.5	Pass
	-10	3.91	0.532				0.0006	-2.5 to 2.5	Pass
	0	3.91	-0.119				-0.0001	-2.5 to 2.5	Pass
	10	3.91	-0.646				-0.0008	-2.5 to 2.5	Pass
	30	3.91	-0.189				-0.0002	-2.5 to 2.5	Pass
	40	3.91	-0.264				-0.0003	-2.5 to 2.5	Pass
	50	3.91	0.238				0.0003	-2.5 to 2.5	Pass
	841.5	75	0				20	3.6	-1.006
				3.91	-0.176	-0.0002		-2.5 to 2.5	Pass
				4.3	-0.637	-0.0008		-2.5 to 2.5	Pass
				-30	3.91	0.213	0.0003	-2.5 to 2.5	Pass
				-20	3.91	-1.503	-0.0018	-2.5 to 2.5	Pass
				-10	3.91	0.135	0.0002	-2.5 to 2.5	Pass
				0	3.91	-1.137	-0.0014	-2.5 to 2.5	Pass
				10	3.91	-0.311	-0.0004	-2.5 to 2.5	Pass
30				3.91	-0.345	-0.0004	-2.5 to 2.5	Pass	
40				3.91	0.415	0.0005	-2.5 to 2.5	Pass	
50				3.91	-0.741	-0.0009	-2.5 to 2.5	Pass	

### 3. 99% & 26dB Bandwidth

#### 3.1 Test Result

##### 3.1.1 Band26b\_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.117	/	Pass
		836.5	6	0	1.115	/	Pass
		848.3	6	0	1.125	/	Pass
	16QAM	824.7	6	0	1.125	/	Pass
		836.5	6	0	1.124	/	Pass
		848.3	6	0	1.122	/	Pass
	64QAM	824.7	6	0	1.132	/	Pass
		836.5	6	0	1.116	/	Pass
		848.3	6	0	1.128	/	Pass
	256QAM	824.7	6	0	1.124	/	Pass
		836.5	6	0	1.121	/	Pass
		848.3	6	0	1.132	/	Pass
3	QPSK	825.5	15	0	2.754	/	Pass
		836.5	15	0	2.743	/	Pass
		847.5	15	0	2.748	/	Pass
	16QAM	825.5	15	0	2.752	/	Pass
		836.5	15	0	2.744	/	Pass
		847.5	15	0	2.742	/	Pass
	64QAM	825.5	15	0	2.746	/	Pass
		836.5	15	0	2.750	/	Pass
		847.5	15	0	2.742	/	Pass
	256QAM	825.5	15	0	2.755	/	Pass
		836.5	15	0	2.756	/	Pass
		847.5	15	0	2.745	/	Pass
5	QPSK	826.5	25	0	4.564	/	Pass
		836.5	25	0	4.564	/	Pass
		846.5	25	0	4.545	/	Pass
	16QAM	826.5	25	0	4.579	/	Pass
		836.5	25	0	4.559	/	Pass
		846.5	25	0	4.562	/	Pass
	64QAM	826.5	25	0	4.570	/	Pass
		836.5	25	0	4.558	/	Pass
		846.5	25	0	4.566	/	Pass
	256QAM	826.5	25	0	4.575	/	Pass
		836.5	25	0	4.565	/	Pass
		846.5	25	0	4.562	/	Pass
10	QPSK	829	50	0	9.074	/	Pass
		836.5	50	0	9.034	/	Pass
		844	50	0	9.103	/	Pass
	16QAM	829	50	0	9.106	/	Pass
		836.5	50	0	9.094	/	Pass
		844	50	0	9.061	/	Pass
	64QAM	829	50	0	9.075	/	Pass
		836.5	50	0	9.054	/	Pass
		844	50	0	9.073	/	Pass
	256QAM	829	50	0	9.074	/	Pass
		836.5	50	0	9.060	/	Pass

		844	50	0	9.035	/	Pass
15	QPSK	831.5	75	0	13.628	/	Pass
		836.5	75	0	13.606	/	Pass
		841.5	75	0	13.621	/	Pass
		841.5	75	0	13.621	/	Pass
	16QAM	831.5	75	0	13.633	/	Pass
		836.5	75	0	13.609	/	Pass
		841.5	75	0	13.599	/	Pass
		841.5	75	0	13.599	/	Pass
	64QAM	831.5	75	0	13.621	/	Pass
		836.5	75	0	13.638	/	Pass
		841.5	75	0	13.663	/	Pass
		841.5	75	0	13.663	/	Pass
	256QAM	831.5	75	0	13.613	/	Pass
		836.5	75	0	13.612	/	Pass
		841.5	75	0	13.599	/	Pass
		841.5	75	0	13.599	/	Pass


### 3.1.2 Band26b\_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.396	/	Pass
		836.5	6	0	1.404	/	Pass
		848.3	6	0	1.418	/	Pass
	16QAM	824.7	6	0	1.408	/	Pass
		836.5	6	0	1.428	/	Pass
		848.3	6	0	1.399	/	Pass
	64QAM	824.7	6	0	1.388	/	Pass
		836.5	6	0	1.371	/	Pass
		848.3	6	0	1.408	/	Pass
	256QAM	824.7	6	0	1.391	/	Pass
		836.5	6	0	1.415	/	Pass
		848.3	6	0	1.420	/	Pass
3	QPSK	825.5	15	0	3.151	/	Pass
		836.5	15	0	3.120	/	Pass
		847.5	15	0	3.143	/	Pass
	16QAM	825.5	15	0	3.125	/	Pass
		836.5	15	0	3.106	/	Pass
		847.5	15	0	3.173	/	Pass
	64QAM	825.5	15	0	3.149	/	Pass
		836.5	15	0	3.168	/	Pass
		847.5	15	0	3.116	/	Pass
	256QAM	825.5	15	0	3.120	/	Pass
		836.5	15	0	3.172	/	Pass
		847.5	15	0	3.123	/	Pass
5	QPSK	826.5	25	0	5.250	/	Pass
		836.5	25	0	5.245	/	Pass
		846.5	25	0	5.225	/	Pass
	16QAM	826.5	25	0	5.249	/	Pass
		836.5	25	0	5.220	/	Pass
		846.5	25	0	5.304	/	Pass
	64QAM	826.5	25	0	5.140	/	Pass
		836.5	25	0	5.251	/	Pass
		846.5	25	0	5.281	/	Pass
	256QAM	826.5	25	0	5.239	/	Pass
		836.5	25	0	5.260	/	Pass
		846.5	25	0	5.294	/	Pass
10	QPSK	829	50	0	10.305	/	Pass
		836.5	50	0	10.213	/	Pass

	16QAM	844	50	0	10.210	/	Pass
		829	50	0	10.290	/	Pass
		836.5	50	0	10.248	/	Pass
		844	50	0	10.167	/	Pass
	64QAM	829	50	0	10.313	/	Pass
		836.5	50	0	10.251	/	Pass
		844	50	0	10.281	/	Pass
	256QAM	829	50	0	10.223	/	Pass
		836.5	50	0	10.223	/	Pass
		844	50	0	10.107	/	Pass
15	QPSK	831.5	75	0	15.247	/	Pass
		836.5	75	0	15.314	/	Pass
		841.5	75	0	15.248	/	Pass
	16QAM	831.5	75	0	15.264	/	Pass
		836.5	75	0	15.210	/	Pass
		841.5	75	0	15.285	/	Pass
	64QAM	831.5	75	0	15.343	/	Pass
		836.5	75	0	15.264	/	Pass
		841.5	75	0	15.719	/	Pass
	256QAM	831.5	75	0	15.243	/	Pass
		836.5	75	0	15.228	/	Pass
		841.5	75	0	15.019	/	Pass


3.2 Test Graph

3.2.1 Band26b\_OBW







Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_256QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV



Band26b\_1.4MHz\_256QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_256QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV







Band26b\_3MHz\_QPSK\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV



Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV







Band26b\_3MHz\_64QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_256QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_256QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_256QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_MCH\_836.5MHz\_RB\_25\_0\_NTNV



Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV







Band26b\_5MHz\_16QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV



Band26b\_5MHz\_64QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_256QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV







Band26b\_5MHz\_256QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_256QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_10MHz\_QPSK\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV



Band26b\_10MHz\_64QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV







Band26b\_10MHz\_64QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_256QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_256QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_256QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV



Band26b\_15MHz\_QPSK\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_QPSK\_MCH\_836.5MHz\_RB\_75\_0\_NTNV







Band26b\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_256QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_256QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_256QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV







3.2.2 Band26b\_XDB




Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV



Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV







Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_256QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_256QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_256QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_3MHz\_QPSK\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_MCH\_836.5MHz\_RB\_15\_0\_NTNV



Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV







Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV



Band26b\_3MHz\_64QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_256QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV







Band26b\_3MHz\_256QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_256QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV



Band26b\_5MHz\_64QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV







Band26b\_5MHz\_64QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_256QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_256QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_256QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV



Band26b\_10MHz\_QPSK\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_MCH\_836.5MHz\_RB\_50\_0\_NTNV







Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_256QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV



Band26b\_10MHz\_256QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_256QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV







Band26b\_15MHz\_QPSK\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_QPSK\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_16QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV







Band26b\_15MHz\_64QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_256QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_256QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_256QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV



## 4. Peak-Average Ratio

### 4.1 Test Result

#### 4.1.1 B26b\_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.36	<=13	Pass
	836.5	6	0	5.12	<=13	Pass
	848.3	6	0	5.32	<=13	Pass
16QAM	824.7	6	0	6.32	<=13	Pass
	836.5	6	0	6.10	<=13	Pass
	848.3	6	0	6.27	<=13	Pass
64QAM	824.7	6	0	6.75	<=13	Pass
	836.5	6	0	6.43	<=13	Pass
	848.3	6	0	6.56	<=13	Pass
256QAM	824.7	6	0	6.89	<=13	Pass
	836.5	6	0	6.59	<=13	Pass
	848.3	6	0	6.52	<=13	Pass

#### 4.1.2 B26b\_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	4.38	<=13	Pass
	836.5	15	0	4.38	<=13	Pass
	847.5	15	0	4.31	<=13	Pass
16QAM	825.5	15	0	5.41	<=13	Pass
	836.5	15	0	5.22	<=13	Pass
	847.5	15	0	5.27	<=13	Pass
64QAM	825.5	15	0	6.45	<=13	Pass
	836.5	15	0	6.15	<=13	Pass
	847.5	15	0	6.23	<=13	Pass
256QAM	825.5	15	0	6.82	<=13	Pass
	836.5	15	0	6.61	<=13	Pass
	847.5	15	0	6.52	<=13	Pass

#### 4.1.3 B26b\_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	4.63	<=13	Pass
	836.5	25	0	4.53	<=13	Pass
	846.5	25	0	4.56	<=13	Pass
16QAM	826.5	25	0	5.71	<=13	Pass
	836.5	25	0	5.58	<=13	Pass
	846.5	25	0	5.60	<=13	Pass
64QAM	826.5	25	0	6.53	<=13	Pass

256QAM	836.5	25	0	6.33	<=13	Pass
	846.5	25	0	6.37	<=13	Pass
	826.5	25	0	6.73	<=13	Pass
	836.5	25	0	6.62	<=13	Pass
	846.5	25	0	6.53	<=13	Pass

#### 4.1.4 B26b\_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	4.66	<=13	Pass
	836.5	50	0	4.56	<=13	Pass
	844	50	0	4.64	<=13	Pass
16QAM	829	50	0	5.73	<=13	Pass
	836.5	50	0	5.59	<=13	Pass
	844	50	0	5.66	<=13	Pass
64QAM	829	50	0	6.51	<=13	Pass
	836.5	50	0	6.33	<=13	Pass
	844	50	0	6.37	<=13	Pass
256QAM	829	50	0	6.75	<=13	Pass
	836.5	50	0	6.64	<=13	Pass
	844	50	0	6.56	<=13	Pass

#### 4.1.5 B26b\_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	4.68	<=13	Pass
	836.5	75	0	4.69	<=13	Pass
	841.5	75	0	4.87	<=13	Pass
16QAM	831.5	75	0	5.61	<=13	Pass
	836.5	75	0	5.64	<=13	Pass
	841.5	75	0	5.72	<=13	Pass
64QAM	831.5	75	0	6.39	<=13	Pass
	836.5	75	0	6.42	<=13	Pass
	841.5	75	0	6.49	<=13	Pass
256QAM	831.5	75	0	6.62	<=13	Pass
	836.5	75	0	6.68	<=13	Pass
	841.5	75	0	6.72	<=13	Pass

4.2 Test Graph


4.2.1 B26b\_1.4MHz




Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV



Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV







Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_256QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_256QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_256QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




4.2.2 B26b\_3MHz




Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV



Band26b\_3MHz\_64QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV







Band26b\_3MHz\_64QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_256QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV



Band26b\_3MHz\_256QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_256QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




### 4.2.3 B26b\_5MHz


Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV



Band26b\_5MHz\_64QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_256QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV







Band26b\_5MHz\_256QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_256QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




4.2.4 B26b\_10MHz




Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_256QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV



Band26b\_10MHz\_256QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_256QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV







4.2.5 B26b\_15MHz




Band26b\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_256QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_256QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_256QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV



## 5. Spurious Emission

### 5.1 Test Result

#### 5.1.1 B26b\_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
64QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
256QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

#### 5.1.2 B26b\_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
64QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass






		50	0	Refer To Test Graph	Pass
64QAM	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
		49		Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
256QAM	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
		49		Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

### 5.1.5 B26b\_15MHz


Band: 26b / Bandwidth: 15MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
		74		Refer To Test Graph	Pass
16QAM	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
		74		Refer To Test Graph	Pass
64QAM	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
		74		Refer To Test Graph	Pass
256QAM	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
		74		Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

5.2 Test Graph

5.2.1 B26b\_1.4MHz




Band26b\_1.4MHz\_QPSK\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.551	-33.93	-13	Pass
823	824	0.015	/	2	823.997	-23.41	-13	Pass
824	825.5	0.015	/	/	/	/	/	/


Band26b\_1.4MHz\_QPSK\_MCH\_836.5MHz\_RB\_1\_0\_NTNV



# Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_1\_0\_NTNV




# Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_1\_5\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-25.06	-13	Pass
850	850.5	0.1	CHP	2	850.052	-47.68	-13	Pass

# Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_6\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.015	/	/	/	/	/	/
849	850	0.015	/	1	849.009	-26.26	-13	Pass
850	850.5	0.1	CHP	2	850.134	-35.73	-13	Pass


# Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.948	-47.46	-13	Pass
823	824	0.003	/	2	823.994	-26.11	-13	Pass
824	825.5	0.003	/	/	/	/	/	/



Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.941	-33.56	-13	Pass
823	824	0.015	/	2	823.997	-23.74	-13	Pass
824	825.5	0.015	/	/	/	/	/	/




Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV



Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_1\_5\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-26.49	-13	Pass
850	850.5	0.1	CHP	2	850.056	-47.93	-13	Pass

Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.015	/	/	/	/	/	/
849	850	0.015	/	1	849.003	-26.52	-13	Pass
850	850.5	0.1	CHP	2	850.053	-34.99	-13	Pass

# Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.926	-50.80	-13	Pass
823	824	0.003	/	2	823.977	-27.39	-13	Pass
824	825.5	0.003	/	/	/	/	/	/


# Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV



Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_1\_5\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.008	-26.81	-13	Pass
850	850.5	0.1	CHP	2	850.052	-50.67	-13	Pass




# Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.015	/	/	/	/	/	/
849	850	0.015	/	1	849.015	-28.61	-13	Pass
850	850.5	0.1	CHP	2	850.131	-34.73	-13	Pass

# Band26b\_1.4MHz\_256QAM\_LCH\_824.7MHz\_RB\_1\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.948	-58.05	-13	Pass
823	824	0.003	/	2	823.992	-30.83	-13	Pass
824	825.5	0.003	/	/	/	/	/	/