

Front side circuit

Hand tear

Back side circuit

NOTE

1.**Material:Total thickness:**0.10±0.02MM(**Release paper not included) Check the table on the right for details.**

2.**Dimensions and Tolerances: Mark "*" as the key size**, the tolerance of the copper foil shall not exceed ±0.05, the tolerances of the shape shall not exceed.

3.**Clad layer: Nickel layer** Ni<1.5-5um>+ **Gold layer** Au<0.025-0.075um>。

4.**Reliability: salt spray test**\Rubber friction test\Alcohol resistance test\Constant temperature and humidity test \High and low temperature test.

5.All materials meet ROHS

6.Add hand tear position to release paper.

Rev	Description	Date	Remark
	New Drawing		

ShenZhen HengXiangTong Antenna technology Co.,Ltd.

Third Angle				Model	A20-076-NFC-MDT1065	Date	2022-10-17		
0~10	±0.05	○	0.02	Part Name	NFC-FPC	Designed by	李永田		
10~18	±0.06	◎	∅0.03	Part No.	A0	Checked by	MD		
18~30	±0.08	⊥	0.02	Material	黑油		RF		
30~40	±0.09	▱	0.04	Treatment		Approved by			
40~	±0.10	Angle	±0.5°			Unit	mm	Scale FIT	Rev A1
Location	E\PROJECTS								