

Appendix for LTE BAND 40(2305-2315)

Product Name: Tablet

Model No: MDT865

Appendix A: Average Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
40(2305-2315)	5MHz	QPSK	38725	1RB#0	23.42	PASS
40(2305-2315)	5MHz	16QAM	38725	1RB#0	22.35	PASS
40(2305-2315)	5MHz	QPSK	38725	1RB#24	22.45	PASS
40(2305-2315)	5MHz	16QAM	38725	1RB#24	22.53	PASS
40(2305-2315)	5MHz	QPSK	38725	1RB#49	23.08	PASS
40(2305-2315)	5MHz	16QAM	38725	1RB#49	22.99	PASS
40(2305-2315)	5MHz	QPSK	38725	25RB#0	21.20	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	21.83	PASS
40(2305-2315)	5MHz	QPSK	38725	25RB#12	21.18	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#12	20.55	PASS
40(2305-2315)	5MHz	QPSK	38725	25RB#25	20.48	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#25	20.38	PASS
40(2305-2315)	5MHz	QPSK	38725	50RB#0	21.34	PASS
40(2305-2315)	5MHz	16QAM	38725	50RB#0	21.08	PASS
40(2305-2315)	5MHz	QPSK	38750	1RB#0	23.54	PASS
40(2305-2315)	5MHz	16QAM	38750	1RB#0	23.04	PASS
40(2305-2315)	5MHz	QPSK	38750	1RB#24	23.57	PASS
40(2305-2315)	5MHz	16QAM	38750	1RB#24	22.68	PASS
40(2305-2315)	5MHz	QPSK	38750	1RB#49	23.15	PASS
40(2305-2315)	5MHz	16QAM	38750	1RB#49	22.91	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	21.09	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	21.27	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#12	21.43	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#12	20.55	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#25	21.11	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#25	21.13	PASS
40(2305-2315)	5MHz	QPSK	38750	50RB#0	21.22	PASS
40(2305-2315)	5MHz	16QAM	38750	50RB#0	21.00	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#0	23.14	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#0	22.63	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#24	23.21	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#24	22.82	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#49	23.44	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#49	23.30	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	21.42	PASS


40(2305-2315)	5MHz	16QAM	38775	25RB#0	20.43	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#12	21.45	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#12	21.77	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#25	21.27	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#25	20.47	PASS
40(2305-2315)	5MHz	QPSK	38775	50RB#0	20.99	PASS
40(2305-2315)	5MHz	16QAM	38775	50RB#0	20.97	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#0	23.05	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#0	22.70	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#24	23.58	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#24	22.71	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#49	22.77	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#49	22.55	PASS
40(2305-2315)	10MHz	QPSK	38750	25RB#0	21.04	PASS
40(2305-2315)	10MHz	16QAM	38750	25RB#0	20.57	PASS
40(2305-2315)	10MHz	QPSK	38750	25RB#12	21.32	PASS
40(2305-2315)	10MHz	16QAM	38750	25RB#12	21.83	PASS
40(2305-2315)	10MHz	QPSK	38750	25RB#25	21.57	PASS
40(2305-2315)	10MHz	16QAM	38750	25RB#25	21.17	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	21.92	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	21.94	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
40(2305-2315)	5MHz	QPSK	38725	1RB#0	9.45	13	PASS
40(2305-2315)	5MHz	16QAM	38725	1RB#0	10.52	13	PASS
40(2305-2315)	5MHz	QPSK	38725	25RB#0	10.23	13	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	10.87	13	PASS
40(2305-2315)	5MHz	QPSK	38750	1RB#0	10.26	13	PASS
40(2305-2315)	5MHz	16QAM	38750	1RB#0	10.93	13	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	10.29	13	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	10.78	13	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#0	10.26	13	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#0	10.84	13	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	10.32	13	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	11.13	13	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#0	9.86	13	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#0	10.58	13	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	10.06	13	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	10.96	13	PASS

Test Graphs




40(2305-2315)-5MHz-QPSK-38725-1RB#0-PASS


40(2305-2315)-5MHz-16QAM-38725-1RB#0-PAS
S

40(2305-2315)-5MHz-QPSK-38725-25RB#0-PAS
S


40(2305-2315)-5MHz-16QAM-38725-25RB#0-PA
SS





40(2305-2315)-5MHz-QPSK-38750-1RB#0-PASS 40(2305-2315)-5MHz-16QAM-38750-1RB#0-PAS
S



40(2305-2315)-5MHz-QPSK-38750-25RB#0-PAS 40(2305-2315)-5MHz-16QAM-38750-25RB#0-PA
S SS









Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
40(2305-2315)	5MHz	QPSK	38725	25RB#0	4.515	5.18	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	4.505	5.17	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	4.525	5.38	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	4.515	5.12	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	4.515	5.21	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	4.535	5.27	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	9.018	9.97	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	9.018	10.10	PASS

Test Graphs






Date: 7.DEC.2023 16:30:35

40(2305-2315)-5MHz-QPSK-38775-25RB#0-PAS


S



Date: 7.DEC.2023 16:30:58

40(2305-2315)-5MHz-16QAM-38775-25RB#0-PAS


S



Date: 7.DEC.2023 17:51:52

40(2305-2315)-10MHz-QPSK-38750-50RB#0-PA

SS



Date: 7.DEC.2023 17:52:07

40(2305-2315)-10MHz-16QAM-38750-50RB#0-PA




SS


Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
40(2305-2315)	5MHz	QPSK	38725	1RB#0	-16.24	PASS
40(2305-2315)	5MHz	16QAM	38725	1RB#0	-16.74	PASS
40(2305-2315)	5MHz	QPSK	38725	1RB#24	-16.59	PASS
40(2305-2315)	5MHz	16QAM	38725	1RB#24	-17.84	PASS
40(2305-2315)	5MHz	QPSK	38725	25RB#0	-26.13	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	-53.25	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#0	-16.79	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#0	-18.85	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#24	-17.66	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#24	-17.61	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	-53.24	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	-53.45	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#0	-19.45	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#0	-21.24	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#49	-29.03	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#49	-30.29	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	-31.69	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	-32.50	PASS

Test Graphs









Date: 7,DEC,2023 17:56:43

Band40_10MHz_QPSK_38750_1RB#0




Date: 7,DEC,2023 18:00:52

Band40_10MHz_16QAM_38750_1RB#0




Date: 7,DEC,2023 18:05:00

Band40_10MHz_QPSK_38750_1RB#49




Date: 7,DEC,2023 18:09:08

Band40_10MHz_16QAM_38750_1RB#49



Date: 7,DEC,2023 18:11:15

Band40_10MHz_QPSK_38750_50RB#0



Date: 7,DEC,2023 18:11:23

Band40_10MHz_16QAM_38750_50RB#0

Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
40(2305-2315)	5MHz	16QAM	38725	1RB#0	0.009~0.15	-85.40	PASS
40(2305-2315)	5MHz	16QAM	38725	1RB#0	0.15~30	-82.87	PASS
40(2305-2315)	5MHz	16QAM	38725	1RB#0	30~1000	-65.85	PASS
40(2305-2315)	5MHz	16QAM	38725	1RB#0	1000~3000	-51.63	PASS
40(2305-2315)	5MHz	16QAM	38725	1RB#0	3000~26500	-52.46	PASS
40(2305-2315)	5MHz	QPSK	38750	1RB#0	0.009~0.15	-84.62	PASS
40(2305-2315)	5MHz	QPSK	38750	1RB#0	30~1000	-65.67	PASS
40(2305-2315)	5MHz	QPSK	38750	1RB#0	1000~3000	-51.58	PASS
40(2305-2315)	5MHz	QPSK	38750	1RB#0	3000~26500	-52.52	PASS
40(2305-2315)	5MHz	16QAM	38750	1RB#0	0.009~0.15	-84.17	PASS
40(2305-2315)	5MHz	16QAM	38750	1RB#0	0.15~30	-83.96	PASS
40(2305-2315)	5MHz	16QAM	38750	1RB#0	30~1000	-65.85	PASS
40(2305-2315)	5MHz	16QAM	38750	1RB#0	3000~26500	-53.33	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#0	0.009~0.15	-85.38	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#0	0.15~30	-83.16	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#0	30~1000	-65.81	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#0	1000~3000	-51.67	PASS
40(2305-2315)	5MHz	QPSK	38775	1RB#0	3000~26500	-52.16	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#0	0.009~0.15	-85.54	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#0	0.15~30	-84.38	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#0	30~1000	-65.92	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#0	1000~3000	-51.67	PASS
40(2305-2315)	5MHz	16QAM	38775	1RB#0	3000~26500	-53.69	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#0	0.009~0.15	-85.17	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#0	0.15~30	-82.74	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#0	30~1000	-65.79	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#0	1000~3000	-51.78	PASS
40(2305-2315)	10MHz	QPSK	38750	1RB#0	3000~26500	-54.39	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#0	0.009~0.15	-83.74	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#0	0.15~30	-83.16	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#0	30~1000	-65.57	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#0	1000~3000	-51.76	PASS
40(2305-2315)	10MHz	16QAM	38750	1RB#0	3000~26500	-54.09	PASS
40(2305-2315)	5MHz	QPSK	38725	1RB#0	0.009~0.15	-85.78	PASS
40(2305-2315)	5MHz	QPSK	38725	1RB#0	0.15~30	-83.56	PASS
40(2305-2315)	5MHz	QPSK	38725	1RB#0	30~1000	-65.36	PASS


Waltek Testing Group (Shenzhen) Co., Ltd.

<http://www.waltek.com.cn>

40(2305-2315)	5MHz	QPSK	38725	1RB#0	1000~3000	-51.74	PASS
40(2305-2315)	5MHz	QPSK	38725	1RB#0	3000~26500	-52.76	PASS
40(2305-2315)	5MHz	QPSK	38750	1RB#0	0.15~30	-82.67	PASS
40(2305-2315)	5MHz	16QAM	38750	1RB#0	1000~3000	-51.56	PASS

Test Graphs







Band40_5MHz_16QAM_38725_1RB#0_3000~26500_00_3000~26500

Band40_5MHz_QPSK_38750_1RB#0_0.009~0.15_5_0.009~0.15

Band40_5MHz_QPSK_38750_1RB#0_30~1000_30~1000

Band40_5MHz_QPSK_38750_1RB#0_1000~3000_0_1000~3000







Band40_5MHz_QPSK_38775_1RB#0_0.15~30_0.
15~30


Band40_5MHz_QPSK_38775_1RB#0_30~1000_0.
30~1000


Band40_5MHz_QPSK_38775_1RB#0_1000~3000_0.
1000~3000

Band40_5MHz_QPSK_38775_1RB#0_3000~26500_0.
3000~26500









Band40_5MHz_QPSK_38750_1RB#0_0.15~30_0. 15~30	Band40_5MHz_16QAM_38750_1RB#0_1000~30 00_1000~3000
--	---

Appendix F: Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage		Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
					Voltage [Vdc]	Temperature (°C)				
40(2305-2315)	5MHz	QPSK	38725	25RB#0	VN	NT	-2.29	-0.000992	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38725	25RB#0	VL	NT	-9.26	-0.004013	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38725	25RB#0	VH	NT	-8.63	-0.003740	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	VN	NT	-7.11	-0.003081	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	VL	NT	-15.12	-0.006553	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	VH	NT	-7.48	-0.003242	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	VN	NT	1.80	0.000779	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	VL	NT	-12.99	-0.005623	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	VH	NT	-7.87	-0.003407	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	VN	NT	-11.00	-0.004762	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	VL	NT	-7.05	-0.003052	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	VH	NT	-8.84	-0.003827	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	VN	NT	5.55	0.002400	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	VL	NT	-7.71	-0.003334	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	VH	NT	5.84	0.002525	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	VN	NT	-5.12	-0.002214	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	VL	NT	-5.95	-0.002573	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	VH	NT	-10.36	-0.004480	±2.5	PASS

-2315)										
40(2305 -2315)	10MHz	QPSK	38750	50RB#0	VN	NT	-1.49	-0.000645	±2.5	PASS
40(2305 -2315)	10MHz	QPSK	38750	50RB#0	VL	NT	-9.97	-0.004316	±2.5	PASS
40(2305 -2315)	10MHz	QPSK	38750	50RB#0	VH	NT	-8.61	-0.003727	±2.5	PASS
40(2305 -2315)	10MHz	16QAM	38750	50RB#0	VN	NT	-9.23	-0.003996	±2.5	PASS
40(2305 -2315)	10MHz	16QAM	38750	50RB#0	VL	NT	-6.92	-0.002996	±2.5	PASS
40(2305 -2315)	10MHz	16QAM	38750	50RB#0	VH	NT	-6.92	-0.002996	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
40(2305 -2315)	5MHz	QPSK	38725	25RB#0	NV	-30	-4.09	-0.001772	±2.5	PASS
40(2305 -2315)	5MHz	QPSK	38725	25RB#0	NV	-20	-6.18	-0.002678	±2.5	PASS
40(2305 -2315)	5MHz	QPSK	38725	25RB#0	NV	-10	-7.90	-0.003424	±2.5	PASS
40(2305 -2315)	5MHz	QPSK	38725	25RB#0	NV	0	3.49	0.001512	±2.5	PASS
40(2305 -2315)	5MHz	QPSK	38725	25RB#0	NV	10	-12.89	-0.005586	±2.5	PASS
40(2305 -2315)	5MHz	QPSK	38725	25RB#0	NV	20	-5.64	-0.002444	±2.5	PASS
40(2305 -2315)	5MHz	QPSK	38725	25RB#0	NV	30	-6.29	-0.002726	±2.5	PASS
40(2305 -2315)	5MHz	QPSK	38725	25RB#0	NV	40	-3.59	-0.001556	±2.5	PASS
40(2305 -2315)	5MHz	QPSK	38725	25RB#0	NV	50	-7.45	-0.003229	±2.5	PASS
40(2305 -2315)	5MHz	16QAM	38725	25RB#0	NV	-30	-11.64	-0.005044	±2.5	PASS
40(2305 -2315)	5MHz	16QAM	38725	25RB#0	NV	-20	-8.20	-0.003554	±2.5	PASS
40(2305 -2315)	5MHz	16QAM	38725	25RB#0	NV	-10	-3.32	-0.001439	±2.5	PASS

40(2305-2315)	5MHz	16QAM	38725	25RB#0	NV	0	-2.73	-0.001183	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	NV	10	-7.04	-0.003051	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	NV	20	-9.58	-0.004152	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	NV	30	-5.72	-0.002479	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	NV	40	-12.69	-0.005499	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38725	25RB#0	NV	50	-5.74	-0.002488	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	NV	-30	-12.17	-0.005268	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	NV	-20	-6.37	-0.002758	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	NV	-10	-14.15	-0.006126	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	NV	0	-9.30	-0.004026	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	NV	10	-10.49	-0.004541	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	NV	20	-7.84	-0.003394	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	NV	30	-12.66	-0.005481	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	NV	40	-6.72	-0.002909	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38750	25RB#0	NV	50	-13.63	-0.005900	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	NV	-30	-9.14	-0.003957	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	NV	-20	-6.74	-0.002918	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	NV	-10	-9.14	-0.003957	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	NV	0	-18.45	-0.007987	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	NV	10	-11.93	-0.005165	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	NV	20	-9.36	-0.004052	±2.5	PASS

40(2305-2315)	5MHz	16QAM	38750	25RB#0	NV	30	-10.49	-0.004541	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	NV	40	-9.13	-0.003952	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38750	25RB#0	NV	50	-13.89	-0.006013	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	NV	-30	4.08	0.001764	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	NV	-20	-2.96	-0.001280	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	NV	-10	-6.69	-0.002893	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	NV	0	3.81	0.001648	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	NV	10	-8.55	-0.003697	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	NV	20	-9.63	-0.004164	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	NV	30	-5.99	-0.002590	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	NV	40	-8.11	-0.003507	±2.5	PASS
40(2305-2315)	5MHz	QPSK	38775	25RB#0	NV	50	-5.08	-0.002197	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	NV	-30	-10.60	-0.004584	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	NV	-20	-13.18	-0.005699	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	NV	-10	-3.81	-0.001648	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	NV	0	-4.61	-0.001994	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	NV	10	-3.26	-0.001410	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	NV	20	7.17	0.003101	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	NV	30	-21.66	-0.009366	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	NV	40	-2.36	-0.001021	±2.5	PASS
40(2305-2315)	5MHz	16QAM	38775	25RB#0	NV	50	-7.97	-0.003446	±2.5	PASS

40(2305-2315)	10MHz	QPSK	38750	50RB#0	NV	-30	-4.11	-0.001779	±2.5	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	NV	-20	-7.31	-0.003165	±2.5	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	NV	-10	-10.09	-0.004368	±2.5	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	NV	0	-12.70	-0.005498	±2.5	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	NV	10	-8.00	-0.003463	±2.5	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	NV	20	-6.58	-0.002848	±2.5	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	NV	30	-6.52	-0.002823	±2.5	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	NV	40	-7.82	-0.003385	±2.5	PASS
40(2305-2315)	10MHz	QPSK	38750	50RB#0	NV	50	-6.48	-0.002805	±2.5	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	NV	-30	-5.61	-0.002429	±2.5	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	NV	-20	-4.89	-0.002117	±2.5	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	NV	-10	-7.04	-0.003048	±2.5	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	NV	0	-6.08	-0.002632	±2.5	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	NV	10	-8.53	-0.003693	±2.5	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	NV	20	-5.04	-0.002182	±2.5	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	NV	30	-2.85	-0.001234	±2.5	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	NV	40	-7.00	-0.003030	±2.5	PASS
40(2305-2315)	10MHz	16QAM	38750	50RB#0	NV	50	-7.22	-0.003126	±2.5	PASS