


802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5670MHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5710MHz Straddle 5.47-5.725GHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5710MHz Straddle 5.725-5.85GHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5755MHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5795MHz

16/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5210MHz

16/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

EBW


5290MHz

16/02/2022

CF
5.29GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak
Port 1



CF
5.29GHz
Span
240MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
90M	5.24464G	5.33464G	78.201M	5.25078G	5.328981G	Inf	1


802.11ax HEW80_Nss1,(MCS0)_1TX

EBW


5530MHz

16/02/2022

CF
5.53GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak
Port 1



CF
5.53GHz
Span
240MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
93.84M	5.48416G	5.578G	78.081M	5.491019G	5.5691G	Inf	1

802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5610MHz

16/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5690MHz Straddle 5.47-5.725GHz

16/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5690MHz Straddle 5.725-5.85GHz

16/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5775MHz

16/02/2022





Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	44.1M	24.918M	24M9D1D	26.64M	17.631M
802.11ax HEW20_Nss1,(MCS0)_1TX	43.92M	21.139M	21M1D1D	35.37M	19.31M
802.11ax HEW40_Nss1,(MCS0)_1TX	60.42M	38.561M	38M6D1D	43.68M	38.141M
802.11ax HEW80_Nss1,(MCS0)_1TX	87M	77.961M	78M0D1D	87M	77.961M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	39.84M	19.73M	19M7D1D	26.1M	17.631M
802.11ax HEW20_Nss1,(MCS0)_1TX	41.7M	19.85M	19M8D1D	29.1M	19.28M
802.11ax HEW40_Nss1,(MCS0)_1TX	71.58M	38.801M	38M8D1D	47.52M	38.141M
802.11ax HEW80_Nss1,(MCS0)_1TX	84.6M	77.961M	78M0D1D	84.6M	77.961M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	37.41M	19.34M	19M3D1D	21.81M	14.603M
802.11ax HEW20_Nss1,(MCS0)_1TX	46.14M	19.82M	19M8D1D	22.02M	14.918M
802.11ax HEW40_Nss1,(MCS0)_1TX	77.76M	39.64M	39M6D1D	48M	34.703M
802.11ax HEW80_Nss1,(MCS0)_1TX	112.32M	78.561M	78M6D1D	94.56M	74.513M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	16.38M	42.189M	42M2D1D	3.12M	9.635M
802.11ax HEW20_Nss1,(MCS0)_1TX	18.81M	43.718M	43M7D1D	4.44M	9.955M
802.11ax HEW40_Nss1,(MCS0)_1TX	37.62M	61.829M	61M8D1D	3.9M	23.728M
802.11ax HEW80_Nss1,(MCS0)_1TX	76.32M	78.801M	78M8D1D	3.92M	33.443M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-
5180MHz	Pass	Inf	26.64M	17.631M
5200MHz	Pass	Inf	44.1M	24.918M
5240MHz	Pass	Inf	39.63M	20M
5260MHz	Pass	Inf	38.7M	19.7M
5300MHz	Pass	Inf	39.84M	19.73M
5320MHz	Pass	Inf	26.1M	17.631M
5500MHz	Pass	Inf	33.18M	18.201M
5580MHz	Pass	Inf	37.41M	19.34M
5700MHz	Pass	Inf	21.81M	17.091M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	23.04M	14.603M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.12M	9.635M
5745MHz	Pass	500k	16.38M	39.19M
5785MHz	Pass	500k	16.26M	41.739M
5825MHz	Pass	500k	16.35M	42.189M
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-
5180MHz	Pass	Inf	35.37M	19.31M
5200MHz	Pass	Inf	43.59M	21.139M
5240MHz	Pass	Inf	43.92M	19.88M
5260MHz	Pass	Inf	39.57M	19.79M
5300MHz	Pass	Inf	41.7M	19.85M
5320MHz	Pass	Inf	29.1M	19.28M
5500MHz	Pass	Inf	34.68M	19.49M
5580MHz	Pass	Inf	46.14M	19.82M
5700MHz	Pass	Inf	22.02M	19.1M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	25.86M	14.918M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.44M	9.955M
5745MHz	Pass	500k	18.33M	39.58M
5785MHz	Pass	500k	18.75M	43.718M
5825MHz	Pass	500k	18.81M	38.981M
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-
5190MHz	Pass	Inf	43.68M	38.141M
5230MHz	Pass	Inf	60.42M	38.561M
5270MHz	Pass	Inf	71.58M	38.801M
5310MHz	Pass	Inf	47.52M	38.141M
5510MHz	Pass	Inf	48M	38.201M
5550MHz	Pass	Inf	77.76M	39.64M
5670MHz	Pass	Inf	51.48M	38.141M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	49.525M	34.703M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.9M	23.728M
5755MHz	Pass	500k	37.62M	54.153M
5795MHz	Pass	500k	37.62M	61.829M
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-
5210MHz	Pass	Inf	87M	77.961M
5290MHz	Pass	Inf	84.6M	77.961M
5530MHz	Pass	Inf	94.56M	78.081M
5610MHz	Pass	Inf	112.32M	78.561M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	106.65M	74.513M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.92M	33.443M
5775MHz	Pass	500k	76.32M	78.801M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
 Port X-OBW = Port X 99% occupied bandwidth


802.11a_Nss1,(6Mbps)_1TX

EBW


5180MHz

16/02/2022

CF
5.18GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak
Port 1



CF
5.18GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
26.64M	5.1656G	5.19224G	17.631M	5.171124G	5.188756G	Inf	1


802.11a_Nss1,(6Mbps)_1TX

EBW


5200MHz

16/02/2022



CF
5.2GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak
Port 1






CF
5.2GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak







26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
44.1M	5.17801G	5.22211G	24.918M	5.187526G	5.212444G	Inf	1
















802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5180MHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5200MHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW


5240MHz

16/02/2022

CF
5.24GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak
Port 1



CF
5.24GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
43.92M	5.21651G	5.26043G	19.88M	5.230015G	5.249895G	Inf	1


802.11ax HEW20_Nss1,(MCS0)_1TX

EBW


5260MHz

16/02/2022

CF
5.26GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak
Port 1



CF
5.26GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.57M	5.24011G	5.27968G	19.79M	5.250075G	5.269865G	Inf	1

802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5300MHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5320MHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5500MHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5580MHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5700MHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5720MHz Straddle 5.47-5.725GHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5720MHz Straddle 5.725-5.85GHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5745MHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5785MHz

16/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5825MHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5190MHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5230MHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5270MHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5310MHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5510MHz

16/02/2022






802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5550MHz

16/02/2022






802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5710MHz Straddle 5.725-5.85GHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5755MHz

16/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

EBW


5795MHz

16/02/2022

CF
5.795GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
Peak
Port 1



CF
5.795GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.62M	5.77622G	5.81384G	61.829M	5.764775G	5.826604G	500k	1


802.11ax HEW80_Nss1,(MCS0)_1TX

EBW


5210MHz

16/02/2022

CF
5.21GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak
Port 1



CF
5.21GHz
Span
240MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
87M	5.16524G	5.25224G	77.961M	5.171019G	5.248981G	Inf	1

802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5290MHz

16/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5530MHz

16/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5610MHz

16/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5690MHz Straddle 5.47-5.725GHz

16/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5690MHz Straddle 5.725-5.85GHz

16/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5775MHz

16/02/2022





Summary



Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	23.47	0.22233
802.11ax HEW20_Nss1,(MCS0)_4TX	23.97	0.24946
802.11ax HEW40_Nss1,(MCS0)_4TX	23.89	0.24491
802.11ax HEW80_Nss1,(MCS0)_4TX	22.94	0.19679
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	22.46	0.17620
802.11ax HEW20_Nss1,(MCS0)_4TX	23.18	0.20797
802.11ax HEW40_Nss1,(MCS0)_4TX	23.88	0.24434
802.11ax HEW80_Nss1,(MCS0)_4TX	23.28	0.21281
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	14.98	0.03148
802.11ax HEW20_Nss1,(MCS0)_4TX	16.76	0.04742
802.11ax HEW40_Nss1,(MCS0)_4TX	12.71	0.01866
802.11ax HEW80_Nss1,(MCS0)_4TX	8.92	0.00780







Result



Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.06	17.19	17.49	17.43	17.31	23.38	23.98
5300MHz	Pass	4.06	17.47	17.15	17.51	17.66	23.47	23.98
5320MHz	Pass	4.06	16.92	16.54	17.09	17.07	22.93	23.98
5500MHz	Pass	3.46	16.40	16.51	15.94	16.52	22.37	23.98
5580MHz	Pass	3.46	16.64	16.34	15.81	16.89	22.46	23.98
5700MHz	Pass	3.46	13.97	13.97	14.02	14.34	20.10	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	3.46	15.70	15.64	15.72	15.78	21.73	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	3.80	9.07	8.82	8.79	9.14	14.98	30.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.06	17.87	18.03	17.93	17.96	23.97	23.98
5300MHz	Pass	4.06	18.04	17.59	18.02	18.11	23.97	23.98
5320MHz	Pass	4.06	17.57	17.50	17.86	18.19	23.81	23.98
5500MHz	Pass	3.46	17.02	17.14	17.05	17.27	23.14	23.98
5580MHz	Pass	3.46	17.12	17.24	16.95	17.31	23.18	23.98
5700MHz	Pass	3.46	12.36	12.77	12.54	13.04	18.71	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	3.46	16.04	16.07	15.84	16.17	22.05	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	3.80	10.76	10.78	10.67	10.76	16.76	30.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.06	17.90	18.05	17.68	17.84	23.89	23.98
5310MHz	Pass	4.06	17.26	16.97	17.03	17.55	23.23	23.98
5510MHz	Pass	3.46	17.30	17.34	17.03	16.98	23.19	23.98
5550MHz	Pass	3.46	18.05	17.77	17.89	17.74	23.88	23.98
5670MHz	Pass	3.46	14.82	14.81	14.81	15.07	20.90	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	3.46	16.70	16.48	16.48	16.72	22.62	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	3.80	6.75	6.71	6.65	6.66	12.71	30.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.06	16.68	17.15	16.84	17.00	22.94	23.98
5530MHz	Pass	3.46	17.05	17.43	17.08	17.47	23.28	23.98
5610MHz	Pass	3.46	16.33	16.89	16.83	17.02	22.80	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	3.46	16.46	16.71	16.62	16.95	22.71	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	3.80	2.65	3.29	2.78	2.86	8.92	30.00

DG = Directional Gain; Port X = Port X output power











Summary



Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	23.56	0.22699
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	23.37	0.21727
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	22.94	0.19679
5.47-5.725GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	22.66	0.18450
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	22.68	0.18535
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	22.71	0.18664
5.725-5.85GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	16.76	0.04742
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	12.71	0.01866
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	8.92	0.00780







Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.41	17.37	17.53	17.43	17.56	23.49	23.57
5300MHz	Pass	6.41	17.54	17.09	17.52	17.61	23.47	23.57
5320MHz	Pass	6.41	17.32	17.25	17.61	17.94	23.56	23.57
5500MHz	Pass	7.19	16.53	16.62	16.48	16.74	22.61	22.79
5580MHz	Pass	7.19	16.58	16.71	16.43	16.84	22.66	22.79
5700MHz	Pass	7.19	12.36	12.77	12.54	13.04	18.71	22.79
5720MHz Straddle 5.47-5.725GHz	Pass	7.19	16.04	16.07	15.84	16.17	22.05	22.79
5720MHz Straddle 5.725-5.85GHz	Pass	6.67	10.76	10.78	10.67	10.76	16.76	29.33
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	6.41	17.38	17.53	17.15	17.31	23.37	23.57
5310MHz	Pass	6.41	17.26	16.97	17.03	17.55	23.23	23.57
5510MHz	Pass	7.19	16.79	16.82	16.55	16.47	22.68	22.79
5550MHz	Pass	7.19	16.78	16.48	16.54	16.42	22.58	22.79
5670MHz	Pass	7.19	14.82	14.81	14.81	15.07	20.90	22.79
5710MHz Straddle 5.47-5.725GHz	Pass	7.19	16.7	16.48	16.48	16.72	22.62	22.79
5710MHz Straddle 5.725-5.85GHz	Pass	6.67	6.75	6.71	6.65	6.66	12.71	29.33
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.41	16.68	17.15	16.84	17.00	22.94	23.57
5530MHz	Pass	7.19	16.33	16.69	16.38	16.75	22.56	22.79
5610MHz	Pass	7.19	16.12	16.65	16.59	16.81	22.57	22.79
5690MHz Straddle 5.47-5.725GHz	Pass	7.19	16.46	16.71	16.62	16.95	22.71	22.79
5690MHz Straddle 5.725-5.85GHz	Pass	6.67	2.65	3.29	2.78	2.86	8.92	29.33

DG = Directional Gain; Port X = Port X output power









Summary

Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	21.26	0.13366
802.11ax HEW20_Nss1,(MCS0)_4TX	21.80	0.15136
802.11ax HEW40_Nss1,(MCS0)_4TX	23.82	0.24099
802.11ax HEW80_Nss1,(MCS0)_4TX	23.86	0.24322



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	3.77	15.29	15.35	15.17	15.14	21.26	23.98
5300MHz	Pass	3.77	15.21	14.85	15.12	14.79	21.02	23.98
5320MHz	Pass	3.77	15.16	15.11	15.27	15.01	21.16	23.98
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	3.77	15.77	15.98	15.75	15.59	21.80	23.98
5300MHz	Pass	3.77	15.76	15.46	15.68	15.47	21.62	23.98
5320MHz	Pass	3.77	15.91	15.66	15.96	15.46	21.77	23.98
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	3.77	17.70	17.88	17.94	17.69	23.82	23.98
5310MHz	Pass	3.77	17.81	17.78	18.03	17.58	23.82	23.98
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	3.77	17.84	17.91	17.99	17.59	23.86	23.98

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	21.80	0.15136
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	21.64	0.14588
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	21.66	0.14655



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	8.16	15.77	15.98	15.75	15.59	21.80	21.82
5300MHz	Pass	8.16	15.76	15.46	15.68	15.47	21.62	21.82
5320MHz	Pass	8.16	15.91	15.66	15.96	15.46	21.77	21.82
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	8.16	15.58	15.62	15.73	15.42	21.61	21.82
5310MHz	Pass	8.16	15.67	15.63	15.81	15.35	21.64	21.82
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	8.16	15.71	15.79	15.65	15.38	21.66	21.82

DG = Directional Gain; Port X = Port X output power



Summary



Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	21.83	0.15241
802.11ax HEW20_Nss1,(MCS0)_1TX	21.74	0.14928
802.11ax HEW40_Nss1,(MCS0)_1TX	21.70	0.14791
802.11ax HEW80_Nss1,(MCS0)_1TX	20.06	0.10139
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	20.18	0.10423
802.11ax HEW20_Nss1,(MCS0)_1TX	19.91	0.09795
802.11ax HEW40_Nss1,(MCS0)_1TX	19.79	0.09528
802.11ax HEW80_Nss1,(MCS0)_1TX	19.60	0.09120
5.725-5.85GHz	-	-
802.11a_Nss1,(MCS0)_1TX	12.75	0.01884
802.11ax HEW20_Nss1,(MCS0)_1TX	13.27	0.02123
802.11ax HEW40_Nss1,(MCS0)_1TX	10.01	0.01002
802.11ax HEW80_Nss1,(MCS0)_1TX	6.88	0.00488







Result



Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5260MHz	Pass	5.40	21.83	21.83	23.98
5300MHz	Pass	5.40	21.52	21.52	23.98
5320MHz	Pass	5.40	21.59	21.59	23.98
5500MHz	Pass	5.50	20.18	20.18	23.98
5580MHz	Pass	5.50	19.49	19.49	23.98
5700MHz	Pass	5.50	16.48	16.48	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.50	18.93	18.93	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	5.30	12.75	12.75	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5260MHz	Pass	5.40	21.74	21.74	23.98
5300MHz	Pass	5.40	21.58	21.58	23.98
5320MHz	Pass	5.40	21.44	21.44	23.98
5500MHz	Pass	5.50	19.91	19.91	23.98
5580MHz	Pass	5.50	19.62	19.62	23.98
5700MHz	Pass	5.50	15.39	15.39	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.50	18.44	18.44	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	5.30	13.27	13.27	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5270MHz	Pass	5.40	21.70	21.70	23.98
5310MHz	Pass	5.40	20.18	20.18	23.98
5510MHz	Pass	5.50	18.05	18.05	23.98
5550MHz	Pass	5.50	19.79	19.79	23.98
5670MHz	Pass	5.50	18.61	18.61	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.50	19.51	19.51	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.30	10.01	10.01	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5290MHz	Pass	5.40	20.06	20.06	23.98
5530MHz	Pass	5.50	17.97	17.97	23.98
5610MHz	Pass	5.50	18.72	18.72	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.50	19.60	19.60	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.30	6.88	6.88	30.00

DG = Directional Gain; Port X = Port X output power











Summary



Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	18.33	0.06808
802.11ax HEW20_Nss1,(MCS0)_4TX	18.75	0.07499
802.11ax HEW40_Nss1,(MCS0)_4TX	21.38	0.13740
802.11ax HEW80_Nss1,(MCS0)_4TX	18.72	0.07447
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	18.18	0.06577
802.11ax HEW20_Nss1,(MCS0)_4TX	18.75	0.07499
802.11ax HEW40_Nss1,(MCS0)_4TX	21.09	0.12853
802.11ax HEW80_Nss1,(MCS0)_4TX	20.91	0.12331
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	10.77	0.01194
802.11ax HEW20_Nss1,(MCS0)_4TX	11.79	0.01510
802.11ax HEW40_Nss1,(MCS0)_4TX	11.04	0.01271
802.11ax HEW80_Nss1,(MCS0)_4TX	7.33	0.00541







Result



Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.00	12.40	12.48	12.04	12.30	18.33	23.98
5300MHz	Pass	6.00	12.31	11.99	12.53	11.73	18.17	23.98
5320MHz	Pass	6.00	12.24	11.67	12.81	11.49	18.10	23.98
5500MHz	Pass	6.00	11.71	11.64	12.21	12.14	17.95	23.98
5580MHz	Pass	6.00	12.10	12.03	12.42	12.07	18.18	23.98
5700MHz	Pass	6.00	10.47	10.35	10.42	10.01	16.34	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	6.00	11.47	11.40	11.27	10.99	17.31	22.96
5720MHz Straddle 5.725-5.85GHz	Pass	6.00	5.02	4.80	5.12	3.96	10.77	30.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.00	12.65	12.73	12.48	12.61	18.64	23.98
5300MHz	Pass	6.00	12.51	12.45	13.03	12.08	18.55	23.98
5320MHz	Pass	6.00	12.99	12.22	13.55	11.96	18.75	23.98
5500MHz	Pass	6.00	12.34	12.34	12.94	12.86	18.65	23.98
5580MHz	Pass	6.00	12.52	12.58	12.92	12.88	18.75	23.98
5700MHz	Pass	6.00	10.51	10.40	10.78	9.78	16.40	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	6.00	11.54	11.51	11.47	11.03	17.41	22.99
5720MHz Straddle 5.725-5.85GHz	Pass	6.00	6.09	5.79	5.98	5.16	11.79	30.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	6.00	15.36	15.27	15.32	15.49	21.38	23.98
5310MHz	Pass	6.00	12.20	11.74	13.15	11.75	18.27	23.98
5510MHz	Pass	6.00	13.60	13.44	13.75	14.13	19.76	23.98
5550MHz	Pass	6.00	15.02	14.68	15.10	15.44	21.09	23.98
5670MHz	Pass	6.00	11.95	11.55	12.78	13.04	18.39	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	6.00	14.27	14.01	15.24	15.95	20.96	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	6.00	4.60	4.07	5.55	5.66	11.04	30.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.00	12.74	12.60	12.69	12.78	18.72	23.98
5530MHz	Pass	6.00	13.90	13.93	13.88	14.25	20.01	23.98
5610MHz	Pass	6.00	14.07	13.58	14.62	14.86	20.33	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	6.00	14.67	14.45	15.43	14.95	20.91	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	6.00	1.22	0.76	2.11	1.02	7.33	30.00

DG = Directional Gain; Port X = Port X output power











Summary



Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	17.80	0.06026
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	17.81	0.06039
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	17.90	0.06166
5.47-5.725GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	17.74	0.05943
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	17.88	0.06138
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	17.88	0.06138
5.725-5.85GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	10.67	0.01167
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	8.87	0.00771
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.82	0.00303







Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	12.02	11.77	11.91	11.56	11.73	17.76	17.96
5300MHz	Pass	12.02	11.78	11.48	12.38	11.39	17.80	17.96
5320MHz	Pass	12.02	11.72	11.43	12.71	10.95	17.77	17.96
5500MHz	Pass	12.02	11.62	11.39	11.96	11.88	17.74	17.96
5580MHz	Pass	12.02	11.58	11.46	11.78	11.99	17.73	17.96
5700MHz	Pass	12.02	10.51	10.40	10.78	9.78	16.40	17.96
5720MHz Straddle 5.47-5.725GHz	Pass	12.02	10.78	10.82	10.91	10.22	16.71	16.97
5720MHz Straddle 5.725-5.85GHz	Pass	12.02	4.87	4.79	4.80	4.07	10.67	23.98
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	12.02	11.73	11.60	12.00	11.82	17.81	17.96
5310MHz	Pass	12.02	11.70	11.32	12.71	11.21	17.80	17.96
5510MHz	Pass	12.02	11.51	11.47	12.11	12.20	17.86	17.96
5550MHz	Pass	12.02	11.71	11.64	11.98	12.09	17.88	17.96
5670MHz	Pass	12.02	11.31	10.87	12.40	12.62	17.88	17.96
5710MHz Straddle 5.47-5.725GHz	Pass	12.02	11.05	10.95	12.06	12.80	17.80	17.96
5710MHz Straddle 5.725-5.85GHz	Pass	12.02	4.10	2.32	2.65	2.01	8.87	23.98
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	12.02	12.00	11.71	11.87	11.93	17.90	17.96
5530MHz	Pass	12.02	11.72	11.82	11.90	11.98	17.88	17.96
5610MHz	Pass	12.02	11.86	11.69	11.84	11.82	17.82	17.96
5690MHz Straddle 5.47-5.725GHz	Pass	12.02	11.35	11.20	12.29	11.95	17.74	17.96
5690MHz Straddle 5.725-5.85GHz	Pass	12.02	-0.52	-1.38	-1.14	-1.87	4.82	23.98

DG = Directional Gain; Port X = Port X output power









Summary



Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	14.53	0.02838
802.11ax HEW20_Nss1,(MCS0)_4TX	15.25	0.03350
802.11ax HEW40_Nss1,(MCS0)_4TX	18.00	0.06310
802.11ax HEW80_Nss1,(MCS0)_4TX	17.42	0.05521
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	14.80	0.03020
802.11ax HEW20_Nss1,(MCS0)_4TX	15.42	0.03483
802.11ax HEW40_Nss1,(MCS0)_4TX	18.19	0.06592
802.11ax HEW80_Nss1,(MCS0)_4TX	19.66	0.09247
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	6.56	0.00453
802.11ax HEW20_Nss1,(MCS0)_4TX	7.62	0.00578
802.11ax HEW40_Nss1,(MCS0)_4TX	7.12	0.00515
802.11ax HEW80_Nss1,(MCS0)_4TX	5.95	0.00394







Result



Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	10.00	8.81	8.55	8.21	8.45	14.53	19.98
5300MHz	Pass	10.00	8.49	8.11	9.08	8.05	14.47	19.98
5320MHz	Pass	10.00	8.38	7.73	9.28	7.96	14.40	19.98
5500MHz	Pass	10.00	7.99	8.19	8.41	8.59	14.32	19.98
5580MHz	Pass	10.00	7.85	7.79	8.34	8.94	14.28	19.98
5700MHz	Pass	10.00	8.90	8.66	9.17	8.34	14.80	19.98
5720MHz Straddle 5.47-5.725GHz	Pass	10.00	6.95	6.88	7.02	6.47	12.86	18.96
5720MHz Straddle 5.725-5.85GHz	Pass	10.00	0.78	0.51	0.93	-0.12	6.56	26.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	10.00	9.04	9.33	8.91	9.19	15.14	19.98
5300MHz	Pass	10.00	9.27	8.88	9.85	8.85	15.25	19.98
5320MHz	Pass	10.00	8.83	8.80	9.80	8.38	15.01	19.98
5500MHz	Pass	10.00	9.02	9.16	9.47	9.72	15.37	19.98
5580MHz	Pass	10.00	9.00	9.40	9.55	9.61	15.42	19.98
5700MHz	Pass	10.00	9.11	8.89	9.38	8.52	15.01	19.98
5720MHz Straddle 5.47-5.725GHz	Pass	10.00	6.97	6.94	7.06	6.53	12.90	18.98
5720MHz Straddle 5.725-5.85GHz	Pass	10.00	1.84	1.60	1.96	0.93	7.62	26.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	10.00	12.04	11.27	12.09	12.07	17.90	19.98
5310MHz	Pass	10.00	12.08	11.48	12.85	11.35	18.00	19.98
5510MHz	Pass	10.00	11.86	12.02	12.31	12.45	18.19	19.98
5550MHz	Pass	10.00	12.06	11.93	12.26	12.43	18.19	19.98
5670MHz	Pass	10.00	11.14	10.78	12.22	12.41	17.71	19.98
5710MHz Straddle 5.47-5.725GHz	Pass	10.00	10.36	10.21	11.29	12.12	17.09	19.98
5710MHz Straddle 5.725-5.85GHz	Pass	10.00	0.58	0.28	1.63	1.74	7.12	26.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	10.00	11.43	11.16	11.38	11.61	17.42	19.98
5530MHz	Pass	10.00	12.42	12.42	12.66	12.82	18.60	19.98
5610MHz	Pass	10.00	12.51	11.74	13.04	13.30	18.71	19.98
5690MHz Straddle 5.47-5.725GHz	Pass	10.00	13.35	13.21	14.19	13.74	19.66	19.98
5690MHz Straddle 5.725-5.85GHz	Pass	10.00	-0.09	-0.58	0.55	-0.23	5.95	26.00

DG = Directional Gain; Port X = Port X output power











Summary



Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	13.76	0.02377
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	13.79	0.02393
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	13.94	0.02477
5.47-5.725GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	13.95	0.02483
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	13.95	0.02483
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	13.94	0.02477
5.725-5.85GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	7.62	0.00578
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	3.57	0.00228
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	0.03	0.00101





Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	16.02	7.55	7.99	7.51	7.80	13.74	13.96
5300MHz	Pass	16.02	7.72	7.58	8.34	7.19	13.75	13.96
5320MHz	Pass	16.02	7.81	7.18	8.85	6.83	13.76	13.96
5500MHz	Pass	16.02	7.36	7.76	8.37	8.09	13.93	13.96
5580MHz	Pass	16.02	7.33	7.76	8.34	8.23	13.95	13.96
5700MHz	Pass	16.02	8.07	7.83	8.31	7.42	13.94	13.96
5720MHz Straddle 5.47-5.725GHz	Pass	16.02	6.97	6.94	7.06	6.53	12.90	12.96
5720MHz Straddle 5.725-5.85GHz	Pass	16.02	1.84	1.60	1.96	0.93	7.62	19.98
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	16.02	7.52	7.77	7.95	7.71	13.76	13.96
5310MHz	Pass	16.02	7.76	7.48	8.30	7.48	13.79	13.96
5510MHz	Pass	16.02	7.65	7.72	7.71	8.08	13.81	13.96
5550MHz	Pass	16.02	7.91	7.65	8.02	8.01	13.92	13.96
5670MHz	Pass	16.02	7.41	7.20	8.44	8.51	13.95	13.96
5710MHz Straddle 5.47-5.725GHz	Pass	16.02	6.62	6.85	7.86	8.34	13.50	13.96
5710MHz Straddle 5.725-5.85GHz	Pass	16.02	-2.99	-3.16	-1.83	-1.98	3.57	19.98
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	16.02	7.83	7.65	8.11	8.07	13.94	13.96
5530MHz	Pass	16.02	7.37	7.68	7.78	7.97	13.73	13.96
5610MHz	Pass	16.02	7.35	7.22	8.50	8.45	13.94	13.96
5690MHz Straddle 5.47-5.725GHz	Pass	16.02	7.35	7.13	8.15	7.81	13.65	13.96
5690MHz Straddle 5.725-5.85GHz	Pass	16.02	-5.96	-6.60	-5.44	-6.03	0.03	19.98

DG = Directional Gain; Port X = Port X output power







Summary



Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	21.20	0.13183
802.11ax HEW20_Nss1,(MCS0)_1TX	21.32	0.13552
802.11ax HEW40_Nss1,(MCS0)_1TX	19.51	0.08933
802.11ax HEW80_Nss1,(MCS0)_1TX	16.97	0.04977
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	19.85	0.09661
802.11ax HEW20_Nss1,(MCS0)_1TX	19.83	0.09616
802.11ax HEW40_Nss1,(MCS0)_1TX	18.16	0.06546
802.11ax HEW80_Nss1,(MCS0)_1TX	16.32	0.04285
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	18.64	0.07311
802.11ax HEW20_Nss1,(MCS0)_1TX	18.66	0.07345
802.11ax HEW40_Nss1,(MCS0)_1TX	18.54	0.07145
802.11ax HEW80_Nss1,(MCS0)_1TX	19.23	0.08375
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	23.42	0.21979
802.11ax HEW20_Nss1,(MCS0)_1TX	23.42	0.21979
802.11ax HEW40_Nss1,(MCS0)_1TX	21.50	0.14125
802.11ax HEW80_Nss1,(MCS0)_1TX	19.80	0.09550







Result



Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	6.00	19.45	19.45	30.00
5200MHz	Pass	6.00	21.20	21.20	30.00
5240MHz	Pass	6.00	19.74	19.74	30.00
5260MHz	Pass	6.00	19.70	19.70	23.98
5300MHz	Pass	6.00	19.85	19.85	23.98
5320MHz	Pass	6.00	18.40	18.40	23.98
5500MHz	Pass	6.00	18.64	18.64	23.98
5580MHz	Pass	6.00	16.69	16.69	23.98
5700MHz	Pass	6.00	16.56	16.56	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	6.00	17.55	17.55	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	6.00	11.48	11.48	30.00
5745MHz	Pass	6.00	22.45	22.45	30.00
5785MHz	Pass	6.00	23.42	23.42	30.00
5825MHz	Pass	6.00	23.18	23.18	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	6.00	19.81	19.81	30.00
5200MHz	Pass	6.00	21.32	21.32	30.00
5240MHz	Pass	6.00	19.92	19.92	30.00
5260MHz	Pass	6.00	19.58	19.58	23.98
5300MHz	Pass	6.00	19.83	19.83	23.98
5320MHz	Pass	6.00	18.69	18.69	23.98
5500MHz	Pass	6.00	18.66	18.66	23.98
5580MHz	Pass	6.00	17.57	17.57	23.98
5700MHz	Pass	6.00	15.23	15.23	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	6.00	17.26	17.26	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	6.00	12.07	12.07	30.00
5745MHz	Pass	6.00	22.16	22.16	30.00
5785MHz	Pass	6.00	23.42	23.42	30.00
5825MHz	Pass	6.00	23.27	23.27	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	6.00	16.84	16.84	30.00
5230MHz	Pass	6.00	19.51	19.51	30.00
5270MHz	Pass	6.00	18.16	18.16	23.98
5310MHz	Pass	6.00	16.16	16.16	23.98
5510MHz	Pass	6.00	17.60	17.60	23.98
5550MHz	Pass	6.00	18.54	18.54	23.98
5670MHz	Pass	6.00	16.92	16.92	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	6.00	18.31	18.31	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	6.00	8.58	8.58	30.00
5755MHz	Pass	6.00	20.89	20.89	30.00
5795MHz	Pass	6.00	21.50	21.50	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	6.00	16.97	16.97	30.00
5290MHz	Pass	6.00	16.32	16.32	23.98
5530MHz	Pass	6.00	17.72	17.72	23.98
5610MHz	Pass	6.00	18.37	18.37	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	6.00	19.23	19.23	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	6.00	6.11	6.11	30.00
5775MHz	Pass	6.00	19.80	19.80	30.00

DG = Directional Gain; Port X = Port X output power











Summary



Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	20.58	0.11429
802.11ax HEW20_Nss1,(MCS0)_1TX	20.10	0.10233
802.11ax HEW40_Nss1,(MCS0)_1TX	18.37	0.06871
802.11ax HEW80_Nss1,(MCS0)_1TX	16.86	0.04853
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	19.79	0.09528
802.11ax HEW20_Nss1,(MCS0)_1TX	19.55	0.09016
802.11ax HEW40_Nss1,(MCS0)_1TX	18.82	0.07621
802.11ax HEW80_Nss1,(MCS0)_1TX	16.81	0.04797
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	17.72	0.05916
802.11ax HEW20_Nss1,(MCS0)_1TX	17.60	0.05754
802.11ax HEW40_Nss1,(MCS0)_1TX	18.35	0.06839
802.11ax HEW80_Nss1,(MCS0)_1TX	17.74	0.05943
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	23.03	0.20091
802.11ax HEW20_Nss1,(MCS0)_1TX	23.02	0.20045
802.11ax HEW40_Nss1,(MCS0)_1TX	21.24	0.13305
802.11ax HEW80_Nss1,(MCS0)_1TX	18.69	0.07396







Result



Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	10.00	17.48	17.48	26.00
5200MHz	Pass	10.00	20.58	20.58	26.00
5240MHz	Pass	10.00	19.42	19.42	26.00
5260MHz	Pass	10.00	19.76	19.76	19.98
5300MHz	Pass	10.00	19.79	19.79	19.98
5320MHz	Pass	10.00	17.55	17.55	19.98
5500MHz	Pass	10.00	17.72	17.72	19.98
5580MHz	Pass	10.00	17.23	17.23	19.98
5700MHz	Pass	10.00	13.23	13.23	19.98
5720MHz Straddle 5.47-5.725GHz	Pass	10.00	17.34	17.34	19.98
5720MHz Straddle 5.725-5.85GHz	Pass	10.00	11.23	11.23	26.00
5745MHz	Pass	10.00	22.00	22.00	26.00
5785MHz	Pass	10.00	23.03	23.03	26.00
5825MHz	Pass	10.00	22.89	22.89	26.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	10.00	18.02	18.02	26.00
5200MHz	Pass	10.00	20.10	20.10	26.00
5240MHz	Pass	10.00	19.35	19.35	26.00
5260MHz	Pass	10.00	19.49	19.49	19.98
5300MHz	Pass	10.00	19.55	19.55	19.98
5320MHz	Pass	10.00	17.67	17.67	19.98
5500MHz	Pass	10.00	17.60	17.60	19.98
5580MHz	Pass	10.00	17.21	17.21	19.98
5700MHz	Pass	10.00	11.95	11.95	19.98
5720MHz Straddle 5.47-5.725GHz	Pass	10.00	17.06	17.06	19.98
5720MHz Straddle 5.725-5.85GHz	Pass	10.00	11.79	11.79	26.00
5745MHz	Pass	10.00	21.78	21.78	26.00
5785MHz	Pass	10.00	23.02	23.02	26.00
5825MHz	Pass	10.00	22.25	22.25	26.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	10.00	16.26	16.26	26.00
5230MHz	Pass	10.00	18.37	18.37	26.00
5270MHz	Pass	10.00	18.82	18.82	19.98
5310MHz	Pass	10.00	16.32	16.32	19.98
5510MHz	Pass	10.00	15.63	15.63	19.98
5550MHz	Pass	10.00	18.07	18.07	19.98
5670MHz	Pass	10.00	15.08	15.08	19.98
5710MHz Straddle 5.47-5.725GHz	Pass	10.00	18.35	18.35	19.98
5710MHz Straddle 5.725-5.85GHz	Pass	10.00	8.86	8.86	26.00
5755MHz	Pass	10.00	20.26	20.26	26.00
5795MHz	Pass	10.00	21.24	21.24	26.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	10.00	16.86	16.86	26.00
5290MHz	Pass	10.00	16.81	16.81	19.98
5530MHz	Pass	10.00	15.66	15.66	19.98
5610MHz	Pass	10.00	16.41	16.41	19.98
5690MHz Straddle 5.47-5.725GHz	Pass	10.00	17.74	17.74	19.98
5690MHz Straddle 5.725-5.85GHz	Pass	10.00	5.14	5.14	26.00
5775MHz	Pass	10.00	18.69	18.69	26.00

DG = Directional Gain; Port X = Port X output power









Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	10.55
802.11ax HEW20_Nss1,(MCS0)_4TX	10.51
802.11ax HEW40_Nss1,(MCS0)_4TX	7.62
802.11ax HEW80_Nss1,(MCS0)_4TX	3.97
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	9.76
802.11ax HEW20_Nss1,(MCS0)_4TX	9.72
802.11ax HEW40_Nss1,(MCS0)_4TX	7.43
802.11ax HEW80_Nss1,(MCS0)_4TX	4.17
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	7.26
802.11ax HEW20_Nss1,(MCS0)_4TX	7.51
802.11ax HEW40_Nss1,(MCS0)_4TX	4.19
802.11ax HEW80_Nss1,(MCS0)_4TX	0.68

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.41	4.51	4.65	4.74	4.68	10.50	10.59
5300MHz	Pass	6.41	4.55	4.22	4.91	4.86	10.55	10.59
5320MHz	Pass	6.41	4.03	3.70	4.19	4.47	9.98	10.59
5500MHz	Pass	7.19	3.94	4.05	3.44	4.03	9.75	9.81
5580MHz	Pass	7.19	4.00	3.78	3.37	4.15	9.76	9.81
5700MHz	Pass	7.19	0.94	1.09	1.04	1.51	7.03	9.81
5720MHz Straddle 5.47-5.725GHz	Pass	7.19	3.75	3.52	3.69	3.91	9.65	9.81
5720MHz Straddle 5.725-5.85GHz	Pass	6.67	1.42	1.18	1.20	1.54	7.26	29.33
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.41	4.54	4.65	4.51	4.63	10.51	10.59
5300MHz	Pass	6.41	4.51	4.17	4.63	4.72	10.43	10.59
5320MHz	Pass	6.41	4.31	4.01	4.37	4.66	10.25	10.59
5500MHz	Pass	7.19	3.87	3.80	3.35	3.90	9.68	9.81
5580MHz	Pass	7.19	3.78	3.66	3.28	4.20	9.72	9.81
5700MHz	Pass	7.19	-1.25	-0.74	-1.02	-0.46	5.04	9.81
5720MHz Straddle 5.47-5.725GHz	Pass	7.19	3.61	3.53	3.26	3.56	9.40	9.81
5720MHz Straddle 5.725-5.85GHz	Pass	6.67	1.70	1.71	1.38	1.66	7.51	29.33
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	6.41	1.70	1.88	1.53	1.74	7.62	10.59
5310MHz	Pass	6.41	0.92	0.71	0.66	1.20	6.82	10.59
5510MHz	Pass	7.19	1.02	1.17	1.01	0.68	6.82	9.81
5550MHz	Pass	7.19	1.76	1.57	1.57	1.42	7.43	9.81
5670MHz	Pass	7.19	-1.55	-1.49	-1.53	-1.20	4.45	9.81
5710MHz Straddle 5.47-5.725GHz	Pass	7.19	0.64	0.39	0.37	0.70	6.47	9.81
5710MHz Straddle 5.725-5.85GHz	Pass	6.67	-1.73	-1.60	-1.67	-1.76	4.19	29.33
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.41	-2.27	-1.61	-2.10	-1.95	3.97	10.59
5530MHz	Pass	7.19	-1.97	-1.41	-1.67	-1.59	4.17	9.81
5610MHz	Pass	7.19	-2.66	-2.37	-2.18	-2.21	3.63	9.81
5690MHz Straddle 5.47-5.725GHz	Pass	7.19	-2.52	-2.43	-2.23	-1.89	3.63	9.81
5690MHz Straddle 5.725-5.85GHz	Pass	6.67	-5.56	-4.74	-5.41	-5.45	0.68	29.33


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.50	10.50	4.51	4.65	4.74	4.68

802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

29/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.55	10.55	4.55	4.22	4.91	4.86

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

29/10/2021

CF
5.32GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.98	9.98	4.03	3.70	4.19	4.47

802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

14/03/2022

CF
5.5GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.75	9.75	3.94	4.05	3.44	4.03

802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

14/03/2022

CF
5.58GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.76	9.76	4.00	3.78	3.37	4.15

802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

29/10/2021

CF
5.7GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.03	7.03	0.94	1.09	1.04	1.51

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz

PSD

14/03/2022

CF
5.71GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.65	9.65	3.75	3.52	3.69	3.91

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

14/03/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.26	7.26	1.42	1.18	1.20	1.54

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.51	10.51	4.54	4.65	4.51	4.63

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

29/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.43	10.43	4.51	4.17	4.63	4.72

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

29/10/2021

CF
5.32GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.25	10.25	4.31	4.01	4.37	4.66

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

15/03/2022

CF
5.5GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.68	9.68	3.87	3.80	3.35	3.90

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

15/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.72	9.72	3.78	3.66	3.28	4.20

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.04	5.04	-1.25	-0.74	-1.02	-0.46

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz

PSD

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.40	9.40	3.61	3.53	3.26	3.56

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.725-5.85GHz

PSD

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.51	7.51	1.70	1.71	1.38	1.66

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.62	7.62	1.70	1.88	1.53	1.74

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.82	6.82	0.92	0.71	0.66	1.20

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.82	6.82	1.02	1.17	1.01	0.68

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.43	7.43	1.76	1.57	1.57	1.42

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.45	4.45	-1.55	-1.49	-1.53	-1.20

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.47	6.47	0.64	0.39	0.37	0.70

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.19	4.19	-1.73	-1.60	-1.67	-1.76

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.97	3.97	-2.27	-1.61	-2.10	-1.95

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.17	4.17	-1.97	-1.41	-1.67	-1.59

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.63	3.63	-2.66	-2.37	-2.18	-2.21

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

29/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.63	3.63	-2.52	-2.43	-2.23	-1.89

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

29/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.68	0.68	-5.56	-4.74	-5.41	-5.45



Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	8.78
802.11ax HEW20_Nss1,(MCS0)_4TX	8.70
802.11ax HEW40_Nss1,(MCS0)_4TX	7.80
802.11ax HEW80_Nss1,(MCS0)_4TX	5.10

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	8.16	3.00	2.72	2.70	2.95	8.73	8.84
5300MHz	Pass	8.16	2.92	2.60	2.86	2.91	8.65	8.84
5320MHz	Pass	8.16	2.82	2.90	3.05	2.97	8.78	8.84
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	8.16	2.77	2.75	2.57	2.77	8.67	8.84
5300MHz	Pass	8.16	2.80	2.46	2.72	2.86	8.63	8.84
5320MHz	Pass	8.16	2.88	2.65	2.87	2.90	8.70	8.84
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	8.16	1.88	1.98	2.12	1.80	7.80	8.84
5310MHz	Pass	8.16	2.11	1.75	2.07	1.51	7.75	8.84
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	8.16	-0.79	-0.88	-0.70	-0.98	5.10	8.84


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

14/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.73	8.73	3.00	2.72	2.70	2.95

802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

14/03/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.65	8.65	2.92	2.60	2.86	2.91

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

14/03/2022

CF
5.32GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.78	8.78	2.82	2.90	3.05	2.97

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

14/03/2022

CF
5.26GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.67	8.67	2.77	2.75	2.57	2.77

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

14/03/2022

CF
5.3GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.63	8.63	2.80	2.46	2.72	2.86

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

14/03/2022

CF
5.32GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.70	8.70	2.88	2.65	2.87	2.90

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

27/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.80	7.80	1.88	1.98	2.12	1.80

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

27/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.75	7.75	2.11	1.75	2.07	1.51

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

27/10/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.10	5.10	-0.79	-0.88	-0.70	-0.98



Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.96
802.11ax HEW20_Nss1,(MCS0)_4TX	4.90
802.11ax HEW40_Nss1,(MCS0)_4TX	4.69
802.11ax HEW80_Nss1,(MCS0)_4TX	-0.73
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.92
802.11ax HEW20_Nss1,(MCS0)_4TX	4.75
802.11ax HEW40_Nss1,(MCS0)_4TX	4.93
802.11ax HEW80_Nss1,(MCS0)_4TX	1.89
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	3.11
802.11ax HEW20_Nss1,(MCS0)_4TX	2.82
802.11ax HEW40_Nss1,(MCS0)_4TX	2.59
802.11ax HEW80_Nss1,(MCS0)_4TX	-0.93

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	12.02	-1.06	-0.93	-1.05	-0.87	4.96	4.98
5300MHz	Pass	12.02	-1.06	-1.32	-0.82	-1.62	4.71	4.98
5320MHz	Pass	12.02	-1.18	-1.65	-0.39	-1.89	4.68	4.98
5500MHz	Pass	12.02	-1.47	-1.51	-0.94	-0.97	4.72	4.98
5580MHz	Pass	12.02	-1.21	-1.33	-0.91	-0.76	4.84	4.98
5700MHz	Pass	12.02	-2.64	-2.53	-2.52	-3.01	3.23	4.98
5720MHz Straddle 5.47-5.725GHz	Pass	12.02	-0.85	-0.68	-1.06	-1.27	4.92	4.98
5720MHz Straddle 5.725-5.85GHz	Pass	12.02	-2.53	-2.71	-2.41	-3.58	3.11	23.98
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	12.02	-1.32	-1.20	-1.37	-1.19	4.68	4.98
5300MHz	Pass	12.02	-1.12	-1.52	-0.66	-1.57	4.76	4.98
5320MHz	Pass	12.02	-0.89	-1.43	-0.14	-1.87	4.90	4.98
5500MHz	Pass	12.02	-1.39	-1.60	-0.95	-1.02	4.71	4.98
5580MHz	Pass	12.02	-1.27	-1.30	-1.15	-1.02	4.75	4.98
5700MHz	Pass	12.02	-3.48	-3.64	-3.36	-4.39	2.23	4.98
5720MHz Straddle 5.47-5.725GHz	Pass	12.02	-1.13	-1.22	-1.06	-1.56	4.68	4.98
5720MHz Straddle 5.725-5.85GHz	Pass	12.02	-2.71	-3.23	-3.03	-3.68	2.82	23.98
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	12.02	-1.20	-1.27	-1.16	-1.19	4.69	4.98
5310MHz	Pass	12.02	-4.33	-4.82	-3.39	-4.87	1.63	4.98
5510MHz	Pass	12.02	-2.78	-3.10	-2.81	-2.45	3.13	4.98
5550MHz	Pass	12.02	-1.46	-1.94	-1.26	-1.06	4.51	4.98
5670MHz	Pass	12.02	-4.49	-4.94	-3.66	-3.38	1.81	4.98
5710MHz Straddle 5.47-5.725GHz	Pass	12.02	-1.69	-1.76	-0.74	0.01	4.93	4.98
5710MHz Straddle 5.725-5.85GHz	Pass	12.02	-3.73	-4.23	-2.75	-2.70	2.59	23.98
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	12.02	-6.64	-6.78	-6.61	-6.53	-0.73	4.98
5530MHz	Pass	12.02	-5.36	-5.30	-5.17	-5.20	0.72	4.98
5610MHz	Pass	12.02	-5.10	-5.76	-4.55	-4.22	1.03	4.98
5690MHz Straddle 5.47-5.725GHz	Pass	12.02	-4.39	-4.42	-3.60	-4.03	1.89	4.98
5690MHz Straddle 5.725-5.85GHz	Pass	12.02	-6.84	-7.44	-6.20	-7.25	-0.93	23.98


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.96	4.96	-1.06	-0.93	-1.05	-0.87

802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.71	4.71	-1.06	-1.32	-0.82	-1.62

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.68	4.68	-1.18	-1.65	-0.39	-1.89

802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.72	4.72	-1.47	-1.51	-0.94	-0.97

802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.84	4.84	-1.21	-1.33	-0.91	-0.76

802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.23	3.23	-2.64	-2.53	-2.52	-3.01

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.92	4.92	-0.85	-0.68	-1.06	-1.27

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.11	3.11	-2.53	-2.71	-2.41	-3.58

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.68	4.68	-1.32	-1.20	-1.37	-1.19

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.76	4.76	-1.12	-1.52	-0.66	-1.57

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

13/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

13/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.75	4.75	-1.27	-1.30	-1.15	-1.02

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.23	2.23	-3.48	-3.64	-3.36	-4.39

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz

PSD

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.68	4.68	-1.13	-1.22	-1.06	-1.56

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.82	2.82	-2.71	-3.23	-3.03	-3.68

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.69	4.69	-1.20	-1.27	-1.16	-1.19

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.63	1.63	-4.33	-4.82	-3.39	-4.87

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.13	3.13	-2.78	-3.10	-2.81	-2.45

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.51	4.51	-1.46	-1.94	-1.26	-1.06

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.81	1.81	-4.49	-4.94	-3.66	-3.38

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.93	4.93	-1.69	-1.76	-0.74	0.01

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.59	2.59	-3.73	-4.23	-2.75	-2.70

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.73	-0.73	-6.64	-6.78	-6.61	-6.53

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.72	0.72	-5.36	-5.30	-5.17	-5.20

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

13/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.03	1.03	-5.10	-5.76	-4.55	-4.22

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.89	1.89	-4.39	-4.42	-3.60	-4.03

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

14/01/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.93	-0.93	-6.84	-7.44	-6.20	-7.25



Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	0.75
802.11ax HEW20_Nss1,(MCS0)_4TX	0.83
802.11ax HEW40_Nss1,(MCS0)_4TX	0.80
802.11ax HEW80_Nss1,(MCS0)_4TX	-2.67
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	0.96
802.11ax HEW20_Nss1,(MCS0)_4TX	0.96
802.11ax HEW40_Nss1,(MCS0)_4TX	0.90
802.11ax HEW80_Nss1,(MCS0)_4TX	0.54
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	-0.99
802.11ax HEW20_Nss1,(MCS0)_4TX	-1.28
802.11ax HEW40_Nss1,(MCS0)_4TX	-1.17
802.11ax HEW80_Nss1,(MCS0)_4TX	-2.22

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	16.02	-4.89	-5.20	-5.42	-5.23	0.72	0.98
5300MHz	Pass	16.02	-5.21	-5.43	-4.50	-5.58	0.71	0.98
5320MHz	Pass	16.02	-5.21	-5.71	-4.16	-5.56	0.75	0.98
5500MHz	Pass	16.02	-5.56	-5.41	-5.14	-4.87	0.62	0.98
5580MHz	Pass	16.02	-5.76	-5.46	-5.33	-4.67	0.52	0.98
5700MHz	Pass	16.02	-4.74	-4.95	-4.49	-5.28	0.96	0.98
5720MHz Straddle 5.47-5.725GHz	Pass	16.02	-5.02	-5.04	-4.88	-5.34	0.75	0.98
5720MHz Straddle 5.725-5.85GHz	Pass	16.02	-6.63	-6.98	-6.50	-7.48	-0.99	19.98
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	16.02	-5.30	-5.09	-5.39	-5.15	0.68	0.98
5300MHz	Pass	16.02	-5.13	-5.44	-4.44	-5.57	0.83	0.98
5320MHz	Pass	16.02	-5.37	-5.47	-4.39	-5.86	0.67	0.98
5500MHz	Pass	16.02	-5.27	-5.15	-4.80	-4.64	0.94	0.98
5580MHz	Pass	16.02	-5.34	-4.95	-4.80	-4.77	0.96	0.98
5700MHz	Pass	16.02	-5.14	-5.19	-4.86	-5.75	0.71	0.98
5720MHz Straddle 5.47-5.725GHz	Pass	16.02	-5.34	-5.31	-5.25	-5.76	0.49	0.98
5720MHz Straddle 5.725-5.85GHz	Pass	16.02	-6.88	-7.27	-6.81	-7.94	-1.28	19.98
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	16.02	-5.26	-5.42	-5.07	-5.27	0.68	0.98
5310MHz	Pass	16.02	-5.08	-5.71	-4.25	-5.76	0.80	0.98
5510MHz	Pass	16.02	-5.28	-5.19	-4.80	-4.82	0.84	0.98
5550MHz	Pass	16.02	-5.21	-5.38	-4.98	-4.70	0.86	0.98
5670MHz	Pass	16.02	-6.00	-6.22	-4.85	-4.74	0.51	0.98
5710MHz Straddle 5.47-5.725GHz	Pass	16.02	-5.94	-5.66	-4.89	-3.81	0.90	0.98
5710MHz Straddle 5.725-5.85GHz	Pass	16.02	-7.76	-8.02	-6.61	-6.30	-1.17	19.98
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	16.02	-8.67	-8.81	-8.52	-8.37	-2.67	0.98
5530MHz	Pass	16.02	-7.36	-7.52	-7.13	-7.24	-1.34	0.98
5610MHz	Pass	16.02	-7.32	-8.29	-6.82	-6.31	-1.23	0.98
5690MHz Straddle 5.47-5.725GHz	Pass	16.02	-5.65	-5.71	-4.77	-5.35	0.54	0.98
5690MHz Straddle 5.725-5.85GHz	Pass	16.02	-8.01	-8.56	-7.52	-8.35	-2.22	19.98


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.72	0.72	-4.89	-5.20	-5.42	-5.23

802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

14/01/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.71	0.71	-5.21	-5.43	-4.50	-5.58

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

14/01/2022

CF
5.32GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.75	0.75	-5.21	-5.71	-4.16	-5.56

802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

14/01/2022

CF
5.5GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.62	0.62	-5.56	-5.41	-5.14	-4.87

802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.52	0.52	-5.76	-5.46	-5.33	-4.67

802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.96	0.96	-4.74	-4.95	-4.49	-5.28

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.75	0.75	-5.02	-5.04	-4.88	-5.34

802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.99	-0.99	-6.63	-6.98	-6.50	-7.48

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.68	0.68	-5.30	-5.09	-5.39	-5.15

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.83	0.83	-5.13	-5.44	-4.44	-5.57

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.67	0.67	-5.37	-5.47	-4.39	-5.86

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.94	0.94	-5.27	-5.15	-4.80	-4.64

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.96	0.96	-5.34	-4.95	-4.80	-4.77

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.71	0.71	-5.14	-5.19	-4.86	-5.75

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.49	0.49	-5.34	-5.31	-5.25	-5.76

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.28	-1.28	-6.88	-7.27	-6.81	-7.94

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.68	0.68	-5.26	-5.42	-5.07	-5.27

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.80	0.80	-5.08	-5.71	-4.25	-5.76

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.84	0.84	-5.28	-5.19	-4.80	-4.82

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.86	0.86	-5.21	-5.38	-4.98	-4.70

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.51	0.51	-6.00	-6.22	-4.85	-4.74

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.90	0.90	-5.94	-5.66	-4.89	-3.81

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.17	-1.17	-7.76	-8.02	-6.61	-6.30

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.67	-2.67	-8.67	-8.81	-8.52	-8.37

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

14/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

14/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

14/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.54	0.54	-5.65	-5.71	-4.77	-5.35

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

14/01/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.22	-2.22	-8.01	-8.56	-7.52	-8.35

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.25
802.11ax HEW20_Nss1,(MCS0)_1TX	7.52
802.11ax HEW40_Nss1,(MCS0)_1TX	3.17
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.88
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	6.71
802.11ax HEW20_Nss1,(MCS0)_1TX	6.04
802.11ax HEW40_Nss1,(MCS0)_1TX	1.82
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.54
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.50
802.11ax HEW20_Nss1,(MCS0)_1TX	4.75
802.11ax HEW40_Nss1,(MCS0)_1TX	2.34
802.11ax HEW80_Nss1,(MCS0)_1TX	0.15
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.49
802.11ax HEW20_Nss1,(MCS0)_1TX	7.72
802.11ax HEW40_Nss1,(MCS0)_1TX	3.73
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.72

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	6.00	6.29	6.29	17.00
5200MHz	Pass	6.00	8.25	8.25	17.00
5240MHz	Pass	6.00	6.58	6.58	17.00
5260MHz	Pass	6.00	6.60	6.60	11.00
5300MHz	Pass	6.00	6.71	6.71	11.00
5320MHz	Pass	6.00	5.25	5.25	11.00
5500MHz	Pass	6.00	5.50	5.50	11.00
5580MHz	Pass	6.00	4.47	4.47	11.00
5700MHz	Pass	6.00	3.39	3.39	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.00	5.46	5.46	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.00	3.88	3.88	30.00
5745MHz	Pass	6.00	7.42	7.42	30.00
5785MHz	Pass	6.00	8.49	8.49	30.00
5825MHz	Pass	6.00	8.14	8.14	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	6.00	5.95	5.95	17.00
5200MHz	Pass	6.00	7.52	7.52	17.00
5240MHz	Pass	6.00	6.06	6.06	17.00
5260MHz	Pass	6.00	5.78	5.78	11.00
5300MHz	Pass	6.00	6.04	6.04	11.00
5320MHz	Pass	6.00	4.93	4.93	11.00
5500MHz	Pass	6.00	4.72	4.72	11.00
5580MHz	Pass	6.00	3.75	3.75	11.00
5700MHz	Pass	6.00	1.31	1.31	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.00	4.75	4.75	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.00	3.14	3.14	30.00
5745MHz	Pass	6.00	6.55	6.55	30.00
5785MHz	Pass	6.00	7.72	7.72	30.00
5825MHz	Pass	6.00	7.57	7.57	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	6.00	0.58	0.58	17.00
5230MHz	Pass	6.00	3.17	3.17	17.00
5270MHz	Pass	6.00	1.82	1.82	11.00
5310MHz	Pass	6.00	-0.08	-0.08	11.00
5510MHz	Pass	6.00	1.45	1.45	11.00
5550MHz	Pass	6.00	2.34	2.34	11.00
5670MHz	Pass	6.00	0.89	0.89	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.00	2.22	2.22	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.00	0.08	0.08	30.00
5755MHz	Pass	6.00	3.11	3.11	30.00
5795MHz	Pass	6.00	3.73	3.73	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	6.00	-1.88	-1.88	17.00
5290MHz	Pass	6.00	-2.54	-2.54	11.00
5530MHz	Pass	6.00	-1.16	-1.16	11.00
5610MHz	Pass	6.00	-0.64	-0.64	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.00	0.15	0.15	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.00	-2.06	-2.06	30.00
5775MHz	Pass	6.00	-0.72	-0.72	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = Trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

15/02/2022

CF
5.18GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.29	6.29	6.29

802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

15/02/2022

CF
5.2GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.25	8.25	8.25


802.11a_Nss1,(6Mbps)_1TX


PSD

5240MHz

15/02/2022

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.58	6.58	6.58


802.11a_Nss1,(6Mbps)_1TX


PSD

5260MHz

15/02/2022

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.60	6.60	6.60

802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

15/02/2022

CF
5.3GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.71	6.71	6.71

802.11a_Nss1,(6Mbps)_1TX

PSD

5320MHz

15/02/2022

CF
5.32GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.25	5.25	5.25

802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

15/02/2022

CF
5.5GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.50	5.50	5.50

802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

15/02/2022

CF
5.58GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.47	4.47	4.47

802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

15/02/2022

CF
5.7GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.39	3.39	3.39

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

15/02/2022

CF
5.71GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.46	5.46	5.46

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

15/02/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.88	3.88	3.88

802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

15/02/2022

CF
5.745GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.42	7.42	7.42

802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

15/02/2022

CF
5.785GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.49	8.49	8.49

802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

15/02/2022

CF
5.825GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.14	8.14	8.14


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5180MHz

15/02/2022

CF
5.18GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.95	5.95	5.95


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5200MHz

15/02/2022

CF
5.2GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.52	7.52	7.52

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5240MHz

15/02/2022

CF
5.24GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.06	6.06	6.06

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5260MHz

15/02/2022

CF
5.26GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.78	5.78	5.78

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5300MHz

15/02/2022

CF
5.3GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.04	6.04	6.04

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5320MHz

15/02/2022

CF
5.32GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.93	4.93	4.93


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5500MHz

15/02/2022

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.72	4.72	4.72


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5580MHz

15/02/2022

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.75	3.75	3.75

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5700MHz

15/02/2022

CF
5.7GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.31	1.31	1.31

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

15/02/2022

CF
5.71GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.75	4.75	4.75

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

15/02/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.14	3.14	3.14

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5745MHz

15/02/2022

CF
5.745GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.55	6.55	6.55

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5785MHz

15/02/2022

CF
5.785GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.72	7.72	7.72

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5825MHz

15/02/2022

CF
5.825GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.57	7.57	7.57

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5190MHz

16/02/2022

CF
5.19GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.58	0.58	0.58

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5230MHz

16/02/2022

CF
5.23GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.17	3.17	3.17

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5270MHz

16/02/2022

CF
5.27GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.82	1.82	1.82

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5310MHz

16/02/2022

CF
5.31GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.08	-0.08	-0.08

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5510MHz

16/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.45	1.45	1.45

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5550MHz

16/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.34	2.34	2.34

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5670MHz

16/02/2022

CF
5.67GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.89	0.89	0.89

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

16/02/2022

CF
5.69GHz


Span
140MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.22	2.22	2.22

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

16/02/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.08	0.08	0.08

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5755MHz

16/02/2022

CF
5.755GHz


Span
60MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.11	3.11	3.11

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5795MHz

16/02/2022

CF
5.795GHz


Span
60MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.73	3.73	3.73

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5210MHz

16/02/2022

CF
5.21GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.88	-1.88	-1.88

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5290MHz

16/02/2022

CF
5.29GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.54	-2.54	-2.54

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5530MHz

16/02/2022

CF
5.53GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.16	-1.16	-1.16

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5610MHz

16/02/2022

CF
5.61GHz


Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.64	-0.64	-0.64

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

16/02/2022

CF
5.65GHz


Span
300MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.15	0.15	0.15

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

16/02/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.06	-2.06	-2.06

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5775MHz

16/02/2022

CF
5.775GHz


Span
120MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.72	-0.72	-0.72

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	7.91
802.11ax HEW20_Nss1,(MCS0)_1TX	6.61
802.11ax HEW40_Nss1,(MCS0)_1TX	2.07
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.03
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	6.68
802.11ax HEW20_Nss1,(MCS0)_1TX	5.93
802.11ax HEW40_Nss1,(MCS0)_1TX	2.25
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.47
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.27
802.11ax HEW20_Nss1,(MCS0)_1TX	4.54
802.11ax HEW40_Nss1,(MCS0)_1TX	2.39
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.24
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.45
802.11ax HEW20_Nss1,(MCS0)_1TX	7.70
802.11ax HEW40_Nss1,(MCS0)_1TX	3.36
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.68

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	10.00	4.68	4.68	13.00
5200MHz	Pass	10.00	7.91	7.91	13.00
5240MHz	Pass	10.00	6.55	6.55	13.00
5260MHz	Pass	10.00	6.66	6.66	7.00
5300MHz	Pass	10.00	6.68	6.68	7.00
5320MHz	Pass	10.00	4.44	4.44	7.00
5500MHz	Pass	10.00	4.47	4.47	7.00
5580MHz	Pass	10.00	4.30	4.30	7.00
5700MHz	Pass	10.00	0.27	0.27	7.00
5720MHz Straddle 5.47-5.725GHz	Pass	10.00	5.27	5.27	7.00
5720MHz Straddle 5.725-5.85GHz	Pass	10.00	3.59	3.59	26.00
5745MHz	Pass	10.00	7.37	7.37	26.00
5785MHz	Pass	10.00	8.45	8.45	26.00
5825MHz	Pass	10.00	8.15	8.15	26.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	10.00	4.44	4.44	13.00
5200MHz	Pass	10.00	6.61	6.61	13.00
5240MHz	Pass	10.00	5.92	5.92	13.00
5260MHz	Pass	10.00	5.84	5.84	7.00
5300MHz	Pass	10.00	5.93	5.93	7.00
5320MHz	Pass	10.00	3.99	3.99	7.00
5500MHz	Pass	10.00	3.81	3.81	7.00
5580MHz	Pass	10.00	3.53	3.53	7.00
5700MHz	Pass	10.00	-1.87	-1.87	7.00
5720MHz Straddle 5.47-5.725GHz	Pass	10.00	4.54	4.54	7.00
5720MHz Straddle 5.725-5.85GHz	Pass	10.00	2.84	2.84	26.00
5745MHz	Pass	10.00	6.47	6.47	26.00
5785MHz	Pass	10.00	7.70	7.70	26.00
5825MHz	Pass	10.00	6.92	6.92	26.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	10.00	-0.16	-0.16	13.00
5230MHz	Pass	10.00	2.07	2.07	13.00
5270MHz	Pass	10.00	2.25	2.25	7.00
5310MHz	Pass	10.00	0.23	0.23	7.00
5510MHz	Pass	10.00	-1.16	-1.16	7.00
5550MHz	Pass	10.00	1.64	1.64	7.00
5670MHz	Pass	10.00	-1.50	-1.50	7.00
5710MHz Straddle 5.47-5.725GHz	Pass	10.00	2.39	2.39	7.00
5710MHz Straddle 5.725-5.85GHz	Pass	10.00	0.39	0.39	26.00
5755MHz	Pass	10.00	2.26	2.26	26.00
5795MHz	Pass	10.00	3.36	3.36	26.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	10.00	-2.03	-2.03	13.00
5290MHz	Pass	10.00	-2.47	-2.47	7.00
5530MHz	Pass	10.00	-3.28	-3.28	7.00
5610MHz	Pass	10.00	-2.69	-2.69	7.00
5690MHz Straddle 5.47-5.725GHz	Pass	10.00	-1.24	-1.24	7.00
5690MHz Straddle 5.725-5.85GHz	Pass	10.00	-3.07	-3.07	26.00
5775MHz	Pass	10.00	-1.68	-1.68	26.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

16/02/2022

CF
5.18GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.68	4.68	4.68

802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

16/02/2022

CF
5.2GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.91	7.91	7.91


802.11a_Nss1,(6Mbps)_1TX


PSD

5240MHz

16/02/2022

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.55	6.55	6.55


802.11a_Nss1,(6Mbps)_1TX


PSD

5260MHz

15/02/2022

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.66	6.66	6.66

802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

15/02/2022

CF
5.3GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.68	6.68	6.68

802.11a_Nss1,(6Mbps)_1TX

PSD

5320MHz

15/02/2022

CF
5.32GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.44	4.44	4.44

802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

15/02/2022

CF
5.5GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.47	4.47	4.47

802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

16/02/2022

CF
5.58GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.30	4.30	4.30

802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

16/02/2022

CF
5.7GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.27	0.27	0.27

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

16/02/2022

CF
5.71GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.27	5.27	5.27

802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

16/02/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.59	3.59	3.59

802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

16/02/2022

CF
5.745GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.37	7.37	7.37

802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

16/02/2022

CF
5.785GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.45	8.45	8.45

802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

16/02/2022

CF
5.825GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.15	8.15	8.15

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5180MHz

16/02/2022

CF
5.18GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.44	4.44	4.44

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5200MHz

16/02/2022

CF
5.2GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.61	6.61	6.61


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5240MHz

16/02/2022

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.92	5.92	5.92


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5260MHz

16/02/2022

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.84	5.84	5.84


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5300MHz

16/02/2022

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.93	5.93	5.93


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

5320MHz

16/02/2022

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.99	3.99	3.99

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5500MHz

16/02/2022

CF
5.5GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.81	3.81	3.81

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5580MHz

16/02/2022

CF
5.58GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.53	3.53	3.53

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5700MHz

16/02/2022

CF
5.7GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.87	-1.87	-1.87

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

16/02/2022

CF
5.71GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.54	4.54	4.54

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

16/02/2022

CF
5.735GHz


Span
40MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.84	2.84	2.84

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5745MHz

16/02/2022

CF
5.745GHz


Span
30MHz


RBW
500kHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.47	6.47	6.47