

Band	Channel	Test Item	Measured Value	ERP
n5	176300	RF power output:n5_20MHz_15kHz_176300;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.94	17.88
n5	176300	RF power output:n5_20MHz_15kHz_176300;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	22.24	17.18
n5	176300	RF power output:n5_20MHz_15kHz_176300;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.1	17.04
n5	176300	RF power output:n5_20MHz_15kHz_176300;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.4	17.34
n5	176300	RF power output:n5_20MHz_15kHz_176300;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.97	17.91
n5	176300	RF power output:n5_20MHz_15kHz_176300;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.72	16.66
n5	176300	RF power output:n5_20MHz_15kHz_176300;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.64	16.58
n5	176300	RF power output:n5_20MHz_15kHz_176300;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.94	16.88
n5	176300	RF power output:n5_20MHz_15kHz_176300;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.97	16.91
n5	176300	RF power output:n5_20MHz_15kHz_176300;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.72	15.66
n5	176300	RF power output:n5_20MHz_15kHz_176300;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.63	15.57
n5	176300	RF power output:n5_20MHz_15kHz_176300;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.91	15.85
n5	176300	RF power output:n5_20MHz_15kHz_176300;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	20.34	15.28
n5	176300	RF power output:n5_20MHz_15kHz_176300;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.23	15.17
n5	176300	RF power output:n5_20MHz_15kHz_176300;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.47	15.41
n5	176300	RF power output:n5_20MHz_15kHz_176300;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.79	12.73
n5	176300	RF power output:n5_20MHz_15kHz_176300;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.76	12.7
n5	176300	RF power output:n5_20MHz_15kHz_176300;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.31	13.25
n5	176300	RF power output:n5_20MHz_15kHz_176300;23;CP-OFDM QPSK^Inner_Full:PC3	21.49	16.43
n5	176300	RF power output:n5_20MHz_15kHz_176300;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.85	14.79
n5	176300	RF power output:n5_20MHz_15kHz_176300;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.84	14.78
n5	176300	RF power output:n5_20MHz_15kHz_176300;26;CP-OFDM QPSK^Outer_Full:PC3	19.82	14.76
n5	176300	RF power output:n5_20MHz_15kHz_176300;27;CP-OFDM 16QAM^Inner_Full:PC3	20.92	15.86
n5	176300	RF power output:n5_20MHz_15kHz_176300;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.9	14.84
n5	176300	RF power output:n5_20MHz_15kHz_176300;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.73	14.67
n5	176300	RF power output:n5_20MHz_15kHz_176300;30;CP-OFDM 16QAM^Outer_Full:PC3	19.99	14.93
n5	176300	RF power output:n5_20MHz_15kHz_176300;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	19.2	14.14
n5	176300	RF power output:n5_20MHz_15kHz_176300;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.2	14.14
n5	176300	RF power output:n5_20MHz_15kHz_176300;33;CP-OFDM 64QAM^Outer_Full:PC3	19.41	14.35
n5	176300	RF power output:n5_20MHz_15kHz_176300;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	16.46	11.4
n5	176300	RF power output:n5_20MHz_15kHz_176300;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.43	11.37
n5	176300	RF power output:n5_20MHz_15kHz_176300;36;CP-OFDM 256QAM^Outer_Full:PC3	16.42	11.36

Band	Channel	Test Item	Measured Value	ERP
n5	176800	RF power output:n5_20MHz_15kHz_176800;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.98	17.92
n5	176800	RF power output:n5_20MHz_15kHz_176800;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	22.21	17.15
n5	176800	RF power output:n5_20MHz_15kHz_176800;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.11	17.05
n5	176800	RF power output:n5_20MHz_15kHz_176800;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.37	17.31
n5	176800	RF power output:n5_20MHz_15kHz_176800;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.86	17.8
n5	176800	RF power output:n5_20MHz_15kHz_176800;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.71	16.65
n5	176800	RF power output:n5_20MHz_15kHz_176800;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.54	16.48
n5	176800	RF power output:n5_20MHz_15kHz_176800;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.91	16.85
n5	176800	RF power output:n5_20MHz_15kHz_176800;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.84	16.78
n5	176800	RF power output:n5_20MHz_15kHz_176800;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.67	15.61
n5	176800	RF power output:n5_20MHz_15kHz_176800;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.58	15.52
n5	176800	RF power output:n5_20MHz_15kHz_176800;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.88	15.82
n5	176800	RF power output:n5_20MHz_15kHz_176800;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	20.37	15.31
n5	176800	RF power output:n5_20MHz_15kHz_176800;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.21	15.15
n5	176800	RF power output:n5_20MHz_15kHz_176800;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.47	15.41
n5	176800	RF power output:n5_20MHz_15kHz_176800;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.8	12.74
n5	176800	RF power output:n5_20MHz_15kHz_176800;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.68	12.62
n5	176800	RF power output:n5_20MHz_15kHz_176800;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.4	13.34
n5	176800	RF power output:n5_20MHz_15kHz_176800;23;CP-OFDM QPSK^Inner_Full:PC3	21.41	16.35
n5	176800	RF power output:n5_20MHz_15kHz_176800;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.82	14.76
n5	176800	RF power output:n5_20MHz_15kHz_176800;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.73	14.67
n5	176800	RF power output:n5_20MHz_15kHz_176800;26;CP-OFDM QPSK^Outer_Full:PC3	19.87	14.81
n5	176800	RF power output:n5_20MHz_15kHz_176800;27;CP-OFDM 16QAM^Inner_Full:PC3	20.92	15.86
n5	176800	RF power output:n5_20MHz_15kHz_176800;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	20.05	14.99
n5	176800	RF power output:n5_20MHz_15kHz_176800;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.69	14.63
n5	176800	RF power output:n5_20MHz_15kHz_176800;30;CP-OFDM 16QAM^Outer_Full:PC3	19.86	14.8
n5	176800	RF power output:n5_20MHz_15kHz_176800;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	19.17	14.11
n5	176800	RF power output:n5_20MHz_15kHz_176800;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.1	14.04
n5	176800	RF power output:n5_20MHz_15kHz_176800;33;CP-OFDM 64QAM^Outer_Full:PC3	19.28	14.22
n5	176800	RF power output:n5_20MHz_15kHz_176800;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	16.44	11.38
n5	176800	RF power output:n5_20MHz_15kHz_176800;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.32	11.26
n5	176800	RF power output:n5_20MHz_15kHz_176800;36;CP-OFDM 256QAM^Outer_Full:PC3	16.3	11.24

For 5G NR n26

Band	Channel	Test Item	Measured Value	ERP
n26	174300	RF power output:n26_5MHz_15kHz_174300;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.31	17.25
n26	174300	RF power output:n26_5MHz_15kHz_174300;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	21.82	16.76
n26	174300	RF power output:n26_5MHz_15kHz_174300;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	21.86	16.8
n26	174300	RF power output:n26_5MHz_15kHz_174300;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	21.79	16.73
n26	174300	RF power output:n26_5MHz_15kHz_174300;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.22	17.16
n26	174300	RF power output:n26_5MHz_15kHz_174300;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.26	16.2
n26	174300	RF power output:n26_5MHz_15kHz_174300;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.33	16.27
n26	174300	RF power output:n26_5MHz_15kHz_174300;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.27	16.21
n26	174300	RF power output:n26_5MHz_15kHz_174300;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.42	16.36
n26	174300	RF power output:n26_5MHz_15kHz_174300;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.31	15.25
n26	174300	RF power output:n26_5MHz_15kHz_174300;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.39	15.33
n26	174300	RF power output:n26_5MHz_15kHz_174300;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.38	15.32
n26	174300	RF power output:n26_5MHz_15kHz_174300;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	19.8	14.74
n26	174300	RF power output:n26_5MHz_15kHz_174300;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.07	15.01
n26	174300	RF power output:n26_5MHz_15kHz_174300;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	19.85	14.79
n26	174300	RF power output:n26_5MHz_15kHz_174300;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.22	12.16
n26	174300	RF power output:n26_5MHz_15kHz_174300;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.28	12.22
n26	174300	RF power output:n26_5MHz_15kHz_174300;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	17.79	12.73
n26	174300	RF power output:n26_5MHz_15kHz_174300;23;CP-OFDM QPSK^Inner_Full:PC3	20.7	15.64
n26	174300	RF power output:n26_5MHz_15kHz_174300;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.37	14.31
n26	174300	RF power output:n26_5MHz_15kHz_174300;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.41	14.35
n26	174300	RF power output:n26_5MHz_15kHz_174300;26;CP-OFDM QPSK^Outer_Full:PC3	19.35	14.29
n26	174300	RF power output:n26_5MHz_15kHz_174300;27;CP-OFDM 16QAM^Inner_Full:PC3	20.42	15.36
n26	174300	RF power output:n26_5MHz_15kHz_174300;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.28	14.22
n26	174300	RF power output:n26_5MHz_15kHz_174300;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.49	14.43
n26	174300	RF power output:n26_5MHz_15kHz_174300;30;CP-OFDM 16QAM^Outer_Full:PC3	19.35	14.29
n26	174300	RF power output:n26_5MHz_15kHz_174300;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	18.72	13.66
n26	174300	RF power output:n26_5MHz_15kHz_174300;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	18.79	13.73
n26	174300	RF power output:n26_5MHz_15kHz_174300;33;CP-OFDM 64QAM^Outer_Full:PC3	18.93	13.87
n26	174300	RF power output:n26_5MHz_15kHz_174300;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	15.97	10.91
n26	174300	RF power output:n26_5MHz_15kHz_174300;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.02	10.96
n26	174300	RF power output:n26_5MHz_15kHz_174300;36;CP-OFDM 256QAM^Outer_Full:PC3	15.8	10.74

Band	Channel	Test Item	Measured Value	ERP
n26	176300	RF power output:n26_5MHz_15kHz_176300;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.62	17.56
n26	176300	RF power output:n26_5MHz_15kHz_176300;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	22.06	17
n26	176300	RF power output:n26_5MHz_15kHz_176300;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.13	17.07
n26	176300	RF power output:n26_5MHz_15kHz_176300;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.11	17.05
n26	176300	RF power output:n26_5MHz_15kHz_176300;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.58	17.52
n26	176300	RF power output:n26_5MHz_15kHz_176300;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.55	16.49
n26	176300	RF power output:n26_5MHz_15kHz_176300;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.64	16.58
n26	176300	RF power output:n26_5MHz_15kHz_176300;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.58	16.52
n26	176300	RF power output:n26_5MHz_15kHz_176300;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.74	16.68
n26	176300	RF power output:n26_5MHz_15kHz_176300;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.59	15.53
n26	176300	RF power output:n26_5MHz_15kHz_176300;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.66	15.6
n26	176300	RF power output:n26_5MHz_15kHz_176300;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.65	15.59
n26	176300	RF power output:n26_5MHz_15kHz_176300;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	20.15	15.09
n26	176300	RF power output:n26_5MHz_15kHz_176300;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.31	15.25
n26	176300	RF power output:n26_5MHz_15kHz_176300;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.21	15.15
n26	176300	RF power output:n26_5MHz_15kHz_176300;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.64	12.58
n26	176300	RF power output:n26_5MHz_15kHz_176300;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.63	12.57
n26	176300	RF power output:n26_5MHz_15kHz_176300;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.08	13.02
n26	176300	RF power output:n26_5MHz_15kHz_176300;23;CP-OFDM QPSK^Inner_Full:PC3	21.31	16.25
n26	176300	RF power output:n26_5MHz_15kHz_176300;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.68	14.62
n26	176300	RF power output:n26_5MHz_15kHz_176300;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.78	14.72
n26	176300	RF power output:n26_5MHz_15kHz_176300;26;CP-OFDM QPSK^Outer_Full:PC3	19.62	14.56
n26	176300	RF power output:n26_5MHz_15kHz_176300;27;CP-OFDM 16QAM^Inner_Full:PC3	20.71	15.65
n26	176300	RF power output:n26_5MHz_15kHz_176300;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.75	14.69
n26	176300	RF power output:n26_5MHz_15kHz_176300;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.58	14.52
n26	176300	RF power output:n26_5MHz_15kHz_176300;30;CP-OFDM 16QAM^Outer_Full:PC3	19.52	14.46
n26	176300	RF power output:n26_5MHz_15kHz_176300;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	19.08	14.02
n26	176300	RF power output:n26_5MHz_15kHz_176300;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.17	14.11
n26	176300	RF power output:n26_5MHz_15kHz_176300;33;CP-OFDM 64QAM^Outer_Full:PC3	19.22	14.16
n26	176300	RF power output:n26_5MHz_15kHz_176300;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	16.27	11.21
n26	176300	RF power output:n26_5MHz_15kHz_176300;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.28	11.22
n26	176300	RF power output:n26_5MHz_15kHz_176300;36;CP-OFDM 256QAM^Outer_Full:PC3	16.15	11.09

Band	Channel	Test Item	Measured Value	ERP
n26	178300	RF power output:n26_5MHz_15kHz_178300;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.67	17.61
n26	178300	RF power output:n26_5MHz_15kHz_178300;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	22.11	17.05
n26	178300	RF power output:n26_5MHz_15kHz_178300;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.11	17.05
n26	178300	RF power output:n26_5MHz_15kHz_178300;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.13	17.07
n26	178300	RF power output:n26_5MHz_15kHz_178300;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.55	17.49
n26	178300	RF power output:n26_5MHz_15kHz_178300;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.63	16.57
n26	178300	RF power output:n26_5MHz_15kHz_178300;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.58	16.52
n26	178300	RF power output:n26_5MHz_15kHz_178300;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.55	16.49
n26	178300	RF power output:n26_5MHz_15kHz_178300;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.73	16.67
n26	178300	RF power output:n26_5MHz_15kHz_178300;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.6	15.54
n26	178300	RF power output:n26_5MHz_15kHz_178300;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.67	15.61
n26	178300	RF power output:n26_5MHz_15kHz_178300;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.58	15.52
n26	178300	RF power output:n26_5MHz_15kHz_178300;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	20.39	15.33
n26	178300	RF power output:n26_5MHz_15kHz_178300;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.32	15.26
n26	178300	RF power output:n26_5MHz_15kHz_178300;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.04	14.98
n26	178300	RF power output:n26_5MHz_15kHz_178300;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.59	12.53
n26	178300	RF power output:n26_5MHz_15kHz_178300;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.59	12.53
n26	178300	RF power output:n26_5MHz_15kHz_178300;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.1	13.04
n26	178300	RF power output:n26_5MHz_15kHz_178300;23;CP-OFDM QPSK^Inner_Full:PC3	21.19	16.13
n26	178300	RF power output:n26_5MHz_15kHz_178300;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.73	14.67
n26	178300	RF power output:n26_5MHz_15kHz_178300;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.55	14.49
n26	178300	RF power output:n26_5MHz_15kHz_178300;26;CP-OFDM QPSK^Outer_Full:PC3	19.67	14.61
n26	178300	RF power output:n26_5MHz_15kHz_178300;27;CP-OFDM 16QAM^Inner_Full:PC3	20.68	15.62
n26	178300	RF power output:n26_5MHz_15kHz_178300;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.99	14.93
n26	178300	RF power output:n26_5MHz_15kHz_178300;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.67	14.61
n26	178300	RF power output:n26_5MHz_15kHz_178300;30;CP-OFDM 16QAM^Outer_Full:PC3	19.63	14.57
n26	178300	RF power output:n26_5MHz_15kHz_178300;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	19.06	14
n26	178300	RF power output:n26_5MHz_15kHz_178300;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.13	14.07
n26	178300	RF power output:n26_5MHz_15kHz_178300;33;CP-OFDM 64QAM^Outer_Full:PC3	19.21	14.15
n26	178300	RF power output:n26_5MHz_15kHz_178300;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	16.3	11.24
n26	178300	RF power output:n26_5MHz_15kHz_178300;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.24	11.18
n26	178300	RF power output:n26_5MHz_15kHz_178300;36;CP-OFDM 256QAM^Outer_Full:PC3	16.08	11.02

Band	Channel	Test Item	Measured Value	ERP
n26	174800	RF power output:n26_10MHz_15kHz_174800;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.4	17.34
n26	174800	RF power output:n26_10MHz_15kHz_174800;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	21.77	16.71
n26	174800	RF power output:n26_10MHz_15kHz_174800;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.02	16.96
n26	174800	RF power output:n26_10MHz_15kHz_174800;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	21.91	16.85
n26	174800	RF power output:n26_10MHz_15kHz_174800;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.38	17.32
n26	174800	RF power output:n26_10MHz_15kHz_174800;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.31	16.25
n26	174800	RF power output:n26_10MHz_15kHz_174800;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.55	16.49
n26	174800	RF power output:n26_10MHz_15kHz_174800;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.38	16.32
n26	174800	RF power output:n26_10MHz_15kHz_174800;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.38	16.32
n26	174800	RF power output:n26_10MHz_15kHz_174800;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.26	15.2
n26	174800	RF power output:n26_10MHz_15kHz_174800;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.52	15.46
n26	174800	RF power output:n26_10MHz_15kHz_174800;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.36	15.3
n26	174800	RF power output:n26_10MHz_15kHz_174800;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	19.85	14.79
n26	174800	RF power output:n26_10MHz_15kHz_174800;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.3	15.24
n26	174800	RF power output:n26_10MHz_15kHz_174800;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	19.89	14.83
n26	174800	RF power output:n26_10MHz_15kHz_174800;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.25	12.19
n26	174800	RF power output:n26_10MHz_15kHz_174800;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.55	12.49
n26	174800	RF power output:n26_10MHz_15kHz_174800;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	17.93	12.87
n26	174800	RF power output:n26_10MHz_15kHz_174800;23;CP-OFDM QPSK^Inner_Full:PC3	20.84	15.78
n26	174800	RF power output:n26_10MHz_15kHz_174800;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.3	14.24
n26	174800	RF power output:n26_10MHz_15kHz_174800;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.76	14.7
n26	174800	RF power output:n26_10MHz_15kHz_174800;26;CP-OFDM QPSK^Outer_Full:PC3	19.33	14.27
n26	174800	RF power output:n26_10MHz_15kHz_174800;27;CP-OFDM 16QAM^Inner_Full:PC3	20.44	15.38
n26	174800	RF power output:n26_10MHz_15kHz_174800;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.36	14.3
n26	174800	RF power output:n26_10MHz_15kHz_174800;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.71	14.65
n26	174800	RF power output:n26_10MHz_15kHz_174800;30;CP-OFDM 16QAM^Outer_Full:PC3	19.34	14.28
n26	174800	RF power output:n26_10MHz_15kHz_174800;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	18.69	13.63
n26	174800	RF power output:n26_10MHz_15kHz_174800;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19	13.94
n26	174800	RF power output:n26_10MHz_15kHz_174800;33;CP-OFDM 64QAM^Outer_Full:PC3	18.89	13.83
n26	174800	RF power output:n26_10MHz_15kHz_174800;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	15.88	10.82
n26	174800	RF power output:n26_10MHz_15kHz_174800;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.19	11.13
n26	174800	RF power output:n26_10MHz_15kHz_174800;36;CP-OFDM 256QAM^Outer_Full:PC3	15.88	10.82

Band	Channel	Test Item	Measured Value	ERP
n26	176300	RF power output:n26_10MHz_15kHz_176300;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.6	17.54
n26	176300	RF power output:n26_10MHz_15kHz_176300;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	22	16.94
n26	176300	RF power output:n26_10MHz_15kHz_176300;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.17	17.11
n26	176300	RF power output:n26_10MHz_15kHz_176300;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.1	17.04
n26	176300	RF power output:n26_10MHz_15kHz_176300;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.58	17.52
n26	176300	RF power output:n26_10MHz_15kHz_176300;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.46	16.4
n26	176300	RF power output:n26_10MHz_15kHz_176300;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.65	16.59
n26	176300	RF power output:n26_10MHz_15kHz_176300;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.6	16.54
n26	176300	RF power output:n26_10MHz_15kHz_176300;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.7	16.64
n26	176300	RF power output:n26_10MHz_15kHz_176300;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.45	15.39
n26	176300	RF power output:n26_10MHz_15kHz_176300;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.63	15.57
n26	176300	RF power output:n26_10MHz_15kHz_176300;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.66	15.6
n26	176300	RF power output:n26_10MHz_15kHz_176300;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	20.06	15
n26	176300	RF power output:n26_10MHz_15kHz_176300;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.2	15.14
n26	176300	RF power output:n26_10MHz_15kHz_176300;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.19	15.13
n26	176300	RF power output:n26_10MHz_15kHz_176300;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.4	12.34
n26	176300	RF power output:n26_10MHz_15kHz_176300;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.6	12.54
n26	176300	RF power output:n26_10MHz_15kHz_176300;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.12	13.06
n26	176300	RF power output:n26_10MHz_15kHz_176300;23;CP-OFDM QPSK^Inner_Full:PC3	21.14	16.08
n26	176300	RF power output:n26_10MHz_15kHz_176300;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.52	14.46
n26	176300	RF power output:n26_10MHz_15kHz_176300;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.85	14.79
n26	176300	RF power output:n26_10MHz_15kHz_176300;26;CP-OFDM QPSK^Outer_Full:PC3	19.51	14.45
n26	176300	RF power output:n26_10MHz_15kHz_176300;27;CP-OFDM 16QAM^Inner_Full:PC3	20.72	15.66
n26	176300	RF power output:n26_10MHz_15kHz_176300;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.56	14.5
n26	176300	RF power output:n26_10MHz_15kHz_176300;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.85	14.79
n26	176300	RF power output:n26_10MHz_15kHz_176300;30;CP-OFDM 16QAM^Outer_Full:PC3	19.61	14.55
n26	176300	RF power output:n26_10MHz_15kHz_176300;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	18.95	13.89
n26	176300	RF power output:n26_10MHz_15kHz_176300;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.11	14.05
n26	176300	RF power output:n26_10MHz_15kHz_176300;33;CP-OFDM 64QAM^Outer_Full:PC3	19.17	14.11
n26	176300	RF power output:n26_10MHz_15kHz_176300;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	16.13	11.07
n26	176300	RF power output:n26_10MHz_15kHz_176300;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.25	11.19
n26	176300	RF power output:n26_10MHz_15kHz_176300;36;CP-OFDM 256QAM^Outer_Full:PC3	16.17	11.11

Band	Channel	Test Item	Measured Value	ERP
n26	177800	RF power output:n26_10MHz_15kHz_177800;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.69	17.63
n26	177800	RF power output:n26_10MHz_15kHz_177800;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	22.17	17.11
n26	177800	RF power output:n26_10MHz_15kHz_177800;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.09	17.03
n26	177800	RF power output:n26_10MHz_15kHz_177800;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.24	17.18
n26	177800	RF power output:n26_10MHz_15kHz_177800;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.66	17.6
n26	177800	RF power output:n26_10MHz_15kHz_177800;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.61	16.55
n26	177800	RF power output:n26_10MHz_15kHz_177800;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.62	16.56
n26	177800	RF power output:n26_10MHz_15kHz_177800;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.67	16.61
n26	177800	RF power output:n26_10MHz_15kHz_177800;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.66	16.6
n26	177800	RF power output:n26_10MHz_15kHz_177800;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.66	15.6
n26	177800	RF power output:n26_10MHz_15kHz_177800;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.57	15.51
n26	177800	RF power output:n26_10MHz_15kHz_177800;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.66	15.6
n26	177800	RF power output:n26_10MHz_15kHz_177800;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	20.37	15.31
n26	177800	RF power output:n26_10MHz_15kHz_177800;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.27	15.21
n26	177800	RF power output:n26_10MHz_15kHz_177800;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.21	15.15
n26	177800	RF power output:n26_10MHz_15kHz_177800;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.63	12.57
n26	177800	RF power output:n26_10MHz_15kHz_177800;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.55	12.49
n26	177800	RF power output:n26_10MHz_15kHz_177800;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.11	13.05
n26	177800	RF power output:n26_10MHz_15kHz_177800;23;CP-OFDM QPSK^Inner_Full:PC3	21.14	16.08
n26	177800	RF power output:n26_10MHz_15kHz_177800;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.86	14.8
n26	177800	RF power output:n26_10MHz_15kHz_177800;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.67	14.61
n26	177800	RF power output:n26_10MHz_15kHz_177800;26;CP-OFDM QPSK^Outer_Full:PC3	19.56	14.5
n26	177800	RF power output:n26_10MHz_15kHz_177800;27;CP-OFDM 16QAM^Inner_Full:PC3	20.75	15.69
n26	177800	RF power output:n26_10MHz_15kHz_177800;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.78	14.72
n26	177800	RF power output:n26_10MHz_15kHz_177800;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.85	14.79
n26	177800	RF power output:n26_10MHz_15kHz_177800;30;CP-OFDM 16QAM^Outer_Full:PC3	19.65	14.59
n26	177800	RF power output:n26_10MHz_15kHz_177800;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	19.14	14.08
n26	177800	RF power output:n26_10MHz_15kHz_177800;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.05	13.99
n26	177800	RF power output:n26_10MHz_15kHz_177800;33;CP-OFDM 64QAM^Outer_Full:PC3	19.13	14.07
n26	177800	RF power output:n26_10MHz_15kHz_177800;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	16.23	11.17
n26	177800	RF power output:n26_10MHz_15kHz_177800;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.2	11.14
n26	177800	RF power output:n26_10MHz_15kHz_177800;36;CP-OFDM 256QAM^Outer_Full:PC3	16.17	11.11

Band	Channel	Test Item	Measured Value	ERP
n26	175300	RF power output:n26_15MHz_15kHz_175300;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.54	17.48
n26	175300	RF power output:n26_15MHz_15kHz_175300;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	21.71	16.65
n26	175300	RF power output:n26_15MHz_15kHz_175300;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.09	17.03
n26	175300	RF power output:n26_15MHz_15kHz_175300;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.16	17.1
n26	175300	RF power output:n26_15MHz_15kHz_175300;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.6	17.54
n26	175300	RF power output:n26_15MHz_15kHz_175300;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.28	16.22
n26	175300	RF power output:n26_15MHz_15kHz_175300;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.58	16.52
n26	175300	RF power output:n26_15MHz_15kHz_175300;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.63	16.57
n26	175300	RF power output:n26_15MHz_15kHz_175300;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.61	16.55
n26	175300	RF power output:n26_15MHz_15kHz_175300;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.22	15.16
n26	175300	RF power output:n26_15MHz_15kHz_175300;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.61	15.55
n26	175300	RF power output:n26_15MHz_15kHz_175300;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.58	15.52
n26	175300	RF power output:n26_15MHz_15kHz_175300;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	19.8	14.74
n26	175300	RF power output:n26_15MHz_15kHz_175300;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.15	15.09
n26	175300	RF power output:n26_15MHz_15kHz_175300;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.18	15.12
n26	175300	RF power output:n26_15MHz_15kHz_175300;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.22	12.16
n26	175300	RF power output:n26_15MHz_15kHz_175300;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.71	12.65
n26	175300	RF power output:n26_15MHz_15kHz_175300;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.01	12.95
n26	175300	RF power output:n26_15MHz_15kHz_175300;23;CP-OFDM QPSK^Inner_Full:PC3	21.13	16.07
n26	175300	RF power output:n26_15MHz_15kHz_175300;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.34	14.28
n26	175300	RF power output:n26_15MHz_15kHz_175300;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.89	14.83
n26	175300	RF power output:n26_15MHz_15kHz_175300;26;CP-OFDM QPSK^Outer_Full:PC3	19.54	14.48
n26	175300	RF power output:n26_15MHz_15kHz_175300;27;CP-OFDM 16QAM^Inner_Full:PC3	20.61	15.55
n26	175300	RF power output:n26_15MHz_15kHz_175300;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.47	14.41
n26	175300	RF power output:n26_15MHz_15kHz_175300;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.71	14.65
n26	175300	RF power output:n26_15MHz_15kHz_175300;30;CP-OFDM 16QAM^Outer_Full:PC3	19.52	14.46
n26	175300	RF power output:n26_15MHz_15kHz_175300;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	18.71	13.65
n26	175300	RF power output:n26_15MHz_15kHz_175300;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.12	14.06
n26	175300	RF power output:n26_15MHz_15kHz_175300;33;CP-OFDM 64QAM^Outer_Full:PC3	19.05	13.99
n26	175300	RF power output:n26_15MHz_15kHz_175300;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	15.83	10.77
n26	175300	RF power output:n26_15MHz_15kHz_175300;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.33	11.27
n26	175300	RF power output:n26_15MHz_15kHz_175300;36;CP-OFDM 256QAM^Outer_Full:PC3	16.05	10.99

Band	Channel	Test Item	Measured Value	ERP
n26	176300	RF power output:n26_15MHz_15kHz_176300;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.73	17.67
n26	176300	RF power output:n26_15MHz_15kHz_176300;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	21.92	16.86
n26	176300	RF power output:n26_15MHz_15kHz_176300;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.25	17.19
n26	176300	RF power output:n26_15MHz_15kHz_176300;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.24	17.18
n26	176300	RF power output:n26_15MHz_15kHz_176300;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.68	17.62
n26	176300	RF power output:n26_15MHz_15kHz_176300;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.51	16.45
n26	176300	RF power output:n26_15MHz_15kHz_176300;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.68	16.62
n26	176300	RF power output:n26_15MHz_15kHz_176300;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.68	16.62
n26	176300	RF power output:n26_15MHz_15kHz_176300;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.8	16.74
n26	176300	RF power output:n26_15MHz_15kHz_176300;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.39	15.33
n26	176300	RF power output:n26_15MHz_15kHz_176300;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.69	15.63
n26	176300	RF power output:n26_15MHz_15kHz_176300;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.73	15.67
n26	176300	RF power output:n26_15MHz_15kHz_176300;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	19.99	14.93
n26	176300	RF power output:n26_15MHz_15kHz_176300;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.25	15.19
n26	176300	RF power output:n26_15MHz_15kHz_176300;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.23	15.17
n26	176300	RF power output:n26_15MHz_15kHz_176300;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.4	12.34
n26	176300	RF power output:n26_15MHz_15kHz_176300;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.69	12.63
n26	176300	RF power output:n26_15MHz_15kHz_176300;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.14	13.08
n26	176300	RF power output:n26_15MHz_15kHz_176300;23;CP-OFDM QPSK^Inner_Full:PC3	21.21	16.15
n26	176300	RF power output:n26_15MHz_15kHz_176300;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.64	14.58
n26	176300	RF power output:n26_15MHz_15kHz_176300;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.96	14.9
n26	176300	RF power output:n26_15MHz_15kHz_176300;26;CP-OFDM QPSK^Outer_Full:PC3	19.66	14.6
n26	176300	RF power output:n26_15MHz_15kHz_176300;27;CP-OFDM 16QAM^Inner_Full:PC3	20.69	15.63
n26	176300	RF power output:n26_15MHz_15kHz_176300;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.64	14.58
n26	176300	RF power output:n26_15MHz_15kHz_176300;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.76	14.7
n26	176300	RF power output:n26_15MHz_15kHz_176300;30;CP-OFDM 16QAM^Outer_Full:PC3	19.65	14.59
n26	176300	RF power output:n26_15MHz_15kHz_176300;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	18.91	13.85
n26	176300	RF power output:n26_15MHz_15kHz_176300;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.11	14.05
n26	176300	RF power output:n26_15MHz_15kHz_176300;33;CP-OFDM 64QAM^Outer_Full:PC3	19.18	14.12
n26	176300	RF power output:n26_15MHz_15kHz_176300;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	16.1	11.04
n26	176300	RF power output:n26_15MHz_15kHz_176300;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.42	11.36
n26	176300	RF power output:n26_15MHz_15kHz_176300;36;CP-OFDM 256QAM^Outer_Full:PC3	16.19	11.13

Band	Channel	Test Item	Measured Value	ERP
n26	177300	RF power output:n26_15MHz_15kHz_177300;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.67	17.61
n26	177300	RF power output:n26_15MHz_15kHz_177300;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	22.18	17.12
n26	177300	RF power output:n26_15MHz_15kHz_177300;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.08	17.02
n26	177300	RF power output:n26_15MHz_15kHz_177300;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.27	17.21
n26	177300	RF power output:n26_15MHz_15kHz_177300;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.71	17.65
n26	177300	RF power output:n26_15MHz_15kHz_177300;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.63	16.57
n26	177300	RF power output:n26_15MHz_15kHz_177300;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.56	16.5
n26	177300	RF power output:n26_15MHz_15kHz_177300;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.73	16.67
n26	177300	RF power output:n26_15MHz_15kHz_177300;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.74	16.68
n26	177300	RF power output:n26_15MHz_15kHz_177300;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.56	15.5
n26	177300	RF power output:n26_15MHz_15kHz_177300;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.47	15.41
n26	177300	RF power output:n26_15MHz_15kHz_177300;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.8	15.74
n26	177300	RF power output:n26_15MHz_15kHz_177300;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	20.23	15.17
n26	177300	RF power output:n26_15MHz_15kHz_177300;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.23	15.17
n26	177300	RF power output:n26_15MHz_15kHz_177300;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.21	15.15
n26	177300	RF power output:n26_15MHz_15kHz_177300;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.66	12.6
n26	177300	RF power output:n26_15MHz_15kHz_177300;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.63	12.57
n26	177300	RF power output:n26_15MHz_15kHz_177300;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.21	13.15
n26	177300	RF power output:n26_15MHz_15kHz_177300;23;CP-OFDM QPSK^Inner_Full:PC3	21.19	16.13
n26	177300	RF power output:n26_15MHz_15kHz_177300;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.78	14.72
n26	177300	RF power output:n26_15MHz_15kHz_177300;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.65	14.59
n26	177300	RF power output:n26_15MHz_15kHz_177300;26;CP-OFDM QPSK^Outer_Full:PC3	19.69	14.63
n26	177300	RF power output:n26_15MHz_15kHz_177300;27;CP-OFDM 16QAM^Inner_Full:PC3	20.75	15.69
n26	177300	RF power output:n26_15MHz_15kHz_177300;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.8	14.74
n26	177300	RF power output:n26_15MHz_15kHz_177300;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.73	14.67
n26	177300	RF power output:n26_15MHz_15kHz_177300;30;CP-OFDM 16QAM^Outer_Full:PC3	19.68	14.62
n26	177300	RF power output:n26_15MHz_15kHz_177300;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	19.04	13.98
n26	177300	RF power output:n26_15MHz_15kHz_177300;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	18.95	13.89
n26	177300	RF power output:n26_15MHz_15kHz_177300;33;CP-OFDM 64QAM^Outer_Full:PC3	19.13	14.07
n26	177300	RF power output:n26_15MHz_15kHz_177300;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	16.23	11.17
n26	177300	RF power output:n26_15MHz_15kHz_177300;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.25	11.19
n26	177300	RF power output:n26_15MHz_15kHz_177300;36;CP-OFDM 256QAM^Outer_Full:PC3	16.17	11.11


Band	Channel	Test Item	Measured Value	ERP
n26	175800	RF power output:n26_20MHz_15kHz_175800;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.53	17.47
n26	175800	RF power output:n26_20MHz_15kHz_175800;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	21.68	16.62
n26	175800	RF power output:n26_20MHz_15kHz_175800;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.21	17.15
n26	175800	RF power output:n26_20MHz_15kHz_175800;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.1	17.04
n26	175800	RF power output:n26_20MHz_15kHz_175800;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.55	17.49
n26	175800	RF power output:n26_20MHz_15kHz_175800;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.16	16.1
n26	175800	RF power output:n26_20MHz_15kHz_175800;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.73	16.67
n26	175800	RF power output:n26_20MHz_15kHz_175800;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.65	16.59
n26	175800	RF power output:n26_20MHz_15kHz_175800;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.54	16.48
n26	175800	RF power output:n26_20MHz_15kHz_175800;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.08	15.02
n26	175800	RF power output:n26_20MHz_15kHz_175800;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.65	15.59
n26	175800	RF power output:n26_20MHz_15kHz_175800;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.51	15.45
n26	175800	RF power output:n26_20MHz_15kHz_175800;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	19.8	14.74
n26	175800	RF power output:n26_20MHz_15kHz_175800;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.26	15.2
n26	175800	RF power output:n26_20MHz_15kHz_175800;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.08	15.02
n26	175800	RF power output:n26_20MHz_15kHz_175800;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.22	12.16
n26	175800	RF power output:n26_20MHz_15kHz_175800;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.79	12.73
n26	175800	RF power output:n26_20MHz_15kHz_175800;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.06	13
n26	175800	RF power output:n26_20MHz_15kHz_175800;23;CP-OFDM QPSK^Inner_Full:PC3	21.14	16.08
n26	175800	RF power output:n26_20MHz_15kHz_175800;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.33	14.27
n26	175800	RF power output:n26_20MHz_15kHz_175800;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.92	14.86
n26	175800	RF power output:n26_20MHz_15kHz_175800;26;CP-OFDM QPSK^Outer_Full:PC3	19.5	14.44
n26	175800	RF power output:n26_20MHz_15kHz_175800;27;CP-OFDM 16QAM^Inner_Full:PC3	20.5	15.44
n26	175800	RF power output:n26_20MHz_15kHz_175800;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.44	14.38
n26	175800	RF power output:n26_20MHz_15kHz_175800;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.93	14.87
n26	175800	RF power output:n26_20MHz_15kHz_175800;30;CP-OFDM 16QAM^Outer_Full:PC3	19.56	14.5
n26	175800	RF power output:n26_20MHz_15kHz_175800;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	18.69	13.63
n26	175800	RF power output:n26_20MHz_15kHz_175800;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.14	14.08
n26	175800	RF power output:n26_20MHz_15kHz_175800;33;CP-OFDM 64QAM^Outer_Full:PC3	19.01	13.95
n26	175800	RF power output:n26_20MHz_15kHz_175800;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	15.87	10.81
n26	175800	RF power output:n26_20MHz_15kHz_175800;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.4	11.34
n26	175800	RF power output:n26_20MHz_15kHz_175800;36;CP-OFDM 256QAM^Outer_Full:PC3	16.07	11.01

Band	Channel	Test Item	Measured Value	ERP
n26	176300	RF power output:n26_20MHz_15kHz_176300;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.7	17.64
n26	176300	RF power output:n26_20MHz_15kHz_176300;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	21.84	16.78
n26	176300	RF power output:n26_20MHz_15kHz_176300;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.13	17.07
n26	176300	RF power output:n26_20MHz_15kHz_176300;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.25	17.19
n26	176300	RF power output:n26_20MHz_15kHz_176300;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.66	17.6
n26	176300	RF power output:n26_20MHz_15kHz_176300;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.3	16.24
n26	176300	RF power output:n26_20MHz_15kHz_176300;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.61	16.55
n26	176300	RF power output:n26_20MHz_15kHz_176300;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.72	16.66
n26	176300	RF power output:n26_20MHz_15kHz_176300;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.76	16.7
n26	176300	RF power output:n26_20MHz_15kHz_176300;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.21	15.15
n26	176300	RF power output:n26_20MHz_15kHz_176300;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.62	15.56
n26	176300	RF power output:n26_20MHz_15kHz_176300;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.7	15.64
n26	176300	RF power output:n26_20MHz_15kHz_176300;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	20.01	14.95
n26	176300	RF power output:n26_20MHz_15kHz_176300;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.2	15.14
n26	176300	RF power output:n26_20MHz_15kHz_176300;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.28	15.22
n26	176300	RF power output:n26_20MHz_15kHz_176300;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.36	12.3
n26	176300	RF power output:n26_20MHz_15kHz_176300;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.73	12.67
n26	176300	RF power output:n26_20MHz_15kHz_176300;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.19	13.13
n26	176300	RF power output:n26_20MHz_15kHz_176300;23;CP-OFDM QPSK^Inner_Full:PC3	21.26	16.2
n26	176300	RF power output:n26_20MHz_15kHz_176300;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.53	14.47
n26	176300	RF power output:n26_20MHz_15kHz_176300;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.75	14.69
n26	176300	RF power output:n26_20MHz_15kHz_176300;26;CP-OFDM QPSK^Outer_Full:PC3	19.68	14.62
n26	176300	RF power output:n26_20MHz_15kHz_176300;27;CP-OFDM 16QAM^Inner_Full:PC3	20.71	15.65
n26	176300	RF power output:n26_20MHz_15kHz_176300;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.24	14.18
n26	176300	RF power output:n26_20MHz_15kHz_176300;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.91	14.85
n26	176300	RF power output:n26_20MHz_15kHz_176300;30;CP-OFDM 16QAM^Outer_Full:PC3	19.73	14.67
n26	176300	RF power output:n26_20MHz_15kHz_176300;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	18.84	13.78
n26	176300	RF power output:n26_20MHz_15kHz_176300;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.11	14.05
n26	176300	RF power output:n26_20MHz_15kHz_176300;33;CP-OFDM 64QAM^Outer_Full:PC3	19.18	14.12
n26	176300	RF power output:n26_20MHz_15kHz_176300;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	16.06	11
n26	176300	RF power output:n26_20MHz_15kHz_176300;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.38	11.32
n26	176300	RF power output:n26_20MHz_15kHz_176300;36;CP-OFDM 256QAM^Outer_Full:PC3	16.17	11.11


Band	Channel	Test Item	Measured Value	ERP
n26	176800	RF power output:n26_20MHz_15kHz_176800;5;DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3	22.74	17.68
n26	176800	RF power output:n26_20MHz_15kHz_176800;6;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3	21.86	16.8
n26	176800	RF power output:n26_20MHz_15kHz_176800;7;DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3	22.16	17.1
n26	176800	RF power output:n26_20MHz_15kHz_176800;8;DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3	22.14	17.08
n26	176800	RF power output:n26_20MHz_15kHz_176800;9;DFT-s-OFDM QPSK^Inner_Full:PC3	22.63	17.57
n26	176800	RF power output:n26_20MHz_15kHz_176800;10;DFT-s-OFDM QPSK^Edge_1RB_Left:PC3	21.37	16.31
n26	176800	RF power output:n26_20MHz_15kHz_176800;11;DFT-s-OFDM QPSK^Edge_1RB_Right:PC3	21.61	16.55
n26	176800	RF power output:n26_20MHz_15kHz_176800;12;DFT-s-OFDM QPSK^Outer_Full:PC3	21.69	16.63
n26	176800	RF power output:n26_20MHz_15kHz_176800;13;DFT-s-OFDM 16QAM^Inner_Full:PC3	21.62	16.56
n26	176800	RF power output:n26_20MHz_15kHz_176800;14;DFT-s-OFDM 16QAM^Edge_1RB_Left:PC3	20.38	15.32
n26	176800	RF power output:n26_20MHz_15kHz_176800;15;DFT-s-OFDM 16QAM^Edge_1RB_Right:PC3	20.52	15.46
n26	176800	RF power output:n26_20MHz_15kHz_176800;16;DFT-s-OFDM 16QAM^Outer_Full:PC3	20.65	15.59
n26	176800	RF power output:n26_20MHz_15kHz_176800;17;DFT-s-OFDM 64QAM^Edge_1RB_Left:PC3	19.95	14.89
n26	176800	RF power output:n26_20MHz_15kHz_176800;18;DFT-s-OFDM 64QAM^Edge_1RB_Right:PC3	20.2	15.14
n26	176800	RF power output:n26_20MHz_15kHz_176800;19;DFT-s-OFDM 64QAM^Outer_Full:PC3	20.22	15.16
n26	176800	RF power output:n26_20MHz_15kHz_176800;20;DFT-s-OFDM 256QAM^Edge_1RB_Left:PC3	17.41	12.35
n26	176800	RF power output:n26_20MHz_15kHz_176800;21;DFT-s-OFDM 256QAM^Edge_1RB_Right:PC3	17.76	12.7
n26	176800	RF power output:n26_20MHz_15kHz_176800;22;DFT-s-OFDM 256QAM^Outer_Full:PC3	18.18	13.12
n26	176800	RF power output:n26_20MHz_15kHz_176800;23;CP-OFDM QPSK^Inner_Full:PC3	21.36	16.3
n26	176800	RF power output:n26_20MHz_15kHz_176800;24;CP-OFDM QPSK^Edge_1RB_Left:PC3	19.65	14.59
n26	176800	RF power output:n26_20MHz_15kHz_176800;25;CP-OFDM QPSK^Edge_1RB_Right:PC3	19.71	14.65
n26	176800	RF power output:n26_20MHz_15kHz_176800;26;CP-OFDM QPSK^Outer_Full:PC3	19.59	14.53
n26	176800	RF power output:n26_20MHz_15kHz_176800;27;CP-OFDM 16QAM^Inner_Full:PC3	20.66	15.6
n26	176800	RF power output:n26_20MHz_15kHz_176800;28;CP-OFDM 16QAM^Edge_1RB_Left:PC3	19.6	14.54
n26	176800	RF power output:n26_20MHz_15kHz_176800;29;CP-OFDM 16QAM^Edge_1RB_Right:PC3	19.79	14.73
n26	176800	RF power output:n26_20MHz_15kHz_176800;30;CP-OFDM 16QAM^Outer_Full:PC3	19.64	14.58
n26	176800	RF power output:n26_20MHz_15kHz_176800;31;CP-OFDM 64QAM^Edge_1RB_Left:PC3	18.83	13.77
n26	176800	RF power output:n26_20MHz_15kHz_176800;32;CP-OFDM 64QAM^Edge_1RB_Right:PC3	19.08	14.02
n26	176800	RF power output:n26_20MHz_15kHz_176800;33;CP-OFDM 64QAM^Outer_Full:PC3	19.09	14.03
n26	176800	RF power output:n26_20MHz_15kHz_176800;34;CP-OFDM 256QAM^Edge_1RB_Left:PC3	16.1	11.04
n26	176800	RF power output:n26_20MHz_15kHz_176800;35;CP-OFDM 256QAM^Edge_1RB_Right:PC3	16.41	11.35
n26	176800	RF power output:n26_20MHz_15kHz_176800;36;CP-OFDM 256QAM^Outer_Full:PC3	16.18	11.12

APPENDIX B - OCCUPIED BANDWIDTH


GSM850_GSM			
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)
		QPSK	QPSK
128	824.2	0.2426	0.3251
190	836.6	0.2423	0.3214
251	848.8	0.2424	0.3162




GSM850_EDGE			
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)
		QPSK	QPSK
128	824.2	0.2434	0.3158
190	836.6	0.2436	0.3044
251	848.8	0.2497	0.3024




WCDMA Band V_WCDMA			
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)
		QPSK	QPSK
4132	826.4	4.1453	4.716
4182	836.4	4.1525	4.722
4233	846.6	4.1778	4.714




LTE Band 5_1.4MHz									
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)				26dB Bandwidth (MHz)			
		QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
20407	824.7	1.0930	1.0983	1.0838	1.0803	1.345	1.366	1.263	1.273
20525	836.5	1.0947	1.1002	1.0827	1.0861	1.325	1.372	1.263	1.297
20643	848.3	1.0939	1.1020	1.0878	1.0835	1.345	1.373	1.262	1.258




LTE Band 5_3MHz									
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)				26dB Bandwidth (MHz)			
		QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
20415	825.5	2.6975	2.7065	2.6937	2.6936	3.076	3.093	2.927	2.929
20525	836.5	2.7053	2.7046	2.6960	2.6945	3.060	3.077	2.913	2.909
20635	847.5	2.7068	2.7146	2.6919	2.6928	3.063	3.074	2.914	2.918




LTE Band 5_5MHz									
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)				26dB Bandwidth (MHz)			
		QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
20425	826.5	4.5202	4.5149	4.4841	4.4826	5.117	5.202	4.801	4.826
20525	836.5	4.5259	4.5146	4.4846	4.4815	5.156	5.181	4.822	4.853
20625	846.5	4.5310	4.5131	4.4832	4.4823	5.175	5.164	4.831	4.815




LTE Band 5_10MHz									
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)				26dB Bandwidth (MHz)			
		QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
20450	829.0	8.9665	8.9795	8.9648	8.9609	10.04	9.995	9.500	9.496
20525	836.5	8.9975	8.9881	8.9653	8.9626	9.975	10.10	9.512	9.503
20600	844.0	8.9743	8.9813	8.9608	8.9531	9.997	10.00	9.501	9.482



LTE Band 26_1.4MHz							
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)			26dB Bandwidth (MHz)		
		QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
26797	824.7	1.0925	1.0972	1.0834	1.336	1.349	1.265
26915	836.5	1.0956	1.0983	1.0830	1.372	1.361	1.270
27033	848.3	1.0950	1.0965	1.0811	1.342	1.335	1.269



LTE Band 26_3MHz							
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)			26dB Bandwidth (MHz)		
		QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
26805	825.5	2.7069	2.7053	2.6933	3.054	3.091	2.902
26915	836.5	2.7064	2.7150	2.6920	3.042	3.092	2.920
27025	847.5	2.7013	2.7037	2.6929	3.035	3.063	2.914



LTE Band 26_5MHz							
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)			26dB Bandwidth (MHz)		
		QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
26815	826.5	4.5125	4.5059	4.4857	5.176	5.099	4.827
26915	836.5	4.5263	4.5157	4.4862	5.201	5.209	4.862
27015	846.5	4.5210	4.5215	4.4842	5.126	5.163	4.828

