



Profile: 1672093R	Page No.: 276
Engineer: Damon	
Site: AC5	Time: 2017/06/12 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by 802.11n20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.627	12.573	-1.373	54.000	40.054	AV
2	*	5180.500	100.857	60.737	46.857	54.000	40.120	AV

Site: AC5	Time: 2017/06/12 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by 802.11n20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	62.872	22.818	-11.128	74.000	40.054	PK
2	*	5178.250	99.758	59.642	25.758	74.000	40.116	PK

Site: AC5	Time: 2017/06/12 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by802.11N20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	44.395	4.341	-9.605	54.000	40.054	AV
2	*	5179.300	89.680	49.562	35.680	54.000	40.118	AV

Site: AC5	Time: 2017/06/12 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	70.199	30.145	-3.801	74.000	40.054	PK
2	*	5187.060	106.607	66.481	32.607	74.000	40.126	PK

Site: AC5	Time: 2017/06/12 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.290	12.236	-1.710	54.000	40.054	AV
2	*	5185.820	96.927	56.802	42.927	54.000	40.125	AV

Site: AC5	Time: 2017/06/12 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.594	21.540	-12.406	74.000	40.054	PK
2	*	5188.455	96.016	55.889	22.016	74.000	40.126	PK

Site: AC5	Time: 2017/06/12 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	43.427	3.373	-10.573	54.000	40.054	AV
2	*	5191.555	87.475	47.346	33.475	54.000	40.130	AV


Site: AC5	Time: 2017/06/12 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	73.164	33.110	-0.836	74.000	40.054	PK
2	*	5178.100	110.952	70.836	36.952	74.000	40.116	PK




Site: AC5	Time: 2017/06/12 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.568	12.514	-1.432	54.000	40.054	AV
2	*	5178.400	101.047	60.931	47.047	54.000	40.116	AV

Site: AC5	Time: 2017/06/12 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	63.563	23.509	-10.437	74.000	40.054	PK
2	*	5180.050	100.856	60.737	26.856	74.000	40.119	PK

Site: AC5	Time: 2017/06/12 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	44.515	4.461	-9.485	54.000	40.054	AV
2	*	5178.250	89.356	49.240	35.356	54.000	40.116	AV

Site: AC5	Time: 2017/06/12 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	70.547	30.493	-3.453	74.000	40.054	PK
2	*	5186.595	105.963	65.837	31.963	74.000	40.126	PK

Site: AC5	Time: 2017/06/12 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.160	12.106	-1.840	54.000	40.054	AV
2	*	5185.510	96.625	56.500	42.625	54.000	40.125	AV

Site: AC5	Time: 2017/06/12 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.229	21.175	-12.771	74.000	40.054	PK
2	*	5188.300	96.120	55.993	22.120	74.000	40.127	PK

Site: AC5	Time: 2017/06/12 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	43.673	3.619	-10.327	54.000	40.054	AV
2	*	5191.400	87.027	46.898	33.027	54.000	40.129	AV


Site: AC5	Time: 2017/06/12 - 15:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	71.533	31.479	-2.467	74.000	40.054	PK
2	*	5212.550	104.113	63.967	30.113	74.000	40.147	PK




Site: AC5	Time: 2017/06/12 - 15:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.524	13.470	-0.476	54.000	40.054	AV
2	*	5208.525	93.237	53.094	39.237	54.000	40.143	AV

Site: AC5	Time: 2017/06/12 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.156	20.102	-13.844	74.000	40.054	PK
2	*	5203.275	93.518	53.379	19.518	74.000	40.138	PK


Site: AC5	Time: 2017/06/12 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.008	4.954	-8.992	54.000	40.054	AV
2	*	5206.250	83.299	43.158	29.299	54.000	40.141	AV


Ant #1

Site: AC5	Time: 2017/06/13 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at CH5180MHz by 802.11aANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	72.774	32.720	-1.226	74.000	40.054	PK
2	*	5177.500	110.888	70.773	36.888	74.000	40.116	PK

Site: AC5	Time: 2017/06/13 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at CH5180MHz by 802.11aANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.476	12.422	-1.524	54.000	40.054	AV
2	*	5178.400	100.963	60.847	46.963	54.000	40.116	AV

Site: AC5	Time: 2017/06/13 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at CH5180MHz by 802.11aANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.139	21.085	-12.861	74.000	40.054	PK
2	*	5177.800	99.734	59.618	25.734	74.000	40.116	PK

Site: AC5	Time: 2017/06/13 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at CH5180MHz by 802.11aANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	43.825	3.771	-10.175	54.000	40.054	AV
2	*	5178.250	89.990	49.874	35.990	54.000	40.116	AV


Site: AC5	Time: 2017/06/13 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by 802.11n20 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	72.128	32.074	-1.872	74.000	40.054	PK
2	*	5181.100	110.795	70.674	36.795	74.000	40.121	PK




Site: AC5	Time: 2017/06/13 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by 802.11n20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.768	12.714	-1.232	54.000	40.054	AV
2	*	5177.650	100.660	60.545	46.660	54.000	40.116	AV

Site: AC5	Time: 2017/06/13 - 14:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by 802.11n20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.240	21.186	-12.760	74.000	40.054	PK
2	*	5177.500	99.923	59.808	25.923	74.000	40.116	PK

Site: AC5	Time: 2017/06/13 - 14:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by 802.11n20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	43.899	3.845	-10.101	54.000	40.054	AV
2	*	5177.950	89.746	49.630	35.746	54.000	40.116	AV

Site: AC5	Time: 2017/06/13 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3 :Transmit at CH5190MHz by 802.11n40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	73.099	33.045	-0.901	74.000	40.054	PK
2	*	5185.665	105.998	65.873	31.998	74.000	40.125	PK

Site: AC5	Time: 2017/06/13 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.926	13.872	-0.074	54.000	40.054	AV
2	*	5187.990	96.982	56.855	42.982	54.000	40.127	AV

Site: AC5	Time: 2017/06/13 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	62.298	22.244	-11.702	74.000	40.054	PK
2	*	5187.370	94.842	54.716	20.842	74.000	40.126	PK

Site: AC5	Time: 2017/06/13 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	44.280	4.226	-9.720	54.000	40.054	AV
2	*	5184.735	85.158	45.034	31.158	54.000	40.124	AV


Site: AC5	Time: 2017/06/13 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	73.243	33.189	-0.757	74.000	40.054	PK
2	*	5178.550	110.618	70.501	36.618	74.000	40.117	PK




Site: AC5	Time: 2017/06/13 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.017	12.963	-0.983	54.000	40.054	AV
2	*	5178.100	100.675	60.559	46.675	54.000	40.116	AV

Site: AC5	Time: 2017/06/13 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.596	21.542	-12.404	74.000	40.054	PK
2	*	5178.550	99.876	59.759	25.876	74.000	40.117	PK

Site: AC5	Time: 2017/06/13 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	43.381	3.327	-10.619	54.000	40.054	AV
2	*	5178.850	89.483	49.366	35.483	54.000	40.117	AV

Site: AC5	Time: 2017/06/13 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	69.331	29.277	-4.669	74.000	40.054	PK
2	*	5187.215	103.138	63.012	29.138	74.000	40.126	PK

Site: AC5	Time: 2017/06/13 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.425	12.371	-1.575	54.000	40.054	AV
2	*	5187.990	96.162	56.035	42.162	54.000	40.127	AV

Site: AC5	Time: 2017/06/13 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.575	21.521	-12.425	74.000	40.054	PK
2	*	5184.425	94.489	54.365	20.489	74.000	40.123	PK

Site: AC5	Time: 2017/06/13 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	43.125	3.071	-10.875	54.000	40.054	AV
2	*	5188.610	84.844	44.717	30.844	54.000	40.127	AV


Site: AC5	Time: 2017/06/13 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	69.726	29.672	-4.274	74.000	40.054	PK
2	*	5203.275	103.472	63.333	29.472	74.000	40.138	PK




Site: AC5	Time: 2017/06/13 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.234	13.180	-0.766	54.000	40.054	AV
2	*	5206.250	91.364	51.223	37.364	54.000	40.141	AV


Site: AC5	Time: 2017/06/13 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	54.330	14.276	-19.670	74.000	40.054	PK
2	*	5203.450	89.216	49.077	15.216	74.000	40.138	PK


Ant#2

Site: AC5	Time: 2017/06/13 - 18:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at CH5180MHz by 802.11aANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	72.734	32.680	-1.266	74.000	40.054	PK
2	*	5177.650	113.393	73.278	39.393	74.000	40.116	PK

Site: AC5	Time: 2017/06/13 - 18:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at CH5180MHz by 802.11aANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.577	12.523	-1.423	54.000	40.054	AV
2	*	5179.150	102.009	61.891	48.009	54.000	40.117	AV

Site: AC5	Time: 2017/06/13 - 18:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at CH5180MHz by 802.11aANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	55.572	15.518	-18.428	74.000	40.054	PK
2	*	5179.300	96.103	55.985	22.103	74.000	40.118	PK

Site: AC5	Time: 2017/06/13 - 18:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at CH5180MHz by 802.11aANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	40.081	0.027	-13.919	54.000	40.054	AV
2	*	5181.100	86.487	46.366	32.487	54.000	40.121	AV

Site: AC5	Time: 2017/06/13 - 18:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by 802.11n20 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	73.081	33.027	-0.919	74.000	40.054	PK
2	*	5178.700	111.628	71.511	37.628	74.000	40.117	PK


Site: AC5	Time: 2017/06/13 - 18:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by 802.11n20 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	51.961	11.907	-2.039	54.000	40.054	AV
2	*	5177.650	101.313	61.198	47.313	54.000	40.116	AV




Site: AC5	Time: 2017/06/13 - 18:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by 802.11n20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	56.229	16.175	-17.771	74.000	40.054	PK
2	*	5178.250	95.223	55.107	21.223	74.000	40.116	PK

Site: AC5	Time: 2017/06/13 - 18:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at CH5180MHz by 802.11n20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	41.364	1.310	-12.636	54.000	40.054	AV
2	*	5182.000	85.750	45.628	31.750	54.000	40.122	AV

Site: AC5	Time: 2017/06/13 - 18:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	72.856	32.802	-1.144	74.000	40.054	PK
2	*	5188.145	106.894	66.767	32.894	74.000	40.127	PK

Site: AC5	Time: 2017/06/13 - 19:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.796	12.742	-1.204	54.000	40.054	AV
2	*	5184.735	97.282	57.158	43.282	54.000	40.124	AV

Site: AC5	Time: 2017/06/13 - 19:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.367	13.313	-20.633	74.000	40.054	PK
2	*	5186.905	90.180	50.054	16.180	74.000	40.126	PK

Site: AC5	Time: 2017/06/13 - 19:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at CH5190MHz by 802.11n40 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	39.721	-0.333	-14.279	54.000	40.054	AV
2	*	5195.430	77.053	36.921	23.053	54.000	40.132	AV

Site: AC5	Time: 2017/06/13 - 18:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	73.090	33.036	-0.910	74.000	40.054	PK
2	*	5181.700	111.579	71.457	37.579	74.000	40.122	PK


Site: AC5	Time: 2017/06/13 - 18:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.214	12.160	-1.786	54.000	40.054	AV
2	*	5178.550	101.949	61.832	47.949	54.000	40.117	AV




Site: AC5	Time: 2017/06/13 - 18:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	56.358	16.304	-17.642	74.000	40.054	PK
2	*	5178.850	95.754	55.637	21.754	74.000	40.117	PK

Site: AC5	Time: 2017/06/13 - 18:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at CH5180MHz by 802.11ac20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	41.349	1.295	-12.651	54.000	40.054	AV
2	*	5178.250	85.916	45.800	31.916	54.000	40.116	AV

Site: AC5	Time: 2017/06/13 - 19:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	71.870	31.816	-2.130	74.000	40.054	PK
2	*	5189.075	105.748	65.621	31.748	74.000	40.127	PK

Site: AC5	Time: 2017/06/13 - 19:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.358	12.304	-1.642	54.000	40.054	AV
2	*	5188.455	97.869	57.742	43.869	54.000	40.126	AV

Site: AC5	Time: 2017/06/13 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5: Transmit at CH5190MHz by 802.11ac40 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	51.259	11.205	-22.741	74.000	40.054	PK
2	*	5192.175	85.761	45.631	11.761	74.000	40.130	PK

Site: AC5	Time: 2017/06/13 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at CH5190MHz by 802.11ac40 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	39.723	-0.331	-14.277	54.000	40.054	AV
2	*	5185.975	79.604	39.479	25.604	54.000	40.125	AV

Site: AC5	Time: 2017/06/13 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	64.910	24.856	-9.090	74.000	40.054	PK
2	*	5203.275	102.721	62.582	28.721	74.000	40.138	PK


Site: AC5	Time: 2017/06/13 - 19:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.316	13.262	-0.684	54.000	40.054	AV
2	*	5204.325	92.323	52.184	38.323	54.000	40.139	AV




Site: AC5	Time: 2017/06/13 - 19:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	51.508	11.454	-22.492	74.000	40.054	PK
2	*	5203.450	86.455	46.316	12.455	74.000	40.138	PK


Site: AC5	Time: 2017/06/13 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at CH5210MHz by 802.11ac80 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	39.656	-0.398	-14.344	54.000	40.054	AV
2	*	5205.375	73.514	33.374	19.514	54.000	40.140	AV


Ant #3

Site: AC5	Time: 2017/06/14 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5180MHz by 802.11aANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	70.893	31.359	-3.107	74.000	39.534	PK
2	*	5181.550	109.415	69.858	35.415	74.000	39.558	PK

Site: AC5	Time: 2017/06/14 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5180MHz by 802.11aANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.714	13.180	-1.286	54.000	39.534	AV
2	*	5179.150	99.318	59.742	45.318	54.000	39.576	AV

Site: AC5	Time: 2017/06/14 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5180MHz by 802.11aANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	57.917	18.383	-16.083	74.000	39.534	PK
2	*	5182.300	96.388	56.831	22.388	74.000	39.556	PK

Site: AC5	Time: 2017/06/14 - 09:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5180MHz by 802.11aANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	41.953	2.419	-12.047	54.000	39.534	AV
2	*	5177.650	85.771	46.183	31.771	54.000	39.588	AV

Site: AC5	Time: 2017/06/14 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n20 ANT3	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	72.539	33.005	-1.461	74.000	39.534	PK
2	*	5182.150	114.673	75.118	40.673	74.000	39.555	PK


Site: AC5	Time: 2017/06/14 - 09:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5180MHz by 802.11n20 ANT3	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.804	13.270	-1.196	54.000	39.534	AV
2	*	5177.950	92.922	53.337	38.922	54.000	39.585	AV




Site: AC5	Time: 2017/06/14 - 09:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5180MHz by 802.11n20 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.013	19.479	-14.987	74.000	39.534	PK
2	*	5181.100	99.511	59.950	25.511	74.000	39.561	PK

Site: AC5	Time: 2017/06/14 - 09:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5180MHz by 802.11n20 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	43.581	4.047	-10.419	54.000	39.534	AV
2	*	5181.550	80.982	41.425	26.982	54.000	39.558	AV

Site: AC5	Time: 2017/06/14 - 09:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at channel 5190MHz by 802.11n40 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	72.068	32.534	-1.932	74.000	39.534	PK
2	*	5185.975	111.651	72.061	37.651	74.000	39.590	PK

Site: AC5	Time: 2017/06/14 - 09:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at channel 5190MHz by 802.11n40 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.903	13.369	-1.097	54.000	39.534	AV
2	*	5187.990	93.223	53.615	39.223	54.000	39.608	AV

Site: AC5	Time: 2017/06/14 - 09:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at channel 5190MHz by 802.11n40 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.537	20.003	-14.463	74.000	39.534	PK
2	*	5185.355	97.293	57.709	23.293	74.000	39.584	PK

Site: AC5	Time: 2017/06/14 - 09:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n40 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	40.508	0.974	-13.492	54.000	39.534	AV
2	*	5187.525	79.275	39.671	25.275	54.000	39.605	AV

Site: AC5	Time: 2017/06/14 - 09:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5180MHz by 802.11ac20 ANT3	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5147.050	73.631	34.119	-0.369	74.000	39.512	PK
2		5150.000	73.757	34.223	-0.243	74.000	39.534	PK
3	*	5181.100	115.809	76.248	41.809	74.000	39.561	PK


Site: AC5	Time: 2017/06/14 - 09:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5180MHz by 802.11ac20 ANT3	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	53.100	13.566	-0.900	54.000	39.534	AV




Site: AC5	Time: 2017/06/14 - 09:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5180MHz by 802.11ac20 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.925	20.391	-14.075	74.000	39.534	PK
2	*	5181.100	99.300	59.739	25.300	74.000	39.561	PK

Site: AC5	Time: 2017/06/14 - 09:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5180MHz by 802.11ac20 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	41.479	1.945	-12.521	54.000	39.534	AV
2	*	5182.000	80.184	40.630	26.184	54.000	39.554	AV

Site: AC5	Time: 2017/06/14 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5320MHz by 802.11ac20 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.165	116.423	76.501	42.423	74.000	39.922	PK
2		5350.000	72.027	32.156	-1.973	74.000	39.871	PK
3		5350.915	72.826	32.955	-1.174	74.000	39.871	PK

Site: AC5	Time: 2017/06/14 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5320MHz by 802.11ac20 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5317.595	93.835	53.903	39.835	54.000	39.933	AV
2		5350.000	51.248	11.377	-2.752	54.000	39.871	AV

Site: AC5	Time: 2017/06/14 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5320MHz by 802.11ac20 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5318.955	102.644	62.713	28.644	74.000	39.931	PK
2		5350.000	61.103	21.232	-12.897	74.000	39.871	PK

Site: AC5	Time: 2017/06/14 - 10:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5320MHz by 802.11ac20 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5317.765	82.803	42.870	28.803	54.000	39.934	AV
2		5350.000	42.654	2.783	-11.346	54.000	39.871	AV

Site: AC5	Time: 2017/06/14 - 11:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5500MHz by 802.11ac20 ANT3	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	68.368	28.334	-5.632	74.000	40.034	PK
2	*	5498.480	117.874	77.744	43.874	74.000	40.130	PK


Site: AC5	Time: 2017/06/14 - 11:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5500MHz by 802.11ac20 ANT3	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.678	12.644	-1.322	54.000	40.034	AV
2	*	5502.000	96.006	55.886	42.006	54.000	40.120	AV




Site: AC5	Time: 2017/06/14 - 11:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5500MHz by 802.11ac20 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.102	19.068	-14.898	74.000	40.034	PK
2	*	5498.320	107.719	67.589	33.719	74.000	40.131	PK

Site: AC5	Time: 2017/06/14 - 11:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5500MHz by 802.11ac20 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	44.084	4.050	-9.916	54.000	40.034	AV
2	*	5498.960	86.627	46.499	32.627	54.000	40.128	AV

Site: AC5	Time: 2017/06/14 - 09:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5190MHz by 802.11ac40 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5142.575	72.982	33.478	-1.018	74.000	39.504	PK
2	*	5185.355	110.363	70.779	36.363	74.000	39.584	PK

Site: AC5	Time: 2017/06/14 - 09:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5190MHz by 802.11ac40 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	51.075	11.541	-2.925	54.000	39.534	AV
2	*	5186.595	93.169	53.573	39.169	54.000	39.596	AV

Site: AC5	Time: 2017/06/14 - 10:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5190MHz by 802.11ac40 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5142.885	61.432	21.928	-12.568	74.000	39.505	PK
2		5150.000	60.153	20.619	-13.847	74.000	39.534	PK
3	*	5185.200	95.416	55.833	21.416	74.000	39.583	PK

Site: AC5	Time: 2017/06/14 - 10:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5190MHz by 802.11ac40 ANT3	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	41.732	2.198	-12.268	54.000	39.534	AV
2	*	5186.440	80.510	40.916	26.510	54.000	39.594	AV

Site: AC5	Time: 2017/06/14 - 10:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at channel 5210MHz by 802.11ac80 ANT3	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5089.000	72.171	32.688	-1.829	74.000	39.483	PK
2		5150.000	67.719	28.185	-6.281	74.000	39.534	PK
3	*	5206.075	107.068	67.359	33.068	74.000	39.709	PK


Site: AC5	Time: 2017/06/14 - 10:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at channel 5210MHz by 802.11ac80 ANT3	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	51.175	11.641	-2.825	54.000	39.534	AV
2	*	5206.075	87.640	47.931	33.640	54.000	39.709	AV




Site: AC5	Time: 2017/06/14 - 10:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at channel 5210MHz by 802.11ac80 ANT3	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5101.775	61.633	22.147	-12.367	74.000	39.486	PK
2		5150.000	56.040	16.506	-17.960	74.000	39.534	PK
3	*	5203.975	91.554	51.845	17.554	74.000	39.709	PK


Site: AC5	Time: 2017/06/14 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at channel 5210MHz by 802.11ac80 ANT3	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	41.014	1.480	-12.986	54.000	39.534	AV
2	*	5201.525	75.202	35.493	21.202	54.000	39.709	AV


### CDD

Site: AC5	Time: 2017/06/15 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 7:Transmit at CH5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	70.589	30.535	-3.411	74.000	40.054	PK
2	*	5182.000	116.913	76.791	42.913	74.000	40.122	PK

Site: AC5	Time: 2017/06/15 - 16:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 7:Transmit at CH5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.041	12.987	-0.959	54.000	40.054	AV
2	*	5179.000	106.650	66.533	52.650	54.000	40.117	AV

Site: AC5	Time: 2017/06/15 - 16:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 7:Transmit at CH5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.258	19.204	-14.742	74.000	40.054	PK
2	*	5181.400	102.482	62.361	28.482	74.000	40.121	PK

Site: AC5	Time: 2017/06/15 - 16:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 7:Transmit at CH5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	42.687	2.633	-11.313	54.000	40.054	AV
2	*	5180.950	92.149	52.029	38.149	54.000	40.120	AV

Site: AC5	Time: 2017/06/15 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 8:Transmit at CH5180MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	69.137	29.083	-4.863	74.000	40.054	PK
2	*	5180.800	109.136	69.016	35.136	74.000	40.120	PK


Site: AC5	Time: 2017/06/15 - 16:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 8:Transmit at CH5180MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.049	12.995	-0.951	54.000	40.054	AV
2	*	5179.150	99.262	59.144	45.262	54.000	40.117	AV




Site: AC5	Time: 2017/06/15 - 16:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 8:Transmit at CH5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	55.975	15.921	-18.025	74.000	40.054	PK
2	*	5181.250	96.002	55.881	22.002	74.000	40.121	PK

Site: AC5	Time: 2017/06/15 - 16:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 8:Transmit at CH5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	42.058	2.004	-11.942	54.000	40.054	AV
2	*	5178.250	85.761	45.645	31.761	54.000	40.116	AV

Site: AC5	Time: 2017/06/15 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 9:Transmit at CH5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	71.823	31.769	-2.177	74.000	40.054	PK
2	*	5187.680	104.695	64.569	30.695	74.000	40.127	PK

Site: AC5	Time: 2017/06/15 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 9:Transmit at CH5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.646	13.592	-0.354	54.000	40.054	AV
2	*	5188.610	95.738	55.611	41.738	54.000	40.127	AV

Site: AC5	Time: 2017/06/15 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 9:Transmit at CH5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	56.084	16.030	-17.916	74.000	40.054	PK
2	*	5187.835	91.361	51.235	17.361	74.000	40.127	PK

Site: AC5	Time: 2017/06/15 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 9:Transmit at CH5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	42.296	2.242	-11.704	54.000	40.054	AV
2	*	5185.820	82.137	42.012	28.137	54.000	40.125	AV

Site: AC5	Time: 2017/06/15 - 16:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 10:Transmit at CH5180MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	70.129	30.075	-3.871	74.000	40.054	PK
2	*	5181.250	109.350	69.229	35.350	74.000	40.121	PK


Site: AC5	Time: 2017/06/15 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 10:Transmit at CH5180MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.555	12.501	-1.445	54.000	40.054	AV
2	*	5178.550	99.129	59.012	45.129	54.000	40.117	AV




Site: AC5	Time: 2017/06/15 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 10:Transmit at CH5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	55.963	15.909	-18.037	74.000	40.054	PK
2	*	5178.550	95.733	55.616	21.733	74.000	40.117	PK

Site: AC5	Time: 2017/06/15 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 10:Transmit at CH5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	42.191	2.137	-11.809	54.000	40.054	AV
2	*	5181.100	86.097	45.976	32.097	54.000	40.121	AV

Site: AC5	Time: 2017/06/15 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 11:Transmit at CH5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	71.178	31.124	-2.822	74.000	40.054	PK
2	*	5188.145	104.708	64.581	30.708	74.000	40.127	PK

Site: AC5	Time: 2017/06/15 - 17:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 11:Transmit at CH5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.076	12.022	-1.924	54.000	40.054	AV
2	*	5188.610	94.568	54.441	40.568	54.000	40.127	AV

Site: AC5	Time: 2017/06/15 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 11:Transmit at CH5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	55.766	15.712	-18.234	74.000	40.054	PK
2	*	5188.145	91.073	50.946	17.073	74.000	40.127	PK

Site: AC5	Time: 2017/06/15 - 17:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 11:Transmit at CH5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	41.898	1.844	-12.102	54.000	40.054	AV
2	*	5187.835	81.720	41.594	27.720	54.000	40.127	AV

Site: AC5	Time: 2017/06/15 - 17:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 12:Transmit at CH5210MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	71.540	31.486	-2.460	74.000	40.054	PK
2	*	5203.100	102.296	62.158	28.296	74.000	40.138	PK


Site: AC5	Time: 2017/06/15 - 17:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 12:Transmit at CH5210MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	51.939	11.885	-2.061	54.000	40.054	AV
2	*	5208.000	90.881	50.739	36.881	54.000	40.142	AV




Site: AC5	Time: 2017/06/15 - 17:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 12:Transmit at CH5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	68.181	28.127	-5.819	74.000	40.054	PK
2	*	5203.275	101.496	61.357	27.496	74.000	40.138	PK

Site: AC5	Time: 2017/06/15 - 17:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00165315(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 12:Transmit at CH5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.333	12.279	-1.667	54.000	40.054	AV
2	*	5205.900	91.185	51.044	37.185	54.000	40.141	AV

Site: AC5	Time: 2017/06/16 - 14:51
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5745MHz by 802.11aANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5646.000	65.336	24.945	-2.864	68.200	40.391	PK
2		5654.400	68.140	27.679	-3.316	71.456	40.461	PK
3		5719.400	94.071	53.529	-16.561	110.632	40.542	PK

Site: AC5	Time: 2017/06/16 - 14:53
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5745MHz by 802.11aANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5646.600	55.177	14.781	-13.023	68.200	40.396	PK
2		5689.800	67.443	26.926	-30.209	97.652	40.517	PK
3		5719.200	78.759	38.216	-31.817	110.576	40.543	PK

Site: AC5	Time: 2017/06/16 - 14:59
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5785MHz by 802.11aANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5648.600	58.439	18.027	-9.761	68.200	40.413	PK
2		5700.200	68.140	27.581	-37.116	105.256	40.559	PK
3		5719.800	72.928	32.388	-37.816	110.744	40.540	PK
4		5855.800	72.684	31.826	-37.892	110.576	40.857	PK
5		5899.200	62.021	21.144	-25.271	87.292	40.878	PK
6		5925.800	57.123	16.193	-11.077	68.200	40.930	PK

Site: AC5	Time: 2017/06/16 - 15:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5785MHz by 802.11aANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5647.000	53.398	12.999	-14.802	68.200	40.399	PK
2		5689.000	54.443	13.927	-42.617	97.060	40.516	PK
3		5713.400	59.250	18.675	-49.702	108.952	40.575	PK
4		5855.600	60.508	19.651	-50.124	110.632	40.857	PK
5		5896.000	53.948	13.112	-35.712	89.660	40.836	PK
6	*	5928.000	53.715	12.806	-14.485	68.200	40.909	PK

Site: AC5	Time: 2017/06/16 - 15:08
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5825MHz by 802.11aANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5862.400	85.088	44.222	-23.640	108.728	40.866	PK
2		5896.400	72.132	31.291	-17.232	89.364	40.842	PK
3	*	5927.800	66.339	25.428	-1.861	68.200	40.911	PK


Site: AC5	Time: 2017/06/16 - 15:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5825MHz by 802.11aANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5645.400	53.553	13.167	-14.647	68.200	40.386	PK
2		5662.600	54.822	14.330	-22.702	77.524	40.491	PK
3		5698.800	53.490	12.938	-50.822	104.312	40.552	PK
4		5873.600	68.953	28.115	-36.639	105.592	40.837	PK
5		5912.200	57.519	16.473	-20.153	77.672	41.046	PK
6	*	5950.800	54.350	13.312	-13.850	68.200	41.037	PK




Site: AC5	Time: 2017/06/16 - 15:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5745MHz by 802.11n20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5648.600	63.785	23.373	-4.415	68.200	40.413	PK
2		5659.600	66.649	26.158	-8.655	75.304	40.491	PK
3		5698.200	76.816	36.267	-27.052	103.868	40.550	PK

Site: AC5	Time: 2017/06/16 - 15:36
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5745MHz by 802.11n20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5640.800	53.326	12.974	-14.874	68.200	40.352	PK
2		5669.000	54.649	14.155	-27.611	82.260	40.494	PK
3		5718.400	72.830	32.282	-37.522	110.352	40.548	PK

Site: AC5	Time: 2017/06/16 - 15:36
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5785MHz by 802.11n20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5639.800	57.691	17.327	-10.509	68.200	40.364	PK
2		5656.800	59.962	19.481	-13.270	73.232	40.480	PK
3		5712.000	67.099	26.516	-41.461	108.560	40.583	PK
4		5865.200	66.198	25.339	-41.746	107.944	40.859	PK
5		5915.800	57.023	15.995	-17.985	75.008	41.028	PK
6		5943.600	57.079	16.064	-11.121	68.200	41.015	PK

Site: AC5	Time: 2017/06/16 - 15:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5785MHz by 802.11n20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5650.200	52.246	11.820	-16.102	68.348	40.426	PK
2		5697.600	52.815	12.268	-50.609	103.424	40.547	PK
3		5719.800	55.934	15.394	-54.810	110.744	40.540	PK
4		5857.800	53.206	12.345	-56.810	110.016	40.861	PK
5		5908.800	53.076	12.074	-27.112	80.188	41.001	PK
6	*	5938.000	52.919	11.956	-15.281	68.200	40.963	PK

Site: AC5	Time: 2017/06/16 - 15:38
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5825MHz by 802.11n20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5865.600	79.462	38.604	-28.370	107.832	40.858	PK
2		5895.600	70.837	30.001	-19.119	89.956	40.835	PK
3	*	5926.400	61.562	20.638	-6.638	68.200	40.925	PK

Site: AC5	Time: 2017/06/16 - 15:39
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5825MHz by 802.11n20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5855.400	70.761	29.904	-39.927	110.688	40.857	PK
2		5912.400	54.164	13.116	-23.360	77.524	41.048	PK
3	*	5938.800	53.315	12.344	-14.885	68.200	40.970	PK

Site: AC5	Time: 2017/06/16 - 15:43
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5755MHz by 802.802.11N40 ANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5649.400	65.611	25.192	-2.589	68.200	40.419	PK
2		5697.000	77.029	36.485	-25.951	102.980	40.544	PK
3		5718.000	90.106	49.556	-20.134	110.240	40.550	PK


Site: AC5	Time: 2017/06/16 - 15:51
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5755MHz by 802.802.11N40 ANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5631.800	55.635	15.171	-12.565	68.200	40.465	PK
2		5659.600	58.183	17.692	-17.121	75.304	40.491	PK
3		5717.800	76.178	35.627	-34.006	110.184	40.551	PK




Site: AC5	Time: 2017/06/16 - 15:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at channel 5795MHz by 802.802.11N40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5650.200	66.882	26.456	-1.466	68.348	40.426	PK
2		5869.400	82.550	41.702	-24.218	106.768	40.848	PK
3		5920.000	70.031	29.044	-1.869	71.900	40.987	PK
4	*	5932.000	67.428	26.520	-0.772	68.200	40.908	PK

Site: AC5	Time: 2017/06/16 - 15:56
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at channel 5795MHz by 802.802.11N40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5859.200	68.323	27.460	-41.301	109.624	40.863	PK
2		5920.800	57.712	16.733	-13.596	71.308	40.979	PK
3	*	5936.200	55.160	14.214	-13.040	68.200	40.947	PK

Site: AC5	Time: 2017/06/16 - 15:39
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5745MHz by 802.11ac20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5648.400	64.198	23.787	-4.002	68.200	40.410	PK
2		5668.400	69.626	29.132	-12.190	81.816	40.494	PK
3		5710.800	83.690	43.101	-24.534	108.224	40.589	PK

Site: AC5	Time: 2017/06/16 - 15:40
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5745MHz by 802.11ac20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5637.400	52.198	11.804	-16.002	68.200	40.394	PK
2		5670.800	53.826	13.332	-29.766	83.592	40.494	PK
3		5712.600	68.070	27.491	-40.658	108.728	40.580	PK

Site: AC5	Time: 2017/06/16 - 15:40
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5785MHz by 802.11ac20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5647.400	57.795	17.393	-10.405	68.200	40.402	PK
2		5697.600	62.660	22.113	-40.764	103.424	40.547	PK
3		5708.400	69.091	28.495	-38.461	107.552	40.596	PK
4		5857.800	66.325	25.464	-43.691	110.016	40.861	PK
5		5885.600	62.023	21.194	-35.333	97.356	40.829	PK
6		5933.400	55.787	14.866	-12.413	68.200	40.921	PK

Site: AC5	Time: 2017/06/16 - 15:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5785MHz by 802.11ac20 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5650.200	52.360	11.934	-15.988	68.348	40.426	PK
2		5697.800	52.667	12.120	-50.905	103.572	40.547	PK
3		5719.600	55.686	15.145	-55.002	110.688	40.541	PK
4		5864.600	53.920	13.060	-54.192	108.112	40.861	PK
5		5880.200	53.714	12.889	-47.638	101.352	40.825	PK
6	*	5943.000	53.307	12.298	-14.893	68.200	41.009	PK

Site: AC5	Time: 2017/06/16 - 15:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5825MHz by 802.11ac20 ANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5860.400	83.068	42.203	-26.220	109.288	40.865	PK
2		5888.400	74.304	33.473	-20.980	95.284	40.831	PK
3	*	5927.400	63.489	22.574	-4.711	68.200	40.914	PK


Site: AC5	Time: 2017/06/16 - 15:42
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5825MHz by 802.11ac20 ANT0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5855.200	71.420	30.563	-39.324	110.744	40.856	PK
2		5880.000	60.445	19.620	-41.055	101.500	40.825	PK
3	*	5923.800	53.563	12.613	-15.525	69.088	40.950	PK




Site: AC5	Time: 2017/06/16 - 15:57
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5755MHz by 802.11ac40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5647.800	66.455	26.049	-1.745	68.200	40.406	PK
2		5694.600	75.036	34.503	-26.168	101.204	40.533	PK
3		5719.800	93.203	52.663	-17.541	110.744	40.540	PK

Site: AC5	Time: 2017/06/16 - 16:01
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5755MHz by 802.11ac40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5650.800	54.968	14.537	-13.824	68.792	40.431	PK
2		5690.000	61.868	21.350	-35.932	97.800	40.517	PK
3		5718.400	73.551	33.003	-36.801	110.352	40.548	PK

Site: AC5	Time: 2017/06/16 - 16:15
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5795MHz by 802.11ac40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5859.000	82.165	41.303	-27.515	109.680	40.863	PK
2		5917.400	70.273	29.260	-3.551	73.824	41.013	PK
3	*	5936.200	66.629	25.683	-1.571	68.200	40.947	PK

Site: AC5	Time: 2017/06/16 - 16:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5795MHz by 802.11ac40 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5868.200	62.422	21.571	-44.682	107.104	40.852	PK
2		5900.200	60.072	19.182	-26.480	86.552	40.890	PK
3	*	5947.200	54.980	13.934	-13.220	68.200	41.046	PK

Site: AC5	Time: 2017/06/16 - 16:18
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at channel 5775MHz by 802.11ac80 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5648.600	67.494	27.082	-0.706	68.200	40.413	PK
2		5694.200	79.837	39.306	-21.071	100.908	40.531	PK
3		5719.400	82.362	41.820	-28.270	110.632	40.542	PK

Site: AC5	Time: 2017/06/16 - 16:24
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at channel 5775MHz by 802.11ac80 ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5648.600	57.778	17.366	-10.422	68.200	40.413	PK
2		5691.200	67.815	27.296	-30.873	98.688	40.520	PK
3		5714.000	68.212	27.640	-40.908	109.120	40.572	PK

Site: AC5	Time: 2017/06/16 - 16:26
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5745MHz by 802.11aANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5652.400	56.515	16.071	-13.461	69.976	40.444	PK
2		5689.800	69.369	28.852	-28.283	97.652	40.517	PK
3		5711.000	74.546	33.958	-33.734	108.280	40.589	PK


Site: AC5	Time: 2017/06/16 - 16:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5745MHz by 802.11aANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5649.200	53.097	12.680	-15.103	68.200	40.418	PK
2		5684.000	57.506	16.997	-35.854	93.360	40.509	PK
3		5711.200	65.995	25.408	-42.341	108.336	40.587	PK




Site: AC5	Time: 2017/06/16 - 16:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5785MHz by 802.11aANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5645.400	54.680	14.294	-13.520	68.200	40.386	PK
2		5700.400	59.653	19.094	-45.659	105.312	40.560	PK
3		5714.400	65.188	24.618	-44.044	109.232	40.569	PK
4		5859.200	63.150	22.287	-46.474	109.624	40.863	PK
5		5884.800	56.314	15.486	-41.634	97.948	40.828	PK
6		5938.800	53.922	12.951	-14.278	68.200	40.970	PK

Site: AC5	Time: 2017/06/16 - 16:28
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5785MHz by 802.11aANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5647.600	52.682	12.278	-15.518	68.200	40.404	PK
2		5696.800	51.958	11.415	-50.874	102.832	40.543	PK
3		5714.400	53.620	13.050	-55.612	109.232	40.569	PK
4		5862.200	52.566	11.699	-56.218	108.784	40.866	PK
5		5884.600	52.876	12.048	-45.220	98.096	40.829	PK
6	*	5936.200	53.390	12.444	-14.810	68.200	40.947	PK

Site: AC5	Time: 2017/06/16 - 16:28
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5825MHz by 802.11aANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5860.800	77.792	36.927	-31.384	109.176	40.865	PK
2		5882.600	70.306	29.479	-29.270	99.576	40.827	PK
3	*	5927.200	58.659	17.742	-9.541	68.200	40.917	PK

Site: AC5	Time: 2017/06/16 - 16:29
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5825MHz by 802.11aANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5870.000	60.458	19.611	-46.142	106.600	40.847	PK
2		5914.800	53.257	12.219	-22.491	75.748	41.039	PK
3	*	5929.800	52.277	11.386	-15.923	68.200	40.891	PK

Site: AC5	Time: 2017/06/16 - 16:29
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5745MHz by 802.11n20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5644.000	63.732	23.358	-4.468	68.200	40.374	PK
2		5660.200	67.816	27.325	-7.932	75.748	40.491	PK
3		5706.800	81.283	40.694	-25.821	107.104	40.589	PK

Site: AC5	Time: 2017/06/16 - 16:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5745MHz by 802.11n20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5646.600	52.841	12.445	-15.359	68.200	40.396	PK
2		5657.000	51.831	11.349	-21.549	73.380	40.483	PK
3		5701.000	62.109	21.547	-43.371	105.480	40.563	PK

Site: AC5	Time: 2017/06/16 - 16:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5785MHz by 802.11n20 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5642.200	57.627	17.268	-10.573	68.200	40.360	PK
2		5657.800	61.379	20.890	-12.593	73.972	40.489	PK
3		5712.400	67.171	26.590	-41.501	108.672	40.581	PK
4		5873.600	63.788	22.950	-41.804	105.592	40.837	PK
5		5909.400	56.783	15.774	-22.961	79.744	41.009	PK
6		5931.400	56.158	15.256	-12.042	68.200	40.902	PK


Site: AC5	Time: 2017/06/16 - 16:32
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5785MHz by 802.11n20 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5644.200	51.475	11.099	-16.725	68.200	40.376	PK
2		5699.000	52.766	12.213	-51.694	104.460	40.553	PK
3		5711.800	53.410	12.826	-55.094	108.504	40.584	PK
4		5864.800	53.803	12.943	-54.253	108.056	40.860	PK
5		5898.200	52.358	11.494	-35.674	88.032	40.864	PK
6	*	5937.000	53.489	12.535	-14.711	68.200	40.954	PK




Site: AC5	Time: 2017/06/16 - 16:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5825MHz by 802.11n20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5871.400	76.386	35.543	-29.822	106.208	40.843	PK
2		5911.000	64.920	23.890	-13.640	78.560	41.030	PK
3	*	5925.400	61.691	20.757	-6.509	68.200	40.935	PK

Site: AC5	Time: 2017/06/16 - 16:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5825MHz by 802.11n20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5856.200	69.890	29.032	-40.574	110.464	40.858	PK
2		5886.000	58.995	18.166	-38.065	97.060	40.829	PK
3	*	5936.600	53.076	12.126	-15.124	68.200	40.950	PK

Site: AC5	Time: 2017/06/16 - 16:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5755MHz by 802.11n40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5644.000	66.575	26.201	-1.625	68.200	40.374	PK
2		5665.000	70.767	30.274	-8.533	79.300	40.493	PK
3		5707.200	82.313	41.722	-24.903	107.216	40.590	PK

Site: AC5	Time: 2017/06/16 - 16:39
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5755MHz by 802.11n40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5646.200	55.601	15.208	-12.599	68.200	40.392	PK
2		5662.000	58.503	18.011	-18.577	77.080	40.492	PK
3		5697.200	64.687	24.142	-38.441	103.128	40.544	PK

Site: AC5	Time: 2017/06/16 - 16:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5795MHz by 802.11n40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5650.200	66.838	26.412	-1.510	68.348	40.426	PK
2		5667.000	69.893	29.400	-10.887	80.780	40.493	PK
3		5718.000	77.392	36.842	-32.848	110.240	40.550	PK

Site: AC5	Time: 2017/06/16 - 16:44
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at channel 5795MHz by 802.11n40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5645.000	56.379	15.996	-11.821	68.200	40.383	PK
2		5676.200	59.834	19.337	-27.754	87.588	40.498	PK
3		5699.800	63.940	23.383	-41.112	105.052	40.557	PK

Site: AC5	Time: 2017/06/16 - 16:34
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5745MHz by 802.11ac20 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5645.200	64.013	23.629	-4.187	68.200	40.384	PK
2		5668.200	69.979	29.485	-11.689	81.668	40.493	PK
3		5705.200	80.993	40.411	-25.663	106.656	40.582	PK


Site: AC5	Time: 2017/06/16 - 16:34
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5745MHz by 802.11ac20 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5651.000	53.270	12.838	-15.670	68.940	40.432	PK
2		5699.800	62.762	22.205	-42.290	105.052	40.557	PK
3		5720.600	73.897	33.362	-38.271	112.168	40.536	PK




Site: AC5	Time: 2017/06/16 - 16:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5785MHz by 802.11ac20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5648.800	58.121	17.707	-10.079	68.200	40.414	PK
2		5657.000	59.951	19.469	-13.429	73.380	40.483	PK
3		5708.400	69.162	28.566	-38.390	107.552	40.596	PK
4		5857.600	67.917	27.057	-42.155	110.072	40.861	PK
5		5897.600	59.334	18.477	-29.142	88.476	40.856	PK
6		5931.800	55.966	15.060	-12.234	68.200	40.906	PK

Site: AC5	Time: 2017/06/16 - 16:36
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5785MHz by 802.11ac20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5645.200	51.403	11.019	-16.797	68.200	40.384	PK
2		5658.200	52.217	11.726	-22.051	74.268	40.490	PK
3		5720.800	56.674	16.140	-55.950	112.624	40.534	PK
4		5857.400	53.867	13.007	-56.261	110.128	40.860	PK
5		5897.000	52.644	11.795	-36.276	88.920	40.848	PK
6	*	5939.200	53.149	12.175	-15.051	68.200	40.974	PK

Site: AC5	Time: 2017/06/16 - 16:36
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5825MHz by 802.11ac20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5871.600	77.475	36.632	-28.677	106.152	40.843	PK
2		5910.000	66.982	25.965	-12.318	79.300	41.017	PK
3	*	5926.600	62.379	21.457	-5.821	68.200	40.922	PK

Site: AC5	Time: 2017/06/16 - 16:36
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5825MHz by 802.11ac20 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5854.000	74.064	33.209	-39.016	113.080	40.855	PK
2		5877.800	61.140	20.313	-41.988	103.128	40.827	PK
3	*	5927.400	53.141	12.226	-15.059	68.200	40.914	PK

Site: AC5	Time: 2017/06/16 - 16:46
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5755MHz by 802.11ac40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5648.200	68.141	27.732	-0.059	68.200	40.409	PK
2		5667.200	71.598	31.105	-9.330	80.928	40.493	PK
3		5719.800	93.370	52.830	-17.374	110.744	40.540	PK

Site: AC5	Time: 2017/06/16 - 16:49
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5755MHz by 802.11ac40 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5639.400	55.966	15.597	-12.234	68.200	40.369	PK
2		5698.200	63.833	23.284	-40.035	103.868	40.550	PK
3		5719.400	81.606	41.064	-29.026	110.632	40.542	PK

Site: AC5	Time: 2017/06/16 - 16:50
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5795MHz by 802.11ac40 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5648.600	67.269	26.857	-0.931	68.200	40.413	PK
2		5869.400	79.642	38.794	-27.126	106.768	40.848	PK
3		5922.800	68.312	27.352	-1.516	69.828	40.960	PK
4		5936.800	66.488	25.536	-1.712	68.200	40.952	PK


Site: AC5	Time: 2017/06/16 - 16:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 5:Transmit at channel 5795MHz by 802.11ac40 ANT1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5861.600	69.158	28.292	-39.794	108.952	40.866	PK
2		5880.200	66.362	25.537	-34.990	101.352	40.825	PK
3	*	5943.800	57.073	16.056	-11.127	68.200	41.016	PK




Site: AC5	Time: 2017/06/16 - 16:55
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at channel 5775MHz by 802.11ac80 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5644.400	66.805	26.427	-1.395	68.200	40.378	PK
2		5664.800	70.157	29.664	-8.995	79.152	40.493	PK
3		5709.800	81.161	40.566	-26.783	107.944	40.595	PK

Site: AC5	Time: 2017/06/16 - 17:00
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 6:Transmit at channel 5775MHz by 802.11ac80 ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5643.600	57.044	16.673	-11.156	68.200	40.371	PK
2		5678.000	64.442	23.942	-24.478	88.920	40.500	PK
3		5718.200	69.820	29.271	-40.476	110.296	40.548	PK

Site: AC5	Time: 2017/06/16 - 17:02
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5745MHz by 802.11aANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5644.200	58.316	17.940	-9.884	68.200	40.376	PK
2		5673.400	65.864	25.369	-19.652	85.516	40.495	PK
3		5707.200	78.427	37.836	-28.789	107.216	40.590	PK

Site: AC5	Time: 2017/06/16 - 17:04
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5745MHz by 802.11aANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5652.400	54.264	13.820	-15.712	69.976	40.444	PK
2		5662.600	55.878	15.386	-21.646	77.524	40.491	PK
3		5717.400	73.970	33.417	-36.102	110.072	40.553	PK

Site: AC5	Time: 2017/06/16 - 17:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5785MHz by 802.11aANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5647.600	54.809	14.405	-13.391	68.200	40.404	PK
2		5661.400	56.399	15.907	-20.237	76.636	40.492	PK
3		5703.200	61.376	20.804	-44.720	106.096	40.573	PK
4		5863.000	61.624	20.760	-46.936	108.560	40.864	PK
5		5898.800	56.657	15.785	-30.931	87.588	40.872	PK
6		5928.600	54.526	13.623	-13.674	68.200	40.903	PK

Site: AC5	Time: 2017/06/16 - 17:06
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5785MHz by 802.11aANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5643.800	53.443	13.070	-14.757	68.200	40.373	PK
2		5655.800	52.064	11.592	-20.428	72.492	40.472	PK
3		5709.000	52.964	12.365	-54.756	107.720	40.599	PK
4		5872.600	52.839	11.999	-53.033	105.872	40.840	PK
5		5919.000	52.362	11.365	-20.278	72.640	40.997	PK
6		5936.600	52.368	11.418	-15.832	68.200	40.950	PK

Site: AC5	Time: 2017/06/16 - 17:06
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5825MHz by 802.11aANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5860.200	77.815	36.951	-31.529	109.344	40.864	PK
2		5882.000	69.994	29.168	-30.026	100.020	40.826	PK
3	*	5940.600	57.146	16.159	-11.054	68.200	40.987	PK


Site: AC5	Time: 2017/06/16 - 17:07
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 1:Transmit at channel 5825MHz by 802.11aANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5859.800	66.338	25.474	-43.118	109.456	40.864	PK
2		5898.200	55.401	14.537	-32.631	88.032	40.864	PK
3	*	5934.600	53.412	12.480	-14.788	68.200	40.931	PK




Site: AC5	Time: 2017/06/16 - 17:08
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5745MHz by 802.11n20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5632.000	62.647	22.185	-5.553	68.200	40.462	PK
2		5660.000	68.005	27.514	-7.595	75.600	40.491	PK
3		5713.200	86.404	45.828	-22.492	108.896	40.576	PK

Site: AC5	Time: 2017/06/16 - 17:08
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5745MHz by 802.11n20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5644.400	52.510	12.132	-15.690	68.200	40.378	PK
2		5662.600	55.032	14.540	-22.492	77.524	40.491	PK
3		5707.800	66.366	25.772	-41.018	107.384	40.593	PK

Site: AC5	Time: 2017/06/16 - 17:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5785MHz by 802.11n20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5649.200	58.754	18.337	-9.446	68.200	40.418	PK
2		5672.400	61.402	20.907	-23.374	84.776	40.494	PK
3		5704.000	67.049	26.473	-39.271	106.320	40.576	PK

Site: AC5	Time: 2017/06/16 - 17:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5785MHz by 802.11n20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5649.800	53.882	13.460	-14.318	68.200	40.422	PK
2		5661.200	53.417	12.926	-23.071	76.488	40.492	PK
3		5706.800	55.120	14.531	-51.984	107.104	40.589	PK
4		5867.400	54.437	13.584	-52.891	107.328	40.854	PK
5		5919.000	54.292	13.295	-18.348	72.640	40.997	PK
6	*	5935.600	53.977	13.036	-14.223	68.200	40.941	PK

Site: AC5	Time: 2017/06/16 - 17:11
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5825MHz by 802.11n20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5872.800	76.601	35.761	-29.215	105.816	40.840	PK
2		5905.000	65.857	24.905	-17.143	83.000	40.953	PK
3	*	5929.000	60.333	19.434	-7.867	68.200	40.899	PK

Site: AC5	Time: 2017/06/16 - 17:11
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 2:Transmit at channel 5825MHz by 802.11n20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5865.200	67.486	26.627	-40.458	107.944	40.859	PK
2		5915.800	54.108	13.080	-20.900	75.008	41.028	PK
3	*	5940.600	53.721	12.734	-14.479	68.200	40.987	PK

Site: AC5	Time: 2017/06/16 - 17:15
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at channel 5755MHz by 802.11n40 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5645.400	65.959	25.573	-2.241	68.200	40.386	PK
2		5665.200	71.685	31.192	-7.763	79.448	40.492	PK
3		5696.200	77.048	36.508	-25.340	102.388	40.540	PK


Site: AC5	Time: 2017/06/16 - 17:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5755MHz by 802.11n40 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5643.000	55.438	15.072	-12.762	68.200	40.366	PK
2		5660.000	59.512	19.021	-16.088	75.600	40.491	PK
3		5693.200	64.562	24.036	-35.606	100.168	40.526	PK




Site: AC5	Time: 2017/06/16 - 17:18
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5795MHz by 802.11n40 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5649.800	67.282	26.860	-0.918	68.200	40.422	PK
2		5869.000	81.826	40.977	-25.054	106.880	40.850	PK
3		5918.400	70.383	29.380	-2.701	73.084	41.003	PK
4	*	5927.600	67.430	26.517	-0.770	68.200	40.913	PK

Site: AC5	Time: 2017/06/16 - 17:20
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 3:Transmit at channel 5795MHz by 802.11n40 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5870.600	66.983	26.138	-39.449	106.432	40.845	PK
2		5921.400	59.157	18.184	-11.707	70.864	40.974	PK
3	*	5930.200	57.538	16.647	-10.662	68.200	40.891	PK

Site: AC5	Time: 2017/06/16 - 17:12
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5745MHz by 802.11ac20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5649.000	66.997	26.581	-1.203	68.200	40.415	PK
2		5668.400	69.941	29.447	-11.875	81.816	40.494	PK
3		5704.600	78.562	37.983	-27.926	106.488	40.579	PK

Site: AC5	Time: 2017/06/16 - 17:12
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5745MHz by 802.11ac20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5645.000	52.699	12.316	-15.501	68.200	40.383	PK
2		5662.600	55.543	15.051	-21.981	77.524	40.491	PK
3		5705.200	65.608	25.026	-41.048	106.656	40.582	PK

Site: AC5	Time: 2017/06/16 - 17:13
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5785MHz by 802.11ac20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5645.200	58.611	18.227	-9.589	68.200	40.384	PK
2		5657.800	61.320	20.831	-12.652	73.972	40.489	PK
3		5708.400	69.288	28.692	-38.264	107.552	40.596	PK
4		5853.400	68.542	27.688	-45.906	114.448	40.854	PK
5		5871.200	65.449	24.605	-40.815	106.264	40.844	PK
6		5927.600	54.554	13.641	-13.646	68.200	40.913	PK

Site: AC5	Time: 2017/06/16 - 17:13
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5785MHz by 802.11ac20 ANT2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5646.400	53.316	12.922	-14.884	68.200	40.395	PK
2		5656.000	53.678	13.204	-18.962	72.640	40.474	PK
3		5708.400	54.288	13.692	-53.264	107.552	40.596	PK
4		5873.600	53.202	12.364	-52.390	105.592	40.837	PK
5		5919.400	53.093	12.100	-19.251	72.344	40.993	PK
6		5936.600	51.519	10.569	-16.681	68.200	40.950	PK

Site: AC5	Time: 2017/06/16 - 17:14
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5825MHz by 802.11ac20 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5875.800	76.152	35.320	-28.456	104.608	40.832	PK
2		5909.800	66.888	25.874	-12.560	79.448	41.014	PK
3	*	5927.000	61.956	21.037	-6.244	68.200	40.919	PK

Site: AC5	Time: 2017/06/16 - 17:14
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Xiaomi Router 3 Pro	Power: AC 120V/60Hz
Note: Mode 4:Transmit at channel 5825MHz by 802.11ac20 ANT2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5860.400	68.389	27.524	-40.899	109.288	40.865	PK
2		5900.400	55.654	14.761	-30.750	86.404	40.893	PK
3	*	5934.200	53.606	12.678	-14.594	68.200	40.928	PK