

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.36	22.34	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.32	22.30	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.25	22.23	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.50	22.48	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.50	22.48	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	23.48	22.46	33.01	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.44	21.42	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	23.17	22.15	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.29	22.27	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.32	22.30	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.38	22.36	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.37	22.35	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	23.37	22.35	33.01	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.37	21.35	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.32	22.30	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.26	22.24	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.30	22.28	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.51	22.49	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.51	22.49	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	23.51	22.49	33.01	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.47	21.45	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.62	21.60	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.62	21.60	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.62	21.60	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.36	21.34	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.37	21.35	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	22.39	21.37	33.01	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.32	20.30	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.32	21.30	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.53	21.51	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.48	21.46	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.28	21.26	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.29	21.27	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	22.30	21.28	33.01	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.42	20.40	33.01	PASS

Band2	1.4MHz	16QAM	19193	1RB#0	22.59	21.57	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	22.62	21.60	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	22.61	21.59	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.38	21.36	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.38	21.36	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#2	22.41	21.39	33.01	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.34	20.32	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#0	23.34	22.32	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#7	23.38	22.36	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.46	22.44	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.39	21.37	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.39	21.37	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.39	21.37	33.01	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.39	21.37	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.33	22.31	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#7	23.40	22.38	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.20	22.18	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.38	21.36	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.38	21.36	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.38	21.36	33.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.40	21.38	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.39	22.37	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#7	23.21	22.19	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.22	22.20	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.50	21.48	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.52	21.50	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.48	21.46	33.01	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.51	21.49	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.63	21.61	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#7	22.24	21.22	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.29	21.27	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.49	20.47	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.50	20.48	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.47	20.45	33.01	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.43	20.41	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.47	21.45	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#7	22.51	21.49	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.38	21.36	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.38	20.36	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.38	20.36	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.41	20.39	33.01	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.29	20.27	33.01	PASS

Band2	3MHz	16QAM	19185	1RB#0	22.20	21.18	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#7	22.25	21.23	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#14	22.14	21.12	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#0	21.52	20.50	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#4	21.55	20.53	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#7	21.51	20.49	33.01	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.45	20.43	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.59	22.57	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.50	22.48	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.49	22.47	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.41	21.39	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.41	21.39	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#11	22.42	21.40	33.01	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.43	21.41	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#0	23.47	22.45	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.36	22.34	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.44	22.42	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.41	21.39	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.44	21.42	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#11	22.42	21.40	33.01	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.32	21.30	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#0	23.62	22.60	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#12	23.67	22.65	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.44	22.42	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#0	22.54	21.52	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#6	22.55	21.53	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#11	22.55	21.53	33.01	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.53	21.51	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.36	21.34	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#12	21.92	20.90	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.13	21.11	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.44	20.42	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.43	20.41	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#11	21.44	20.42	33.01	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.44	20.42	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.36	21.34	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.58	21.56	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.28	21.26	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.47	20.45	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.48	20.46	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#11	21.46	20.44	33.01	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.34	20.32	33.01	PASS

Band2	5MHz	16QAM	19175	1RB#0	22.56	21.54	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#12	22.56	21.54	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#24	22.37	21.35	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#0	21.56	20.54	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.55	20.53	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#11	21.56	20.54	33.01	PASS
Band2	5MHz	16QAM	19175	25RB#0	21.57	20.55	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.50	22.48	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.06	22.04	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.19	22.17	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#0	22.42	21.40	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#12	22.42	21.40	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#24	22.42	21.40	33.01	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.47	21.45	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.44	22.42	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.34	22.32	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.33	22.31	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.42	21.40	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.42	21.40	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#24	22.43	21.41	33.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.31	21.29	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#0	23.49	22.47	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.42	22.40	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#49	23.18	22.16	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#0	22.61	21.59	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.61	21.59	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#24	22.60	21.58	33.01	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.61	21.59	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.66	21.64	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.64	21.62	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.48	21.46	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.42	20.40	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.42	20.40	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#24	21.42	20.40	33.01	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.46	20.44	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.57	21.55	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.62	21.60	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.49	21.47	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.50	20.48	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.47	20.45	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#24	21.46	20.44	33.01	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.28	20.26	33.01	PASS

Band2	10MHz	16QAM	19150	1RB#0	22.23	21.21	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#24	22.38	21.36	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.38	21.36	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.68	20.66	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.65	20.63	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#24	21.66	20.64	33.01	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.58	20.56	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	23.42	22.40	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#37	23.24	22.22	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.16	22.14	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#0	22.40	21.38	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#16	22.39	21.37	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#35	22.40	21.38	33.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.41	21.39	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.26	22.24	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#37	23.41	22.39	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.16	22.14	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#0	22.38	21.36	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#16	22.42	21.40	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#35	22.38	21.36	33.01	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.43	21.41	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#0	23.42	22.40	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#37	23.41	22.39	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.80	21.78	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#0	22.53	21.51	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#16	22.54	21.52	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#35	22.51	21.49	33.01	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.54	21.52	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.49	21.47	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#37	22.27	21.25	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.44	21.42	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#0	21.38	20.36	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#16	21.38	20.36	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#35	21.36	20.34	33.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.38	20.36	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.43	21.41	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#37	22.66	21.64	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.40	21.38	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#0	21.49	20.47	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#16	21.49	20.47	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#35	21.50	20.48	33.01	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.42	20.40	33.01	PASS

Band2	15MHz	16QAM	19125	1RB#0	22.18	21.16	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#37	22.28	21.26	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.22	21.20	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#0	21.55	20.53	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#16	21.52	20.50	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#35	21.55	20.53	33.01	PASS
Band2	15MHz	16QAM	19125	75RB#0	21.54	20.52	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#0	23.47	22.45	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.54	22.52	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.23	22.21	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#0	22.40	21.38	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#24	22.41	21.39	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#49	22.40	21.38	33.01	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.39	21.37	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.26	22.24	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.41	22.39	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.99	21.97	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.51	21.49	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#24	22.49	21.47	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#49	22.50	21.48	33.01	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.50	21.48	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.14	22.12	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.43	22.41	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.07	22.05	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#0	22.64	21.62	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#24	22.61	21.59	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#49	22.62	21.60	33.01	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.63	21.61	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.23	21.21	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.27	21.25	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.27	21.25	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.37	20.35	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#24	21.37	20.35	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#49	21.37	20.35	33.01	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.38	20.36	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.52	21.50	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.46	21.44	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#99	22.67	21.65	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.51	20.49	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#24	21.50	20.48	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#49	21.47	20.45	33.01	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.46	20.44	33.01	PASS

Band2	20MHz	16QAM	19100	1RB#0	22.45	21.43	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.25	21.23	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.01	20.99	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#0	21.64	20.62	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#24	21.64	20.62	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#49	21.66	20.64	33.01	PASS
Band2	20MHz	16QAM	19100	100RB#0	21.60	20.58	33.01	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	23.57	15.62	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.56	15.61	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.58	15.63	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.60	15.65	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.59	15.64	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#2	23.63	15.68	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.62	14.67	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.71	15.76	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.36	15.41	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.40	15.45	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.90	15.95	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.92	15.97	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#2	23.91	15.96	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.87	14.92	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.28	15.33	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	23.38	15.43	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.15	15.20	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	23.68	15.73	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	23.69	15.74	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#2	23.69	15.74	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.70	14.75	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	22.59	14.64	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.65	14.70	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.72	14.77	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.56	14.61	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.54	14.59	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#2	22.54	14.59	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.68	13.73	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.84	14.89	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	22.68	14.73	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	22.54	14.59	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	22.77	14.82	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	22.79	14.84	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#2	22.77	14.82	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.73	13.78	38.45	PASS

Band5	1.4MHz	16QAM	20643	1RB#0	22.13	14.18	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.12	14.17	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	22.11	14.16	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	22.64	14.69	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	22.67	14.72	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#2	22.68	14.73	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	21.73	13.78	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.14	15.19	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#7	23.20	15.25	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.22	15.27	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.60	14.65	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.61	14.66	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.64	14.69	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.64	14.69	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.87	15.92	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#7	23.32	15.37	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.33	15.38	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.85	14.90	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.84	14.89	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.85	14.90	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.86	14.91	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#0	23.27	15.32	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#7	23.25	15.30	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	23.14	15.19	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#0	22.80	14.85	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#4	22.80	14.85	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.69	14.74	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.77	14.82	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.31	14.36	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#7	22.34	14.39	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.36	14.41	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.68	13.73	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.66	13.71	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#7	21.72	13.77	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.66	13.71	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	23.09	15.14	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#7	22.50	14.55	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.53	14.58	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.81	13.86	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.80	13.85	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.83	13.88	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.80	13.85	38.45	PASS

Band5	3MHz	16QAM	20635	1RB#0	22.18	14.23	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#7	22.20	14.25	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	22.14	14.19	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.81	13.86	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#4	21.80	13.85	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#7	21.72	13.77	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.70	13.75	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.28	15.33	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.36	15.41	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.42	15.47	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.65	14.70	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.65	14.70	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#11	22.65	14.70	38.45	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.69	14.74	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	24.00	16.05	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.48	15.53	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	24.01	16.06	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.91	14.96	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#6	22.93	14.98	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#11	22.95	15.00	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.85	14.90	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.46	15.51	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	23.44	15.49	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	23.46	15.51	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#0	22.85	14.90	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	22.84	14.89	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#11	22.79	14.84	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.79	14.84	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.15	14.20	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.25	14.30	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.25	14.30	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.64	13.69	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.64	13.69	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#11	21.63	13.68	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.74	13.79	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	22.84	14.89	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.64	14.69	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.82	14.87	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#0	21.96	14.01	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#6	21.95	14.00	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#11	21.96	14.01	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	21.86	13.91	38.45	PASS

Band5	5MHz	16QAM	20625	1RB#0	22.41	14.46	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.40	14.45	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.35	14.40	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#0	21.85	13.90	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.82	13.87	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#11	21.82	13.87	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.79	13.84	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.19	15.24	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.30	15.35	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.31	15.36	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.71	14.76	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.70	14.75	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#24	22.71	14.76	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.74	14.79	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.83	15.88	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.36	15.41	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.84	15.89	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.96	15.01	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.97	15.02	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#24	22.95	15.00	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.87	14.92	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.29	15.34	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.34	15.39	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.26	15.31	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.83	14.88	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.84	14.89	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#24	22.83	14.88	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.86	14.91	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.32	14.37	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.44	14.49	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.42	14.47	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.70	13.75	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.69	13.74	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#24	21.69	13.74	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.73	13.78	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.98	15.03	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.53	14.58	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	23.06	15.11	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#0	22.00	14.05	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#12	22.02	14.07	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#24	22.03	14.08	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.84	13.89	38.45	PASS

Band5	10MHz	16QAM	20600	1RB#0	22.22	14.27	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.21	14.26	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#49	22.16	14.21	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#0	21.89	13.94	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	21.89	13.94	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#24	21.89	13.94	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.85	13.90	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#0	23.70	21.99	33.01	PASS
Band7	5MHz	QPSK	20775	1RB#12	23.77	22.06	33.01	PASS
Band7	5MHz	QPSK	20775	1RB#24	23.78	22.07	33.01	PASS
Band7	5MHz	QPSK	20775	12RB#0	22.55	20.84	33.01	PASS
Band7	5MHz	QPSK	20775	12RB#6	22.58	20.87	33.01	PASS
Band7	5MHz	QPSK	20775	12RB#11	22.58	20.87	33.01	PASS
Band7	5MHz	QPSK	20775	25RB#0	22.60	20.89	33.01	PASS
Band7	5MHz	QPSK	21100	1RB#0	23.14	21.43	33.01	PASS
Band7	5MHz	QPSK	21100	1RB#12	23.82	22.11	33.01	PASS
Band7	5MHz	QPSK	21100	1RB#24	23.12	21.41	33.01	PASS
Band7	5MHz	QPSK	21100	12RB#0	22.78	21.07	33.01	PASS
Band7	5MHz	QPSK	21100	12RB#6	22.82	21.11	33.01	PASS
Band7	5MHz	QPSK	21100	12RB#11	22.77	21.06	33.01	PASS
Band7	5MHz	QPSK	21100	25RB#0	22.44	20.73	33.01	PASS
Band7	5MHz	QPSK	21425	1RB#0	23.63	21.92	33.01	PASS
Band7	5MHz	QPSK	21425	1RB#12	23.74	22.03	33.01	PASS
Band7	5MHz	QPSK	21425	1RB#24	23.68	21.97	33.01	PASS
Band7	5MHz	QPSK	21425	12RB#0	22.52	20.81	33.01	PASS
Band7	5MHz	QPSK	21425	12RB#6	22.54	20.83	33.01	PASS
Band7	5MHz	QPSK	21425	12RB#11	22.54	20.83	33.01	PASS
Band7	5MHz	QPSK	21425	25RB#0	22.51	20.80	33.01	PASS
Band7	5MHz	16QAM	20775	1RB#0	22.53	20.82	33.01	PASS
Band7	5MHz	16QAM	20775	1RB#12	22.60	20.89	33.01	PASS
Band7	5MHz	16QAM	20775	1RB#24	22.61	20.90	33.01	PASS
Band7	5MHz	16QAM	20775	12RB#0	21.59	19.88	33.01	PASS
Band7	5MHz	16QAM	20775	12RB#6	21.56	19.85	33.01	PASS
Band7	5MHz	16QAM	20775	12RB#11	21.60	19.89	33.01	PASS
Band7	5MHz	16QAM	20775	25RB#0	21.62	19.91	33.01	PASS
Band7	5MHz	16QAM	21100	1RB#0	21.95	20.24	33.01	PASS
Band7	5MHz	16QAM	21100	1RB#12	22.93	21.22	33.01	PASS
Band7	5MHz	16QAM	21100	1RB#24	21.96	20.25	33.01	PASS
Band7	5MHz	16QAM	21100	12RB#0	21.83	20.12	33.01	PASS
Band7	5MHz	16QAM	21100	12RB#6	21.82	20.11	33.01	PASS
Band7	5MHz	16QAM	21100	12RB#11	21.83	20.12	33.01	PASS
Band7	5MHz	16QAM	21100	25RB#0	21.48	19.77	33.01	PASS

Band7	5MHz	16QAM	21425	1RB#0	22.68	20.97	33.01	PASS
Band7	5MHz	16QAM	21425	1RB#12	22.74	21.03	33.01	PASS
Band7	5MHz	16QAM	21425	1RB#24	22.62	20.91	33.01	PASS
Band7	5MHz	16QAM	21425	12RB#0	21.56	19.85	33.01	PASS
Band7	5MHz	16QAM	21425	12RB#6	21.51	19.80	33.01	PASS
Band7	5MHz	16QAM	21425	12RB#11	21.58	19.87	33.01	PASS
Band7	5MHz	16QAM	21425	25RB#0	21.58	19.87	33.01	PASS
Band7	10MHz	QPSK	20800	1RB#0	23.14	21.43	33.01	PASS
Band7	10MHz	QPSK	20800	1RB#24	23.24	21.53	33.01	PASS
Band7	10MHz	QPSK	20800	1RB#49	23.21	21.50	33.01	PASS
Band7	10MHz	QPSK	20800	25RB#0	22.66	20.95	33.01	PASS
Band7	10MHz	QPSK	20800	25RB#12	22.65	20.94	33.01	PASS
Band7	10MHz	QPSK	20800	25RB#24	22.66	20.95	33.01	PASS
Band7	10MHz	QPSK	20800	50RB#0	22.75	21.04	33.01	PASS
Band7	10MHz	QPSK	21100	1RB#0	23.03	21.32	33.01	PASS
Band7	10MHz	QPSK	21100	1RB#24	23.23	21.52	33.01	PASS
Band7	10MHz	QPSK	21100	1RB#49	22.98	21.27	33.01	PASS
Band7	10MHz	QPSK	21100	25RB#0	22.86	21.15	33.01	PASS
Band7	10MHz	QPSK	21100	25RB#12	22.86	21.15	33.01	PASS
Band7	10MHz	QPSK	21100	25RB#24	22.85	21.14	33.01	PASS
Band7	10MHz	QPSK	21100	50RB#0	22.55	20.84	33.01	PASS
Band7	10MHz	QPSK	21400	1RB#0	23.01	21.30	33.01	PASS
Band7	10MHz	QPSK	21400	1RB#24	23.02	21.31	33.01	PASS
Band7	10MHz	QPSK	21400	1RB#49	22.90	21.19	33.01	PASS
Band7	10MHz	QPSK	21400	25RB#0	22.61	20.90	33.01	PASS
Band7	10MHz	QPSK	21400	25RB#12	22.61	20.90	33.01	PASS
Band7	10MHz	QPSK	21400	25RB#24	22.66	20.95	33.01	PASS
Band7	10MHz	QPSK	21400	50RB#0	22.69	20.98	33.01	PASS
Band7	10MHz	16QAM	20800	1RB#0	22.51	20.80	33.01	PASS
Band7	10MHz	16QAM	20800	1RB#24	22.38	20.67	33.01	PASS
Band7	10MHz	16QAM	20800	1RB#49	22.42	20.71	33.01	PASS
Band7	10MHz	16QAM	20800	25RB#0	21.60	19.89	33.01	PASS
Band7	10MHz	16QAM	20800	25RB#12	21.61	19.90	33.01	PASS
Band7	10MHz	16QAM	20800	25RB#24	21.61	19.90	33.01	PASS
Band7	10MHz	16QAM	20800	50RB#0	21.70	19.99	33.01	PASS
Band7	10MHz	16QAM	21100	1RB#0	22.15	20.44	33.01	PASS
Band7	10MHz	16QAM	21100	1RB#24	22.50	20.79	33.01	PASS
Band7	10MHz	16QAM	21100	1RB#49	22.09	20.38	33.01	PASS
Band7	10MHz	16QAM	21100	25RB#0	21.91	20.20	33.01	PASS
Band7	10MHz	16QAM	21100	25RB#12	21.87	20.16	33.01	PASS
Band7	10MHz	16QAM	21100	25RB#24	21.88	20.17	33.01	PASS
Band7	10MHz	16QAM	21100	50RB#0	21.48	19.77	33.01	PASS

Band7	10MHz	16QAM	21400	1RB#0	21.86	20.15	33.01	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.99	20.28	33.01	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.84	20.13	33.01	PASS
Band7	10MHz	16QAM	21400	25RB#0	21.73	20.02	33.01	PASS
Band7	10MHz	16QAM	21400	25RB#12	21.70	19.99	33.01	PASS
Band7	10MHz	16QAM	21400	25RB#24	21.72	20.01	33.01	PASS
Band7	10MHz	16QAM	21400	50RB#0	21.64	19.93	33.01	PASS
Band7	15MHz	QPSK	20825	1RB#0	23.07	21.36	33.01	PASS
Band7	15MHz	QPSK	20825	1RB#37	23.23	21.52	33.01	PASS
Band7	15MHz	QPSK	20825	1RB#74	23.18	21.47	33.01	PASS
Band7	15MHz	QPSK	20825	36RB#0	22.63	20.92	33.01	PASS
Band7	15MHz	QPSK	20825	36RB#16	22.56	20.85	33.01	PASS
Band7	15MHz	QPSK	20825	36RB#35	22.56	20.85	33.01	PASS
Band7	15MHz	QPSK	20825	75RB#0	22.74	21.03	33.01	PASS
Band7	15MHz	QPSK	21100	1RB#0	22.86	21.15	33.01	PASS
Band7	15MHz	QPSK	21100	1RB#37	23.23	21.52	33.01	PASS
Band7	15MHz	QPSK	21100	1RB#74	23.16	21.45	33.01	PASS
Band7	15MHz	QPSK	21100	36RB#0	22.85	21.14	33.01	PASS
Band7	15MHz	QPSK	21100	36RB#16	22.75	21.04	33.01	PASS
Band7	15MHz	QPSK	21100	36RB#35	22.82	21.11	33.01	PASS
Band7	15MHz	QPSK	21100	75RB#0	22.77	21.06	33.01	PASS
Band7	15MHz	QPSK	21375	1RB#0	23.04	21.33	33.01	PASS
Band7	15MHz	QPSK	21375	1RB#37	23.08	21.37	33.01	PASS
Band7	15MHz	QPSK	21375	1RB#74	22.89	21.18	33.01	PASS
Band7	15MHz	QPSK	21375	36RB#0	22.68	20.97	33.01	PASS
Band7	15MHz	QPSK	21375	36RB#16	22.66	20.95	33.01	PASS
Band7	15MHz	QPSK	21375	36RB#35	22.65	20.94	33.01	PASS
Band7	15MHz	QPSK	21375	75RB#0	22.57	20.86	33.01	PASS
Band7	15MHz	16QAM	20825	1RB#0	22.23	20.52	33.01	PASS
Band7	15MHz	16QAM	20825	1RB#37	22.41	20.70	33.01	PASS
Band7	15MHz	16QAM	20825	1RB#74	22.35	20.64	33.01	PASS
Band7	15MHz	16QAM	20825	36RB#0	21.59	19.88	33.01	PASS
Band7	15MHz	16QAM	20825	36RB#16	21.62	19.91	33.01	PASS
Band7	15MHz	16QAM	20825	36RB#35	21.61	19.90	33.01	PASS
Band7	15MHz	16QAM	20825	75RB#0	21.67	19.96	33.01	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.98	20.27	33.01	PASS
Band7	15MHz	16QAM	21100	1RB#37	22.59	20.88	33.01	PASS
Band7	15MHz	16QAM	21100	1RB#74	22.50	20.79	33.01	PASS
Band7	15MHz	16QAM	21100	36RB#0	21.89	20.18	33.01	PASS
Band7	15MHz	16QAM	21100	36RB#16	21.86	20.15	33.01	PASS
Band7	15MHz	16QAM	21100	36RB#35	21.87	20.16	33.01	PASS
Band7	15MHz	16QAM	21100	75RB#0	21.75	20.04	33.01	PASS

Band7	15MHz	16QAM	21375	1RB#0	21.98	20.27	33.01	PASS
Band7	15MHz	16QAM	21375	1RB#37	21.99	20.28	33.01	PASS
Band7	15MHz	16QAM	21375	1RB#74	21.78	20.07	33.01	PASS
Band7	15MHz	16QAM	21375	36RB#0	21.65	19.94	33.01	PASS
Band7	15MHz	16QAM	21375	36RB#16	21.66	19.95	33.01	PASS
Band7	15MHz	16QAM	21375	36RB#35	21.61	19.90	33.01	PASS
Band7	15MHz	16QAM	21375	75RB#0	21.62	19.91	33.01	PASS
Band7	20MHz	QPSK	20850	1RB#0	22.73	21.02	33.01	PASS
Band7	20MHz	QPSK	20850	1RB#49	22.96	21.25	33.01	PASS
Band7	20MHz	QPSK	20850	1RB#99	22.87	21.16	33.01	PASS
Band7	20MHz	QPSK	20850	50RB#0	22.10	20.39	33.01	PASS
Band7	20MHz	QPSK	20850	50RB#24	22.09	20.38	33.01	PASS
Band7	20MHz	QPSK	20850	50RB#49	22.13	20.42	33.01	PASS
Band7	20MHz	QPSK	20850	100RB#0	22.22	20.51	33.01	PASS
Band7	20MHz	QPSK	21100	1RB#0	22.74	21.03	33.01	PASS
Band7	20MHz	QPSK	21100	1RB#49	22.91	21.20	33.01	PASS
Band7	20MHz	QPSK	21100	1RB#99	22.79	21.08	33.01	PASS
Band7	20MHz	QPSK	21100	50RB#0	22.51	20.80	33.01	PASS
Band7	20MHz	QPSK	21100	50RB#24	22.50	20.79	33.01	PASS
Band7	20MHz	QPSK	21100	50RB#49	22.49	20.78	33.01	PASS
Band7	20MHz	QPSK	21100	100RB#0	22.42	20.71	33.01	PASS
Band7	20MHz	QPSK	21350	1RB#0	22.64	20.93	33.01	PASS
Band7	20MHz	QPSK	21350	1RB#49	22.73	21.02	33.01	PASS
Band7	20MHz	QPSK	21350	1RB#99	22.57	20.86	33.01	PASS
Band7	20MHz	QPSK	21350	50RB#0	22.50	20.79	33.01	PASS
Band7	20MHz	QPSK	21350	50RB#24	22.49	20.78	33.01	PASS
Band7	20MHz	QPSK	21350	50RB#49	22.45	20.74	33.01	PASS
Band7	20MHz	QPSK	21350	100RB#0	22.45	20.74	33.01	PASS
Band7	20MHz	16QAM	20850	1RB#0	21.55	19.84	33.01	PASS
Band7	20MHz	16QAM	20850	1RB#49	21.81	20.10	33.01	PASS
Band7	20MHz	16QAM	20850	1RB#99	21.80	20.09	33.01	PASS
Band7	20MHz	16QAM	20850	50RB#0	21.09	19.38	33.01	PASS
Band7	20MHz	16QAM	20850	50RB#24	21.05	19.34	33.01	PASS
Band7	20MHz	16QAM	20850	50RB#49	21.07	19.36	33.01	PASS
Band7	20MHz	16QAM	20850	100RB#0	21.15	19.44	33.01	PASS
Band7	20MHz	16QAM	21100	1RB#0	22.06	20.35	33.01	PASS
Band7	20MHz	16QAM	21100	1RB#49	22.28	20.57	33.01	PASS
Band7	20MHz	16QAM	21100	1RB#99	22.17	20.46	33.01	PASS
Band7	20MHz	16QAM	21100	50RB#0	21.52	19.81	33.01	PASS
Band7	20MHz	16QAM	21100	50RB#24	21.47	19.76	33.01	PASS
Band7	20MHz	16QAM	21100	50RB#49	21.48	19.77	33.01	PASS
Band7	20MHz	16QAM	21100	100RB#0	21.40	19.69	33.01	PASS

Band7	20MHz	16QAM	21350	1RB#0	21.86	20.15	33.01	PASS
Band7	20MHz	16QAM	21350	1RB#49	21.96	20.25	33.01	PASS
Band7	20MHz	16QAM	21350	1RB#99	21.83	20.12	33.01	PASS
Band7	20MHz	16QAM	21350	50RB#0	21.45	19.74	33.01	PASS
Band7	20MHz	16QAM	21350	50RB#24	21.51	19.80	33.01	PASS
Band7	20MHz	16QAM	21350	50RB#49	21.46	19.75	33.01	PASS
Band7	20MHz	16QAM	21350	100RB#0	21.45	19.74	33.01	PASS
Band41	5MHz	QPSK	39675	1RB#0	22.76	21.05	33.01	PASS
Band41	5MHz	QPSK	39675	1RB#12	22.65	20.94	33.01	PASS
Band41	5MHz	QPSK	39675	1RB#24	22.73	21.02	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#0	22.42	20.71	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#6	22.40	20.69	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#11	22.37	20.66	33.01	PASS
Band41	5MHz	QPSK	39675	25RB#0	22.45	20.74	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#0	23.63	21.92	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#12	23.62	21.91	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#24	23.61	21.90	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#0	22.40	20.69	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#6	22.42	20.71	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#11	22.47	20.76	33.01	PASS
Band41	5MHz	QPSK	40620	25RB#0	22.61	20.90	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#0	23.14	21.43	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#12	23.18	21.47	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#24	23.18	21.47	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#0	22.20	20.49	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#6	22.26	20.55	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#11	22.25	20.54	33.01	PASS
Band41	5MHz	QPSK	41565	25RB#0	22.21	20.50	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#0	22.73	21.02	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#12	22.74	21.03	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#24	22.71	21.00	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#0	21.41	19.70	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#6	21.35	19.64	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#11	21.41	19.70	33.01	PASS
Band41	5MHz	16QAM	39675	25RB#0	21.42	19.71	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#0	22.82	21.11	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#12	22.80	21.09	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#24	22.79	21.08	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#0	21.27	19.56	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#6	21.28	19.57	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#11	21.51	19.80	33.01	PASS
Band41	5MHz	16QAM	40620	25RB#0	21.47	19.76	33.01	PASS

Band41	5MHz	16QAM	41565	1RB#0	22.47	20.76	33.01	PASS
Band41	5MHz	16QAM	41565	1RB#12	22.48	20.77	33.01	PASS
Band41	5MHz	16QAM	41565	1RB#24	22.49	20.78	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#0	21.24	19.53	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#6	21.26	19.55	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#11	21.25	19.54	33.01	PASS
Band41	5MHz	16QAM	41565	25RB#0	21.23	19.52	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#0	22.76	21.05	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#24	22.90	21.19	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#49	23.22	21.51	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#0	22.42	20.71	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#12	22.37	20.66	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#24	22.45	20.74	33.01	PASS
Band41	10MHz	QPSK	39700	50RB#0	22.48	20.77	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#0	23.47	21.76	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#24	23.51	21.80	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#49	23.44	21.73	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#0	22.42	20.71	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#12	22.45	20.74	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#24	22.40	20.69	33.01	PASS
Band41	10MHz	QPSK	40620	50RB#0	22.50	20.79	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#0	23.12	21.41	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#24	23.23	21.52	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#49	23.22	21.51	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#0	22.20	20.49	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#12	22.27	20.56	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#24	22.28	20.57	33.01	PASS
Band41	10MHz	QPSK	41540	50RB#0	22.26	20.55	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#0	22.69	20.98	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#24	22.78	21.07	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#49	22.52	20.81	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#0	21.45	19.74	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#12	21.45	19.74	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#24	21.45	19.74	33.01	PASS
Band41	10MHz	16QAM	39700	50RB#0	21.46	19.75	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#0	22.81	21.10	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#24	22.86	21.15	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#49	22.78	21.07	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#0	21.53	19.82	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#12	21.50	19.79	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#24	21.53	19.82	33.01	PASS
Band41	10MHz	16QAM	40620	50RB#0	21.45	19.74	33.01	PASS

Band41	10MHz	16QAM	41540	1RB#0	21.97	20.26	33.01	PASS
Band41	10MHz	16QAM	41540	1RB#24	22.15	20.44	33.01	PASS
Band41	10MHz	16QAM	41540	1RB#49	22.20	20.49	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#0	21.26	19.55	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#12	21.23	19.52	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#24	21.23	19.52	33.01	PASS
Band41	10MHz	16QAM	41540	50RB#0	21.27	19.56	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#0	23.01	21.30	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#37	23.15	21.44	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#74	23.29	21.58	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#0	22.28	20.57	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#16	22.28	20.57	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#35	22.28	20.57	33.01	PASS
Band41	15MHz	QPSK	39725	75RB#0	22.40	20.69	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#0	23.28	21.57	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#37	23.48	21.77	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#74	23.39	21.68	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#0	22.42	20.71	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#16	22.38	20.67	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#35	22.39	20.68	33.01	PASS
Band41	15MHz	QPSK	40620	75RB#0	22.38	20.67	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#0	23.15	21.44	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#37	23.25	21.54	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#74	23.25	21.54	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#0	22.13	20.42	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#16	22.07	20.36	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#35	22.07	20.36	33.01	PASS
Band41	15MHz	QPSK	41515	75RB#0	22.18	20.47	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#0	22.69	20.98	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#37	22.80	21.09	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#74	22.65	20.94	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#0	21.33	19.62	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#16	21.33	19.62	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#35	21.32	19.61	33.01	PASS
Band41	15MHz	16QAM	39725	75RB#0	21.36	19.65	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#0	22.80	21.09	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#37	22.74	21.03	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#74	22.74	21.03	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#0	21.42	19.71	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#16	21.42	19.71	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#35	21.42	19.71	33.01	PASS
Band41	15MHz	16QAM	40620	75RB#0	21.42	19.71	33.01	PASS

Band41	15MHz	16QAM	41515	1RB#0	22.15	20.44	33.01	PASS
Band41	15MHz	16QAM	41515	1RB#37	22.20	20.49	33.01	PASS
Band41	15MHz	16QAM	41515	1RB#74	22.18	20.47	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#0	21.12	19.41	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#16	21.11	19.40	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#35	21.09	19.38	33.01	PASS
Band41	15MHz	16QAM	41515	75RB#0	21.11	19.40	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#0	22.91	21.20	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#49	23.18	21.47	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#99	23.00	21.29	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#0	22.38	20.67	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#24	22.37	20.66	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#49	22.37	20.66	33.01	PASS
Band41	20MHz	QPSK	39750	100RB#0	22.43	20.72	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#0	23.34	21.63	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#49	23.44	21.73	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#99	23.37	21.66	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#0	22.42	20.71	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#24	22.48	20.77	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#49	22.40	20.69	33.01	PASS
Band41	20MHz	QPSK	40620	100RB#0	22.51	20.80	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#0	23.05	21.34	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#49	23.19	21.48	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#99	23.17	21.46	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#0	22.17	20.46	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#24	22.23	20.52	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#49	22.23	20.52	33.01	PASS
Band41	20MHz	QPSK	41490	100RB#0	22.19	20.48	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#0	22.25	20.54	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#49	22.40	20.69	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#99	22.35	20.64	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#0	21.30	19.59	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#24	21.34	19.63	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#49	21.34	19.63	33.01	PASS
Band41	20MHz	16QAM	39750	100RB#0	21.39	19.68	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#0	22.59	20.88	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#49	22.59	20.88	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#99	22.55	20.84	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#0	21.62	19.91	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#24	21.54	19.83	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#49	21.49	19.78	33.01	PASS
Band41	20MHz	16QAM	40620	100RB#0	21.40	19.69	33.01	PASS

Band41	20MHz	16QAM	41490	1RB#0	21.68	19.97	33.01	PASS
Band41	20MHz	16QAM	41490	1RB#49	21.84	20.13	33.01	PASS
Band41	20MHz	16QAM	41490	1RB#99	21.83	20.12	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#0	21.21	19.50	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#24	21.19	19.48	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#49	21.23	19.52	33.01	PASS
Band41	20MHz	16QAM	41490	100RB#0	21.15	19.44	33.01	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	22.40	21.38	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	22.37	21.35	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	22.40	21.38	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	22.97	21.95	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	22.97	21.95	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	22.96	21.94	30.00	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	21.98	20.96	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	22.71	21.69	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	22.66	21.64	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	22.68	21.66	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	23.27	22.25	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	23.30	22.28	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	23.32	22.30	30.00	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	22.25	21.23	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	22.95	21.93	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	22.91	21.89	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	22.93	21.91	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	23.53	22.51	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	23.52	22.50	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	23.52	22.50	30.00	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	22.53	21.51	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	21.51	20.49	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	21.58	20.56	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	21.53	20.51	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	21.88	20.86	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	21.89	20.87	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	21.89	20.87	30.00	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	21.02	20.00	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	22.03	21.01	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	21.96	20.94	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	21.89	20.87	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	22.17	21.15	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	22.17	21.15	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	22.15	21.13	30.00	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	21.10	20.08	30.00	PASS

Band66	1.4MHz	16QAM	132665	1RB#0	22.09	21.07	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	22.16	21.14	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	22.08	21.06	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	22.45	21.43	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	22.43	21.41	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	22.41	21.39	30.00	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	21.53	20.51	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#0	22.48	21.46	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#7	22.48	21.46	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#14	22.52	21.50	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#0	21.91	20.89	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#4	21.90	20.88	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#7	21.90	20.88	30.00	PASS
Band66	3MHz	QPSK	131987	15RB#0	21.93	20.91	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#0	22.73	21.71	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#7	22.67	21.65	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#14	22.68	21.66	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#0	22.21	21.19	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#4	22.22	21.20	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#7	22.16	21.14	30.00	PASS
Band66	3MHz	QPSK	132322	15RB#0	22.12	21.10	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#0	22.99	21.97	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#7	22.92	21.90	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#14	22.91	21.89	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#0	22.51	21.49	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#4	22.50	21.48	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#7	22.48	21.46	30.00	PASS
Band66	3MHz	QPSK	132657	15RB#0	22.48	21.46	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#0	21.61	20.59	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#7	21.63	20.61	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#14	21.64	20.62	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#0	21.00	19.98	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#4	21.01	19.99	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#7	20.98	19.96	30.00	PASS
Band66	3MHz	16QAM	131987	15RB#0	20.97	19.95	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#0	21.92	20.90	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#7	21.88	20.86	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#14	21.82	20.80	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#0	21.22	20.20	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#4	21.24	20.22	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#7	21.15	20.13	30.00	PASS
Band66	3MHz	16QAM	132322	15RB#0	21.10	20.08	30.00	PASS

Band66	3MHz	16QAM	132657	1RB#0	21.92	20.90	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#7	21.88	20.86	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#14	21.87	20.85	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#0	21.52	20.50	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#4	21.52	20.50	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#7	21.50	20.48	30.00	PASS
Band66	3MHz	16QAM	132657	15RB#0	21.40	20.38	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#0	22.65	21.63	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#12	22.64	21.62	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#24	22.68	21.66	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#0	21.98	20.96	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#6	21.98	20.96	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#11	22.00	20.98	30.00	PASS
Band66	5MHz	QPSK	131997	25RB#0	21.97	20.95	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#0	22.52	21.50	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#12	22.84	21.82	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#24	22.71	21.69	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#0	22.23	21.21	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#6	22.24	21.22	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#11	22.26	21.24	30.00	PASS
Band66	5MHz	QPSK	132322	25RB#0	22.36	21.34	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#0	23.19	22.17	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#12	23.18	22.16	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#24	23.23	22.21	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#0	22.58	21.56	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#6	22.60	21.58	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#11	22.58	21.56	30.00	PASS
Band66	5MHz	QPSK	132647	25RB#0	22.56	21.54	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#0	21.49	20.47	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#12	21.50	20.48	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#24	21.56	20.54	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#0	20.99	19.97	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#6	21.01	19.99	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#11	21.00	19.98	30.00	PASS
Band66	5MHz	16QAM	131997	25RB#0	20.98	19.96	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#0	21.87	20.85	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#12	21.96	20.94	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#24	21.95	20.93	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#0	21.29	20.27	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#6	21.29	20.27	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#11	21.29	20.27	30.00	PASS
Band66	5MHz	16QAM	132322	25RB#0	21.36	20.34	30.00	PASS

Band66	5MHz	16QAM	132647	1RB#0	22.13	21.11	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#12	22.11	21.09	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#24	22.14	21.12	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#0	21.59	20.57	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#6	21.60	20.58	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#11	21.61	20.59	30.00	PASS
Band66	5MHz	16QAM	132647	25RB#0	21.58	20.56	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#0	22.54	21.52	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#24	22.54	21.52	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#49	22.63	21.61	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#0	21.99	20.97	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#12	21.99	20.97	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#24	22.03	21.01	30.00	PASS
Band66	10MHz	QPSK	132022	50RB#0	22.05	21.03	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#0	22.53	21.51	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#24	22.72	21.70	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#49	22.86	21.84	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#0	22.25	21.23	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#12	22.28	21.26	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#24	22.26	21.24	30.00	PASS
Band66	10MHz	QPSK	132322	50RB#0	22.03	21.01	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#0	23.08	22.06	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#24	23.01	21.99	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#49	23.01	21.99	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#0	22.47	21.45	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#12	22.48	21.46	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#24	22.50	21.48	30.00	PASS
Band66	10MHz	QPSK	132622	50RB#0	22.58	21.56	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#0	21.65	20.63	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#24	21.68	20.66	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#49	21.80	20.78	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#0	21.00	19.98	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#12	21.00	19.98	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#24	21.00	19.98	30.00	PASS
Band66	10MHz	16QAM	132022	50RB#0	21.04	20.02	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#0	21.96	20.94	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#24	21.91	20.89	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#49	21.94	20.92	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#0	21.29	20.27	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#12	21.29	20.27	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#24	21.28	20.26	30.00	PASS
Band66	10MHz	16QAM	132322	50RB#0	21.53	20.51	30.00	PASS

Band66	10MHz	16QAM	132622	1RB#0	21.88	20.86	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#24	21.90	20.88	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#49	21.93	20.91	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#0	21.54	20.52	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#12	21.52	20.50	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#24	21.54	20.52	30.00	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.55	20.53	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#0	22.52	21.50	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#37	22.58	21.56	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#74	22.79	21.77	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#0	21.95	20.93	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#16	21.91	20.89	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#35	21.95	20.93	30.00	PASS
Band66	15MHz	QPSK	132047	75RB#0	22.05	21.03	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#0	21.46	20.44	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#37	22.67	21.65	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#74	22.52	21.50	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#0	22.24	21.22	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#16	22.26	21.24	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#35	22.27	21.25	30.00	PASS
Band66	15MHz	QPSK	132322	75RB#0	22.20	21.18	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#0	22.89	21.87	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#37	23.04	22.02	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#74	22.94	21.92	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#0	22.38	21.36	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#16	22.40	21.38	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#35	22.40	21.38	30.00	PASS
Band66	15MHz	QPSK	132597	75RB#0	22.48	21.46	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#0	21.70	20.68	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#37	21.86	20.84	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#74	21.81	20.79	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#0	20.92	19.90	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#16	20.93	19.91	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#35	20.95	19.93	30.00	PASS
Band66	15MHz	16QAM	132047	75RB#0	21.00	19.98	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#0	21.61	20.59	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#37	21.99	20.97	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#74	21.88	20.86	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#0	21.35	20.33	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#16	21.34	20.32	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#35	21.28	20.26	30.00	PASS
Band66	15MHz	16QAM	132322	75RB#0	21.18	20.16	30.00	PASS

Band66	15MHz	16QAM	132597	1RB#0	21.67	20.65	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#37	21.96	20.94	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#74	21.88	20.86	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#0	21.34	20.32	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#16	21.34	20.32	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#35	21.34	20.32	30.00	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.45	20.43	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#0	22.45	21.43	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#49	22.75	21.73	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#99	22.87	21.85	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#0	22.02	21.00	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#24	22.01	20.99	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#49	22.00	20.98	30.00	PASS
Band66	20MHz	QPSK	132072	100RB#0	22.18	21.16	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#0	22.63	21.61	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#49	22.74	21.72	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#99	22.62	21.60	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#0	22.28	21.26	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#24	22.28	21.26	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#49	22.27	21.25	30.00	PASS
Band66	20MHz	QPSK	132322	100RB#0	22.23	21.21	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#0	22.72	21.70	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.15	22.13	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#99	22.84	21.82	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#0	22.40	21.38	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#24	22.39	21.37	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#49	22.39	21.37	30.00	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.47	21.45	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#0	21.39	20.37	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#49	21.69	20.67	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#99	21.77	20.75	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#0	20.99	19.97	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#24	20.98	19.96	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#49	20.99	19.97	30.00	PASS
Band66	20MHz	16QAM	132072	100RB#0	21.15	20.13	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#0	21.91	20.89	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#49	22.03	21.01	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#99	21.91	20.89	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#0	21.25	20.23	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#24	21.26	20.24	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#49	21.27	20.25	30.00	PASS
Band66	20MHz	16QAM	132322	100RB#0	21.20	20.18	30.00	PASS

Band66	20MHz	16QAM	132572	1RB#0	21.60	20.58	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.01	20.99	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#99	21.96	20.94	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#0	21.39	20.37	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#24	21.42	20.40	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#49	21.39	20.37	30.00	PASS
Band66	20MHz	16QAM	132572	100RB#0	21.42	20.40	30.00	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 7 & 41 & 66)

ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 5)


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	5.10	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	5.89	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	4.54	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	5.35	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	4.91	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	5.71	13	PASS
Band41	20MHz	QPSK	40620	100RB#0	5.45	13	PASS
Band41	20MHz	16QAM	40620	100RB#0	6.29	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.27	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	6.04	13	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs





Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0979	1.310	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0946	1.290	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.1003	1.290	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1019	1.314	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.0988	1.293	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.0979	1.301	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.6908	2.933	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.6929	2.916	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.6920	2.932	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.6941	3.010	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.6918	2.919	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.6892	2.939	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5148	4.966	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5081	4.977	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.4907	4.964	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.4970	4.954	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.4942	4.924	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5075	5.000	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9972	9.909	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.0013	9.841	PASS
Band2	10MHz	QPSK	19150	50RB#0	9.0052	9.808	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.9870	9.831	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.9907	9.783	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.9819	9.865	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.496	14.72	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.505	14.69	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.488	14.89	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.479	14.67	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.487	14.60	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.492	14.71	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.955	19.33	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.959	19.39	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.989	19.67	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.001	19.45	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.996	19.50	PASS


Band2	20MHz	16QAM	19100	100RB#0	17.985	19.46	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1.0972	1.280	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.0937	1.289	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.0943	1.280	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.0967	1.294	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.1005	1.309	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.0940	1.278	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.6942	2.939	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.6956	2.907	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.6953	2.921	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.6853	2.910	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.6930	2.919	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.6849	2.928	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5034	4.964	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5144	4.978	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.4887	4.951	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.4879	4.946	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.4987	4.980	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.5038	4.996	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.9784	9.831	PASS
Band5	10MHz	QPSK	20525	50RB#0	9.0112	9.873	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.9795	9.784	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.9725	9.741	PASS
Band5	10MHz	16QAM	20525	50RB#0	9.0135	9.775	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.9699	9.801	PASS
Band7	5MHz	QPSK	20775	25RB#0	4.5052	4.966	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.4969	5.054	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.4979	5.004	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.4892	4.957	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5117	5.005	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5141	4.973	PASS
Band7	10MHz	QPSK	20800	50RB#0	9.0013	9.839	PASS
Band7	10MHz	QPSK	21100	50RB#0	9.0028	9.820	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9796	9.781	PASS
Band7	10MHz	16QAM	20800	50RB#0	8.9796	9.787	PASS
Band7	10MHz	16QAM	21100	50RB#0	8.9868	9.824	PASS
Band7	10MHz	16QAM	21400	50RB#0	8.9840	9.777	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.499	15.05	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.492	14.84	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.449	14.62	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.494	15.19	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.505	15.40	PASS




Band7	15MHz	16QAM	21375	75RB#0	13.456	14.88	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.958	19.44	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.992	19.61	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.952	19.50	PASS
Band7	20MHz	16QAM	20850	100RB#0	18.021	19.43	PASS
Band7	20MHz	16QAM	21100	100RB#0	17.946	19.58	PASS
Band7	20MHz	16QAM	21350	100RB#0	17.966	19.50	PASS
Band41	5MHz	QPSK	39675	25RB#0	4.4975	4.998	PASS
Band41	5MHz	QPSK	40620	25RB#0	4.4958	4.973	PASS
Band41	5MHz	QPSK	41565	25RB#0	4.4982	5.022	PASS
Band41	5MHz	16QAM	39675	25RB#0	4.4966	4.985	PASS
Band41	5MHz	16QAM	40620	25RB#0	4.4952	4.982	PASS
Band41	5MHz	16QAM	41565	25RB#0	4.5007	4.981	PASS
Band41	10MHz	QPSK	39700	50RB#0	8.9894	10.41	PASS
Band41	10MHz	QPSK	40620	50RB#0	8.9994	10.00	PASS
Band41	10MHz	QPSK	41540	50RB#0	8.9970	10.05	PASS
Band41	10MHz	16QAM	39700	50RB#0	8.9908	9.814	PASS
Band41	10MHz	16QAM	40620	50RB#0	8.9706	9.730	PASS
Band41	10MHz	16QAM	41540	50RB#0	8.9805	9.731	PASS
Band41	15MHz	QPSK	39725	75RB#0	13.506	15.59	PASS
Band41	15MHz	QPSK	40620	75RB#0	13.500	15.43	PASS
Band41	15MHz	QPSK	41515	75RB#0	13.504	15.57	PASS
Band41	15MHz	16QAM	39725	75RB#0	13.476	15.41	PASS
Band41	15MHz	16QAM	40620	75RB#0	13.490	15.51	PASS
Band41	15MHz	16QAM	41515	75RB#0	13.477	15.71	PASS
Band41	20MHz	QPSK	39750	100RB#0	17.978	19.31	PASS
Band41	20MHz	QPSK	40620	100RB#0	17.990	20.00	PASS
Band41	20MHz	QPSK	41490	100RB#0	17.963	19.46	PASS
Band41	20MHz	16QAM	39750	100RB#0	17.972	20.05	PASS
Band41	20MHz	16QAM	40620	100RB#0	17.953	21.43	PASS
Band41	20MHz	16QAM	41490	100RB#0	17.942	20.37	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.0936	1.279	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0895	1.287	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0979	1.284	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.1033	1.311	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.0995	1.295	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.0953	1.290	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.6940	2.911	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.6894	2.917	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.6942	2.921	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.6904	2.919	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6923	2.926	PASS




Band66	3MHz	16QAM	132657	15RB#0	2.6876	2.926	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5029	4.970	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5089	4.974	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.4898	4.957	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.4905	4.947	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.4946	4.955	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5059	5.002	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.9933	9.880	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9943	9.887	PASS
Band66	10MHz	QPSK	132622	50RB#0	8.9925	9.884	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9931	9.763	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9934	9.716	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.9870	9.802	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.503	14.79	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.469	14.80	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.495	14.71	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.502	14.73	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.477	14.86	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.489	14.69	PASS
Band66	20MHz	QPSK	132072	100RB#0	18.009	19.42	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.971	19.37	PASS
Band66	20MHz	QPSK	132572	100RB#0	18.005	19.63	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.991	19.48	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.981	19.43	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.996	19.51	PASS

Test Graphs












Band2-15MHz-QPSK-19125-75RB#0

Band2-15MHz-16QAM-18675-75RB#0





Band2-15MHz-16QAM-18900-75RB#0



Band2-15MHz-16QAM-19125-75RB#0






Band2-20MHz-QPSK-18700-100RB#0

Band2-20MHz-QPSK-18900-100RB#0











Band5-5MHz-QPSK-20625-25RB#0

Band5-5MHz-16QAM-20425-25RB#0



Band5-5MHz-16QAM-20525-25RB#0

Band5-5MHz-16QAM-20625-25RB#0



Band5-10MHz-QPSK-20450-50RB#0

Band5-10MHz-QPSK-20525-50RB#0