

### 1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
n5	15	5	165300	12@6	DFT_BPSK	23.12	15.17	38.5	PASS
n5	15	5	165300	1@1	DFT_BPSK	22.97	15.02	38.5	PASS
n5	15	5	165300	1@23	DFT_BPSK	23.14	15.19	38.5	PASS
n5	15	5	165300	12@6	DFT_QPSK	23.14	15.19	38.5	PASS
n5	15	5	165300	1@1	DFT_QPSK	22.93	14.98	38.5	PASS
n5	15	5	165300	1@23	DFT_QPSK	22.91	14.96	38.5	PASS
n5	15	5	165300	12@6	DFT_QAM16	22.18	14.23	38.5	PASS
n5	15	5	165300	1@1	DFT_QAM16	22.01	14.06	38.5	PASS
n5	15	5	165300	1@23	DFT_QAM16	22.25	14.3	38.5	PASS
n5	15	5	165300	12@6	DFT_QAM64	20.47	12.52	38.5	PASS
n5	15	5	165300	1@1	DFT_QAM64	20.91	12.96	38.5	PASS
n5	15	5	165300	1@23	DFT_QAM64	20.77	12.82	38.5	PASS
n5	15	5	165300	12@6	DFT_QAM256	18.61	10.66	38.5	PASS
n5	15	5	165300	1@1	DFT_QAM256	18.82	10.87	38.5	PASS
n5	15	5	165300	1@23	DFT_QAM256	18.83	10.88	38.5	PASS
n5	15	5	165300	13@6	CP_QPSK	21.60	13.65	38.5	PASS
n5	15	5	165300	1@1	CP_QPSK	21.55	13.6	38.5	PASS
n5	15	5	165300	1@23	CP_QPSK	21.66	13.71	38.5	PASS
n5	15	5	165300	13@6	CP_QAM16	20.99	13.04	38.5	PASS
n5	15	5	165300	1@1	CP_QAM16	21.25	13.3	38.5	PASS
n5	15	5	165300	1@23	CP_QAM16	21.24	13.29	38.5	PASS
n5	15	5	165300	13@6	CP_QAM64	19.52	11.57	38.5	PASS
n5	15	5	165300	1@1	CP_QAM64	19.58	11.63	38.5	PASS
n5	15	5	165300	1@23	CP_QAM64	19.67	11.72	38.5	PASS
n5	15	5	165300	13@6	CP_QAM256	16.74	8.79	38.5	PASS
n5	15	5	165300	1@1	CP_QAM256	16.63	8.68	38.5	PASS
n5	15	5	165300	1@23	CP_QAM256	16.73	8.78	38.5	PASS
n5	15	5	167300	12@6	DFT_BPSK	23.25	15.3	38.5	PASS
n5	15	5	167300	1@1	DFT_BPSK	23.20	15.25	38.5	PASS
n5	15	5	167300	1@23	DFT_BPSK	23.21	15.26	38.5	PASS
n5	15	5	167300	12@6	DFT_QPSK	23.22	15.27	38.5	PASS
n5	15	5	167300	1@1	DFT_QPSK	22.97	15.02	38.5	PASS
n5	15	5	167300	1@23	DFT_QPSK	23.13	15.18	38.5	PASS
n5	15	5	167300	12@6	DFT_QAM16	22.29	14.34	38.5	PASS
n5	15	5	167300	1@1	DFT_QAM16	22.02	14.07	38.5	PASS
n5	15	5	167300	1@23	DFT_QAM16	22.30	14.35	38.5	PASS
n5	15	5	167300	12@6	DFT_QAM64	20.65	12.7	38.5	PASS
n5	15	5	167300	1@1	DFT_QAM64	21.02	13.07	38.5	PASS
n5	15	5	167300	1@23	DFT_QAM64	21.05	13.1	38.5	PASS

n5	15	5	167300	12@6	DFT_QAM256	18.78	10.83	38.5	PASS
n5	15	5	167300	1@1	DFT_QAM256	18.79	10.84	38.5	PASS
n5	15	5	167300	1@23	DFT_QAM256	19.00	11.05	38.5	PASS
n5	15	5	167300	13@6	CP_QPSK	21.75	13.8	38.5	PASS
n5	15	5	167300	1@1	CP_QPSK	21.83	13.88	38.5	PASS
n5	15	5	167300	1@23	CP_QPSK	21.92	13.97	38.5	PASS
n5	15	5	167300	13@6	CP_QAM16	21.11	13.16	38.5	PASS
n5	15	5	167300	1@1	CP_QAM16	21.62	13.67	38.5	PASS
n5	15	5	167300	1@23	CP_QAM16	21.69	13.74	38.5	PASS
n5	15	5	167300	13@6	CP_QAM64	19.64	11.69	38.5	PASS
n5	15	5	167300	1@1	CP_QAM64	19.68	11.73	38.5	PASS
n5	15	5	167300	1@23	CP_QAM64	19.62	11.67	38.5	PASS
n5	15	5	167300	13@6	CP_QAM256	16.83	8.88	38.5	PASS
n5	15	5	167300	1@1	CP_QAM256	16.80	8.85	38.5	PASS
n5	15	5	167300	1@23	CP_QAM256	16.88	8.93	38.5	PASS
n5	15	5	169300	12@6	DFT_BPSK	23.21	15.26	38.5	PASS
n5	15	5	169300	1@1	DFT_BPSK	23.28	15.33	38.5	PASS
n5	15	5	169300	1@23	DFT_BPSK	23.20	15.25	38.5	PASS
n5	15	5	169300	12@6	DFT_QPSK	23.20	15.25	38.5	PASS
n5	15	5	169300	1@1	DFT_QPSK	23.20	15.25	38.5	PASS
n5	15	5	169300	1@23	DFT_QPSK	23.07	15.12	38.5	PASS
n5	15	5	169300	12@6	DFT_QAM16	22.27	14.32	38.5	PASS
n5	15	5	169300	1@1	DFT_QAM16	22.10	14.15	38.5	PASS
n5	15	5	169300	1@23	DFT_QAM16	22.07	14.12	38.5	PASS
n5	15	5	169300	12@6	DFT_QAM64	20.67	12.72	38.5	PASS
n5	15	5	169300	1@1	DFT_QAM64	21.02	13.07	38.5	PASS
n5	15	5	169300	1@23	DFT_QAM64	21.06	13.11	38.5	PASS
n5	15	5	169300	12@6	DFT_QAM256	18.59	10.64	38.5	PASS
n5	15	5	169300	1@1	DFT_QAM256	18.81	10.86	38.5	PASS
n5	15	5	169300	1@23	DFT_QAM256	18.92	10.97	38.5	PASS
n5	15	5	169300	13@6	CP_QPSK	21.69	13.74	38.5	PASS
n5	15	5	169300	1@1	CP_QPSK	21.82	13.87	38.5	PASS
n5	15	5	169300	1@23	CP_QPSK	21.77	13.82	38.5	PASS
n5	15	5	169300	13@6	CP_QAM16	21.11	13.16	38.5	PASS
n5	15	5	169300	1@1	CP_QAM16	21.23	13.28	38.5	PASS
n5	15	5	169300	1@23	CP_QAM16	21.58	13.63	38.5	PASS
n5	15	5	169300	13@6	CP_QAM64	19.76	11.81	38.5	PASS
n5	15	5	169300	1@1	CP_QAM64	20.14	12.19	38.5	PASS
n5	15	5	169300	1@23	CP_QAM64	20.08	12.13	38.5	PASS
n5	15	5	169300	13@6	CP_QAM256	16.80	8.85	38.5	PASS
n5	15	5	169300	1@1	CP_QAM256	16.86	8.91	38.5	PASS
n5	15	5	169300	1@23	CP_QAM256	16.78	8.83	38.5	PASS
n5	15	10	165800	25@12	DFT_BPSK	23.02	15.07	38.5	PASS
n5	15	10	165800	1@1	DFT_BPSK	22.99	15.04	38.5	PASS

n5	15	10	165800	1@50	DFT_BPSK	22.96	15.01	38.5	PASS
n5	15	10	165800	25@12	DFT_QPSK	22.99	15.04	38.5	PASS
n5	15	10	165800	1@1	DFT_QPSK	22.87	14.92	38.5	PASS
n5	15	10	165800	1@50	DFT_QPSK	22.88	14.93	38.5	PASS
n5	15	10	165800	25@12	DFT_QAM16	22.05	14.1	38.5	PASS
n5	15	10	165800	1@1	DFT_QAM16	22.02	14.07	38.5	PASS
n5	15	10	165800	1@50	DFT_QAM16	22.34	14.39	38.5	PASS
n5	15	10	165800	25@12	DFT_QAM64	20.50	12.55	38.5	PASS
n5	15	10	165800	1@1	DFT_QAM64	20.76	12.81	38.5	PASS
n5	15	10	165800	1@50	DFT_QAM64	20.76	12.81	38.5	PASS
n5	15	10	165800	25@12	DFT_QAM256	18.49	10.54	38.5	PASS
n5	15	10	165800	1@1	DFT_QAM256	18.65	10.7	38.5	PASS
n5	15	10	165800	1@50	DFT_QAM256	18.56	10.61	38.5	PASS
n5	15	10	165800	26@13	CP_QPSK	21.46	13.51	38.5	PASS
n5	15	10	165800	1@1	CP_QPSK	21.41	13.46	38.5	PASS
n5	15	10	165800	1@50	CP_QPSK	21.45	13.5	38.5	PASS
n5	15	10	165800	26@13	CP_QAM16	21.06	13.11	38.5	PASS
n5	15	10	165800	1@1	CP_QAM16	21.10	13.15	38.5	PASS
n5	15	10	165800	1@50	CP_QAM16	21.17	13.22	38.5	PASS
n5	15	10	165800	26@13	CP_QAM64	19.43	11.48	38.5	PASS
n5	15	10	165800	1@1	CP_QAM64	19.76	11.81	38.5	PASS
n5	15	10	165800	1@50	CP_QAM64	19.50	11.55	38.5	PASS
n5	15	10	165800	26@13	CP_QAM256	16.63	8.68	38.5	PASS
n5	15	10	165800	1@1	CP_QAM256	16.54	8.59	38.5	PASS
n5	15	10	165800	1@50	CP_QAM256	16.67	8.72	38.5	PASS
n5	15	10	167300	25@12	DFT_BPSK	23.02	15.07	38.5	PASS
n5	15	10	167300	1@1	DFT_BPSK	22.97	15.02	38.5	PASS
n5	15	10	167300	1@50	DFT_BPSK	23.04	15.09	38.5	PASS
n5	15	10	167300	25@12	DFT_QPSK	23.05	15.1	38.5	PASS
n5	15	10	167300	1@1	DFT_QPSK	22.80	14.85	38.5	PASS
n5	15	10	167300	1@50	DFT_QPSK	22.88	14.93	38.5	PASS
n5	15	10	167300	25@12	DFT_QAM16	22.09	14.14	38.5	PASS
n5	15	10	167300	1@1	DFT_QAM16	22.03	14.08	38.5	PASS
n5	15	10	167300	1@50	DFT_QAM16	21.96	14.01	38.5	PASS
n5	15	10	167300	25@12	DFT_QAM64	20.52	12.57	38.5	PASS
n5	15	10	167300	1@1	DFT_QAM64	20.78	12.83	38.5	PASS
n5	15	10	167300	1@50	DFT_QAM64	20.83	12.88	38.5	PASS
n5	15	10	167300	25@12	DFT_QAM256	18.58	10.63	38.5	PASS
n5	15	10	167300	1@1	DFT_QAM256	18.68	10.73	38.5	PASS
n5	15	10	167300	1@50	DFT_QAM256	18.82	10.87	38.5	PASS
n5	15	10	167300	26@13	CP_QPSK	21.51	13.56	38.5	PASS
n5	15	10	167300	1@1	CP_QPSK	21.46	13.51	38.5	PASS
n5	15	10	167300	1@50	CP_QPSK	21.58	13.63	38.5	PASS
n5	15	10	167300	26@13	CP_QAM16	21.19	13.24	38.5	PASS

n5	15	10	167300	1@1	CP_QAM16	21.11	13.16	38.5	PASS
n5	15	10	167300	1@50	CP_QAM16	21.12	13.17	38.5	PASS
n5	15	10	167300	26@13	CP_QAM64	19.46	11.51	38.5	PASS
n5	15	10	167300	1@1	CP_QAM64	19.59	11.64	38.5	PASS
n5	15	10	167300	1@50	CP_QAM64	19.54	11.59	38.5	PASS
n5	15	10	167300	26@13	CP_QAM256	16.66	8.71	38.5	PASS
n5	15	10	167300	1@1	CP_QAM256	16.57	8.62	38.5	PASS
n5	15	10	167300	1@50	CP_QAM256	16.67	8.72	38.5	PASS
n5	15	10	168800	25@12	DFT_BPSK	23.07	15.12	38.5	PASS
n5	15	10	168800	1@1	DFT_BPSK	23.05	15.1	38.5	PASS
n5	15	10	168800	1@50	DFT_BPSK	22.99	15.04	38.5	PASS
n5	15	10	168800	25@12	DFT_QPSK	23.09	15.14	38.5	PASS
n5	15	10	168800	1@1	DFT_QPSK	22.91	14.96	38.5	PASS
n5	15	10	168800	1@50	DFT_QPSK	22.85	14.9	38.5	PASS
n5	15	10	168800	25@12	DFT_QAM16	22.12	14.17	38.5	PASS
n5	15	10	168800	1@1	DFT_QAM16	22.08	14.13	38.5	PASS
n5	15	10	168800	1@50	DFT_QAM16	22.02	14.07	38.5	PASS
n5	15	10	168800	25@12	DFT_QAM64	20.56	12.61	38.5	PASS
n5	15	10	168800	1@1	DFT_QAM64	20.80	12.85	38.5	PASS
n5	15	10	168800	1@50	DFT_QAM64	20.84	12.89	38.5	PASS
n5	15	10	168800	25@12	DFT_QAM256	18.52	10.57	38.5	PASS
n5	15	10	168800	1@1	DFT_QAM256	18.61	10.66	38.5	PASS
n5	15	10	168800	1@50	DFT_QAM256	18.63	10.68	38.5	PASS
n5	15	10	168800	26@13	CP_QPSK	21.51	13.56	38.5	PASS
n5	15	10	168800	1@1	CP_QPSK	21.64	13.69	38.5	PASS
n5	15	10	168800	1@50	CP_QPSK	21.47	13.52	38.5	PASS
n5	15	10	168800	26@13	CP_QAM16	21.18	13.23	38.5	PASS
n5	15	10	168800	1@1	CP_QAM16	21.48	13.53	38.5	PASS
n5	15	10	168800	1@50	CP_QAM16	21.43	13.48	38.5	PASS
n5	15	10	168800	26@13	CP_QAM64	19.53	11.58	38.5	PASS
n5	15	10	168800	1@1	CP_QAM64	19.46	11.51	38.5	PASS
n5	15	10	168800	1@50	CP_QAM64	19.87	11.92	38.5	PASS
n5	15	10	168800	26@13	CP_QAM256	16.64	8.69	38.5	PASS
n5	15	10	168800	1@1	CP_QAM256	16.74	8.79	38.5	PASS
n5	15	10	168800	1@50	CP_QAM256	16.74	8.79	38.5	PASS
n5	15	15	166300	36@18	DFT_BPSK	23.13	15.18	38.5	PASS
n5	15	15	166300	1@1	DFT_BPSK	22.98	15.03	38.5	PASS
n5	15	15	166300	1@77	DFT_BPSK	23.14	15.19	38.5	PASS
n5	15	15	166300	36@18	DFT_QPSK	23.21	15.26	38.5	PASS
n5	15	15	166300	1@1	DFT_QPSK	22.84	14.89	38.5	PASS
n5	15	15	166300	1@77	DFT_QPSK	23.01	15.06	38.5	PASS
n5	15	15	166300	36@18	DFT_QAM16	22.16	14.21	38.5	PASS
n5	15	15	166300	1@1	DFT_QAM16	22.08	14.13	38.5	PASS
n5	15	15	166300	1@77	DFT_QAM16	22.16	14.21	38.5	PASS

n5	15	15	166300	36@18	DFT_QAM64	20.66	12.71	38.5	PASS
n5	15	15	166300	1@1	DFT_QAM64	20.79	12.84	38.5	PASS
n5	15	15	166300	1@77	DFT_QAM64	20.83	12.88	38.5	PASS
n5	15	15	166300	36@18	DFT_QAM256	18.60	10.65	38.5	PASS
n5	15	15	166300	1@1	DFT_QAM256	18.65	10.7	38.5	PASS
n5	15	15	166300	1@77	DFT_QAM256	18.75	10.8	38.5	PASS
n5	15	15	166300	39@19	CP_QPSK	21.69	13.74	38.5	PASS
n5	15	15	166300	1@1	CP_QPSK	21.53	13.58	38.5	PASS
n5	15	15	166300	1@77	CP_QPSK	21.67	13.72	38.5	PASS
n5	15	15	166300	39@19	CP_QAM16	21.20	13.25	38.5	PASS
n5	15	15	166300	1@1	CP_QAM16	21.16	13.21	38.5	PASS
n5	15	15	166300	1@77	CP_QAM16	21.31	13.36	38.5	PASS
n5	15	15	166300	39@19	CP_QAM64	19.60	11.65	38.5	PASS
n5	15	15	166300	1@1	CP_QAM64	19.62	11.67	38.5	PASS
n5	15	15	166300	1@77	CP_QAM64	19.68	11.73	38.5	PASS
n5	15	15	166300	39@19	CP_QAM256	16.80	8.85	38.5	PASS
n5	15	15	166300	1@1	CP_QAM256	16.82	8.87	38.5	PASS
n5	15	15	166300	1@77	CP_QAM256	16.76	8.81	38.5	PASS
n5	15	15	167300	36@18	DFT_BPSK	23.17	15.22	38.5	PASS
n5	15	15	167300	1@1	DFT_BPSK	23.04	15.09	38.5	PASS
n5	15	15	167300	1@77	DFT_BPSK	23.11	15.16	38.5	PASS
n5	15	15	167300	36@18	DFT_QPSK	23.20	15.25	38.5	PASS
n5	15	15	167300	1@1	DFT_QPSK	22.82	14.87	38.5	PASS
n5	15	15	167300	1@77	DFT_QPSK	22.94	14.99	38.5	PASS
n5	15	15	167300	36@18	DFT_QAM16	22.21	14.26	38.5	PASS
n5	15	15	167300	1@1	DFT_QAM16	22.05	14.1	38.5	PASS
n5	15	15	167300	1@77	DFT_QAM16	22.15	14.2	38.5	PASS
n5	15	15	167300	36@18	DFT_QAM64	20.71	12.76	38.5	PASS
n5	15	15	167300	1@1	DFT_QAM64	20.81	12.86	38.5	PASS
n5	15	15	167300	1@77	DFT_QAM64	20.94	12.99	38.5	PASS
n5	15	15	167300	36@18	DFT_QAM256	18.65	10.7	38.5	PASS
n5	15	15	167300	1@1	DFT_QAM256	18.58	10.63	38.5	PASS
n5	15	15	167300	1@77	DFT_QAM256	18.68	10.73	38.5	PASS
n5	15	15	167300	39@19	CP_QPSK	21.69	13.74	38.5	PASS
n5	15	15	167300	1@1	CP_QPSK	21.51	13.56	38.5	PASS
n5	15	15	167300	1@77	CP_QPSK	21.69	13.74	38.5	PASS
n5	15	15	167300	39@19	CP_QAM16	21.14	13.19	38.5	PASS
n5	15	15	167300	1@1	CP_QAM16	21.12	13.17	38.5	PASS
n5	15	15	167300	1@77	CP_QAM16	21.27	13.32	38.5	PASS
n5	15	15	167300	39@19	CP_QAM64	19.59	11.64	38.5	PASS
n5	15	15	167300	1@1	CP_QAM64	19.93	11.98	38.5	PASS
n5	15	15	167300	1@77	CP_QAM64	19.95	12	38.5	PASS
n5	15	15	167300	39@19	CP_QAM256	16.78	8.83	38.5	PASS
n5	15	15	167300	1@1	CP_QAM256	16.63	8.68	38.5	PASS

n5	15	15	167300	1@77	CP_QAM256	16.73	8.78	38.5	PASS
n5	15	15	168300	36@18	DFT_BPSK	23.25	15.3	38.5	PASS
n5	15	15	168300	1@1	DFT_BPSK	23.07	15.12	38.5	PASS
n5	15	15	168300	1@77	DFT_BPSK	23.08	15.13	38.5	PASS
n5	15	15	168300	36@18	DFT_QPSK	23.23	15.28	38.5	PASS
n5	15	15	168300	1@1	DFT_QPSK	22.90	14.95	38.5	PASS
n5	15	15	168300	1@77	DFT_QPSK	22.90	14.95	38.5	PASS
n5	15	15	168300	36@18	DFT_QAM16	22.23	14.28	38.5	PASS
n5	15	15	168300	1@1	DFT_QAM16	22.12	14.17	38.5	PASS
n5	15	15	168300	1@77	DFT_QAM16	22.10	14.15	38.5	PASS
n5	15	15	168300	36@18	DFT_QAM64	20.71	12.76	38.5	PASS
n5	15	15	168300	1@1	DFT_QAM64	20.82	12.87	38.5	PASS
n5	15	15	168300	1@77	DFT_QAM64	20.80	12.85	38.5	PASS
n5	15	15	168300	36@18	DFT_QAM256	18.67	10.72	38.5	PASS
n5	15	15	168300	1@1	DFT_QAM256	18.72	10.77	38.5	PASS
n5	15	15	168300	1@77	DFT_QAM256	18.75	10.8	38.5	PASS
n5	15	15	168300	39@19	CP_QPSK	21.71	13.76	38.5	PASS
n5	15	15	168300	1@1	CP_QPSK	21.45	13.5	38.5	PASS
n5	15	15	168300	1@77	CP_QPSK	21.59	13.64	38.5	PASS
n5	15	15	168300	39@19	CP_QAM16	21.22	13.27	38.5	PASS
n5	15	15	168300	1@1	CP_QAM16	21.22	13.27	38.5	PASS
n5	15	15	168300	1@77	CP_QAM16	21.54	13.59	38.5	PASS
n5	15	15	168300	39@19	CP_QAM64	19.74	11.79	38.5	PASS
n5	15	15	168300	1@1	CP_QAM64	19.55	11.6	38.5	PASS
n5	15	15	168300	1@77	CP_QAM64	19.57	11.62	38.5	PASS
n5	15	15	168300	39@19	CP_QAM256	16.86	8.91	38.5	PASS
n5	15	15	168300	1@1	CP_QAM256	16.56	8.61	38.5	PASS
n5	15	15	168300	1@77	CP_QAM256	16.56	8.61	38.5	PASS
n5	15	20	166800	50@25	DFT_BPSK	23.16	15.21	38.5	PASS
n5	15	20	166800	1@1	DFT_BPSK	22.98	15.03	38.5	PASS
n5	15	20	166800	1@104	DFT_BPSK	23.08	15.13	38.5	PASS
n5	15	20	166800	50@25	DFT_QPSK	23.23	15.28	38.5	PASS
n5	15	20	166800	1@1	DFT_QPSK	22.89	14.94	38.5	PASS
n5	15	20	166800	1@104	DFT_QPSK	22.94	14.99	38.5	PASS
n5	15	20	166800	50@25	DFT_QAM16	22.21	14.26	38.5	PASS
n5	15	20	166800	1@1	DFT_QAM16	21.90	13.95	38.5	PASS
n5	15	20	166800	1@104	DFT_QAM16	22.16	14.21	38.5	PASS
n5	15	20	166800	50@25	DFT_QAM64	20.66	12.71	38.5	PASS
n5	15	20	166800	1@1	DFT_QAM64	20.78	12.83	38.5	PASS
n5	15	20	166800	1@104	DFT_QAM64	20.94	12.99	38.5	PASS
n5	15	20	166800	50@25	DFT_QAM256	18.73	10.78	38.5	PASS
n5	15	20	166800	1@1	DFT_QAM256	18.70	10.75	38.5	PASS
n5	15	20	166800	1@104	DFT_QAM256	18.81	10.86	38.5	PASS
n5	15	20	166800	53@26	CP_QPSK	21.64	13.69	38.5	PASS

n5	15	20	166800	1@1	CP_QPSK	21.56	13.61	38.5	PASS
n5	15	20	166800	1@104	CP_QPSK	21.68	13.73	38.5	PASS
n5	15	20	166800	53@26	CP_QAM16	21.19	13.24	38.5	PASS
n5	15	20	166800	1@1	CP_QAM16	21.17	13.22	38.5	PASS
n5	15	20	166800	1@104	CP_QAM16	21.26	13.31	38.5	PASS
n5	15	20	166800	53@26	CP_QAM64	19.74	11.79	38.5	PASS
n5	15	20	166800	1@1	CP_QAM64	19.67	11.72	38.5	PASS
n5	15	20	166800	1@104	CP_QAM64	19.55	11.6	38.5	PASS
n5	15	20	166800	53@26	CP_QAM256	16.67	8.72	38.5	PASS
n5	15	20	166800	1@1	CP_QAM256	16.58	8.63	38.5	PASS
n5	15	20	166800	1@104	CP_QAM256	16.87	8.92	38.5	PASS
n5	15	20	167300	50@25	DFT_BPSK	23.23	15.28	38.5	PASS
n5	15	20	167300	1@1	DFT_BPSK	22.97	15.02	38.5	PASS
n5	15	20	167300	1@104	DFT_BPSK	23.05	15.1	38.5	PASS
n5	15	20	167300	50@25	DFT_QPSK	23.24	15.29	38.5	PASS
n5	15	20	167300	1@1	DFT_QPSK	22.84	14.89	38.5	PASS
n5	15	20	167300	1@104	DFT_QPSK	22.95	15	38.5	PASS
n5	15	20	167300	50@25	DFT_QAM16	22.25	14.3	38.5	PASS
n5	15	20	167300	1@1	DFT_QAM16	21.85	13.9	38.5	PASS
n5	15	20	167300	1@104	DFT_QAM16	22.20	14.25	38.5	PASS
n5	15	20	167300	50@25	DFT_QAM64	20.68	12.73	38.5	PASS
n5	15	20	167300	1@1	DFT_QAM64	20.84	12.89	38.5	PASS
n5	15	20	167300	1@104	DFT_QAM64	20.89	12.94	38.5	PASS
n5	15	20	167300	50@25	DFT_QAM256	18.69	10.74	38.5	PASS
n5	15	20	167300	1@1	DFT_QAM256	18.67	10.72	38.5	PASS
n5	15	20	167300	1@104	DFT_QAM256	18.82	10.87	38.5	PASS
n5	15	20	167300	53@26	CP_QPSK	21.67	13.72	38.5	PASS
n5	15	20	167300	1@1	CP_QPSK	21.41	13.46	38.5	PASS
n5	15	20	167300	1@104	CP_QPSK	21.56	13.61	38.5	PASS
n5	15	20	167300	53@26	CP_QAM16	21.17	13.22	38.5	PASS
n5	15	20	167300	1@1	CP_QAM16	21.20	13.25	38.5	PASS
n5	15	20	167300	1@104	CP_QAM16	21.35	13.4	38.5	PASS
n5	15	20	167300	53@26	CP_QAM64	19.70	11.75	38.5	PASS
n5	15	20	167300	1@1	CP_QAM64	19.54	11.59	38.5	PASS
n5	15	20	167300	1@104	CP_QAM64	19.58	11.63	38.5	PASS
n5	15	20	167300	53@26	CP_QAM256	16.73	8.78	38.5	PASS
n5	15	20	167300	1@1	CP_QAM256	16.66	8.71	38.5	PASS
n5	15	20	167300	1@104	CP_QAM256	16.72	8.77	38.5	PASS
n5	15	20	167800	50@25	DFT_BPSK	23.24	15.29	38.5	PASS
n5	15	20	167800	1@1	DFT_BPSK	23.00	15.05	38.5	PASS
n5	15	20	167800	1@104	DFT_BPSK	23.05	15.1	38.5	PASS
n5	15	20	167800	50@25	DFT_QPSK	23.24	15.29	38.5	PASS
n5	15	20	167800	1@1	DFT_QPSK	22.87	14.92	38.5	PASS
n5	15	20	167800	1@104	DFT_QPSK	22.98	15.03	38.5	PASS

n5	15	20	167800	50@25	DFT_QAM16	22.23	14.28	38.5	PASS
n5	15	20	167800	1@1	DFT_QAM16	21.89	13.94	38.5	PASS
n5	15	20	167800	1@104	DFT_QAM16	22.10	14.15	38.5	PASS
n5	15	20	167800	50@25	DFT_QAM64	20.69	12.74	38.5	PASS
n5	15	20	167800	1@1	DFT_QAM64	20.87	12.92	38.5	PASS
n5	15	20	167800	1@104	DFT_QAM64	20.83	12.88	38.5	PASS
n5	15	20	167800	50@25	DFT_QAM256	18.62	10.67	38.5	PASS
n5	15	20	167800	1@1	DFT_QAM256	18.67	10.72	38.5	PASS
n5	15	20	167800	1@104	DFT_QAM256	18.74	10.79	38.5	PASS
n5	15	20	167800	53@26	CP_QPSK	21.69	13.74	38.5	PASS
n5	15	20	167800	1@1	CP_QPSK	21.50	13.55	38.5	PASS
n5	15	20	167800	1@104	CP_QPSK	21.54	13.59	38.5	PASS
n5	15	20	167800	53@26	CP_QAM16	21.18	13.23	38.5	PASS
n5	15	20	167800	1@1	CP_QAM16	21.44	13.49	38.5	PASS
n5	15	20	167800	1@104	CP_QAM16	21.45	13.5	38.5	PASS
n5	15	20	167800	53@26	CP_QAM64	19.70	11.75	38.5	PASS
n5	15	20	167800	1@1	CP_QAM64	19.70	11.75	38.5	PASS
n5	15	20	167800	1@104	CP_QAM64	19.51	11.56	38.5	PASS
n5	15	20	167800	53@26	CP_QAM256	16.82	8.87	38.5	PASS
n5	15	20	167800	1@1	CP_QAM256	16.68	8.73	38.5	PASS
n5	15	20	167800	1@104	CP_QAM256	16.75	8.8	38.5	PASS



## 2 Frequency stability for NR FR1

### NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n5	15	20	167300	50@25	DFT_BPSK	3.85	-2.42	0.00	2.5	PASS
n5	15	20	167300	50@25	DFT_BPSK	3.50	-2.36	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	4.45	-3.79	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	3.85	-3.59	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	3.50	-2.57	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	4.45	-3.62	0.00		PASS

Note: Only the worst case shown in the report.

### NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n5	15	20	167300	50@25	DFT_BPSK	-30	-2.83	0.00	2.5	PASS
n5	15	20	167300	50@25	DFT_BPSK	-20	-3.3	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	-10	-5.61	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	0	-4.25	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	10	-2.46	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	20	-1.87	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	30	-3.98	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	40	-1.86	0.00		PASS
n5	15	20	167300	50@25	DFT_BPSK	50	-5.74	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	-30	-2.29	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	-20	-3.63	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	-10	-1.47	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	0	-5.32	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	10	-6.39	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	20	-4.24	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	30	-4.45	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	40	-3.91	0.00		PASS
n5	15	20	167300	50@25	DFT_QPSK	50	-2.01	0.00		PASS

Note: Only the worst case shown in the report.


### 3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n5	15	5	167300	25@0	DFT_BPSK	3.93	13	PASS
n5	15	5	167300	25@0	DFT_QPSK	4.80	13	PASS
n5	15	5	167300	25@0	DFT_QAM16	5.68	13	PASS
n5	15	5	167300	25@0	DFT_QAM64	5.98	13	PASS
n5	15	5	167300	25@0	DFT_QAM256	6.93	13	PASS
n5	15	10	167300	50@0	DFT_BPSK	4.12	13	PASS
n5	15	10	167300	50@0	DFT_QPSK	4.96	13	PASS
n5	15	10	167300	50@0	DFT_QAM16	5.75	13	PASS
n5	15	10	167300	50@0	DFT_QAM64	6.19	13	PASS
n5	15	10	167300	50@0	DFT_QAM256	6.69	13	PASS
n5	15	15	167300	75@0	DFT_BPSK	4.36	13	PASS
n5	15	15	167300	75@0	DFT_QPSK	5.17	13	PASS
n5	15	15	167300	75@0	DFT_QAM16	5.92	13	PASS
n5	15	15	167300	75@0	DFT_QAM64	6.22	13	PASS
n5	15	15	167300	75@0	DFT_QAM256	6.70	13	PASS
n5	15	20	167300	100@0	DFT_BPSK	4.39	13	PASS
n5	15	20	167300	100@0	DFT_QPSK	5.31	13	PASS
n5	15	20	167300	100@0	DFT_QAM16	6.08	13	PASS
n5	15	20	167300	100@0	DFT_QAM64	6.39	13	PASS
n5	15	20	167300	100@0	DFT_QAM256	6.88	13	PASS


n5 SCS=15kHz DFT\_BPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT\_BPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT\_QPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=167300 RB=50@0



n5 SCS=15kHz DFT\_BPSK BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT\_QPSK BW=15MHz Channel=167300 RB=75@0







n5 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=167300 RB=75 @0




n5 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=167300 RB=75 @0




n5 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=167300 RB=75@0




n5 SCS=15kHz DFT\_BPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT\_QAM16 BW=20MHz Channel=167300 RB=100@0



n5 SCS=15kHz DFT\_QAM64 BW=20MHz Channel=167300 RB=100@0



n5 SCS=15kHz DFT\_QAM256 BW=20MHz Channel=167300 RB=100@0




#### 4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n5	15	5	165300	25@0	DFT_BPSK	4.490	4.790	PASS
n5	15	5	165300	25@0	DFT_QPSK	4.490	4.760	PASS
n5	15	5	165300	25@0	DFT_QAM16	4.490	4.770	PASS
n5	15	5	165300	25@0	DFT_QAM64	4.490	4.760	PASS
n5	15	5	165300	25@0	DFT_QAM256	4.480	4.770	PASS
n5	15	5	165300	25@0	CP_QPSK	4.490	4.780	PASS
n5	15	5	167300	25@0	DFT_BPSK	4.500	4.780	PASS
n5	15	5	167300	25@0	DFT_QPSK	4.500	4.810	PASS
n5	15	5	167300	25@0	DFT_QAM16	4.490	4.760	PASS
n5	15	5	167300	25@0	DFT_QAM64	4.500	4.790	PASS
n5	15	5	167300	25@0	DFT_QAM256	4.490	4.770	PASS
n5	15	5	167300	25@0	CP_QPSK	4.490	4.780	PASS
n5	15	5	169300	25@0	DFT_BPSK	4.480	4.770	PASS
n5	15	5	169300	25@0	DFT_QPSK	4.500	4.770	PASS
n5	15	5	169300	25@0	DFT_QAM16	4.490	4.760	PASS
n5	15	5	169300	25@0	DFT_QAM64	4.490	4.780	PASS
n5	15	5	169300	25@0	DFT_QAM256	4.480	4.750	PASS
n5	15	5	169300	25@0	CP_QPSK	4.490	4.770	PASS
n5	15	10	165800	50@0	DFT_BPSK	9.200	9.460	PASS
n5	15	10	165800	50@0	DFT_QPSK	9.180	9.460	PASS
n5	15	10	165800	50@0	DFT_QAM16	9.220	9.470	PASS
n5	15	10	165800	50@0	DFT_QAM64	9.210	9.450	PASS
n5	15	10	165800	50@0	DFT_QAM256	9.210	9.450	PASS
n5	15	10	165800	52@0	CP_QPSK	9.300	9.840	PASS
n5	15	10	167300	50@0	DFT_BPSK	9.210	9.470	PASS
n5	15	10	167300	50@0	DFT_QPSK	9.210	9.470	PASS
n5	15	10	167300	50@0	DFT_QAM16	9.220	9.460	PASS
n5	15	10	167300	50@0	DFT_QAM64	9.210	9.480	PASS
n5	15	10	167300	50@0	DFT_QAM256	9.220	9.460	PASS
n5	15	10	167300	52@0	CP_QPSK	9.330	9.850	PASS
n5	15	10	168800	50@0	DFT_BPSK	9.200	9.460	PASS
n5	15	10	168800	50@0	DFT_QPSK	9.200	9.450	PASS
n5	15	10	168800	50@0	DFT_QAM16	9.210	9.450	PASS
n5	15	10	168800	50@0	DFT_QAM64	9.210	9.460	PASS
n5	15	10	168800	50@0	DFT_QAM256	9.210	9.450	PASS
n5	15	10	168800	52@0	CP_QPSK	9.300	9.830	PASS
n5	15	15	166300	75@0	DFT_BPSK	14.000	14.200	PASS
n5	15	15	166300	75@0	DFT_QPSK	14.050	14.200	PASS
n5	15	15	166300	75@0	DFT_QAM16	14.050	14.200	PASS

n5	15	15	166300	75@0	DFT_QAM64	13.990	14.170	PASS
n5	15	15	166300	75@0	DFT_QAM256	14.000	14.180	PASS
n5	15	15	166300	79@0	CP_QPSK	14.160	14.930	PASS
n5	15	15	167300	75@0	DFT_BPSK	14.000	14.210	PASS
n5	15	15	167300	75@0	DFT_QPSK	13.990	14.200	PASS
n5	15	15	167300	75@0	DFT_QAM16	14.000	14.200	PASS
n5	15	15	167300	75@0	DFT_QAM64	14.040	14.200	PASS
n5	15	15	167300	75@0	DFT_QAM256	14.040	14.190	PASS
n5	15	15	167300	79@0	CP_QPSK	14.170	14.940	PASS
n5	15	15	168300	75@0	DFT_BPSK	13.990	14.200	PASS
n5	15	15	168300	75@0	DFT_QPSK	13.980	14.190	PASS
n5	15	15	168300	75@0	DFT_QAM16	14.000	14.210	PASS
n5	15	15	168300	75@0	DFT_QAM64	14.000	14.190	PASS
n5	15	15	168300	75@0	DFT_QAM256	14.000	14.200	PASS
n5	15	15	168300	79@0	CP_QPSK	14.170	14.930	PASS
n5	15	20	166800	100@0	DFT_BPSK	18.750	18.900	PASS
n5	15	20	166800	100@0	DFT_QPSK	18.800	18.890	PASS
n5	15	20	166800	100@0	DFT_QAM16	18.750	18.890	PASS
n5	15	20	166800	100@0	DFT_QAM64	18.820	18.900	PASS
n5	15	20	166800	100@0	DFT_QAM256	18.740	18.890	PASS
n5	15	20	166800	106@0	CP_QPSK	18.980	19.990	PASS
n5	15	20	167300	100@0	DFT_BPSK	18.800	18.900	PASS
n5	15	20	167300	100@0	DFT_QPSK	18.820	18.900	PASS
n5	15	20	167300	100@0	DFT_QAM16	18.750	18.880	PASS
n5	15	20	167300	100@0	DFT_QAM64	18.830	18.900	PASS
n5	15	20	167300	100@0	DFT_QAM256	18.750	18.880	PASS
n5	15	20	167300	106@0	CP_QPSK	18.980	20.010	PASS
n5	15	20	167800	100@0	DFT_BPSK	18.810	18.900	PASS
n5	15	20	167800	100@0	DFT_QPSK	18.810	18.900	PASS
n5	15	20	167800	100@0	DFT_QAM16	18.760	18.890	PASS
n5	15	20	167800	100@0	DFT_QAM64	18.820	18.900	PASS
n5	15	20	167800	100@0	DFT_QAM256	18.750	18.910	PASS
n5	15	20	167800	106@0	CP_QPSK	18.980	19.990	PASS


n5 SCS=15kHz DFT\_BPSK BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=165300 RB=25@0



n5 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=165300 RB=25@0







n5 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=165300 RB=25@0




n5 SCS=15kHz CP\_QPSK BW=5MHz Channel=165300 RB=25@0



n5 SCS=15kHz DFT\_BPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=167300 RB=25@0



n5 SCS=15kHz CP\_QPSK BW=5MHz Channel=167300 RB=25@0



n5 SCS=15kHz DFT\_BPSK BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT\_QAM16 BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT\_QAM64 BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz DFT\_QAM256 BW=5MHz Channel=169300 RB=25@0




n5 SCS=15kHz CP\_QPSK BW=5MHz Channel=169300 RB=25@0



n5 SCS=15kHz DFT\_BPSK BW=10MHz Channel=165800 RB=50@0



n5 SCS=15kHz DFT\_QPSK BW=10MHz Channel=165800 RB=50@0






n5 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=165800 RB=50@0




n5 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=165800 RB=50@0



n5 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=165800 RB=50@0



n5 SCS=15kHz CP\_QPSK BW=10MHz Channel=165800 RB=52@0




n5 SCS=15kHz DFT\_BPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT\_QPSK BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=167300 RB=50@0



n5 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=167300 RB=50@0




n5 SCS=15kHz CP\_QPSK BW=10MHz Channel=167300 RB=52@0




n5 SCS=15kHz DFT\_BPSK BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT\_QPSK BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT\_QAM16 BW=10MHz Channel=168800 RB=50@0




n5 SCS=15kHz DFT\_QAM64 BW=10MHz Channel=168800 RB=50@0



n5 SCS=15kHz DFT\_QAM256 BW=10MHz Channel=168800 RB=50@0



n5 SCS=15kHz CP\_QPSK BW=10MHz Channel=168800 RB=52@0






n5 SCS=15kHz DFT\_BPSK BW=15MHz Channel=166300 RB=75@0




n5 SCS=15kHz DFT\_QPSK BW=15MHz Channel=166300 RB=75@0



n5 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=166300 RB=75 @0




n5 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=166300 RB=75 @0



n5 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=166300 RB=75@0



n5 SCS=15kHz CP\_QPSK BW=15MHz Channel=166300 RB=79@0



n5 SCS=15kHz DFT\_BPSK BW=15MHz Channel=167300 RB=75@0



n5 SCS=15kHz DFT\_QPSK BW=15MHz Channel=167300 RB=75@0



n5 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=167300 RB=75 @0




n5 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=167300 RB=75 @0



n5 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=167300 RB=75@0



n5 SCS=15kHz CP\_QPSK BW=15MHz Channel=167300 RB=79@0




n5 SCS=15kHz DFT\_BPSK BW=15MHz Channel=168300 RB=75@0



n5 SCS=15kHz DFT\_QPSK BW=15MHz Channel=168300 RB=75@0



n5 SCS=15kHz DFT\_QAM16 BW=15MHz Channel=168300 RB=75 @0




n5 SCS=15kHz DFT\_QAM64 BW=15MHz Channel=168300 RB=75 @0





n5 SCS=15kHz DFT\_QAM256 BW=15MHz Channel=168300 RB=75@0




n5 SCS=15kHz CP\_QPSK BW=15MHz Channel=168300 RB=79@0



n5 SCS=15kHz DFT\_BPSK BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT\_QAM16 BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT\_QAM64 BW=20MHz Channel=166800 RB=100@0



n5 SCS=15kHz DFT\_QAM256 BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz CP\_QPSK BW=20MHz Channel=166800 RB=106@0



n5 SCS=15kHz DFT\_BPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT\_QAM16 BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT\_QAM64 BW=20MHz Channel=167300 RB=100@0



n5 SCS=15kHz DFT\_QAM256 BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz CP\_QPSK BW=20MHz Channel=167300 RB=106@0



n5 SCS=15kHz DFT\_BPSK BW=20MHz Channel=167800 RB=100@0



n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167800 RB=100@0






n5 SCS=15kHz DFT\_QAM16 BW=20MHz Channel=167800 RB=100@0



n5 SCS=15kHz DFT\_QAM64 BW=20MHz Channel=167800 RB=100@0



n5 SCS=15kHz DFT\_QAM256 BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz CP\_QPSK BW=20MHz Channel=167800 RB=106@0




### 5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	15	5	165300	25@0	DFT_QPSK	823.68	-40.94	-13	PASS
n5	15	5	165300	1@0	DFT_QPSK	824.00	-17.05	-13	PASS
n5	15	5	169300	25@0	DFT_QPSK	849.00	-38.68	-13	PASS
n5	15	5	169300	1@24	DFT_QPSK	849.00	-17.23	-13	PASS
n5	15	20	166800	100@0	DFT_QPSK	824.00	-33.43	-13	PASS
n5	15	20	166800	1@0	DFT_QPSK	824.00	-22.26	-13	PASS
n5	15	20	167800	100@0	DFT_QPSK	849.32	-38.43	-13	PASS
n5	15	20	167800	1@105	DFT_QPSK	849.28	-24.57	-13	PASS


n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=166800 RB=1@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167800 RB=100@0



n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167800 RB=1@105



n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=165300 RB=1@0




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=169300 RB=1@24



n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=165300 RB=25@0



n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=169300 RB=25@0




### 6 Out-of-band emissions for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	15	5	165300	25@0	DFT_QPSK	3825.33	-38.11	-13	PASS
n5	15	5	165300	1@0	DFT_QPSK	3758.95	-38.41	-13	PASS
n5	15	5	165300	1@24	DFT_QPSK	3799.68	-37.27	-13	PASS
n5	15	5	167300	25@0	DFT_QPSK	3835.00	-38.01	-13	PASS
n5	15	5	167300	1@0	DFT_QPSK	3792.25	-37.15	-13	PASS
n5	15	5	167300	1@24	DFT_QPSK	2516.05	-36.88	-13	PASS
n5	15	5	169300	25@0	DFT_QPSK	3905.88	-37.31	-13	PASS
n5	15	5	169300	1@0	DFT_QPSK	3835.45	-37.88	-13	PASS
n5	15	5	169300	1@24	DFT_QPSK	3828.93	-38.33	-13	PASS
n5	15	20	166800	100@0	DFT_QPSK	3785.50	-37.59	-13	PASS
n5	15	20	166800	1@0	DFT_QPSK	3799.68	-38.36	-13	PASS
n5	15	20	166800	1@105	DFT_QPSK	3783.93	-36.83	-13	PASS
n5	15	20	167300	100@0	DFT_QPSK	3800.58	-37.31	-13	PASS
n5	15	20	167300	1@0	DFT_QPSK	3775.83	-38.18	-13	PASS
n5	15	20	167300	1@105	DFT_QPSK	3756.48	-37.70	-13	PASS
n5	15	20	167800	100@0	DFT_QPSK	3737.35	-38.29	-13	PASS
n5	15	20	167800	1@0	DFT_QPSK	5047.53	-38.03	-13	PASS
n5	15	20	167800	1@105	DFT_QPSK	3796.53	-37.24	-13	PASS




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=166800 RB=1@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=166800 RB=100@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167300 RB=100@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=166800 RB=1@105




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167300 RB=1@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167800 RB=100@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167300 RB=1 @105




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167800 RB=1 @0




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=165300 RB=1@0




n5 SCS=15kHz DFT\_QPSK BW=20MHz Channel=167800 RB=1@105




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=165300 RB=1 @24




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=165300 RB=25 @0




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=167300 RB=1@0




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=167300 RB=1@24



n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=167300 RB=25@0




n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=169300 RB=1@0





n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=169300 RB=1 @24



n5 SCS=15kHz DFT\_QPSK BW=5MHz Channel=169300 RB=25 @0

