

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n77(3700-3980)	15	10	647000	25@12	DFT_BPSK	22.46	21.32	30	PASS
n77(3700-3980)	15	10	647000	1@1	DFT_BPSK	22.33	21.19	30	PASS
n77(3700-3980)	15	10	647000	1@50	DFT_BPSK	22.39	21.25	30	PASS
n77(3700-3980)	15	10	647000	25@12	DFT_QPSK	22.48	21.34	30	PASS
n77(3700-3980)	15	10	647000	1@1	DFT_QPSK	22.21	21.07	30	PASS
n77(3700-3980)	15	10	647000	1@50	DFT_QPSK	22.24	21.1	30	PASS
n77(3700-3980)	15	10	647000	25@12	DFT_QAM16	21.54	20.4	30	PASS
n77(3700-3980)	15	10	647000	1@1	DFT_QAM16	21.21	20.07	30	PASS
n77(3700-3980)	15	10	647000	1@50	DFT_QAM16	21.45	20.31	30	PASS
n77(3700-3980)	15	10	647000	25@12	DFT_QAM64	20.01	18.87	30	PASS
n77(3700-3980)	15	10	647000	1@1	DFT_QAM64	20.16	19.02	30	PASS
n77(3700-3980)	15	10	647000	1@50	DFT_QAM64	20.20	19.06	30	PASS
n77(3700-3980)	15	10	647000	25@12	DFT_QAM256	18.13	16.99	30	PASS
n77(3700-3980)	15	10	647000	1@1	DFT_QAM256	18.33	17.19	30	PASS
n77(3700-3980)	15	10	647000	1@50	DFT_QAM256	18.07	16.93	30	PASS
n77(3700-3980)	15	10	647000	26@13	CP_QPSK	20.93	19.79	30	PASS
n77(3700-3980)	15	10	647000	1@1	CP_QPSK	20.89	19.75	30	PASS
n77(3700-3980)	15	10	647000	1@50	CP_QPSK	20.80	19.66	30	PASS
n77(3700-3980)	15	10	647000	26@13	CP_QAM16	20.46	19.32	30	PASS
n77(3700-3980)	15	10	647000	1@1	CP_QAM16	20.79	19.65	30	PASS
n77(3700-3980)	15	10	647000	1@50	CP_QAM16	20.79	19.65	30	PASS
n77(3700-3980)	15	10	647000	26@13	CP_QAM64	18.95	17.81	30	PASS
n77(3700-3980)	15	10	647000	1@1	CP_QAM64	19.26	18.12	30	PASS
n77(3700-3980)	15	10	647000	1@50	CP_QAM64	19.21	18.07	30	PASS
n77(3700-3980)	15	10	647000	26@13	CP_QAM256	16.01	14.87	30	PASS
n77(3700-3980)	15	10	647000	1@1	CP_QAM256	16.03	14.89	30	PASS
n77(3700-3980)	15	10	647000	1@50	CP_QAM256	15.98	14.84	30	PASS
n77(3700-3980)	15	10	656000	25@12	DFT_BPSK	22.38	21.24	30	PASS
n77(3700-3980)	15	10	656000	1@1	DFT_BPSK	22.28	21.14	30	PASS
n77(3700-3980)	15	10	656000	1@50	DFT_BPSK	22.20	21.06	30	PASS
n77(3700-3980)	15	10	656000	25@12	DFT_QPSK	22.34	21.2	30	PASS
n77(3700-3980)	15	10	656000	1@1	DFT_QPSK	22.17	21.03	30	PASS
n77(3700-3980)	15	10	656000	1@50	DFT_QPSK	22.11	20.97	30	PASS
n77(3700-3980)	15	10	656000	25@12	DFT_QAM16	21.40	20.26	30	PASS
n77(3700-3980)	15	10	656000	1@1	DFT_QAM16	21.09	19.95	30	PASS
n77(3700-3980)	15	10	656000	1@50	DFT_QAM16	21.06	19.92	30	PASS
n77(3700-3980)	15	10	656000	25@12	DFT_QAM64	19.85	18.71	30	PASS
n77(3700-3980)	15	10	656000	1@1	DFT_QAM64	20.10	18.96	30	PASS
n77(3700-3980)	15	10	656000	1@50	DFT_QAM64	19.99	18.85	30	PASS

n77(3700-3980)	15	10	656000	25@12	DFT_QAM256	18.04	16.9	30	PASS
n77(3700-3980)	15	10	656000	1@1	DFT_QAM256	18.10	16.96	30	PASS
n77(3700-3980)	15	10	656000	1@50	DFT_QAM256	17.99	16.85	30	PASS
n77(3700-3980)	15	10	656000	26@13	CP_QPSK	20.89	19.75	30	PASS
n77(3700-3980)	15	10	656000	1@1	CP_QPSK	20.84	19.7	30	PASS
n77(3700-3980)	15	10	656000	1@50	CP_QPSK	20.51	19.37	30	PASS
n77(3700-3980)	15	10	656000	26@13	CP_QAM16	20.35	19.21	30	PASS
n77(3700-3980)	15	10	656000	1@1	CP_QAM16	20.33	19.19	30	PASS
n77(3700-3980)	15	10	656000	1@50	CP_QAM16	20.66	19.52	30	PASS
n77(3700-3980)	15	10	656000	26@13	CP_QAM64	18.84	17.7	30	PASS
n77(3700-3980)	15	10	656000	1@1	CP_QAM64	18.94	17.8	30	PASS
n77(3700-3980)	15	10	656000	1@50	CP_QAM64	18.69	17.55	30	PASS
n77(3700-3980)	15	10	656000	26@13	CP_QAM256	15.94	14.8	30	PASS
n77(3700-3980)	15	10	656000	1@1	CP_QAM256	16.03	14.89	30	PASS
n77(3700-3980)	15	10	656000	1@50	CP_QAM256	15.96	14.82	30	PASS
n77(3700-3980)	15	10	665000	25@12	DFT_BPSK	22.51	21.37	30	PASS
n77(3700-3980)	15	10	665000	1@1	DFT_BPSK	22.51	21.37	30	PASS
n77(3700-3980)	15	10	665000	1@50	DFT_BPSK	22.43	21.29	30	PASS
n77(3700-3980)	15	10	665000	25@12	DFT_QPSK	22.57	21.43	30	PASS
n77(3700-3980)	15	10	665000	1@1	DFT_QPSK	22.41	21.27	30	PASS
n77(3700-3980)	15	10	665000	1@50	DFT_QPSK	22.32	21.18	30	PASS
n77(3700-3980)	15	10	665000	25@12	DFT_QAM16	21.52	20.38	30	PASS
n77(3700-3980)	15	10	665000	1@1	DFT_QAM16	21.53	20.39	30	PASS
n77(3700-3980)	15	10	665000	1@50	DFT_QAM16	21.29	20.15	30	PASS
n77(3700-3980)	15	10	665000	25@12	DFT_QAM64	20.05	18.91	30	PASS
n77(3700-3980)	15	10	665000	1@1	DFT_QAM64	20.32	19.18	30	PASS
n77(3700-3980)	15	10	665000	1@50	DFT_QAM64	20.32	19.18	30	PASS
n77(3700-3980)	15	10	665000	25@12	DFT_QAM256	18.16	17.02	30	PASS
n77(3700-3980)	15	10	665000	1@1	DFT_QAM256	18.36	17.22	30	PASS
n77(3700-3980)	15	10	665000	1@50	DFT_QAM256	18.32	17.18	30	PASS
n77(3700-3980)	15	10	665000	26@13	CP_QPSK	20.86	19.72	30	PASS
n77(3700-3980)	15	10	665000	1@1	CP_QPSK	20.88	19.74	30	PASS
n77(3700-3980)	15	10	665000	1@50	CP_QPSK	20.87	19.73	30	PASS
n77(3700-3980)	15	10	665000	26@13	CP_QAM16	20.77	19.63	30	PASS
n77(3700-3980)	15	10	665000	1@1	CP_QAM16	21.03	19.89	30	PASS
n77(3700-3980)	15	10	665000	1@50	CP_QAM16	20.58	19.44	30	PASS
n77(3700-3980)	15	10	665000	26@13	CP_QAM64	18.89	17.75	30	PASS
n77(3700-3980)	15	10	665000	1@1	CP_QAM64	19.12	17.98	30	PASS
n77(3700-3980)	15	10	665000	1@50	CP_QAM64	19.11	17.97	30	PASS
n77(3700-3980)	15	10	665000	26@13	CP_QAM256	16.16	15.02	30	PASS
n77(3700-3980)	15	10	665000	1@1	CP_QAM256	16.20	15.06	30	PASS
n77(3700-3980)	15	10	665000	1@50	CP_QAM256	16.17	15.03	30	PASS
n77(3700-3980)	15	15	647168	36@18	DFT_BPSK	22.59	21.45	30	PASS
n77(3700-3980)	15	15	647168	1@1	DFT_BPSK	22.42	21.28	30	PASS

n77(3700-3980)	15	15	647168	1@77	DFT_BPSK	22.43	21.29	30	PASS
n77(3700-3980)	15	15	647168	36@18	DFT_QPSK	22.60	21.46	30	PASS
n77(3700-3980)	15	15	647168	1@1	DFT_QPSK	22.40	21.26	30	PASS
n77(3700-3980)	15	15	647168	1@77	DFT_QPSK	22.27	21.13	30	PASS
n77(3700-3980)	15	15	647168	36@18	DFT_QAM16	21.61	20.47	30	PASS
n77(3700-3980)	15	15	647168	1@1	DFT_QAM16	21.33	20.19	30	PASS
n77(3700-3980)	15	15	647168	1@77	DFT_QAM16	21.45	20.31	30	PASS
n77(3700-3980)	15	15	647168	36@18	DFT_QAM64	20.09	18.95	30	PASS
n77(3700-3980)	15	15	647168	1@1	DFT_QAM64	20.26	19.12	30	PASS
n77(3700-3980)	15	15	647168	1@77	DFT_QAM64	20.18	19.04	30	PASS
n77(3700-3980)	15	15	647168	36@18	DFT_QAM256	18.30	17.16	30	PASS
n77(3700-3980)	15	15	647168	1@1	DFT_QAM256	18.37	17.23	30	PASS
n77(3700-3980)	15	15	647168	1@77	DFT_QAM256	18.25	17.11	30	PASS
n77(3700-3980)	15	15	647168	39@19	CP_QPSK	21.14	20	30	PASS
n77(3700-3980)	15	15	647168	1@1	CP_QPSK	20.88	19.74	30	PASS
n77(3700-3980)	15	15	647168	1@77	CP_QPSK	20.83	19.69	30	PASS
n77(3700-3980)	15	15	647168	39@19	CP_QAM16	20.62	19.48	30	PASS
n77(3700-3980)	15	15	647168	1@1	CP_QAM16	20.87	19.73	30	PASS
n77(3700-3980)	15	15	647168	1@77	CP_QAM16	20.54	19.4	30	PASS
n77(3700-3980)	15	15	647168	39@19	CP_QAM64	19.04	17.9	30	PASS
n77(3700-3980)	15	15	647168	1@1	CP_QAM64	19.20	18.06	30	PASS
n77(3700-3980)	15	15	647168	1@77	CP_QAM64	18.94	17.8	30	PASS
n77(3700-3980)	15	15	647168	39@19	CP_QAM256	16.28	15.14	30	PASS
n77(3700-3980)	15	15	647168	1@1	CP_QAM256	16.06	14.92	30	PASS
n77(3700-3980)	15	15	647168	1@77	CP_QAM256	16.16	15.02	30	PASS
n77(3700-3980)	15	15	656000	36@18	DFT_BPSK	22.48	21.34	30	PASS
n77(3700-3980)	15	15	656000	1@1	DFT_BPSK	22.41	21.27	30	PASS
n77(3700-3980)	15	15	656000	1@77	DFT_BPSK	22.21	21.07	30	PASS
n77(3700-3980)	15	15	656000	36@18	DFT_QPSK	22.48	21.34	30	PASS
n77(3700-3980)	15	15	656000	1@1	DFT_QPSK	22.30	21.16	30	PASS
n77(3700-3980)	15	15	656000	1@77	DFT_QPSK	22.06	20.92	30	PASS
n77(3700-3980)	15	15	656000	36@18	DFT_QAM16	21.52	20.38	30	PASS
n77(3700-3980)	15	15	656000	1@1	DFT_QAM16	21.43	20.29	30	PASS
n77(3700-3980)	15	15	656000	1@77	DFT_QAM16	21.30	20.16	30	PASS
n77(3700-3980)	15	15	656000	36@18	DFT_QAM64	19.94	18.8	30	PASS
n77(3700-3980)	15	15	656000	1@1	DFT_QAM64	20.21	19.07	30	PASS
n77(3700-3980)	15	15	656000	1@77	DFT_QAM64	20.04	18.9	30	PASS
n77(3700-3980)	15	15	656000	36@18	DFT_QAM256	18.13	16.99	30	PASS
n77(3700-3980)	15	15	656000	1@1	DFT_QAM256	18.25	17.11	30	PASS
n77(3700-3980)	15	15	656000	1@77	DFT_QAM256	18.13	16.99	30	PASS
n77(3700-3980)	15	15	656000	39@19	CP_QPSK	21.12	19.98	30	PASS
n77(3700-3980)	15	15	656000	1@1	CP_QPSK	20.78	19.64	30	PASS
n77(3700-3980)	15	15	656000	1@77	CP_QPSK	20.72	19.58	30	PASS
n77(3700-3980)	15	15	656000	39@19	CP_QAM16	20.51	19.37	30	PASS

n77(3700-3980)	15	15	656000	1@1	CP_QAM16	20.62	19.48	30	PASS
n77(3700-3980)	15	15	656000	1@77	CP_QAM16	20.34	19.2	30	PASS
n77(3700-3980)	15	15	656000	39@19	CP_QAM64	18.90	17.76	30	PASS
n77(3700-3980)	15	15	656000	1@1	CP_QAM64	18.88	17.74	30	PASS
n77(3700-3980)	15	15	656000	1@77	CP_QAM64	18.76	17.62	30	PASS
n77(3700-3980)	15	15	656000	39@19	CP_QAM256	16.09	14.95	30	PASS
n77(3700-3980)	15	15	656000	1@1	CP_QAM256	16.07	14.93	30	PASS
n77(3700-3980)	15	15	656000	1@77	CP_QAM256	16.05	14.91	30	PASS
n77(3700-3980)	15	15	664832	36@18	DFT_BPSK	22.64	21.5	30	PASS
n77(3700-3980)	15	15	664832	1@1	DFT_BPSK	22.57	21.43	30	PASS
n77(3700-3980)	15	15	664832	1@77	DFT_BPSK	22.50	21.36	30	PASS
n77(3700-3980)	15	15	664832	36@18	DFT_QPSK	22.62	21.48	30	PASS
n77(3700-3980)	15	15	664832	1@1	DFT_QPSK	22.36	21.22	30	PASS
n77(3700-3980)	15	15	664832	1@77	DFT_QPSK	22.44	21.3	30	PASS
n77(3700-3980)	15	15	664832	36@18	DFT_QAM16	21.68	20.54	30	PASS
n77(3700-3980)	15	15	664832	1@1	DFT_QAM16	21.79	20.65	30	PASS
n77(3700-3980)	15	15	664832	1@77	DFT_QAM16	21.56	20.42	30	PASS
n77(3700-3980)	15	15	664832	36@18	DFT_QAM64	20.14	19	30	PASS
n77(3700-3980)	15	15	664832	1@1	DFT_QAM64	20.38	19.24	30	PASS
n77(3700-3980)	15	15	664832	1@77	DFT_QAM64	20.32	19.18	30	PASS
n77(3700-3980)	15	15	664832	36@18	DFT_QAM256	18.28	17.14	30	PASS
n77(3700-3980)	15	15	664832	1@1	DFT_QAM256	18.28	17.14	30	PASS
n77(3700-3980)	15	15	664832	1@77	DFT_QAM256	18.36	17.22	30	PASS
n77(3700-3980)	15	15	664832	39@19	CP_QPSK	20.99	19.85	30	PASS
n77(3700-3980)	15	15	664832	1@1	CP_QPSK	20.81	19.67	30	PASS
n77(3700-3980)	15	15	664832	1@77	CP_QPSK	20.86	19.72	30	PASS
n77(3700-3980)	15	15	664832	39@19	CP_QAM16	20.53	19.39	30	PASS
n77(3700-3980)	15	15	664832	1@1	CP_QAM16	20.61	19.47	30	PASS
n77(3700-3980)	15	15	664832	1@77	CP_QAM16	20.64	19.5	30	PASS
n77(3700-3980)	15	15	664832	39@19	CP_QAM64	19.07	17.93	30	PASS
n77(3700-3980)	15	15	664832	1@1	CP_QAM64	19.00	17.86	30	PASS
n77(3700-3980)	15	15	664832	1@77	CP_QAM64	19.04	17.9	30	PASS
n77(3700-3980)	15	15	664832	39@19	CP_QAM256	16.33	15.19	30	PASS
n77(3700-3980)	15	15	664832	1@1	CP_QAM256	16.14	15	30	PASS
n77(3700-3980)	15	15	664832	1@77	CP_QAM256	16.33	15.19	30	PASS
n77(3700-3980)	15	20	647334	50@25	DFT_BPSK	22.56	21.42	30	PASS
n77(3700-3980)	15	20	647334	1@1	DFT_BPSK	22.41	21.27	30	PASS
n77(3700-3980)	15	20	647334	1@104	DFT_BPSK	22.22	21.08	30	PASS
n77(3700-3980)	15	20	647334	50@25	DFT_QPSK	22.64	21.5	30	PASS
n77(3700-3980)	15	20	647334	1@1	DFT_QPSK	22.31	21.17	30	PASS
n77(3700-3980)	15	20	647334	1@104	DFT_QPSK	22.21	21.07	30	PASS
n77(3700-3980)	15	20	647334	50@25	DFT_QAM16	21.56	20.42	30	PASS
n77(3700-3980)	15	20	647334	1@1	DFT_QAM16	21.33	20.19	30	PASS
n77(3700-3980)	15	20	647334	1@104	DFT_QAM16	21.39	20.25	30	PASS

n77(3700-3980)	15	20	647334	50@25	DFT_QAM64	20.04	18.9	30	PASS
n77(3700-3980)	15	20	647334	1@1	DFT_QAM64	20.23	19.09	30	PASS
n77(3700-3980)	15	20	647334	1@104	DFT_QAM64	20.17	19.03	30	PASS
n77(3700-3980)	15	20	647334	50@25	DFT_QAM256	18.30	17.16	30	PASS
n77(3700-3980)	15	20	647334	1@1	DFT_QAM256	18.31	17.17	30	PASS
n77(3700-3980)	15	20	647334	1@104	DFT_QAM256	18.23	17.09	30	PASS
n77(3700-3980)	15	20	647334	53@26	CP_QPSK	21.04	19.9	30	PASS
n77(3700-3980)	15	20	647334	1@1	CP_QPSK	20.87	19.73	30	PASS
n77(3700-3980)	15	20	647334	1@104	CP_QPSK	20.84	19.7	30	PASS
n77(3700-3980)	15	20	647334	53@26	CP_QAM16	20.53	19.39	30	PASS
n77(3700-3980)	15	20	647334	1@1	CP_QAM16	20.68	19.54	30	PASS
n77(3700-3980)	15	20	647334	1@104	CP_QAM16	20.37	19.23	30	PASS
n77(3700-3980)	15	20	647334	53@26	CP_QAM64	19.05	17.91	30	PASS
n77(3700-3980)	15	20	647334	1@1	CP_QAM64	19.10	17.96	30	PASS
n77(3700-3980)	15	20	647334	1@104	CP_QAM64	19.00	17.86	30	PASS
n77(3700-3980)	15	20	647334	53@26	CP_QAM256	16.15	15.01	30	PASS
n77(3700-3980)	15	20	647334	1@1	CP_QAM256	16.06	14.92	30	PASS
n77(3700-3980)	15	20	647334	1@104	CP_QAM256	16.07	14.93	30	PASS
n77(3700-3980)	15	20	656000	50@25	DFT_BPSK	22.54	21.4	30	PASS
n77(3700-3980)	15	20	656000	1@1	DFT_BPSK	22.32	21.18	30	PASS
n77(3700-3980)	15	20	656000	1@104	DFT_BPSK	22.21	21.07	30	PASS
n77(3700-3980)	15	20	656000	50@25	DFT_QPSK	22.45	21.31	30	PASS
n77(3700-3980)	15	20	656000	1@1	DFT_QPSK	22.20	21.06	30	PASS
n77(3700-3980)	15	20	656000	1@104	DFT_QPSK	22.08	20.94	30	PASS
n77(3700-3980)	15	20	656000	50@25	DFT_QAM16	21.51	20.37	30	PASS
n77(3700-3980)	15	20	656000	1@1	DFT_QAM16	21.39	20.25	30	PASS
n77(3700-3980)	15	20	656000	1@104	DFT_QAM16	21.21	20.07	30	PASS
n77(3700-3980)	15	20	656000	50@25	DFT_QAM64	19.96	18.82	30	PASS
n77(3700-3980)	15	20	656000	1@1	DFT_QAM64	20.16	19.02	30	PASS
n77(3700-3980)	15	20	656000	1@104	DFT_QAM64	20.01	18.87	30	PASS
n77(3700-3980)	15	20	656000	50@25	DFT_QAM256	18.08	16.94	30	PASS
n77(3700-3980)	15	20	656000	1@1	DFT_QAM256	18.06	16.92	30	PASS
n77(3700-3980)	15	20	656000	1@104	DFT_QAM256	17.94	16.8	30	PASS
n77(3700-3980)	15	20	656000	53@26	CP_QPSK	20.79	19.65	30	PASS
n77(3700-3980)	15	20	656000	1@1	CP_QPSK	20.87	19.73	30	PASS
n77(3700-3980)	15	20	656000	1@104	CP_QPSK	20.50	19.36	30	PASS
n77(3700-3980)	15	20	656000	53@26	CP_QAM16	20.41	19.27	30	PASS
n77(3700-3980)	15	20	656000	1@1	CP_QAM16	20.77	19.63	30	PASS
n77(3700-3980)	15	20	656000	1@104	CP_QAM16	20.21	19.07	30	PASS
n77(3700-3980)	15	20	656000	53@26	CP_QAM64	18.93	17.79	30	PASS
n77(3700-3980)	15	20	656000	1@1	CP_QAM64	18.78	17.64	30	PASS
n77(3700-3980)	15	20	656000	1@104	CP_QAM64	19.00	17.86	30	PASS
n77(3700-3980)	15	20	656000	53@26	CP_QAM256	15.98	14.84	30	PASS
n77(3700-3980)	15	20	656000	1@1	CP_QAM256	16.09	14.95	30	PASS

n77(3700-3980)	15	20	656000	1@104	CP_QAM256	15.75	14.61	30	PASS
n77(3700-3980)	15	20	664666	50@25	DFT_BPSK	22.69	21.55	30	PASS
n77(3700-3980)	15	20	664666	1@1	DFT_BPSK	22.47	21.33	30	PASS
n77(3700-3980)	15	20	664666	1@104	DFT_BPSK	22.48	21.34	30	PASS
n77(3700-3980)	15	20	664666	50@25	DFT_QPSK	22.72	21.58	30	PASS
n77(3700-3980)	15	20	664666	1@1	DFT_QPSK	22.38	21.24	30	PASS
n77(3700-3980)	15	20	664666	1@104	DFT_QPSK	22.38	21.24	30	PASS
n77(3700-3980)	15	20	664666	50@25	DFT_QAM16	21.67	20.53	30	PASS
n77(3700-3980)	15	20	664666	1@1	DFT_QAM16	21.50	20.36	30	PASS
n77(3700-3980)	15	20	664666	1@104	DFT_QAM16	21.58	20.44	30	PASS
n77(3700-3980)	15	20	664666	50@25	DFT_QAM64	20.17	19.03	30	PASS
n77(3700-3980)	15	20	664666	1@1	DFT_QAM64	20.23	19.09	30	PASS
n77(3700-3980)	15	20	664666	1@104	DFT_QAM64	20.30	19.16	30	PASS
n77(3700-3980)	15	20	664666	50@25	DFT_QAM256	18.40	17.26	30	PASS
n77(3700-3980)	15	20	664666	1@1	DFT_QAM256	18.35	17.21	30	PASS
n77(3700-3980)	15	20	664666	1@104	DFT_QAM256	18.22	17.08	30	PASS
n77(3700-3980)	15	20	664666	53@26	CP_QPSK	21.05	19.91	30	PASS
n77(3700-3980)	15	20	664666	1@1	CP_QPSK	20.74	19.6	30	PASS
n77(3700-3980)	15	20	664666	1@104	CP_QPSK	20.71	19.57	30	PASS
n77(3700-3980)	15	20	664666	53@26	CP_QAM16	20.81	19.67	30	PASS
n77(3700-3980)	15	20	664666	1@1	CP_QAM16	20.61	19.47	30	PASS
n77(3700-3980)	15	20	664666	1@104	CP_QAM16	20.62	19.48	30	PASS
n77(3700-3980)	15	20	664666	53@26	CP_QAM64	19.16	18.02	30	PASS
n77(3700-3980)	15	20	664666	1@1	CP_QAM64	18.95	17.81	30	PASS
n77(3700-3980)	15	20	664666	1@104	CP_QAM64	19.39	18.25	30	PASS
n77(3700-3980)	15	20	664666	53@26	CP_QAM256	16.29	15.15	30	PASS
n77(3700-3980)	15	20	664666	1@1	CP_QAM256	16.14	15	30	PASS
n77(3700-3980)	15	20	664666	1@104	CP_QAM256	16.23	15.09	30	PASS
n77(3700-3980)	15	30	647668	80@40	DFT_BPSK	22.47	21.33	30	PASS
n77(3700-3980)	15	30	647668	1@1	DFT_BPSK	22.11	20.97	30	PASS
n77(3700-3980)	15	30	647668	1@158	DFT_BPSK	22.30	21.16	30	PASS
n77(3700-3980)	15	30	647668	80@40	DFT_QPSK	22.54	21.4	30	PASS
n77(3700-3980)	15	30	647668	1@1	DFT_QPSK	22.12	20.98	30	PASS
n77(3700-3980)	15	30	647668	1@158	DFT_QPSK	22.17	21.03	30	PASS
n77(3700-3980)	15	30	647668	80@40	DFT_QAM16	21.45	20.31	30	PASS
n77(3700-3980)	15	30	647668	1@1	DFT_QAM16	21.22	20.08	30	PASS
n77(3700-3980)	15	30	647668	1@158	DFT_QAM16	21.33	20.19	30	PASS
n77(3700-3980)	15	30	647668	80@40	DFT_QAM64	20.07	18.93	30	PASS
n77(3700-3980)	15	30	647668	1@1	DFT_QAM64	19.94	18.8	30	PASS
n77(3700-3980)	15	30	647668	1@158	DFT_QAM64	20.10	18.96	30	PASS
n77(3700-3980)	15	30	647668	80@40	DFT_QAM256	18.14	17	30	PASS
n77(3700-3980)	15	30	647668	1@1	DFT_QAM256	17.92	16.78	30	PASS
n77(3700-3980)	15	30	647668	1@158	DFT_QAM256	18.04	16.9	30	PASS
n77(3700-3980)	15	30	647668	80@40	CP_QPSK	20.94	19.8	30	PASS

n77(3700-3980)	15	30	647668	1@1	CP_QPSK	20.57	19.43	30	PASS
n77(3700-3980)	15	30	647668	1@158	CP_QPSK	20.67	19.53	30	PASS
n77(3700-3980)	15	30	647668	80@40	CP_QAM16	20.46	19.32	30	PASS
n77(3700-3980)	15	30	647668	1@1	CP_QAM16	20.57	19.43	30	PASS
n77(3700-3980)	15	30	647668	1@158	CP_QAM16	20.64	19.5	30	PASS
n77(3700-3980)	15	30	647668	80@40	CP_QAM64	18.97	17.83	30	PASS
n77(3700-3980)	15	30	647668	1@1	CP_QAM64	19.00	17.86	30	PASS
n77(3700-3980)	15	30	647668	1@158	CP_QAM64	19.09	17.95	30	PASS
n77(3700-3980)	15	30	647668	80@40	CP_QAM256	16.06	14.92	30	PASS
n77(3700-3980)	15	30	647668	1@1	CP_QAM256	15.88	14.74	30	PASS
n77(3700-3980)	15	30	647668	1@158	CP_QAM256	15.93	14.79	30	PASS
n77(3700-3980)	15	30	656000	80@40	DFT_BPSK	22.47	21.33	30	PASS
n77(3700-3980)	15	30	656000	1@1	DFT_BPSK	22.11	20.97	30	PASS
n77(3700-3980)	15	30	656000	1@158	DFT_BPSK	22.07	20.93	30	PASS
n77(3700-3980)	15	30	656000	80@40	DFT_QPSK	22.41	21.27	30	PASS
n77(3700-3980)	15	30	656000	1@1	DFT_QPSK	22.03	20.89	30	PASS
n77(3700-3980)	15	30	656000	1@158	DFT_QPSK	21.90	20.76	30	PASS
n77(3700-3980)	15	30	656000	80@40	DFT_QAM16	21.35	20.21	30	PASS
n77(3700-3980)	15	30	656000	1@1	DFT_QAM16	21.04	19.9	30	PASS
n77(3700-3980)	15	30	656000	1@158	DFT_QAM16	20.87	19.73	30	PASS
n77(3700-3980)	15	30	656000	80@40	DFT_QAM64	20.02	18.88	30	PASS
n77(3700-3980)	15	30	656000	1@1	DFT_QAM64	19.90	18.76	30	PASS
n77(3700-3980)	15	30	656000	1@158	DFT_QAM64	19.63	18.49	30	PASS
n77(3700-3980)	15	30	656000	80@40	DFT_QAM256	18.11	16.97	30	PASS
n77(3700-3980)	15	30	656000	1@1	DFT_QAM256	17.88	16.74	30	PASS
n77(3700-3980)	15	30	656000	1@158	DFT_QAM256	17.66	16.52	30	PASS
n77(3700-3980)	15	30	656000	80@40	CP_QPSK	20.85	19.71	30	PASS
n77(3700-3980)	15	30	656000	1@1	CP_QPSK	20.65	19.51	30	PASS
n77(3700-3980)	15	30	656000	1@158	CP_QPSK	20.10	18.96	30	PASS
n77(3700-3980)	15	30	656000	80@40	CP_QAM16	20.40	19.26	30	PASS
n77(3700-3980)	15	30	656000	1@1	CP_QAM16	20.39	19.25	30	PASS
n77(3700-3980)	15	30	656000	1@158	CP_QAM16	20.00	18.86	30	PASS
n77(3700-3980)	15	30	656000	80@40	CP_QAM64	18.95	17.81	30	PASS
n77(3700-3980)	15	30	656000	1@1	CP_QAM64	18.72	17.58	30	PASS
n77(3700-3980)	15	30	656000	1@158	CP_QAM64	18.51	17.37	30	PASS
n77(3700-3980)	15	30	656000	80@40	CP_QAM256	16.00	14.86	30	PASS
n77(3700-3980)	15	30	656000	1@1	CP_QAM256	15.77	14.63	30	PASS
n77(3700-3980)	15	30	656000	1@158	CP_QAM256	15.54	14.4	30	PASS
n77(3700-3980)	15	30	664332	80@40	DFT_BPSK	22.57	21.43	30	PASS
n77(3700-3980)	15	30	664332	1@1	DFT_BPSK	22.24	21.1	30	PASS
n77(3700-3980)	15	30	664332	1@158	DFT_BPSK	22.22	21.08	30	PASS
n77(3700-3980)	15	30	664332	80@40	DFT_QPSK	22.59	21.45	30	PASS
n77(3700-3980)	15	30	664332	1@1	DFT_QPSK	22.05	20.91	30	PASS
n77(3700-3980)	15	30	664332	1@158	DFT_QPSK	22.16	21.02	30	PASS

n77(3700-3980)	15	30	664332	80@40	DFT_QAM16	21.57	20.43	30	PASS
n77(3700-3980)	15	30	664332	1@1	DFT_QAM16	21.28	20.14	30	PASS
n77(3700-3980)	15	30	664332	1@158	DFT_QAM16	21.36	20.22	30	PASS
n77(3700-3980)	15	30	664332	80@40	DFT_QAM64	20.05	18.91	30	PASS
n77(3700-3980)	15	30	664332	1@1	DFT_QAM64	19.97	18.83	30	PASS
n77(3700-3980)	15	30	664332	1@158	DFT_QAM64	20.05	18.91	30	PASS
n77(3700-3980)	15	30	664332	80@40	DFT_QAM256	18.23	17.09	30	PASS
n77(3700-3980)	15	30	664332	1@1	DFT_QAM256	18.04	16.9	30	PASS
n77(3700-3980)	15	30	664332	1@158	DFT_QAM256	18.06	16.92	30	PASS
n77(3700-3980)	15	30	664332	80@40	CP_QPSK	20.88	19.74	30	PASS
n77(3700-3980)	15	30	664332	1@1	CP_QPSK	20.43	19.29	30	PASS
n77(3700-3980)	15	30	664332	1@158	CP_QPSK	20.52	19.38	30	PASS
n77(3700-3980)	15	30	664332	80@40	CP_QAM16	20.60	19.46	30	PASS
n77(3700-3980)	15	30	664332	1@1	CP_QAM16	20.50	19.36	30	PASS
n77(3700-3980)	15	30	664332	1@158	CP_QAM16	20.36	19.22	30	PASS
n77(3700-3980)	15	30	664332	80@40	CP_QAM64	19.00	17.86	30	PASS
n77(3700-3980)	15	30	664332	1@1	CP_QAM64	18.84	17.7	30	PASS
n77(3700-3980)	15	30	664332	1@158	CP_QAM64	18.86	17.72	30	PASS
n77(3700-3980)	15	30	664332	80@40	CP_QAM256	16.20	15.06	30	PASS
n77(3700-3980)	15	30	664332	1@1	CP_QAM256	15.91	14.77	30	PASS
n77(3700-3980)	15	30	664332	1@158	CP_QAM256	15.82	14.68	30	PASS
n77(3700-3980)	15	40	648000	108@54	DFT_BPSK	22.49	21.35	30	PASS
n77(3700-3980)	15	40	648000	1@1	DFT_BPSK	21.90	20.76	30	PASS
n77(3700-3980)	15	40	648000	1@214	DFT_BPSK	22.17	21.03	30	PASS
n77(3700-3980)	15	40	648000	108@54	DFT_QPSK	22.55	21.41	30	PASS
n77(3700-3980)	15	40	648000	1@1	DFT_QPSK	21.88	20.74	30	PASS
n77(3700-3980)	15	40	648000	1@214	DFT_QPSK	22.06	20.92	30	PASS
n77(3700-3980)	15	40	648000	108@54	DFT_QAM16	21.53	20.39	30	PASS
n77(3700-3980)	15	40	648000	1@1	DFT_QAM16	20.74	19.6	30	PASS
n77(3700-3980)	15	40	648000	1@214	DFT_QAM16	20.98	19.84	30	PASS
n77(3700-3980)	15	40	648000	108@54	DFT_QAM64	20.07	18.93	30	PASS
n77(3700-3980)	15	40	648000	1@1	DFT_QAM64	19.73	18.59	30	PASS
n77(3700-3980)	15	40	648000	1@214	DFT_QAM64	19.96	18.82	30	PASS
n77(3700-3980)	15	40	648000	108@54	DFT_QAM256	18.17	17.03	30	PASS
n77(3700-3980)	15	40	648000	1@1	DFT_QAM256	17.82	16.68	30	PASS
n77(3700-3980)	15	40	648000	1@214	DFT_QAM256	18.00	16.86	30	PASS
n77(3700-3980)	15	40	648000	108@54	CP_QPSK	20.99	19.85	30	PASS
n77(3700-3980)	15	40	648000	1@1	CP_QPSK	20.39	19.25	30	PASS
n77(3700-3980)	15	40	648000	1@214	CP_QPSK	20.69	19.55	30	PASS
n77(3700-3980)	15	40	648000	108@54	CP_QAM16	20.52	19.38	30	PASS
n77(3700-3980)	15	40	648000	1@1	CP_QAM16	20.32	19.18	30	PASS
n77(3700-3980)	15	40	648000	1@214	CP_QAM16	20.57	19.43	30	PASS
n77(3700-3980)	15	40	648000	108@54	CP_QAM64	19.03	17.89	30	PASS
n77(3700-3980)	15	40	648000	1@1	CP_QAM64	18.54	17.4	30	PASS

n77(3700-3980)	15	40	648000	1@214	CP_QAM64	18.68	17.54	30	PASS
n77(3700-3980)	15	40	648000	108@54	CP_QAM256	16.10	14.96	30	PASS
n77(3700-3980)	15	40	648000	1@1	CP_QAM256	15.73	14.59	30	PASS
n77(3700-3980)	15	40	648000	1@214	CP_QAM256	15.99	14.85	30	PASS
n77(3700-3980)	15	40	656000	108@54	DFT_BPSK	22.45	21.31	30	PASS
n77(3700-3980)	15	40	656000	1@1	DFT_BPSK	21.91	20.77	30	PASS
n77(3700-3980)	15	40	656000	1@214	DFT_BPSK	21.71	20.57	30	PASS
n77(3700-3980)	15	40	656000	108@54	DFT_QPSK	22.50	21.36	30	PASS
n77(3700-3980)	15	40	656000	1@1	DFT_QPSK	21.77	20.63	30	PASS
n77(3700-3980)	15	40	656000	1@214	DFT_QPSK	21.59	20.45	30	PASS
n77(3700-3980)	15	40	656000	108@54	DFT_QAM16	21.48	20.34	30	PASS
n77(3700-3980)	15	40	656000	1@1	DFT_QAM16	21.10	19.96	30	PASS
n77(3700-3980)	15	40	656000	1@214	DFT_QAM16	20.79	19.65	30	PASS
n77(3700-3980)	15	40	656000	108@54	DFT_QAM64	19.99	18.85	30	PASS
n77(3700-3980)	15	40	656000	1@1	DFT_QAM64	19.69	18.55	30	PASS
n77(3700-3980)	15	40	656000	1@214	DFT_QAM64	19.52	18.38	30	PASS
n77(3700-3980)	15	40	656000	108@54	DFT_QAM256	18.14	17	30	PASS
n77(3700-3980)	15	40	656000	1@1	DFT_QAM256	17.55	16.41	30	PASS
n77(3700-3980)	15	40	656000	1@214	DFT_QAM256	17.62	16.48	30	PASS
n77(3700-3980)	15	40	656000	108@54	CP_QPSK	20.90	19.76	30	PASS
n77(3700-3980)	15	40	656000	1@1	CP_QPSK	20.14	19	30	PASS
n77(3700-3980)	15	40	656000	1@214	CP_QPSK	20.11	18.97	30	PASS
n77(3700-3980)	15	40	656000	108@54	CP_QAM16	20.48	19.34	30	PASS
n77(3700-3980)	15	40	656000	1@1	CP_QAM16	19.83	18.69	30	PASS
n77(3700-3980)	15	40	656000	1@214	CP_QAM16	19.71	18.57	30	PASS
n77(3700-3980)	15	40	656000	108@54	CP_QAM64	18.95	17.81	30	PASS
n77(3700-3980)	15	40	656000	1@1	CP_QAM64	18.40	17.26	30	PASS
n77(3700-3980)	15	40	656000	1@214	CP_QAM64	18.26	17.12	30	PASS
n77(3700-3980)	15	40	656000	108@54	CP_QAM256	16.08	14.94	30	PASS
n77(3700-3980)	15	40	656000	1@1	CP_QAM256	15.46	14.32	30	PASS
n77(3700-3980)	15	40	656000	1@214	CP_QAM256	15.63	14.49	30	PASS
n77(3700-3980)	15	40	664000	108@54	DFT_BPSK	22.59	21.45	30	PASS
n77(3700-3980)	15	40	664000	1@1	DFT_BPSK	21.92	20.78	30	PASS
n77(3700-3980)	15	40	664000	1@214	DFT_BPSK	22.08	20.94	30	PASS
n77(3700-3980)	15	40	664000	108@54	DFT_QPSK	22.57	21.43	30	PASS
n77(3700-3980)	15	40	664000	1@1	DFT_QPSK	21.75	20.61	30	PASS
n77(3700-3980)	15	40	664000	1@214	DFT_QPSK	21.97	20.83	30	PASS
n77(3700-3980)	15	40	664000	108@54	DFT_QAM16	21.54	20.4	30	PASS
n77(3700-3980)	15	40	664000	1@1	DFT_QAM16	21.19	20.05	30	PASS
n77(3700-3980)	15	40	664000	1@214	DFT_QAM16	21.28	20.14	30	PASS
n77(3700-3980)	15	40	664000	108@54	DFT_QAM64	20.07	18.93	30	PASS
n77(3700-3980)	15	40	664000	1@1	DFT_QAM64	19.71	18.57	30	PASS
n77(3700-3980)	15	40	664000	1@214	DFT_QAM64	19.85	18.71	30	PASS
n77(3700-3980)	15	40	664000	108@54	DFT_QAM256	18.24	17.1	30	PASS

n77(3700-3980)	15	40	664000	1@1	DFT_QAM256	17.64	16.5	30	PASS
n77(3700-3980)	15	40	664000	1@214	DFT_QAM256	17.88	16.74	30	PASS
n77(3700-3980)	15	40	664000	108@54	CP_QPSK	20.93	19.79	30	PASS
n77(3700-3980)	15	40	664000	1@1	CP_QPSK	20.40	19.26	30	PASS
n77(3700-3980)	15	40	664000	1@214	CP_QPSK	20.26	19.12	30	PASS
n77(3700-3980)	15	40	664000	108@54	CP_QAM16	20.63	19.49	30	PASS
n77(3700-3980)	15	40	664000	1@1	CP_QAM16	20.13	18.99	30	PASS
n77(3700-3980)	15	40	664000	1@214	CP_QAM16	20.08	18.94	30	PASS
n77(3700-3980)	15	40	664000	108@54	CP_QAM64	19.00	17.86	30	PASS
n77(3700-3980)	15	40	664000	1@1	CP_QAM64	18.40	17.26	30	PASS
n77(3700-3980)	15	40	664000	1@214	CP_QAM64	18.60	17.46	30	PASS
n77(3700-3980)	15	40	664000	108@54	CP_QAM256	16.24	15.1	30	PASS
n77(3700-3980)	15	40	664000	1@1	CP_QAM256	15.73	14.59	30	PASS
n77(3700-3980)	15	40	664000	1@214	CP_QAM256	15.66	14.52	30	PASS
n77(3700-3980)	15	50	648334	135@67	DFT_BPSK	22.57	21.43	30	PASS
n77(3700-3980)	15	50	648334	1@1	DFT_BPSK	22.28	21.14	30	PASS
n77(3700-3980)	15	50	648334	1@268	DFT_BPSK	22.50	21.36	30	PASS
n77(3700-3980)	15	50	648334	135@67	DFT_QPSK	22.63	21.49	30	PASS
n77(3700-3980)	15	50	648334	1@1	DFT_QPSK	22.14	21	30	PASS
n77(3700-3980)	15	50	648334	1@268	DFT_QPSK	22.23	21.09	30	PASS
n77(3700-3980)	15	50	648334	135@67	DFT_QAM16	21.64	20.5	30	PASS
n77(3700-3980)	15	50	648334	1@1	DFT_QAM16	21.32	20.18	30	PASS
n77(3700-3980)	15	50	648334	1@268	DFT_QAM16	21.49	20.35	30	PASS
n77(3700-3980)	15	50	648334	135@67	DFT_QAM64	20.14	19	30	PASS
n77(3700-3980)	15	50	648334	1@1	DFT_QAM64	20.08	18.94	30	PASS
n77(3700-3980)	15	50	648334	1@268	DFT_QAM64	20.31	19.17	30	PASS
n77(3700-3980)	15	50	648334	135@67	DFT_QAM256	18.32	17.18	30	PASS
n77(3700-3980)	15	50	648334	1@1	DFT_QAM256	18.12	16.98	30	PASS
n77(3700-3980)	15	50	648334	1@268	DFT_QAM256	18.26	17.12	30	PASS
n77(3700-3980)	15	50	648334	135@67	CP_QPSK	21.08	19.94	30	PASS
n77(3700-3980)	15	50	648334	1@1	CP_QPSK	20.79	19.65	30	PASS
n77(3700-3980)	15	50	648334	1@268	CP_QPSK	20.93	19.79	30	PASS
n77(3700-3980)	15	50	648334	135@67	CP_QAM16	20.65	19.51	30	PASS
n77(3700-3980)	15	50	648334	1@1	CP_QAM16	20.50	19.36	30	PASS
n77(3700-3980)	15	50	648334	1@268	CP_QAM16	21.17	20.03	30	PASS
n77(3700-3980)	15	50	648334	135@67	CP_QAM64	19.08	17.94	30	PASS
n77(3700-3980)	15	50	648334	1@1	CP_QAM64	18.89	17.75	30	PASS
n77(3700-3980)	15	50	648334	1@268	CP_QAM64	18.97	17.83	30	PASS
n77(3700-3980)	15	50	648334	135@67	CP_QAM256	16.35	15.21	30	PASS
n77(3700-3980)	15	50	648334	1@1	CP_QAM256	15.91	14.77	30	PASS
n77(3700-3980)	15	50	648334	1@268	CP_QAM256	16.13	14.99	30	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	22.49	21.35	30	PASS
n77(3700-3980)	15	50	656000	1@1	DFT_BPSK	22.13	20.99	30	PASS

n77(3700-3980)	15	50	656000	1@268	DFT_BPSK	22.13	20.99	30	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	22.46	21.32	30	PASS
n77(3700-3980)	15	50	656000	1@1	DFT_QPSK	22.06	20.92	30	PASS
n77(3700-3980)	15	50	656000	1@268	DFT_QPSK	22.01	20.87	30	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QAM16	21.45	20.31	30	PASS
n77(3700-3980)	15	50	656000	1@1	DFT_QAM16	21.29	20.15	30	PASS
n77(3700-3980)	15	50	656000	1@268	DFT_QAM16	20.90	19.76	30	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QAM64	20.05	18.91	30	PASS
n77(3700-3980)	15	50	656000	1@1	DFT_QAM64	20.03	18.89	30	PASS
n77(3700-3980)	15	50	656000	1@268	DFT_QAM64	19.97	18.83	30	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QAM256	18.09	16.95	30	PASS
n77(3700-3980)	15	50	656000	1@1	DFT_QAM256	18.08	16.94	30	PASS
n77(3700-3980)	15	50	656000	1@268	DFT_QAM256	17.83	16.69	30	PASS
n77(3700-3980)	15	50	656000	135@67	CP_QPSK	20.84	19.7	30	PASS
n77(3700-3980)	15	50	656000	1@1	CP_QPSK	20.58	19.44	30	PASS
n77(3700-3980)	15	50	656000	1@268	CP_QPSK	20.61	19.47	30	PASS
n77(3700-3980)	15	50	656000	135@67	CP_QAM16	20.21	19.07	30	PASS
n77(3700-3980)	15	50	656000	1@1	CP_QAM16	20.18	19.04	30	PASS
n77(3700-3980)	15	50	656000	1@268	CP_QAM16	20.73	19.59	30	PASS
n77(3700-3980)	15	50	656000	135@67	CP_QAM64	18.97	17.83	30	PASS
n77(3700-3980)	15	50	656000	1@1	CP_QAM64	19.03	17.89	30	PASS
n77(3700-3980)	15	50	656000	1@268	CP_QAM64	18.71	17.57	30	PASS
n77(3700-3980)	15	50	656000	135@67	CP_QAM256	16.09	14.95	30	PASS
n77(3700-3980)	15	50	656000	1@1	CP_QAM256	15.90	14.76	30	PASS
n77(3700-3980)	15	50	656000	1@268	CP_QAM256	15.78	14.64	30	PASS
n77(3700-3980)	15	50	663666	135@67	DFT_BPSK	22.54	21.4	30	PASS
n77(3700-3980)	15	50	663666	1@1	DFT_BPSK	22.19	21.05	30	PASS
n77(3700-3980)	15	50	663666	1@268	DFT_BPSK	22.39	21.25	30	PASS
n77(3700-3980)	15	50	663666	135@67	DFT_QPSK	22.52	21.38	30	PASS
n77(3700-3980)	15	50	663666	1@1	DFT_QPSK	22.03	20.89	30	PASS
n77(3700-3980)	15	50	663666	1@268	DFT_QPSK	22.26	21.12	30	PASS
n77(3700-3980)	15	50	663666	135@67	DFT_QAM16	21.56	20.42	30	PASS
n77(3700-3980)	15	50	663666	1@1	DFT_QAM16	21.17	20.03	30	PASS
n77(3700-3980)	15	50	663666	1@268	DFT_QAM16	21.46	20.32	30	PASS
n77(3700-3980)	15	50	663666	135@67	DFT_QAM64	20.12	18.98	30	PASS
n77(3700-3980)	15	50	663666	1@1	DFT_QAM64	19.91	18.77	30	PASS
n77(3700-3980)	15	50	663666	1@268	DFT_QAM64	20.17	19.03	30	PASS
n77(3700-3980)	15	50	663666	135@67	DFT_QAM256	18.16	17.02	30	PASS
n77(3700-3980)	15	50	663666	1@1	DFT_QAM256	18.04	16.9	30	PASS
n77(3700-3980)	15	50	663666	1@268	DFT_QAM256	18.11	16.97	30	PASS
n77(3700-3980)	15	50	663666	135@67	CP_QPSK	20.91	19.77	30	PASS
n77(3700-3980)	15	50	663666	1@1	CP_QPSK	20.42	19.28	30	PASS
n77(3700-3980)	15	50	663666	1@268	CP_QPSK	20.60	19.46	30	PASS

n77(3700-3980)	15	50	663666	135@67	CP_QAM16	20.00	18.86	30	PASS
n77(3700-3980)	15	50	663666	1@1	CP_QAM16	20.10	18.96	30	PASS
n77(3700-3980)	15	50	663666	1@268	CP_QAM16	20.28	19.14	30	PASS
n77(3700-3980)	15	50	663666	135@67	CP_QAM64	19.00	17.86	30	PASS
n77(3700-3980)	15	50	663666	1@1	CP_QAM64	18.99	17.85	30	PASS
n77(3700-3980)	15	50	663666	1@268	CP_QAM64	19.22	18.08	30	PASS
n77(3700-3980)	15	50	663666	135@67	CP_QAM256	16.26	15.12	30	PASS
n77(3700-3980)	15	50	663666	1@1	CP_QAM256	15.82	14.68	30	PASS
n77(3700-3980)	15	50	663666	1@268	CP_QAM256	15.96	14.82	30	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	3.85	-9.81	0.00	Within authorized band for 5G NR n77	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	3.50	-11.89	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	4.40	-11.87	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	3.85	-12.68	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	3.50	-13.31	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	4.40	-14.90	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	-30	-13.81	0.00	Within authorized band for 5G NR n77	PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	-20	-11.59	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	-10	-16.12	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	0	-13.12	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	10	-11.41	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	20	-13.51	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	30	-15.99	-0.01		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	40	-11.01	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_BPSK	50	-17.5	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	-30	-16.56	-0.01		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	-20	-13.5	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	-10	-12.29	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	0	-11.32	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	10	-13.28	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	20	-14.03	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	30	-11.56	0.00		PASS
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	40	-12.41	0.00	PASS	
n77(3700-3980)	15	50	656000	135@67	DFT_QPSK	50	-13.92	0.00	PASS	

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n77(3700-3980)	15	10	656000	50@0	DFT_BPSK	3.37	13	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QPSK	4.15	13	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM16	5.08	13	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM64	5.39	13	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM256	6.34	13	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_BPSK	3.55	13	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QPSK	4.29	13	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM16	5.05	13	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM64	5.47	13	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM256	6.36	13	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_BPSK	3.72	13	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QPSK	4.58	13	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM16	5.43	13	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM64	5.65	13	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM256	6.37	13	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_BPSK	3.66	13	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QPSK	4.40	13	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM16	5.20	13	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM64	5.51	13	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM256	6.34	13	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_BPSK	4.16	13	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QPSK	4.76	13	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QAM16	5.51	13	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QAM64	5.76	13	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QAM256	6.49	13	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_BPSK	4.35	13	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QPSK	4.95	13	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM16	5.70	13	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM64	5.96	13	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM256	6.51	13	PASS


n77(3700-3980) SCS=15kHz DFT_BPSK BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=15MHz Channel=656000 RB=75@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=20MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=20MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=20MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=20MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=20MHz Channel=656000 RB=100@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=30MHz Channel=656000 RB=160@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=30MHz Channel=656000 RB=160@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=30MHz Channel=656000 RB=160@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=30MHz Channel=656000 RB=160@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=30MHz Channel=656000 RB=160@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=40MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=40MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=40MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=40MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=40MHz Channel=656000 RB=216@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=50MHz Channel=656000 RB=270@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=50MHz Channel=656000 RB=270@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=50MHz Channel=656000 RB=270@0



n77(3700-3980) SCS=15kHz DFT_QAM64 BW=50MHz Channel=656000 RB=270@0



n77(3700-3980) SCS=15kHz DFT_QAM256 BW=50MHz Channel=656000 RB=270@0




4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n77(3700-3980)	15	10	647000	50@0	DFT_BPSK	9.250	9.580	PASS
n77(3700-3980)	15	10	647000	50@0	DFT_QPSK	9.290	9.950	PASS
n77(3700-3980)	15	10	647000	50@0	DFT_QAM16	9.260	9.520	PASS
n77(3700-3980)	15	10	647000	50@0	DFT_QAM64	9.260	9.550	PASS
n77(3700-3980)	15	10	647000	50@0	DFT_QAM256	9.250	9.490	PASS
n77(3700-3980)	15	10	647000	52@0	CP_QPSK	9.360	12.260	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_BPSK	9.220	9.480	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QPSK	9.250	9.510	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM16	9.250	9.470	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM64	9.250	9.500	PASS
n77(3700-3980)	15	10	656000	50@0	DFT_QAM256	9.250	9.490	PASS
n77(3700-3980)	15	10	656000	52@0	CP_QPSK	9.330	9.910	PASS
n77(3700-3980)	15	10	665000	50@0	DFT_BPSK	9.220	9.470	PASS
n77(3700-3980)	15	10	665000	50@0	DFT_QPSK	9.210	9.500	PASS
n77(3700-3980)	15	10	665000	50@0	DFT_QAM16	9.250	9.480	PASS
n77(3700-3980)	15	10	665000	50@0	DFT_QAM64	9.240	9.500	PASS
n77(3700-3980)	15	10	665000	50@0	DFT_QAM256	9.250	9.480	PASS
n77(3700-3980)	15	10	665000	52@0	CP_QPSK	9.330	9.870	PASS
n77(3700-3980)	15	15	647168	75@0	DFT_BPSK	14.050	15.070	PASS
n77(3700-3980)	15	15	647168	75@0	DFT_QPSK	14.100	15.740	PASS
n77(3700-3980)	15	15	647168	75@0	DFT_QAM16	14.060	14.320	PASS
n77(3700-3980)	15	15	647168	75@0	DFT_QAM64	14.060	14.260	PASS
n77(3700-3980)	15	15	647168	75@0	DFT_QAM256	14.000	14.200	PASS
n77(3700-3980)	15	15	647168	79@0	CP_QPSK	14.230	20.390	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_BPSK	14.000	14.230	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QPSK	14.050	14.260	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM16	14.010	14.230	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM64	14.040	14.210	PASS
n77(3700-3980)	15	15	656000	75@0	DFT_QAM256	13.990	14.210	PASS
n77(3700-3980)	15	15	656000	79@0	CP_QPSK	14.180	15.030	PASS
n77(3700-3980)	15	15	664832	75@0	DFT_BPSK	14.000	14.210	PASS
n77(3700-3980)	15	15	664832	75@0	DFT_QPSK	14.000	14.240	PASS
n77(3700-3980)	15	15	664832	75@0	DFT_QAM16	14.010	14.220	PASS
n77(3700-3980)	15	15	664832	75@0	DFT_QAM64	14.040	14.200	PASS
n77(3700-3980)	15	15	664832	75@0	DFT_QAM256	13.990	14.210	PASS
n77(3700-3980)	15	15	664832	79@0	CP_QPSK	14.170	14.980	PASS
n77(3700-3980)	15	20	647334	100@0	DFT_BPSK	18.830	19.750	PASS
n77(3700-3980)	15	20	647334	100@0	DFT_QPSK	18.910	21.050	PASS
n77(3700-3980)	15	20	647334	100@0	DFT_QAM16	18.830	19.090	PASS


n77(3700-3980)	15	20	647334	100@0	DFT_QAM64	18.818	20.18	PASS
n77(3700-3980)	15	20	647334	100@0	DFT_QAM256	18.810	18.910	PASS
n77(3700-3980)	15	20	647334	106@0	CP_QPSK	19.060	26.860	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_BPSK	18.810	18.960	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QPSK	18.820	18.990	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM16	18.800	18.940	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM64	18.750	18.930	PASS
n77(3700-3980)	15	20	656000	100@0	DFT_QAM256	18.730	18.880	PASS
n77(3700-3980)	15	20	656000	106@0	CP_QPSK	18.990	20.080	PASS
n77(3700-3980)	15	20	664666	100@0	DFT_BPSK	18.810	18.960	PASS
n77(3700-3980)	15	20	664666	100@0	DFT_QPSK	18.820	18.930	PASS
n77(3700-3980)	15	20	664666	100@0	DFT_QAM16	18.830	18.910	PASS
n77(3700-3980)	15	20	664666	100@0	DFT_QAM64	18.760	18.910	PASS
n77(3700-3980)	15	20	664666	100@0	DFT_QAM256	18.730	18.900	PASS
n77(3700-3980)	15	20	664666	106@0	CP_QPSK	18.990	20.040	PASS
n77(3700-3980)	15	30	647668	160@0	DFT_BPSK	28.710	31.620	PASS
n77(3700-3980)	15	30	647668	160@0	DFT_QPSK	28.810	35.110	PASS
n77(3700-3980)	15	30	647668	160@0	DFT_QAM16	28.730	30.430	PASS
n77(3700-3980)	15	30	647668	160@0	DFT_QAM64	28.720	30.330	PASS
n77(3700-3980)	15	30	647668	160@0	DFT_QAM256	28.700	30.190	PASS
n77(3700-3980)	15	30	647668	160@0	CP_QPSK	28.820	39.240	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_BPSK	28.690	30.260	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QPSK	28.710	30.310	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM16	28.700	30.250	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM64	28.690	30.200	PASS
n77(3700-3980)	15	30	656000	160@0	DFT_QAM256	28.680	30.180	PASS
n77(3700-3980)	15	30	656000	160@0	CP_QPSK	28.720	30.410	PASS
n77(3700-3980)	15	30	664332	160@0	DFT_BPSK	28.700	30.260	PASS
n77(3700-3980)	15	30	664332	160@0	DFT_QPSK	28.700	30.270	PASS
n77(3700-3980)	15	30	664332	160@0	DFT_QAM16	28.710	30.230	PASS
n77(3700-3980)	15	30	664332	160@0	DFT_QAM64	28.700	30.220	PASS
n77(3700-3980)	15	30	664332	160@0	DFT_QAM256	28.690	30.200	PASS
n77(3700-3980)	15	30	664332	160@0	CP_QPSK	28.720	30.350	PASS
n77(3700-3980)	15	40	648000	216@0	DFT_BPSK	38.790	50.700	PASS
n77(3700-3980)	15	40	648000	216@0	DFT_QPSK	38.800	58.690	PASS
n77(3700-3980)	15	40	648000	216@0	DFT_QAM16	38.790	41.100	PASS
n77(3700-3980)	15	40	648000	216@0	DFT_QAM64	38.790	40.930	PASS
n77(3700-3980)	15	40	648000	216@0	DFT_QAM256	38.740	40.710	PASS
n77(3700-3980)	15	40	648000	216@0	CP_QPSK	38.890	49.780	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_BPSK	38.740	40.850	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QPSK	38.740	40.900	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QAM16	38.720	40.770	PASS
n77(3700-3980)	15	40	656000	216@0	DFT_QAM64	38.720	40.750	PASS

n77(3700-3980)	15	40	656000	216@0	DFT_QAM256	38.640	40.710	PASS
n77(3700-3980)	15	40	656000	216@0	CP_QPSK	38.760	40.950	PASS
n77(3700-3980)	15	40	664000	216@0	DFT_BPSK	38.760	40.820	PASS
n77(3700-3980)	15	40	664000	216@0	DFT_QPSK	38.760	40.830	PASS
n77(3700-3980)	15	40	664000	216@0	DFT_QAM16	38.740	40.750	PASS
n77(3700-3980)	15	40	664000	216@0	DFT_QAM64	38.740	40.730	PASS
n77(3700-3980)	15	40	664000	216@0	DFT_QAM256	38.740	40.720	PASS
n77(3700-3980)	15	40	664000	216@0	CP_QPSK	38.770	40.860	PASS
n77(3700-3980)	15	50	648334	270@0	DFT_BPSK	48.470	56.620	PASS
n77(3700-3980)	15	50	648334	270@0	DFT_QPSK	48.610	65.330	PASS
n77(3700-3980)	15	50	648334	270@0	DFT_QAM16	48.480	51.540	PASS
n77(3700-3980)	15	50	648334	270@0	DFT_QAM64	48.450	51.100	PASS
n77(3700-3980)	15	50	648334	270@0	DFT_QAM256	48.410	50.830	PASS
n77(3700-3980)	15	50	648334	270@0	CP_QPSK	48.610	66.110	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_BPSK	48.420	51.140	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QPSK	48.440	51.240	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM16	48.420	50.990	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM64	48.400	50.920	PASS
n77(3700-3980)	15	50	656000	270@0	DFT_QAM256	48.290	50.830	PASS
n77(3700-3980)	15	50	656000	270@0	CP_QPSK	48.440	51.320	PASS
n77(3700-3980)	15	50	663666	270@0	DFT_BPSK	48.440	51.050	PASS
n77(3700-3980)	15	50	663666	270@0	DFT_QPSK	48.420	51.030	PASS
n77(3700-3980)	15	50	663666	270@0	DFT_QAM16	48.430	50.940	PASS
n77(3700-3980)	15	50	663666	270@0	DFT_QAM64	48.420	50.870	PASS
n77(3700-3980)	15	50	663666	270@0	DFT_QAM256	48.420	50.870	PASS
n77(3700-3980)	15	50	663666	270@0	CP_QPSK	48.450	51.120	PASS


n77(3700-3980) SCS=15kHz DFT_BPSK BW=10MHz Channel=647000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=10MHz Channel=647000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=10MHz Channel=647000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=10MHz Channel=647000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=10MHz Channel=647000 RB=50@0




n77(3700-3980) SCS=15kHz CP_QPSK BW=10MHz Channel=647000 RB=52@0




n77(3700-3980) SCS=15kHz DFT_BPSK BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QPSK BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM16 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM64 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz DFT_QAM256 BW=10MHz Channel=656000 RB=50@0




n77(3700-3980) SCS=15kHz CP_QPSK BW=10MHz Channel=656000 RB=52@0



n77(3700-3980) SCS=15kHz DFT_BPSK BW=10MHz Channel=665000 RB=50@0



n77(3700-3980) SCS=15kHz DFT_QPSK BW=10MHz Channel=665000 RB=50@0



n77(3700-3980) SCS=15kHz DFT_QAM16 BW=10MHz Channel=665000 RB=50@0



n77(3700-3980) SCS=15kHz DFT_QAM64 BW=10MHz Channel=665000 RB=50@0

