

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Conducted Output AV Power (dBm)</i>	<i>Antenna Gain (dBi)</i>	<i>EIRP (dBm)</i>	<i>Limt (dBm)</i>	<i>Verdict</i>
Band7	5	20775	1	#0	QPSK	22.04	-3.09	18.95	33.01	Pass
Band7	5	20775	1	#Mid	QPSK	22.13	-3.09	19.04	33.01	Pass
Band7	5	20775	1	#Max	QPSK	22.19	-3.09	19.10	33.01	Pass
Band7	5	20775	12	#0	QPSK	21.00	-3.09	17.91	33.01	Pass
Band7	5	20775	12	#Mid	QPSK	21.02	-3.09	17.93	33.01	Pass
Band7	5	20775	12	#Max	QPSK	21.04	-3.09	17.95	33.01	Pass
Band7	5	20775	25	#0	QPSK	21.08	-3.09	17.99	33.01	Pass
Band7	5	20775	1	#0	QAM16	21.50	-3.09	18.41	33.01	Pass
Band7	5	20775	1	#Mid	QAM16	21.58	-3.09	18.49	33.01	Pass
Band7	5	20775	1	#Max	QAM16	21.64	-3.09	18.55	33.01	Pass
Band7	5	20775	12	#0	QAM16	20.04	-3.09	16.95	33.01	Pass
Band7	5	20775	12	#Mid	QAM16	20.08	-3.09	16.99	33.01	Pass
Band7	5	20775	12	#Max	QAM16	20.09	-3.09	17.00	33.01	Pass
Band7	5	20775	25	#0	QAM16	20.06	-3.09	16.97	33.01	Pass
Band7	5	21100	1	#0	QPSK	21.99	-3.09	18.90	33.01	Pass
Band7	5	21100	1	#Mid	QPSK	22.04	-3.09	18.95	33.01	Pass
Band7	5	21100	1	#Max	QPSK	22.15	-3.09	19.06	33.01	Pass
Band7	5	21100	12	#0	QPSK	20.95	-3.09	17.86	33.01	Pass
Band7	5	21100	12	#Mid	QPSK	20.91	-3.09	17.82	33.01	Pass
Band7	5	21100	12	#Max	QPSK	20.97	-3.09	17.88	33.01	Pass
Band7	5	21100	25	#0	QPSK	20.99	-3.09	17.90	33.01	Pass
Band7	5	21100	1	#0	QAM16	21.28	-3.09	18.19	33.01	Pass
Band7	5	21100	1	#Mid	QAM16	21.37	-3.09	18.28	33.01	Pass
Band7	5	21100	1	#Max	QAM16	21.39	-3.09	18.30	33.01	Pass
Band7	5	21100	12	#0	QAM16	19.96	-3.09	16.87	33.01	Pass
Band7	5	21100	12	#Mid	QAM16	19.93	-3.09	16.84	33.01	Pass
Band7	5	21100	12	#Max	QAM16	19.99	-3.09	16.90	33.01	Pass
Band7	5	21100	25	#0	QAM16	20.01	-3.09	16.92	33.01	Pass
Band7	5	21425	1	#0	QPSK	22.08	-3.09	18.99	33.01	Pass
Band7	5	21425	1	#Mid	QPSK	22.18	-3.09	19.09	33.01	Pass
Band7	5	21425	1	#Max	QPSK	22.19	-3.09	19.10	33.01	Pass
Band7	5	21425	12	#0	QPSK	21.17	-3.09	18.08	33.01	Pass
Band7	5	21425	12	#Mid	QPSK	21.19	-3.09	18.10	33.01	Pass
Band7	5	21425	12	#Max	QPSK	21.20	-3.09	18.11	33.01	Pass
Band7	5	21425	25	#0	QPSK	21.24	-3.09	18.15	33.01	Pass
Band7	5	21425	1	#0	QAM16	21.50	-3.09	18.41	33.01	Pass
Band7	5	21425	1	#Mid	QAM16	21.49	-3.09	18.40	33.01	Pass

Band7	5	21425	1	#Max	QAM16	21.56	-3.09	18.47	33.01	Pass
Band7	5	21425	12	#0	QAM16	20.24	-3.09	17.15	33.01	Pass
Band7	5	21425	12	#Mid	QAM16	20.25	-3.09	17.16	33.01	Pass
Band7	5	21425	12	#Max	QAM16	20.27	-3.09	17.18	33.01	Pass
Band7	5	21425	25	#0	QAM16	20.22	-3.09	17.13	33.01	Pass
Band7	10	20800	1	#0	QPSK	22.16	-3.09	19.07	33.01	Pass
Band7	10	20800	1	#Mid	QPSK	22.21	-3.09	19.12	33.01	Pass
Band7	10	20800	1	#Max	QPSK	22.24	-3.09	19.15	33.01	Pass
Band7	10	20800	25	#0	QPSK	21.17	-3.09	18.08	33.01	Pass
Band7	10	20800	25	#Mid	QPSK	21.21	-3.09	18.12	33.01	Pass
Band7	10	20800	25	#Max	QPSK	21.26	-3.09	18.17	33.01	Pass
Band7	10	20800	50	#0	QPSK	21.19	-3.09	18.10	33.01	Pass
Band7	10	20800	1	#0	QAM16	21.59	-3.09	18.50	33.01	Pass
Band7	10	20800	1	#Mid	QAM16	21.63	-3.09	18.54	33.01	Pass
Band7	10	20800	1	#Max	QAM16	21.64	-3.09	18.55	33.01	Pass
Band7	10	20800	25	#0	QAM16	20.19	-3.09	17.10	33.01	Pass
Band7	10	20800	25	#Mid	QAM16	20.24	-3.09	17.15	33.01	Pass
Band7	10	20800	25	#Max	QAM16	20.27	-3.09	17.18	33.01	Pass
Band7	10	20800	50	#0	QAM16	20.20	-3.09	17.11	33.01	Pass
Band7	10	21100	1	#0	QPSK	22.03	-3.09	18.94	33.01	Pass
Band7	10	21100	1	#Mid	QPSK	22.02	-3.09	18.93	33.01	Pass
Band7	10	21100	1	#Max	QPSK	22.19	-3.09	19.10	33.01	Pass
Band7	10	21100	25	#0	QPSK	21.05	-3.09	17.96	33.01	Pass
Band7	10	21100	25	#Mid	QPSK	21.08	-3.09	17.99	33.01	Pass
Band7	10	21100	25	#Max	QPSK	21.13	-3.09	18.04	33.01	Pass
Band7	10	21100	50	#0	QPSK	21.13	-3.09	18.04	33.01	Pass
Band7	10	21100	1	#0	QAM16	21.23	-3.09	18.14	33.01	Pass
Band7	10	21100	1	#Mid	QAM16	21.25	-3.09	18.16	33.01	Pass
Band7	10	21100	1	#Max	QAM16	21.45	-3.09	18.36	33.01	Pass
Band7	10	21100	25	#0	QAM16	20.06	-3.09	16.97	33.01	Pass
Band7	10	21100	25	#Mid	QAM16	20.08	-3.09	16.99	33.01	Pass
Band7	10	21100	25	#Max	QAM16	20.14	-3.09	17.05	33.01	Pass
Band7	10	21100	50	#0	QAM16	20.14	-3.09	17.05	33.01	Pass
Band7	10	21400	1	#0	QPSK	22.29	-3.09	19.20	33.01	Pass
Band7	10	21400	1	#Mid	QPSK	22.26	-3.09	19.17	33.01	Pass
Band7	10	21400	1	#Max	QPSK	22.41	-3.09	19.32	33.01	Pass
Band7	10	21400	25	#0	QPSK	21.27	-3.09	18.18	33.01	Pass
Band7	10	21400	25	#Mid	QPSK	21.25	-3.09	18.16	33.01	Pass
Band7	10	21400	25	#Max	QPSK	21.32	-3.09	18.23	33.01	Pass
Band7	10	21400	50	#0	QPSK	21.32	-3.09	18.23	33.01	Pass
Band7	10	21400	1	#0	QAM16	21.19	-3.09	18.10	33.01	Pass
Band7	10	21400	1	#Mid	QAM16	21.18	-3.09	18.09	33.01	Pass
Band7	10	21400	1	#Max	QAM16	21.38	-3.09	18.29	33.01	Pass
Band7	10	21400	25	#0	QAM16	20.29	-3.09	17.20	33.01	Pass

X6720B WSCT-A2LA-R&E240700032A

Band7	10	21400	25	#Mid	QAM16	20.23	-3.09	17.14	33.01	Pass
Band7	10	21400	25	#Max	QAM16	20.30	-3.09	17.21	33.01	Pass
Band7	10	21400	50	#0	QAM16	20.31	-3.09	17.22	33.01	Pass
Band7	15	20825	1	#0	QPSK	22.17	-3.09	19.08	33.01	Pass
Band7	15	20825	1	#Mid	QPSK	22.22	-3.09	19.13	33.01	Pass
Band7	15	20825	1	#Max	QPSK	22.11	-3.09	19.02	33.01	Pass
Band7	15	20825	36	#0	QPSK	21.22	-3.09	18.13	33.01	Pass
Band7	15	20825	36	#Mid	QPSK	21.24	-3.09	18.15	33.01	Pass
Band7	15	20825	36	#Max	QPSK	21.22	-3.09	18.13	33.01	Pass
Band7	15	20825	75	#0	QPSK	21.24	-3.09	18.15	33.01	Pass
Band7	15	20825	1	#0	QAM16	21.34	-3.09	18.25	33.01	Pass
Band7	15	20825	1	#Mid	QAM16	21.47	-3.09	18.38	33.01	Pass
Band7	15	20825	1	#Max	QAM16	21.36	-3.09	18.27	33.01	Pass
Band7	15	20825	36	#0	QAM16	20.30	-3.09	17.21	33.01	Pass
Band7	15	20825	36	#Mid	QAM16	20.34	-3.09	17.25	33.01	Pass
Band7	15	20825	36	#Max	QAM16	20.31	-3.09	17.22	33.01	Pass
Band7	15	20825	75	#0	QAM16	20.27	-3.09	17.18	33.01	Pass
Band7	15	21100	1	#0	QPSK	22.12	-3.09	19.03	33.01	Pass
Band7	15	21100	1	#Mid	QPSK	22.23	-3.09	19.14	33.01	Pass
Band7	15	21100	1	#Max	QPSK	22.40	-3.09	19.31	33.01	Pass
Band7	15	21100	36	#0	QPSK	21.04	-3.09	17.95	33.01	Pass
Band7	15	21100	36	#Mid	QPSK	21.13	-3.09	18.04	33.01	Pass
Band7	15	21100	36	#Max	QPSK	21.17	-3.09	18.08	33.01	Pass
Band7	15	21100	75	#0	QPSK	21.13	-3.09	18.04	33.01	Pass
Band7	15	21100	1	#0	QAM16	21.19	-3.09	18.10	33.01	Pass
Band7	15	21100	1	#Mid	QAM16	21.25	-3.09	18.16	33.01	Pass
Band7	15	21100	1	#Max	QAM16	21.45	-3.09	18.36	33.01	Pass
Band7	15	21100	36	#0	QAM16	20.06	-3.09	16.97	33.01	Pass
Band7	15	21100	36	#Mid	QAM16	20.13	-3.09	17.04	33.01	Pass
Band7	15	21100	36	#Max	QAM16	20.18	-3.09	17.09	33.01	Pass
Band7	15	21100	75	#0	QAM16	20.22	-3.09	17.13	33.01	Pass
Band7	15	21375	1	#0	QPSK	22.34	-3.09	19.25	33.01	Pass
Band7	15	21375	1	#Mid	QPSK	22.33	-3.09	19.24	33.01	Pass
Band7	15	21375	1	#Max	QPSK	22.35	-3.09	19.26	33.01	Pass
Band7	15	21375	36	#0	QPSK	21.29	-3.09	18.20	33.01	Pass
Band7	15	21375	36	#Mid	QPSK	21.30	-3.09	18.21	33.01	Pass
Band7	15	21375	36	#Max	QPSK	21.33	-3.09	18.24	33.01	Pass
Band7	15	21375	75	#0	QPSK	21.30	-3.09	18.21	33.01	Pass
Band7	15	21375	1	#0	QAM16	21.74	-3.09	18.65	33.01	Pass
Band7	15	21375	1	#Mid	QAM16	21.70	-3.09	18.61	33.01	Pass
Band7	15	21375	1	#Max	QAM16	21.83	-3.09	18.74	33.01	Pass
Band7	15	21375	36	#0	QAM16	20.35	-3.09	17.26	33.01	Pass
Band7	15	21375	36	#Mid	QAM16	20.35	-3.09	17.26	33.01	Pass
Band7	15	21375	36	#Max	QAM16	20.39	-3.09	17.30	33.01	Pass

X6720B WSCT-A2LA-R&E240700032A

Band7	15	21375	75	#0	QAM16	20.36	-3.09	17.27	33.01	Pass
Band7	20	20850	1	#0	QPSK	22.26	-3.09	19.17	33.01	Pass
Band7	20	20850	1	#Mid	QPSK	22.32	-3.09	19.23	33.01	Pass
Band7	20	20850	1	#Max	QPSK	22.16	-3.09	19.07	33.01	Pass
Band7	20	20850	50	#0	QPSK	21.31	-3.09	18.22	33.01	Pass
Band7	20	20850	50	#Mid	QPSK	21.32	-3.09	18.23	33.01	Pass
Band7	20	20850	50	#Max	QPSK	21.24	-3.09	18.15	33.01	Pass
Band7	20	20850	100	#0	QPSK	21.28	-3.09	18.19	33.01	Pass
Band7	20	20850	1	#0	QAM16	21.65	-3.09	18.56	33.01	Pass
Band7	20	20850	1	#Mid	QAM16	21.71	-3.09	18.62	33.01	Pass
Band7	20	20850	1	#Max	QAM16	21.51	-3.09	18.42	33.01	Pass
Band7	20	20850	50	#0	QAM16	20.34	-3.09	17.25	33.01	Pass
Band7	20	20850	50	#Mid	QAM16	20.40	-3.09	17.31	33.01	Pass
Band7	20	20850	50	#Max	QAM16	20.31	-3.09	17.22	33.01	Pass
Band7	20	20850	100	#0	QAM16	20.30	-3.09	17.21	33.01	Pass
Band7	20	21100	1	#0	QPSK	22.16	-3.09	19.07	33.01	Pass
Band7	20	21100	1	#Mid	QPSK	22.22	-3.09	19.13	33.01	Pass
Band7	20	21100	1	#Max	QPSK	22.48	-3.09	19.39	33.01	Pass
Band7	20	21100	50	#0	QPSK	21.14	-3.09	18.05	33.01	Pass
Band7	20	21100	50	#Mid	QPSK	21.23	-3.09	18.14	33.01	Pass
Band7	20	21100	50	#Max	QPSK	21.30	-3.09	18.21	33.01	Pass
Band7	20	21100	100	#0	QPSK	21.24	-3.09	18.15	33.01	Pass
Band7	20	21100	1	#0	QAM16	21.29	-3.09	18.20	33.01	Pass
Band7	20	21100	1	#Mid	QAM16	21.40	-3.09	18.31	33.01	Pass
Band7	20	21100	1	#Max	QAM16	21.63	-3.09	18.54	33.01	Pass
Band7	20	21100	50	#0	QAM16	20.13	-3.09	17.04	33.01	Pass
Band7	20	21100	50	#Mid	QAM16	20.23	-3.09	17.14	33.01	Pass
Band7	20	21100	50	#Max	QAM16	20.28	-3.09	17.19	33.01	Pass
Band7	20	21100	100	#0	QAM16	20.22	-3.09	17.13	33.01	Pass
Band7	20	21350	1	#0	QPSK	22.37	-3.09	19.28	33.01	Pass
Band7	20	21350	1	#Mid	QPSK	22.31	-3.09	19.22	33.01	Pass
Band7	20	21350	1	#Max	QPSK	22.30	-3.09	19.21	33.01	Pass
Band7	20	21350	50	#0	QPSK	21.42	-3.09	18.33	33.01	Pass
Band7	20	21350	50	#Mid	QPSK	21.41	-3.09	18.32	33.01	Pass
Band7	20	21350	50	#Max	QPSK	21.43	-3.09	18.34	33.01	Pass
Band7	20	21350	100	#0	QPSK	21.40	-3.09	18.31	33.01	Pass
Band7	20	21350	1	#0	QAM16	21.74	-3.09	18.65	33.01	Pass
Band7	20	21350	1	#Mid	QAM16	21.67	-3.09	18.58	33.01	Pass
Band7	20	21350	1	#Max	QAM16	21.77	-3.09	18.68	33.01	Pass
Band7	20	21350	50	#0	QAM16	20.44	-3.09	17.35	33.01	Pass
Band7	20	21350	50	#Mid	QAM16	20.44	-3.09	17.35	33.01	Pass
Band7	20	21350	50	#Max	QAM16	20.44	-3.09	17.35	33.01	Pass
Band7	20	21350	100	#0	QAM16	20.40	-3.09	17.31	33.01	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band7	20	20850	100	#0	QPSK	2.60	0.001	-2.5	2.5	PASS
Band7	20	20850	100	#0	QAM16	-3.97	-0.002	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	1.65	0.001	-2.5	2.5	PASS
Band7	20	21100	100	#0	QAM16	-3.90	-0.002	-2.5	2.5	PASS
Band7	20	21350	100	#0	QPSK	-4.23	-0.002	-2.5	2.5	PASS
Band7	20	21350	100	#0	QAM16	-4.23	-0.002	-2.5	2.5	PASS

Note: (Voltage: 3.78V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	21100	1	#0	QPSK	4.32	13	PASS
Band7	5	21100	1	#0	QAM16	5.02	13	PASS
Band7	10	21100	1	#0	QPSK	4.18	13	PASS
Band7	10	21100	1	#0	QAM16	5.16	13	PASS
Band7	15	21100	1	#0	QPSK	4.18	13	PASS
Band7	15	21100	1	#0	QAM16	5.01	13	PASS
Band7	20	21100	1	#0	QPSK	4.05	13	PASS
Band7	20	21100	1	#0	QAM16	4.67	13	PASS


Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band7	5	20775	25	#0	QPSK	4.515	4.950	PASS
Band7	5	20775	25	#0	QAM16	4.524	5.197	PASS
Band7	5	21100	25	#0	QPSK	4.503	4.919	PASS
Band7	5	21100	25	#0	QAM16	4.508	4.979	PASS
Band7	5	21425	25	#0	QPSK	4.511	4.950	PASS
Band7	5	21425	25	#0	QAM16	4.515	4.911	PASS
Band7	10	20800	50	#0	QPSK	8.997	9.754	PASS
Band7	10	20800	50	#0	QAM16	8.973	9.791	PASS
Band7	10	21100	50	#0	QPSK	8.972	9.848	PASS
Band7	10	21100	50	#0	QAM16	9.013	9.736	PASS
Band7	10	21400	50	#0	QPSK	8.986	9.753	PASS
Band7	10	21400	50	#0	QAM16	8.988	9.704	PASS
Band7	15	20825	75	#0	QPSK	13.444	14.553	PASS
Band7	15	20825	75	#0	QAM16	13.461	14.627	PASS
Band7	15	21100	75	#0	QPSK	13.446	14.621	PASS
Band7	15	21100	75	#0	QAM16	13.494	14.687	PASS
Band7	15	21375	75	#0	QPSK	13.436	14.555	PASS
Band7	15	21375	75	#0	QAM16	13.474	14.471	PASS
Band7	20	20850	100	#0	QPSK	17.946	19.239	PASS
Band7	20	20850	100	#0	QAM16	17.960	19.359	PASS
Band7	20	21100	100	#0	QPSK	17.976	19.248	PASS
Band7	20	21100	100	#0	QAM16	17.926	19.333	PASS
Band7	20	21350	100	#0	QPSK	17.967	19.364	PASS
Band7	20	21350	100	#0	QAM16	17.998	19.451	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2499.00	-14.77	-10	PASS
Band7	5	20775	25	#0	QAM16	2498.99	-15.27	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.01	-13.97	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.01	-15.60	-10	PASS
Band7	10	20800	50	#0	QPSK	2490.00	-38.06	-25	PASS
Band7	10	20800	50	#0	QAM16	2489.57	-39.31	-25	PASS
Band7	10	21400	50	#0	QPSK	2580.36	-37.90	-25	PASS
Band7	10	21400	50	#0	QAM16	2580.60	-38.99	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.84	-38.39	-25	PASS
Band7	15	20825	75	#0	QAM16	2484.74	-39.77	-25	PASS
Band7	15	21375	75	#0	QPSK	2575.46	-27.43	-13	PASS
Band7	15	21375	75	#0	QAM16	2585.28	-40.18	-25	PASS
Band7	20	20850	100	#0	QPSK	2479.88	-40.67	-25	PASS
Band7	20	20850	100	#0	QAM16	2479.95	-41.35	-25	PASS
Band7	20	21350	100	#0	QPSK	2590.20	-40.98	-25	PASS
Band7	20	21350	100	#0	QAM16	2590.34	-41.38	-25	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	8144.20	-38.42	-25	PASS
Band7	5	20775	25	#0	QAM16	3865.83	-38.38	-25	PASS
Band7	5	21425	25	#0	QPSK	3877.30	-38.44	-25	PASS
Band7	5	21425	25	#0	QAM16	3732.40	-37.64	-25	PASS
Band7	10	20800	50	#0	QPSK	4681.23	-38.66	-25	PASS
Band7	10	20800	50	#0	QAM16	3722.05	-38.71	-25	PASS
Band7	10	21400	50	#0	QPSK	3922.98	-38.66	-25	PASS
Band7	10	21400	50	#0	QAM16	4963.60	-38.42	-25	PASS
Band7	15	20825	75	#0	QPSK	3866.73	-38.45	-25	PASS
Band7	15	20825	75	#0	QAM16	3783.93	-38.84	-25	PASS
Band7	15	21375	75	#0	QPSK	3803.95	-38.25	-25	PASS
Band7	15	21375	75	#0	QAM16	3736.45	-38.44	-25	PASS
Band7	20	20850	100	#0	QPSK	3769.08	-38.07	-25	PASS
Band7	20	20850	100	#0	QAM16	3720.25	-38.87	-25	PASS
Band7	20	21350	100	#0	QPSK	3859.53	-39.07	-25	PASS
Band7	20	21350	100	#0	QAM16	5044.38	-38.96	-25	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0

