

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
Band38	5	37775	1	#0	QPSK	22.37	-3.09	19.28	33.01	Pass
Band38	5	37775	1	#Mid	QPSK	22.51	-3.09	19.42	33.01	Pass
Band38	5	37775	1	#Max	QPSK	22.51	-3.09	19.42	33.01	Pass
Band38	5	37775	12	#0	QPSK	21.48	-3.09	18.39	33.01	Pass
Band38	5	37775	12	#Mid	QPSK	21.53	-3.09	18.44	33.01	Pass
Band38	5	37775	12	#Max	QPSK	21.55	-3.09	18.46	33.01	Pass
Band38	5	37775	25	#0	QPSK	21.55	-3.09	18.46	33.01	Pass
Band38	5	37775	1	#0	QAM16	21.70	-3.09	18.61	33.01	Pass
Band38	5	37775	1	#Mid	QAM16	21.81	-3.09	18.72	33.01	Pass
Band38	5	37775	1	#Max	QAM16	21.85	-3.09	18.76	33.01	Pass
Band38	5	37775	12	#0	QAM16	20.52	-3.09	17.43	33.01	Pass
Band38	5	37775	12	#Mid	QAM16	20.55	-3.09	17.46	33.01	Pass
Band38	5	37775	12	#Max	QAM16	20.60	-3.09	17.51	33.01	Pass
Band38	5	37775	25	#0	QAM16	20.52	-3.09	17.43	33.01	Pass
Band38	5	38000	1	#0	QPSK	22.61	-3.09	19.52	33.01	Pass
Band38	5	38000	1	#Mid	QPSK	22.64	-3.09	19.55	33.01	Pass
Band38	5	38000	1	#Max	QPSK	22.64	-3.09	19.55	33.01	Pass
Band38	5	38000	12	#0	QPSK	21.48	-3.09	18.39	33.01	Pass
Band38	5	38000	12	#Mid	QPSK	21.45	-3.09	18.36	33.01	Pass
Band38	5	38000	12	#Max	QPSK	21.46	-3.09	18.37	33.01	Pass
Band38	5	38000	25	#0	QPSK	21.50	-3.09	18.41	33.01	Pass
Band38	5	38000	1	#0	QAM16	22.10	-3.09	19.01	33.01	Pass
Band38	5	38000	1	#Mid	QAM16	22.08	-3.09	18.99	33.01	Pass
Band38	5	38000	1	#Max	QAM16	22.10	-3.09	19.01	33.01	Pass
Band38	5	38000	12	#0	QAM16	20.50	-3.09	17.41	33.01	Pass
Band38	5	38000	12	#Mid	QAM16	20.44	-3.09	17.35	33.01	Pass
Band38	5	38000	12	#Max	QAM16	20.48	-3.09	17.39	33.01	Pass
Band38	5	38000	25	#0	QAM16	20.43	-3.09	17.34	33.01	Pass
Band38	5	38225	1	#0	QPSK	22.64	-3.09	19.55	33.01	Pass
Band38	5	38225	1	#Mid	QPSK	22.62	-3.09	19.53	33.01	Pass
Band38	5	38225	1	#Max	QPSK	22.55	-3.09	19.46	33.01	Pass
Band38	5	38225	12	#0	QPSK	21.62	-3.09	18.53	33.01	Pass
Band38	5	38225	12	#Mid	QPSK	21.58	-3.09	18.49	33.01	Pass
Band38	5	38225	12	#Max	QPSK	21.53	-3.09	18.44	33.01	Pass
Band38	5	38225	25	#0	QPSK	21.60	-3.09	18.51	33.01	Pass
Band38	5	38225	1	#0	QAM16	21.94	-3.09	18.85	33.01	Pass
Band38	5	38225	1	#Mid	QAM16	21.87	-3.09	18.78	33.01	Pass

Band38	5	38225	1	#Max	QAM16	21.86	-3.09	18.77	33.01	Pass
Band38	5	38225	12	#0	QAM16	20.59	-3.09	17.50	33.01	Pass
Band38	5	38225	12	#Mid	QAM16	20.55	-3.09	17.46	33.01	Pass
Band38	5	38225	12	#Max	QAM16	20.51	-3.09	17.42	33.01	Pass
Band38	5	38225	25	#0	QAM16	20.61	-3.09	17.52	33.01	Pass
Band38	10	37800	1	#0	QPSK	22.48	-3.09	19.39	33.01	Pass
Band38	10	37800	1	#Mid	QPSK	22.57	-3.09	19.48	33.01	Pass
Band38	10	37800	1	#Max	QPSK	22.58	-3.09	19.49	33.01	Pass
Band38	10	37800	25	#0	QPSK	21.50	-3.09	18.41	33.01	Pass
Band38	10	37800	25	#Mid	QPSK	21.55	-3.09	18.46	33.01	Pass
Band38	10	37800	25	#Max	QPSK	21.58	-3.09	18.49	33.01	Pass
Band38	10	37800	50	#0	QPSK	21.50	-3.09	18.41	33.01	Pass
Band38	10	37800	1	#0	QAM16	21.92	-3.09	18.83	33.01	Pass
Band38	10	37800	1	#Mid	QAM16	22.10	-3.09	19.01	33.01	Pass
Band38	10	37800	1	#Max	QAM16	22.03	-3.09	18.94	33.01	Pass
Band38	10	37800	25	#0	QAM16	20.50	-3.09	17.41	33.01	Pass
Band38	10	37800	25	#Mid	QAM16	20.52	-3.09	17.43	33.01	Pass
Band38	10	37800	25	#Max	QAM16	20.54	-3.09	17.45	33.01	Pass
Band38	10	37800	50	#0	QAM16	20.49	-3.09	17.40	33.01	Pass
Band38	10	38000	1	#0	QPSK	22.42	-3.09	19.33	33.01	Pass
Band38	10	38000	1	#Mid	QPSK	22.48	-3.09	19.39	33.01	Pass
Band38	10	38000	1	#Max	QPSK	22.43	-3.09	19.34	33.01	Pass
Band38	10	38000	25	#0	QPSK	21.39	-3.09	18.30	33.01	Pass
Band38	10	38000	25	#Mid	QPSK	21.42	-3.09	18.33	33.01	Pass
Band38	10	38000	25	#Max	QPSK	21.46	-3.09	18.37	33.01	Pass
Band38	10	38000	50	#0	QPSK	21.41	-3.09	18.32	33.01	Pass
Band38	10	38000	1	#0	QAM16	21.58	-3.09	18.49	33.01	Pass
Band38	10	38000	1	#Mid	QAM16	21.57	-3.09	18.48	33.01	Pass
Band38	10	38000	1	#Max	QAM16	21.58	-3.09	18.49	33.01	Pass
Band38	10	38000	25	#0	QAM16	20.37	-3.09	17.28	33.01	Pass
Band38	10	38000	25	#Mid	QAM16	20.39	-3.09	17.30	33.01	Pass
Band38	10	38000	25	#Max	QAM16	20.44	-3.09	17.35	33.01	Pass
Band38	10	38000	50	#0	QAM16	20.42	-3.09	17.33	33.01	Pass
Band38	10	38200	1	#0	QPSK	22.60	-3.09	19.51	33.01	Pass
Band38	10	38200	1	#Mid	QPSK	22.59	-3.09	19.50	33.01	Pass
Band38	10	38200	1	#Max	QPSK	22.55	-3.09	19.46	33.01	Pass
Band38	10	38200	25	#0	QPSK	21.58	-3.09	18.49	33.01	Pass
Band38	10	38200	25	#Mid	QPSK	21.59	-3.09	18.50	33.01	Pass
Band38	10	38200	25	#Max	QPSK	21.57	-3.09	18.48	33.01	Pass
Band38	10	38200	50	#0	QPSK	21.56	-3.09	18.47	33.01	Pass
Band38	10	38200	1	#0	QAM16	21.62	-3.09	18.53	33.01	Pass
Band38	10	38200	1	#Mid	QAM16	21.57	-3.09	18.48	33.01	Pass
Band38	10	38200	1	#Max	QAM16	21.56	-3.09	18.47	33.01	Pass
Band38	10	38200	25	#0	QAM16	20.57	-3.09	17.48	33.01	Pass

X6720B WSCT-A2LA-R&E240700032A

Band38	10	38200	25	#Mid	QAM16	20.56	-3.09	17.47	33.01	Pass
Band38	10	38200	25	#Max	QAM16	20.55	-3.09	17.46	33.01	Pass
Band38	10	38200	50	#0	QAM16	20.53	-3.09	17.44	33.01	Pass
Band38	15	37825	1	#0	QPSK	22.44	-3.09	19.35	33.01	Pass
Band38	15	37825	1	#Mid	QPSK	22.56	-3.09	19.47	33.01	Pass
Band38	15	37825	1	#Max	QPSK	22.48	-3.09	19.39	33.01	Pass
Band38	15	37825	36	#0	QPSK	21.42	-3.09	18.33	33.01	Pass
Band38	15	37825	36	#Mid	QPSK	21.44	-3.09	18.35	33.01	Pass
Band38	15	37825	36	#Max	QPSK	21.41	-3.09	18.32	33.01	Pass
Band38	15	37825	75	#0	QPSK	21.45	-3.09	18.36	33.01	Pass
Band38	15	37825	1	#0	QAM16	21.95	-3.09	18.86	33.01	Pass
Band38	15	37825	1	#Mid	QAM16	22.04	-3.09	18.95	33.01	Pass
Band38	15	37825	1	#Max	QAM16	21.99	-3.09	18.90	33.01	Pass
Band38	15	37825	36	#0	QAM16	20.48	-3.09	17.39	33.01	Pass
Band38	15	37825	36	#Mid	QAM16	20.49	-3.09	17.40	33.01	Pass
Band38	15	37825	36	#Max	QAM16	20.48	-3.09	17.39	33.01	Pass
Band38	15	37825	75	#0	QAM16	20.46	-3.09	17.37	33.01	Pass
Band38	15	38000	1	#0	QPSK	22.46	-3.09	19.37	33.01	Pass
Band38	15	38000	1	#Mid	QPSK	22.47	-3.09	19.38	33.01	Pass
Band38	15	38000	1	#Max	QPSK	22.44	-3.09	19.35	33.01	Pass
Band38	15	38000	36	#0	QPSK	21.37	-3.09	18.28	33.01	Pass
Band38	15	38000	36	#Mid	QPSK	21.35	-3.09	18.26	33.01	Pass
Band38	15	38000	36	#Max	QPSK	21.40	-3.09	18.31	33.01	Pass
Band38	15	38000	75	#0	QPSK	21.38	-3.09	18.29	33.01	Pass
Band38	15	38000	1	#0	QAM16	21.61	-3.09	18.52	33.01	Pass
Band38	15	38000	1	#Mid	QAM16	21.62	-3.09	18.53	33.01	Pass
Band38	15	38000	1	#Max	QAM16	21.56	-3.09	18.47	33.01	Pass
Band38	15	38000	36	#0	QAM16	20.46	-3.09	17.37	33.01	Pass
Band38	15	38000	36	#Mid	QAM16	20.42	-3.09	17.33	33.01	Pass
Band38	15	38000	36	#Max	QAM16	20.47	-3.09	17.38	33.01	Pass
Band38	15	38000	75	#0	QAM16	20.40	-3.09	17.31	33.01	Pass
Band38	15	38175	1	#0	QPSK	22.68	-3.09	19.59	33.01	Pass
Band38	15	38175	1	#Mid	QPSK	22.68	-3.09	19.59	33.01	Pass
Band38	15	38175	1	#Max	QPSK	22.61	-3.09	19.52	33.01	Pass
Band38	15	38175	36	#0	QPSK	21.54	-3.09	18.45	33.01	Pass
Band38	15	38175	36	#Mid	QPSK	21.56	-3.09	18.47	33.01	Pass
Band38	15	38175	36	#Max	QPSK	21.55	-3.09	18.46	33.01	Pass
Band38	15	38175	75	#0	QPSK	21.56	-3.09	18.47	33.01	Pass
Band38	15	38175	1	#0	QAM16	21.76	-3.09	18.67	33.01	Pass
Band38	15	38175	1	#Mid	QAM16	21.77	-3.09	18.68	33.01	Pass
Band38	15	38175	1	#Max	QAM16	21.71	-3.09	18.62	33.01	Pass
Band38	15	38175	36	#0	QAM16	20.52	-3.09	17.43	33.01	Pass
Band38	15	38175	36	#Mid	QAM16	20.52	-3.09	17.43	33.01	Pass
Band38	15	38175	36	#Max	QAM16	20.54	-3.09	17.45	33.01	Pass

X6720B WSCT-A2LA-R&E240700032A

Band38	15	38175	75	#0	QAM16	20.61	-3.09	17.52	33.01	Pass
Band38	20	37850	1	#0	QPSK	22.36	-3.09	19.27	33.01	Pass
Band38	20	37850	1	#Mid	QPSK	22.43	-3.09	19.34	33.01	Pass
Band38	20	37850	1	#Max	QPSK	22.44	-3.09	19.35	33.01	Pass
Band38	20	37850	50	#0	QPSK	21.54	-3.09	18.45	33.01	Pass
Band38	20	37850	50	#Mid	QPSK	21.49	-3.09	18.40	33.01	Pass
Band38	20	37850	50	#Max	QPSK	21.47	-3.09	18.38	33.01	Pass
Band38	20	37850	100	#0	QPSK	21.48	-3.09	18.39	33.01	Pass
Band38	20	37850	1	#0	QAM16	21.62	-3.09	18.53	33.01	Pass
Band38	20	37850	1	#Mid	QAM16	21.72	-3.09	18.63	33.01	Pass
Band38	20	37850	1	#Max	QAM16	21.78	-3.09	18.69	33.01	Pass
Band38	20	37850	50	#0	QAM16	20.57	-3.09	17.48	33.01	Pass
Band38	20	37850	50	#Mid	QAM16	20.55	-3.09	17.46	33.01	Pass
Band38	20	37850	50	#Max	QAM16	20.50	-3.09	17.41	33.01	Pass
Band38	20	37850	100	#0	QAM16	20.49	-3.09	17.40	33.01	Pass
Band38	20	38000	1	#0	QPSK	22.49	-3.09	19.40	33.01	Pass
Band38	20	38000	1	#Mid	QPSK	22.53	-3.09	19.44	33.01	Pass
Band38	20	38000	1	#Max	QPSK	22.57	-3.09	19.48	33.01	Pass
Band38	20	38000	50	#0	QPSK	21.45	-3.09	18.36	33.01	Pass
Band38	20	38000	50	#Mid	QPSK	21.42	-3.09	18.33	33.01	Pass
Band38	20	38000	50	#Max	QPSK	21.46	-3.09	18.37	33.01	Pass
Band38	20	38000	100	#0	QPSK	21.45	-3.09	18.36	33.01	Pass
Band38	20	38000	1	#0	QAM16	21.66	-3.09	18.57	33.01	Pass
Band38	20	38000	1	#Mid	QAM16	21.65	-3.09	18.56	33.01	Pass
Band38	20	38000	1	#Max	QAM16	21.75	-3.09	18.66	33.01	Pass
Band38	20	38000	50	#0	QAM16	20.43	-3.09	17.34	33.01	Pass
Band38	20	38000	50	#Mid	QAM16	20.40	-3.09	17.31	33.01	Pass
Band38	20	38000	50	#Max	QAM16	20.45	-3.09	17.36	33.01	Pass
Band38	20	38000	100	#0	QAM16	20.45	-3.09	17.36	33.01	Pass
Band38	20	38150	1	#0	QPSK	22.39	-3.09	19.30	33.01	Pass
Band38	20	38150	1	#Mid	QPSK	22.60	-3.09	19.51	33.01	Pass
Band38	20	38150	1	#Max	QPSK	22.53	-3.09	19.44	33.01	Pass
Band38	20	38150	50	#0	QPSK	21.55	-3.09	18.46	33.01	Pass
Band38	20	38150	50	#Mid	QPSK	21.62	-3.09	18.53	33.01	Pass
Band38	20	38150	50	#Max	QPSK	21.61	-3.09	18.52	33.01	Pass
Band38	20	38150	100	#0	QPSK	21.57	-3.09	18.48	33.01	Pass
Band38	20	38150	1	#0	QAM16	21.63	-3.09	18.54	33.01	Pass
Band38	20	38150	1	#Mid	QAM16	21.87	-3.09	18.78	33.01	Pass
Band38	20	38150	1	#Max	QAM16	21.80	-3.09	18.71	33.01	Pass
Band38	20	38150	50	#0	QAM16	20.58	-3.09	17.49	33.01	Pass
Band38	20	38150	50	#Mid	QAM16	20.64	-3.09	17.55	33.01	Pass
Band38	20	38150	50	#Max	QAM16	20.62	-3.09	17.53	33.01	Pass
Band38	20	38150	100	#0	QAM16	20.58	-3.09	17.49	33.01	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band38	20	37850	100	#0	QPSK	-7.93	-0.003	-2.5	2.5	PASS
Band38	20	37850	100	#0	QAM16	-2.86	-0.001	-2.5	2.5	PASS
Band38	20	38000	100	#0	QPSK	0.50	0.000	-2.5	2.5	PASS
Band38	20	38000	100	#0	QAM16	-4.62	-0.002	-2.5	2.5	PASS
Band38	20	38150	100	#0	QPSK	-2.83	-0.001	-2.5	2.5	PASS
Band38	20	38150	100	#0	QAM16	0.07	0.000	-2.5	2.5	PASS

Note: (Voltage: 3.78V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band38	5	38000	1	#0	QPSK	8.41	13	PASS
Band38	5	38000	1	#0	QAM16	8.04	13	PASS
Band38	10	38000	1	#0	QPSK	9.03	13	PASS
Band38	10	38000	1	#0	QAM16	8.38	13	PASS
Band38	15	38000	1	#0	QPSK	8.76	13	PASS
Band38	15	38000	1	#0	QAM16	9.39	13	PASS
Band38	20	38000	1	#0	QPSK	6.88	13	PASS
Band38	20	38000	1	#0	QAM16	8.57	13	PASS


Band38 QAM16 BW=10MHz Channel=38000 RB Size=1 Position=#0



Band38 QAM16 BW=15MHz Channel=38000 RB Size=1 Position=#0



Band38 QAM16 BW=20MHz Channel=38000 RB Size=1 Position=#0



Band38 QAM16 BW=5MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0



Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band38	5	37775	25	#0	QPSK	4.492	5.324	PASS
Band38	5	37775	25	#0	QAM16	4.490	5.044	PASS
Band38	5	38000	25	#0	QPSK	4.500	5.522	PASS
Band38	5	38000	25	#0	QAM16	4.507	5.008	PASS
Band38	5	38225	25	#0	QPSK	4.502	5.014	PASS
Band38	5	38225	25	#0	QAM16	4.506	4.946	PASS
Band38	10	37800	50	#0	QPSK	8.997	10.298	PASS
Band38	10	37800	50	#0	QAM16	9.000	10.294	PASS
Band38	10	38000	50	#0	QPSK	9.000	10.768	PASS
Band38	10	38000	50	#0	QAM16	8.952	9.657	PASS
Band38	10	38200	50	#0	QPSK	9.003	11.471	PASS
Band38	10	38200	50	#0	QAM16	8.992	10.147	PASS
Band38	15	37825	75	#0	QPSK	13.495	14.376	PASS
Band38	15	37825	75	#0	QAM16	13.441	15.080	PASS
Band38	15	38000	75	#0	QPSK	13.463	16.048	PASS
Band38	15	38000	75	#0	QAM16	13.461	14.368	PASS
Band38	15	38175	75	#0	QPSK	13.453	16.126	PASS
Band38	15	38175	75	#0	QAM16	13.479	17.203	PASS
Band38	20	37850	100	#0	QPSK	17.958	19.393	PASS
Band38	20	37850	100	#0	QAM16	17.933	19.605	PASS
Band38	20	38000	100	#0	QPSK	17.964	21.001	PASS
Band38	20	38000	100	#0	QAM16	18.031	23.019	PASS
Band38	20	38150	100	#0	QPSK	17.895	22.256	PASS
Band38	20	38150	100	#0	QAM16	17.962	20.378	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	2563.46	-31.84	-25	PASS
Band38	5	37775	25	#0	QAM16	2568.99	-17.91	-10	PASS
Band38	5	38225	25	#0	QPSK	2621.00	-18.78	-10	PASS
Band38	5	38225	25	#0	QAM16	2621.10	-17.23	-10	PASS
Band38	10	37800	50	#0	QPSK	2559.57	-35.64	-25	PASS
Band38	10	37800	50	#0	QAM16	2559.77	-36.22	-25	PASS
Band38	10	38200	50	#0	QPSK	2621.10	-21.68	-10	PASS
Band38	10	38200	50	#0	QAM16	2630.01	-38.70	-25	PASS
Band38	15	37825	75	#0	QPSK	2554.93	-38.74	-25	PASS
Band38	15	37825	75	#0	QAM16	2568.39	-24.16	-10	PASS
Band38	15	38175	75	#0	QPSK	2635.05	-38.30	-25	PASS
Band38	15	38175	75	#0	QAM16	2636.10	-39.29	-25	PASS
Band38	20	37850	100	#0	QPSK	2548.21	-39.75	-25	PASS
Band38	20	37850	100	#0	QAM16	2568.66	-24.11	-10	PASS
Band38	20	38150	100	#0	QPSK	2640.55	-41.03	-25	PASS
Band38	20	38150	100	#0	QAM16	2621.68	-25.68	-10	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	100	2620.255	-27.95	-10
2	2621	2625	1000	2621.004	-18.78	-10
3	2625	2626	1000	2625.021	-31.53	-13
4	2626	2630	1000	2627.16	-34.47	-25


6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	2515.83	-26.78	-25	PASS
Band38	5	37775	25	#0	QAM16	2520.55	-26.96	-25	PASS
Band38	5	38225	25	#0	QPSK	2541.48	-30.10	-25	PASS
Band38	5	38225	25	#0	QAM16	2686.38	-29.63	-25	PASS
Band38	10	37800	50	#0	QPSK	2700.10	-36.28	-25	PASS
Band38	10	37800	50	#0	QAM16	2521.68	-28.94	-25	PASS
Band38	10	38200	50	#0	QPSK	2690.88	-31.84	-25	PASS
Band38	10	38200	50	#0	QAM16	2460.93	-36.53	-25	PASS
Band38	15	37825	75	#0	QPSK	2496.48	-31.13	-25	PASS
Band38	15	37825	75	#0	QAM16	2504.58	-35.75	-25	PASS
Band38	15	38175	75	#0	QPSK	3835.68	-38.60	-25	PASS
Band38	15	38175	75	#0	QAM16	2703.93	-31.57	-25	PASS
Band38	20	37850	100	#0	QPSK	3873.25	-37.88	-25	PASS
Band38	20	38150	100	#0	QPSK	4978.68	-38.82	-25	PASS
Band38	20	38150	100	#0	QAM16	2483.43	-33.77	-25	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0



Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0

