



41C QPSK PCC BW=20MHz Ch=40521 RB=100@0,SCC BW=20MHz Ch=40719 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.71	-25
2	0.15	30	10	0.15	-55.82	-25
3	30	1000	100	764.97	-55.17	-25
4	1000	20000	1000	18899.27	-39.64	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=20MHz Ch=39948 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-47.25	-25
2	0.15	30	10	0.16	-55.93	-25
3	30	1000	100	716.99	-55.2	-25
4	1000	20000	1000	18890.4	-39.42	-25

41C QPSK PCC BW=20MHz Ch=39750 RB=1@0,SCC BW=15MHz Ch=39921 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.07	-25
2	0.15	30	10	0.16	-57.06	-25
3	30	1000	100	775.45	-55.1	-25
4	1000	20000	1000	19359.7	-39.17	-25

41C QPSK PCC BW=20MHz Ch=40546 RB=1@0,SCC BW=15MHz Ch=40717 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.22	-25
2	0.15	30	10	0.15	-57.43	-25
3	30	1000	100	845.32	-55.27	-25
4	1000	20000	1000	19934.13	-39.41	-25

41C QPSK PCC BW=20MHz Ch=40546 RB=100@0,SCC BW=15MHz Ch=40717 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.99	-25
2	0.15	30	10	0.18	-57	-25
3	30	1000	100	877.97	-54.88	-25
4	1000	20000	1000	19301.43	-38.87	-25

41C QPSK PCC BW=20MHz Ch=40521 RB=1@0,SCC BW=20MHz Ch=40719 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.11	-25
2	0.15	30	10	0.15	-57.5	-25
3	30	1000	100	999.39	-54.78	-25
4	1000	20000	1000	19074.07	-38.6	-25

41C QPSK PCC BW=20MHz Ch=41292 RB=100@0,SCC BW=20MHz Ch=41490 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-45.77	-25
2	0.15	30	10	0.17	-57.63	-25
3	30	1000	100	779.91	-54.4	-25
4	1000	20000	1000	18938.53	-39.49	-25

41C QPSK PCC BW=20MHz Ch=40571 RB=1@0,SCC BW=10MHz Ch=40715 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.91	-25
2	0.15	30	10	0.19	-57.44	-25
3	30	1000	100	889.06	-54.91	-25
4	1000	20000	1000	19968.97	-39.06	-25

41C QPSK PCC BW=20MHz Ch=40571 RB=100@0,SCC BW=10MHz Ch=40715 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.32	-25
2	0.15	30	10	0.18	-55.4	-25
3	30	1000	100	928.19	-55.18	-25
4	1000	20000	1000	19126.63	-39.4	-25

41C QPSK PCC BW=20MHz Ch=41341 RB=1@0,SCC BW=15MHz Ch=41512 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.48	-25
2	0.15	30	10	0.16	-56.77	-25
3	30	1000	100	876.81	-54.88	-25
4	1000	20000	1000	18814.4	-39.9	-25

41C QPSK PCC BW=20MHz Ch=41341 RB=100@0,SCC BW=15MHz Ch=41512 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.03	-25
2	0.15	30	10	0.15	-57.09	-25
3	30	1000	100	799.79	-54.91	-25
4	1000	20000	1000	19400.87	-39.62	-25

41C QPSK PCC BW=20MHz Ch=41292 RB=1@0,SCC BW=20MHz Ch=41490 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.35	-25
2	0.15	30	10	0.15	-55.32	-25
3	30	1000	100	613.68	-55.28	-25
4	1000	20000	1000	19448.37	-38.16	-25

41C QPSK PCC BW=20MHz Ch=41391 RB=1@0,SCC BW=10MHz Ch=41535 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.04	-25
2	0.15	30	10	0.19	-58.06	-25
3	30	1000	100	809.69	-54.43	-25
4	1000	20000	1000	19951.87	-38.97	-25

41C QPSK PCC BW=20MHz Ch=41391 RB=100@0,SCC BW=10MHz Ch=41535 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-46.57	-25
2	0.15	30	10	0.16	-57.26	-25
3	30	1000	100	833.06	-55.12	-25
4	1000	20000	1000	18980.97	-39.43	-25

5B 16QAM PCC BW=10MHz Ch=2450 RB=1@0,SCC BW=10MHz Ch=2549 RB=1@49



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.19	-13
2	0.15	30	10	0.15	-59.49	-13
3	30	1000	100	941.64	-56.83	-13
4	1000	20000	1000	19350.83	-40.62	-13


5B 16QAM PCC BW=10MHz Ch=2450 RB=50@0,SCC BW=5MHz Ch=2522 RB=25@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.48	-13
2	0.15	30	10	0.15	-58.34	-13
3	30	1000	100	935.46	-56.43	-13
4	1000	20000	1000	19585.17	-41.15	-13




5B 16QAM PCC BW=10MHz Ch=2476 RB=1@0,SCC BW=10MHz Ch=2575 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-48.22	-13
2	0.15	30	10	0.16	-58.74	-13
3	30	1000	100	996.73	-56.51	-13
4	1000	20000	1000	19260.9	-40.68	-13

5B 16QAM PCC BW=10MHz Ch=2450 RB=1@0,SCC BW=5MHz Ch=2522 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.16	-13
2	0.15	30	10	0.15	-57.78	-13
3	30	1000	100	942.09	-56.82	-13
4	1000	20000	1000	19282.43	-40.28	-13

5B 16QAM PCC BW=10MHz Ch=2450 RB=50@0,SCC BW=10MHz Ch=2549 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-47.13	-13
2	0.15	30	10	0.16	-57.72	-13
3	30	1000	100	998.97	-56.9	-13
4	1000	20000	1000	18929.67	-41.17	-13

5B 16QAM PCC BW=10MHz Ch=2500 RB=50@0,SCC BW=5MHz Ch=2572 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.08	-13
2	0.15	30	10	0.15	-59.56	-13
3	30	1000	100	999.45	-56.6	-13
4	1000	20000	1000	18349.53	-40.55	-13

5B 16QAM PCC BW=10MHz Ch=2500 RB=1@0,SCC BW=5MHz Ch=2572 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.09	-13
2	0.15	30	10	0.16	-57.36	-13
3	30	1000	100	616.2	-56.73	-13
4	1000	20000	1000	18930.93	-40.83	-13

5B 16QAM PCC BW=10MHz Ch=2476 RB=50@0,SCC BW=10MHz Ch=2575 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.53	-13
2	0.15	30	10	0.17	-58.73	-13
3	30	1000	100	930.35	-56.47	-13
4	1000	20000	1000	18815.03	-40.57	-13

5B 16QAM PCC BW=10MHz Ch=2550 RB=1@0,SCC BW=5MHz Ch=2622 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.78	-13
2	0.15	30	10	0.15	-59.08	-13
3	30	1000	100	762.22	-56.64	-13
4	1000	20000	1000	19153.87	-40.33	-13

5B 16QAM PCC BW=10MHz Ch=2550 RB=50@0,SCC BW=5MHz Ch=2622 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.34	-13
2	0.15	30	10	0.15	-57.85	-13
3	30	1000	100	975.3	-56.52	-13
4	1000	20000	1000	19173.5	-40.63	-13

5B 16QAM PCC BW=10MHz Ch=2501 RB=1@0,SCC BW=10MHz Ch=2600 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.28	-13
2	0.15	30	10	0.15	-58.38	-13
3	30	1000	100	952.5	-56.52	-13
4	1000	20000	1000	19036.7	-40.78	-13

5B 16QAM PCC BW=10MHz Ch=2501 RB=50@0,SCC BW=10MHz Ch=2600 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.37	-13
2	0.15	30	10	0.15	-56.82	-13
3	30	1000	100	469.96	-56.22	-13
4	1000	20000	1000	18610.47	-40.31	-13

5B 16QAM PCC BW=3MHz Ch=2501 RB=15@0,SCC BW=5MHz Ch=2540 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.31	-13
2	0.15	30	10	0.16	-58.71	-13
3	30	1000	100	930.71	-56.38	-13
4	1000	20000	1000	19098.77	-40.72	-13

5B 16QAM PCC BW=3MHz Ch=2416 RB=1@0,SCC BW=5MHz Ch=2455 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.6	-13
2	0.15	30	10	0.15	-59.35	-13
3	30	1000	100	981.7	-56.37	-13
4	1000	20000	1000	19869.53	-41.16	-13

5B 16QAM PCC BW=3MHz Ch=2416 RB=15@0,SCC BW=5MHz Ch=2455 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.65	-13
2	0.15	30	10	0.16	-57.5	-13
3	30	1000	100	881.14	-56.53	-13
4	1000	20000	1000	19354	-41.33	-13

5B 16QAM PCC BW=3MHz Ch=2586 RB=1@0,SCC BW=5MHz Ch=2625 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.63	-13
2	0.15	30	10	0.15	-56.21	-13
3	30	1000	100	719.22	-56.65	-13
4	1000	20000	1000	19239.37	-41.19	-13

5B 16QAM PCC BW=3MHz Ch=2586 RB=15@0,SCC BW=5MHz Ch=2625 RB=25@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.68	-13
2	0.15	30	10	0.15	-58.33	-13
3	30	1000	100	927.77	-55.67	-13
4	1000	20000	1000	19347.03	-40.63	-13


5B 16QAM PCC BW=3MHz Ch=2501 RB=1@0,SCC BW=5MHz Ch=2540 RB=1@24



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-48.19	-13
2	0.15	30	10	0.15	-57.02	-13
3	30	1000	100	940.05	-56.23	-13
4	1000	20000	1000	18955.63	-40.8	-13




5B 16QAM PCC BW=5MHz Ch=2428 RB=1 @0,SCC BW=10MHz Ch=2500 RB=1 @49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.35	-13
2	0.15	30	10	0.15	-58.35	-13
3	30	1000	100	668	-56.44	-13
4	1000	20000	1000	18826.43	-40.74	-13

5B 16QAM PCC BW=5MHz Ch=2425 RB=25 @0,SCC BW=3MHz Ch=2464 RB=15 @0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-48.55	-13
2	0.15	30	10	0.15	-57.18	-13
3	30	1000	100	983.83	-56.66	-13
4	1000	20000	1000	18847.33	-41.07	-13

5B 16QAM PCC BW=5MHz Ch=2425 RB=1@0,SCC BW=3MHz Ch=2464 RB=1@14




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.67	-13
2	0.15	30	10	0.16	-58.65	-13
3	30	1000	100	982.06	-55.12	-13
4	1000	20000	1000	19029.73	-40.66	-13

5B 16QAM PCC BW=5MHz Ch=2478 RB=25@0,SCC BW=10MHz Ch=2550 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.28	-13
2	0.15	30	10	0.16	-59.34	-13
3	30	1000	100	962.3	-55.95	-13
4	1000	20000	1000	19021.5	-41.06	-13

5B 16QAM PCC BW=5MHz Ch=2510 RB=1@0,SCC BW=3MHz Ch=2549 RB=1@14




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-47.81	-13
2	0.15	30	10	0.17	-57.35	-13
3	30	1000	100	900.61	-55.22	-13
4	1000	20000	1000	18824.53	-40.08	-13

5B 16QAM PCC BW=5MHz Ch=2428 RB=25@0,SCC BW=10MHz Ch=2500 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.25	-13
2	0.15	30	10	0.15	-58.4	-13
3	30	1000	100	984.77	-56.08	-13
4	1000	20000	1000	19271.67	-41.37	-13

5B 16QAM PCC BW=5MHz Ch=2478 RB=1 @0,SCC BW=10MHz Ch=2550 RB=1 @49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.59	-13
2	0.15	30	10	0.16	-57.66	-13
3	30	1000	100	688.95	-56.04	-13
4	1000	20000	1000	19443.93	-40.8	-13

5B 16QAM PCC BW=5MHz Ch=2528 RB=25 @0,SCC BW=10MHz Ch=2600 RB=50 @0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.74	-13
2	0.15	30	10	0.18	-58.38	-13
3	30	1000	100	921.04	-55.54	-13
4	1000	20000	1000	19174.77	-40.06	-13

5B 16QAM PCC BW=5MHz Ch=2528 RB=1 @0,SCC BW=10MHz Ch=2600 RB=1 @49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.62	-13
2	0.15	30	10	0.17	-58.46	-13
3	30	1000	100	914.9	-56.69	-13
4	1000	20000	1000	19761.23	-40.15	-13

5B 16QAM PCC BW=5MHz Ch=2510 RB=25 @0,SCC BW=3MHz Ch=2549 RB=15 @0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.91	-13
2	0.15	30	10	0.18	-58.4	-13
3	30	1000	100	735.45	-56.68	-13
4	1000	20000	1000	19177.3	-40.55	-13

5B QPSK PCC BW=10MHz Ch=2450 RB=1 @0,SCC BW=10MHz Ch=2549 RB=1 @49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-46.46	-13
2	0.15	30	10	0.17	-58.16	-13
3	30	1000	100	994.6	-56.58	-13
4	1000	20000	1000	19008.83	-40.39	-13

5B 16QAM PCC BW=5MHz Ch=2595 RB=25 @0,SCC BW=3MHz Ch=2634 RB=15 @0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.37	-13
2	0.15	30	10	0.15	-58.22	-13
3	30	1000	100	959.42	-56.73	-13
4	1000	20000	1000	19601.63	-40.65	-13

5B 16QAM PCC BW=5MHz Ch=2595 RB=1@0,SCC BW=3MHz Ch=2634 RB=1@14




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.35	-13
2	0.15	30	10	0.16	-59.57	-13
3	30	1000	100	890.71	-56.89	-13
4	1000	20000	1000	18740.93	-40.71	-13

5B QPSK PCC BW=10MHz Ch=2450 RB=50@0,SCC BW=5MHz Ch=2522 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.97	-13
2	0.15	30	10	0.15	-58.24	-13
3	30	1000	100	759.63	-56.63	-13
4	1000	20000	1000	19245.7	-41.05	-13

5B QPSK PCC BW=10MHz Ch=2450 RB=50@0,SCC BW=10MHz Ch=2549 RB=50@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.14	-13
2	0.15	30	10	0.15	-59.31	-13
3	30	1000	100	951.95	-55.87	-13
4	1000	20000	1000	18815.03	-41.32	-13


5B QPSK PCC BW=10MHz Ch=2450 RB=1@0,SCC BW=5MHz Ch=2522 RB=1@24



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.65	-13
2	0.15	30	10	0.15	-57.7	-13
3	30	1000	100	628.52	-56.82	-13
4	1000	20000	1000	18777.03	-39.79	-13




5B QPSK PCC BW=10MHz Ch=2500 RB=1@0,SCC BW=5MHz Ch=2572 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.44	-13
2	0.15	30	10	0.15	-58.62	-13
3	30	1000	100	436.11	-56.31	-13
4	1000	20000	1000	19107	-40.73	-13

5B QPSK PCC BW=10MHz Ch=2500 RB=50@0,SCC BW=5MHz Ch=2572 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.81	-13
2	0.15	30	10	0.16	-57.18	-13
3	30	1000	100	983.74	-56.67	-13
4	1000	20000	1000	18575	-41.1	-13

5B QPSK PCC BW=10MHz Ch=2476 RB=1 @0,SCC BW=10MHz Ch=2575 RB=1 @49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.31	-13
2	0.15	30	10	0.18	-58.5	-13
3	30	1000	100	471.54	-56.35	-13
4	1000	20000	1000	19720.07	-40.33	-13

5B QPSK PCC BW=10MHz Ch=2476 RB=50 @0,SCC BW=10MHz Ch=2575 RB=50 @0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.35	-13
2	0.15	30	10	0.16	-59.09	-13
3	30	1000	100	931.55	-56.2	-13
4	1000	20000	1000	18910.67	-40.36	-13

5B QPSK PCC BW=10MHz Ch=2550 RB=1@0,SCC BW=5MHz Ch=2622 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.62	-13
2	0.15	30	10	0.15	-58	-13
3	30	1000	100	922.24	-56.92	-13
4	1000	20000	1000	18825.8	-40.9	-13

5B QPSK PCC BW=10MHz Ch=2501 RB=50@0,SCC BW=10MHz Ch=2600 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-47.75	-13
2	0.15	30	10	0.15	-59.27	-13
3	30	1000	100	933.98	-57.09	-13
4	1000	20000	1000	19371.1	-40.84	-13

5B QPSK PCC BW=10MHz Ch=2501 RB=1 @0,SCC BW=10MHz Ch=2600 RB=1 @49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-45.55	-13
2	0.15	30	10	0.15	-58.75	-13
3	30	1000	100	947.94	-56.33	-13
4	1000	20000	1000	19012.63	-40.49	-13

5B QPSK PCC BW=3MHz Ch=2416 RB=1 @0,SCC BW=5MHz Ch=2455 RB=1 @24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.05	-13
2	0.15	30	10	0.16	-58.82	-13
3	30	1000	100	961.98	-55.91	-13
4	1000	20000	1000	19744.77	-40.53	-13

5B QPSK PCC BW=3MHz Ch=2501 RB=15@0,SCC BW=5MHz Ch=2540 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.77	-13
2	0.15	30	10	0.16	-57.49	-13
3	30	1000	100	941.93	-56.12	-13
4	1000	20000	1000	19149.43	-40.47	-13

5B QPSK PCC BW=10MHz Ch=2550 RB=50@0,SCC BW=5MHz Ch=2622 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-47.52	-13
2	0.15	30	10	0.15	-56.7	-13
3	30	1000	100	916.16	-55.93	-13
4	1000	20000	1000	19043.03	-40.61	-13

5B QPSK PCC BW=3MHz Ch=2416 RB=15@0,SCC BW=5MHz Ch=2455 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.18	-13
2	0.15	30	10	0.17	-58.08	-13
3	30	1000	100	467.05	-55.93	-13
4	1000	20000	1000	18980.97	-41.33	-13

5B QPSK PCC BW=3MHz Ch=2586 RB=1@0,SCC BW=5MHz Ch=2625 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.66	-13
2	0.15	30	10	0.17	-58.99	-13
3	30	1000	100	881.24	-54.92	-13
4	1000	20000	1000	19582	-40.76	-13

5B QPSK PCC BW=3MHz Ch=2586 RB=15@0,SCC BW=5MHz Ch=2625 RB=25@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.8	-13
2	0.15	30	10	0.16	-57.56	-13
3	30	1000	100	897.5	-56.1	-13
4	1000	20000	1000	18716.23	-40.31	-13

5B QPSK PCC BW=3MHz Ch=2501 RB=1@0,SCC BW=5MHz Ch=2540 RB=1@24




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.77	-13
2	0.15	30	10	0.15	-59.19	-13
3	30	1000	100	742.34	-56.58	-13
4	1000	20000	1000	18188.03	-40.81	-13

5B QPSK PCC BW=5MHz Ch=2428 RB=1 @0,SCC BW=10MHz Ch=2500 RB=1 @49



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.2	-13
2	0.15	30	10	0.15	-56.52	-13
3	30	1000	100	758.79	-56.89	-13
4	1000	20000	1000	19311.57	-40.98	-13


5B QPSK PCC BW=5MHz Ch=2425 RB=25 @0,SCC BW=3MHz Ch=2464 RB=15 @0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.41	-13
2	0.15	30	10	0.18	-59.44	-13
3	30	1000	100	969.67	-55.88	-13
4	1000	20000	1000	19414.17	-40.57	-13




5B QPSK PCC BW=5MHz Ch=2425 RB=1 @0,SCC BW=3MHz Ch=2464 RB=1 @14




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.03	-13
2	0.15	30	10	0.15	-57.41	-13
3	30	1000	100	922.95	-56.74	-13
4	1000	20000	1000	19477.5	-39.73	-13

5B QPSK PCC BW=5MHz Ch=2478 RB=25 @0,SCC BW=10MHz Ch=2550 RB=50 @0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.2	-13
2	0.15	30	10	0.15	-56.98	-13
3	30	1000	100	915.06	-56.37	-13
4	1000	20000	1000	19089.9	-40.79	-13

5B QPSK PCC BW=5MHz Ch=2478 RB=1 @0,SCC BW=10MHz Ch=2550 RB=1 @49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.76	-13
2	0.15	30	10	0.16	-59.28	-13
3	30	1000	100	648.57	-56.37	-13
4	1000	20000	1000	18997.43	-39.74	-13

5B QPSK PCC BW=5MHz Ch=2428 RB=25 @0,SCC BW=10MHz Ch=2500 RB=50 @0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.86	-13
2	0.15	30	10	0.18	-57.64	-13
3	30	1000	100	980.66	-56.85	-13
4	1000	20000	1000	3807.57	-41.42	-13

5B QPSK PCC BW=5MHz Ch=2528 RB=1 @0,SCC BW=10MHz Ch=2600 RB=1 @49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.25	-13
2	0.15	30	10	0.16	-59.38	-13
3	30	1000	100	750.87	-57.19	-13
4	1000	20000	1000	18745.37	-40.18	-13

5B QPSK PCC BW=5MHz Ch=2510 RB=25 @0,SCC BW=3MHz Ch=2549 RB=15 @0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.91	-13
2	0.15	30	10	0.15	-58.6	-13
3	30	1000	100	786.41	-56.66	-13
4	1000	20000	1000	19158.93	-40.63	-13

5B QPSK PCC BW=5MHz Ch=2510 RB=1 @0,SCC BW=3MHz Ch=2549 RB=1 @14




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-46.24	-13
2	0.15	30	10	0.16	-58.63	-13
3	30	1000	100	902.77	-56.89	-13
4	1000	20000	1000	18369.17	-40.97	-13

5B QPSK PCC BW=5MHz Ch=2595 RB=1 @0,SCC BW=3MHz Ch=2634 RB=1 @14




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-47.93	-13
2	0.15	30	10	0.15	-59.83	-13
3	30	1000	100	901.9	-55.95	-13
4	1000	20000	1000	19958.2	-39.55	-13

5B QPSK PCC BW=5MHz Ch=2528 RB=25@0,SCC BW=10MHz Ch=2600 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-47.75	-13
2	0.15	30	10	0.18	-58.33	-13
3	30	1000	100	988.59	-56.34	-13
4	1000	20000	1000	19041.13	-40.84	-13

5B QPSK PCC BW=5MHz Ch=2595 RB=25@0,SCC BW=3MHz Ch=2634 RB=15@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-48.41	-13
2	0.15	30	10	0.16	-58.48	-13
3	30	1000	100	792	-55.88	-13
4	1000	20000	1000	19145.63	-41.16	-13

66C 16QAM PCC BW=10MHz Ch=66792 RB=1@0,SCC BW=20MHz Ch=66936 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.6	-13
2	0.15	30	10	0.15	-51.93	-13
3	30	1000	100	902.35	-50.72	-13
4	1000	20000	1000	19200.73	-34.34	-13

66C 16QAM PCC BW=10MHz Ch=66792 RB=50@0,SCC BW=20MHz Ch=66936 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.81	-13
2	0.15	30	10	0.16	-52.66	-13
3	30	1000	100	904.36	-51.09	-13
4	1000	20000	1000	19231.77	-35.42	-13

66C 16QAM PCC BW=10MHz Ch=66491 RB=1@0,SCC BW=20MHz Ch=66635 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.26	-13
2	0.15	30	10	0.16	-52.8	-13
3	30	1000	100	890.75	-50.02	-13
4	1000	20000	1000	19269.13	-33.99	-13

66C 16QAM PCC BW=10MHz Ch=66491 RB=50@0,SCC BW=20MHz Ch=66635 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.15	-13
2	0.15	30	10	0.16	-53.45	-13
3	30	1000	100	812.66	-50.32	-13
4	1000	20000	1000	19385.03	-34.98	-13

66C 16QAM PCC BW=15MHz Ch=66511 RB=1@0,SCC BW=15MHz Ch=66661 RB=1@74



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.84	-13
2	0.15	30	10	0.18	-53.95	-13
3	30	1000	100	855.28	-50.63	-13
4	1000	20000	1000	19338.17	-33.98	-13


66C 16QAM PCC BW=15MHz Ch=66511 RB=75@0,SCC BW=15MHz Ch=66661 RB=75@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.19	-13
2	0.15	30	10	0.18	-53.85	-13
3	30	1000	100	895.82	-50.26	-13
4	1000	20000	1000	19035.43	-34.96	-13




66C 16QAM PCC BW=10MHz Ch=66892 RB=1@0,SCC BW=20MHz Ch=67036 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.78	-13
2	0.15	30	10	0.17	-52.43	-13
3	30	1000	100	814.96	-50.61	-13
4	1000	20000	1000	19098.77	-35.62	-13

66C 16QAM PCC BW=10MHz Ch=66892 RB=50@0,SCC BW=20MHz Ch=67036 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.86	-13
2	0.15	30	10	0.16	-52.73	-13
3	30	1000	100	999.84	-50.53	-13
4	1000	20000	1000	19063.3	-34.32	-13

66C 16QAM PCC BW=15MHz Ch=66789 RB=1@0,SCC BW=20MHz Ch=66960 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.95	-13
2	0.15	30	10	0.15	-51.1	-13
3	30	1000	100	847.42	-50.52	-13
4	1000	20000	1000	19676.37	-33.56	-13

66C 16QAM PCC BW=15MHz Ch=66789 RB=75@0,SCC BW=20MHz Ch=66960 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.55	-13
2	0.15	30	10	0.15	-52.83	-13
3	30	1000	100	772.99	-50.05	-13
4	1000	20000	1000	19436.97	-35.18	-13

66C 16QAM PCC BW=15MHz Ch=66514 RB=1@0,SCC BW=20MHz Ch=66685 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.03	-13
2	0.15	30	10	0.16	-52.84	-13
3	30	1000	100	903.1	-50.09	-13
4	1000	20000	1000	19214.67	-34.06	-13

66C 16QAM PCC BW=15MHz Ch=66514 RB=75@0,SCC BW=20MHz Ch=66685 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.29	-13
2	0.15	30	10	0.16	-53.56	-13
3	30	1000	100	928.35	-50.84	-13
4	1000	20000	1000	19257.73	-34.87	-13

66C 16QAM PCC BW=15MHz Ch=66885 RB=1@0,SCC BW=20MHz Ch=67036 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.33	-13
2	0.15	30	10	0.17	-54.33	-13
3	30	1000	100	929.87	-50.98	-13
4	1000	20000	1000	18763.73	-34.95	-13

66C 16QAM PCC BW=15MHz Ch=66885 RB=75@0,SCC BW=20MHz Ch=67036 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.01	-13
2	0.15	30	10	0.16	-50.87	-13
3	30	1000	100	860.74	-50.33	-13
4	1000	20000	1000	19366.67	-34.55	-13

66C 16QAM PCC BW=15MHz Ch=66811 RB=1@0,SCC BW=15MHz Ch=66961 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-41.91	-13
2	0.15	30	10	0.15	-51.94	-13
3	30	1000	100	960.49	-50.48	-13
4	1000	20000	1000	19055.07	-34.51	-13

66C 16QAM PCC BW=15MHz Ch=66811 RB=75@0,SCC BW=15MHz Ch=66961 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.93	-13
2	0.15	30	10	0.15	-51.81	-13
3	30	1000	100	811.01	-51.26	-13
4	1000	20000	1000	19241.27	-35.33	-13

66C 16QAM PCC BW=20MHz Ch=66536 RB=100@0,SCC BW=10MHz Ch=66680 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.51	-13
2	0.15	30	10	0.15	-54.29	-13
3	30	1000	100	880.37	-50.25	-13
4	1000	20000	1000	19464.83	-34.73	-13

66C 16QAM PCC BW=20MHz Ch=66536 RB=100@0,SCC BW=15MHz Ch=66707 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-42.63	-13
2	0.15	30	10	0.15	-52.8	-13
3	30	1000	100	888.42	-49.97	-13
4	1000	20000	1000	19174.77	-35.24	-13

66C 16QAM PCC BW=15MHz Ch=66911 RB=1@0,SCC BW=15MHz Ch=67061 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.56	-13
2	0.15	30	10	0.18	-53.91	-13
3	30	1000	100	881.92	-51.17	-13
4	1000	20000	1000	18672.53	-35.25	-13

66C 16QAM PCC BW=15MHz Ch=66911 RB=75@0,SCC BW=15MHz Ch=67061 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.72	-13
2	0.15	30	10	0.18	-53.53	-13
3	30	1000	100	878.23	-50.64	-13
4	1000	20000	1000	19053.8	-35.34	-13

66C 16QAM PCC BW=20MHz Ch=66536 RB=1@0,SCC BW=20MHz Ch=66734 RB=1@99



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.51	-13
2	0.15	30	10	0.18	-53.49	-13
3	30	1000	100	869.66	-49.95	-13
4	1000	20000	1000	18868.23	-34.81	-13


66C 16QAM PCC BW=20MHz Ch=66787 RB=100@0,SCC BW=20MHz Ch=66985 RB=100@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.35	-13
2	0.15	30	10	0.18	-53.66	-13
3	30	1000	100	961.81	-50.51	-13
4	1000	20000	1000	18705.47	-35.1	-13




66C 16QAM PCC BW=20MHz Ch=66536 RB=1@0,SCC BW=15MHz Ch=66707 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.93	-13
2	0.15	30	10	0.18	-52.92	-13
3	30	1000	100	847.94	-50.12	-13
4	1000	20000	1000	19240	-33.73	-13

66C 16QAM PCC BW=20MHz Ch=66536 RB=100@0,SCC BW=20MHz Ch=66734 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.75	-13
2	0.15	30	10	0.15	-52.72	-13
3	30	1000	100	891.07	-50.12	-13
4	1000	20000	1000	19003.77	-34.95	-13

66C 16QAM PCC BW=20MHz Ch=66536 RB=1@0,SCC BW=10MHz Ch=66680 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.16	-13
2	0.15	30	10	0.17	-51.13	-13
3	30	1000	100	897.76	-50.39	-13
4	1000	20000	1000	19653.57	-35.3	-13

66C 16QAM PCC BW=20MHz Ch=66812 RB=1@0,SCC BW=15MHz Ch=66983 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.26	-13
2	0.15	30	10	0.16	-50.82	-13
3	30	1000	100	891.65	-50.32	-13
4	1000	20000	1000	19823.3	-34	-13

66C 16QAM PCC BW=20MHz Ch=66837 RB=100@0,SCC BW=10MHz Ch=66981 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-40.62	-13
2	0.15	30	10	0.16	-52.04	-13
3	30	1000	100	895.82	-50.49	-13
4	1000	20000	1000	19113.33	-34.94	-13

66C 16QAM PCC BW=20MHz Ch=66787 RB=1@0,SCC BW=20MHz Ch=66985 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-41.43	-13
2	0.15	30	10	0.15	-53.34	-13
3	30	1000	100	889.58	-50.34	-13
4	1000	20000	1000	19056.97	-34.49	-13

66C 16QAM PCC BW=20MHz Ch=66812 RB=100@0,SCC BW=15MHz Ch=66983 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.86	-13
2	0.15	30	10	0.15	-53.18	-13
3	30	1000	100	895.3	-50.71	-13
4	1000	20000	1000	18820.1	-35.08	-13

66C 16QAM PCC BW=20MHz Ch=66838 RB=1@0,SCC BW=20MHz Ch=67036 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.03	-13
2	0.15	30	10	0.16	-51.42	-13
3	30	1000	100	823.52	-50.72	-13
4	1000	20000	1000	19135.5	-34.47	-13

66C 16QAM PCC BW=20MHz Ch=66887 RB=100@0,SCC BW=15MHz Ch=67058 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.42	-13
2	0.15	30	10	0.17	-52.05	-13
3	30	1000	100	839.24	-50.08	-13
4	1000	20000	1000	18790.97	-34.99	-13

66C 16QAM PCC BW=20MHz Ch=66837 RB=1@0,SCC BW=10MHz Ch=66981 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.26	-13
2	0.15	30	10	0.15	-51.63	-13
3	30	1000	100	875.42	-51.14	-13
4	1000	20000	1000	19948.07	-35.25	-13

66C 16QAM PCC BW=20MHz Ch=66838 RB=100@0,SCC BW=20MHz Ch=67036 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.43	-13
2	0.15	30	10	0.16	-52.69	-13
3	30	1000	100	900.32	-50.84	-13
4	1000	20000	1000	19301.43	-35.38	-13

66C 16QAM PCC BW=20MHz Ch=66937 RB=1@0,SCC BW=10MHz Ch=67081 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.02	-13
2	0.15	30	10	0.15	-52.14	-13
3	30	1000	100	803.61	-50.92	-13
4	1000	20000	1000	19215.3	-35.52	-13

66C QPSK PCC BW=10MHz Ch=66491 RB=1@0,SCC BW=20MHz Ch=66635 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-41.26	-13
2	0.15	30	10	0.17	-52.65	-13
3	30	1000	100	866.11	-50.4	-13
4	1000	20000	1000	19515.5	-35.18	-13

66C 16QAM PCC BW=20MHz Ch=66887 RB=1@0,SCC BW=15MHz Ch=67058 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.94	-13
2	0.15	30	10	0.17	-53.38	-13
3	30	1000	100	878.78	-50.23	-13
4	1000	20000	1000	18855.57	-34.73	-13

66C 16QAM PCC BW=20MHz Ch=66937 RB=100@0,SCC BW=10MHz Ch=67081 RB=50@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.77	-13
2	0.15	30	10	0.17	-53.75	-13
3	30	1000	100	978.05	-49.01	-13
4	1000	20000	1000	19519.93	-34.57	-13


66C QPSK PCC BW=10MHz Ch=66792 RB=50@0,SCC BW=20MHz Ch=66936 RB=100@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.48	-13
2	0.15	30	10	0.15	-52.9	-13
3	30	1000	100	952.41	-50.79	-13
4	1000	20000	1000	19476.23	-35.27	-13




66C QPSK PCC BW=10MHz Ch=66892 RB=1@0,SCC BW=20MHz Ch=67036 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.2	-13
2	0.15	30	10	0.18	-53.08	-13
3	30	1000	100	533.33	-50.52	-13
4	1000	20000	1000	19461.03	-35.11	-13

66C QPSK PCC BW=10MHz Ch=66491 RB=50@0,SCC BW=20MHz Ch=66635 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.98	-13
2	0.15	30	10	0.15	-51.66	-13
3	30	1000	100	838.5	-50.77	-13
4	1000	20000	1000	19077.87	-34.93	-13

66C QPSK PCC BW=10MHz Ch=66792 RB=1@0,SCC BW=20MHz Ch=66936 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.79	-13
2	0.15	30	10	0.17	-53.92	-13
3	30	1000	100	881.5	-50	-13
4	1000	20000	1000	19172.87	-34.72	-13

66C QPSK PCC BW=15MHz Ch=66511 RB=75@0,SCC BW=15MHz Ch=66661 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.44	-13
2	0.15	30	10	0.18	-52.99	-13
3	30	1000	100	910.89	-50.55	-13
4	1000	20000	1000	18851.77	-35.39	-13

66C QPSK PCC BW=15MHz Ch=66511 RB=1@0,SCC BW=15MHz Ch=66661 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.15	-13
2	0.15	30	10	0.17	-53.62	-13
3	30	1000	100	693.67	-49.75	-13
4	1000	20000	1000	19134.23	-35.08	-13

66C QPSK PCC BW=10MHz Ch=66892 RB=50@0,SCC BW=20MHz Ch=67036 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.99	-13
2	0.15	30	10	0.16	-52.85	-13
3	30	1000	100	998.71	-51.01	-13
4	1000	20000	1000	19326.13	-34.45	-13

66C QPSK PCC BW=15MHz Ch=66789 RB=1@0,SCC BW=20MHz Ch=66960 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.98	-13
2	0.15	30	10	0.15	-52.64	-13
3	30	1000	100	921.4	-50.73	-13
4	1000	20000	1000	19507.9	-34.57	-13

66C QPSK PCC BW=15MHz Ch=66514 RB=75@0,SCC BW=20MHz Ch=66685 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.33	-13
2	0.15	30	10	0.15	-51.87	-13
3	30	1000	100	932.07	-50.73	-13
4	1000	20000	1000	19195.03	-35.61	-13

66C QPSK PCC BW=15MHz Ch=66514 RB=1@0,SCC BW=20MHz Ch=66685 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-40.44	-13
2	0.15	30	10	0.17	-53.19	-13
3	30	1000	100	877.55	-50.18	-13
4	1000	20000	1000	18822.63	-35.31	-13

66C QPSK PCC BW=15MHz Ch=66811 RB=75@0,SCC BW=15MHz Ch=66961 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.38	-13
2	0.15	30	10	0.18	-51.51	-13
3	30	1000	100	855.66	-50.61	-13
4	1000	20000	1000	19376.8	-34.26	-13

66C QPSK PCC BW=15MHz Ch=66811 RB=1@0,SCC BW=15MHz Ch=66961 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.65	-13
2	0.15	30	10	0.15	-52.16	-13
3	30	1000	100	871.99	-50.8	-13
4	1000	20000	1000	18735.87	-35.15	-13

66C QPSK PCC BW=15MHz Ch=66789 RB=75@0,SCC BW=20MHz Ch=66960 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.08	-13
2	0.15	30	10	0.17	-52.35	-13
3	30	1000	100	945.52	-50.95	-13
4	1000	20000	1000	19164.63	-35.2	-13

66C QPSK PCC BW=15MHz Ch=66911 RB=1@0,SCC BW=15MHz Ch=67061 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-39.43	-13
2	0.15	30	10	0.15	-52.01	-13
3	30	1000	100	760.64	-50.53	-13
4	1000	20000	1000	18630.1	-34.88	-13

66C QPSK PCC BW=15MHz Ch=66885 RB=75@0,SCC BW=20MHz Ch=67036 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.97	-13
2	0.15	30	10	0.15	-53.08	-13
3	30	1000	100	882.24	-50.06	-13
4	1000	20000	1000	19263.43	-35.21	-13

66C QPSK PCC BW=15MHz Ch=66885 RB=1@0,SCC BW=20MHz Ch=67036 RB=1@99



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-40.39	-13
2	0.15	30	10	0.15	-53.93	-13
3	30	1000	100	907.82	-50.43	-13
4	1000	20000	1000	18796.03	-35.2	-13


66C QPSK PCC BW=20MHz Ch=66536 RB=100@0,SCC BW=15MHz Ch=66707 RB=75@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.81	-13
2	0.15	30	10	0.15	-52.89	-13
3	30	1000	100	840.6	-50.14	-13
4	1000	20000	1000	18799.2	-34.84	-13




66C QPSK PCC BW=20MHz Ch=66536 RB=100@0,SCC BW=10MHz Ch=66680 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.49	-13
2	0.15	30	10	0.15	-52.95	-13
3	30	1000	100	963.27	-50.55	-13
4	1000	20000	1000	19155.77	-34.66	-13

66C QPSK PCC BW=15MHz Ch=66911 RB=75@0,SCC BW=15MHz Ch=67061 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-40.93	-13
2	0.15	30	10	0.16	-51.85	-13
3	30	1000	100	870.7	-51.01	-13
4	1000	20000	1000	18569.93	-35.14	-13

66C QPSK PCC BW=20MHz Ch=66536 RB=1@0,SCC BW=15MHz Ch=66707 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.99	-13
2	0.15	30	10	0.18	-51.74	-13
3	30	1000	100	815.44	-49.96	-13
4	1000	20000	1000	19492.07	-35.29	-13

66C QPSK PCC BW=20MHz Ch=66536 RB=1@0,SCC BW=10MHz Ch=66680 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-39.96	-13
2	0.15	30	10	0.2	-53.22	-13
3	30	1000	100	655.78	-49.63	-13
4	1000	20000	1000	3921.57	-35.45	-13

66C QPSK PCC BW=20MHz Ch=66536 RB=100@0,SCC BW=20MHz Ch=66734 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.89	-13
2	0.15	30	10	0.15	-52.75	-13
3	30	1000	100	909.01	-50.81	-13
4	1000	20000	1000	19059.5	-34.53	-13

66C QPSK PCC BW=20MHz Ch=66787 RB=1@0,SCC BW=20MHz Ch=66985 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.4	-13
2	0.15	30	10	0.16	-53.81	-13
3	30	1000	100	849.2	-49.83	-13
4	1000	20000	1000	19761.23	-34.59	-13

66C QPSK PCC BW=20MHz Ch=66787 RB=100@0,SCC BW=20MHz Ch=66985 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.27	-13
2	0.15	30	10	0.15	-52.99	-13
3	30	1000	100	777	-50.76	-13
4	1000	20000	1000	19379.33	-35.03	-13

66C QPSK PCC BW=20MHz Ch=66536 RB=1@0,SCC BW=20MHz Ch=66734 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.51	-13
2	0.15	30	10	0.15	-51.97	-13
3	30	1000	100	853.98	-50.7	-13
4	1000	20000	1000	19091.17	-34.55	-13

66C QPSK PCC BW=20MHz Ch=66837 RB=100@0,SCC BW=10MHz Ch=66981 RB=50@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.38	-13
2	0.15	30	10	0.16	-52.81	-13
3	30	1000	100	971.39	-50.63	-13
4	1000	20000	1000	19215.3	-35.14	-13

66C QPSK PCC BW=20MHz Ch=66812 RB=1@0,SCC BW=15MHz Ch=66983 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40.53	-13
2	0.15	30	10	0.16	-52.84	-13
3	30	1000	100	862.03	-50.36	-13
4	1000	20000	1000	19342.6	-34.57	-13

66C QPSK PCC BW=20MHz Ch=66812 RB=100@0,SCC BW=15MHz Ch=66983 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-40	-13
2	0.15	30	10	0.15	-50.57	-13
3	30	1000	100	883.83	-50.47	-13
4	1000	20000	1000	19339.43	-34.86	-13

66C QPSK PCC BW=20MHz Ch=66838 RB=1@0,SCC BW=20MHz Ch=67036 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-42.03	-13
2	0.15	30	10	0.16	-53.58	-13
3	30	1000	100	905.26	-50.59	-13
4	1000	20000	1000	18832.13	-35.28	-13

66C QPSK PCC BW=20MHz Ch=66838 RB=100@0,SCC BW=20MHz Ch=67036 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.72	-13
2	0.15	30	10	0.16	-52.03	-13
3	30	1000	100	958.48	-50.69	-13
4	1000	20000	1000	18975.27	-35.26	-13

66C QPSK PCC BW=20MHz Ch=66837 RB=1@0,SCC BW=10MHz Ch=66981 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.15	-13
2	0.15	30	10	0.15	-53.54	-13
3	30	1000	100	915.61	-50.04	-13
4	1000	20000	1000	19200.1	-35.26	-13

66C QPSK PCC BW=20MHz Ch=66937 RB=100@0,SCC BW=10MHz Ch=67081 RB=50@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.44	-13
2	0.15	30	10	0.15	-50.07	-13
3	30	1000	100	891.97	-50.09	-13
4	1000	20000	1000	19134.87	-34.78	-13


66C QPSK PCC BW=20MHz Ch=66887 RB=1@0,SCC BW=15MHz Ch=67058 RB=1@74



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-40.64	-13
2	0.15	30	10	0.15	-51.91	-13
3	30	1000	100	843.8	-50.78	-13
4	1000	20000	1000	19069.63	-34.61	-13




66C QPSK PCC BW=20MHz Ch=66887 RB=100@0,SCC BW=15MHz Ch=67058 RB=75@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.89	-13
2	0.15	30	10	0.15	-52.45	-13
3	30	1000	100	800.18	-51.25	-13
4	1000	20000	1000	18452.13	-34.77	-13

66C QPSK PCC BW=20MHz Ch=66937 RB=1@0,SCC BW=10MHz Ch=67081 RB=1@49




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-41.2	-13
2	0.15	30	10	0.16	-52.16	-13
3	30	1000	100	808.49	-50.88	-13
4	1000	20000	1000	19240	-34.45	-13

7C 16QAM PCC BW=10MHz Ch=3006 RB=1@0,SCC BW=20MHz Ch=3150 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.4	-25
2	0.15	30	10	0.16	-55.65	-25
3	30	1000	100	935.92	-52.57	-25
4	1000	20000	1000	19004.4	-37.47	-25

7C 16QAM PCC BW=10MHz Ch=2805 RB=50@0,SCC BW=20MHz Ch=2949 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.95	-25
2	0.15	30	10	0.16	-55.44	-25
3	30	1000	100	869.99	-52.81	-25
4	1000	20000	1000	18417.93	-37.49	-25

7C 16QAM PCC BW=10MHz Ch=2805 RB=1@0,SCC BW=20MHz Ch=2949 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.27	-25
2	0.15	30	10	0.18	-54.75	-25
3	30	1000	100	933.01	-52.81	-25
4	1000	20000	1000	19091.8	-36.63	-25

7C 16QAM PCC BW=10MHz Ch=3206 RB=50@0,SCC BW=20MHz Ch=3350 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02	-43.52	-25
2	0.15	30	10	0.18	-55.31	-25
3	30	1000	100	891.49	-52.61	-25
4	1000	20000	1000	19264.07	-37.61	-25

7C 16QAM PCC BW=15MHz Ch=2825 RB=1@0,SCC BW=15MHz Ch=2975 RB=1@74




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.54	-25
2	0.15	30	10	0.15	-54.67	-25
3	30	1000	100	897.54	-51.95	-25
4	1000	20000	1000	19428.73	-36.97	-25

7C 16QAM PCC BW=10MHz Ch=3006 RB=50@0,SCC BW=20MHz Ch=3150 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.97	-25
2	0.15	30	10	0.16	-56	-25
3	30	1000	100	865.85	-52.77	-25
4	1000	20000	1000	18957.53	-37.87	-25

7C 16QAM PCC BW=10MHz Ch=3206 RB=1@0,SCC BW=20MHz Ch=3350 RB=1@99




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-43.75	-25
2	0.15	30	10	0.19	-55.75	-25
3	30	1000	100	910.99	-52.31	-25
4	1000	20000	1000	18866.97	-37.34	-25

7C 16QAM PCC BW=15MHz Ch=2828 RB=75@0,SCC BW=20MHz Ch=2999 RB=100@0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-42.13	-25
2	0.15	30	10	0.15	-54.34	-25
3	30	1000	100	809.33	-52.12	-25
4	1000	20000	1000	19269.77	-36.88	-25

7C 16QAM PCC BW=15MHz Ch=3003 RB=1@0,SCC BW=20MHz Ch=3174 RB=1@99



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-44.1	-25
2	0.15	30	10	0.15	-55.68	-25
3	30	1000	100	969.48	-53.04	-25
4	1000	20000	1000	18830.23	-37.09	-25

7C 16QAM PCC BW=15MHz Ch=2825 RB=75@0,SCC BW=15MHz Ch=2975 RB=75@0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01	-41.56	-25
2	0.15	30	10	0.17	-55.12	-25
3	30	1000	100	621.34	-52.39	-25
4	1000	20000	1000	19021.5	-37	-25